

When Does Aggregating Explanations Work?

ImageNet Results

Jinhua Xu, Davide Anguita, Fabio Roli, Jing Yuan, and Luca Oneto

This report is generated from the structured result files listed in `RESULT_MANIFEST.json`. It is organised by model and experiment and retains incomplete snapshots together with additional result tables. The released ImageNet rows use the 100-class ImageNet-1k subset (ImageNet100); the label ImageNet is used consistently in this collection.

1 ResNet-18

Table 1: ImageNet–ResNet-18 results.

cell	dataset	model	architecture	replit	method	setting	q	source count	sample count	F	Fbar	C	Cbar	R F _g	R F _p	R F _s	R F _a	R C _g	R C _p	R C _s
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	Best Indi- vidual	best- individual	1	3	5000	0.044	0.4272	0.124667	0.569267	0.066333	0.0492	0.024933	-0.0362	0.238067	0.217667	0.069667
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	SimpleAvg	NAIVE	11	3	5000	0.027133	0.640933	0.095733	0.7948	0.0772	0.059333	0.0232	-0.024333	0.2602	0.230467	0.0732
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	SimpleAvg	ind	11	11	5000	0.0224	0.6304	0.0908	0.7818	0.0804	0.0578	0.0268	-0.0194	0.2558	0.2322	0.0768
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	Borda	NAIVE	11	3	5000	0.031333	0.6224	0.100667	0.776467	0.0724	0.054867	0.0256	-0.028067	0.256133	0.226267	0.075267
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	Borda	ind	11	11	5000	0.0294	0.6288	0.105	0.7822	0.0766	0.0472	0.0254	-0.026	0.2506	0.2176	0.0696
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	RRF	NAIVE	11	3	5000	0.031467	0.6242	0.100867	0.778267	0.0682	0.0464	0.0214	-0.0286	0.246	0.2188	0.067933
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	RRF	ind	11	11	5000	0.0312	0.625	0.1026	0.78	0.066	0.0432	0.021	-0.028	0.242	0.2132	0.0624
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	Kemeny	NAIVE	11	3	5000	0.029133	0.623	0.0972	0.7764	0.0632	0.0474	0.020067	-0.0262	0.242733	0.217933	0.066467
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	Kemeny	ind	11	11	5000	0.03	0.6202	0.0996	0.7764	0.0664	0.0466	0.022	-0.0266	0.2468	0.2138	0.0662
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	Schulze	NAIVE	11	3	5000	0.029867	0.622067	0.0982	0.775733	0.064467	0.047	0.020267	-0.026933	0.245	0.218867	0.0684
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	Schulze	ind	11	11	5000	0.0304	0.6284	0.1002	0.7814	0.0688	0.0488	0.0224	-0.027	0.2484	0.2186	0.0682

Table 2: ImageNet-ResNet-18 results.

cell	dataset	model	architecture	replit	method	setting	q	source count	R C a	R Fbar g	R Fbar p	R Fbar s	R Fbar a	R Cbar g	R Cbar p	R Cbar s	R Cbar a	F perturbed g	Fbar perturbed g	C perturbed g
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	cnn	test	Best Individual	best-individual	1	3	-0.1094	-0.0742	-0.072267	-0.077467	0.006	-0.282	-0.266733	-0.131533	0.017667	0.110333	0.5014	0.362733
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	cnn	test	SimpleAvg	NAIVE	11	3	-0.0892	0.068333	0.067133	0.000467	0.0016	-0.136533	-0.1262	-0.054467	0.001267	0.104333	0.5726	0.355933
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	cnn	test	SimpleAvg	ind	11	11	-0.0844	0.064	0.0578	-0.0006	0.0014	-0.1444	-0.1386	-0.0584	-0.0002	0.1028	0.5664	0.3466
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	cnn	test	Borda	NAIVE	11	3	-0.0932	0.046667	0.040867	-0.013333	0.0006	-0.159733	-0.152067	-0.069733	0.0012	0.103733	0.575733	0.3568
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	cnn	test	Borda	ind	11	11	-0.0988	0.0496	0.0422	-0.0132	0.0006	-0.158	-0.1552	-0.0688	0.001	0.106	0.5792	0.3556
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	cnn	test	RRF	NAIVE	11	3	-0.094533	0.048467	0.0426	-0.011933	-6.6667e-05	-0.1588	-0.149867	-0.068133	0.001533	0.099667	0.575733	0.346867
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	cnn	test	RRF	ind	11	11	-0.0958	0.0452	0.0408	-0.0164	0.0042	-0.1622	-0.157	-0.072	0.0062	0.0972	0.5798	0.3446
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	cnn	test	Kemeny	NAIVE	11	3	-0.090467	0.048267	0.040067	-0.011067	0.002667	-0.158667	-0.153467	-0.068067	0.004267	0.092333	0.574733	0.339933
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	cnn	test	Kemeny	ind	11	11	-0.0926	0.0414	0.0366	-0.0172	-0.0014	-0.163	-0.159	-0.0714	0.003	0.0964	0.5788	0.3464
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	cnn	test	Schulze	NAIVE	11	3	-0.091467	0.045867	0.039467	-0.012133	0.0002	-0.160467	-0.153067	-0.0694	0.001933	0.094333	0.5762	0.3432
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	cnn	test	Schulze	ind	11	11	-0.0942	0.0486	0.0442	-0.0124	0.0044	-0.161	-0.154	-0.0706	0.007	0.0992	0.5798	0.3486

Table 3: ImageNet-ResNet-18 results.

cell	dataset	model	architecture	replit	method	setting	q	source count	Cbar perturbed g	F perturbed p	Fbar perturbed p	C perturbed p	Cbar perturbed p	F perturbed s	Fbar perturbed s	C perturbed s	Cbar perturbed s	F perturbed a	Fbar perturbed a	C perturbed a
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	cnn	test	Best Indi- vidual	best- individual	1	3	0.851267	0.0932	0.499467	0.342333	0.836	0.068933	0.504667	0.194333	0.7008	0.0078	0.4212	0.015267
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	cnn	test	SimpleAvg	NAIVE	11	3	0.931333	0.086467	0.5738	0.3262	0.921	0.050333	0.640467	0.168933	0.849267	0.0028	0.639333	0.006533
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	cnn	test	SimpleAvg	ind	11	11	0.9262	0.0802	0.5726	0.323	0.9204	0.0492	0.631	0.1676	0.8402	0.003	0.629	0.0064
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	cnn	test	Borda	NAIVE	11	3	0.9362	0.0862	0.581533	0.326933	0.928533	0.056933	0.635733	0.175933	0.8462	0.003267	0.6218	0.007467
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	cnn	test	Borda	ind	11	11	0.9402	0.0766	0.5866	0.3226	0.9374	0.0548	0.642	0.1746	0.851	0.0034	0.6282	0.0062
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	cnn	test	RRF	NAIVE	11	3	0.937067	0.077867	0.5816	0.319667	0.928133	0.052867	0.636133	0.1688	0.8464	0.002867	0.624267	0.006333
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	cnn	test	RRF	ind	11	11	0.9422	0.0744	0.5842	0.3158	0.937	0.0522	0.6414	0.165	0.852	0.0032	0.6208	0.0068
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	cnn	test	Kemeny	NAIVE	11	3	0.935067	0.076533	0.582933	0.315133	0.929867	0.0492	0.634067	0.163667	0.844467	0.002933	0.620333	0.006733
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	cnn	test	Kemeny	ind	11	11	0.9394	0.0766	0.5836	0.3134	0.9354	0.052	0.6374	0.1658	0.8478	0.0034	0.6216	0.007
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	cnn	test	Schulze	NAIVE	11	3	0.9362	0.076867	0.5826	0.317067	0.9288	0.050133	0.6342	0.1666	0.845133	0.002933	0.621867	0.006733
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	cnn	test	Schulze	ind	11	11	0.9424	0.0792	0.5842	0.3188	0.9354	0.0528	0.6408	0.1684	0.852	0.0034	0.624	0.006

Table 4: ImageNet–ResNet-18 results.

cell	dataset	model	architecture	replit	method	setting	q	source count	Cbar perturbed a	sd F	sd Fbar	sd C	sd Cbar	sd R F g	sd R F p	sd R F s	sd R F a	sd R C g	sd R C p	sd R C s
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	Best Indi- vidual	best- individual	1	3	0.5516	0.003274	0.004503	0.001332	0.00358	0.002335	0.00296	0.003062	0.002254	0.005547	0.0045	0.002701
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	SimpleAvg	NAIVE	11	3	0.793533	0.003972	0.008406	0.007433	0.007203	0.003617	0.005672	0.002623	0.003859	0.003329	0.003258	0.003639
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	SimpleAvg	ind	11	11	0.782											
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	Borda	NAIVE	11	3	0.775267	0.0041	0.01069	0.008705	0.012426	0.005769	0.004496	0.00453	0.003807	0.008601	0.004225	0.004636
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	Borda	ind	11	11	0.7812											
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	RRF	NAIVE	11	3	0.776733	0.004411	0.01403	0.007404	0.016318	0.007448	0.004729	0.004084	0.003995	0.005903	0.005231	0.001474
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	RRF	ind	11	11	0.7738											
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	Kemeny	NAIVE	11	3	0.772133	0.003844	0.015109	0.005632	0.015509	0.002553	0.002946	0.006395	0.004468	0.001137	0.002901	0.001617
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	Kemeny	ind	11	11	0.7734											
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	Schulze	NAIVE	11	3	0.7738	0.004105	0.015503	0.005437	0.017534	0.00342	0.000346	0.00189	0.004822	0.003	0.004406	0.004574
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	Schulze	ind	11	11	0.7744											

Table 5: ImageNet–ResNet-18 results.

cell	dataset	model	architecture	replit	method	setting	q	source count	sd R C a	sd R Fbar g	sd R Fbar p	sd R Fbar s	sd R Fbar a	sd R Cbar g	sd R Cbar p	sd R Cbar s	sd R Cbar a	sd F perturbed g	sd Fbar perturbed g	sd C perturbed g
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	Best Indi- vidual	best- individual	1	3	0.000346	0.008156	0.004614	0.007527	0.007299	0.002946	0.006198	0.007159	0.005033	0.005315	0.004454	0.006854
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	SimpleAvg	NAIVE	11	3	0.006954	0.006987	0.003035	0.004688	0.004762	0.005108	0.004084	0.003029	0.004244	0.005991	0.003219	0.01006
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	SimpleAvg	ind	11	11												
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	Borda	NAIVE	11	3	0.007102	0.007529	0.009403	0.008556	0.002615	0.007865	0.010955	0.009352	0.002433	0.002082	0.004225	0.001587
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	Borda	ind	11	11												
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	RRF	NAIVE	11	3	0.006417	0.011272	0.012701	0.006389	0.005116	0.012805	0.015684	0.008967	0.006469	0.006123	0.002774	0.001553
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	RRF	ind	11	11												
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	Kemeny	NAIVE	11	3	0.005205	0.013255	0.011528	0.010473	0.003107	0.013345	0.012215	0.010944	0.002139	0.004244	0.002501	0.006769
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	Kemeny	ind	11	11												
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	Schulze	NAIVE	11	3	0.0045	0.011802	0.011717	0.010631	0.006902	0.01429	0.013939	0.012126	0.0079	0.004965	0.005231	0.005381
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	Schulze	ind	11	11												

Table 6: ImageNet–ResNet-18 results.

cell	dataset	model	architecture	replit	method	setting	q	source count	sd Cbar perturbed g	sd F perturbed p	sd Fbar perturbed p	sd C perturbed p	sd Cbar perturbed p	sd F perturbed s	sd Fbar perturbed s	sd C perturbed s	sd Cbar perturbed s	sd F perturbed a	sd Fbar perturbed a	sd C perturbed a
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	Best Indi- vidual	best- individual	1	3	0.001102	0.003672	0.001514	0.005805	0.004015	0.002386	0.003035	0.003075	0.004162	0.001249	0.009027	0.001222
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	SimpleAvg	NAIVE	11	3	0.00411	0.002248	0.00537	0.004176	0.004015	0.002101	0.004989	0.003859	0.004743	0.000346	0.008122	0.000503
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	SimpleAvg	ind	11	11												
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	Borda	NAIVE	11	3	0.005142	0.000917	0.001793	0.004562	0.001528	0.000702	0.007767	0.00411	0.008072	0.000416	0.013037	0.001604
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	Borda	ind	11	11												
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	RRF	NAIVE	11	3	0.003765	0.002715	0.004386	0.004632	0.00363	0.000462	0.0089	0.00604	0.008834	0.000416	0.009868	0.001026
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	RRF	ind	11	11												
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	Kemeny	NAIVE	11	3	0.002715	0.006363	0.0053	0.008479	0.005637	0.004341	0.006178	0.00412	0.006543	0.000808	0.014727	0.001026
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	Kemeny	ind	11	11												
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	Schulze	NAIVE	11	3	0.005103	0.004041	0.003816	0.007991	0.0038	0.002663	0.007686	0.002946	0.008764	0.000924	0.008601	0.001172
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	Schulze	ind	11	11												

Table 7: ImageNet–ResNet-18 results.

cell	dataset	model	architecture	replit	method	setting	q	source count	sd Cbar perturbed a	selected individual
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	Best Indi- vidual	best- individual	1	3	0.007686	{ "C": "GuidedBa ckprop", "Cbar": "LRP", "F": "GuidedBa ckprop", "Fbar": "LRP" }
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	SimpleAvg	NAIVE	11	3	0.008171	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	SimpleAvg	ind	11	11		
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	Borda	NAIVE	11	3	0.014716	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	Borda	ind	11	11		
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	RRF	NAIVE	11	3	0.010001	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	RRF	ind	11	11		
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	Kemeny	NAIVE	11	3	0.015627	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	Kemeny	ind	11	11		
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	Schulze	NAIVE	11	3	0.010096	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	Schulze	ind	11	11		

Table 8: ImageNet-ResNet-18 results.

[illegible]

Table 9: ImageNet–ResNet-18 results.

cell	dataset	model	architecture	split	method	setting	distance model	sample count	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	best_individual	best_individual	spearman	5000	0.1716	0.1752	0.292	0.2952	0.078	0.0108	0.2344	0.184	0.0442	0.0086	0.2042	0.1848
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	simpleavg	naive	spearman	5000	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	simpleavg	NOISE	spearman	5000	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1378	0.0916	0.3152	0.2946
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	borda	naive	spearman	5000	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	borda	NOISE	spearman	5000	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	kemeny	naive	spearman	5000	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	kemeny	NOISE	spearman	5000	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	rrf	naive	spearman	5000	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	rrf	NOISE	spearman	5000	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	schulze	naive	spearman	5000	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	schulze	NOISE	spearman	5000	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	best_individual	best_individual	kendall	5000	0.1716	0.1752	0.292	0.2952	0.078	0.0108	0.2344	0.184	0.0442	0.0086	0.2042	0.1848
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	simpleavg	naive	kendall	5000	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	simpleavg	NOISE	kendall	5000	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1378	0.0916	0.3152	0.2946
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	borda	naive	kendall	5000	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	borda	NOISE	kendall	5000	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	kemeny	naive	kendall	5000	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	kemeny	NOISE	kendall	5000	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	rrf	naive	kendall	5000	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	rrf	NOISE	kendall	5000	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	schulze	naive	kendall	5000	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	schulze	NOISE	kendall	5000	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696

Table 10: ImageNet–ResNet-18 results.

cell	dataset	model	architecture	replit	method	setting	distance model	R F s	R Fbar s	R C s	R Cbar s	R F a	R Fbar a	R C a	R Cbar a	selected sources
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	best_individual	best_individual	spearman	0.0238	0.0004	0.0644	0.047	0.036	0.0026	0.1048	0.002	3102f14a e28876c5 74f83678 7c1c0863 1f7d7356 54dddc7d 798c951c f86d73f3
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	simpleavg	naive	spearman	0.0734	0.0636	0.1192	0.1196	0.0944	0.0338	0.1768	0.0754	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	simpleavg	NOISE	spearman	0.0734	0.0636	0.1192	0.1196	0.0944	0.0338	0.1768	0.0754	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	borda	naive	spearman	0.0748	0.0428	0.1142	0.103	0.095	0.019	0.1882	0.0532	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	borda	NOISE	spearman	0.0748	0.0428	0.1142	0.103	0.095	0.019	0.1882	0.0532	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	kemeny	naive	spearman	0.0748	0.0362	0.1136	0.0994	0.0904	0.015	0.179	0.0492	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	kemeny	NOISE	spearman	0.0748	0.0362	0.1136	0.0994	0.0904	0.015	0.179	0.0492	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	rrf	naive	spearman	0.0742	0.0342	0.1126	0.0958	0.0956	0.0246	0.1914	0.0608	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	rrf	NOISE	spearman	0.0742	0.0342	0.1126	0.0958	0.0956	0.0246	0.1914	0.0608	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	schulze	naive	spearman	0.077	0.035	0.112	0.0958	0.0926	0.017	0.1864	0.0506	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	schulze	NOISE	spearman	0.077	0.035	0.112	0.0958	0.0926	0.017	0.1864	0.0506	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	best_individual	best_individual	kendall	0.0238	0.0004	0.0644	0.047	0.036	0.0026	0.1048	0.002	3102f14a e28876c5 74f83678 7c1c0863 1f7d7356 54dddc7d 798c951c f86d73f3
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	simpleavg	naive	kendall	0.0734	0.0636	0.1192	0.1196	0.0944	0.0338	0.1768	0.0754	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	simpleavg	NOISE	kendall	0.0734	0.0636	0.1192	0.1196	0.0944	0.0338	0.1768	0.0754	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	borda	naive	kendall	0.0748	0.0428	0.1142	0.103	0.095	0.019	0.1882	0.0532	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	borda	NOISE	kendall	0.0748	0.0428	0.1142	0.103	0.095	0.019	0.1882	0.0532	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	kemeny	naive	kendall	0.0748	0.0362	0.1136	0.0994	0.0904	0.015	0.179	0.0492	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	kemeny	NOISE	kendall	0.0748	0.0362	0.1136	0.0994	0.0904	0.015	0.179	0.0492	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	rrf	naive	kendall	0.0742	0.0342	0.1126	0.0958	0.0956	0.0246	0.1914	0.0608	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	rrf	NOISE	kendall	0.0742	0.0342	0.1126	0.0958	0.0956	0.0246	0.1914	0.0608	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	schulze	naive	kendall	0.077	0.035	0.112	0.0958	0.0926	0.017	0.1864	0.0506	

cell	dataset	model	architecture	split	method	setting	distance model	R F s	R Fbar s	R C s	R Cbar s	R F a	R Fbar a	R C a	R Cbar a	selected sources
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	cnn	test	schulze	NOISE	kendall	0.077	0.035	0.112	0.0958	0.0926	0.017	0.1864	0.0506	

Table 11: ImageNet–ResNet-18 results.

cell	dataset	model	architecture	split	method	setting	distance model	sample count	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	best_individual	best_individual	spearman	5000	0.1716	0.1752	0.292	0.2952	0.15	-0.103	0.328	-0.3102	0.1378	-0.0686	0.3176	-0.2856
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	simpleavg	naive	spearman	5000	0.1726	0.251	0.286	0.3862	0.1564	-0.1118	0.3474	-0.3208	0.1376	-0.0916	0.3152	-0.2946
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	simpleavg	NOISE	spearman	5000	0.1726	0.251	0.286	0.3862	0.1564	-0.1118	0.3474	-0.3208	0.1378	-0.0916	0.3152	-0.2946
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	borda	naive	spearman	5000	0.158	0.2186	0.2756	0.3464	0.1692	-0.0996	0.3384	-0.3208	0.1624	-0.0788	0.3208	-0.2822
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	borda	NOISE	spearman	5000	0.158	0.2186	0.2756	0.3464	0.1692	-0.0996	0.3384	-0.3208	0.1624	-0.0788	0.3208	-0.2822
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	kemeny	naive	spearman	5000	0.1556	0.2234	0.271	0.3492	0.1668	-0.0684	0.3296	-0.2774	0.1614	-0.045	0.317	-0.2522
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	kemeny	NOISE	spearman	5000	0.1556	0.2234	0.271	0.3492	0.1668	-0.0684	0.3296	-0.2774	0.1614	-0.045	0.317	-0.2522
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	rrf	naive	spearman	5000	0.1612	0.2176	0.2812	0.3424	0.1648	-0.0776	0.3286	-0.2944	0.1624	-0.066	0.3134	-0.2654
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	rrf	NOISE	spearman	5000	0.1612	0.2176	0.2812	0.3424	0.1648	-0.0776	0.3286	-0.2944	0.1624	-0.066	0.3134	-0.2654
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	schulze	naive	spearman	5000	0.1576	0.2182	0.276	0.3444	0.1662	-0.0762	0.3296	-0.288	0.1592	-0.0656	0.3124	-0.2696
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	schulze	NOISE	spearman	5000	0.1576	0.2182	0.276	0.3444	0.1662	-0.0762	0.3296	-0.288	0.1592	-0.0656	0.3124	-0.2696
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	best_individual	best_individual	kendall	5000	0.1716	0.1752	0.292	0.2952	0.15	-0.103	0.328	-0.3102	0.1378	-0.0686	0.3176	-0.2856
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	simpleavg	naive	kendall	5000	0.1726	0.251	0.286	0.3862	0.1564	-0.1118	0.3474	-0.3208	0.1376	-0.0916	0.3152	-0.2946
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	simpleavg	NOISE	kendall	5000	0.1726	0.251	0.286	0.3862	0.1564	-0.1118	0.3474	-0.3208	0.1378	-0.0916	0.3152	-0.2946
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	borda	naive	kendall	5000	0.158	0.2186	0.2756	0.3464	0.1692	-0.0996	0.3384	-0.3208	0.1624	-0.0788	0.3208	-0.2822
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	borda	NOISE	kendall	5000	0.158	0.2186	0.2756	0.3464	0.1692	-0.0996	0.3384	-0.3208	0.1624	-0.0788	0.3208	-0.2822
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	kemeny	naive	kendall	5000	0.1556	0.2234	0.271	0.3492	0.1668	-0.0684	0.3296	-0.2774	0.1614	-0.045	0.317	-0.2522
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	kemeny	NOISE	kendall	5000	0.1556	0.2234	0.271	0.3492	0.1668	-0.0684	0.3296	-0.2774	0.1614	-0.045	0.317	-0.2522
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	rrf	naive	kendall	5000	0.1612	0.2176	0.2812	0.3424	0.1648	-0.0776	0.3286	-0.2944	0.1624	-0.066	0.3134	-0.2654
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	rrf	NOISE	kendall	5000	0.1612	0.2176	0.2812	0.3424	0.1648	-0.0776	0.3286	-0.2944	0.1624	-0.066	0.3134	-0.2654
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	schulze	naive	kendall	5000	0.1576	0.2182	0.276	0.3444	0.1662	-0.0762	0.3296	-0.288	0.1592	-0.0656	0.3124	-0.2696
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	schulze	NOISE	kendall	5000	0.1576	0.2182	0.276	0.3444	0.1662	-0.0762	0.3296	-0.288	0.1592	-0.0656	0.3124	-0.2696

Table 12: ImageNet–ResNet-18 results.

cell	dataset	model	architecture	replit	method	setting	distance model	R F s	R Fbar s	R C s	R Cbar s	R F a	R Fbar a	R C a	R Cbar a	F perturbed g	Fbar perturbed g	C perturbed g	Cbar perturbed g	F perturbed p
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	best_individual	best_individual	spearman	0.0618	-0.037	0.1178	-0.095	-0.1058	0.0216	-0.2096	0.0572	0.3216	0.2782	0.62	0.6054	0.3094
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	simpleavg	naive	spearman	0.0734	-0.0636	0.1192	-0.1196	-0.0944	0.0338	-0.1768	0.0754	0.329	0.3628	0.6334	0.707	0.3102
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	simpleavg	NOISE	spearman	0.0734	-0.0636	0.1192	-0.1196	-0.0944	0.0338	-0.1768	0.0754	0.329	0.3628	0.6334	0.707	0.3104
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	borda	naive	spearman	0.0748	-0.0428	0.1142	-0.103	-0.095	0.019	-0.1882	0.0532	0.3272	0.3182	0.614	0.6672	0.3204
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	borda	NOISE	spearman	0.0748	-0.0428	0.1142	-0.103	-0.095	0.019	-0.1882	0.0532	0.3272	0.3182	0.614	0.6672	0.3204
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	kemeny	naive	spearman	0.0748	-0.0362	0.1136	-0.0994	-0.0904	0.015	-0.179	0.0492	0.3224	0.2918	0.6006	0.6266	0.317
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	kemeny	NOISE	spearman	0.0748	-0.0362	0.1136	-0.0994	-0.0904	0.015	-0.179	0.0492	0.3224	0.2918	0.6006	0.6266	0.317
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	rrf	naive	spearman	0.0742	-0.0342	0.1126	-0.0958	-0.0956	0.0246	-0.1914	0.0608	0.326	0.2952	0.6098	0.6368	0.3236
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	rrf	NOISE	spearman	0.0742	-0.0342	0.1126	-0.0958	-0.0956	0.0246	-0.1914	0.0608	0.326	0.2952	0.6098	0.6368	0.3236
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	schulze	naive	spearman	0.077	-0.035	0.112	-0.0958	-0.0926	0.017	-0.1864	0.0506	0.3238	0.2944	0.6056	0.6324	0.3168
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	schulze	NOISE	spearman	0.077	-0.035	0.112	-0.0958	-0.0926	0.017	-0.1864	0.0506	0.3238	0.2944	0.6056	0.6324	0.3168
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	best_individual	best_individual	kendall	0.0618	-0.037	0.1178	-0.095	-0.1058	0.0216	-0.2096	0.0572	0.3216	0.2782	0.62	0.6054	0.3094
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	simpleavg	naive	kendall	0.0734	-0.0636	0.1192	-0.1196	-0.0944	0.0338	-0.1768	0.0754	0.329	0.3628	0.6334	0.707	0.3102
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	simpleavg	NOISE	kendall	0.0734	-0.0636	0.1192	-0.1196	-0.0944	0.0338	-0.1768	0.0754	0.329	0.3628	0.6334	0.707	0.3104
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	borda	naive	kendall	0.0748	-0.0428	0.1142	-0.103	-0.095	0.019	-0.1882	0.0532	0.3272	0.3182	0.614	0.6672	0.3204
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	borda	NOISE	kendall	0.0748	-0.0428	0.1142	-0.103	-0.095	0.019	-0.1882	0.0532	0.3272	0.3182	0.614	0.6672	0.3204
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	kemeny	naive	kendall	0.0748	-0.0362	0.1136	-0.0994	-0.0904	0.015	-0.179	0.0492	0.3224	0.2918	0.6006	0.6266	0.317
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	kemeny	NOISE	kendall	0.0748	-0.0362	0.1136	-0.0994	-0.0904	0.015	-0.179	0.0492	0.3224	0.2918	0.6006	0.6266	0.317
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	rrf	naive	kendall	0.0742	-0.0342	0.1126	-0.0958	-0.0956	0.0246	-0.1914	0.0608	0.326	0.2952	0.6098	0.6368	0.3236
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	rrf	NOISE	kendall	0.0742	-0.0342	0.1126	-0.0958	-0.0956	0.0246	-0.1914	0.0608	0.326	0.2952	0.6098	0.6368	0.3236
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	schulze	naive	kendall	0.077	-0.035	0.112	-0.0958	-0.0926	0.017	-0.1864	0.0506	0.3238	0.2944	0.6056	0.6324	0.3168
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	schulze	NOISE	kendall	0.077	-0.035	0.112	-0.0958	-0.0926	0.017	-0.1864	0.0506	0.3238	0.2944	0.6056	0.6324	0.3168

Table 13: ImageNet–ResNet-18 results.

cell	dataset	model	architecture	replit	method	setting	distance model	Fbar perturbed p	C perturbed p	Cbar perturbed p	F perturbed s	Fbar perturbed s	C perturbed s	Cbar perturbed s	F perturbed a	Fbar perturbed a	C perturbed a	Cbar perturbed a	selected sources
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	best_individual	best_individual	spearman	0.2438	0.6096	0.5808	0.2334	0.2122	0.4098	0.3902	0.0658	0.1536	0.0824	0.238	1a822ff1 e60319ef f1829781 4f9bd5b6 91116f07 0246d6b7 e0c1da4c ed9cdd19
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	simpleavg	naive	spearman	0.3426	0.6012	0.6808	0.246	0.3146	0.4052	0.5058	0.0782	0.2172	0.1092	0.3108	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	simpleavg	NOISE	spearman	0.3426	0.6012	0.6808	0.246	0.3146	0.4052	0.5058	0.0782	0.2172	0.1092	0.3108	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	borda	naive	spearman	0.2974	0.5964	0.6286	0.2328	0.2614	0.3898	0.4494	0.063	0.1996	0.0874	0.2932	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	borda	NOISE	spearman	0.2974	0.5964	0.6286	0.2328	0.2614	0.3898	0.4494	0.063	0.1996	0.0874	0.2932	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	kemeny	naive	spearman	0.2684	0.588	0.6014	0.2304	0.2596	0.3846	0.4486	0.0652	0.2084	0.092	0.3	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	kemeny	NOISE	spearman	0.2684	0.588	0.6014	0.2304	0.2596	0.3846	0.4486	0.0652	0.2084	0.092	0.3	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	rrf	naive	spearman	0.2836	0.5946	0.6078	0.2354	0.2518	0.3938	0.4382	0.0656	0.193	0.0898	0.2816	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	rrf	NOISE	spearman	0.2836	0.5946	0.6078	0.2354	0.2518	0.3938	0.4382	0.0656	0.193	0.0898	0.2816	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	schulze	naive	spearman	0.2838	0.5884	0.614	0.2346	0.2532	0.388	0.4402	0.065	0.2012	0.0896	0.2938	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	schulze	NOISE	spearman	0.2838	0.5884	0.614	0.2346	0.2532	0.388	0.4402	0.065	0.2012	0.0896	0.2938	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	best_individual	best_individual	kendall	0.2438	0.6096	0.5808	0.2334	0.2122	0.4098	0.3902	0.0658	0.1536	0.0824	0.238	1a822ff1 e60319ef f1829781 4f9bd5b6 91116f07 0246d6b7 e0c1da4c ed9cdd19
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	simpleavg	naive	kendall	0.3426	0.6012	0.6808	0.246	0.3146	0.4052	0.5058	0.0782	0.2172	0.1092	0.3108	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	simpleavg	NOISE	kendall	0.3426	0.6012	0.6808	0.246	0.3146	0.4052	0.5058	0.0782	0.2172	0.1092	0.3108	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	borda	naive	kendall	0.2974	0.5964	0.6286	0.2328	0.2614	0.3898	0.4494	0.063	0.1996	0.0874	0.2932	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	borda	NOISE	kendall	0.2974	0.5964	0.6286	0.2328	0.2614	0.3898	0.4494	0.063	0.1996	0.0874	0.2932	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	kemeny	naive	kendall	0.2684	0.588	0.6014	0.2304	0.2596	0.3846	0.4486	0.0652	0.2084	0.092	0.3	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	kemeny	NOISE	kendall	0.2684	0.588	0.6014	0.2304	0.2596	0.3846	0.4486	0.0652	0.2084	0.092	0.3	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	rrf	naive	kendall	0.2836	0.5946	0.6078	0.2354	0.2518	0.3938	0.4382	0.0656	0.193	0.0898	0.2816	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	rrf	NOISE	kendall	0.2836	0.5946	0.6078	0.2354	0.2518	0.3938	0.4382	0.0656	0.193	0.0898	0.2816	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	cnn	test	schulze	naive	kendall	0.2838	0.5884	0.614	0.2346	0.2532	0.388	0.4402	0.065	0.2012	0.0896	0.2938	

cell	dataset	model	architecture	split	method	setting	distance model	Fbar perturbed p	C perturbed p	Cbar perturbed p	F perturbed s	Fbar perturbed s	C perturbed s	Cbar perturbed s	F perturbed a	Fbar perturbed a	C perturbed a	Cbar perturbed a	selected sources
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	cnn	test	schulze	NOISE	kendall	0.2838	0.5884	0.614	0.2346	0.2532	0.388	0.4402	0.065	0.2012	0.0896	0.2938	

Table 14: ImageNet–ResNet-18 results.

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	simpleavg	F	quality	0.1726	clean_select	0.1726	max	better
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	simpleavg	Fbar	quality	0.2698	clean_select	0.1752	min	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	simpleavg	C	quality	0.2872	clean_select	0.1992	max	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	simpleavg	Cbar	quality	0.4004	clean_select	0.2952	min	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	simpleavg	R_F_g	robustness	0.156	clean_select	0.156	max	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Fbar	simpleavg	R_Fbar_g	robustness	0.1262	clean_select	0.1003	max	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	C	simpleavg	R_C_g	robustness	0.347	clean_select	0.328	max	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Cbar	simpleavg	R_Cbar_g	robustness	0.3426	clean_select	0.3102	max	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	F	simpleavg	R_F_p	robustness	0.1294	clean_select	0.1378	min	better
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Fbar	simpleavg	R_Fbar_p	robustness	0.107	clean_select	0.086	max	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	C	simpleavg	R_C_p	robustness	0.3086	clean_select	0.3176	min	better
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Cbar	simpleavg	R_Cbar_p	robustness	0.3174	clean_select	0.2856	max	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	simpleavg	R_F_s	robustness	0.0722	clean_select	0.0658	max	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	simpleavg	R_Fbar_s	robustness	0.0666	clean_select	0.037	max	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	simpleavg	R_C_s	robustness	0.1188	clean_select	0.1178	max	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	simpleavg	R_Cbar_s	robustness	0.13	clean_select	0.097	max	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	F	simpleavg	R_F_a	robustness	0.0908	clean_select	0.1058	min	better
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Fbar	simpleavg	R_Fbar_a	robustness	0.0428	clean_select	0.0206	max	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	C	simpleavg	R_C_a	robustness	0.1732	clean_select	0.2096	min	better
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Cbar	simpleavg	R_Cbar_a	robustness	0.0784	clean_select	0.0572	max	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	simpleavg	F	quality	0.1726	naive_q11	0.1726	max	equal
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	simpleavg	Fbar	quality	0.2698	naive_q11	0.251	min	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	simpleavg	C	quality	0.2872	naive_q11	0.286	max	better
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	simpleavg	Cbar	quality	0.4004	naive_q11	0.3862	min	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	simpleavg	R_F_g	robustness	0.156	naive_q11	0.1564	min	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Fbar	simpleavg	R_Fbar_g	robustness	0.1262	naive_q11	0.1118	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	C	simpleavg	R_C_g	robustness	0.347	naive_q11	0.3474	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Cbar	simpleavg	R_Cbar_g	robustness	0.3426	naive_q11	0.3208	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	F	simpleavg	R_F_p	robustness	0.1294	naive_q11	0.1376	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Fbar	simpleavg	R_Fbar_p	robustness	0.107	naive_q11	0.0916	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	C	simpleavg	R_C_p	robustness	0.3086	naive_q11	0.3152	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Cbar	simpleavg	R_Cbar_p	robustness	0.3174	naive_q11	0.2946	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	simpleavg	R_F_s	robustness	0.0722	naive_q11	0.0734	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	simpleavg	R_Fbar_s	robustness	0.0666	naive_q11	0.0636	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	simpleavg	R_C_s	robustness	0.1188	naive_q11	0.1192	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	simpleavg	R_Cbar_s	robustness	0.13	naive_q11	0.1196	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	F	simpleavg	R_F_a	robustness	0.0908	naive_q11	0.0944	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Fbar	simpleavg	R_Fbar_a	robustness	0.0428	naive_q11	0.0338	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	C	simpleavg	R_C_a	robustness	0.1732	naive_q11	0.1768	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Cbar	simpleavg	R_Cbar_a	robustness	0.0784	naive_q11	0.0754	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	simpleavg	F	quality	0.1726	NOISE_spearman	0.1726	max	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	simpleavg	Fbar	quality	0.2698	NOISE_spearman	0.251	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	simpleavg	C	quality	0.2872	NOISE_spearman	0.286	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	simpleavg	Cbar	quality	0.4004	NOISE_spearman	0.3862	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	simpleavg	R_F_g	robustness	0.156	NOISE_spearman	0.1564	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Fbar	simpleavg	R_Fbar_g	robustness	0.1262	NOISE_spearman	0.1118	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	C	simpleavg	R_C_g	robustness	0.347	NOISE_spearman	0.3474	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Cbar	simpleavg	R_Cbar_g	robustness	0.3426	NOISE_spearman	0.3208	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	F	simpleavg	R_F_p	robustness	0.1294	NOISE_spearman	0.1376	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Fbar	simpleavg	R_Fbar_p	robustness	0.107	NOISE_spearman	0.0916	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	C	simpleavg	R_C_p	robustness	0.3086	NOISE_spearman	0.3152	min	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Cbar	simpleavg	R_Cbar_p	robustness	0.3174	NOISE_spect	0.2946	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	simpleavg	R_F_s	robustness	0.0722	NOISE_spect	0.0734	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	simpleavg	R_Fbar_s	robustness	0.0666	NOISE_spect	0.0636	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	simpleavg	R_C_s	robustness	0.1188	NOISE_spect	0.1192	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	simpleavg	R_Cbar_s	robustness	0.13	NOISE_spect	0.1196	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	F	simpleavg	R_F_a	robustness	0.0908	NOISE_spect	0.0944	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Fbar	simpleavg	R_Fbar_a	robustness	0.0428	NOISE_spect	0.0338	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	C	simpleavg	R_C_a	robustness	0.1732	NOISE_spect	0.1768	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Cbar	simpleavg	R_Cbar_a	robustness	0.0784	NOISE_spect	0.0754	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	simpleavg	F	quality	0.1726	NOISE_kendall	0.1726	max	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	simpleavg	Fbar	quality	0.2698	NOISE_kendall	0.1251	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	simpleavg	C	quality	0.2872	NOISE_kendall	0.1286	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	simpleavg	Cbar	quality	0.4004	NOISE_kendall	0.3862	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	simpleavg	R_F_g	robustness	0.156	NOISE_kendall	0.1564	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Fbar	simpleavg	R_Fbar_g	robustness	0.1262	NOISE_kendall	0.1118	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	C	simpleavg	R_C_g	robustness	0.347	NOISE_kendall	0.3474	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Cbar	simpleavg	R_Cbar_g	robustness	0.3426	NOISE_kendall	0.3208	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	F	simpleavg	R_F_p	robustness	0.1294	NOISE_kendall	0.1378	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Fbar	simpleavg	R_Fbar_p	robustness	0.107	NOISE_kendall	0.0916	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	C	simpleavg	R_C_p	robustness	0.3086	NOISE_kendall	0.3152	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Cbar	simpleavg	R_Cbar_p	robustness	0.3174	NOISE_kendall	0.2946	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	simpleavg	R_F_s	robustness	0.0722	NOISE_kendall	0.0734	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	simpleavg	R_Fbar_s	robustness	0.0666	NOISE_kendall	0.0636	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	simpleavg	R_C_s	robustness	0.1188	NOISE_kendall	0.1192	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	simpleavg	R_Cbar_s	robustness	0.13	NOISE_kendall	0.1196	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	F	simpleavg	R_F_a	robustness	0.0908	NOISE_kendall	0.0944	min	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	Fbar	simpleavg	R_Fbar_s	robustness	0.0428	NOISE_kendall	0.0338	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	C	simpleavg	R_C_a	robustness	0.1732	NOISE_kendall	0.1768	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	Cbar	simpleavg	R_Cbar_s	robustness	0.0784	NOISE_kendall	0.0754	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	borda	F	quality	0.1876	clean_select	0.1766	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	borda	Fbar	quality	0.1982	clean_select	0.1752	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	borda	C	quality	0.312	clean_select	0.292	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	borda	Cbar	quality	0.3216	clean_select	0.2952	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	borda	R_F_g	robustness	0.1676	clean_select	0.15	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Fbar	borda	R_Fbar_g	robustness	0.13	clean_select	0.103	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	C	borda	R_C_g	robustness	0.3406	clean_select	0.328	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Cbar	borda	R_Cbar_g	robustness	0.3498	clean_select	0.3102	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	F	borda	R_F_p	robustness	0.1502	clean_select	0.1378	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Fbar	borda	R_Fbar_p	robustness	0.1106	clean_select	0.1086	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	C	borda	R_C_p	robustness	0.3128	clean_select	0.3176	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Cbar	borda	R_Cbar_p	robustness	0.3188	clean_select	0.2856	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	borda	R_F_s	robustness	0.0764	clean_select	0.0688	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	borda	R_Fbar_s	robustness	0.051	clean_select	0.037	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	borda	R_C_s	robustness	0.1138	clean_select	0.1178	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	borda	R_Cbar_s	robustness	0.1142	clean_select	0.1096	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	F	borda	R_F_a	robustness	0.1108	clean_select	0.1058	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	Fbar	borda	R_Fbar_a	robustness	0.0262	clean_select	0.0206	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	C	borda	R_C_a	robustness	0.203	clean_select	0.2096	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	Cbar	borda	R_Cbar_a	robustness	0.072	clean_select	0.0572	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	borda	F	quality	0.1876	naive_q11	0.158	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	borda	Fbar	quality	0.1982	naive_q11	0.2186	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	borda	C	quality	0.312	naive_q11	0.2756	max	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	borda	Cbar	quality	0.3216	naive_q11	0.3464	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	borda	R_F_g	robustness	0.1676	naive_q11	0.1692	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Fbar	borda	R_Fbar_g	robustness	0.13	naive_q11	0.0996	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	C	borda	R_C_g	robustness	0.3406	naive_q11	0.3384	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Cbar	borda	R_Cbar_g	robustness	0.3498	naive_q11	0.3208	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	F	borda	R_F_p	robustness	0.1502	naive_q11	0.1624	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Fbar	borda	R_Fbar_p	robustness	0.1106	naive_q11	0.0788	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	C	borda	R_C_p	robustness	0.3128	naive_q11	0.3208	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Cbar	borda	R_Cbar_p	robustness	0.3188	naive_q11	0.2822	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	borda	R_F_s	robustness	0.0764	naive_q11	0.0748	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	borda	R_Fbar_s	robustness	0.051	naive_q11	0.0428	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	borda	R_C_s	robustness	0.1138	naive_q11	0.1142	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	borda	R_Cbar_s	robustness	0.1142	naive_q11	0.103	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	F	borda	R_F_a	robustness	0.1108	naive_q11	0.095	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Fbar	borda	R_Fbar_a	robustness	0.0262	naive_q11	0.019	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	C	borda	R_C_a	robustness	0.203	naive_q11	0.1882	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Cbar	borda	R_Cbar_a	robustness	0.072	naive_q11	0.0532	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	borda	F	quality	0.1876	NOISE_spearman	0.158	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	borda	Fbar	quality	0.1982	NOISE_spearman	0.2186	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	borda	C	quality	0.312	NOISE_spearman	0.2756	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	borda	Cbar	quality	0.3216	NOISE_spearman	0.3464	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	borda	R_F_g	robustness	0.1676	NOISE_spearman	0.1692	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Fbar	borda	R_Fbar_g	robustness	0.13	NOISE_spearman	0.0996	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	C	borda	R_C_g	robustness	0.3406	NOISE_spearman	0.3384	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Cbar	borda	R_Cbar_g	robustness	0.3498	NOISE_spearman	0.3208	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	F	borda	R_F_p	robustness	0.1502	NOISE_spearman	0.1624	min	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Fbar	borda	R_Fbar_p	robustness	0.1106	NOISE_spect	0.0788	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	C	borda	R_C_p	robustness	0.3128	NOISE_spect	0.3208	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Cbar	borda	R_Cbar_p	robustness	0.3188	NOISE_spect	0.2822	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	borda	R_F_s	robustness	0.0764	NOISE_spect	0.0748	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	borda	R_Fbar_s	robustness	0.051	NOISE_spect	0.0428	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	borda	R_C_s	robustness	0.1138	NOISE_spect	0.1142	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	borda	R_Cbar_s	robustness	0.1142	NOISE_spect	0.1103	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	F	borda	R_F_a	robustness	0.1108	NOISE_spect	0.0995	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Fbar	borda	R_Fbar_a	robustness	0.0262	NOISE_spect	0.0419	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	C	borda	R_C_a	robustness	0.203	NOISE_spect	0.1882	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Cbar	borda	R_Cbar_a	robustness	0.072	NOISE_spect	0.0532	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	borda	F	quality	0.1876	NOISE_kendall	0.1158	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	borda	Fbar	quality	0.1982	NOISE_kendall	0.2186	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	borda	C	quality	0.312	NOISE_kendall	0.2756	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	borda	Cbar	quality	0.3216	NOISE_kendall	0.3164	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	borda	R_F_g	robustness	0.1676	NOISE_kendall	0.1692	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Fbar	borda	R_Fbar_g	robustness	0.13	NOISE_kendall	0.0996	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	C	borda	R_C_g	robustness	0.3406	NOISE_kendall	0.3384	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Cbar	borda	R_Cbar_g	robustness	0.3498	NOISE_kendall	0.3208	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	F	borda	R_F_p	robustness	0.1502	NOISE_kendall	0.1624	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Fbar	borda	R_Fbar_p	robustness	0.1106	NOISE_kendall	0.0788	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	C	borda	R_C_p	robustness	0.3128	NOISE_kendall	0.3208	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Cbar	borda	R_Cbar_p	robustness	0.3188	NOISE_kendall	0.2822	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	borda	R_F_s	robustness	0.0764	NOISE_kendall	0.0748	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	borda	R_Fbar_s	robustness	0.051	NOISE_kendall	0.0428	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	borda	R_C_s	robustness	0.1138	NOISE_kendall	0.1142	min	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	borda	R_Cbar_s	robustness	0.1142	NOISE_kendall	0.1103	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	F	borda	R_F_a	robustness	0.1108	NOISE_kendall	0.1095	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	Fbar	borda	R_Fbar_a	robustness	0.0262	NOISE_kendall	0.1019	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	C	borda	R_C_a	robustness	0.203	NOISE_kendall	0.1882	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	Cbar	borda	R_Cbar_a	robustness	0.072	NOISE_kendall	0.0532	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	kemeny	F	quality	0.1874	clean_selected	0.1766	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	kemeny	Fbar	quality	0.1658	clean_selected	0.1752	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	kemeny	C	quality	0.3128	clean_selected	0.2902	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	kemeny	Cbar	quality	0.2872	clean_selected	0.2952	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	kemeny	R_F_g	robustness	0.1704	clean_selected	0.1567	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Fbar	kemeny	R_Fbar_g	robustness	0.096	clean_selected	0.1103	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	C	kemeny	R_C_g	robustness	0.332	clean_selected	0.328	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Cbar	kemeny	R_Cbar_g	robustness	0.3062	clean_selected	0.3102	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	F	kemeny	R_F_p	robustness	0.1628	clean_selected	0.1378	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Fbar	kemeny	R_Fbar_p	robustness	0.0684	clean_selected	0.0686	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	C	kemeny	R_C_p	robustness	0.3156	clean_selected	0.3176	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Cbar	kemeny	R_Cbar_p	robustness	0.2774	clean_selected	0.2856	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	kemeny	R_F_s	robustness	0.0846	clean_selected	0.0618	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	kemeny	R_Fbar_s	robustness	0.0446	clean_selected	0.0357	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	kemeny	R_C_s	robustness	0.1202	clean_selected	0.1178	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	kemeny	R_Cbar_s	robustness	0.1034	clean_selected	0.0975	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	F	kemeny	R_F_a	robustness	0.1106	clean_selected	0.1058	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	Fbar	kemeny	R_Fbar_a	robustness	0.0272	clean_selected	0.0206	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	C	kemeny	R_C_a	robustness	0.2054	clean_selected	0.2006	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	Cbar	kemeny	R_Cbar_a	robustness	0.0746	clean_selected	0.0572	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	kemeny	F	quality	0.1874	naive_q11	0.1556	max	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	kemeny	Fbar	quality	0.1658	naive_q11	0.2234	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	kemeny	C	quality	0.3128	naive_q11	0.271	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	kemeny	Cbar	quality	0.2872	naive_q11	0.3492	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	kemeny	R_F_g	robustness	0.1704	naive_q11	0.1668	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Fbar	kemeny	R_Fbar_g	robustness	0.096	naive_q11	0.0684	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	C	kemeny	R_C_g	robustness	0.332	naive_q11	0.3296	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Cbar	kemeny	R_Cbar_g	robustness	0.3062	naive_q11	0.2774	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	F	kemeny	R_F_p	robustness	0.1628	naive_q11	0.1614	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Fbar	kemeny	R_Fbar_p	robustness	0.0684	naive_q11	0.045	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	C	kemeny	R_C_p	robustness	0.3156	naive_q11	0.317	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Cbar	kemeny	R_Cbar_p	robustness	0.2774	naive_q11	0.2522	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	kemeny	R_F_s	robustness	0.0846	naive_q11	0.0748	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	kemeny	R_Fbar_s	robustness	0.0446	naive_q11	0.0362	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	kemeny	R_C_s	robustness	0.1202	naive_q11	0.1136	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	kemeny	R_Cbar_s	robustness	0.1034	naive_q11	0.0994	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	F	kemeny	R_F_a	robustness	0.1106	naive_q11	0.0904	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Fbar	kemeny	R_Fbar_a	robustness	0.0272	naive_q11	0.015	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	C	kemeny	R_C_a	robustness	0.2054	naive_q11	0.179	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Cbar	kemeny	R_Cbar_a	robustness	0.0746	naive_q11	0.0492	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	kemeny	F	quality	0.1874	NOISE_spearman	0.1556	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	kemeny	Fbar	quality	0.1658	NOISE_spearman	0.2234	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	kemeny	C	quality	0.3128	NOISE_spearman	0.271	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	kemeny	Cbar	quality	0.2872	NOISE_spearman	0.3492	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	kemeny	R_F_g	robustness	0.1704	NOISE_spearman	0.1668	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Fbar	kemeny	R_Fbar_g	robustness	0.096	NOISE_spearman	0.0684	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	C	kemeny	R_C_g	robustness	0.332	NOISE_spearman	0.3296	min	worse

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Cbar	kemeny	R_Cbar_g	robustness	0.3062	NOISE_spear	0.2774	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	F	kemeny	R_F_p	robustness	0.1628	NOISE_spear	0.1614	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Fbar	kemeny	R_Fbar_p	robustness	0.0684	NOISE_spear	0.0645	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	C	kemeny	R_C_p	robustness	0.3156	NOISE_spear	0.317	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Cbar	kemeny	R_Cbar_p	robustness	0.2774	NOISE_spear	0.2522	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	kemeny	R_F_s	robustness	0.0846	NOISE_spear	0.0748	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	kemeny	R_Fbar_s	robustness	0.0446	NOISE_spear	0.0362	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	kemeny	R_C_s	robustness	0.1202	NOISE_spear	0.1136	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	kemeny	R_Cbar_s	robustness	0.1034	NOISE_spear	0.0994	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	F	kemeny	R_F_a	robustness	0.1106	NOISE_spear	0.0994	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Fbar	kemeny	R_Fbar_a	robustness	0.0272	NOISE_spear	0.0145	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	C	kemeny	R_C_a	robustness	0.2054	NOISE_spear	0.179	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Cbar	kemeny	R_Cbar_a	robustness	0.0746	NOISE_spear	0.0492	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	kemeny	F	quality	0.1874	NOISE_kend	0.1556	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	kemeny	Fbar	quality	0.1658	NOISE_kend	0.2234	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	kemeny	C	quality	0.3128	NOISE_kend	0.271	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	kemeny	Cbar	quality	0.2872	NOISE_kend	0.3492	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	kemeny	R_F_g	robustness	0.1704	NOISE_kend	0.1568	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Fbar	kemeny	R_Fbar_g	robustness	0.096	NOISE_kend	0.0584	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	C	kemeny	R_C_g	robustness	0.332	NOISE_kend	0.3296	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Cbar	kemeny	R_Cbar_g	robustness	0.3062	NOISE_kend	0.2774	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	F	kemeny	R_F_p	robustness	0.1628	NOISE_kend	0.1614	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Fbar	kemeny	R_Fbar_p	robustness	0.0684	NOISE_kend	0.0645	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	C	kemeny	R_C_p	robustness	0.3156	NOISE_kend	0.317	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Cbar	kemeny	R_Cbar_p	robustness	0.2774	NOISE_kend	0.2522	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	kemeny	R_F_s	robustness	0.0846	NOISE_kend	0.0748	min	worse

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	kemeny	R_Fbar_s	robustness	0.0446	NOISE_kendall	0.0362	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	kemeny	R_C_s	robustness	0.1202	NOISE_kendall	0.1136	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	kemeny	R_Cbar_s	robustness	0.1034	NOISE_kendall	0.0994	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	F	kemeny	R_F_a	robustness	0.1106	NOISE_kendall	0.0904	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	Fbar	kemeny	R_Fbar_a	robustness	0.0272	NOISE_kendall	0.0115	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	C	kemeny	R_C_a	robustness	0.2054	NOISE_kendall	0.1179	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	Cbar	kemeny	R_Cbar_a	robustness	0.0746	NOISE_kendall	0.0492	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	rrf	F	quality	0.1886	clean_select	0.1716	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	rrf	Fbar	quality	0.1868	clean_select	0.1752	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	rrf	C	quality	0.3152	clean_select	0.292	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	rrf	Cbar	quality	0.3094	clean_select	0.2952	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	rrf	R_F_g	robustness	0.1646	clean_select	0.15	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Fbar	rrf	R_Fbar_g	robustness	0.1144	clean_select	0.103	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	C	rrf	R_C_g	robustness	0.3352	clean_select	0.328	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Cbar	rrf	R_Cbar_g	robustness	0.3324	clean_select	0.3102	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	F	rrf	R_F_p	robustness	0.1572	clean_select	0.1378	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Fbar	rrf	R_Fbar_p	robustness	0.0966	clean_select	0.0686	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	C	rrf	R_C_p	robustness	0.3154	clean_select	0.3176	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Cbar	rrf	R_Cbar_p	robustness	0.3072	clean_select	0.2856	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	rrf	R_F_s	robustness	0.0822	clean_select	0.0638	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	rrf	R_Fbar_s	robustness	0.0468	clean_select	0.037	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	rrf	R_C_s	robustness	0.1146	clean_select	0.1178	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	rrf	R_Cbar_s	robustness	0.108	clean_select	0.095	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	F	rrf	R_F_a	robustness	0.1102	clean_select	0.1058	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	Fbar	rrf	R_Fbar_a	robustness	0.032	clean_select	0.0216	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	C	rrf	R_C_a	robustness	0.205	clean_select	0.2066	min	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	Cbar	rrf	R_Cbar_s	robustness	0.0754	clean_select	0.0572	min	individual worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	rrf	F	quality	0.1886	naive_q11	0.1612	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	rrf	Fbar	quality	0.1868	naive_q11	0.2176	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	rrf	C	quality	0.3152	naive_q11	0.2812	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	rrf	Cbar	quality	0.3094	naive_q11	0.3424	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	rrf	R_F_g	robustness	0.1646	naive_q11	0.1648	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Fbar	rrf	R_Fbar_g	robustness	0.1144	naive_q11	0.0776	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	C	rrf	R_C_g	robustness	0.3352	naive_q11	0.3286	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Cbar	rrf	R_Cbar_g	robustness	0.3324	naive_q11	0.2944	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	F	rrf	R_F_p	robustness	0.1572	naive_q11	0.1624	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Fbar	rrf	R_Fbar_p	robustness	0.0966	naive_q11	0.066	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	C	rrf	R_C_p	robustness	0.3154	naive_q11	0.3134	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Cbar	rrf	R_Cbar_p	robustness	0.3072	naive_q11	0.2654	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	rrf	R_F_s	robustness	0.0822	naive_q11	0.0742	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	rrf	R_Fbar_s	robustness	0.0468	naive_q11	0.0342	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	rrf	R_C_s	robustness	0.1146	naive_q11	0.1126	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	rrf	R_Cbar_s	robustness	0.108	naive_q11	0.0958	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	F	rrf	R_F_a	robustness	0.1102	naive_q11	0.0956	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	Fbar	rrf	R_Fbar_a	robustness	0.032	naive_q11	0.0246	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	C	rrf	R_C_a	robustness	0.205	naive_q11	0.1914	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	Cbar	rrf	R_Cbar_a	robustness	0.0754	naive_q11	0.0608	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	rrf	F	quality	0.1886	NOISE_spear	0.1612	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	rrf	Fbar	quality	0.1868	NOISE_spear	0.2176	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	rrf	C	quality	0.3152	NOISE_spear	0.2812	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	rrf	Cbar	quality	0.3094	NOISE_spear	0.3424	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	rrf	R_F_g	robustness	0.1646	NOISE_spear	0.1648	min	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian	Fbar	rrf	R_Fbar_g	robustness	0.1144	NOISE_spea	0.0776	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian	C	rrf	R_C_g	robustness	0.3352	NOISE_spea	0.3286	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian	Cbar	rrf	R_Cbar_g	robustness	0.3324	NOISE_spea	0.2944	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt_peppe	F	rrf	R_F_p	robustness	0.1572	NOISE_spea	0.1624	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt_peppe	Fbar	rrf	R_Fbar_p	robustness	0.0966	NOISE_spea	0.0966	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt_peppe	C	rrf	R_C_p	robustness	0.3154	NOISE_spea	0.3134	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt_peppe	Cbar	rrf	R_Cbar_p	robustness	0.3072	NOISE_spea	0.2654	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle	F	rrf	R_F_s	robustness	0.0822	NOISE_spea	0.0742	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle	Fbar	rrf	R_Fbar_s	robustness	0.0468	NOISE_spea	0.0342	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle	C	rrf	R_C_s	robustness	0.1146	NOISE_spea	0.1126	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle	Cbar	rrf	R_Cbar_s	robustness	0.108	NOISE_spea	0.0958	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversaria	F	rrf	R_F_a	robustness	0.1102	NOISE_spea	0.0956	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversaria	Fbar	rrf	R_Fbar_a	robustness	0.032	NOISE_spea	0.0246	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversaria	C	rrf	R_C_a	robustness	0.205	NOISE_spea	0.1914	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversaria	Cbar	rrf	R_Cbar_a	robustness	0.0754	NOISE_spea	0.0608	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	F	rrf	F	quality	0.1886	NOISE_kend	0.1812	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	Fbar	rrf	Fbar	quality	0.1868	NOISE_kend	0.2176	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	C	rrf	C	quality	0.3152	NOISE_kend	0.2812	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	Cbar	rrf	Cbar	quality	0.3094	NOISE_kend	0.3424	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian	F	rrf	R_F_g	robustness	0.1646	NOISE_kend	0.1648	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian	Fbar	rrf	R_Fbar_g	robustness	0.1144	NOISE_kend	0.0776	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian	C	rrf	R_C_g	robustness	0.3352	NOISE_kend	0.3286	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian	Cbar	rrf	R_Cbar_g	robustness	0.3324	NOISE_kend	0.2944	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt_peppe	F	rrf	R_F_p	robustness	0.1572	NOISE_kend	0.1624	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt_peppe	Fbar	rrf	R_Fbar_p	robustness	0.0966	NOISE_kend	0.0966	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt_peppe	C	rrf	R_C_p	robustness	0.3154	NOISE_kend	0.3134	min	worse

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Cbar	rrf	R_Cbar_p	robustness	0.3072	NOISE_kendall	0.2654	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	rrf	R_F_s	robustness	0.0822	NOISE_kendall	0.0742	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	rrf	R_Fbar_s	robustness	0.0468	NOISE_kendall	0.0342	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	rrf	R_C_s	robustness	0.1146	NOISE_kendall	0.1126	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	rrf	R_Cbar_s	robustness	0.108	NOISE_kendall	0.0958	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	F	rrf	R_F_a	robustness	0.1102	NOISE_kendall	0.0956	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Fbar	rrf	R_Fbar_a	robustness	0.032	NOISE_kendall	0.0246	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	C	rrf	R_C_a	robustness	0.205	NOISE_kendall	0.1914	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Cbar	rrf	R_Cbar_a	robustness	0.0754	NOISE_kendall	0.0608	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	schulze	F	quality	0.1876	clean_selected	0.1706	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	schulze	Fbar	quality	0.2018	clean_selected	0.1752	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	schulze	C	quality	0.312	clean_selected	0.292	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	schulze	Cbar	quality	0.3258	clean_selected	0.2952	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	schulze	R_F_g	robustness	0.1686	clean_selected	0.15	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Fbar	schulze	R_Fbar_g	robustness	0.1176	clean_selected	0.103	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	C	schulze	R_C_g	robustness	0.337	clean_selected	0.328	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Cbar	schulze	R_Cbar_g	robustness	0.3336	clean_selected	0.3192	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	F	schulze	R_F_p	robustness	0.1578	clean_selected	0.1378	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Fbar	schulze	R_Fbar_p	robustness	0.0996	clean_selected	0.086	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	C	schulze	R_C_p	robustness	0.321	clean_selected	0.3176	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Cbar	schulze	R_Cbar_p	robustness	0.3072	clean_selected	0.2856	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	schulze	R_F_s	robustness	0.0788	clean_selected	0.0618	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	schulze	R_Fbar_s	robustness	0.049	clean_selected	0.037	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	schulze	R_C_s	robustness	0.115	clean_selected	0.1178	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	schulze	R_Cbar_s	robustness	0.111	clean_selected	0.097	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	F	schulze	R_F_a	robustness	0.1092	clean_selected	0.1058	min	worse

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	Fbar	schulze	R_Fbar_s	robustness	0.0352	clean_select	0.0352	min	individual worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	C	schulze	R_C_a	robustness	0.2016	clean_select	0.2016	min	individual better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	Cbar	schulze	R_Cbar_s	robustness	0.0798	clean_select	0.0798	min	individual worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	schulze	F	quality	0.1876	naive_q11	0.1576	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	schulze	Fbar	quality	0.2018	naive_q11	0.2182	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	schulze	C	quality	0.312	naive_q11	0.276	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	schulze	Cbar	quality	0.3258	naive_q11	0.3444	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	schulze	R_F_g	robustness	0.1686	naive_q11	0.1662	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Fbar	schulze	R_Fbar_g	robustness	0.1176	naive_q11	0.0762	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	C	schulze	R_C_g	robustness	0.337	naive_q11	0.3296	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Cbar	schulze	R_Cbar_g	robustness	0.3336	naive_q11	0.288	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_peppe	F	schulze	R_F_p	robustness	0.1578	naive_q11	0.1592	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_peppe	Fbar	schulze	R_Fbar_p	robustness	0.0996	naive_q11	0.0656	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_peppe	C	schulze	R_C_p	robustness	0.321	naive_q11	0.3124	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_peppe	Cbar	schulze	R_Cbar_p	robustness	0.3072	naive_q11	0.2696	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	schulze	R_F_s	robustness	0.0788	naive_q11	0.077	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	schulze	R_Fbar_s	robustness	0.049	naive_q11	0.035	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	schulze	R_C_s	robustness	0.115	naive_q11	0.112	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	schulze	R_Cbar_s	robustness	0.111	naive_q11	0.0958	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	F	schulze	R_F_a	robustness	0.1092	naive_q11	0.0926	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	Fbar	schulze	R_Fbar_a	robustness	0.0352	naive_q11	0.017	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	C	schulze	R_C_a	robustness	0.2016	naive_q11	0.1864	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	Cbar	schulze	R_Cbar_s	robustness	0.0798	naive_q11	0.0506	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	schulze	F	quality	0.1876	NOISE_spear	0.1576	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	schulze	Fbar	quality	0.2018	NOISE_spear	0.2182	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	schulze	C	quality	0.312	NOISE_spear	0.276	max	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	schulze	Cbar	quality	0.3258	NOISE_spear	0.3444	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	schulze	R_F_g	robustness	0.1686	NOISE_spear	0.1662	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Fbar	schulze	R_Fbar_g	robustness	0.1176	NOISE_spear	0.0762	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	C	schulze	R_C_g	robustness	0.337	NOISE_spear	0.3296	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Cbar	schulze	R_Cbar_g	robustness	0.3336	NOISE_spear	0.288	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	F	schulze	R_F_p	robustness	0.1578	NOISE_spear	0.1592	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Fbar	schulze	R_Fbar_p	robustness	0.0996	NOISE_spear	0.0656	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	C	schulze	R_C_p	robustness	0.321	NOISE_spear	0.3124	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Cbar	schulze	R_Cbar_p	robustness	0.3072	NOISE_spear	0.2696	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	schulze	R_F_s	robustness	0.0788	NOISE_spear	0.077	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	schulze	R_Fbar_s	robustness	0.049	NOISE_spear	0.035	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	schulze	R_C_s	robustness	0.115	NOISE_spear	0.1142	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	schulze	R_Cbar_s	robustness	0.111	NOISE_spear	0.0958	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	F	schulze	R_F_a	robustness	0.1092	NOISE_spear	0.0926	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Fbar	schulze	R_Fbar_a	robustness	0.0352	NOISE_spear	0.017	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	C	schulze	R_C_a	robustness	0.2016	NOISE_spear	0.1864	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Cbar	schulze	R_Cbar_a	robustness	0.0798	NOISE_spear	0.0506	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	schulze	F	quality	0.1876	NOISE_kendall	0.1576	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	schulze	Fbar	quality	0.2018	NOISE_kendall	0.2182	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	schulze	C	quality	0.312	NOISE_kendall	0.276	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	schulze	Cbar	quality	0.3258	NOISE_kendall	0.3444	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	schulze	R_F_g	robustness	0.1686	NOISE_kendall	0.1662	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Fbar	schulze	R_Fbar_g	robustness	0.1176	NOISE_kendall	0.0762	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	C	schulze	R_C_g	robustness	0.337	NOISE_kendall	0.3296	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Cbar	schulze	R_Cbar_g	robustness	0.3336	NOISE_kendall	0.288	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	F	schulze	R_F_p	robustness	0.1578	NOISE_kendall	0.1592	min	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Fbar	schulze	R_Fbar_p	robustness	0.0996	NOISE_kendall	0.00556	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	C	schulze	R_C_p	robustness	0.321	NOISE_kendall	0.03124	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Cbar	schulze	R_Cbar_p	robustness	0.3072	NOISE_kendall	0.02596	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	schulze	R_F_s	robustness	0.0788	NOISE_kendall	0.0077	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	schulze	R_Fbar_s	robustness	0.049	NOISE_kendall	0.0035	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	schulze	R_C_s	robustness	0.115	NOISE_kendall	0.0112	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	schulze	R_Cbar_s	robustness	0.111	NOISE_kendall	0.00958	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	F	schulze	R_F_a	robustness	0.1092	NOISE_kendall	0.00926	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Fbar	schulze	R_Fbar_a	robustness	0.0352	NOISE_kendall	0.0017	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	C	schulze	R_C_a	robustness	0.2016	NOISE_kendall	0.01864	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Cbar	schulze	R_Cbar_a	robustness	0.0798	NOISE_kendall	0.00506	min	worse

Table 15: ImageNet–ResNet-18 results.

cell	dataset	model	method	setting	q	methods	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	simpleavg	dual_geom	5	GuidedB	0.4726	0.2993	0.2572	0.4046	0.1563	0.2622	0.3347	0.3426	0.1294	0.107	0.3086	0.3174	0.0722	0.0666
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	borda	dual_geom	5	GuidedB	0.4876	0.1983	0.1833	0.3216	0.1676	0.1341	0.3406	0.3498	0.1502	0.1106	0.3128	0.3188	0.0764	0.051
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	kemeny	dual_geom	5	GuidedB	0.4876	0.1653	0.1528	0.2372	0.1704	0.0964	0.332	0.3162	0.1628	0.0684	0.3156	0.2774	0.0846	0.0446
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	rrf	dual_geom	5	GuidedB	0.4886	0.1863	0.1532	0.3046	0.1646	0.1444	0.3352	0.3324	0.1572	0.0966	0.3154	0.3072	0.0822	0.0468
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	schulze	dual_geom	5	GuidedB	0.4876	0.2033	0.1833	0.3238	0.1686	0.1761	0.337	0.3336	0.1578	0.0996	0.321	0.3072	0.0788	0.049

Table 16: ImageNet–ResNet-18 results.

cell	dataset	model	method	setting	q	R C s	R Cbar s	R F a	R Fbar a	R C a	R Cbar a
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	simpleavg	dual_geom	5tr	0.1168	0.13	0.0908	0.0428	0.1732	0.0784
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	borda	dual_geom	5tr	0.1138	0.1142	0.1108	0.0262	0.203	0.072
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	kemeny	dual_geom	5tr	0.1202	0.1034	0.1106	0.0272	0.2054	0.0746
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	rrf	dual_geom	5tr	0.1146	0.108	0.1102	0.032	0.205	0.0754
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	schulze	dual_geom	5tr	0.1151	0.111	0.1092	0.0352	0.2016	0.0798

Table 17: ImageNet–ResNet-18 results.

group dimension	group value	measure	endpoints	excluded zero clean boundaries	wins	ties	losses	win rate	mean NOISE	mean NAIVE	mean difference	median difference
overall	all	A	640	0	469	39	132	0.732812	0.452892	0.426762	0.02613	0.013929
overall	all	Q	640	0	127	310	203	0.198437	0.843397	0.846121	-0.002724	0
overall	all	G	640	0	425	30	185	0.664062	0.590378	0.572137	0.018241	0.012502
geometry	NOISE-K	A	320	0	214	23	83	0.66875	0.447236	0.426762	0.020475	0.011605
geometry	NOISE-K	Q	320	0	49	155	116	0.153125	0.839543	0.846121	-0.006578	0
geometry	NOISE-K	G	320	0	192	16	112	0.6	0.585161	0.572137	0.013024	0.008906
geometry	NOISE-S	A	320	0	255	16	49	0.796875	0.458548	0.426762	0.031786	0.016326
geometry	NOISE-S	Q	320	0	78	155	87	0.24375	0.847252	0.846121	0.001131	0
geometry	NOISE-S	G	320	0	233	14	73	0.728125	0.595595	0.572137	0.023458	0.01612
cell	dermamnist	A	160	0	104	18	38	0.65	0.413823	0.406371	0.007452	0.006916
cell	dermamnist-resnet18	Q	160	0	22	90	48	0.1375	0.793295	0.803071	-0.009776	0
cell	dermamnist-resnet18	G	160	0	84	16	60	0.525	0.558124	0.552566	0.005558	0.00359
cell	dermamnist-dermamnist-resnet18	A	160	0	70	20	70	0.4375	0.470379	0.469939	0.00044	0
cell	dermamnist-dermamnist-vit-b16	Q	160	0	27	60	73	0.16875	0.877105	0.884256	-0.007151	0
cell	dermamnist-dermamnist-vit-b16	G	160	0	55	13	92	0.34375	0.599925	0.600957	-0.001032	-0.000538
cell	ImageNet-ImageNet-resnet18	A	160	0	137	0	23	0.85625	0.496722	0.469438	0.027284	0.031843
cell	ImageNet-ImageNet-resnet18	Q	160	0	39	80	41	0.24375	0.812409	0.814995	-0.002586	0
cell	ImageNet-ImageNet-resnet18	G	160	0	128	0	32	0.8	0.628333	0.611403	0.016929	0.022846
cell	ImageNet-ImageNet-vit-b16	A	160	0	158	1	1	0.9875	0.430644	0.3613	0.069345	0.044877
cell	ImageNet-ImageNet-vit-b16	Q	160	0	39	80	41	0.24375	0.890781	0.882162	0.008618	0
cell	ImageNet-ImageNet-vit-b16	G	160	0	158	1	1	0.9875	0.575131	0.523623	0.051508	0.046306
rule	borda	A	128	0	93	8	27	0.726562	0.453264	0.425375	0.027889	0.016037
rule	borda	Q	128	0	25	62	41	0.195312	0.845777	0.848649	-0.002873	0
rule	borda	G	128	0	85	8	35	0.664062	0.590026	0.570834	0.019192	0.015577
rule	kemeny	A	128	0	104	8	16	0.8125	0.461085	0.425041	0.036044	0.021968
rule	kemeny	Q	128	0	20	62	46	0.15625	0.848248	0.852649	-0.004401	0
rule	kemeny	G	128	0	94	7	27	0.734375	0.597992	0.573777	0.024215	0.018785
rule	rrf	A	128	0	95	9	24	0.742188	0.459029	0.430432	0.028598	0.019214
rule	rrf	Q	128	0	27	62	39	0.210938	0.845835	0.848603	-0.002768	0
rule	rrf	G	128	0	87	7	34	0.679688	0.595753	0.575579	0.020174	0.016809
rule	schulze	A	128	0	99	6	23	0.773438	0.457597	0.427735	0.029862	0.015907
rule	schulze	Q	128	0	24	62	42	0.1875	0.844968	0.848161	-0.003193	0
rule	schulze	G	128	0	86	5	37	0.671875	0.594291	0.57383	0.020461	0.019537
rule	simpleavg	A	128	0	78	8	42	0.609375	0.433484	0.425226	0.008257	0.001855
rule	simpleavg	Q	128	0	31	62	35	0.242188	0.83216	0.832543	-0.000383	0
rule	simpleavg	G	128	0	73	3	52	0.570312	0.573829	0.566666	0.007162	0.001469
metric	C	A	160	0	130	5	25	0.8125	0.235397	0.220297	0.015101	0.011985
metric	C	Q	160	0	26	80	54	0.1625	0.766951	0.77309	-0.006139	0
metric	C	G	160	0	107	1	52	0.66875	0.411791	0.398947	0.012845	0.012893
metric	Cbar	A	160	0	120	8	32	0.75	0.572949	0.531761	0.041188	0.0281
metric	Cbar	Q	160	0	43	50	67	0.26875	0.845468	0.849271	-0.003803	0
metric	Cbar	G	160	0	109	6	45	0.68125	0.686305	0.661284	0.025021	0.01781
metric	F	A	160	0	120	5	35	0.75	0.243922	0.227401	0.016522	0.01198
metric	F	Q	160	0	21	100	39	0.13125	0.857996	0.862183	-0.004187	0
metric	F	G	160	0	113	2	45	0.70625	0.436868	0.421013	0.015856	0.013696

group dimension	group value	measure	endpoints	excluded zero clean boundaries	wins	ties	losses	win rate	mean NOISE	mean NAIVE	mean difference	median difference
metric	Fbar	A	160	0	99	21	40	0.61875	0.7593	0.72759	0.03171	0.004836
metric	Fbar	Q	160	0	37	80	43	0.23125	0.903175	0.89994	0.003234	0
metric	Fbar	G	160	0	96	21	43	0.6	0.826548	0.807306	0.019242	0.003817
noise	a	A	160	0	143	3	14	0.89375	0.391845	0.352173	0.039672	0.019188
noise	a	Q	160	0	65	60	35	0.40625	0.763842	0.747725	0.016117	0
noise	a	G	160	0	132	0	28	0.825	0.521881	0.487199	0.034682	0.023838
noise	g	A	160	0	106	13	41	0.6625	0.458924	0.439154	0.01977	0.007812
noise	g	Q	160	0	22	80	58	0.1375	0.807618	0.81805	-0.010431	0
noise	g	G	160	0	94	11	55	0.5875	0.584233	0.573649	0.010584	0.00565
noise	p	A	160	0	106	16	38	0.6625	0.465449	0.445013	0.020436	0.004444
noise	p	Q	160	0	20	80	60	0.125	0.847572	0.856296	-0.008724	0
noise	p	G	160	0	90	13	57	0.5625	0.599936	0.588599	0.011337	0.001782
noise	s	A	160	0	114	7	39	0.7125	0.495349	0.470707	0.024642	0.0181
noise	s	Q	160	0	20	90	50	0.125	0.954557	0.962414	-0.007856	0
noise	s	G	160	0	109	6	45	0.68125	0.655462	0.639101	0.016361	0.01453

Table 18: ImageNet-ResNet-18 results.

cell	dataset	model	setting	q	condition	metric	comparison id	candidate endpoint id	baseline endpoint id	geometry	geometry label	rule	noise	NOISE A	NAIVE A	delta A	outcome A	NOISE Q	NAIVE Q	delta Q	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	F	8cbcdac50	904817a2b	249336677	773237385	10b6723b	10b6723b	10b6723b	10b6723b	10b6723b	10b6723b	0.007295	win	1	1	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	Fbar	b64a756b5	1155e81e980	724452a0e	249336677	10b6723b	10b6723b	10b6723b	10b6723b	10b6723b	10b6723b	0.011101	win	0.609037	0.606699	0.002338
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	C	5d7e91f27	6ff0c749b1b	55748b359	2746221d4	090c16803	090c16803	090c16803	090c16803	090c16803	090c16803	0.0062	win	1	1	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	Cbar	8523cbe51	5a1c32dca34	33654f039	2746221d4	090c16803	090c16803	090c16803	090c16803	090c16803	090c16803	0.0082	win	0.478551	0.477354	0.001197
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	F	d66781c05	70ab13096	7f2b15527	773237385	10b6723b	10b6723b	10b6723b	10b6723b	10b6723b	10b6723b	0.01366	win	1	1	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	Fbar	38628fd47	00b987db4	40032d214	090c16803	090c16803	090c16803	090c16803	090c16803	090c16803	090c16803	0.001863	win	0.656926	0.668848	-0.011922
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	C	ce09faf41	4a0707d4b55	773237385	10b6723b	10b6723b	10b6723b	10b6723b	10b6723b	10b6723b	10b6723b	0.0098	win	1	1	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	Cbar	4bec20c2f1	2747512784	6f751a291	090c16803	090c16803	090c16803	090c16803	090c16803	090c16803	090c16803	0.0004	win	0.507785	0.520039	-0.012254
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	F	9c05d1075	7ca06223640	000795273	01c31b970	002693540	002693540	002693540	002693540	002693540	002693540	0.018335	win	1	1	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	Fbar	25b3d63ea	7919808d5	505503073	01c31b970	002693540	002693540	002693540	002693540	002693540	002693540	0.009931	win	0.851654	0.856372	-0.004718
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	C	1a754d5ee6	53645270d74	030834200	01c31b970	002693540	002693540	002693540	002693540	002693540	002693540	0.0182	win	1	1	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	Cbar	2e4316cf30	a557234660	030834200	01c31b970	002693540	002693540	002693540	002693540	002693540	002693540	0.0118	win	0.80394	0.805148	-0.001208
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	F	961b19922	3917857290	030834200	01c31b970	002693540	002693540	002693540	002693540	002693540	002693540	0.006214	win	0.462195	0.452962	0.009233
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	Fbar	6758ce1977	47723830850	030834200	01c31b970	002693540	002693540	002693540	002693540	002693540	002693540	0.015774	win	1	1	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	C	37d156016	4a3f0d675d7	773237385	10b6723b	10b6723b	10b6723b	10b6723b	10b6723b	10b6723b	10b6723b	0.005	win	0.377646	0.381818	-0.004173
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	Cbar	f1c993e20b	4108b66d8	8832b789f04	090c16803	090c16803	090c16803	090c16803	090c16803	090c16803	090c16803	0.019	win	1	1	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	F	3beffd8aa	3e4673761b2	1338011b2	1f3905255	030834200	030834200	030834200	030834200	030834200	030834200	0.047574	win	1	1	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	Fbar	1320c8668	0166e971503	475275724	090c16803	090c16803	090c16803	090c16803	090c16803	090c16803	090c16803	0.03901	win	0.681122	0.670635	0.010487
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	C	117bd6bb6	2356d93fd	030834200	030834200	030834200	030834200	030834200	030834200	030834200	030834200	0.0314	win	1	1	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	Cbar	2b63c72dd	61d28e21583	535107533	1f3905255	030834200	030834200	030834200	030834200	030834200	030834200	0.0386	win	0.532397	0.50918	0.023217
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	F	17d7d2aefc	082847347	125712807	090c16803	090c16803	090c16803	090c16803	090c16803	090c16803	090c16803	0.040981	win	1	1	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	Fbar	ca6a114fa3	5752f2d05e2	745050734	090c16803	090c16803	090c16803	090c16803	090c16803	090c16803	090c16803	0.037876	win	0.734407	0.728765	0.005641
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	C	09be14c9f9	090555ef1	577701823	2746221d4	090c16803	090c16803	090c16803	090c16803	090c16803	090c16803	0.0322	win	1	1	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	Cbar	04711d1bb	4e600318070	080703069	090c16803	090c16803	090c16803	090c16803	090c16803	090c16803	090c16803	0.0264	win	0.570241	0.568237	0.002003

cell	dataset	model	setting	q	condition	metric	comparison id	candidate endpoint id	baseline endpoint id	geometry	geometry label	rule	noise	NOISE A	NAIVE A	delta A	outcome A	NOISE Q	NAIVE Q	delta Q	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	Fbar	cd0dd4c03	2891a585d	3380e2784	2422e509f	0301c3909	0301c3909	16cd78073	85b9c6911	14c9e998e	cd322874	0.057406	win	0.729278	0.718847	0.010431
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	C	72cc4f279d	61d62f592	1801370c3	6594d0155	060587992	03f91f92d	00245377b	00d33984d	19c36705	0.0298	win	1	1	0	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	Cbar	594084cc62	6359b2603	18b55f539	009160100	023814f33	0227b1540	005634d84	03443103b	65887032	0.0418	win	0.558467	0.552311	0.006155	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	F	6a643c97d	1287e7038	40c0835f9	1801370c3	060587992	03f91f92d	00245377b	00d33984d	19c36705	0.038497	win	1	1	0	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	Fbar	9db544498	48f593527	002515547	1801370c3	060587992	03f91f92d	00245377b	00d33984d	19c36705	0.079168	win	0.790726	0.756541	0.034185	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	C	869985b742	027314790	1530c3875	009160100	023814f33	0227b1540	005634d84	03443103b	65887032	0.0316	win	1	1	0	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	Cbar	d02f5532d	4440c03a3	00795c706	0155400fd	0001f6342	0010a235e	0001a235e	0001a235e	0001a235e	0.049	win	0.608384	0.596411	0.011973	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	F	a78e129e85	5124ddbb4	330584977	1801370c3	060587992	03f91f92d	00245377b	00d33984d	19c36705	0.039216	win	1	1	0	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	Fbar	4fc207058b	438738b05	3788915b	22f60746f	03a062733	03a062733	03a062733	03a062733	03a062733	0.066972	win	0.92369	0.918231	0.005458	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	C	7db2c7c949	580131396	078191070	22f60746f	03a062733	03a062733	03a062733	03a062733	03a062733	0.0322	win	1	1	0	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	Cbar	9d1ddf59ba	3ab307434d	079783326	009160100	023814f33	0227b1540	005634d84	03443103b	65887032	0.0614	win	0.859349	0.854319	0.00503	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	F	96eddd8c1	330584977	1801370c3	060587992	03f91f92d	00245377b	00d33984d	19c36705	0.008843	win	0.397942	0.406851	-0.008909		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	Fbar	a6d6141183	4a52a2032	009160100	023814f33	0227b1540	005634d84	03443103b	65887032	0.06979	win	1	1	0		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	C	2a071ac2fe	5fed78907	063500f45	22f60746f	03a062733	03a062733	03a062733	03a062733	03a062733	0.012	win	0.332029	0.319346	0.012683	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	Cbar	8f3c95fa5a	0274a6735	009160100	023814f33	0227b1540	005634d84	03443103b	65887032	0.0706	win	1	1	0		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	F	012206650	073618d187	1f59ba703	023814f33	0227b1540	005634d84	03443103b	65887032	0.035839	win	1	1	0		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	Fbar	98abe11f15	528320776	0f8270061	009160100	023814f33	0227b1540	005634d84	03443103b	65887032	0.063432	win	0.751648	0.72126	0.030388	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	C	be26dcfcc5	10322043b	036579320	009160100	023814f33	0227b1540	005634d84	03443103b	65887032	0.0156	win	1	1	0	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	Cbar	7200bfc0b	0878a673d	078e68007	009160100	023814f33	0227b1540	005634d84	03443103b	65887032	0.0448	win	0.578563	0.560708	0.017856	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	F	d555b0fe40	0878a673d	078e68007	009160100	023814f33	0227b1540	005634d84	03443103b	65887032	0.035703	win	1	1	0	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	Fbar	471f2bfea2	8001f4698	009160100	023814f33	0227b1540	005634d84	03443103b	65887032	0.093139	win	0.822227	0.756855	0.065372		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	C	5a57ed6839	517012733	371020033	009160100	023814f33	0227b1540	005634d84	03443103b	65887032	0.0268	win	1	1	0	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	Cbar	2c178b351	2009437d8	009160100	023814f33	0227b1540	005634d84	03443103b	65887032	0.0596	win	0.62514	0.588774	0.036367		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	F	b2119b7f8	37f5fce06	036579320	009160100	023814f33	0227b1540	005634d84	03443103b	65887032	0.029794	win	1	1	0	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	Fbar	cfdd1da86a	271245178	012346004	009160100	023814f33	0227b1540	005634d84	03443103b	65887032	0.066972	win	0.938137	0.916711	0.021426	

cell	dataset	model	setting	q	condition	metric	comparison id	candidate endpoint id	baseline endpoint id	geometry	geometry label	rule	noise	NOISE A	NAIVE A	delta A	outcome A	NOISE Q	NAIVE Q	delta Q	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	C	5f172a0245	1279094011	4092780272	4226449291	4592838977	1670002104	4088216140	1135546755	505343edf5	16628	0.025	win	1	1	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	Cbar	84a1442c4e	6251351d4e	7940978702	0945669851	1702629631	3780332428	5626736743	320402181d	0651698	0.0614	win	0.871493	0.853874	0.017618	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	F	b010ee336b	7226008561	1195562504	4914020046	4007710583	8594018490	4422973e92	400836235d	38697377	0.000956	win	0.386058	0.412338	-0.02628	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	Fbar	2e02a1a974	3850812445	0176670596	6941070650	4832703835	901136934b	5078751205	528370703b	4079956	0.051147	win	1	1	0	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	C	00b8c12ae5	02028d844b	0071429467	4362703835	296358297c	5680084946	6807706842	4140492111	ef0c0896	0.0018	win	0.30733	0.324638	-0.017307	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	Cbar	aa4108ba8d	44b4b8901e	4e59722577	4e32712900	0901648919	4968320567	0670207cae	712967132b	a6677062	0.0574	win	1	1	0	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	F	6b1ccb9004	4751490932	01724b6604	0040540513	010461a107	0200040622	3251649022	109d516a71	71725	-0.000634	loss	1	1	0	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	Fbar	e7e2ceeff8	005bce9dcd	0171020e39	427220534	5703930440	4230454494	1534022931	50401037e	39459675	-0.052648	loss	0.549113	0.606699	-0.057586	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	C	29e61bfad0	037860d083	368a07f432	4260839572	0100283580	0600512402	2093510532	2871c8374	e5408334	0.0008	win	1	1	0	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	Cbar	eb24db97e	1775b05f53	00050850	346570154	4208993730	4650799700	95f72211	5402515c	5203093	-0.036	loss	0.428619	0.477354	-0.048735	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	F	f5ae926da9	0852082501	0207755278	3018504201	1807936400	1546950934	347d156387	408709e1	4142d527	-0.012729	loss	1	1	0	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	Fbar	2f5c6b5f50	4304ad7349	7405253070	0643430700	1500782104	4779475092	2615361527	68240850	01366178	-0.053089	loss	0.612673	0.668848	-0.056175	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	C	21a060798c	01c42514f0	0507470455	000970031e	1000787163	0090d00394	42966d584c	003235a1	122d4e012	-0.0054	loss	1	1	0	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	Cbar	270615a9c3	7d4485033c	3655029921	00007804	2002540364	0309740705	0310267290	37022489e	063192	-0.037	loss	0.470647	0.520039	-0.049392	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	F	9c9efe1812	530e780cd1	110e772b47	0359070727	0008803703	3110350503	5082838304	325110851	10343216	-0.001528	loss	1	1	0	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	Fbar	748e1dd61d	7028b7899b	0670d78930	00070010	1800000270	0000302109	0448091e80	050070682c	5170944	-0.027757	loss	0.843808	0.856372	-0.012564	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	C	e9205f2d33	5294765f25	44824e12	1900b4835d	0500607120	4300104000	004703b93f	0056107d	0060d052	0.0008	win	1	1	0	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	Cbar	5b7d2aa482	287d3f2027	0005883374	00040437	0000000006	0000000000	0000000000	0000000000	0000000000	-0.0246	loss	0.783189	0.805148	-0.021959	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	F	dbe2ea3b8d	102740284d	4025403060	0500000000	0000000000	0000000000	0000000000	0000000000	0000000000	0.004302	win	0.473815	0.452962	0.020852	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	Fbar	b335e59bcb	500a01e533	40c65557ad	07709870	0000000000	0000000000	0000000000	0000000000	0000000000	-0.011711	loss	1	1	0	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	C	59850324a7	3218894d0f	0000000000	0000000000	0000000000	0000000000	0000000000	0000000000	0000000000	0.0048	win	0.396936	0.381818	0.015118	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	Cbar	122dbfcca4	8401049802	0007040000	0000000000	0000000000	0000000000	0000000000	0000000000	0000000000	-0.0112	loss	1	1	0	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	F	951c0fe127	520108604d	4355106285	03061000	0000000000	0000000000	0000000000	0000000000	0000000000	0.044402	win	1	1	0	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	Fbar	5193cef874	714d05208c	403568333d	02014890	0000000000	0000000000	0000000000	0000000000	0000000000	-0.015858	loss	0.628424	0.670635	-0.042211	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	C	370407b109	0027485710	0433470597	0000000000	0000000000	0000000000	0000000000	0000000000	0000000000	0.0386	win	1	1	0	

cell	dataset	model	setting	q	condition	metric	comparison id	candidate endpoint id	baseline endpoint id	geometry	geometry label	rule	noise	NOISE A	NAIVE A	delta A	outcome A	NOISE Q	NAIVE Q	delta Q	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	Cbar	d102a30b2	901a728160	909c5992698	1d5617833e	2d81f387101	314981a784	10001055205	4107228698	86330728	-0.0042	loss	0.484375	0.50918	-0.024805	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	F	22747ac66	683c4673307	40e16968375	1d7614757e	1d301116093	1d541a82875	5000247190	1833213720	2e707361	0.02701	win	1	1	0	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	Fbar	31d49bb05	472297071	1d603c65714	1d518b30710	1d010591203	1d832230017	1d010781c4	010306449	13c368342	-0.017696	loss	0.682287	0.728765	-0.046478	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	C	7adef0d93	21780697945	0206502789c	1d171761722	1d725591108	1d104933226	1d106011569	590970480	4e15964	0.0284	win	1	1	0	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	Cbar	303663ce7	243012825	2080407529	1d501559159	1d593051972	1d0106164	1d0106164	1d5063409	556963714	-0.0118	loss	0.530071	0.568237	-0.038167	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	F	d043a0425	373700674	1d576c8858	2d814501d13	1d301081850	1d50504e181	1d106011569	590970480	4e15964	0.039725	win	1	1	0	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	Fbar	da76ef70c	887011e39	2d80667059	1d50504e181	1d301081850	1d50504e181	1d106011569	590970480	4e15964	0.015533	win	0.894666	0.903171	-0.008505	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	C	99d0c7125	2d461870b	0333870346	1d518b30710	1d010591203	1d832230017	1d010781c4	010306449	13c368342	0.036	win	1	1	0	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	Cbar	deec5253b	90f827867	788792651	1d427939c	2d303030b10	1d741010070	1d646580061	353106429	8e22506	0.0136	win	0.831663	0.842411	-0.010749	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	F	3c2f54cb6	1d792f941	1d900170011	1d603c65714	1d518b30710	1d010591203	1d832230017	1d010781c4	010306449	13c368342	0.016491	win	0.409284	0.398639	0.010645
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	Fbar	8cb3cc000	006518131	1d54690570	1d50504e181	1d301081850	1d50504e181	1d106011569	590970480	4e15964	0.032983	win	1	1	0	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	C	4f7fcfb32	1d0485014	1d50504e181	1d301081850	1d50504e181	1d106011569	590970480	4e15964	0.0216	win	0.349359	0.317126	0.032233		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	Cbar	6e980754d	006518131	1d54690570	1d50504e181	1d301081850	1d50504e181	1d106011569	590970480	4e15964	0.0436	win	1	1	0	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	F	4b503dae2	1d309c002	1d50504e181	1d301081850	1d50504e181	1d106011569	590970480	4e15964	0.056137	win	1	1	0		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	Fbar	f3489d806	70858c829	2d8050101	1d50504e181	1d301081850	1d50504e181	1d106011569	590970480	4e15964	0.047574	win	0.729393	0.733002	-0.003609	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	C	bcbd75c95	4d3d33689	1d50504e181	1d301081850	1d50504e181	1d106011569	590970480	4e15964	0.0442	win	1	1	0		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	Cbar	77d57b031	0588c0713	2d994025a	1d50504e181	1d301081850	1d50504e181	1d106011569	590970480	4e15964	0.0332	win	0.570426	0.573755	-0.003329	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	F	fff66744d	91d1b8875	470201785	1d50504e181	1d301081850	1d50504e181	1d106011569	590970480	4e15964	0.051537	win	1	1	0	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	Fbar	7e2f7d157	503810797	1d50504e181	1d301081850	1d50504e181	1d106011569	590970480	4e15964	0.053089	win	0.793758	0.795888	-0.00213		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	C	eaclf5ceff8	41d910074	1d50504e181	1d301081850	1d50504e181	1d106011569	590970480	4e15964	0.0404	win	1	1	0		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	Cbar	28d56bc68	37c8112c71b	1d50504e181	1d301081850	1d50504e181	1d106011569	590970480	4e15964	0.0368	win	0.610831	0.612477	-0.001646		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	F	cab2a66f4	0a70b5d139	1d50504e181	1d301081850	1d50504e181	1d106011569	590970480	4e15964	0.052967	win	1	1	0		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	Fbar	affda4ae3	127e3f030	1d50504e181	1d301081850	1d50504e181	1d106011569	590970480	4e15964	0.062643	win	0.913065	0.913367	-0.000302		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	C	906af9777	0390e0220	1d50504e181	1d301081850	1d50504e181	1d106011569	590970480	4e15964	0.0484	win	1	1	0		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	Cbar	e306f1299e	405970c84	1d50504e181	1d301081850	1d50504e181	1d106011569	590970480	4e15964	0.058	win	0.854938	0.847265	0.007673		

cell	dataset	model	setting	q	condition	metric	comparison id	candidate endpoint id	baseline endpoint id	geometry	geometry label	rule	noise	NOISE A	NAIVE A	delta A	outcome A	NOISE Q	NAIVE Q	delta Q	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	F	26da093c7	4567d48799	030085041	19e284022	311176161	144444444	144444444	144444444	144444444	144444444	0.013862	win	0.409721	0.418923	-0.009202
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	Fbar	0658fecdc5	936602328	195300850	750613300	193804181	144444444	144444444	144444444	144444444	144444444	0.083413	win	1	1	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	C	fc6b7688b	9267fca3207	161550702	190411655	144444444	144444444	144444444	144444444	144444444	144444444	0.0154	win	0.34335	0.339483	0.003867
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	Cbar	e1c9eca42	02144b3578	000625703	160119068	144444444	144444444	144444444	144444444	144444444	144444444	0.0874	win	1	1	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	F	cdfb486c9	027d1b249f	000625703	160119068	144444444	144444444	144444444	144444444	144444444	144444444	0.043134	win	1	1	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	Fbar	ef133cf017	220b2358d	000625703	160119068	144444444	144444444	144444444	144444444	144444444	144444444	-0.009515	loss	0.672524	0.718847	-0.046323
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	C	6c7556ad4	052b805dc	000625703	160119068	144444444	144444444	144444444	144444444	144444444	144444444	0.0406	win	1	1	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	Cbar	dfd1237b8	241253878	000625703	160119068	144444444	144444444	144444444	144444444	144444444	144444444	-0.005	loss	0.518679	0.552311	-0.033632
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	F	21f9ebf81c	600007b28	000625703	160119068	144444444	144444444	144444444	144444444	144444444	144444444	0.034461	win	1	1	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	Fbar	c5b458c15	011f7915527	000625703	160119068	144444444	144444444	144444444	144444444	144444444	144444444	0.00031	win	0.721081	0.756541	-0.03546
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	C	d12e4eb56	550706f3a	000625703	160119068	144444444	144444444	144444444	144444444	144444444	144444444	0.036	win	1	1	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	Cbar	069543da6	2412f867159	000625703	160119068	144444444	144444444	144444444	144444444	144444444	144444444	-0.0088	loss	0.555169	0.596411	-0.041242
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	F	3be1acc4ef	2412f867159	000625703	160119068	144444444	144444444	144444444	144444444	144444444	144444444	0.045073	win	1	1	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	Fbar	ee54e7e845	160093455	000625703	160119068	144444444	144444444	144444444	144444444	144444444	144444444	0.023173	win	0.904542	0.918231	-0.013689
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	C	9741d4141	74f6157832	000625703	160119068	144444444	144444444	144444444	144444444	144444444	144444444	0.036	win	1	1	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	Cbar	176da2ade	2010f6b294	000625703	160119068	144444444	144444444	144444444	144444444	144444444	144444444	0.0208	win	0.843614	0.854319	-0.010704
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	F	ccfe2118efa	3d87d62de	000625703	160119068	144444444	144444444	144444444	144444444	144444444	144444444	0.015296	win	0.415595	0.406851	0.008745
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	Fbar	e16f867870	212465439	000625703	160119068	144444444	144444444	144444444	144444444	144444444	144444444	0.04565	win	1	1	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	C	f08282f079	100939219	000625703	160119068	144444444	144444444	144444444	144444444	144444444	144444444	0.0204	win	0.349619	0.319346	0.030274
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	Cbar	be70d3ca48	74206250c	000625703	160119068	144444444	144444444	144444444	144444444	144444444	144444444	0.0476	win	1	1	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	F	2c72629cb1	1b036f60d	000625703	160119068	144444444	144444444	144444444	144444444	144444444	144444444	0.05138	win	1	1	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	Fbar	c133799b9	631902743	000625703	160119068	144444444	144444444	144444444	144444444	144444444	144444444	-0.039645	loss	0.650379	0.72126	-0.070881
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	C	b5955dcf45	000b8d476	000625703	160119068	144444444	144444444	144444444	144444444	144444444	144444444	0.0434	win	1	1	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	Cbar	e7c1639e70	06fca1b083	000625703	160119068	144444444	144444444	144444444	144444444	144444444	144444444	-0.027	loss	0.505191	0.560708	-0.055516
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	F	0ebc24b55	098143032	000625703	160119068	144444444	144444444	144444444	144444444	144444444	144444444	0.044396	win	1	1	0

cell	dataset	model	setting	q	condition	metric	comparison id	candidate endpoint id	baseline endpoint id	geometry	geometry label	rule	noise	NOISE A	NAIVE A	delta A	outcome A	NOISE Q	NAIVE Q	delta Q	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	Fbar	a2cc3ff677	22751210f832a9	22751210f832a9	22751210f832a9	22751210f832a9	22751210f832a9	22751210f832a9	22751210f832a9	22751210f832a9	22751210f832a9	-0.027321	loss	0.701295	0.756855	-0.055559
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	C	0a5b3e0807	38a531f48824	38a531f48824	38a531f48824	38a531f48824	38a531f48824	38a531f48824	38a531f48824	38a531f48824	38a531f48824	0.0446	win	1	1	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	Cbar	f341014251	0407423509	0407423509	0407423509	0407423509	0407423509	0407423509	0407423509	0407423509	0407423509	-0.019	loss	0.544349	0.588774	-0.044425
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	F	62fa4c0298	9600095a15	9600095a15	9600095a15	9600095a15	9600095a15	9600095a15	9600095a15	9600095a15	9600095a15	0.040489	win	1	1	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	Fbar	30b1db52b	9277301e95	9277301e95	9277301e95	9277301e95	9277301e95	9277301e95	9277301e95	9277301e95	9277301e95	0.003056	win	0.897055	0.916711	-0.019656
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	C	5bbbabd79	405d4b784	405d4b784	405d4b784	405d4b784	405d4b784	405d4b784	405d4b784	405d4b784	405d4b784	0.039	win	1	1	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	Cbar	1f45a36af7	cd5031d13	cd5031d13	cd5031d13	cd5031d13	cd5031d13	cd5031d13	cd5031d13	cd5031d13	cd5031d13	0.0034	win	0.83536	0.853874	-0.018514
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	F	fa12360696	b495cd09b	b495cd09b	b495cd09b	b495cd09b	b495cd09b	b495cd09b	b495cd09b	b495cd09b	b495cd09b	0.016013	win	0.417811	0.412338	0.005473
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	Fbar	cf635b80b	27472c9f85	27472c9f85	27472c9f85	27472c9f85	27472c9f85	27472c9f85	27472c9f85	27472c9f85	27472c9f85	0.041348	win	1	1	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	C	c64afdc15e	729133546	729133546	729133546	729133546	729133546	729133546	729133546	729133546	729133546	0.0208	win	0.353846	0.324638	0.029208
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	Cbar	4e1e124e0c	903c3870b	903c3870b	903c3870b	903c3870b	903c3870b	903c3870b	903c3870b	903c3870b	903c3870b	0.0478	win	1	1	0

Table 19: ImageNet–ResNet-18 results.

cell	dataset	model	setting	q	condition	metric	comparison id	outcome Q	NOISE G	NAIVE G	delta G	outcome G
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	NOISE-S	4	gaussian	F	8cbcad5090481f9f2a72523385976322230057010050338416d8edbcc8df33					
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	NOISE-S	4	gaussian	Fbar	b64a756b55b5a8be6861531512311307242a10500728f05dcbaa4bf171394					
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	NOISE-S	4	gaussian	C	5d7e91f274f4dc749dbca6b79b55dd0779236402080f348524480539bf7b50c3					
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	NOISE-S	4	gaussian	Cbar	8523cbe5167a191c6b386373665267370985560c015072574a13f63ac78e4a					
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	NOISE-S	4	salt_peppe	F	d66781c05e79eb1509c40763685e67693279f98009755326b68a12c806589					
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	NOISE-S	4	salt_peppe	Fbar	38628f4d7ab5efc30b44d56556840b075505847175603400813546b01b48e7715e					
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	NOISE-S	4	salt_peppe	C	ce09fa41ed40f67441f80b7896032c01575135301006294f0vca1ae5b1222593					
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	NOISE-S	4	salt_peppe	Cbar	4bec20c2f127d5b3bffa61846285150c465420cc408045751135735270c1f6e3					
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	NOISE-S	4	speckle	F	9c05d10753aab622f6170c97560849038516574b5016195710a1e9bb2cb350d037					
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	NOISE-S	4	speckle	Fbar	25b3d63ea162bc80865e2720b98d102907d48f140c009428ddmd0526254e8b39					
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	NOISE-S	4	speckle	C	1a754d5ee6fba962fd470c05068912763656819010141b9bckviam8f6c7631e013a					
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	NOISE-S	4	speckle	Cbar	2e4316cf3a557134ad09ab372824733f880707530000707d3adif8c67b5d68d0b2					
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	NOISE-S	4	adversaria	F	961b1992259a758c75070c06012f6942056d20c90088551eovial7bb1e21ade26					
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	NOISE-S	4	adversaria	Fbar	6758ce19774da5543fe232869664020639143207f3000c141d257061f6e57bb					
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	NOISE-S	4	adversaria	C	37d1560163da7026150302870722a025047202a0403378014209885cfb6e433					
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	NOISE-S	4	adversaria	Cbar	f1c993e20bd404b66d48018d154d06983057913450438657257e4e32d3e819a6					
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	NOISE-S	4	gaussian	F	3befffd8aa3ce1d7b5d89056002659172632715d1082298778f03fe45054dff					
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	NOISE-S	4	gaussian	Fbar	1320c86686wdea371f0841603632146896027f8609269217542930c29776456					
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	NOISE-S	4	gaussian	C	117bd6bb6ba556a9f3a0c9083082c1078835821470632950950c36349891d6edb					
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	NOISE-S	4	gaussian	Cbar	2b63c72dd41d2See21a8044307d1f0141b64910c037823fbb00acdab3712707					
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	NOISE-S	4	salt_peppe	F	17d7d2aefcbb101734da0a7273870262065289ec6462848dbuina3edcf3b576d1					
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	NOISE-S	4	salt_peppe	Fbar	ca6a114fa3575ef2019c201655102914c6283495533294d39906ad670cca78c80					
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	NOISE-S	4	salt_peppe	C	09be14c9f98d655ea113750284282c772769930c038570c0wib6ce3179d5f30					
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	NOISE-S	4	salt_peppe	Cbar	04711d1bbdca0bbcb09b1472279ad3451530fd1986162851789d28171cc6a5e95					

cell	dataset	model	setting	q	condition	metric	comparison id	outcome Q	NOISE G	NAIVE G	delta G	outcome G
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	F	023c9a0349	60a7cb5fd	47583362	538499850	0610367536	824b1dea407925c416
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	Fbar	a4bde2fbaf	7f1eaca2b	9038729402	7d07642671	50b32538f	60597d900fdeeb3
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	C	4cd07c64fd	88660f1623	d052544541	180704422	9a0007648	47585b77d097c74
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	Cbar	225ebe6f53	83db665e0e	46928237	06905b7221	107061742b	554463ea6289850c8
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	F	13c3c874ca	030392c0e7	10c19130e	20a9769422	950085694	4f04a45b242bc869
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	Fbar	7d9dbc7bce	942dd70b61	3850595b	d068726247	0b6332261	903b99ad143ef7a9800
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	C	b7a8191e13	56a1df8346	0468912707	7d1167e48223	020326926079	eecc9ec5391be
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	Cbar	be071a3b4f	0e85ebb1e	0b85788172	fd56049120	1f05060985	3307aac372a542f
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	F	62d963093	1d85ae444c	245d08495	6f07150340	b0f032528	6f5bbfde4d15dae1
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	Fbar	73288a3ee1	83bf1f5843	4025045737	a0c627547e	7b4964f023	8b5df770174b534b
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	C	ddd8d2477	0aaba6a498	9057913071	605774984	e670465033	6a065c6a42d69de17
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	Cbar	7e547281a9	b34f711d01	5578789220	bf66618643	2690222323	47b0175131c5752a
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	F	508fcacdc6	7fbb48dfa9	407022453	b337019866	1082205828	be950b7764f3d09d
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	Fbar	795a217e74	825fe5d871	7d706221d7	040814871	150d5854	8c59cdace6d2fa2d
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	C	3f995ec027	8f8ec9bb17	a07891275	5319668407	a0e632477	57807f2c345e165
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	Cbar	6467fa916f	46d5a6afe7	6045291088	7bd346983	5f003991	bc3dbf94440bce7c
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	F	a2754e3525	63a3c5fe8e	76560e4737	70b08f6397	30402885d2	4968ac0c8e5271d7
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	Fbar	bf80fa5995	338d7facec	10681605fd	4307819654	0a740430ac	79e5688944f644
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	C	4f2b992312	807016a2d7	70b647015d	0692016837	7943432431	94686d8e40704fc2
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	Cbar	7ed6bf4a5e	509e415a02	0429878277	f016832070	484853d34	876686d2a2c982c8
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	F	65323b960	55e8bf1246	5411708702	67f388b608	ad049d1647	fd23fcb5d5f09630
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	Fbar	fce1c8e247	1afe289765	804011872	2318662479	f40b32275c	3d3df405a235e019
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	C	f68f49865f	155d8ff7c6f	0c47075854	aa57672271	7048903409	154ba9cdd16ca2
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	Cbar	6a4bc7037	86cb9416fc	0f85339753	b18307269	910375802	cc2802d4ed294057
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	F	fb6d046f15	7d84cd214b	66754793b	2b74960518	8d9355820	86d25eef48724020

cell	dataset	model	setting	q	condition	metric	comparison id	outcome Q	NOISE G	NAIVE G	delta G	outcome G
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	Fbar	cd0dd4c03	3cd1a785a	599572791	1095153337	96872339	855c2fee4c7897d
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	C	72cc4f279c	41a68c59db	263327753e	5d1740597596	d18859c4	4d28b9fc026e20e3
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	Cbar	594084cc62	41581266f7	8d9753580e	6024f7884a58	9e27699a32	40c3d13f5e59e2
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	F	6a643c97d3	4d2d7f9058e	d1706540f	cd0379e7551e	0a0d6655a6	6020ecd5bd7d61
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	Fbar	9db544498	4855a3e407	687150738	7d0d34035758	427013292a	8cd1ea6836fe1e
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	C	869985b742	2023547971	a7392872d	13772003a	220807231e	47fdb46556022bc3
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	Cbar	d02f5532d4	4addcb2ca3	7d51560922	31483645c	40b34475c6	82a0d295eaba524
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	F	a78e129e85	5b1a8cd1ead	b09891902b	635594075b	053472456	26344af06fe31756a5
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	Fbar	4fc207058b	a38738ed58c	608006a798	83038911c	027072a63n	095cc69141bc
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	C	7db2c7c949	6iddf31306c	766525872	4263753300	6cd2330231	464b9042f3bdc6
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	Cbar	9d1dd59ba4	4aa30e4b46	79773185ee	d3d0358975	670350221	691602c61c3b0d408
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	F	96eddd8c13	4454af8be5	f0a79d3259	66470894cb	98d05740fb	6add1c18f97a9be
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	Fbar	a6d6141183	4a85ca2032	2d9d09f11a	933775335c	400389094f	3e5b8b77cfcffc52
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	C	2a071ac2fe	5fa19693f0b	5a58954943	30569349d	753343506e	4c1678e72ba77a8
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	Cbar	8f3c95fa5a	14dbdeef48	80988935a	f05845585e	1043007274	94595ab8a53cf27
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	F	012206650	6086b2dbf7	44594b1704	3861931768	100246355	94ca7a68aaf43c9
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	Fbar	98abe11f15	b26d2be6e	6090266276	dc42f1a92f	057493297e	6a0338535cf8552
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	C	be26dcfcc5	1d2c46d3e9	56585363d	4257520385	6c0099690969	4e1a6feb9b9cb7
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	Cbar	7200bfcc0b	e078e636c3	016884875d	609473110	03024066883	3a815d926146f1
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	F	d555b0fe46	4867b33f5e	8160377578	a71126594b	0230079709	324d26b9609f
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	Fbar	471f2bfea2	5851fee586	f07926948f	90259743d1	09a81804b4	2a948e234e38f
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	C	5a57ed6839	4e17ab5334	507622935a	73e563870a9	02d1237923	0e8171d441d58d0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	Cbar	2c178b3512	e00457de00	4802578259	941780725a	f02730105a	3017a65a9463c5ca
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	F	b2119b7f8b	634ef5ee0ba	25f74714b	d0c40536e	d086609592	11c31fe92de89c
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	Fbar	cfdd1da86a	b7b2951fc89	0b835778c9	4e388709af	15f047538	5a11c578b82e

cell	dataset	model	setting	q	condition	metric	comparison id	outcome Q	NOISE G	NAIVE G	delta G	outcome G
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	C	5f172a0245	987eba4f45	6632662a	0a228965	83039784b	6a4244bb49be64b
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	Cbar	84a1442c4e	62dd35d4e3	9f07307750	090968235	612e44240c	160d53e123f5c877
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	F	b010ee3366	723c228861	0a27423f0	83179967f8	4007e178f8	887e84f980d5693
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	Fbar	2e02a1a974	68d8104470	013067936	6018785289	43327865ff	6c01ad97b6db5315
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	C	00b8c12ae5	229dedd1e0	7365686ff8	045215f2e	030e00205a	35eadcd69aa37271
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	Cbar	aa4108ba8a	644c839056	3c372427e	14350357d0	06333f813	960ff339085c2fcc
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	F	6b1ccb9004	85490c3230	712186699a	322280dc8	90004439a	1b1ed5fbbb21275572
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	Fbar	e7e2ceff80	09b1ec8dc6	004570925e	605D73702e	807055f0a8	1b85d859945d4bd
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	C	29e61bfaad	63d266dd11	067903677	2B839e854e	858ff05898	969e2f1cc3fcab39
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	Cbar	eb24db97e3	1445e0f688	5108189558	04372985c1	5039020593	10a09f7cb7f00c45
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	F	f5ae926da9	059d68f16a	d508056913	706831922a	1010992a31	1b543870083aa38c
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	Fbar	2f5e6b5f50	d5e9acc744	d151e82074	065758896d	d16356294e	10e479475c543f
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	C	21a060798a	da42644f60	0c87768591	1037537983	858003496	375e7da14c846eae
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	Cbar	270615a9e3	7e64985938	d416544220	0779137e0c	022086391	433207507f68816
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	F	9c9efe1812	439e730a4b	10565829df	1055606570	14600c8472	135afbf98f0d784b
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	Fbar	748e1dd613	0968da8b9e	10c091514fb	99771e441a	0702719367	1ad3fb57d29e2b74f
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	C	e9205f2d35	ba9173ad25	6c637581b	26684353d	cd00046289	cd40a0cb87ddc6a6
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	Cbar	5b7d2aa482	88df54ab19	0098604537	d06d307083	330220d4f1	10ba5bad096766b3e
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	F	dbe2ea3b84	bd02e0be5f	1027563060	09c2810727	8006024736	xt7df19c652983028
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	Fbar	b335e59bc7	b2bc07c580	0853684750	756609880	8e0563322	1b9aee4233ae0df32
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	C	59850324a7	8213c9dcbe	0a24270275	152044025b	0e004539c	6b28f4bf885cb08e
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	Cbar	122dbfcea4	81d5f0c9f0	209938000	fae832351c	2c00060773	953a2dbc4b584f5
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	F	951c0fe127	42f0df46c4	0a7505880	0372108270	1003041934	705a4a5137e9a80
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	Fbar	5193cef874	7bad0f84ed	0956092746	577590308	610b78885	5ab5605f98327c3b
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	C	370407b109	02a1d9d28d	3076073f6c	063582089	0242453c	w255701887932887

cell	dataset	model	setting	q	condition	metric	comparison id	outcome Q	NOISE G	NAIVE G	delta G	outcome G
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	Cbar	d102a30b21	36b76e8c66	002599769	d1a4119494	5d109287d1	f0e1a8bb6ed19d19
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	F	22747ac668	4e678807e	0c5541355	f0a1452385	c81284972	284524f8db230682
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	Fbar	31d49bb05d	44f7273077	d05666d725	2f3d963597	9037d99d21	3628d4760271aa74
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	C	7adef0d932	17680e3724	279044378	627072d996	7e5188574e60f0	838b267e4fa2
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	Cbar	303663ce77	2e80be6db2	362205793a	4f62593557	19d5238771	009ff473f9aab283
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	F	d043a04255	7666d644cc	087797888e	084490352	d035831632	4959550175f9e6d3
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	Fbar	da76ef70c6	3497ae8b9d	d676d53b53	1b77625ff5	1e36502798	362e9a4aedc2650
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	C	99d0c71252	1d6df90be6	5265233608	4c62418e3	6702831996	16b1df27e68ffdfc
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	Cbar	deec5253b9	0082746e72	0d8f42909a	4c8728322	61588947e5	bn1c99f61657591
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	F	3c2f5b4cb6	1dc7211c49	d014379631	918573304c	5002265905	8471e295395ee3a5
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	Fbar	8cb3cc000e	d26e5ca13c	888013924b	ab37272862	64d18c0986	6eta8705453b063a
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	C	4f7fcfb324	4d83504d96	1865444337	057668f84c	d502846734	awf60f3cb2bee27
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	Cbar	6e980754d0	5e5a60b9de	e186725f09	7084e25825	a02e57427	wdf8501f99513f63
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	F	4b503dae21	3d4bbd0f2ef	f06751267b	8039970743	102582430b	0d17c866c09d6590
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	Fbar	f3489d8067	1b18a3e397	3185ff13da	406d775431	2070255880	42eccc26c1c52d81
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	C	bcbd75e954	1aefdaa880	3089249ff2	b1d17919849	463257d096	0086923b3ef3c881
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	Cbar	77d57b031a	b88c94db99	26691905c	70767286d3	f03a12726876	mb15119abfdd864
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	F	fff666744d	1iddb889e4	f723177086	2dc56724465e	81035860a5	6678b876345ae5c
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	Fbar	7e2f7d157f	37e825e2deb	b653307680	d098173873	b03299470a	0d24a143e5b87d1
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	C	eacff5ceff8	49eb190c7c	72792595a2	8c36d87244	4632520658	5abbb851875df90
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	Cbar	28d56bc683	1f88be157ae	01573739e8	8544940f86	79d0c2710d54	cd91c52aaa906a
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	F	cab2a66f40	170d9a1330	da68826a6c	675d1e625f	1010468696	31f52499ac4d34c4e
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	Fbar	afffda4ae3	10e9c3b6a9a	08237595c	1b731d6382	02380332e9	90a01f82da7a84a
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	C	906af97773	681edf22f6	0758803273	8297c8f6d1	04378683	0f02503cb80bbc
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	Cbar	e306f1299e	465970c346	d0531808ef	4398350b61	1e3382761356	11acf06e77482

cell	dataset	model	setting	q	condition	metric	comparison id	outcome Q	NOISE G	NAIVE G	delta G	outcome G
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	F	26da093c7	4a67fcfb79b	43d9351d69	3114860532	04013249f	7e358a762c709fa5
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	Fbar	0658fecdc5	93a0023e61	11493443e3	3bca375672d	4280688d55005	155ca7967bd3
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	C	fc67688b6	92afcd047	41992882d	7217667278	07211501f0	374bbcdac468697bc
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	Cbar	e1c9eca424	62ea4579f6	135875108c	40c8300062	2a0778859b5	54e624f35c39f661
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	F	cdfb486c9c	029db240b1	1b7348394f	1d23300051	806a7d8983c	4d11129848065d3a
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	Fbar	ef133cf017	92ab8658d7	701927007b	1812125329	400125628	1251a46e7dadcb11
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	C	6c7556ad4c	352c80f1c9	33806405a	0270803979	489252771c	658521f568877c24
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	Cbar	dfd1237b8c	1a4252868b	2b40710735	9164478831	1c015689991d361	b58ca44c32ae
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	F	21f9ebf81c	605077e28f	577320290	20c7687711c	b6023208ad396	47c6eb7873f
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	Fbar	c5b458c15c	0faf8cda17	50c354021	2950307559e	697d152583	1a8db045ba1c8415
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	C	d12e4eb56c	88970053a2	20202f1023	1007494031	0a83020610	33312a30775c0ca
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	Cbar	069543da62	3be1f97cc9	900614394	43145369019	6802208620	33a6045447c8e7a
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	F	3be1acc4ef3	1bd98edc17	0015878059	63574772079	5a5397227406	00d7a885cc3d8
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	Fbar	ee54e7e845	56099df5c7	7070717860	a3789582b49	101057327c	6a1b1bd2163f9d26
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	C	9741d4141c	1f614f7d38	b46535917	1083270035	830280065b	31bba2a567c57e6d
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	Cbar	176da2adc2	0ad0dfa21dc	0470140235	046027895b	0168571343	86b7abeef021d6d9
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	F	ccfe2118efa3	ea171620e8	4a197782fa	1689286948	3831393351	160a20632520cd82
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	Fbar	e16f867870	81db465439e	489027957	785827718d5	6382167407	7cd9b078f17a7d04
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	C	f08282f079	1609302d88	95406265c	6a0f693844b	10326941b	6c5dc4aa7b773808
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	Cbar	be70d3ca48	7526b260cd	708762344	60364578519	95037632aa	7d16036480a4a2e49d
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	F	2c72629cb1	48916f60d2	2049516773	20701485706	9a6247934cd	15b349c310e944
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	Fbar	c133799b9c	6548027d3c	020605141c	4062015091d	6007337591	436627b96edac30
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	C	b5955dcf45	93d3ee43b1	10c8050651	2817382435	2609740235	59d914afc7bdfd8
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	Cbar	e7c1639e70	bfafa4ea0c3	5021498899	1490a158103	6f62911891	3540c765f6a4ac8
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	F	0ebc24b55f	618ba49439	0673222089	4e061065f0	0534063a3	1418ed5140b31683

cell	dataset	model	setting	q	condition	metric	comparison id	outcome Q	NOISE G	NAIVE G	delta G	outcome G
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_pepper	Fbar	a2cc3ff6772b52e0e83a067d788761023054f02908398254529a8cd10306e5					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_pepper	C	0a5b3e0807d18a53fb98501593643f0407d97221f6c0086459801809408f364a7b					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_pepper	Cbar	f3410142510a07428096e6446992261a4763224e01b82287021b74d196579ae27470					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	F	62fa4c029891443098a5da865327b7645465362400732864a6a6aace8646c6637					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	Fbar	30b1db52b9347e3c42fa0775545098701756a1605409066539625a1816d84a1823					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	C	5bbbabd7946bbccbc08715673452c3b522396ae039022941b64dc3140c3962df7					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	Cbar	1f45a36af70d65a39d34a030643929c008933559d073d0786021b74d2d32ed9d8f66					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversarial	F	fa123606961a5c5cd04890814078503a085696658400388543401b65d87e54ac94a					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversarial	Fbar	cfcd635b80b67b5a96d9f05990f332c0187527280810334021c0f562d5ce839c8c					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversarial	C	c64afdc15e139133b16a74493048f90857065193b53870949e23685c86df2d5e0					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversarial	Cbar	4e1e124e0c90ecdff7c9be4864327220e8103022b84828275d4fb02d6bf4ba5c87					

Table 20: ImageNet–ResNet-18 results.

cell	dataset	model	setting	q	condition	metric	endpoint id	source kind	geometry	geometry label	rule	methods	noise	clean quality raw	perturbed quality raw	A0 clean	A0 perturbed	normalized clean raw	normalized perturbed raw	Qnorm clean
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	gaussian	F	89f017a106	NOISE7829p8830053	NOISE6828rfq2fmcv2	NOISE6828rfq2fmcv2	NOISE6828rfq2fmcv2	DeepDif854ap D434ift	F0.8366Abl0.6306	0.215635	0.52902	0.215635				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	gaussian	Fbar	db58de2e01	NOISE20a09p54rcfnd2	NOISE542rcmlefo6	NOISE542rcmlefo6	NOISE542rcmlefo6	DeepDif854ap D434ift	F0.8366Abl0.6306	0.715515	0.435775	0.715515				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	gaussian	C	effc1196dc1	NOISE35928pddndd9	NOISE4736rcf89cvgd	NOISE4736rcf89cvgd	NOISE4736rcf89cvgd	DeepDif854ap D434ift	F0.8366Abl0.6306	0.3024	0.6396	0.3024				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	gaussian	Cbar	5c182ca8a1	NOISE2473pddndd9	NOISE4736rcf89cvgd	NOISE4736rcf89cvgd	NOISE4736rcf89cvgd	DeepDif854ap D434ift	F0.8366Abl0.6306	0.6294	0.3012	0.6294				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	salt_pepper	F	7cda43ab63	NOISE59fd3p5b7fimb	NOISE8416rcf5fabv2	NOISE8416rcf5fabv2	NOISE8416rcf5fabv2	DeepDif854ap D434ift	F0.8366Abl0.6306	0.215635	0.495188	0.215635				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	salt_pepper	Fbar	009895ceb6	NOISE1f4e3p64rcm58	NOISE89b34rcf52vge	NOISE89b34rcf52vge	NOISE89b34rcf52vge	DeepDif854ap D434ift	F0.8366Abl0.6306	0.715515	0.47004	0.715515				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	salt_pepper	C	9e670deba1	NOISE388pddndd9	NOISE579f8rcf131eog	NOISE579f8rcf131eog	NOISE579f8rcf131eog	DeepDif854ap D434ift	F0.8366Abl0.6306	0.3024	0.611	0.3024				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	salt_pepper	Cbar	6af711278b	NOISE1f18pddndd9	NOISE579f8rcf131eog	NOISE579f8rcf131eog	NOISE579f8rcf131eog	DeepDif854ap D434ift	F0.8366Abl0.6306	0.6294	0.3196	0.6294				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	speckle	F	7ecba23ed0	NOISEc285pddndd9	NOISE656c05nfp3a6vg	NOISE656c05nfp3a6vg	NOISE656c05nfp3a6vg	DeepDif854ap D434ift	F0.8366Abl0.7854	0.215635	0.331551	0.215635				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	speckle	Fbar	79495cdcb1	NOISE3a7a3p92fndd9	NOISE63075b6h1b38vg	NOISE63075b6h1b38vg	NOISE63075b6h1b38vg	DeepDif854ap D434ift	F0.8366Abl0.7854	0.715515	0.609371	0.715515				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	speckle	C	536d58f696	NOISE27540pddndd9	NOISE63075b6h1b38vg	NOISE63075b6h1b38vg	NOISE63075b6h1b38vg	DeepDif854ap D434ift	F0.8366Abl0.7854	0.3024	0.4234	0.3024				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	speckle	Cbar	dad4fac6ec	NOISE10ca0pddndd9	NOISE63075b6h1b38vg	NOISE63075b6h1b38vg	NOISE63075b6h1b38vg	DeepDif854ap D434ift	F0.8366Abl0.7854	0.6294	0.506	0.6294				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	adversarial	F	e4d8f97220	NOISEf744pddndd9	NOISE738c078pdcf18	NOISE738c078pdcf18	NOISE738c078pdcf18	DeepDif854ap D434ift	F0.8366Abl0.8368	0.215635	0.099665	0.215635				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	adversarial	Fbar	e772980630	NOISE9c90pddndd9	NOISE8923imq426v8	NOISE8923imq426v8	NOISE8923imq426v8	DeepDif854ap D434ift	F0.8366Abl0.8368	0.715515	0.756214	0.715515				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	adversarial	C	4a94ad78d1	NOISEa041pddndd9	NOISE8923imq426v8	NOISE8923imq426v8	NOISE8923imq426v8	DeepDif854ap D434ift	F0.8366Abl0.8368	0.3024	0.1142	0.3024				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	adversarial	Cbar	a168daea81	NOISEbda8pddndd9	NOISE8923imq426v8	NOISE8923imq426v8	NOISE8923imq426v8	DeepDif854ap D434ift	F0.8366Abl0.8368	0.6294	0.7082	0.6294				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	gaussian	F	e846752619	NOISEcdff9pddndd9	NOISE8923imq426v8	NOISE8923imq426v8	NOISE8923imq426v8	DeepDif854ap D434ift	F0.8366Abl0.6306	0.22185	0.566445	0.22185				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	gaussian	Fbar	9166e0f15f	NOISEf1ccda3p52177d	NOISE8923imq426v8	NOISE8923imq426v8	NOISE8923imq426v8	DeepDif854ap D434ift	F0.8366Abl0.6306	0.784604	0.534412	0.784604				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	gaussian	C	e23c9d3b9a	NOISEf4e0pddndd9	NOISE8923imq426v8	NOISE8923imq426v8	NOISE8923imq426v8	DeepDif854ap D434ift	F0.8366Abl0.6306	0.3116	0.6454	0.3116				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	gaussian	Cbar	4add48ccf4	NOISE533epddndd9	NOISE8923imq426v8	NOISE8923imq426v8	NOISE8923imq426v8	DeepDif854ap D434ift	F0.8366Abl0.6306	0.6976	0.3714	0.6976				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	salt_pepper	F	4328a7db7f	NOISE97f1pddndd9	NOISE8923imq426v8	NOISE8923imq426v8	NOISE8923imq426v8	DeepDif854ap D434ift	F0.8366Abl0.6306	0.22185	0.538342	0.22185				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	salt_pepper	Fbar	6ee2b2a05d	NOISE9733pddndd9	NOISE8923imq426v8	NOISE8923imq426v8	NOISE8923imq426v8	DeepDif854ap D434ift	F0.8366Abl0.6306	0.784604	0.576219	0.784604				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	salt_pepper	C	10205e5ef1	NOISEf4b1pddndd9	NOISE8923imq426v8	NOISE8923imq426v8	NOISE8923imq426v8	DeepDif854ap D434ift	F0.8366Abl0.6306	0.3116	0.6286	0.3116				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	salt_pepper	Cbar	cc6c0318a7	NOISE6e6apddndd9	NOISE8923imq426v8	NOISE8923imq426v8	NOISE8923imq426v8	DeepDif854ap D434ift	F0.8366Abl0.6306	0.6976	0.3978	0.6976				

cell	dataset	model	setting	q	condition	metric	endpoint id	source kind	geometry	geometry label	rule	methods	noise	clean quality raw	perturbed quality raw	A0 clean	A0 perturbed	normalized clean raw	normalized perturbed raw	Qnorm clean
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	speckle	F	654223dcb	NOISE-6fe4356028a16	NOISE-19637ac054d3a	NOISE-19637ac054d3a	4f488a1b618345	DeepLift852ap D2q1Lift	F0.8366Abl0.7854	0.22185	0.337917	0.22185		0.22185	0.337917	0.22185
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	speckle	Fbar	f8dd0e8d86	NOISE-619b5662a29	NOISE-52875b191b304ca	NOISE-52875b191b304ca	470e41b2546a205	DeepLift852ap D2q1Lift	F0.8366Abl0.7854	0.784604	0.719379	0.784604		0.784604	0.719379	0.784604
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	speckle	C	7fafd42cf39	NOISE-b02e9fc2f0665	NOISE-208baba0f0a2385	NOISE-208baba0f0a2385	82d9d1dd3446	DeepLift852ap D2q1Lift	F0.8366Abl0.7854	0.3116	0.4292	0.3116		0.3116	0.4292	0.3116
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	speckle	Cbar	124daa124	NOISE-322a9f8f7d0b0	NOISE-436b6b70b1d41	NOISE-436b6b70b1d41	830a1e1b23b1dd1p	DeepLift852ap D2q1Lift	F0.8366Abl0.7854	0.6976	0.5952	0.6976		0.6976	0.5952	0.6976
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	adversaria	F	f779c6ae25	NOISE-d367e2e49bb2	NOISE-7426a565def4bf6	NOISE-7426a565def4bf6	6336d1b1a4a966p	DeepLift852ap D2q1Lift	F0.8366Abl0.8368	0.22185	0.090344	0.22185		0.22185	0.090344	0.22185
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	adversaria	Fbar	a42c33ac60	NOISE-7253xpd24a1	NOISE-486b97bf30308	NOISE-486b97bf30308	870d1ed28f0406ep	DeepLift852ap D2q1Lift	F0.8366Abl0.8368	0.784604	0.820746	0.784604		0.784604	0.820746	0.784604
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	adversaria	C	c306c1c1ce	NOISE-bc430760c709a	NOISE-318bd2506bc83c3	NOISE-318bd2506bc83c3	70fdd1dd49c4016p	DeepLift852ap D2q1Lift	F0.8366Abl0.8368	0.3116	0.1056	0.3116		0.3116	0.1056	0.3116
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	adversaria	Cbar	33683a9e6c	NOISE-0d31q0m3ed40c	NOISE-55432ed1ab252	NOISE-55432ed1ab252	23b1b41f29c235p	DeepLift852ap D2q1Lift	F0.8366Abl0.8368	0.6976	0.7688	0.6976		0.6976	0.7688	0.6976
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	gaussian	F	4365fd8339	NOISE-c2875cd0621bd	NOISE-633249f6d3647	NOISE-633249f6d3647	20f1d728f5c1ep10p	DeepLift852ap D2q1Lift	F0.8366Abl0.8306	0.20918	0.548049	0.20918		0.20918	0.548049	0.20918
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	gaussian	Fbar	142c3bfa4c	NOISE-4645p6e61fac5	NOISE-733942d2816f7	NOISE-733942d2816f7	6384733b1d66p	DeepLift852ap D2q1Lift	F0.8366Abl0.8306	0.802773	0.601966	0.802773		0.802773	0.601966	0.802773
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	gaussian	C	1b6f3748c9	NOISE-52389d4078567	NOISE-74894d52c6348	NOISE-74894d52c6348	62dd1dd22f0408p	DeepLift852ap D2q1Lift	F0.8366Abl0.8306	0.2978	0.6268	0.2978		0.2978	0.6268	0.2978
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	gaussian	Cbar	379950a677	NOISE-eb94p65ram1a	NOISE-Fac1234340m d9	NOISE-Fac1234340m d9	6af7d4330c45ep	DeepLift852ap D2q1Lift	F0.8366Abl0.8306	0.7228	0.4142	0.7228		0.7228	0.4142	0.7228
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	salt_peppe	F	9bf8acf185	NOISE-546534695d1aa	NOISE-63af3bfa8nyaf7	NOISE-63af3bfa8nyaf7	364f21dd14c1ep6p	DeepLift852ap D2q1Lift	F0.8366Abl0.8442	0.20918	0.521888	0.20918		0.20918	0.521888	0.20918
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	salt_peppe	Fbar	eff5509023	NOISE-3ab1f6a891a76	NOISE-382f0e737fb2	NOISE-382f0e737fb2	23f1dd1f28b17p	DeepLift852ap D2q1Lift	F0.8366Abl0.8442	0.802773	0.649798	0.802773		0.802773	0.649798	0.802773
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	salt_peppe	C	f28eca34eb	NOISE-ed0b36ac15fe	NOISE-34047e795af457	NOISE-34047e795af457	158d676591b70p	DeepLift852ap D2q1Lift	F0.8366Abl0.8442	0.2978	0.6086	0.2978		0.2978	0.6086	0.2978
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	salt_peppe	Cbar	e9ad8d8e47	NOISE-5a584pcc048ac	NOISE-5fda802m2d02	NOISE-5fda802m2d02	687d06b04044b7p	DeepLift852ap D2q1Lift	F0.8366Abl0.8442	0.7228	0.4472	0.7228		0.7228	0.4472	0.7228
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	speckle	F	ed09e5ee1e	NOISE-42943fca28724	NOISE-822f8c0b883c	NOISE-822f8c0b883c	671d3dd37c14ep	DeepLift852ap D2q1Lift	F0.8366Abl0.7854	0.20918	0.325439	0.20918		0.20918	0.325439	0.20918
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	speckle	Fbar	67c210bf48	NOISE-lb8a930c02a17	NOISE-453kk0renyb64	NOISE-453kk0renyb64	6b18f841bca07f3p	DeepLift852ap D2q1Lift	F0.8366Abl0.7854	0.802773	0.745098	0.802773		0.802773	0.745098	0.802773
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	speckle	C	65087e584e	NOISE-l6747f60b5f027	NOISE-608a32eddb0347	NOISE-608a32eddb0347	6c1dd4f331c1ep8p	DeepLift852ap D2q1Lift	F0.8366Abl0.7854	0.2978	0.4114	0.2978		0.2978	0.4114	0.2978
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	speckle	Cbar	195dbd0e27	NOISE-ca31899bba7e1	NOISE-9b88a2f51d4f91e	NOISE-9b88a2f51d4f91e	969b2e5f5a4563p	DeepLift852ap D2q1Lift	F0.8366Abl0.7854	0.7228	0.6212	0.7228		0.7228	0.6212	0.7228
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	adversaria	F	c7829bbd4f	NOISE-ec4d133cd38	NOISE-05611d0b06a8ae4	NOISE-05611d0b06a8ae4	67f4edf550a37p	DeepLift852ap D2q1Lift	F0.8366Abl0.8368	0.20918	0.08174	0.20918		0.20918	0.08174	0.20918
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	adversaria	Fbar	66ab186e27	NOISE-b014p19832ef8	NOISE-56d30c39a7a5c	NOISE-56d30c39a7a5c	30015d7208427fp	DeepLift852ap D2q1Lift	F0.8366Abl0.8368	0.802773	0.813337	0.802773		0.802773	0.813337	0.802773
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	adversaria	C	2b48d0063	NOISE-9a0c9e9c01b6	NOISE-82746b1cd7d31	NOISE-82746b1cd7d31	40905af884b266p	DeepLift852ap D2q1Lift	F0.8366Abl0.8368	0.2978	0.0932	0.2978		0.2978	0.0932	0.2978
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	adversaria	Cbar	f3d96328cb	NOISE-673b6827f2a42	NOISE-8c2b561ef2971	NOISE-8c2b561ef2971	0d161dd134ep7dp	DeepLift852ap D2q1Lift	F0.8366Abl0.8368	0.7228	0.763	0.7228		0.7228	0.763	0.7228
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	gaussian	F	cea94a114	NOISE-7e4f655072dc9	NOISE-863f4b3707d56	NOISE-863f4b3707d56	6a172d7f7a385fp	DeepLift852ap D2q1Lift	F0.8366Abl0.8306	0.219221	0.569299	0.219221		0.219221	0.569299	0.219221

cell	dataset	model	setting	q	condition	metric	endpoint id	source kind	geometry	geometry label	rule	methods	noise	clean quality raw	perturbed quality raw	A0 clean	A0 perturbed	normalized clean raw	normalized perturbed raw	Qnorm clean
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	gaussian	Fbar	c83fa8c1da	NOISE-f48	24125f090c	NOISE-D31	15fd975097	4bf81c63ab	prop Deep	Dif636ap D	2516ft	F0.8366Abl	0.6306	0.808033	0.58928	0.808033
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	gaussian	C	65bd21d52	NOISE310	877465443a	NOISEH23	6ef53f4c5c1	804c6f77a396	prop Deep	Dif636ap D	4316ft	F0.8366Abl	0.6306	0.3066	0.6396	0.3066
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	gaussian	Cbar	5639baf8b	NOISE53c1	2648a706b	NOISEH3a	bf4d3a11e	05f443810415	prop Deep	Dif636ap D	5916ft	F0.8366Abl	0.6306	0.7252	0.405	0.7252
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	salt_pepper	F	1198e7c4e4	NOISE5f2c	23b7cbb526	NOISEH3a	502859c2e62	0400e2580c	prop Deep	Dif636ap D	4184ft	F0.8366Abl	0.6442	0.219221	0.540826	0.219221
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	salt_pepper	Fbar	a8c39b52c0	NOISE9a4c	265f892a6b	NOISEH33	bfecda71ee	041401f869	prop Deep	Dif636ap D	2326ft	F0.8366Abl	0.6442	0.808033	0.638932	0.808033
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	salt_pepper	C	05701d136	NOISE74256	69628156	NOISEH31	11f02f48998	06a8f33604	prop Deep	Dif636ap D	6202ft	F0.8366Abl	0.6442	0.3066	0.6262	0.3066
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	salt_pepper	Cbar	c46cfc0da	NOISE3b9a	65b7c7c0b5	NOISEH3a	5f210795a1	0510c09345	prop Deep	Dif636ap D	5958ft	F0.8366Abl	0.6442	0.7252	0.4412	0.7252
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	speckle	F	41241ebb4	NOISE7e42	26b0c9545a	NOISEH3d	09f61e4289	04432e2b34598	prop Deep	Dif636ap D	4602ft	F0.8366Abl	0.7654	0.219221	0.338936	0.219221
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	speckle	Fbar	14f5e58b0	NOISE38a2	2665b70476	NOISEH3d	07f13991567	0613a22b40	prop Deep	Dif636ap D	4912ft	F0.8366Abl	0.7654	0.808033	0.746371	0.808033
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	speckle	C	b58064594	NOISE40764	265544c7c	NOISEH78	2957135bbe	0411d73ba455	prop Deep	Dif636ap D	4916ft	F0.8366Abl	0.7654	0.3066	0.426	0.3066
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	speckle	Cbar	5eb9a7c3b	NOISE323f	65f8a38c3	NOISEH3d	14f442c65	06709cf12243	prop Deep	Dif636ap D	4708ft	F0.8366Abl	0.7654	0.7252	0.6232	0.7252
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	adversaria	F	c3a9e7750	NOISE41ae	5700ennf4e	NOISEH79	3855558fdfe	05ff0ad35436	prop Deep	Dif636ap D	0951ft	F0.8366Abl	0.8368	0.219221	0.087237	0.219221
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	adversaria	Fbar	4dc2a4e64	NOISEH8a58	832b7edc3	NOISEH328	40fc21196c	0511f4232a38	prop Deep	Dif636ap D	4466ft	F0.8366Abl	0.8368	0.808033	0.839149	0.808033
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	adversaria	C	aae73907e	NOISE0ca5	570887a2cc	NOISEH31a	594884f2dd	0644029Boc	prop Deep	Dif636ap D	4115ft	F0.8366Abl	0.8368	0.3066	0.1018	0.3066
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	adversaria	Cbar	2794c5795	NOISE22e3	6244bba6be	NOISEH382	226faa9a30e	0504800336	prop Deep	Dif636ap D	2311ft	F0.8366Abl	0.8368	0.7252	0.789	0.7252
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	gaussian	F	07d48b48a	NOISEH2fcd	464d77cb72	NOISEH3A9	73ab407883c	0101561B67	prop Deep	Dif636ap D	4494ft	F0.8366Abl	0.6306	0.203682	0.549318	0.203682
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	gaussian	Fbar	543240776	NOISEH6c17	7343d7e1bd	NOISEH458	4a5b1742e	06098b124f	prop Deep	Dif636ap D	2544ft	F0.8366Abl	0.6306	0.793689	0.596575	0.793689
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	gaussian	C	c0522143b	NOISE224c	39cd1742af	NOISEH684	64hd1462d6	00f88d1b4925	prop Deep	Dif636ap D	4412ft	F0.8366Abl	0.6306	0.2974	0.6212	0.2974
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	gaussian	Cbar	f8f3eb53c0	NOISE226fa	050e28849	NOISEH3a1	76b1d1d196b	0337b33e2400	prop Deep	Dif636ap D	5976ft	F0.8366Abl	0.6306	0.7128	0.4124	0.7128
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	salt_pepper	F	957e4f9228	NOISE71eff	868af59009	NOISEH771	ed3dd3ec28	073878B249	prop Deep	Dif636ap D	3958ft	F0.8366Abl	0.6442	0.203682	0.527476	0.203682
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	salt_pepper	Fbar	560c4691d	NOISEBa2e	950cd10b4e	NOISEH21	99bbbb32f14	00d92d2347	prop Deep	Dif636ap D	2348ft	F0.8366Abl	0.6442	0.793689	0.652592	0.793689
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	salt_pepper	C	5d3012793	NOISE2570	bp537554b	NOISEH362	1a1ed3e37e	02fcd27803	prop Deep	Dif636ap D	4372ft	F0.8366Abl	0.6442	0.2974	0.6152	0.2974
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	salt_pepper	Cbar	04a427ed8	NOISEHc92	696027a7fa	NOISEH281	1a061f4de1	09006f13a8	prop Deep	Dif636ap D	5944ft	F0.8366Abl	0.6442	0.7128	0.4456	0.7128
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	speckle	F	c7fbee66b	NOISE26ff	093359422	NOISEH893	87f78520a	021cd25Boc	prop Deep	Dif636ap D	2515ft	F0.8366Abl	0.7654	0.203682	0.328495	0.203682
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	speckle	Fbar	27ddc3515	NOISEHdc1	49ca2f0c58	NOISEH68	0et135031ab	07c129f2c04	prop Deep	Dif636ap D	4406ft	F0.8366Abl	0.7654	0.793689	0.744589	0.793689

cell	dataset	model	setting	q	condition	metric	endpoint id	source kind	geometry	geometry label	rule	methods	noise	clean quality raw	perturbed quality raw	A0 clean	A0 perturbed	normalized clean raw	normalized perturbed raw	Qnorm clean		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	speckle	C	d29909310	NOISE	e9232e441a24	NOISE	F87e9066d5be46	X327d4d35a0b	prop	DeepL	D12872ap	D4918ift	F0.8366Abl	0.7854	0.2974	0.413	0.2974	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	speckle	Cbar	62f10bd3e	NOISE	Fea426ed668d1	NOISE	c3b5a137a65a8	X6cd86B409	prop	DeepL	D12872ap	D4918ift	F0.8366Abl	0.7854	0.7128	0.6212	0.7128	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	adversaria	F	5726006b4	NOISE	c3e8f9d0d558b	NOISE	9231a70bb16d	c9d	D27f73e3	prop	DeepL	D12872ap	D4918ift	F0.8366Abl	0.8368	0.203682	0.078633	0.203682
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	adversaria	Fbar	3e56d3eb8	NOISE	f4d35d0f0b65c	NOISE	45f873111z4e4b	G90747B104	prop	DeepL	D12872ap	D4918ift	F0.8366Abl	0.8368	0.793689	0.810707	0.793689	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	adversaria	C	6d728e8a4	NOISE	d6139e26f0d49	NOISE	5b3adhu8cf9d5	C0f0a1B244	prop	DeepL	D12872ap	D4918ift	F0.8366Abl	0.8368	0.2974	0.0914	0.2974	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	adversaria	Cbar	c494bafoa3	NOISE	c05539ceffad3	NOISE	945755855310	C72ckd37C2	prop	DeepL	D12872ap	D4918ift	F0.8366Abl	0.8368	0.7128	0.7636	0.7128	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	gaussian	F	c791d9973	NOISE	74b36d20c2bba	NOISE	BKc95dm9flee2g0	G3u425B424	prop	DeepL	D12872ap	D4918ift	F0.8366Abl	0.8306	0.206311	0.521091	0.206311	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	gaussian	Fbar	945bc094d	NOISE	ba6c89253637	NOISE	40be81581e74	C32h146B28	prop	DeepL	D12872ap	D4918ift	F0.8366Abl	0.8306	0.337504	0.372027	0.677504	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	gaussian	C	9478d9c08	NOISE	743c82f969c26	NOISE	5Kc9792plende79	C8d273B387	prop	DeepL	D12872ap	D4918ift	F0.8366Abl	0.8306	0.2872	0.6342	0.2872	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	gaussian	Cbar	57c7bf8d7	NOISE	16783674f504e	NOISE	7K54fup499757	Z19c85B3d4	prop	DeepL	D12872ap	D4918ift	F0.8366Abl	0.8306	0.5996	0.257	0.5996	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	salt_peppe	F	2d520325e	NOISE	7d9f36ed89e706	NOISE	BK44c563634g7	938H1d1B349	prop	DeepL	D12872ap	D4918ift	F0.8366Abl	0.8442	0.206311	0.468799	0.206311	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	salt_peppe	Fbar	31948d986	NOISE	2a6401e34fd101a	NOISE	BK44b7f94238c	Geddb26B1e7	prop	DeepL	D12872ap	D4918ift	F0.8366Abl	0.8442	0.337504	0.415088	0.677504	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	salt_peppe	C	9fa8051b4	NOISE	5097ce1d4227e1	NOISE	74c5e08e1e954c	C6fd6c1439	prop	DeepL	D12872ap	D4918ift	F0.8366Abl	0.8442	0.2872	0.5958	0.2872	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	salt_peppe	Cbar	4d7e445d5	NOISE	75d9e6688f81e	NOISE	BK0656p244v0	C1u02613e6p479	prop	DeepL	D12872ap	D4918ift	F0.8366Abl	0.8442	0.5996	0.2822	0.5996	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	speckle	F	55b18fddd	NOISE	416d47e97d2a64	NOISE	BK763f19d47g5	C058e1B3d3	prop	DeepL	D12872ap	D4918ift	F0.8366Abl	0.7854	0.206311	0.311688	0.206311	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	speckle	Fbar	d72837fd8	NOISE	9933dea791Bdcb	NOISE	BK44bdf5144f99	C06B3025ab	prop	DeepL	D12872ap	D4918ift	F0.8366Abl	0.7854	0.337504	0.571683	0.677504	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	speckle	C	727c7cf5c	NOISE	2d126ked649T8ad	NOISE	BK44b3cpl6a4g	C6471d43B4	prop	DeepL	D12872ap	D4918ift	F0.8366Abl	0.7854	0.2872	0.406	0.2872	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	speckle	Cbar	c1753f2026	NOISE	7155cedf3a1lc10	NOISE	BK44b897pbf9f94	C1u1444B32	prop	DeepL	D12872ap	D4918ift	F0.8366Abl	0.7854	0.5996	0.4696	0.5996	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	adversaria	F	1375b28dc	NOISE	4802ce1ad190b	NOISE	54a55b1p1a72g1	C2828936B3	prop	DeepL	D12872ap	D4918ift	F0.8366Abl	0.8306	0.206311	0.097753	0.206311	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	adversaria	Fbar	f003f4aeal	NOISE	7ac4e77n78d45	NOISE	BK44b709p654g2	C07634935f	prop	DeepL	D12872ap	D4918ift	F0.8366Abl	0.8306	0.337504	0.728728	0.677504	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	adversaria	C	131c8c140f	NOISE	5E931kbrd51b67	NOISE	BK44b35f669hmf2g	C7ad7ed3B3	prop	DeepL	D12872ap	D4918ift	F0.8366Abl	0.8306	0.2872	0.114	0.2872	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	adversaria	Cbar	df91d939c	NOISE	cf398f2016f283a	NOISE	BK44b458d40p0739	C5324ad12340	prop	DeepL	D12872ap	D4918ift	F0.8366Abl	0.8306	0.5996	0.678	0.5996	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	gaussian	F	5891a8a9cd	NOISE	48f68780m2323e3	NOISE	BK44b941d3d3cc	C2b167E3c1	prop	DeepL	D12872ap	D4918ift	F0.8366Abl	0.8306	0.224241	0.563273	0.224241	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	gaussian	Fbar	4bf615208c	NOISE	2eccc2addd2ac	NOISE	BK44b238ad1d617	C956e2B5857ep	prop	DeepL	D12872ap	D4918ift	F0.8366Abl	0.8306	0.768089	0.479543	0.768089	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	gaussian	C	9b748e7df5	NOISE	7E8cb88d875h955	NOISE	BK44b56732d7d178	C0u12884302508	prop	DeepL	D12872ap	D4918ift	F0.8366Abl	0.8306	0.6526	0.312	0.312	

cell	dataset	model	setting	q	condition	metric	endpoint id	source kind	geometry	geometry label	rule	methods	noise	clean quality raw	perturbed quality raw	A0 clean	A0 perturbed	normalized clean raw	normalized perturbed raw	Qnorm clean
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	gaussian	Cbar	61a4213ba	NOISE9c95	4a28f552e	NOISE7K0	b1fd4a784	CbarFedB	7996p	DeepLif857ap	D4378ift	F0.8366Abl0.6310	Oclus0.6784	0.6784	0.3286	0.6784
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	salt_peppe	F	e5c9a33994	NOISEa87	6d55dc751e	NOISE5E69	58f6da93858	CbarFedB	7996p	DeepLif857ap	D4378ift	F0.8366Abl0.6310	Oclus0.6784	0.6784	0.3286	0.6784
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	salt_peppe	Fbar	d52e6f0710	NOISE5E32	4c8d451336	NOISE7E5K	1a1722cc4e	CbarFedB	7996p	DeepLif857ap	D4378ift	F0.8366Abl0.6310	Oclus0.6784	0.6784	0.3286	0.6784
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	salt_peppe	C	1c3e169e89	NOISE7f268	add1d1d0c9	NOISE2E4K	1c46521eb7	CbarFedB	7996p	DeepLif857ap	D4378ift	F0.8366Abl0.6310	Oclus0.6784	0.6784	0.3286	0.6784
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	salt_peppe	Cbar	84b12825a	NOISEbe99	5ef5a1b2b2	NOISE4E6K	05d4dce7f98	CbarFedB	7996p	DeepLif857ap	D4378ift	F0.8366Abl0.6310	Oclus0.6784	0.6784	0.3286	0.6784
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	speckle	F	837d0a7e6	NOISE732b	3e1dddb6db	NOISE34K	1568ac8936	CbarFedB	7996p	DeepLif857ap	D4378ift	F0.8366Abl0.6310	Oclus0.6784	0.6784	0.3286	0.6784
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	speckle	Fbar	6470f102e6	NOISEf1693	49a5f7189a	NOISE1E4K	6543d3ce659	CbarFedB	7996p	DeepLif857ap	D4378ift	F0.8366Abl0.6310	Oclus0.6784	0.6784	0.3286	0.6784
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	speckle	C	baabe7efb2	NOISE3137	1e67f68b6f	NOISE31K	6e4da70211	CbarFedB	7996p	DeepLif857ap	D4378ift	F0.8366Abl0.6310	Oclus0.6784	0.6784	0.3286	0.6784
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	speckle	Cbar	8f0ceb8694	NOISE6ad	4648a3375e	NOISE6F2	10892b1064e	CbarFedB	7996p	DeepLif857ap	D4378ift	F0.8366Abl0.6310	Oclus0.6784	0.6784	0.3286	0.6784
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	adversaria	F	1279cf94d9	NOISE0ffcc	1cd110f4a	NOISE4Cdd	1e1d8fb4b	CbarFedB	7996p	DeepLif857ap	D4378ift	F0.8366Abl0.6310	Oclus0.6784	0.6784	0.3286	0.6784
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	adversaria	Fbar	0f65fd8dd	NOISE74f6	2607a1b54f	NOISE4K1	19a091ac18	CbarFedB	7996p	DeepLif857ap	D4378ift	F0.8366Abl0.6310	Oclus0.6784	0.6784	0.3286	0.6784
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	adversaria	C	3045e0ed74	NOISE091	ddd496b2b5	NOISE0K0	0bf7ddaeb81	CbarFedB	7996p	DeepLif857ap	D4378ift	F0.8366Abl0.6310	Oclus0.6784	0.6784	0.3286	0.6784
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	adversaria	Cbar	965d93a7a	NOISE73c	2606f625b8	NOISE9K1	7fc92ab151e	CbarFedB	7996p	DeepLif857ap	D4378ift	F0.8366Abl0.6310	Oclus0.6784	0.6784	0.3286	0.6784
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	gaussian	F	c369e25d1f	NOISE09080	8461a3a4b	NOISE7F82	7f8a5a729d	CbarFedB	7996p	DeepLif857ap	D4378ift	F0.8366Abl0.6310	Oclus0.6784	0.6784	0.3286	0.6784
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	gaussian	Fbar	08bdce299	NOISE16d9	3247d1b1f39	NOISE4K2	2cd0ec8661	CbarFedB	7996p	DeepLif857ap	D4378ift	F0.8366Abl0.6310	Oclus0.6784	0.6784	0.3286	0.6784
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	gaussian	C	43933f8829	NOISE837e	kent128a58	NOISE21493	7f72f619b	CbarFedB	7996p	DeepLif857ap	D4378ift	F0.8366Abl0.6310	Oclus0.6784	0.6784	0.3286	0.6784
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	gaussian	Cbar	558347b61e	NOISEc6e6	6e7d721a0	NOISE8K3	1022f17b	CbarFedB	7996p	DeepLif857ap	D4378ift	F0.8366Abl0.6310	Oclus0.6784	0.6784	0.3286	0.6784
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	salt_peppe	F	9e09e3d755	NOISE4f63	8e5452be0c	NOISE9K4S	1e36da7b78	CbarFedB	7996p	DeepLif857ap	D4378ift	F0.8366Abl0.6310	Oclus0.6784	0.6784	0.3286	0.6784
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	salt_peppe	Fbar	a98d0687e	NOISE206e	8ed80733f6	NOISE2F3	1dd7f6c3a45	CbarFedB	7996p	DeepLif857ap	D4378ift	F0.8366Abl0.6310	Oclus0.6784	0.6784	0.3286	0.6784
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	salt_peppe	C	9d9503944	NOISE99ff	47f7d1485ba	NOISE189	3090e79c16	CbarFedB	7996p	DeepLif857ap	D4378ift	F0.8366Abl0.6310	Oclus0.6784	0.6784	0.3286	0.6784
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	salt_peppe	Cbar	f2cab2eeb7	NOISE1bf2	2c77f783b6	NOISE5K6	6c6a407671	CbarFedB	7996p	DeepLif857ap	D4378ift	F0.8366Abl0.6310	Oclus0.6784	0.6784	0.3286	0.6784
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	speckle	F	c17bbfd929	NOISE11a	0c4ad11bd	NOISE6K1	4eb95b77cc	CbarFedB	7996p	DeepLif857ap	D4378ift	F0.8366Abl0.6310	Oclus0.6784	0.6784	0.3286	0.6784
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	speckle	Fbar	277cafb337	NOISE1f43	3fad9297a	NOISE4J20	1dd7f6c3a45	CbarFedB	7996p	DeepLif857ap	D4378ift	F0.8366Abl0.6310	Oclus0.6784	0.6784	0.3286	0.6784
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	speckle	C	9f90a602b0	NOISE0f78	1e54401d437	NOISE4029	2eb6f767e3	CbarFedB	7996p	DeepLif857ap	D4378ift	F0.8366Abl0.6310	Oclus0.6784	0.6784	0.3286	0.6784
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	speckle	Cbar	fcfcc7cfcae	NOISE42b3c	0b8d41b89	NOISE49453	40ab62cac	CbarFedB	7996p	DeepLif857ap	D4378ift	F0.8366Abl0.6310	Oclus0.6784	0.6784	0.3286	0.6784

cell	dataset	model	setting	q	condition	metric	endpoint id	source kind	geometry	geometry label	rule	methods	noise	clean quality raw	perturbed quality raw	A0 clean	A0 perturbed	normalized clean raw	normalized perturbed raw	Qnorm clean
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	F	591c487104	NOISE044	8014d01222	NOISE9Kb	4a99bd454	Child2586	DeepLif657ap D4q18ft	F0.8366Abl0.8366Occl0.224002	0.091778	0.224002				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	Fbar	fc6a233281	NOISE709	105a8919dd	NOISEK52	1e09659ce9	90a7cd1eeap D4q18ft	F0.8366Abl0.8366Occl0.801817	0.834369	0.801817					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	C	9267a8239f	NOISE085	4a87d14a55	NOISEK9	1kefhdnp0e2	607ddad8d8572ap D4q18ft	F0.8366Abl0.8366Occl0.3128	0.1074	0.3128					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	Cbar	24b1db693f	NOISEH0d5	100d5d3e84	NOISEH98	15aribbf93ef8	04027fB30283ap D4q18ft	F0.8366Abl0.8366Occl0.7128	0.7874	0.7128					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	F	53711cc9f6	NOISE54b	185a1b37bd	NOISEF48	2462c66517	6701b2130676ap D4q18ft	F0.8366Abl0.8366Occl0.225436	0.560101	0.225436					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	Fbar	f69a2363ec	NOISE56f8	2502a21d0b	NOISEK039	1ee678a173	4ad447dd6ap D4q18ft	F0.8366Abl0.8366Occl0.776715	0.52236	0.776715					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	C	16cbaeb9d9	NOISE9d8	3497244cb0	NOISEH86	672fc8c66922	0701d431003ap D4q18ft	F0.8366Abl0.8366Occl0.3152	0.6504	0.3152					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	Cbar	2dee3d074f	NOISE3da	687833H247	NOISEK6	10e99f11a0	4d8ccB3062ap D4q18ft	F0.8366Abl0.8366Occl0.6906	0.3582	0.6906					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	F	606045b7f6	NOISE637	1ced31a81f0	NOISEK2	7a57013c61	0af6d42357400ap D4q18ft	F0.8366Abl0.8366Occl0.225436	0.53679	0.225436					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	Fbar	41a79af525	NOISE71c0	1e5db11b33	NOISEH9K1	95fa789576	136ad22B3800ap D4q18ft	F0.8366Abl0.8366Occl0.776715	0.560075	0.776715					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	C	b5612cfbc4	NOISE286c	3adfa9222f	NOISEH50	7021d82433	63ad78B79900ap D4q18ft	F0.8366Abl0.8366Occl0.3152	0.6306	0.3152					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	Cbar	24c08cc15a	NOISE2bc	4ab19329aa	NOISEH39	5f589106ee	0cdd7d78c0312ap D4q18ft	F0.8366Abl0.8366Occl0.6906	0.3834	0.6906					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	F	241ee7c932	NOISE444	1ced41b144	NOISEK1	04ff16456c	868d1d13a4105ap D4q18ft	F0.8366Abl0.8366Occl0.225436	0.344792	0.225436					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	Fbar	b840f46556	NOISE4aa	3d0664f539	NOISEK2	2ab502bd05	47d3ddB3cdap D4q18ft	F0.8366Abl0.8366Occl0.776715	0.702572	0.776715					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	C	7ab157862f	NOISE09b2	1ebd17a7d0	NOISEK4c	4d004d87ae	0a1761B225b05ap D4q18ft	F0.8366Abl0.8366Occl0.3152	0.4298	0.3152					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	Cbar	0a36f8484e	NOISE233	188a112e84	NOISEK1Kb	82cf7ac24ea	045ddBfcd3ap D4q18ft	F0.8366Abl0.8366Occl0.6906	0.5826	0.6906					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	F	9d8feb41ef	NOISE853	14fd05430aa	NOISEK2c	9838e948b3	8470d0Bfcdap D4q18ft	F0.8366Abl0.8366Occl0.225436	0.09369	0.225436					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	Fbar	212dec8374	NOISEd78	2d08372949	NOISEH34	0eff368da07	74d8ddB00b173ap D4q18ft	F0.8366Abl0.8366Occl0.776715	0.81501	0.776715					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	C	a1e419d621	NOISE13a	4ced9081f22	NOISEK4c8	3cf53839bb	09d8cd26540f83ap D4q18ft	F0.8366Abl0.8366Occl0.3152	0.1102	0.3152					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	Cbar	742d6d5ac0	NOISEa4d	15912a12c0	NOISEK54b	1f1faa2a72e	28a57e8B80ap D4q18ft	F0.8366Abl0.8366Occl0.6906	0.766	0.6906					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	F	5b48eb8edf	NOISEH22	1d50511d53	NOISEK5	9fchdf2e12d	35a34d3a4945ap D4q18ft	F0.8366Abl0.8366Occl0.224241	0.564859	0.224241					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	Fbar	12191124d0	NOISE83b	1d9cd1lac5	NOISEK7K7	48f7750084	045ad1d278326ap D4q18ft	F0.8366Abl0.8366Occl0.758786	0.493498	0.758786					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	C	005b2447fd	NOISE7249	88ad311bb0	NOISEK295	89d77d0f1e3	736b75d3a4804ap D4q18ft	F0.8366Abl0.8366Occl0.312	0.649	0.312					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	Cbar	d9a1b8082e	NOISE6afa	1e2662da60	NOISEK1K2	1cd7172df46	0a83ad2B12553ap D4q18ft	F0.8366Abl0.8366Occl0.6742	0.3406	0.6742					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	F	49e2486502	NOISE9875	14ad427329	NOISEK54	0e81642e4ce	03b1dd196491ap D4q18ft	F0.8366Abl0.8366Occl0.224241	0.536169	0.224241					

cell	dataset	model	setting	q	condition	metric	endpoint id	source kind	geometry	geometry label	rule	methods	noise	clean quality raw	perturbed quality raw	A0 clean	A0 perturbed	normalized clean raw	normalized perturbed raw	Qnorm clean
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	salt_pepper	Fbar	b7d115fb62903b521926e9d4b0a0	NOISE219	2e9d4b0a0	NOISE219	65b8128ab1048f4b32c28e	DeepLift	0.8298	0.4918	F0.8366	Abl0.6442	0.7587	0.5321	0.7587	0.786
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	salt_pepper	C	34bf5148d8503b58042e10b41c0	NOISE8042	2e10b41c0	NOISE8042	82672db100c74d3025128	DeepLift	0.8352	0.6312	F0.8366	Abl0.6442	0.612	0.633	0.312	0.312
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	salt_pepper	Cbar	e4f5a3059180914331f7365fd42e2	NOISE31f7	365fd42e2	NOISE31f7	26b148f57098dd4324690p	DeepLift	0.8258	0.6312	F0.8366	Abl0.6442	0.6742	0.367	0.6742	0.6742
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	speckle	F	f6f98ec919701581e28428c9ff0804	NOISE1e28	428c9ff0804	NOISE1e28	5f4008472b0f134005461frop	DeepLift	0.8576	0.2604	F0.8366	Abl0.7854	0.224241	0.33919	0.224241	0.224241
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	speckle	Fbar	937301c9900108074ff11e5d11f33eb	NOISE074ff1	6ech0527524	NOISE074ff1	06f61e935ab5frop	DeepLift	0.8383	0.2505	F0.8366	Abl0.7854	0.7587	0.680672	0.7587	0.7587
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	speckle	C	4bfd4f97da601080aa33eb2b1281	NOISE0aa3	69790d090	NOISE0aa3	036d4534436ep	DeepLift	0.8352	0.4918	F0.8366	Abl0.7854	0.612	0.427	0.312	0.312
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	speckle	Cbar	cd10fb193e300955ec9407f7d8043f	NOISEec94	6bd1138238	NOISEec94	078601362290p	DeepLift	0.8258	0.4918	F0.8366	Abl0.7854	0.6742	0.5632	0.6742	0.6742
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	adversarial	F	c49ca629b430139533b4428f8f4d9	NOISE33b4	0d46210f82	NOISE33b4	008d31324c405	DeepLift	0.8576	0.2604	F0.8366	Abl0.8366	0.224241	0.09369	0.224241	0.224241
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	adversarial	Fbar	22e12c4ff54010677af806ff6f1d000	NOISE7af8	23bde0d97	NOISE7af8	07071f1b449p	DeepLift	0.8383	0.4918	F0.8366	Abl0.8366	0.7587	0.800908	0.7587	0.7587
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	adversarial	C	7e9e235d3500108db33994d06fd2	NOISEdb33	08c9f168ab9	NOISEdb33	0015c43931d192	DeepLift	0.8352	0.4918	F0.8366	Abl0.8366	0.612	0.1104	0.312	0.312
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	adversarial	Cbar	a23c380ab800379e7a2220d11a83e	NOISE7e7a	0cd0d1667e	NOISE7e7a	038d3c394c477p	DeepLift	0.8258	0.4918	F0.8366	Abl0.8366	0.6742	0.754	0.6742	0.6742
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NAIVE q=11	11	gaussian	F	e174bee6373013955af8a445f44ef1	NAIVE5af8	cd37212fd3	NAIVE5af8	96022ed5e80d224c31977K	Gradient	0.716	0.329	0.8366	Guided0.6306	prop0.6633	blut0.5275	0.2063	blut0.5275
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NAIVE q=11	11	gaussian	Fbar	e71d4c1ae300139550d7ec811bf5b4	NAIVE50d7	c270f7e9f4	NAIVE50d7	44528d226083b6d155b996K	Gradient	0.75	0.3428	0.8366	Guided0.6306	prop0.69976	blut0.42675	0.69976	blut0.42675
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NAIVE q=11	11	gaussian	C	f44eabfaa200139552b34026881ab6	NAIVE2b3	66e5024f93	NAIVE2b3	9601f8b29a034e11794540f8K	Gradient	0.78	0.63	0.8366	Guided0.6306	prop0.6633	blut0.5275	0.2063	blut0.5275
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NAIVE q=11	11	gaussian	Cbar	cec450986c0013955c540dc9435200	NAIVEc540	888c0f795b	NAIVEc540	108ff1263d03072ac1d52600K	Gradient	0.76	0.362	0.8366	Guided0.6306	prop0.6633	blut0.5275	0.2063	blut0.5275
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NAIVE q=11	11	salt_pepper	F	52d175828b0013955fabdb300b204	NAIVE5fab	db300b204	NAIVE5fab	dee0c3e93a5bd46419e0874d6edf9b1d2K	Gradient	0.716	0.329	0.8366	Guided0.6306	prop0.6633	blut0.5275	0.2063	blut0.5275
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NAIVE q=11	11	salt_pepper	Fbar	90722e244900139555b34ccb721c44	NAIVE5b34	ccb721c44	NAIVE5b34	da5c8daf3b742d7f0c450281de087d156K	Gradient	0.75	0.3428	0.8366	Guided0.6306	prop0.69976	blut0.42675	0.69976	blut0.42675
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NAIVE q=11	11	salt_pepper	C	fafef9a78d00139550e9990d475e39b	NAIVE0e99	90d475e39b	NAIVE0e99	6df89965c205f3869d050125ey124p	Gradient	0.78	0.604	0.8366	Guided0.6306	prop0.6633	blut0.5275	0.2063	blut0.5275
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NAIVE q=11	11	salt_pepper	Cbar	c781b23f98001395527f379cc8e39bee	NAIVE27f3	79cc8e39bee	NAIVE27f3	38d1fc1c86060612872a082b0c436000K	Gradient	0.76	0.362	0.8366	Guided0.6306	prop0.6633	blut0.5275	0.2063	blut0.5275
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NAIVE q=11	11	speckle	F	6b6726d7c0013955027140d8fd92d9	NAIVE0271	c49b1eec38	NAIVE0271	68d81830903a1e194511994K	Gradient	0.716	0.329	0.8366	Guided0.6306	prop0.6633	blut0.5275	0.2063	blut0.5275
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NAIVE q=11	11	speckle	Fbar	9936b289790013955b90d4be04f8bd	NAIVEb90d	4be04f8bd	NAIVEb90d	329927b9b950d1d183e80301060720p	Gradient	0.75	0.3428	0.8366	Guided0.6306	prop0.69976	blut0.42675	0.69976	blut0.42675
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NAIVE q=11	11	speckle	C	94de8ed3490013955c1cc5480677d0	NAIVEc1cc	5480677d0	NAIVEc1cc	aad550d2d80a0244930509f17d10655cK	Gradient	0.78	0.604	0.8366	Guided0.6306	prop0.6633	blut0.5275	0.2063	blut0.5275
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NAIVE q=11	11	speckle	Cbar	730888f3330013955585789e70aa561	NAIVE5857	89e70aa561	NAIVE5857	def3079e9540d020af45030d9b9f7d144K	Gradient	0.76	0.362	0.8366	Guided0.6306	prop0.6633	blut0.5275	0.2063	blut0.5275
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NAIVE q=11	11	adversarial	F	93a7ef618400139553e948c7c9c340d	NAIVE3e94	8c7c9c340d	NAIVE3e94	441f870b460603f302907827b1531p	Gradient	0.716	0.329	0.8366	Guided0.6306	prop0.6633	blut0.5275	0.2063	blut0.5275
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	NAIVE q=11	11	adversarial	Fbar	c6cc185fae001395579c7f1df93a18	NAIVE79c7	f1df93a18	NAIVE79c7	294def2328002791882903d2260715p	Gradient	0.75	0.3428	0.8366	Guided0.6306	prop0.69976	blut0.42675	0.69976	blut0.42675

Table 21: ImageNet-ResNet-18 results.

cell	dataset	model	setting	q	condition	metric	Qnorm perturbed	A	Q	Q raw	G	clean clipped	perturbed clipped	retention capped	zero clean boundary
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	F	0.52902	0.52902	1	2.453315	0.727338	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	Fbar	0.435775	0.435775	0.609037	0.609037	0.515173	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	C	0.6396	0.6396	1	2.115079	0.79975	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	Cbar	0.3012	0.3012	0.478551	0.478551	0.379657	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	F	0.495188	0.495188	1	2.29642	0.703696	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	Fbar	0.47004	0.47004	0.656926	0.656926	0.555681	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	C	0.611	0.611	1	2.020503	0.781665	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	Cbar	0.3196	0.3196	0.507785	0.507785	0.40285	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	F	0.331551	0.331551	1	1.537558	0.575804	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	Fbar	0.609371	0.609371	0.851654	0.851654	0.720398	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	C	0.4234	0.4234	1	1.400132	0.650692	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	Cbar	0.506	0.506	0.80394	0.80394	0.637804	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	F	0.099665	0.099665	0.462195	0.462195	0.214627	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	Fbar	0.756214	0.756214	1	1.056881	0.869606	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	C	0.1142	0.1142	0.377646	0.377646	0.207671	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	Cbar	0.7082	0.7082	1	1.125199	0.841546	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	F	0.566445	0.566445	1	2.553274	0.752625	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	Fbar	0.534412	0.534412	0.681122	0.681122	0.603324	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	C	0.6454	0.6454	1	2.071245	0.803368	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	Cbar	0.3714	0.3714	0.532397	0.532397	0.444671	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	F	0.538342	0.538342	1	2.4266	0.733718	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	Fbar	0.576219	0.576219	0.734407	0.734407	0.650522	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	C	0.6286	0.6286	1	2.01733	0.792843	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	Cbar	0.3978	0.3978	0.570241	0.570241	0.476279	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	F	0.337917	0.337917	1	1.523175	0.581306	False	False	True	False

cell	dataset	model	setting	q	condition	metric	Qnorm perturbed	A	Q	Q raw	G	clean clipped	perturbed clipped	retention capped	zero clean boundary
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	Fbar	0.719379	0.719379	0.916868	0.916868	0.812142	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	C	0.4292	0.4292	1	1.377407	0.655134	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	Cbar	0.5952	0.5952	0.853211	0.853211	0.712623	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	F	0.090344	0.090344	0.40723	0.40723	0.191809	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	Fbar	0.820746	0.820746	1	1.046063	0.90595	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	C	0.1056	0.1056	0.338896	0.338896	0.189176	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	Cbar	0.7688	0.7688	1	1.102064	0.876812	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	F	0.548049	0.548049	1	2.61999	0.740304	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	Fbar	0.601966	0.601966	0.749859	0.749859	0.671855	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	C	0.6268	0.6268	1	2.104768	0.791707	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	Cbar	0.4142	0.4142	0.573049	0.573049	0.487193	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	F	0.521888	0.521888	1	2.494921	0.722418	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	Fbar	0.649798	0.649798	0.809442	0.809442	0.725241	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	C	0.6086	0.6086	1	2.043653	0.780128	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_peppe	Cbar	0.4472	0.4472	0.618705	0.618705	0.526008	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	F	0.325439	0.325439	1	1.555786	0.570473	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	Fbar	0.745098	0.745098	0.928155	0.928155	0.831605	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	C	0.4114	0.4114	1	1.381464	0.641405	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	Cbar	0.6212	0.6212	0.859436	0.859436	0.730672	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	F	0.08174	0.08174	0.390764	0.390764	0.17872	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	Fbar	0.813337	0.813337	1	1.013159	0.901852	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	C	0.0932	0.0932	0.312962	0.312962	0.170787	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	Cbar	0.763	0.763	1	1.055617	0.873499	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	F	0.569299	0.569299	1	2.596923	0.754519	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	Fbar	0.58928	0.58928	0.729278	0.729278	0.655552	False	False	False	False

cell	dataset	model	setting	q	condition	metric	Qnorm perturbed	A	Q	Q raw	G	clean clipped	perturbed clipped	retention capped	zero clean boundary
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	C	0.6396	0.6396	1	2.086106	0.79975	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	Cbar	0.405	0.405	0.558467	0.558467	0.475583	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_pepper	F	0.540826	0.540826	1	2.467039	0.735409	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_pepper	Fbar	0.638932	0.638932	0.790726	0.790726	0.710788	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_pepper	C	0.6262	0.6262	1	2.042401	0.791328	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_pepper	Cbar	0.4412	0.4412	0.608384	0.608384	0.518092	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	F	0.338936	0.338936	1	1.546093	0.582182	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	Fbar	0.746371	0.746371	0.92369	0.92369	0.83031	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	C	0.426	0.426	1	1.389432	0.652687	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	Cbar	0.6232	0.6232	0.859349	0.859349	0.73181	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversarial	F	0.087237	0.087237	0.397942	0.397942	0.18632	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversarial	Fbar	0.839149	0.839149	1	1.038509	0.916051	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversarial	C	0.1018	0.1018	0.332029	0.332029	0.183849	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversarial	Cbar	0.789	0.789	1	1.087976	0.888257	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	F	0.549318	0.549318	1	2.696946	0.74116	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	Fbar	0.596575	0.596575	0.751648	0.751648	0.669637	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	C	0.6212	0.6212	1	2.088769	0.788162	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	gaussian	Cbar	0.4124	0.4124	0.578563	0.578563	0.488467	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_pepper	F	0.527476	0.527476	1	2.589709	0.726275	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_pepper	Fbar	0.652592	0.652592	0.822227	0.822227	0.732516	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_pepper	C	0.6152	0.6152	1	2.068594	0.784347	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	salt_pepper	Cbar	0.4456	0.4456	0.62514	0.62514	0.52779	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	F	0.328495	0.328495	1	1.612787	0.573145	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	Fbar	0.744589	0.744589	0.938137	0.938137	0.835779	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	C	0.413	0.413	1	1.388702	0.642651	False	False	True	False

cell	dataset	model	setting	q	condition	metric	Qnorm perturbed	A	Q	Q raw	G	clean clipped	perturbed clipped	retention capped	zero clean boundary
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	speckle	Cbar	0.6212	0.6212	0.871493	0.871493	0.735779	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	F	0.078633	0.078633	0.386058	0.386058	0.174232	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	Fbar	0.810707	0.810707	1	1.021443	0.900393	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	C	0.0914	0.0914	0.30733	0.30733	0.167601	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-S	4	adversaria	Cbar	0.7636	0.7636	1	1.071268	0.873842	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	F	0.521091	0.521091	1	2.525752	0.721866	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	Fbar	0.372027	0.372027	0.549113	0.549113	0.451979	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	C	0.6342	0.6342	1	2.208217	0.796367	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	Cbar	0.257	0.257	0.428619	0.428619	0.331896	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	F	0.468799	0.468799	1	2.272288	0.684689	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	Fbar	0.415088	0.415088	0.612673	0.612673	0.504295	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	C	0.5958	0.5958	1	2.074513	0.771881	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	Cbar	0.2822	0.2822	0.470647	0.470647	0.36444	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	F	0.311688	0.311688	1	1.510767	0.558291	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	Fbar	0.571683	0.571683	0.843808	0.843808	0.694544	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	C	0.406	0.406	1	1.413649	0.637181	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	Cbar	0.4696	0.4696	0.783189	0.783189	0.606453	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	F	0.097753	0.097753	0.473815	0.473815	0.215214	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	Fbar	0.728728	0.728728	1	1.075607	0.853656	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	C	0.114	0.114	0.396936	0.396936	0.212722	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	Cbar	0.678	0.678	1	1.130754	0.823408	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	F	0.563273	0.563273	1	2.51191	0.750515	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	Fbar	0.479543	0.479543	0.628424	0.628424	0.54896	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	C	0.6526	0.6526	1	2.091667	0.807837	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	Cbar	0.3286	0.3286	0.484375	0.484375	0.398956	False	False	False	False

cell	dataset	model	setting	q	condition	metric	Qnorm perturbed	A	Q	Q raw	G	clean clipped	perturbed clipped	retention capped	zero clean boundary
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_pepper	F	0.524371	0.524371	1	2.338428	0.724135	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_pepper	Fbar	0.520646	0.520646	0.682287	0.682287	0.596012	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_pepper	C	0.6248	0.6248	1	2.002564	0.790443	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_pepper	Cbar	0.3596	0.3596	0.530071	0.530071	0.436593	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	F	0.336134	0.336134	1	1.498988	0.579771	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	Fbar	0.682709	0.682709	0.894666	0.894666	0.781535	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	C	0.4258	0.4258	1	1.364744	0.652534	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	Cbar	0.5642	0.5642	0.831663	0.831663	0.684999	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversarial	F	0.091778	0.091778	0.409284	0.409284	0.193813	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversarial	Fbar	0.794455	0.794455	1	1.041104	0.891322	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversarial	C	0.109	0.109	0.349359	0.349359	0.195141	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversarial	Cbar	0.7504	0.7504	1	1.106132	0.866256	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	F	0.567396	0.567396	1	2.532997	0.753257	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	Fbar	0.58484	0.58484	0.729393	0.729393	0.65313	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	C	0.6448	0.6448	1	2.061381	0.802994	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	Cbar	0.4066	0.4066	0.570426	0.570426	0.481597	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_pepper	F	0.54362	0.54362	1	2.426854	0.737306	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_pepper	Fbar	0.636448	0.636448	0.793758	0.793758	0.710764	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_pepper	C	0.6284	0.6284	1	2.008951	0.792717	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_pepper	Cbar	0.4354	0.4354	0.610831	0.610831	0.515709	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	F	0.34632	0.34632	1	1.54606	0.58849	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	Fbar	0.732111	0.732111	0.913065	0.913065	0.817597	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	C	0.433	0.433	1	1.384271	0.658027	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	Cbar	0.6094	0.6094	0.854938	0.854938	0.721803	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversarial	F	0.091778	0.091778	0.409721	0.409721	0.193916	False	False	False	False

cell	dataset	model	setting	q	condition	metric	Qnorm perturbed	A	Q	Q raw	G	clean clipped	perturbed clipped	retention capped	zero clean boundary
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	Fbar	0.834369	0.834369	1	1.040598	0.913438	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	C	0.1074	0.1074	0.34335	0.34335	0.192031	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	Cbar	0.7874	0.7874	1	1.104658	0.887356	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	F	0.560101	0.560101	1	2.484522	0.748399	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	Fbar	0.52236	0.52236	0.672524	0.672524	0.592705	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	C	0.6504	0.6504	1	2.063452	0.806474	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	Cbar	0.3582	0.3582	0.518679	0.518679	0.431035	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	F	0.53679	0.53679	1	2.381115	0.732659	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	Fbar	0.560075	0.560075	0.721081	0.721081	0.635499	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	C	0.6306	0.6306	1	2.000635	0.794103	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	Cbar	0.3834	0.3834	0.555169	0.555169	0.461359	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	F	0.344792	0.344792	1	1.529445	0.58719	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	Fbar	0.702572	0.702572	0.904542	0.904542	0.797186	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	C	0.4298	0.4298	1	1.363579	0.655591	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	Cbar	0.5826	0.5826	0.843614	0.843614	0.701063	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	F	0.09369	0.09369	0.415595	0.415595	0.197325	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	Fbar	0.81501	0.81501	1	1.049303	0.902779	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	C	0.1102	0.1102	0.349619	0.349619	0.196286	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversaria	Cbar	0.766	0.766	1	1.10918	0.875214	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	F	0.564859	0.564859	1	2.518981	0.751571	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	Fbar	0.493498	0.493498	0.650379	0.650379	0.566534	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	C	0.649	0.649	1	2.080128	0.805605	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	gaussian	Cbar	0.3406	0.3406	0.505191	0.505191	0.414811	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	F	0.536169	0.536169	1	2.391039	0.732236	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_peppe	Fbar	0.532133	0.532133	0.701295	0.701295	0.610887	False	False	False	False

cell	dataset	model	setting	q	condition	metric	Qnorm perturbed	A	Q	Q raw	G	clean clipped	perturbed clipped	retention capped	zero clean boundary
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_pepper	C	0.633	0.633	1	2.028846	0.795613	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	salt_pepper	Cbar	0.367	0.367	0.544349	0.544349	0.446963	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	F	0.33919	0.33919	1	1.512615	0.5824	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	Fbar	0.680672	0.680672	0.897055	0.897055	0.781409	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	C	0.427	0.427	1	1.36859	0.653452	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	speckle	Cbar	0.5632	0.5632	0.83536	0.83536	0.685912	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversarial	F	0.09369	0.09369	0.417811	0.417811	0.19785	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversarial	Fbar	0.800908	0.800908	1	1.055513	0.894935	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversarial	C	0.1104	0.1104	0.353846	0.353846	0.197648	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NOISE-K	5	adversarial	Cbar	0.754	0.754	1	1.118363	0.868332	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	gaussian	F	0.521725	0.521725	1	2.528826	0.722306	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	gaussian	Fbar	0.424675	0.424675	0.606699	0.606699	0.507592	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	gaussian	C	0.6334	0.6334	1	2.214685	0.795864	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	gaussian	Cbar	0.293	0.293	0.477354	0.477354	0.373985	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	salt_pepper	F	0.481527	0.481527	1	2.333985	0.693922	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	salt_pepper	Fbar	0.468178	0.468178	0.668848	0.668848	0.559589	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	salt_pepper	C	0.6012	0.6012	1	2.102098	0.775371	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	salt_pepper	Cbar	0.3192	0.3192	0.520039	0.520039	0.407427	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	speckle	F	0.313216	0.313216	1	1.518173	0.559657	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	speckle	Fbar	0.59944	0.59944	0.856372	0.856372	0.71648	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	speckle	C	0.4052	0.4052	1	1.416783	0.636553	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	speckle	Cbar	0.4942	0.4942	0.805148	0.805148	0.630797	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	adversarial	F	0.093451	0.093451	0.452962	0.452962	0.205742	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	adversarial	Fbar	0.74044	0.74044	1	1.057807	0.860488	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	adversarial	C	0.1092	0.1092	0.381818	0.381818	0.204192	False	False	False	False

cell	dataset	model	setting	q	condition	metric	Qnorm perturbed	A	Q	Q raw	G	clean clipped	perturbed clipped	retention capped	zero clean boundary
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	adversaria	Cbar	0.6892	0.6892	1	1.122841	0.830181	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	gaussian	F	0.518871	0.518871	1	2.747389	0.720327	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	gaussian	Fbar	0.495401	0.495401	0.670635	0.670635	0.576397	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	gaussian	C	0.614	0.614	1	2.227866	0.783582	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	gaussian	Cbar	0.3328	0.3328	0.50918	0.50918	0.411649	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	salt_peppe	F	0.497361	0.497361	1	2.633495	0.705238	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	salt_peppe	Fbar	0.538342	0.538342	0.728765	0.728765	0.626359	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	salt_peppe	C	0.5964	0.5964	1	2.164006	0.772269	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	salt_peppe	Cbar	0.3714	0.3714	0.568237	0.568237	0.459395	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	speckle	F	0.296409	0.296409	1	1.569469	0.544435	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	speckle	Fbar	0.667176	0.667176	0.903171	0.903171	0.776256	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	speckle	C	0.3898	0.3898	1	1.414369	0.62434	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	speckle	Cbar	0.5506	0.5506	0.842411	0.842411	0.681052	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	adversaria	F	0.075287	0.075287	0.398639	0.398639	0.17324	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	adversaria	Fbar	0.761472	0.761472	1	1.030822	0.872624	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	adversaria	C	0.0874	0.0874	0.317126	0.317126	0.166484	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	adversaria	Cbar	0.7068	0.7068	1	1.081395	0.840714	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	gaussian	F	0.511259	0.511259	1	2.748839	0.715024	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	gaussian	Fbar	0.537266	0.537266	0.733002	0.733002	0.627548	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	gaussian	C	0.6006	0.6006	1	2.216236	0.774984	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	gaussian	Cbar	0.3734	0.3734	0.573755	0.573755	0.462861	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	salt_peppe	F	0.492083	0.492083	1	2.645738	0.701486	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	salt_peppe	Fbar	0.583359	0.583359	0.795888	0.795888	0.681387	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	salt_peppe	C	0.588	0.588	1	2.169742	0.766812	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	salt_peppe	Cbar	0.3986	0.3986	0.612477	0.612477	0.494098	False	False	False	False

cell	dataset	model	setting	q	condition	metric	Qnorm perturbed	A	Q	Q raw	G	clean clipped	perturbed clipped	retention capped	zero clean boundary
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	speckle	F	0.293354	0.293354	1	1.577247	0.541621	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	speckle	Fbar	0.669468	0.669468	0.913367	0.913367	0.781965	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	speckle	C	0.3846	0.3846	1	1.419188	0.620161	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	speckle	Cbar	0.5514	0.5514	0.847265	0.847265	0.683507	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	adversaria	F	0.077916	0.077916	0.418923	0.418923	0.180668	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	adversaria	Fbar	0.750956	0.750956	1	1.024543	0.866577	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	adversaria	C	0.092	0.092	0.339483	0.339483	0.176727	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	adversaria	Cbar	0.7	0.7	1	1.075599	0.83666	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	gaussian	F	0.516968	0.516968	1	2.682974	0.719005	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	gaussian	Fbar	0.531874	0.531874	0.718847	0.718847	0.618333	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	gaussian	C	0.6098	0.6098	1	2.168563	0.780897	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	gaussian	Cbar	0.3632	0.3632	0.552311	0.552311	0.447883	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	salt_peppe	F	0.502328	0.502328	1	2.606998	0.708751	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	salt_peppe	Fbar	0.559764	0.559764	0.756541	0.756541	0.650757	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	salt_peppe	C	0.5946	0.5946	1	2.114509	0.771103	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	salt_peppe	Cbar	0.3922	0.3922	0.596411	0.596411	0.483645	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	speckle	F	0.29972	0.29972	1	1.555494	0.547467	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	speckle	Fbar	0.679399	0.679399	0.918231	0.918231	0.789839	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	speckle	C	0.3938	0.3938	1	1.400427	0.627535	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	speckle	Cbar	0.5618	0.5618	0.854319	0.854319	0.692789	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	adversaria	F	0.078394	0.078394	0.406851	0.406851	0.178591	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	adversaria	Fbar	0.769359	0.769359	1	1.039816	0.877131	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	adversaria	C	0.0898	0.0898	0.319346	0.319346	0.169344	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	adversaria	Cbar	0.7184	0.7184	1	1.092457	0.847585	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	gaussian	F	0.513479	0.513479	1	2.725741	0.716575	False	False	True	False

cell	dataset	model	setting	q	condition	metric	Qnorm perturbed	A	Q	Q raw	G	clean clipped	perturbed clipped	retention capped	zero clean boundary
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	gaussian	Fbar	0.533143	0.533143	0.72126	0.72126	0.620109	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	gaussian	C	0.6056	0.6056	1	2.194203	0.778203	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	gaussian	Cbar	0.3676	0.3676	0.560708	0.560708	0.454	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	salt_pepper	F	0.491773	0.491773	1	2.610514	0.701265	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	salt_pepper	Fbar	0.559454	0.559454	0.756855	0.756855	0.650711	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	salt_pepper	C	0.5884	0.5884	1	2.131884	0.767072	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	salt_pepper	Cbar	0.386	0.386	0.588774	0.588774	0.476725	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	speckle	F	0.298701	0.298701	1	1.585619	0.546536	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	speckle	Fbar	0.677617	0.677617	0.916711	0.916711	0.788149	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	speckle	C	0.388	0.388	1	1.405797	0.622896	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	speckle	Cbar	0.5598	0.5598	0.853874	0.853874	0.691375	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	adversarial	F	0.077677	0.077677	0.412338	0.412338	0.178967	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	adversarial	Fbar	0.75956	0.75956	1	1.027568	0.871528	False	False	True	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	adversarial	C	0.0896	0.0896	0.324638	0.324638	0.170551	False	False	False	False
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	NAIVE q=11	11	adversarial	Cbar	0.7062	0.7062	1	1.077181	0.840357	False	False	True	False

Table 22: ImageNet–ResNet-18 results.

cell	dataset	model	setting	q	geometry	geometry label	rule	endpoint count	NOISE A mean	NAIVE A mean	delta A mean	A wins	A ties	A losses	NOISE Q mean	NAIVE Q mean	delta Q mean	Q wins	Q ties	Q losses
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	kendall	NOISE-K	borda	16	0.487994	0.46872	0.019274	12	0	4	0.800633	0.808635	-0.008002	2	8	6
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	kendall	NOISE-K	kemeny	16	0.52433	0.475266	0.049064	16	0	0	0.826593	0.827135	-0.000542	2	8	6
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	kendall	NOISE-K	rrf	16	0.502912	0.478838	0.024074	13	0	3	0.811302	0.820179	-0.008877	2	8	6
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	kendall	NOISE-K	schulze	16	0.492832	0.475163	0.01767	12	0	4	0.80658	0.820947	-0.014367	2	8	6
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-K	5	kendall	NOISE-K	simpleavg	16	0.432729	0.449203	-0.016475	4	0	12	0.784925	0.798078	-0.013153	2	8	6
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	spearman	NOISE-S	borda	16	0.507863	0.46872	0.039143	16	0	0	0.814648	0.808635	0.006013	8	8	0
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	spearman	NOISE-S	kemeny	16	0.517057	0.475266	0.041791	16	0	0	0.827648	0.827135	0.000513	5	8	3
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	spearman	NOISE-S	rrf	16	0.525127	0.478838	0.046289	16	0	0	0.824991	0.820179	0.004813	7	8	1
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	spearman	NOISE-S	schulze	16	0.516999	0.475163	0.041836	16	0	0	0.830037	0.820947	0.00909	6	8	2
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	NOISE-S	4	spearman	NOISE-S	simpleavg	16	0.459377	0.449203	0.010173	16	0	0	0.796733	0.798078	-0.001344	3	8	5

Table 23: ImageNet–ResNet-18 results.

cell	dataset	model	setting	q	NOISE G mean	NAIVE G mean	delta G mean	G wins	G ties	G losses
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	NOISE-K	5	0.618676	0.608398	0.010279	12	0	4
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	NOISE-K	5	0.651258	0.619505	0.031753	16	0	0
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	NOISE-K	5	0.632179	0.619416	0.012763	12	0	4
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	NOISE-K	5	0.624135	0.617189	0.006946	10	0	6
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	NOISE-K	5	0.576805	0.592509	-0.015704	4	0	12
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	NOISE-S	4	0.636394	0.608398	0.027996	16	0	0
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	NOISE-S	4	0.646492	0.619505	0.026986	14	0	2
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	NOISE-S	4	0.65078	0.619416	0.031365	16	0	0
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	NOISE-S	4	0.647611	0.617189	0.030422	14	0	2
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	NOISE-S	4	0.598997	0.592509	0.006488	14	0	2

Table 24: ImageNet–ResNet-18 results.

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference value	reference value	direction	outcome
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	simpleavg	F	quality	0.1726	clean_selected	0.1716	max	better
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	simpleavg	Fbar	quality	0.2698	clean_selected	0.1752	min	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	simpleavg	C	quality	0.2872	clean_selected	0.2902	min	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	simpleavg	Cbar	quality	0.4004	clean_selected	0.2952	min	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	simpleavg	R_F_g	robustness	0.156	clean_selected	0.15	max	better
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Fbar	simpleavg	R_Fbar_g	robustness	-0.1262	clean_selected	0.163	min	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	C	simpleavg	R_C_g	robustness	0.347	clean_selected	0.328	max	better
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Cbar	simpleavg	R_Cbar_g	robustness	-0.3426	clean_selected	0.3102	min	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	F	simpleavg	R_F_p	robustness	0.1294	clean_selected	0.1358	min	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Fbar	simpleavg	R_Fbar_p	robustness	-0.107	clean_selected	0.086	min	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	C	simpleavg	R_C_p	robustness	0.3086	clean_selected	0.3156	min	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Cbar	simpleavg	R_Cbar_p	robustness	-0.3174	clean_selected	0.2856	min	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	simpleavg	R_F_s	robustness	0.0722	clean_selected	0.0638	max	better
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	simpleavg	R_Fbar_s	robustness	-0.0666	clean_selected	0.087	min	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	simpleavg	R_C_s	robustness	0.1188	clean_selected	0.1178	max	better
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	simpleavg	R_Cbar_s	robustness	-0.13	clean_selected	0.095	min	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	F	simpleavg	R_F_a	robustness	-0.0908	clean_selected	0.1058	min	better
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Fbar	simpleavg	R_Fbar_a	robustness	0.0428	clean_selected	0.026	max	better
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	C	simpleavg	R_C_a	robustness	-0.1732	clean_selected	0.2096	min	better
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Cbar	simpleavg	R_Cbar_a	robustness	0.0784	clean_selected	0.0572	max	better
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	simpleavg	F	quality	0.1726	naive_q11	0.1726	max	equal
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	simpleavg	Fbar	quality	0.2698	naive_q11	0.251	min	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	simpleavg	C	quality	0.2872	naive_q11	0.286	max	better
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	simpleavg	Cbar	quality	0.4004	naive_q11	0.3862	min	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	simpleavg	R_F_g	robustness	0.156	naive_q11	0.1564	max	worse

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Fbar	simpleavg	R_Fbar_g	robustness	-0.1262	naive_q11	-0.1118	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	C	simpleavg	R_C_g	robustness	0.347	naive_q11	0.3474	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Cbar	simpleavg	R_Cbar_g	robustness	-0.3426	naive_q11	-0.3208	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	F	simpleavg	R_F_p	robustness	0.1294	naive_q11	0.1376	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Fbar	simpleavg	R_Fbar_p	robustness	-0.107	naive_q11	-0.0916	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	C	simpleavg	R_C_p	robustness	0.3086	naive_q11	0.3152	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Cbar	simpleavg	R_Cbar_p	robustness	-0.3174	naive_q11	-0.2946	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	simpleavg	R_F_s	robustness	0.0722	naive_q11	0.0734	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	simpleavg	R_Fbar_s	robustness	-0.0666	naive_q11	-0.0636	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	simpleavg	R_C_s	robustness	0.1188	naive_q11	0.1192	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	simpleavg	R_Cbar_s	robustness	-0.13	naive_q11	-0.1196	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	F	simpleavg	R_F_a	robustness	-0.0908	naive_q11	-0.0944	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Fbar	simpleavg	R_Fbar_a	robustness	0.0428	naive_q11	0.0338	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	C	simpleavg	R_C_a	robustness	-0.1732	naive_q11	-0.1768	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Cbar	simpleavg	R_Cbar_a	robustness	0.0784	naive_q11	0.0754	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	simpleavg	F	quality	0.1726	NOISE_spectrum	0.1726	max	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	simpleavg	Fbar	quality	0.2698	NOISE_spectrum	0.251	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	simpleavg	C	quality	0.2872	NOISE_spectrum	0.286	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	simpleavg	Cbar	quality	0.4004	NOISE_spectrum	0.3662	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	simpleavg	R_F_g	robustness	0.156	NOISE_spectrum	0.1564	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Fbar	simpleavg	R_Fbar_g	robustness	-0.1262	NOISE_spectrum	-0.1118	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	C	simpleavg	R_C_g	robustness	0.347	NOISE_spectrum	0.3474	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Cbar	simpleavg	R_Cbar_g	robustness	-0.3426	NOISE_spectrum	-0.3208	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	F	simpleavg	R_F_p	robustness	0.1294	NOISE_spectrum	0.1376	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Fbar	simpleavg	R_Fbar_p	robustness	-0.107	NOISE_spectrum	-0.0916	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	C	simpleavg	R_C_p	robustness	0.3086	NOISE_spectrum	0.3152	max	worse

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Cbar	simpleavg	R_Cbar_p	robustness	-0.3174	NOISE_spec	0.1946	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	simpleavg	R_F_s	robustness	0.0722	NOISE_spec	0.0734	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	simpleavg	R_Fbar_s	robustness	-0.0666	NOISE_spec	0.0636	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	simpleavg	R_C_s	robustness	0.1188	NOISE_spec	0.1192	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	simpleavg	R_Cbar_s	robustness	-0.13	NOISE_spec	0.1196	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	F	simpleavg	R_F_a	robustness	-0.0908	NOISE_spec	0.0944	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Fbar	simpleavg	R_Fbar_a	robustness	0.0428	NOISE_spec	0.0338	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	C	simpleavg	R_C_a	robustness	-0.1732	NOISE_spec	0.1768	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Cbar	simpleavg	R_Cbar_a	robustness	0.0784	NOISE_spec	0.0754	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	simpleavg	F	quality	0.1726	NOISE_kend	0.1726	max	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	simpleavg	Fbar	quality	0.2698	NOISE_kend	0.251	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	simpleavg	C	quality	0.2872	NOISE_kend	0.286	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	simpleavg	Cbar	quality	0.4004	NOISE_kend	0.3862	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	simpleavg	R_F_g	robustness	0.156	NOISE_kend	0.1564	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Fbar	simpleavg	R_Fbar_g	robustness	-0.1262	NOISE_kend	0.1118	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	C	simpleavg	R_C_g	robustness	0.347	NOISE_kend	0.3474	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Cbar	simpleavg	R_Cbar_g	robustness	-0.3426	NOISE_kend	0.3208	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	F	simpleavg	R_F_p	robustness	0.1294	NOISE_kend	0.1378	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Fbar	simpleavg	R_Fbar_p	robustness	-0.107	NOISE_kend	0.0916	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	C	simpleavg	R_C_p	robustness	0.3086	NOISE_kend	0.3152	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Cbar	simpleavg	R_Cbar_p	robustness	-0.3174	NOISE_kend	0.2946	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	simpleavg	R_F_s	robustness	0.0722	NOISE_kend	0.0734	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	simpleavg	R_Fbar_s	robustness	-0.0666	NOISE_kend	0.0636	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	simpleavg	R_C_s	robustness	0.1188	NOISE_kend	0.1192	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	simpleavg	R_Cbar_s	robustness	-0.13	NOISE_kend	0.1196	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	F	simpleavg	R_F_a	robustness	-0.0908	NOISE_kend	0.0944	max	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	Fbar	simpleavg	R_Fbar_s	robustness	0.0428	NOISE_kendall	0.0338	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	C	simpleavg	R_C_a	robustness	-0.1732	NOISE_kendall	0.1768	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	Cbar	simpleavg	R_Cbar_s	robustness	0.0784	NOISE_kendall	0.0754	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	borda	F	quality	0.1876	clean_selected	0.1768	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	borda	Fbar	quality	0.1982	clean_selected	0.1752	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	borda	C	quality	0.312	clean_selected	0.292	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	borda	Cbar	quality	0.3216	clean_selected	0.2952	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	borda	R_F_g	robustness	0.1676	clean_selected	0.15	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Fbar	borda	R_Fbar_g	robustness	-0.13	clean_selected	0.103	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	C	borda	R_C_g	robustness	0.3406	clean_selected	0.328	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Cbar	borda	R_Cbar_g	robustness	-0.3498	clean_selected	0.3102	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	F	borda	R_F_p	robustness	0.1502	clean_selected	0.1378	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Fbar	borda	R_Fbar_p	robustness	-0.1106	clean_selected	0.1086	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	C	borda	R_C_p	robustness	0.3128	clean_selected	0.3156	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Cbar	borda	R_Cbar_p	robustness	-0.3188	clean_selected	0.2856	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	borda	R_F_s	robustness	0.0764	clean_selected	0.0618	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	borda	R_Fbar_s	robustness	-0.051	clean_selected	0.087	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	borda	R_C_s	robustness	0.1138	clean_selected	0.1158	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	borda	R_Cbar_s	robustness	-0.1142	clean_selected	0.1055	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	F	borda	R_F_a	robustness	-0.1108	clean_selected	0.1058	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	Fbar	borda	R_Fbar_a	robustness	0.0262	clean_selected	0.0256	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	C	borda	R_C_a	robustness	-0.203	clean_selected	0.2096	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	Cbar	borda	R_Cbar_s	robustness	0.072	clean_selected	0.0552	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	borda	F	quality	0.1876	naive_q11	0.158	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	borda	Fbar	quality	0.1982	naive_q11	0.2186	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	borda	C	quality	0.312	naive_q11	0.2756	max	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	borda	Cbar	quality	0.3216	naive_q11	0.3464	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	borda	R_F_g	robustness	0.1676	naive_q11	0.1692	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Fbar	borda	R_Fbar_g	robustness	-0.13	naive_q11	-0.0996	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	C	borda	R_C_g	robustness	0.3406	naive_q11	0.3384	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Cbar	borda	R_Cbar_g	robustness	-0.3498	naive_q11	-0.3208	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	F	borda	R_F_p	robustness	0.1502	naive_q11	0.1624	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Fbar	borda	R_Fbar_p	robustness	-0.1106	naive_q11	-0.0788	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	C	borda	R_C_p	robustness	0.3128	naive_q11	0.3208	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Cbar	borda	R_Cbar_p	robustness	-0.3188	naive_q11	-0.2822	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	borda	R_F_s	robustness	0.0764	naive_q11	0.0748	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	borda	R_Fbar_s	robustness	-0.051	naive_q11	-0.0428	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	borda	R_C_s	robustness	0.1138	naive_q11	0.1142	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	borda	R_Cbar_s	robustness	-0.1142	naive_q11	-0.103	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	F	borda	R_F_a	robustness	-0.1108	naive_q11	-0.095	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Fbar	borda	R_Fbar_a	robustness	0.0262	naive_q11	0.019	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	C	borda	R_C_a	robustness	-0.203	naive_q11	-0.1882	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Cbar	borda	R_Cbar_a	robustness	0.072	naive_q11	0.0532	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	borda	F	quality	0.1876	NOISE_spec	0.155	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	borda	Fbar	quality	0.1982	NOISE_spec	0.2186	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	borda	C	quality	0.312	NOISE_spec	0.2756	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	borda	Cbar	quality	0.3216	NOISE_spec	0.3464	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	borda	R_F_g	robustness	0.1676	NOISE_spec	0.1692	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Fbar	borda	R_Fbar_g	robustness	-0.13	NOISE_spec	0.0996	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	C	borda	R_C_g	robustness	0.3406	NOISE_spec	0.3384	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Cbar	borda	R_Cbar_g	robustness	-0.3498	NOISE_spec	0.3208	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	F	borda	R_F_p	robustness	0.1502	NOISE_spec	0.1624	max	worse

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Fbar	borda	R_Fbar_p	robustness	-0.1106	NOISE_spec	0.0788	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	C	borda	R_C_p	robustness	0.3128	NOISE_spec	0.3208	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Cbar	borda	R_Cbar_p	robustness	-0.3188	NOISE_spec	0.1882	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	borda	R_F_s	robustness	0.0764	NOISE_spec	0.0748	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	borda	R_Fbar_s	robustness	-0.051	NOISE_spec	0.1428	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	borda	R_C_s	robustness	0.1138	NOISE_spec	0.1142	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	borda	R_Cbar_s	robustness	-0.1142	NOISE_spec	0.1108	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	F	borda	R_F_a	robustness	-0.1108	NOISE_spec	0.1005	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Fbar	borda	R_Fbar_a	robustness	0.0262	NOISE_spec	0.0149	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	C	borda	R_C_a	robustness	-0.203	NOISE_spec	0.1882	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Cbar	borda	R_Cbar_a	robustness	0.072	NOISE_spec	0.0532	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	borda	F	quality	0.1876	NOISE_kendall	0.1158	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	borda	Fbar	quality	0.1982	NOISE_kendall	0.2186	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	borda	C	quality	0.312	NOISE_kendall	0.2756	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	borda	Cbar	quality	0.3216	NOISE_kendall	0.3464	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	borda	R_F_g	robustness	0.1676	NOISE_kendall	0.1692	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Fbar	borda	R_Fbar_g	robustness	-0.13	NOISE_kendall	0.1996	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	C	borda	R_C_g	robustness	0.3406	NOISE_kendall	0.3384	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Cbar	borda	R_Cbar_g	robustness	-0.3498	NOISE_kendall	0.3208	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	F	borda	R_F_p	robustness	0.1502	NOISE_kendall	0.1624	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Fbar	borda	R_Fbar_p	robustness	-0.1106	NOISE_kendall	0.1788	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	C	borda	R_C_p	robustness	0.3128	NOISE_kendall	0.3208	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Cbar	borda	R_Cbar_p	robustness	-0.3188	NOISE_kendall	0.1882	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	borda	R_F_s	robustness	0.0764	NOISE_kendall	0.0748	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	borda	R_Fbar_s	robustness	-0.051	NOISE_kendall	0.1428	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	borda	R_C_s	robustness	0.1138	NOISE_kendall	0.1142	max	worse

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	borda	R_Cbar_s	robustness	-0.1142	NOISE_kendall	0.1103	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	F	borda	R_F_a	robustness	-0.1108	NOISE_kendall	0.1095	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Fbar	borda	R_Fbar_a	robustness	0.0262	NOISE_kendall	0.1019	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	C	borda	R_C_a	robustness	-0.203	NOISE_kendall	0.11882	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Cbar	borda	R_Cbar_a	robustness	0.072	NOISE_kendall	0.0532	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	kemeny	F	quality	0.1874	clean_selected	0.1765	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	kemeny	Fbar	quality	0.1658	clean_selected	0.1752	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	kemeny	C	quality	0.3128	clean_selected	0.292	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	kemeny	Cbar	quality	0.2872	clean_selected	0.2952	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	kemeny	R_F_g	robustness	0.1704	clean_selected	0.15	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Fbar	kemeny	R_Fbar_g	robustness	-0.096	clean_selected	0.103	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	C	kemeny	R_C_g	robustness	0.332	clean_selected	0.328	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Cbar	kemeny	R_Cbar_g	robustness	-0.3062	clean_selected	0.3102	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	F	kemeny	R_F_p	robustness	0.1628	clean_selected	0.1378	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Fbar	kemeny	R_Fbar_p	robustness	-0.0684	clean_selected	0.086	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	C	kemeny	R_C_p	robustness	0.3156	clean_selected	0.3176	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Cbar	kemeny	R_Cbar_p	robustness	-0.2774	clean_selected	0.2856	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	kemeny	R_F_s	robustness	0.0846	clean_selected	0.0638	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	kemeny	R_Fbar_s	robustness	-0.0446	clean_selected	0.057	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	kemeny	R_C_s	robustness	0.1202	clean_selected	0.1178	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	kemeny	R_Cbar_s	robustness	-0.1034	clean_selected	0.095	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	F	kemeny	R_F_a	robustness	-0.1106	clean_selected	0.1058	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Fbar	kemeny	R_Fbar_a	robustness	0.0272	clean_selected	0.0206	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	C	kemeny	R_C_a	robustness	-0.2054	clean_selected	0.2096	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Cbar	kemeny	R_Cbar_a	robustness	0.0746	clean_selected	0.0572	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	kemeny	F	quality	0.1874	naive_q11	0.1556	max	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	kemeny	Fbar	quality	0.1658	naive_q11	0.2234	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	kemeny	C	quality	0.3128	naive_q11	0.271	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	kemeny	Cbar	quality	0.2872	naive_q11	0.3492	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	kemeny	R_F_g	robustness	0.1704	naive_q11	0.1668	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Fbar	kemeny	R_Fbar_g	robustness	-0.096	naive_q11	-0.0684	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	C	kemeny	R_C_g	robustness	0.332	naive_q11	0.3296	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Cbar	kemeny	R_Cbar_g	robustness	-0.3062	naive_q11	-0.2774	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	F	kemeny	R_F_p	robustness	0.1628	naive_q11	0.1614	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Fbar	kemeny	R_Fbar_p	robustness	-0.0684	naive_q11	-0.045	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	C	kemeny	R_C_p	robustness	0.3156	naive_q11	0.317	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Cbar	kemeny	R_Cbar_p	robustness	-0.2774	naive_q11	-0.2522	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	kemeny	R_F_s	robustness	0.0846	naive_q11	0.0748	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	kemeny	R_Fbar_s	robustness	-0.0446	naive_q11	-0.0362	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	kemeny	R_C_s	robustness	0.1202	naive_q11	0.1136	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	kemeny	R_Cbar_s	robustness	-0.1034	naive_q11	-0.0994	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	F	kemeny	R_F_a	robustness	-0.1106	naive_q11	-0.0904	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Fbar	kemeny	R_Fbar_a	robustness	0.0272	naive_q11	0.015	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	C	kemeny	R_C_a	robustness	-0.2054	naive_q11	-0.179	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Cbar	kemeny	R_Cbar_a	robustness	0.0746	naive_q11	0.0492	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	kemeny	F	quality	0.1874	NOISE_spec	0.1556	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	kemeny	Fbar	quality	0.1658	NOISE_spec	0.2234	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	kemeny	C	quality	0.3128	NOISE_spec	0.271	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	kemeny	Cbar	quality	0.2872	NOISE_spec	0.3492	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	kemeny	R_F_g	robustness	0.1704	NOISE_spec	0.1668	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Fbar	kemeny	R_Fbar_g	robustness	-0.096	NOISE_spec	-0.0684	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	C	kemeny	R_C_g	robustness	0.332	NOISE_spec	0.3296	max	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian	Cbar	kemeny	R_Cbar_g	robustness	-0.3062	NOISE_spec	0.17754	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt_pepper	F	kemeny	R_F_p	robustness	0.1628	NOISE_spec	0.1614	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt_pepper	Fbar	kemeny	R_Fbar_p	robustness	-0.0684	NOISE_spec	0.1045	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt_pepper	C	kemeny	R_C_p	robustness	0.3156	NOISE_spec	0.311	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt_pepper	Cbar	kemeny	R_Cbar_p	robustness	-0.2774	NOISE_spec	0.1522	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle	F	kemeny	R_F_s	robustness	0.0846	NOISE_spec	0.0748	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle	Fbar	kemeny	R_Fbar_s	robustness	-0.0446	NOISE_spec	0.0362	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle	C	kemeny	R_C_s	robustness	0.1202	NOISE_spec	0.1136	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle	Cbar	kemeny	R_Cbar_s	robustness	-0.1034	NOISE_spec	0.0994	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversarial	F	kemeny	R_F_a	robustness	-0.1106	NOISE_spec	0.0994	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversarial	Fbar	kemeny	R_Fbar_a	robustness	0.0272	NOISE_spec	0.015	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversarial	C	kemeny	R_C_a	robustness	-0.2054	NOISE_spec	0.159	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversarial	Cbar	kemeny	R_Cbar_a	robustness	0.0746	NOISE_spec	0.0492	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	F	kemeny	F	quality	0.1874	NOISE_kend	0.1556	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	Fbar	kemeny	Fbar	quality	0.1658	NOISE_kend	0.2234	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	C	kemeny	C	quality	0.3128	NOISE_kend	0.1271	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	Cbar	kemeny	Cbar	quality	0.2872	NOISE_kend	0.3492	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian	F	kemeny	R_F_g	robustness	0.1704	NOISE_kend	0.1668	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian	Fbar	kemeny	R_Fbar_g	robustness	-0.096	NOISE_kend	0.1684	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian	C	kemeny	R_C_g	robustness	0.332	NOISE_kend	0.3296	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian	Cbar	kemeny	R_Cbar_g	robustness	-0.3062	NOISE_kend	0.1774	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt_pepper	F	kemeny	R_F_p	robustness	0.1628	NOISE_kend	0.1614	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt_pepper	Fbar	kemeny	R_Fbar_p	robustness	-0.0684	NOISE_kend	0.1045	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt_pepper	C	kemeny	R_C_p	robustness	0.3156	NOISE_kend	0.311	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt_pepper	Cbar	kemeny	R_Cbar_p	robustness	-0.2774	NOISE_kend	0.1522	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle	F	kemeny	R_F_s	robustness	0.0846	NOISE_kend	0.0748	max	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	kemeny	R_Fbar_s	robustness	-0.0446	NOISE_kendall	0.1362	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	kemeny	R_C_s	robustness	0.1202	NOISE_kendall	0.1136	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	kemeny	R_Cbar_s	robustness	-0.1034	NOISE_kendall	0.0994	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	F	kemeny	R_F_a	robustness	-0.1106	NOISE_kendall	0.0904	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	Fbar	kemeny	R_Fbar_a	robustness	0.0272	NOISE_kendall	0.0115	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	C	kemeny	R_C_a	robustness	-0.2054	NOISE_kendall	0.1179	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	Cbar	kemeny	R_Cbar_a	robustness	0.0746	NOISE_kendall	0.0492	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	rrf	F	quality	0.1886	clean_selected	0.1706	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	rrf	Fbar	quality	0.1868	clean_selected	0.1752	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	rrf	C	quality	0.3152	clean_selected	0.292	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	rrf	Cbar	quality	0.3094	clean_selected	0.2952	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	rrf	R_F_g	robustness	0.1646	clean_selected	0.15	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Fbar	rrf	R_Fbar_g	robustness	-0.1144	clean_selected	0.103	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	C	rrf	R_C_g	robustness	0.3352	clean_selected	0.328	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Cbar	rrf	R_Cbar_g	robustness	-0.3324	clean_selected	0.3102	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	F	rrf	R_F_p	robustness	0.1572	clean_selected	0.1378	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Fbar	rrf	R_Fbar_p	robustness	-0.0966	clean_selected	0.086	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	C	rrf	R_C_p	robustness	0.3154	clean_selected	0.3156	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Cbar	rrf	R_Cbar_p	robustness	-0.3072	clean_selected	0.2856	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	rrf	R_F_s	robustness	0.0822	clean_selected	0.0618	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	rrf	R_Fbar_s	robustness	-0.0468	clean_selected	0.037	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	rrf	R_C_s	robustness	0.1146	clean_selected	0.115	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	rrf	R_Cbar_s	robustness	-0.108	clean_selected	0.095	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	F	rrf	R_F_a	robustness	-0.1102	clean_selected	0.1058	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	Fbar	rrf	R_Fbar_a	robustness	0.032	clean_selected	0.0216	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	C	rrf	R_C_a	robustness	-0.205	clean_selected	0.2096	min	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	Cbar	rrf	R_Cbar_s	robustness	0.0754	clean_select	0.0552	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	rrf	F	quality	0.1886	naive_q11	0.1612	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	rrf	Fbar	quality	0.1868	naive_q11	0.2176	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	rrf	C	quality	0.3152	naive_q11	0.2812	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	rrf	Cbar	quality	0.3094	naive_q11	0.3424	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	rrf	R_F_g	robustness	0.1646	naive_q11	0.1648	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Fbar	rrf	R_Fbar_g	robustness	-0.1144	naive_q11	-0.0776	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	C	rrf	R_C_g	robustness	0.3352	naive_q11	0.3286	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Cbar	rrf	R_Cbar_g	robustness	-0.3324	naive_q11	-0.2944	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	F	rrf	R_F_p	robustness	0.1572	naive_q11	0.1624	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Fbar	rrf	R_Fbar_p	robustness	-0.0966	naive_q11	-0.066	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	C	rrf	R_C_p	robustness	0.3154	naive_q11	0.3134	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Cbar	rrf	R_Cbar_p	robustness	-0.3072	naive_q11	-0.2654	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	rrf	R_F_s	robustness	0.0822	naive_q11	0.0742	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	rrf	R_Fbar_s	robustness	-0.0468	naive_q11	-0.0342	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	rrf	R_C_s	robustness	0.1146	naive_q11	0.1126	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	rrf	R_Cbar_s	robustness	-0.108	naive_q11	-0.0958	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	F	rrf	R_F_a	robustness	-0.1102	naive_q11	-0.0956	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	Fbar	rrf	R_Fbar_a	robustness	0.032	naive_q11	0.0246	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	C	rrf	R_C_a	robustness	-0.205	naive_q11	-0.1914	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	Cbar	rrf	R_Cbar_a	robustness	0.0754	naive_q11	0.0608	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	rrf	F	quality	0.1886	NOISE_spec	0.1612	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	rrf	Fbar	quality	0.1868	NOISE_spec	0.2176	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	rrf	C	quality	0.3152	NOISE_spec	0.2812	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	rrf	Cbar	quality	0.3094	NOISE_spec	0.3424	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	rrf	R_F_g	robustness	0.1646	NOISE_spec	0.1648	max	worse

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian	Fbar	rrf	R_Fbar_g	robustness	-0.1144	NOISE_spec	0.1756	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian	C	rrf	R_C_g	robustness	0.3352	NOISE_spec	0.3286	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian	Cbar	rrf	R_Cbar_g	robustness	-0.3324	NOISE_spec	0.1944	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt_pepper	F	rrf	R_F_p	robustness	0.1572	NOISE_spec	0.1604	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt_pepper	Fbar	rrf	R_Fbar_p	robustness	-0.0966	NOISE_spec	0.1066	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt_pepper	C	rrf	R_C_p	robustness	0.3154	NOISE_spec	0.3134	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt_pepper	Cbar	rrf	R_Cbar_p	robustness	-0.3072	NOISE_spec	0.1654	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle	F	rrf	R_F_s	robustness	0.0822	NOISE_spec	0.0742	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle	Fbar	rrf	R_Fbar_s	robustness	-0.0468	NOISE_spec	0.0342	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle	C	rrf	R_C_s	robustness	0.1146	NOISE_spec	0.1126	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle	Cbar	rrf	R_Cbar_s	robustness	-0.108	NOISE_spec	0.0958	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversarial	F	rrf	R_F_a	robustness	-0.1102	NOISE_spec	0.0956	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversarial	Fbar	rrf	R_Fbar_a	robustness	0.032	NOISE_spec	0.0246	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversarial	C	rrf	R_C_a	robustness	-0.205	NOISE_spec	0.1914	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversarial	Cbar	rrf	R_Cbar_a	robustness	0.0754	NOISE_spec	0.0608	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	F	rrf	F	quality	0.1886	NOISE_kendall	0.1612	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	Fbar	rrf	Fbar	quality	0.1868	NOISE_kendall	0.2176	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	C	rrf	C	quality	0.3152	NOISE_kendall	0.2812	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	Cbar	rrf	Cbar	quality	0.3094	NOISE_kendall	0.3424	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian	F	rrf	R_F_g	robustness	0.1646	NOISE_kendall	0.1648	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian	Fbar	rrf	R_Fbar_g	robustness	-0.1144	NOISE_kendall	0.1776	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian	C	rrf	R_C_g	robustness	0.3352	NOISE_kendall	0.3286	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian	Cbar	rrf	R_Cbar_g	robustness	-0.3324	NOISE_kendall	0.1944	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt_pepper	F	rrf	R_F_p	robustness	0.1572	NOISE_kendall	0.1624	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt_pepper	Fbar	rrf	R_Fbar_p	robustness	-0.0966	NOISE_kendall	0.1066	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt_pepper	C	rrf	R_C_p	robustness	0.3154	NOISE_kendall	0.3134	max	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Cbar	rrf	R_Cbar_p	robustness	-0.3072	NOISE_kendall	0.1654	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	rrf	R_F_s	robustness	0.0822	NOISE_kendall	0.0742	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	rrf	R_Fbar_s	robustness	-0.0468	NOISE_kendall	0.0342	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	rrf	R_C_s	robustness	0.1146	NOISE_kendall	0.1126	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	rrf	R_Cbar_s	robustness	-0.108	NOISE_kendall	0.0958	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	F	rrf	R_F_a	robustness	-0.1102	NOISE_kendall	0.0956	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Fbar	rrf	R_Fbar_a	robustness	0.032	NOISE_kendall	0.0246	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	C	rrf	R_C_a	robustness	-0.205	NOISE_kendall	0.1914	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Cbar	rrf	R_Cbar_a	robustness	0.0754	NOISE_kendall	0.0608	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	schulze	F	quality	0.1876	clean_selected	0.1766	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	schulze	Fbar	quality	0.2018	clean_selected	0.1752	individual	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	schulze	C	quality	0.312	clean_selected	0.292	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	schulze	Cbar	quality	0.3258	clean_selected	0.2952	individual	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	schulze	R_F_g	robustness	0.1686	clean_selected	0.15	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Fbar	schulze	R_Fbar_g	robustness	-0.1176	clean_selected	0.102	individual	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	C	schulze	R_C_g	robustness	0.337	clean_selected	0.328	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Cbar	schulze	R_Cbar_g	robustness	-0.3336	clean_selected	0.3102	individual	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	F	schulze	R_F_p	robustness	0.1578	clean_selected	0.1378	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Fbar	schulze	R_Fbar_p	robustness	-0.0996	clean_selected	0.086	individual	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	C	schulze	R_C_p	robustness	0.321	clean_selected	0.3156	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Cbar	schulze	R_Cbar_p	robustness	-0.3072	clean_selected	0.2856	individual	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	schulze	R_F_s	robustness	0.0788	clean_selected	0.068	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	schulze	R_Fbar_s	robustness	-0.049	clean_selected	0.037	individual	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	schulze	R_C_s	robustness	0.115	clean_selected	0.1158	individual	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	schulze	R_Cbar_s	robustness	-0.111	clean_selected	0.095	individual	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	F	schulze	R_F_a	robustness	-0.1092	clean_selected	0.1058	individual	worse

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	Fbar	schulze	R_Fbar_s	robustness	0.0352	clean_select	0.0216	max	individual better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	C	schulze	R_C_a	robustness	-0.2016	clean_select	0.2096	min	individual better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	Cbar	schulze	R_Cbar_s	robustness	0.0798	clean_select	0.0572	max	individual better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	schulze	F	quality	0.1876	naive_q11	0.1576	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	schulze	Fbar	quality	0.2018	naive_q11	0.2182	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	schulze	C	quality	0.312	naive_q11	0.276	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	schulze	Cbar	quality	0.3258	naive_q11	0.3444	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	schulze	R_F_g	robustness	0.1686	naive_q11	0.1662	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Fbar	schulze	R_Fbar_g	robustness	-0.1176	naive_q11	-0.0762	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	C	schulze	R_C_g	robustness	0.337	naive_q11	0.3296	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Cbar	schulze	R_Cbar_g	robustness	-0.3336	naive_q11	-0.288	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_peppe	F	schulze	R_F_p	robustness	0.1578	naive_q11	0.1592	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_peppe	Fbar	schulze	R_Fbar_p	robustness	-0.0996	naive_q11	-0.0656	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_peppe	C	schulze	R_C_p	robustness	0.321	naive_q11	0.3124	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_peppe	Cbar	schulze	R_Cbar_p	robustness	-0.3072	naive_q11	-0.2696	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	schulze	R_F_s	robustness	0.0788	naive_q11	0.077	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	schulze	R_Fbar_s	robustness	-0.049	naive_q11	-0.035	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	schulze	R_C_s	robustness	0.115	naive_q11	0.112	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	schulze	R_Cbar_s	robustness	-0.111	naive_q11	-0.0958	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	F	schulze	R_F_a	robustness	-0.1092	naive_q11	-0.0926	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	Fbar	schulze	R_Fbar_a	robustness	0.0352	naive_q11	0.017	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	C	schulze	R_C_a	robustness	-0.2016	naive_q11	-0.1864	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversaria	Cbar	schulze	R_Cbar_s	robustness	0.0798	naive_q11	0.0506	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	schulze	F	quality	0.1876	NOISE_spec	0.1576	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	schulze	Fbar	quality	0.2018	NOISE_spec	0.2182	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	schulze	C	quality	0.312	NOISE_spec	0.276	max	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	schulze	Cbar	quality	0.3258	NOISE_spectra	0.3444	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	schulze	R_F_g	robustness	0.1686	NOISE_spectra	0.1662	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Fbar	schulze	R_Fbar_g	robustness	-0.1176	NOISE_spectra	0.1762	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	C	schulze	R_C_g	robustness	0.337	NOISE_spectra	0.3296	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Cbar	schulze	R_Cbar_g	robustness	-0.3336	NOISE_spectra	0.3288	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	F	schulze	R_F_p	robustness	0.1578	NOISE_spectra	0.1592	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Fbar	schulze	R_Fbar_p	robustness	-0.0996	NOISE_spectra	0.1656	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	C	schulze	R_C_p	robustness	0.321	NOISE_spectra	0.3194	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Cbar	schulze	R_Cbar_p	robustness	-0.3072	NOISE_spectra	0.3196	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	schulze	R_F_s	robustness	0.0788	NOISE_spectra	0.0777	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	schulze	R_Fbar_s	robustness	-0.049	NOISE_spectra	0.1035	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	schulze	R_C_s	robustness	0.115	NOISE_spectra	0.1142	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	schulze	R_Cbar_s	robustness	-0.111	NOISE_spectra	0.1058	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	F	schulze	R_F_a	robustness	-0.1092	NOISE_spectra	0.1026	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Fbar	schulze	R_Fbar_a	robustness	0.0352	NOISE_spectra	0.0417	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	C	schulze	R_C_a	robustness	-0.2016	NOISE_spectra	0.1864	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Cbar	schulze	R_Cbar_a	robustness	0.0798	NOISE_spectra	0.0506	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	schulze	F	quality	0.1876	NOISE_kendall	0.1576	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	schulze	Fbar	quality	0.2018	NOISE_kendall	0.2182	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	schulze	C	quality	0.312	NOISE_kendall	0.3276	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	schulze	Cbar	quality	0.3258	NOISE_kendall	0.3444	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	F	schulze	R_F_g	robustness	0.1686	NOISE_kendall	0.1662	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Fbar	schulze	R_Fbar_g	robustness	-0.1176	NOISE_kendall	0.1762	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	C	schulze	R_C_g	robustness	0.337	NOISE_kendall	0.3296	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	gaussian	Cbar	schulze	R_Cbar_g	robustness	-0.3336	NOISE_kendall	0.3288	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	F	schulze	R_F_p	robustness	0.1578	NOISE_kendall	0.1592	max	worse

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Fbar	schulze	R_Fbar_p	robustness	-0.0996	NOISE_kendall	0.1656	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	C	schulze	R_C_p	robustness	0.321	NOISE_kendall	0.3124	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt_pepper	Cbar	schulze	R_Cbar_p	robustness	-0.3072	NOISE_kendall	0.1696	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	F	schulze	R_F_s	robustness	0.0788	NOISE_kendall	0.1077	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Fbar	schulze	R_Fbar_s	robustness	-0.049	NOISE_kendall	0.1035	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	C	schulze	R_C_s	robustness	0.115	NOISE_kendall	0.112	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle	Cbar	schulze	R_Cbar_s	robustness	-0.111	NOISE_kendall	0.10958	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	F	schulze	R_F_a	robustness	-0.1092	NOISE_kendall	0.10926	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Fbar	schulze	R_Fbar_a	robustness	0.0352	NOISE_kendall	0.1017	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	C	schulze	R_C_a	robustness	-0.2016	NOISE_kendall	0.11864	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial	Cbar	schulze	R_Cbar_a	robustness	0.0798	NOISE_kendall	0.10506	max	better

Table 25: ImageNet–ResNet-18 results.

cell	dataset	model	geometry	selected q	NOISE q	q error	absolute q error	exact	within one	selected is NOISE tied	selected fidelity	NOISE fidelity	fidelity regret	NOISE tied q	tie policy
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	borda	5	5	0	0	True	True	True	0.1876	0.1876	0	[5]	smallest_c_within_absolute_1e-12
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	kemeny	5	5	0	0	True	True	True	0.1874	0.1874	0	[5]	smallest_c_within_absolute_1e-12

Table 26: ImageNet–ResNet-18 results.

cell	dataset	model	method	setting	q	methods	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	simpleavg	dual_geom	5	GuidedB	0.4726	0.2998	0.2572	0.4046	0.1563	0.1262	0.10347	0.3426	0.1294	-0.107	0.3086	-0.3174	0.0722	-0.0666
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	borda	dual_geom	5	GuidedB	0.4876	0.1983	0.1832	0.3216	0.1676	0.0918	0.13406	0.3498	0.1502	-0.1106	0.3128	-0.3188	0.0764	-0.051
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	kemeny	dual_geom	5	GuidedB	0.4876	0.1653	0.1832	0.2372	0.1704	0.0964	0.1332	0.3062	0.1628	-0.0684	0.3156	-0.2774	0.0846	-0.0446
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	rrf	dual_geom	5	GuidedB	0.4886	0.1863	0.1832	0.3046	0.1646	0.1144	0.1352	0.3324	0.1572	-0.0966	0.3154	-0.3072	0.0822	-0.0468
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	schulze	dual_geom	5	GuidedB	0.4876	0.2033	0.1832	0.3238	0.1686	0.1170	0.1337	0.3336	0.1578	-0.0996	0.321	-0.3072	0.0788	-0.049

Table 27: ImageNet–ResNet-18 results.

cell	dataset	model	method	setting	q	R C s	R Cbar s	R F a	R Fbar a	R C a	R Cbar a	F perturbed g	Fbar perturbed g	C perturbed g	Cbar perturbed g	F perturbed p	Fbar perturbed p	C perturbed p	Cbar perturbed p	F perturbed s
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	simpleavg	dual_geom	5	0.1188	-0.13	-0.0908	0.0428	-0.1732	0.0784	0.3286	0.396	0.6342	0.743	0.302	0.3768	0.5958	0.7178	0.2448
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	borda	dual_geom	5	0.1188	-0.1142	-0.1108	0.0262	-0.203	0.072	0.3552	0.3282	0.6526	0.6714	0.3378	0.3088	0.6248	0.6404	0.264
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	kemeny	dual_geom	5	0.1202	-0.1034	-0.1106	0.0272	-0.2054	0.0746	0.3578	0.2618	0.6448	0.5934	0.3502	0.2342	0.6284	0.5646	0.272
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	rrf	dual_geom	5	0.1146	-0.108	-0.1102	0.032	-0.205	0.0754	0.3532	0.3012	0.6504	0.6418	0.3458	0.2834	0.6306	0.6166	0.2708
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	schulze	dual_geom	5	0.1151	-0.111	-0.1092	0.0352	-0.2016	0.0798	0.3562	0.3194	0.649	0.6594	0.3454	0.3014	0.633	0.633	0.2664

Table 28: ImageNet–ResNet-18 results.

cell	dataset	model	method	setting	q	$\bar{F}$ perturbed s	C perturbed s	$\bar{C}$ perturbed s	$\bar{F}$ perturbed a	$\bar{F}$ perturbed a	C perturbed a	$\bar{C}$ perturbed a
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	simpleavg	dual_geom	try0.6364	0.406	0.5304	0.0818	0.227	0.114	0.322	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	borda	dual_geom	try0.6492	0.4258	0.4358	0.0768	0.172	0.109	0.2496	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	kemeny	dual_geom	try0.6404	0.433	0.3906	0.0768	0.1386	0.1074	0.2126	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	rrf	dual_geom	try0.6336	0.4298	0.4174	0.0784	0.1548	0.1102	0.234	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	schulze	dual_geom	try0.6508	0.427	0.4368	0.0784	0.1666	0.1104	0.246	

Table 29: ImageNet–ResNet-18 results.

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	F	spearman	NOISE-S	borda	simpleavg	F	quality	0.1804	clean_selected	0.1765	max	better
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Fbar	spearman	NOISE-S	borda	simpleavg	Fbar	quality	0.238	clean_selected	0.1752	min	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	C	spearman	NOISE-S	borda	simpleavg	C	quality	0.3024	clean_selected	0.292	max	better
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Cbar	spearman	NOISE-S	borda	simpleavg	Cbar	quality	0.3706	clean_selected	0.2952	min	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	F	spearman	NOISE-S	borda	simpleavg	R_F_g	robustness	0.1532	clean_selected	0.15	max	better
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Fbar	spearman	NOISE-S	borda	simpleavg	R_Fbar_g	robustness	-0.1178	clean_selected	0.108	min	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	C	spearman	NOISE-S	borda	simpleavg	R_C_g	robustness	0.3372	clean_selected	0.328	max	better
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Cbar	spearman	NOISE-S	borda	simpleavg	R_Cbar_g	robustness	-0.3282	clean_selected	0.3102	min	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	F	spearman	NOISE-S	borda	simpleavg	R_F_p	robustness	0.1386	clean_selected	0.1378	max	better
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Fbar	spearman	NOISE-S	borda	simpleavg	R_Fbar_p	robustness	-0.1034	clean_selected	0.1086	min	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	C	spearman	NOISE-S	borda	simpleavg	R_C_p	robustness	0.3086	clean_selected	0.3176	min	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Cbar	spearman	NOISE-S	borda	simpleavg	R_Cbar_p	robustness	-0.3098	clean_selected	0.2956	min	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	F	spearman	NOISE-S	borda	simpleavg	R_F_s	robustness	0.08	clean_selected	0.0618	max	better
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Fbar	spearman	NOISE-S	borda	simpleavg	R_Fbar_s	robustness	-0.0688	clean_selected	0.087	min	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	C	spearman	NOISE-S	borda	simpleavg	R_C_s	robustness	0.121	clean_selected	0.1178	max	better
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Cbar	spearman	NOISE-S	borda	simpleavg	R_Cbar_s	robustness	-0.1234	clean_selected	0.095	min	worse
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	F	spearman	NOISE-S	borda	simpleavg	R_F_a	robustness	-0.097	clean_selected	0.1105	min	better
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Fbar	spearman	NOISE-S	borda	simpleavg	R_Fbar_a	robustness	0.034	clean_selected	0.0216	max	better
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	C	spearman	NOISE-S	borda	simpleavg	R_C_a	robustness	-0.1882	clean_selected	0.2096	min	better
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Cbar	spearman	NOISE-S	borda	simpleavg	R_Cbar_a	robustness	0.0788	clean_selected	0.0572	max	better
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	F	spearman	NOISE-S	borda	simpleavg	F	quality	0.1804	naive_q11	0.1726	max	better
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Fbar	spearman	NOISE-S	borda	simpleavg	Fbar	quality	0.238	naive_q11	0.251	min	better
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	C	spearman	NOISE-S	borda	simpleavg	C	quality	0.3024	naive_q11	0.286	max	better
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Cbar	spearman	NOISE-S	borda	simpleavg	Cbar	quality	0.3706	naive_q11	0.3862	min	better
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	F	spearman	NOISE-S	borda	simpleavg	R_F_g	robustness	0.1532	naive_q11	0.1564	max	worse

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Fbar	spearman	NOISE-S	borda	simpleavg	R_Fbar_g	robustness	-0.1178	naive_q11	-0.1118	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	C	spearman	NOISE-S	borda	simpleavg	R_C_g	robustness	0.3372	naive_q11	0.3474	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Cbar	spearman	NOISE-S	borda	simpleavg	R_Cbar_g	robustness	-0.3282	naive_q11	-0.3208	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	F	spearman	NOISE-S	borda	simpleavg	R_F_p	robustness	0.1386	naive_q11	0.1376	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Fbar	spearman	NOISE-S	borda	simpleavg	R_Fbar_p	robustness	-0.1034	naive_q11	-0.0916	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	C	spearman	NOISE-S	borda	simpleavg	R_C_p	robustness	0.3086	naive_q11	0.3152	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Cbar	spearman	NOISE-S	borda	simpleavg	R_Cbar_p	robustness	-0.3098	naive_q11	-0.2946	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	F	spearman	NOISE-S	borda	simpleavg	R_F_s	robustness	0.08	naive_q11	0.0734	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Fbar	spearman	NOISE-S	borda	simpleavg	R_Fbar_s	robustness	-0.0688	naive_q11	-0.0636	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	C	spearman	NOISE-S	borda	simpleavg	R_C_s	robustness	0.121	naive_q11	0.1192	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Cbar	spearman	NOISE-S	borda	simpleavg	R_Cbar_s	robustness	-0.1234	naive_q11	-0.1196	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	F	spearman	NOISE-S	borda	simpleavg	R_F_a	robustness	-0.097	naive_q11	-0.0944	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Fbar	spearman	NOISE-S	borda	simpleavg	R_Fbar_a	robustness	0.034	naive_q11	0.0338	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	C	spearman	NOISE-S	borda	simpleavg	R_C_a	robustness	-0.1882	naive_q11	-0.1768	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Cbar	spearman	NOISE-S	borda	simpleavg	R_Cbar_a	robustness	0.0788	naive_q11	0.0754	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	F	spearman	NOISE-S	borda	simpleavg	F	quality	0.1804	NOISE_sam0.1726	0.1726	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Fbar	spearman	NOISE-S	borda	simpleavg	Fbar	quality	0.238	NOISE_sam0.251	0.251	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	C	spearman	NOISE-S	borda	simpleavg	C	quality	0.3024	NOISE_sam0.286	0.286	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Cbar	spearman	NOISE-S	borda	simpleavg	Cbar	quality	0.3706	NOISE_sam0.3862	0.3862	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	F	spearman	NOISE-S	borda	simpleavg	R_F_g	robustness	0.1532	NOISE_sam0.1564	0.1564	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Fbar	spearman	NOISE-S	borda	simpleavg	R_Fbar_g	robustness	-0.1178	NOISE_sam0.1118	0.1118	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	C	spearman	NOISE-S	borda	simpleavg	R_C_g	robustness	0.3372	NOISE_sam0.3474	0.3474	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Cbar	spearman	NOISE-S	borda	simpleavg	R_Cbar_g	robustness	-0.3282	NOISE_sam0.3208	0.3208	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	F	spearman	NOISE-S	borda	simpleavg	R_F_p	robustness	0.1386	NOISE_sam0.1376	0.1376	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Fbar	spearman	NOISE-S	borda	simpleavg	R_Fbar_p	robustness	-0.1034	NOISE_sam0.0916	0.0916	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	C	spearman	NOISE-S	borda	simpleavg	R_C_p	robustness	0.3086	NOISE_sam0.3152	0.3152	max	worse

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Cbar	spearman	NOISE-S	borda	simpleavg	R_Cbar_p	robustness	-0.3098	NOISE_sam0.2946	0.2946	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	F	spearman	NOISE-S	borda	simpleavg	R_F_s	robustness	0.08	NOISE_sam0.0784	0.0784	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Fbar	spearman	NOISE-S	borda	simpleavg	R_Fbar_s	robustness	-0.0688	NOISE_sam0.0686	0.0686	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	C	spearman	NOISE-S	borda	simpleavg	R_C_s	robustness	0.121	NOISE_sam0.1182	0.1182	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Cbar	spearman	NOISE-S	borda	simpleavg	R_Cbar_s	robustness	-0.1234	NOISE_sam0.1196	0.1196	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	F	spearman	NOISE-S	borda	simpleavg	R_F_a	robustness	-0.097	NOISE_sam0.0944	0.0944	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Fbar	spearman	NOISE-S	borda	simpleavg	R_Fbar_a	robustness	0.034	NOISE_sam0.0338	0.0338	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	C	spearman	NOISE-S	borda	simpleavg	R_C_a	robustness	-0.1882	NOISE_sam0.1766	0.1766	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Cbar	spearman	NOISE-S	borda	simpleavg	R_Cbar_a	robustness	0.0788	NOISE_sam0.0754	0.0754	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	F	spearman	NOISE-S	borda	simpleavg	F	quality	0.1804	dual_geometry1.726	1.726	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Fbar	spearman	NOISE-S	borda	simpleavg	Fbar	quality	0.238	dual_geometry2.698	2.698	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	C	spearman	NOISE-S	borda	simpleavg	C	quality	0.3024	dual_geometry2.872	2.872	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Cbar	spearman	NOISE-S	borda	simpleavg	Cbar	quality	0.3706	dual_geometry4.094	4.094	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	F	spearman	NOISE-S	borda	simpleavg	R_F_g	robustness	0.1532	dual_geometry1.564	1.564	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Fbar	spearman	NOISE-S	borda	simpleavg	R_Fbar_g	robustness	-0.1178	dual_geometry1.262	1.262	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	C	spearman	NOISE-S	borda	simpleavg	R_C_g	robustness	0.3372	dual_geometry3.471	3.471	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Cbar	spearman	NOISE-S	borda	simpleavg	R_Cbar_g	robustness	-0.3282	dual_geometry3.426	3.426	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	F	spearman	NOISE-S	borda	simpleavg	R_F_p	robustness	0.1386	dual_geometry1.294	1.294	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Fbar	spearman	NOISE-S	borda	simpleavg	R_Fbar_p	robustness	-0.1034	dual_geometry1.071	1.071	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	C	spearman	NOISE-S	borda	simpleavg	R_C_p	robustness	0.3086	dual_geometry3.086	3.086	equal	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Cbar	spearman	NOISE-S	borda	simpleavg	R_Cbar_p	robustness	-0.3098	dual_geometry3.174	3.174	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	F	spearman	NOISE-S	borda	simpleavg	R_F_s	robustness	0.08	dual_geometry0.722	0.722	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Fbar	spearman	NOISE-S	borda	simpleavg	R_Fbar_s	robustness	-0.0688	dual_geometry0.666	0.666	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	C	spearman	NOISE-S	borda	simpleavg	R_C_s	robustness	0.121	dual_geometry1.188	1.188	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Cbar	spearman	NOISE-S	borda	simpleavg	R_Cbar_s	robustness	-0.1234	dual_geometry0.181	0.181	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	F	spearman	NOISE-S	borda	simpleavg	R_F_a	robustness	-0.097	dual_geometry0.968	0.968	worse	worse

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Fbar	spearman	NOISE-S	borda	simpleavg	R_Fbar_a	robustness	0.034	dual_geometry	0.0428	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	C	spearman	NOISE-S	borda	simpleavg	R_C_a	robustness	-0.1882	dual_geometry	0.1732	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Cbar	spearman	NOISE-S	borda	simpleavg	R_Cbar_a	robustness	0.0788	dual_geometry	0.0784	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	F	spearman	NOISE-S	borda	borda	F	quality	0.1856	clean_selected	0.1765	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Fbar	spearman	NOISE-S	borda	borda	Fbar	quality	0.1802	clean_selected	0.1752	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	C	spearman	NOISE-S	borda	borda	C	quality	0.3116	clean_selected	0.2922	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Cbar	spearman	NOISE-S	borda	borda	Cbar	quality	0.3024	clean_selected	0.2952	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	F	spearman	NOISE-S	borda	borda	R_F_g	robustness	0.1716	clean_selected	0.1557	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Fbar	spearman	NOISE-S	borda	borda	R_Fbar_g	robustness	-0.1134	clean_selected	0.1033	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	C	spearman	NOISE-S	borda	borda	R_C_g	robustness	0.3338	clean_selected	0.3287	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Cbar	spearman	NOISE-S	borda	borda	R_Cbar_g	robustness	-0.3262	clean_selected	0.3102	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	F	spearman	NOISE-S	borda	borda	R_F_p	robustness	0.1612	clean_selected	0.1378	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Fbar	spearman	NOISE-S	borda	borda	R_Fbar_p	robustness	-0.0928	clean_selected	0.0986	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	C	spearman	NOISE-S	borda	borda	R_C_p	robustness	0.317	clean_selected	0.3176	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Cbar	spearman	NOISE-S	borda	borda	R_Cbar_p	robustness	-0.2998	clean_selected	0.2856	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	F	spearman	NOISE-S	borda	borda	R_F_s	robustness	0.0798	clean_selected	0.0638	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Fbar	spearman	NOISE-S	borda	borda	R_Fbar_s	robustness	-0.0402	clean_selected	0.0377	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	C	spearman	NOISE-S	borda	borda	R_C_s	robustness	0.1176	clean_selected	0.1178	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Cbar	spearman	NOISE-S	borda	borda	R_Cbar_s	robustness	-0.1024	clean_selected	0.0957	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	F	spearman	NOISE-S	borda	borda	R_F_a	robustness	-0.11	clean_selected	0.1105	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Fbar	spearman	NOISE-S	borda	borda	R_Fbar_a	robustness	0.0302	clean_selected	0.0266	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	C	spearman	NOISE-S	borda	borda	R_C_a	robustness	-0.206	clean_selected	0.2096	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Cbar	spearman	NOISE-S	borda	borda	R_Cbar_a	robustness	0.0712	clean_selected	0.0572	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	F	spearman	NOISE-S	borda	borda	F	quality	0.1856	naive_q11	0.158	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Fbar	spearman	NOISE-S	borda	borda	Fbar	quality	0.1802	naive_q11	0.2186	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	C	spearman	NOISE-S	borda	borda	C	quality	0.3116	naive_q11	0.2756	max	better

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Cbar	spearman	NOISE-S	borda	borda	Cbar	quality	0.3024	naive_q11	0.3464	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	F	spearman	NOISE-S	borda	borda	R_F_g	robustness	0.1716	naive_q11	0.1692	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Fbar	spearman	NOISE-S	borda	borda	R_Fbar_g	robustness	-0.1134	naive_q11	-0.0996	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	C	spearman	NOISE-S	borda	borda	R_C_g	robustness	0.3338	naive_q11	0.3384	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Cbar	spearman	NOISE-S	borda	borda	R_Cbar_g	robustness	-0.3262	naive_q11	-0.3208	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	F	spearman	NOISE-S	borda	borda	R_F_p	robustness	0.1612	naive_q11	0.1624	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Fbar	spearman	NOISE-S	borda	borda	R_Fbar_p	robustness	-0.0928	naive_q11	-0.0788	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	C	spearman	NOISE-S	borda	borda	R_C_p	robustness	0.317	naive_q11	0.3208	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Cbar	spearman	NOISE-S	borda	borda	R_Cbar_p	robustness	-0.2998	naive_q11	-0.2822	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	F	spearman	NOISE-S	borda	borda	R_F_s	robustness	0.0798	naive_q11	0.0748	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Fbar	spearman	NOISE-S	borda	borda	R_Fbar_s	robustness	-0.0402	naive_q11	-0.0428	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	C	spearman	NOISE-S	borda	borda	R_C_s	robustness	0.1176	naive_q11	0.1142	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Cbar	spearman	NOISE-S	borda	borda	R_Cbar_s	robustness	-0.1024	naive_q11	-0.103	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	F	spearman	NOISE-S	borda	borda	R_F_a	robustness	-0.11	naive_q11	-0.095	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Fbar	spearman	NOISE-S	borda	borda	R_Fbar_a	robustness	0.0302	naive_q11	0.019	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	C	spearman	NOISE-S	borda	borda	R_C_a	robustness	-0.206	naive_q11	-0.1882	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Cbar	spearman	NOISE-S	borda	borda	R_Cbar_a	robustness	0.0712	naive_q11	0.0532	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	F	spearman	NOISE-S	borda	borda	F	quality	0.1856	NOISE_same	0.158	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Fbar	spearman	NOISE-S	borda	borda	Fbar	quality	0.1802	NOISE_same	0.2486	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	C	spearman	NOISE-S	borda	borda	C	quality	0.3116	NOISE_same	0.2756	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Cbar	spearman	NOISE-S	borda	borda	Cbar	quality	0.3024	NOISE_same	0.3464	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	F	spearman	NOISE-S	borda	borda	R_F_g	robustness	0.1716	NOISE_same	0.1692	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Fbar	spearman	NOISE-S	borda	borda	R_Fbar_g	robustness	-0.1134	NOISE_same	-0.0996	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	C	spearman	NOISE-S	borda	borda	R_C_g	robustness	0.3338	NOISE_same	0.3384	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Cbar	spearman	NOISE-S	borda	borda	R_Cbar_g	robustness	-0.3262	NOISE_same	-0.3208	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	F	spearman	NOISE-S	borda	borda	R_F_p	robustness	0.1612	NOISE_same	0.1624	min	worse

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Fbar	spearman	NOISE-S	borda	borda	R_Fbar_p	robustness	-0.0928	NOISE_same	0.0588	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	C	spearman	NOISE-S	borda	borda	R_C_p	robustness	0.317	NOISE_same	0.3206	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Cbar	spearman	NOISE-S	borda	borda	R_Cbar_p	robustness	-0.2998	NOISE_same	0.2820	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	F	spearman	NOISE-S	borda	borda	R_F_s	robustness	0.0798	NOISE_same	0.0748	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Fbar	spearman	NOISE-S	borda	borda	R_Fbar_s	robustness	-0.0402	NOISE_same	0.0428	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	C	spearman	NOISE-S	borda	borda	R_C_s	robustness	0.1176	NOISE_same	0.1142	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Cbar	spearman	NOISE-S	borda	borda	R_Cbar_s	robustness	-0.1024	NOISE_same	0.103	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	F	spearman	NOISE-S	borda	borda	R_F_a	robustness	-0.11	NOISE_same	0.095	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Fbar	spearman	NOISE-S	borda	borda	R_Fbar_a	robustness	0.0302	NOISE_same	0.019	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	C	spearman	NOISE-S	borda	borda	R_C_a	robustness	-0.206	NOISE_same	0.1883	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Cbar	spearman	NOISE-S	borda	borda	R_Cbar_a	robustness	0.0712	NOISE_same	0.0582	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	F	spearman	NOISE-S	borda	borda	F	quality	0.1856	dual_geometry	0.1876	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Fbar	spearman	NOISE-S	borda	borda	Fbar	quality	0.1802	dual_geometry	0.1982	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	C	spearman	NOISE-S	borda	borda	C	quality	0.3116	dual_geometry	0.312	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Cbar	spearman	NOISE-S	borda	borda	Cbar	quality	0.3024	dual_geometry	0.3216	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	F	spearman	NOISE-S	borda	borda	R_F_g	robustness	0.1716	dual_geometry	0.1676	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Fbar	spearman	NOISE-S	borda	borda	R_Fbar_g	robustness	-0.1134	dual_geometry	0.118	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	C	spearman	NOISE-S	borda	borda	R_C_g	robustness	0.3338	dual_geometry	0.3496	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Cbar	spearman	NOISE-S	borda	borda	R_Cbar_g	robustness	-0.3262	dual_geometry	0.3498	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	F	spearman	NOISE-S	borda	borda	R_F_p	robustness	0.1612	dual_geometry	0.1592	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Fbar	spearman	NOISE-S	borda	borda	R_Fbar_p	robustness	-0.0928	dual_geometry	0.1166	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	C	spearman	NOISE-S	borda	borda	R_C_p	robustness	0.317	dual_geometry	0.3128	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Cbar	spearman	NOISE-S	borda	borda	R_Cbar_p	robustness	-0.2998	dual_geometry	0.3188	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	F	spearman	NOISE-S	borda	borda	R_F_s	robustness	0.0798	dual_geometry	0.0761	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Fbar	spearman	NOISE-S	borda	borda	R_Fbar_s	robustness	-0.0402	dual_geometry	0.051	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	C	spearman	NOISE-S	borda	borda	R_C_s	robustness	0.1176	dual_geometry	0.1138	better	better

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Cbar	spearman	NOISE-S	borda	borda	R_Cbar_s	robustness	-0.1024	dual_geometry	0.1142	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	F	spearman	NOISE-S	borda	borda	R_F_a	robustness	-0.11	dual_geometry	0.1168	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Fbar	spearman	NOISE-S	borda	borda	R_Fbar_a	robustness	0.0302	dual_geometry	0.0261	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	C	spearman	NOISE-S	borda	borda	R_C_a	robustness	-0.206	dual_geometry	0.293	robustness	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Cbar	spearman	NOISE-S	borda	borda	R_Cbar_a	robustness	0.0712	dual_geometry	0.073	robustness	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	F	spearman	NOISE-S	borda	kemeny	F	quality	0.175	clean_selected	0.176	robustness	individual better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Fbar	spearman	NOISE-S	borda	kemeny	Fbar	quality	0.165	clean_selected	0.1752	robustness	individual better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	C	spearman	NOISE-S	borda	kemeny	C	quality	0.2978	clean_selected	0.292	robustness	individual better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Cbar	spearman	NOISE-S	borda	kemeny	Cbar	quality	0.2772	clean_selected	0.2952	robustness	individual better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	F	spearman	NOISE-S	borda	kemeny	R_F_g	robustness	0.1706	clean_selected	0.15	robustness	individual better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Fbar	spearman	NOISE-S	borda	kemeny	R_Fbar_g	robustness	-0.086	clean_selected	0.108	robustness	individual better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	C	spearman	NOISE-S	borda	kemeny	R_C_g	robustness	0.329	clean_selected	0.328	robustness	individual better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Cbar	spearman	NOISE-S	borda	kemeny	R_Cbar_g	robustness	-0.3086	clean_selected	0.3102	robustness	individual better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	F	spearman	NOISE-S	borda	kemeny	R_F_p	robustness	0.1612	clean_selected	0.1378	robustness	individual better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Fbar	spearman	NOISE-S	borda	kemeny	R_Fbar_p	robustness	-0.0606	clean_selected	0.0086	robustness	individual better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	C	spearman	NOISE-S	borda	kemeny	R_C_p	robustness	0.3108	clean_selected	0.3176	robustness	individual worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Cbar	spearman	NOISE-S	borda	kemeny	R_Cbar_p	robustness	-0.2756	clean_selected	0.2856	robustness	individual better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	F	spearman	NOISE-S	borda	kemeny	R_F_s	robustness	0.0806	clean_selected	0.0618	robustness	individual better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Fbar	spearman	NOISE-S	borda	kemeny	R_Fbar_s	robustness	-0.0352	clean_selected	0.037	robustness	individual better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	C	spearman	NOISE-S	borda	kemeny	R_C_s	robustness	0.1136	clean_selected	0.1178	robustness	individual worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Cbar	spearman	NOISE-S	borda	kemeny	R_Cbar_s	robustness	-0.1016	clean_selected	0.095	robustness	individual worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	F	spearman	NOISE-S	borda	kemeny	R_F_a	robustness	-0.1066	clean_selected	0.1105	robustness	individual worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Fbar	spearman	NOISE-S	borda	kemeny	R_Fbar_a	robustness	0.0088	clean_selected	0.0216	robustness	individual worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	C	spearman	NOISE-S	borda	kemeny	R_C_a	robustness	-0.2046	clean_selected	0.2096	robustness	individual better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Cbar	spearman	NOISE-S	borda	kemeny	R_Cbar_a	robustness	0.0402	clean_selected	0.0572	robustness	individual worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	F	spearman	NOISE-S	borda	kemeny	F	quality	0.175	naive_q11	0.1556	max	better

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Fbar	spearman	NOISE-S	borda	kemeny	Fbar	quality	0.165	naive_q11	0.2234	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	C	spearman	NOISE-S	borda	kemeny	C	quality	0.2978	naive_q11	0.271	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Cbar	spearman	NOISE-S	borda	kemeny	Cbar	quality	0.2772	naive_q11	0.3492	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	F	spearman	NOISE-S	borda	kemeny	R_F_g	robustness	0.1706	naive_q11	0.1668	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Fbar	spearman	NOISE-S	borda	kemeny	R_Fbar_g	robustness	-0.086	naive_q11	-0.0684	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	C	spearman	NOISE-S	borda	kemeny	R_C_g	robustness	0.329	naive_q11	0.3296	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Cbar	spearman	NOISE-S	borda	kemeny	R_Cbar_g	robustness	-0.3086	naive_q11	-0.2774	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	F	spearman	NOISE-S	borda	kemeny	R_F_p	robustness	0.1612	naive_q11	0.1614	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Fbar	spearman	NOISE-S	borda	kemeny	R_Fbar_p	robustness	-0.0606	naive_q11	-0.045	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	C	spearman	NOISE-S	borda	kemeny	R_C_p	robustness	0.3108	naive_q11	0.317	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Cbar	spearman	NOISE-S	borda	kemeny	R_Cbar_p	robustness	-0.2756	naive_q11	-0.2522	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	F	spearman	NOISE-S	borda	kemeny	R_F_s	robustness	0.0806	naive_q11	0.0748	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Fbar	spearman	NOISE-S	borda	kemeny	R_Fbar_s	robustness	-0.0352	naive_q11	-0.0362	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	C	spearman	NOISE-S	borda	kemeny	R_C_s	robustness	0.1136	naive_q11	0.1136	max	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Cbar	spearman	NOISE-S	borda	kemeny	R_Cbar_s	robustness	-0.1016	naive_q11	-0.0994	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	F	spearman	NOISE-S	borda	kemeny	R_F_a	robustness	-0.1066	naive_q11	-0.0904	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Fbar	spearman	NOISE-S	borda	kemeny	R_Fbar_a	robustness	0.0088	naive_q11	0.015	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	C	spearman	NOISE-S	borda	kemeny	R_C_a	robustness	-0.2046	naive_q11	-0.179	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Cbar	spearman	NOISE-S	borda	kemeny	R_Cbar_a	robustness	0.0402	naive_q11	0.0492	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	F	spearman	NOISE-S	borda	kemeny	F	quality	0.175	NOISE_sam0.1556	0.1556	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Fbar	spearman	NOISE-S	borda	kemeny	Fbar	quality	0.165	NOISE_sam0.2234	0.2234	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	C	spearman	NOISE-S	borda	kemeny	C	quality	0.2978	NOISE_sam0.271	0.271	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Cbar	spearman	NOISE-S	borda	kemeny	Cbar	quality	0.2772	NOISE_sam0.3492	0.3492	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	F	spearman	NOISE-S	borda	kemeny	R_F_g	robustness	0.1706	NOISE_sam0.1668	0.1668	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Fbar	spearman	NOISE-S	borda	kemeny	R_Fbar_g	robustness	-0.086	NOISE_sam0.0684	0.0684	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	C	spearman	NOISE-S	borda	kemeny	R_C_g	robustness	0.329	NOISE_sam0.3296	0.3296	max	worse

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Cbar	spearman	NOISE-S	borda	kemeny	R_Cbar_g	robustness	-0.3086	NOISE_sam0.2754	0.2754	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	F	spearman	NOISE-S	borda	kemeny	R_F_p	robustness	0.1612	NOISE_sam0.1644	0.1644	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Fbar	spearman	NOISE-S	borda	kemeny	R_Fbar_p	robustness	-0.0606	NOISE_sam0.0456	0.0456	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	C	spearman	NOISE-S	borda	kemeny	R_C_p	robustness	0.3108	NOISE_sam0.3176	0.3176	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Cbar	spearman	NOISE-S	borda	kemeny	R_Cbar_p	robustness	-0.2756	NOISE_sam0.2529	0.2529	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	F	spearman	NOISE-S	borda	kemeny	R_F_s	robustness	0.0806	NOISE_sam0.0746	0.0746	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Fbar	spearman	NOISE-S	borda	kemeny	R_Fbar_s	robustness	-0.0352	NOISE_sam0.0361	0.0361	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	C	spearman	NOISE-S	borda	kemeny	R_C_s	robustness	0.1136	NOISE_sam0.1146	0.1146	equal	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Cbar	spearman	NOISE-S	borda	kemeny	R_Cbar_s	robustness	-0.1016	NOISE_sam0.0994	0.0994	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	F	spearman	NOISE-S	borda	kemeny	R_F_a	robustness	-0.1066	NOISE_sam0.0904	0.0904	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Fbar	spearman	NOISE-S	borda	kemeny	R_Fbar_a	robustness	0.0088	NOISE_sam0.0156	0.0156	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	C	spearman	NOISE-S	borda	kemeny	R_C_a	robustness	-0.2046	NOISE_sam0.1779	0.1779	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Cbar	spearman	NOISE-S	borda	kemeny	R_Cbar_a	robustness	0.0402	NOISE_sam0.0462	0.0462	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	F	spearman	NOISE-S	borda	kemeny	F	quality	0.175	dual_geometry1.871	1.871	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Fbar	spearman	NOISE-S	borda	kemeny	Fbar	quality	0.165	dual_geometry1.658	1.658	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	C	spearman	NOISE-S	borda	kemeny	C	quality	0.2978	dual_geometry3.128	3.128	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Cbar	spearman	NOISE-S	borda	kemeny	Cbar	quality	0.2772	dual_geometry2.872	2.872	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	F	spearman	NOISE-S	borda	kemeny	R_F_g	robustness	0.1706	dual_geometry1.791	1.791	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Fbar	spearman	NOISE-S	borda	kemeny	R_Fbar_g	robustness	-0.086	dual_geometry0.096	0.096	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	C	spearman	NOISE-S	borda	kemeny	R_C_g	robustness	0.329	dual_geometry0.339	0.339	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Cbar	spearman	NOISE-S	borda	kemeny	R_Cbar_g	robustness	-0.3086	dual_geometry0.3062	0.3062	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	F	spearman	NOISE-S	borda	kemeny	R_F_p	robustness	0.1612	dual_geometry1.628	1.628	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Fbar	spearman	NOISE-S	borda	kemeny	R_Fbar_p	robustness	-0.0606	dual_geometry0.0684	0.0684	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	C	spearman	NOISE-S	borda	kemeny	R_C_p	robustness	0.3108	dual_geometry0.3156	0.3156	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Cbar	spearman	NOISE-S	borda	kemeny	R_Cbar_p	robustness	-0.2756	dual_geometry0.2754	0.2754	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	F	spearman	NOISE-S	borda	kemeny	R_F_s	robustness	0.0806	dual_geometry0.0846	0.0846	worse	worse

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Fbar	spearman	NOISE-S	borda	kemeny	R_Fbar_s	robustness	-0.0352	dual_geometry	0.0446	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	C	spearman	NOISE-S	borda	kemeny	R_C_s	robustness	0.1136	dual_geometry	0.1292	robustness	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Cbar	spearman	NOISE-S	borda	kemeny	R_Cbar_s	robustness	-0.1016	dual_geometry	0.1084	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	F	spearman	NOISE-S	borda	kemeny	R_F_a	robustness	-0.1066	dual_geometry	0.1106	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Fbar	spearman	NOISE-S	borda	kemeny	R_Fbar_a	robustness	0.0088	dual_geometry	0.0272	robustness	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	C	spearman	NOISE-S	borda	kemeny	R_C_a	robustness	-0.2046	dual_geometry	0.2054	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Cbar	spearman	NOISE-S	borda	kemeny	R_Cbar_a	robustness	0.0402	dual_geometry	0.0746	robustness	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	F	spearman	NOISE-S	borda	rrf	F	quality	0.1834	clean_selected	0.1706	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Fbar	spearman	NOISE-S	borda	rrf	Fbar	quality	0.1606	clean_selected	0.1752	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	C	spearman	NOISE-S	borda	rrf	C	quality	0.3066	clean_selected	0.292	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Cbar	spearman	NOISE-S	borda	rrf	Cbar	quality	0.2748	clean_selected	0.2952	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	F	spearman	NOISE-S	borda	rrf	R_F_g	robustness	0.1756	clean_selected	0.15	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Fbar	spearman	NOISE-S	borda	rrf	R_Fbar_g	robustness	-0.0984	clean_selected	0.108	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	C	spearman	NOISE-S	borda	rrf	R_C_g	robustness	0.333	clean_selected	0.328	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Cbar	spearman	NOISE-S	borda	rrf	R_Cbar_g	robustness	-0.3202	clean_selected	0.3102	individual	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	F	spearman	NOISE-S	borda	rrf	R_F_p	robustness	0.165	clean_selected	0.1378	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Fbar	spearman	NOISE-S	borda	rrf	R_Fbar_p	robustness	-0.072	clean_selected	0.086	individual	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	C	spearman	NOISE-S	borda	rrf	R_C_p	robustness	0.3196	clean_selected	0.3176	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Cbar	spearman	NOISE-S	borda	rrf	R_Cbar_p	robustness	-0.284	clean_selected	0.2856	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	F	spearman	NOISE-S	borda	rrf	R_F_s	robustness	0.0828	clean_selected	0.068	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Fbar	spearman	NOISE-S	borda	rrf	R_Fbar_s	robustness	-0.0386	clean_selected	0.037	individual	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	C	spearman	NOISE-S	borda	rrf	R_C_s	robustness	0.1194	clean_selected	0.1178	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Cbar	spearman	NOISE-S	borda	rrf	R_Cbar_s	robustness	-0.102	clean_selected	0.095	individual	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	F	spearman	NOISE-S	borda	rrf	R_F_a	robustness	-0.1104	clean_selected	0.11058	individual	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Fbar	spearman	NOISE-S	borda	rrf	R_Fbar_a	robustness	0.026	clean_selected	0.0236	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	C	spearman	NOISE-S	borda	rrf	R_C_a	robustness	-0.2048	clean_selected	0.2096	individual	better

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Cbar	spearman	NOISE-S	borda	rrf	R_Cbar_a	robustness	0.0638	clean_select	0.0572	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	F	spearman	NOISE-S	borda	rrf	F	quality	0.1834	naive_q11	0.1612	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Fbar	spearman	NOISE-S	borda	rrf	Fbar	quality	0.1606	naive_q11	0.2176	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	C	spearman	NOISE-S	borda	rrf	C	quality	0.3066	naive_q11	0.2812	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Cbar	spearman	NOISE-S	borda	rrf	Cbar	quality	0.2748	naive_q11	0.3424	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	F	spearman	NOISE-S	borda	rrf	R_F_g	robustness	0.1756	naive_q11	0.1648	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Fbar	spearman	NOISE-S	borda	rrf	R_Fbar_g	robustness	-0.0984	naive_q11	-0.0776	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	C	spearman	NOISE-S	borda	rrf	R_C_g	robustness	0.333	naive_q11	0.3286	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Cbar	spearman	NOISE-S	borda	rrf	R_Cbar_g	robustness	-0.3202	naive_q11	-0.2944	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	F	spearman	NOISE-S	borda	rrf	R_F_p	robustness	0.165	naive_q11	0.1624	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Fbar	spearman	NOISE-S	borda	rrf	R_Fbar_p	robustness	-0.072	naive_q11	-0.066	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	C	spearman	NOISE-S	borda	rrf	R_C_p	robustness	0.3196	naive_q11	0.3134	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Cbar	spearman	NOISE-S	borda	rrf	R_Cbar_p	robustness	-0.284	naive_q11	-0.2654	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	F	spearman	NOISE-S	borda	rrf	R_F_s	robustness	0.0828	naive_q11	0.0742	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Fbar	spearman	NOISE-S	borda	rrf	R_Fbar_s	robustness	-0.0386	naive_q11	-0.0342	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	C	spearman	NOISE-S	borda	rrf	R_C_s	robustness	0.1194	naive_q11	0.1126	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Cbar	spearman	NOISE-S	borda	rrf	R_Cbar_s	robustness	-0.102	naive_q11	-0.0958	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	F	spearman	NOISE-S	borda	rrf	R_F_a	robustness	-0.1104	naive_q11	-0.0956	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Fbar	spearman	NOISE-S	borda	rrf	R_Fbar_a	robustness	0.026	naive_q11	0.0246	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	C	spearman	NOISE-S	borda	rrf	R_C_a	robustness	-0.2048	naive_q11	-0.1914	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Cbar	spearman	NOISE-S	borda	rrf	R_Cbar_a	robustness	0.0638	naive_q11	0.0608	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	F	spearman	NOISE-S	borda	rrf	F	quality	0.1834	NOISE_sam0.1642m	0.1642m	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Fbar	spearman	NOISE-S	borda	rrf	Fbar	quality	0.1606	NOISE_sam0.2476m	0.2476m	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	C	spearman	NOISE-S	borda	rrf	C	quality	0.3066	NOISE_sam0.2842m	0.2842m	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Cbar	spearman	NOISE-S	borda	rrf	Cbar	quality	0.2748	NOISE_sam0.3424m	0.3424m	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	F	spearman	NOISE-S	borda	rrf	R_F_g	robustness	0.1756	NOISE_sam0.1648m	0.1648m	max	better

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Fbar	spearman	NOISE-S	borda	rrf	R_Fbar_g	robustness	-0.0984	NOISE_same	0.0976	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	C	spearman	NOISE-S	borda	rrf	R_C_g	robustness	0.333	NOISE_same	0.3286	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Cbar	spearman	NOISE-S	borda	rrf	R_Cbar_g	robustness	-0.3202	NOISE_same	0.2944	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	F	spearman	NOISE-S	borda	rrf	R_F_p	robustness	0.165	NOISE_same	0.1624	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Fbar	spearman	NOISE-S	borda	rrf	R_Fbar_p	robustness	-0.072	NOISE_same	0.0666	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	C	spearman	NOISE-S	borda	rrf	R_C_p	robustness	0.3196	NOISE_same	0.3184	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Cbar	spearman	NOISE-S	borda	rrf	R_Cbar_p	robustness	-0.284	NOISE_same	0.2554	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	F	spearman	NOISE-S	borda	rrf	R_F_s	robustness	0.0828	NOISE_same	0.0742	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Fbar	spearman	NOISE-S	borda	rrf	R_Fbar_s	robustness	-0.0386	NOISE_same	0.0442	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	C	spearman	NOISE-S	borda	rrf	R_C_s	robustness	0.1194	NOISE_same	0.1126	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Cbar	spearman	NOISE-S	borda	rrf	R_Cbar_s	robustness	-0.102	NOISE_same	0.0958	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	F	spearman	NOISE-S	borda	rrf	R_F_a	robustness	-0.1104	NOISE_same	0.0956	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Fbar	spearman	NOISE-S	borda	rrf	R_Fbar_a	robustness	0.026	NOISE_same	0.0246	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	C	spearman	NOISE-S	borda	rrf	R_C_a	robustness	-0.2048	NOISE_same	0.1914	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Cbar	spearman	NOISE-S	borda	rrf	R_Cbar_a	robustness	0.0638	NOISE_same	0.0608	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	F	spearman	NOISE-S	borda	rrf	F	quality	0.1834	dual_geometry	0.1886	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Fbar	spearman	NOISE-S	borda	rrf	Fbar	quality	0.1606	dual_geometry	0.1888	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	C	spearman	NOISE-S	borda	rrf	C	quality	0.3066	dual_geometry	0.3152	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Cbar	spearman	NOISE-S	borda	rrf	Cbar	quality	0.2748	dual_geometry	0.3094	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	F	spearman	NOISE-S	borda	rrf	R_F_g	robustness	0.1756	dual_geometry	0.1646	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Fbar	spearman	NOISE-S	borda	rrf	R_Fbar_g	robustness	-0.0984	dual_geometry	0.1144	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	C	spearman	NOISE-S	borda	rrf	R_C_g	robustness	0.333	dual_geometry	0.3351	worse	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Cbar	spearman	NOISE-S	borda	rrf	R_Cbar_g	robustness	-0.3202	dual_geometry	0.3294	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	F	spearman	NOISE-S	borda	rrf	R_F_p	robustness	0.165	dual_geometry	0.1572	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Fbar	spearman	NOISE-S	borda	rrf	R_Fbar_p	robustness	-0.072	dual_geometry	0.0968	better	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	C	spearman	NOISE-S	borda	rrf	R_C_p	robustness	0.3196	dual_geometry	0.3154	better	better

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Cbar	spearman	NOISE-S	borda	rff	R_Cbar_p	robustness	-0.284	dual_geometry	0.8072	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	F	spearman	NOISE-S	borda	rff	R_F_s	robustness	0.0828	dual_geometry	0.8224	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Fbar	spearman	NOISE-S	borda	rff	R_Fbar_s	robustness	-0.0386	dual_geometry	0.0468	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	C	spearman	NOISE-S	borda	rff	R_C_s	robustness	0.1194	dual_geometry	0.1146	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Cbar	spearman	NOISE-S	borda	rff	R_Cbar_s	robustness	-0.102	dual_geometry	0.103	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	F	spearman	NOISE-S	borda	rff	R_F_a	robustness	-0.1104	dual_geometry	0.1162	robustness	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Fbar	spearman	NOISE-S	borda	rff	R_Fbar_a	robustness	0.026	dual_geometry	0.032	robustness	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	C	spearman	NOISE-S	borda	rff	R_C_a	robustness	-0.2048	dual_geometry	0.2045	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Cbar	spearman	NOISE-S	borda	rff	R_Cbar_a	robustness	0.0638	dual_geometry	0.0754	robustness	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	F	spearman	NOISE-S	borda	schulze	F	quality	0.1704	clean_selected	0.1766	quality	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Fbar	spearman	NOISE-S	borda	schulze	Fbar	quality	0.1726	clean_selected	0.1752	quality	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	C	spearman	NOISE-S	borda	schulze	C	quality	0.2974	clean_selected	0.292	quality	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Cbar	spearman	NOISE-S	borda	schulze	Cbar	quality	0.2872	clean_selected	0.2952	quality	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	F	spearman	NOISE-S	borda	schulze	R_F_g	robustness	0.176	clean_selected	0.15	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Fbar	spearman	NOISE-S	borda	schulze	R_Fbar_g	robustness	-0.0818	clean_selected	0.103	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	C	spearman	NOISE-S	borda	schulze	R_C_g	robustness	0.3238	clean_selected	0.326	robustness	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Cbar	spearman	NOISE-S	borda	schulze	R_Cbar_g	robustness	-0.3004	clean_selected	0.3102	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	F	spearman	NOISE-S	borda	schulze	R_F_p	robustness	0.1694	clean_selected	0.1378	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Fbar	spearman	NOISE-S	borda	schulze	R_Fbar_p	robustness	-0.0512	clean_selected	0.0666	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	C	spearman	NOISE-S	borda	schulze	R_C_p	robustness	0.3178	clean_selected	0.3176	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Cbar	spearman	NOISE-S	borda	schulze	R_Cbar_p	robustness	-0.2672	clean_selected	0.2356	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	F	spearman	NOISE-S	borda	schulze	R_F_s	robustness	0.0876	clean_selected	0.0608	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Fbar	spearman	NOISE-S	borda	schulze	R_Fbar_s	robustness	-0.028	clean_selected	0.037	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	C	spearman	NOISE-S	borda	schulze	R_C_s	robustness	0.1156	clean_selected	0.1178	robustness	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Cbar	spearman	NOISE-S	borda	schulze	R_Cbar_s	robustness	-0.0916	clean_selected	0.095	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	F	spearman	NOISE-S	borda	schulze	R_F_a	robustness	-0.1046	clean_selected	0.1105	robustness	better

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Fbar	spearman	NOISE-S	borda	schulze	R_Fbar_a	robustness	0.0142	clean_select	0.0126	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	C	spearman	NOISE-S	borda	schulze	R_C_a	robustness	-0.206	clean_select	0.2096	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Cbar	spearman	NOISE-S	borda	schulze	R_Cbar_a	robustness	0.0508	clean_select	0.0552	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	F	spearman	NOISE-S	borda	schulze	F	quality	0.1704	naive_q11	0.1576	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Fbar	spearman	NOISE-S	borda	schulze	Fbar	quality	0.1726	naive_q11	0.2182	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	C	spearman	NOISE-S	borda	schulze	C	quality	0.2974	naive_q11	0.276	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Cbar	spearman	NOISE-S	borda	schulze	Cbar	quality	0.2872	naive_q11	0.3444	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	F	spearman	NOISE-S	borda	schulze	R_F_g	robustness	0.176	naive_q11	0.1662	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Fbar	spearman	NOISE-S	borda	schulze	R_Fbar_g	robustness	-0.0818	naive_q11	-0.0762	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	C	spearman	NOISE-S	borda	schulze	R_C_g	robustness	0.3238	naive_q11	0.3296	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Cbar	spearman	NOISE-S	borda	schulze	R_Cbar_g	robustness	-0.3004	naive_q11	-0.288	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	F	spearman	NOISE-S	borda	schulze	R_F_p	robustness	0.1694	naive_q11	0.1592	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Fbar	spearman	NOISE-S	borda	schulze	R_Fbar_p	robustness	-0.0512	naive_q11	-0.0656	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	C	spearman	NOISE-S	borda	schulze	R_C_p	robustness	0.3178	naive_q11	0.3124	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Cbar	spearman	NOISE-S	borda	schulze	R_Cbar_p	robustness	-0.2672	naive_q11	-0.2696	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	F	spearman	NOISE-S	borda	schulze	R_F_s	robustness	0.0876	naive_q11	0.077	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Fbar	spearman	NOISE-S	borda	schulze	R_Fbar_s	robustness	-0.028	naive_q11	-0.035	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	C	spearman	NOISE-S	borda	schulze	R_C_s	robustness	0.1156	naive_q11	0.112	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Cbar	spearman	NOISE-S	borda	schulze	R_Cbar_s	robustness	-0.0916	naive_q11	-0.0958	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	F	spearman	NOISE-S	borda	schulze	R_F_a	robustness	-0.1046	naive_q11	-0.0926	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Fbar	spearman	NOISE-S	borda	schulze	R_Fbar_a	robustness	0.0142	naive_q11	0.017	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	C	spearman	NOISE-S	borda	schulze	R_C_a	robustness	-0.206	naive_q11	-0.1864	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Cbar	spearman	NOISE-S	borda	schulze	R_Cbar_a	robustness	0.0508	naive_q11	0.0506	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	F	spearman	NOISE-S	borda	schulze	F	quality	0.1704	NOISE_same	0.1576	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Fbar	spearman	NOISE-S	borda	schulze	Fbar	quality	0.1726	NOISE_same	0.2182	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	C	spearman	NOISE-S	borda	schulze	C	quality	0.2974	NOISE_same	0.276	max	better

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Cbar	spearman	NOISE-S	borda	schulze	Cbar	quality	0.2872	NOISE_same	0.3444	metric	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	F	spearman	NOISE-S	borda	schulze	R_F_g	robustness	0.176	NOISE_same	0.1662	metric	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Fbar	spearman	NOISE-S	borda	schulze	R_Fbar_g	robustness	-0.0818	NOISE_same	0.0760	metric	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	C	spearman	NOISE-S	borda	schulze	R_C_g	robustness	0.3238	NOISE_same	0.3266	metric	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Cbar	spearman	NOISE-S	borda	schulze	R_Cbar_g	robustness	-0.3004	NOISE_same	0.2885	metric	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	F	spearman	NOISE-S	borda	schulze	R_F_p	robustness	0.1694	NOISE_same	0.1592	metric	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Fbar	spearman	NOISE-S	borda	schulze	R_Fbar_p	robustness	-0.0512	NOISE_same	0.0506	metric	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	C	spearman	NOISE-S	borda	schulze	R_C_p	robustness	0.3178	NOISE_same	0.3424	metric	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Cbar	spearman	NOISE-S	borda	schulze	R_Cbar_p	robustness	-0.2672	NOISE_same	0.2696	metric	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	F	spearman	NOISE-S	borda	schulze	R_F_s	robustness	0.0876	NOISE_same	0.0757	metric	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Fbar	spearman	NOISE-S	borda	schulze	R_Fbar_s	robustness	-0.028	NOISE_same	0.0357	metric	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	C	spearman	NOISE-S	borda	schulze	R_C_s	robustness	0.1156	NOISE_same	0.112	metric	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Cbar	spearman	NOISE-S	borda	schulze	R_Cbar_s	robustness	-0.0916	NOISE_same	0.0956	metric	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	F	spearman	NOISE-S	borda	schulze	R_F_a	robustness	-0.1046	NOISE_same	0.0926	metric	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Fbar	spearman	NOISE-S	borda	schulze	R_Fbar_a	robustness	0.0142	NOISE_same	0.017	metric	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	C	spearman	NOISE-S	borda	schulze	R_C_a	robustness	-0.206	NOISE_same	0.1604	metric	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Cbar	spearman	NOISE-S	borda	schulze	R_Cbar_a	robustness	0.0508	NOISE_same	0.0506	metric	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	F	spearman	NOISE-S	borda	schulze	F	quality	0.1704	dual_geometry	0.1876	metric	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Fbar	spearman	NOISE-S	borda	schulze	Fbar	quality	0.1726	dual_geometry	0.2018	metric	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	C	spearman	NOISE-S	borda	schulze	C	quality	0.2974	dual_geometry	0.319	metric	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	clean	Cbar	spearman	NOISE-S	borda	schulze	Cbar	quality	0.2872	dual_geometry	0.3258	metric	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	F	spearman	NOISE-S	borda	schulze	R_F_g	robustness	0.176	dual_geometry	0.1686	metric	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Fbar	spearman	NOISE-S	borda	schulze	R_Fbar_g	robustness	-0.0818	dual_geometry	0.1176	metric	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	C	spearman	NOISE-S	borda	schulze	R_C_g	robustness	0.3238	dual_geometry	0.337	metric	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Cbar	spearman	NOISE-S	borda	schulze	R_Cbar_g	robustness	-0.3004	dual_geometry	0.3386	metric	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	F	spearman	NOISE-S	borda	schulze	R_F_p	robustness	0.1694	dual_geometry	0.1578	metric	better

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Fbar	spearman	NOISE-S	borda	schulze	R_Fbar_p	robustness	-0.0512	dual_geometry	0.0993	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	C	spearman	NOISE-S	borda	schulze	R_C_p	robustness	0.3178	dual_geometry	0.3244	robustness	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Cbar	spearman	NOISE-S	borda	schulze	R_Cbar_p	robustness	-0.2672	dual_geometry	0.3072	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	F	spearman	NOISE-S	borda	schulze	R_F_s	robustness	0.0876	dual_geometry	0.0788	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Fbar	spearman	NOISE-S	borda	schulze	R_Fbar_s	robustness	-0.028	dual_geometry	0.043	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	C	spearman	NOISE-S	borda	schulze	R_C_s	robustness	0.1156	dual_geometry	0.115	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Cbar	spearman	NOISE-S	borda	schulze	R_Cbar_s	robustness	-0.0916	dual_geometry	0.114	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	F	spearman	NOISE-S	borda	schulze	R_F_a	robustness	-0.1046	dual_geometry	0.1092	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Fbar	spearman	NOISE-S	borda	schulze	R_Fbar_a	robustness	0.0142	dual_geometry	0.0352	robustness	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	C	spearman	NOISE-S	borda	schulze	R_C_a	robustness	-0.206	dual_geometry	0.2046	robustness	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Cbar	spearman	NOISE-S	borda	schulze	R_Cbar_a	robustness	0.0508	dual_geometry	0.0798	robustness	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	kendall	NOISE-K	kemeny	simpleavg	F	quality	0.1726	clean_select	0.176	quality	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	kendall	NOISE-K	kemeny	simpleavg	Fbar	quality	0.2698	clean_select	0.1752	quality	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	kendall	NOISE-K	kemeny	simpleavg	C	quality	0.2872	clean_select	0.292	quality	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	kendall	NOISE-K	kemeny	simpleavg	Cbar	quality	0.4004	clean_select	0.2952	quality	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	F	kendall	NOISE-K	kemeny	simpleavg	R_F_g	robustness	0.156	clean_selected	0.15	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Fbar	kendall	NOISE-K	kemeny	simpleavg	R_Fbar_g	robustness	-0.1262	clean_selected	0.168	robustness	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	C	kendall	NOISE-K	kemeny	simpleavg	R_C_g	robustness	0.347	clean_selected	0.328	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Cbar	kendall	NOISE-K	kemeny	simpleavg	R_Cbar_g	robustness	-0.3426	clean_selected	0.3102	robustness	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	F	kendall	NOISE-K	kemeny	simpleavg	R_F_p	robustness	0.1294	clean_selected	0.1378	robustness	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Fbar	kendall	NOISE-K	kemeny	simpleavg	R_Fbar_p	robustness	-0.107	clean_selected	0.1086	robustness	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	C	kendall	NOISE-K	kemeny	simpleavg	R_C_p	robustness	0.3086	clean_selected	0.3176	robustness	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Cbar	kendall	NOISE-K	kemeny	simpleavg	R_Cbar_p	robustness	-0.3174	clean_selected	0.2856	robustness	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	F	kendall	NOISE-K	kemeny	simpleavg	R_F_s	robustness	0.0722	clean_selected	0.0698	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Fbar	kendall	NOISE-K	kemeny	simpleavg	R_Fbar_s	robustness	-0.0666	clean_selected	0.087	robustness	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	C	kendall	NOISE-K	kemeny	simpleavg	R_C_s	robustness	0.1188	clean_selected	0.1178	robustness	better

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Cbar	kendall	NOISE-K	kemeny	simpleavg	R_Cbar_s	robustness	-0.13	clean_selected	0.055	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	F	kendall	NOISE-K	kemeny	simpleavg	R_F_a	robustness	-0.0908	clean_selected	0.1058	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Fbar	kendall	NOISE-K	kemeny	simpleavg	R_Fbar_a	robustness	0.0428	clean_selected	0.1216	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	C	kendall	NOISE-K	kemeny	simpleavg	R_C_a	robustness	-0.1732	clean_selected	0.1206	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Cbar	kendall	NOISE-K	kemeny	simpleavg	R_Cbar_a	robustness	0.0784	clean_selected	0.0578	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	kendall	NOISE-K	kemeny	simpleavg	F	quality	0.1726	naive_q11	0.1726	max	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	kendall	NOISE-K	kemeny	simpleavg	Fbar	quality	0.2698	naive_q11	0.251	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	kendall	NOISE-K	kemeny	simpleavg	C	quality	0.2872	naive_q11	0.286	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	kendall	NOISE-K	kemeny	simpleavg	Cbar	quality	0.4004	naive_q11	0.3862	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	F	kendall	NOISE-K	kemeny	simpleavg	R_F_g	robustness	0.156	naive_q11	0.1564	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Fbar	kendall	NOISE-K	kemeny	simpleavg	R_Fbar_g	robustness	-0.1262	naive_q11	-0.1118	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	C	kendall	NOISE-K	kemeny	simpleavg	R_C_g	robustness	0.347	naive_q11	0.3474	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Cbar	kendall	NOISE-K	kemeny	simpleavg	R_Cbar_g	robustness	-0.3426	naive_q11	-0.3208	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	F	kendall	NOISE-K	kemeny	simpleavg	R_F_p	robustness	0.1294	naive_q11	0.1376	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Fbar	kendall	NOISE-K	kemeny	simpleavg	R_Fbar_p	robustness	-0.107	naive_q11	-0.0916	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	C	kendall	NOISE-K	kemeny	simpleavg	R_C_p	robustness	0.3086	naive_q11	0.3152	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Cbar	kendall	NOISE-K	kemeny	simpleavg	R_Cbar_p	robustness	-0.3174	naive_q11	-0.2946	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	F	kendall	NOISE-K	kemeny	simpleavg	R_F_s	robustness	0.0722	naive_q11	0.0734	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Fbar	kendall	NOISE-K	kemeny	simpleavg	R_Fbar_s	robustness	-0.0666	naive_q11	-0.0636	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	C	kendall	NOISE-K	kemeny	simpleavg	R_C_s	robustness	0.1188	naive_q11	0.1192	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Cbar	kendall	NOISE-K	kemeny	simpleavg	R_Cbar_s	robustness	-0.13	naive_q11	-0.1196	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	F	kendall	NOISE-K	kemeny	simpleavg	R_F_a	robustness	-0.0908	naive_q11	-0.0944	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Fbar	kendall	NOISE-K	kemeny	simpleavg	R_Fbar_a	robustness	0.0428	naive_q11	0.0338	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	C	kendall	NOISE-K	kemeny	simpleavg	R_C_a	robustness	-0.1732	naive_q11	-0.1768	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Cbar	kendall	NOISE-K	kemeny	simpleavg	R_Cbar_a	robustness	0.0784	naive_q11	0.0754	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	kendall	NOISE-K	kemeny	simpleavg	F	quality	0.1726	NOISE_same	0.1726	max	equal

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	kendall	NOISE-K	kemeny	simpleavg	Fbar	quality	0.2698	NOISE_sam0.2698	0.2698	metrix	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	kendall	NOISE-K	kemeny	simpleavg	C	quality	0.2872	NOISE_sam0.2872	0.2872	metrix	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	kendall	NOISE-K	kemeny	simpleavg	Cbar	quality	0.4004	NOISE_sam0.3862	0.3862	metrix	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	F	kendall	NOISE-K	kemeny	simpleavg	R_F_g	robustness	0.156	NOISE_sam0.156	0.156	metrix	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Fbar	kendall	NOISE-K	kemeny	simpleavg	R_Fbar_g	robustness	-0.1262	NOISE_sam0.1262	0.1262	metrix	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	C	kendall	NOISE-K	kemeny	simpleavg	R_C_g	robustness	0.347	NOISE_sam0.347	0.347	metrix	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Cbar	kendall	NOISE-K	kemeny	simpleavg	R_Cbar_g	robustness	-0.3426	NOISE_sam0.3426	0.3426	metrix	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	F	kendall	NOISE-K	kemeny	simpleavg	R_F_p	robustness	0.1294	NOISE_sam0.1294	0.1294	metrix	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Fbar	kendall	NOISE-K	kemeny	simpleavg	R_Fbar_p	robustness	-0.107	NOISE_sam0.107	0.107	metrix	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	C	kendall	NOISE-K	kemeny	simpleavg	R_C_p	robustness	0.3086	NOISE_sam0.3086	0.3086	metrix	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Cbar	kendall	NOISE-K	kemeny	simpleavg	R_Cbar_p	robustness	-0.3174	NOISE_sam0.3174	0.3174	metrix	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	F	kendall	NOISE-K	kemeny	simpleavg	R_F_s	robustness	0.0722	NOISE_sam0.0722	0.0722	metrix	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Fbar	kendall	NOISE-K	kemeny	simpleavg	R_Fbar_s	robustness	-0.0666	NOISE_sam0.0666	0.0666	metrix	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	C	kendall	NOISE-K	kemeny	simpleavg	R_C_s	robustness	0.1188	NOISE_sam0.1188	0.1188	metrix	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Cbar	kendall	NOISE-K	kemeny	simpleavg	R_Cbar_s	robustness	-0.13	NOISE_sam0.13	0.13	metrix	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	F	kendall	NOISE-K	kemeny	simpleavg	R_F_a	robustness	-0.0908	NOISE_sam0.0908	0.0908	metrix	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Fbar	kendall	NOISE-K	kemeny	simpleavg	R_Fbar_a	robustness	0.0428	NOISE_sam0.0428	0.0428	metrix	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	C	kendall	NOISE-K	kemeny	simpleavg	R_C_a	robustness	-0.1732	NOISE_sam0.1732	0.1732	metrix	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Cbar	kendall	NOISE-K	kemeny	simpleavg	R_Cbar_a	robustness	0.0784	NOISE_sam0.0784	0.0784	metrix	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	kendall	NOISE-K	kemeny	simpleavg	F	quality	0.1726	dual_geomet0.1726	0.1726	metrix	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	kendall	NOISE-K	kemeny	simpleavg	Fbar	quality	0.2698	dual_geomet0.2698	0.2698	metrix	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	kendall	NOISE-K	kemeny	simpleavg	C	quality	0.2872	dual_geomet0.2872	0.2872	metrix	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	kendall	NOISE-K	kemeny	simpleavg	Cbar	quality	0.4004	dual_geomet0.4004	0.4004	metrix	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	F	kendall	NOISE-K	kemeny	simpleavg	R_F_g	robustness	0.156	dual_geomet0.156	0.156	metrix	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Fbar	kendall	NOISE-K	kemeny	simpleavg	R_Fbar_g	robustness	-0.1262	dual_geomet0.1262	0.1262	metrix	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	C	kendall	NOISE-K	kemeny	simpleavg	R_C_g	robustness	0.347	dual_geomet0.347	0.347	metrix	equal

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Cbar	kendall	NOISE-K	kemeny	simpleavg	R_Cbar_g	robustness	-0.3426	dual_geometry	0.8426	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	F	kendall	NOISE-K	kemeny	simpleavg	R_F_p	robustness	0.1294	dual_geometry	0.1294	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Fbar	kendall	NOISE-K	kemeny	simpleavg	R_Fbar_p	robustness	-0.107	dual_geometry	0.107	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	C	kendall	NOISE-K	kemeny	simpleavg	R_C_p	robustness	0.3086	dual_geometry	0.3086	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Cbar	kendall	NOISE-K	kemeny	simpleavg	R_Cbar_p	robustness	-0.3174	dual_geometry	0.3174	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	F	kendall	NOISE-K	kemeny	simpleavg	R_F_s	robustness	0.0722	dual_geometry	0.0722	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Fbar	kendall	NOISE-K	kemeny	simpleavg	R_Fbar_s	robustness	-0.0666	dual_geometry	0.0666	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	C	kendall	NOISE-K	kemeny	simpleavg	R_C_s	robustness	0.1188	dual_geometry	0.1188	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Cbar	kendall	NOISE-K	kemeny	simpleavg	R_Cbar_s	robustness	-0.13	dual_geometry	0.13	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	F	kendall	NOISE-K	kemeny	simpleavg	R_F_a	robustness	-0.0908	dual_geometry	0.0908	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Fbar	kendall	NOISE-K	kemeny	simpleavg	R_Fbar_a	robustness	0.0428	dual_geometry	0.0428	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	C	kendall	NOISE-K	kemeny	simpleavg	R_C_a	robustness	-0.1732	dual_geometry	0.1732	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Cbar	kendall	NOISE-K	kemeny	simpleavg	R_Cbar_a	robustness	0.0784	dual_geometry	0.0784	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	kendall	NOISE-K	kemeny	borda	F	quality	0.1876	clean_selected	0.1766	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	kendall	NOISE-K	kemeny	borda	Fbar	quality	0.1982	clean_selected	0.1752	individual	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	kendall	NOISE-K	kemeny	borda	C	quality	0.312	clean_selected	0.292	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	kendall	NOISE-K	kemeny	borda	Cbar	quality	0.3216	clean_selected	0.2952	individual	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	F	kendall	NOISE-K	kemeny	borda	R_F_g	robustness	0.1676	clean_selected	0.15	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Fbar	kendall	NOISE-K	kemeny	borda	R_Fbar_g	robustness	-0.13	clean_selected	0.103	individual	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	C	kendall	NOISE-K	kemeny	borda	R_C_g	robustness	0.3406	clean_selected	0.328	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Cbar	kendall	NOISE-K	kemeny	borda	R_Cbar_g	robustness	-0.3498	clean_selected	0.3402	individual	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	F	kendall	NOISE-K	kemeny	borda	R_F_p	robustness	0.1502	clean_selected	0.1378	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Fbar	kendall	NOISE-K	kemeny	borda	R_Fbar_p	robustness	-0.1106	clean_selected	0.1086	individual	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	C	kendall	NOISE-K	kemeny	borda	R_C_p	robustness	0.3128	clean_selected	0.3176	individual	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Cbar	kendall	NOISE-K	kemeny	borda	R_Cbar_p	robustness	-0.3188	clean_selected	0.2856	individual	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	F	kendall	NOISE-K	kemeny	borda	R_F_s	robustness	0.0764	clean_selected	0.068	individual	better

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Fbar	kendall	NOISE-K	kemeny	borda	R_Fbar_s	robustness	-0.051	clean_selected	0.087	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	C	kendall	NOISE-K	kemeny	borda	R_C_s	robustness	0.1138	clean_selected	0.1178	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Cbar	kendall	NOISE-K	kemeny	borda	R_Cbar_s	robustness	-0.1142	clean_selected	0.095	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	F	kendall	NOISE-K	kemeny	borda	R_F_a	robustness	-0.1108	clean_selected	0.1158	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Fbar	kendall	NOISE-K	kemeny	borda	R_Fbar_a	robustness	0.0262	clean_selected	0.026	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	C	kendall	NOISE-K	kemeny	borda	R_C_a	robustness	-0.203	clean_selected	0.2096	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Cbar	kendall	NOISE-K	kemeny	borda	R_Cbar_a	robustness	0.072	clean_selected	0.057	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	kendall	NOISE-K	kemeny	borda	F	quality	0.1876	naive_q11	0.158	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	kendall	NOISE-K	kemeny	borda	Fbar	quality	0.1982	naive_q11	0.2186	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	kendall	NOISE-K	kemeny	borda	C	quality	0.312	naive_q11	0.2756	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	kendall	NOISE-K	kemeny	borda	Cbar	quality	0.3216	naive_q11	0.3464	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	F	kendall	NOISE-K	kemeny	borda	R_F_g	robustness	0.1676	naive_q11	0.1692	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Fbar	kendall	NOISE-K	kemeny	borda	R_Fbar_g	robustness	-0.13	naive_q11	-0.0996	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	C	kendall	NOISE-K	kemeny	borda	R_C_g	robustness	0.3406	naive_q11	0.3384	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Cbar	kendall	NOISE-K	kemeny	borda	R_Cbar_g	robustness	-0.3498	naive_q11	-0.3208	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	F	kendall	NOISE-K	kemeny	borda	R_F_p	robustness	0.1502	naive_q11	0.1624	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Fbar	kendall	NOISE-K	kemeny	borda	R_Fbar_p	robustness	-0.1106	naive_q11	-0.0788	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	C	kendall	NOISE-K	kemeny	borda	R_C_p	robustness	0.3128	naive_q11	0.3208	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Cbar	kendall	NOISE-K	kemeny	borda	R_Cbar_p	robustness	-0.3188	naive_q11	-0.2822	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	F	kendall	NOISE-K	kemeny	borda	R_F_s	robustness	0.0764	naive_q11	0.0748	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Fbar	kendall	NOISE-K	kemeny	borda	R_Fbar_s	robustness	-0.051	naive_q11	-0.0428	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	C	kendall	NOISE-K	kemeny	borda	R_C_s	robustness	0.1138	naive_q11	0.1142	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Cbar	kendall	NOISE-K	kemeny	borda	R_Cbar_s	robustness	-0.1142	naive_q11	-0.103	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	F	kendall	NOISE-K	kemeny	borda	R_F_a	robustness	-0.1108	naive_q11	-0.095	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Fbar	kendall	NOISE-K	kemeny	borda	R_Fbar_a	robustness	0.0262	naive_q11	0.019	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	C	kendall	NOISE-K	kemeny	borda	R_C_a	robustness	-0.203	naive_q11	-0.1882	max	worse

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Cbar	kendall	NOISE-K	kemeny	borda	R_Cbar_a	robustness	0.072	naive_q11	0.0532	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	kendall	NOISE-K	kemeny	borda	F	quality	0.1876	NOISE_same0.158	0.158	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	kendall	NOISE-K	kemeny	borda	Fbar	quality	0.1982	NOISE_same0.2486	0.2486	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	kendall	NOISE-K	kemeny	borda	C	quality	0.312	NOISE_same0.2756	0.2756	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	kendall	NOISE-K	kemeny	borda	Cbar	quality	0.3216	NOISE_same0.3464	0.3464	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	F	kendall	NOISE-K	kemeny	borda	R_F_g	robustness	0.1676	NOISE_same0.1692	0.1692	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Fbar	kendall	NOISE-K	kemeny	borda	R_Fbar_g	robustness	-0.13	NOISE_same0.0996	0.0996	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	C	kendall	NOISE-K	kemeny	borda	R_C_g	robustness	0.3406	NOISE_same0.3884	0.3884	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Cbar	kendall	NOISE-K	kemeny	borda	R_Cbar_g	robustness	-0.3498	NOISE_same0.3906	0.3906	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	F	kendall	NOISE-K	kemeny	borda	R_F_p	robustness	0.1502	NOISE_same0.1624	0.1624	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Fbar	kendall	NOISE-K	kemeny	borda	R_Fbar_p	robustness	-0.1106	NOISE_same0.0788	0.0788	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	C	kendall	NOISE-K	kemeny	borda	R_C_p	robustness	0.3128	NOISE_same0.3208	0.3208	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Cbar	kendall	NOISE-K	kemeny	borda	R_Cbar_p	robustness	-0.3188	NOISE_same0.2820	0.2820	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	F	kendall	NOISE-K	kemeny	borda	R_F_s	robustness	0.0764	NOISE_same0.0748	0.0748	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Fbar	kendall	NOISE-K	kemeny	borda	R_Fbar_s	robustness	-0.051	NOISE_same0.0428	0.0428	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	C	kendall	NOISE-K	kemeny	borda	R_C_s	robustness	0.1138	NOISE_same0.1442	0.1442	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Cbar	kendall	NOISE-K	kemeny	borda	R_Cbar_s	robustness	-0.1142	NOISE_same0.1403	0.1403	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	F	kendall	NOISE-K	kemeny	borda	R_F_a	robustness	-0.1108	NOISE_same0.095	0.095	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Fbar	kendall	NOISE-K	kemeny	borda	R_Fbar_a	robustness	0.0262	NOISE_same0.019	0.019	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	C	kendall	NOISE-K	kemeny	borda	R_C_a	robustness	-0.203	NOISE_same0.1882	0.1882	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Cbar	kendall	NOISE-K	kemeny	borda	R_Cbar_a	robustness	0.072	NOISE_same0.0582	0.0582	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	kendall	NOISE-K	kemeny	borda	F	quality	0.1876	dual_geometry1876	0.1876	max	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	kendall	NOISE-K	kemeny	borda	Fbar	quality	0.1982	dual_geometry1982	0.1982	min	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	kendall	NOISE-K	kemeny	borda	C	quality	0.312	dual_geometry312	0.312	max	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	kendall	NOISE-K	kemeny	borda	Cbar	quality	0.3216	dual_geometry3216	0.3216	min	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	F	kendall	NOISE-K	kemeny	borda	R_F_g	robustness	0.1676	dual_geometry1676	0.1676	max	equal

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Fbar	kendall	NOISE-K	kemeny	borda	R_Fbar_g	robustness	-0.13	dual_geometry	0.18	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	C	kendall	NOISE-K	kemeny	borda	R_C_g	robustness	0.3406	dual_geometry	0.3406	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Cbar	kendall	NOISE-K	kemeny	borda	R_Cbar_g	robustness	-0.3498	dual_geometry	0.3498	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	F	kendall	NOISE-K	kemeny	borda	R_F_p	robustness	0.1502	dual_geometry	0.1502	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Fbar	kendall	NOISE-K	kemeny	borda	R_Fbar_p	robustness	-0.1106	dual_geometry	0.1106	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	C	kendall	NOISE-K	kemeny	borda	R_C_p	robustness	0.3128	dual_geometry	0.3128	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Cbar	kendall	NOISE-K	kemeny	borda	R_Cbar_p	robustness	-0.3188	dual_geometry	0.3188	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	F	kendall	NOISE-K	kemeny	borda	R_F_s	robustness	0.0764	dual_geometry	0.0764	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Fbar	kendall	NOISE-K	kemeny	borda	R_Fbar_s	robustness	-0.051	dual_geometry	0.051	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	C	kendall	NOISE-K	kemeny	borda	R_C_s	robustness	0.1138	dual_geometry	0.1138	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Cbar	kendall	NOISE-K	kemeny	borda	R_Cbar_s	robustness	-0.1142	dual_geometry	0.1142	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	F	kendall	NOISE-K	kemeny	borda	R_F_a	robustness	-0.1108	dual_geometry	0.1108	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Fbar	kendall	NOISE-K	kemeny	borda	R_Fbar_a	robustness	0.0262	dual_geometry	0.0262	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	C	kendall	NOISE-K	kemeny	borda	R_C_a	robustness	-0.203	dual_geometry	0.203	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Cbar	kendall	NOISE-K	kemeny	borda	R_Cbar_a	robustness	0.072	dual_geometry	0.072	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	kendall	NOISE-K	kemeny	kemeny	F	quality	0.1874	clean_selected	0.176	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	kendall	NOISE-K	kemeny	kemeny	Fbar	quality	0.1658	clean_selected	0.175	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	kendall	NOISE-K	kemeny	kemeny	C	quality	0.3128	clean_selected	0.292	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	kendall	NOISE-K	kemeny	kemeny	Cbar	quality	0.2872	clean_selected	0.295	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	F	kendall	NOISE-K	kemeny	kemeny	R_F_g	robustness	0.1704	clean_selected	0.15	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Fbar	kendall	NOISE-K	kemeny	kemeny	R_Fbar_g	robustness	-0.096	clean_selected	0.103	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	C	kendall	NOISE-K	kemeny	kemeny	R_C_g	robustness	0.332	clean_selected	0.328	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Cbar	kendall	NOISE-K	kemeny	kemeny	R_Cbar_g	robustness	-0.3062	clean_selected	0.3102	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	F	kendall	NOISE-K	kemeny	kemeny	R_F_p	robustness	0.1628	clean_selected	0.1378	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Fbar	kendall	NOISE-K	kemeny	kemeny	R_Fbar_p	robustness	-0.0684	clean_selected	0.0986	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	C	kendall	NOISE-K	kemeny	kemeny	R_C_p	robustness	0.3156	clean_selected	0.3176	individual	worse

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Cbar	kendall	NOISE-K	kemeny	kemeny	R_Cbar_p	robustness	-0.2774	clean_selected	0.12356	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	F	kendall	NOISE-K	kemeny	kemeny	R_F_s	robustness	0.0846	clean_selected	0.0658	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Fbar	kendall	NOISE-K	kemeny	kemeny	R_Fbar_s	robustness	-0.0446	clean_selected	0.087	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	C	kendall	NOISE-K	kemeny	kemeny	R_C_s	robustness	0.1202	clean_selected	0.1178	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Cbar	kendall	NOISE-K	kemeny	kemeny	R_Cbar_s	robustness	-0.1034	clean_selected	0.095	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	F	kendall	NOISE-K	kemeny	kemeny	R_F_a	robustness	-0.1106	clean_selected	0.1105	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Fbar	kendall	NOISE-K	kemeny	kemeny	R_Fbar_a	robustness	0.0272	clean_selected	0.0256	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	C	kendall	NOISE-K	kemeny	kemeny	R_C_a	robustness	-0.2054	clean_selected	0.1209	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Cbar	kendall	NOISE-K	kemeny	kemeny	R_Cbar_a	robustness	0.0746	clean_selected	0.057	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	kendall	NOISE-K	kemeny	kemeny	F	quality	0.1874	naive_q11	0.1556	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	kendall	NOISE-K	kemeny	kemeny	Fbar	quality	0.1658	naive_q11	0.2234	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	kendall	NOISE-K	kemeny	kemeny	C	quality	0.3128	naive_q11	0.271	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	kendall	NOISE-K	kemeny	kemeny	Cbar	quality	0.2872	naive_q11	0.3492	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	F	kendall	NOISE-K	kemeny	kemeny	R_F_g	robustness	0.1704	naive_q11	0.1668	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Fbar	kendall	NOISE-K	kemeny	kemeny	R_Fbar_g	robustness	-0.096	naive_q11	-0.0684	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	C	kendall	NOISE-K	kemeny	kemeny	R_C_g	robustness	0.332	naive_q11	0.3296	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Cbar	kendall	NOISE-K	kemeny	kemeny	R_Cbar_g	robustness	-0.3062	naive_q11	-0.2774	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	F	kendall	NOISE-K	kemeny	kemeny	R_F_p	robustness	0.1628	naive_q11	0.1614	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Fbar	kendall	NOISE-K	kemeny	kemeny	R_Fbar_p	robustness	-0.0684	naive_q11	-0.045	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	C	kendall	NOISE-K	kemeny	kemeny	R_C_p	robustness	0.3156	naive_q11	0.317	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Cbar	kendall	NOISE-K	kemeny	kemeny	R_Cbar_p	robustness	-0.2774	naive_q11	-0.2522	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	F	kendall	NOISE-K	kemeny	kemeny	R_F_s	robustness	0.0846	naive_q11	0.0748	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Fbar	kendall	NOISE-K	kemeny	kemeny	R_Fbar_s	robustness	-0.0446	naive_q11	-0.0362	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	C	kendall	NOISE-K	kemeny	kemeny	R_C_s	robustness	0.1202	naive_q11	0.1136	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Cbar	kendall	NOISE-K	kemeny	kemeny	R_Cbar_s	robustness	-0.1034	naive_q11	-0.0994	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	F	kendall	NOISE-K	kemeny	kemeny	R_F_a	robustness	-0.1106	naive_q11	-0.0904	max	worse

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Fbar	kendall	NOISE-K	kemeny	kemeny	R_Fbar_a	robustness	0.0272	naive_q11	0.015	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	C	kendall	NOISE-K	kemeny	kemeny	R_C_a	robustness	-0.2054	naive_q11	-0.179	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Cbar	kendall	NOISE-K	kemeny	kemeny	R_Cbar_a	robustness	0.0746	naive_q11	0.0492	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	kendall	NOISE-K	kemeny	kemeny	F	quality	0.1874	NOISE_same0.1556	0.1556	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	kendall	NOISE-K	kemeny	kemeny	Fbar	quality	0.1658	NOISE_same0.2284	0.2284	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	kendall	NOISE-K	kemeny	kemeny	C	quality	0.3128	NOISE_same0.271	0.271	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	kendall	NOISE-K	kemeny	kemeny	Cbar	quality	0.2872	NOISE_same0.3492	0.3492	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	F	kendall	NOISE-K	kemeny	kemeny	R_F_g	robustness	0.1704	NOISE_same0.1663	0.1663	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Fbar	kendall	NOISE-K	kemeny	kemeny	R_Fbar_g	robustness	-0.096	NOISE_same0.0684	0.0684	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	C	kendall	NOISE-K	kemeny	kemeny	R_C_g	robustness	0.332	NOISE_same0.3296	0.3296	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Cbar	kendall	NOISE-K	kemeny	kemeny	R_Cbar_g	robustness	-0.3062	NOISE_same0.2574	0.2574	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	F	kendall	NOISE-K	kemeny	kemeny	R_F_p	robustness	0.1628	NOISE_same0.1644	0.1644	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Fbar	kendall	NOISE-K	kemeny	kemeny	R_Fbar_p	robustness	-0.0684	NOISE_same0.045	0.045	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	C	kendall	NOISE-K	kemeny	kemeny	R_C_p	robustness	0.3156	NOISE_same0.317	0.317	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Cbar	kendall	NOISE-K	kemeny	kemeny	R_Cbar_p	robustness	-0.2774	NOISE_same0.2529	0.2529	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	F	kendall	NOISE-K	kemeny	kemeny	R_F_s	robustness	0.0846	NOISE_same0.0746	0.0746	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Fbar	kendall	NOISE-K	kemeny	kemeny	R_Fbar_s	robustness	-0.0446	NOISE_same0.0662	0.0662	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	C	kendall	NOISE-K	kemeny	kemeny	R_C_s	robustness	0.1202	NOISE_same0.1186	0.1186	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Cbar	kendall	NOISE-K	kemeny	kemeny	R_Cbar_s	robustness	-0.1034	NOISE_same0.0994	0.0994	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	F	kendall	NOISE-K	kemeny	kemeny	R_F_a	robustness	-0.1106	NOISE_same0.0904	0.0904	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Fbar	kendall	NOISE-K	kemeny	kemeny	R_Fbar_a	robustness	0.0272	NOISE_same0.015	0.015	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	C	kendall	NOISE-K	kemeny	kemeny	R_C_a	robustness	-0.2054	NOISE_same0.179	0.179	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Cbar	kendall	NOISE-K	kemeny	kemeny	R_Cbar_a	robustness	0.0746	NOISE_same0.0492	0.0492	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	kendall	NOISE-K	kemeny	kemeny	F	quality	0.1874	dual_geometry18.71	0.1874	max	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	kendall	NOISE-K	kemeny	kemeny	Fbar	quality	0.1658	dual_geometry18.58	0.1658	min	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	kendall	NOISE-K	kemeny	kemeny	C	quality	0.3128	dual_geometry18.128	0.3128	max	equal

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	kendall	NOISE-K	kemeny	kemeny	Cbar	quality	0.2872	dual_geometry	0.2872	equal	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	F	kendall	NOISE-K	kemeny	kemeny	R_F_g	robustness	0.1704	dual_geometry	0.1704	equal	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Fbar	kendall	NOISE-K	kemeny	kemeny	R_Fbar_g	robustness	-0.096	dual_geometry	0.096	equal	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	C	kendall	NOISE-K	kemeny	kemeny	R_C_g	robustness	0.332	dual_geometry	0.332	equal	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Cbar	kendall	NOISE-K	kemeny	kemeny	R_Cbar_g	robustness	-0.3062	dual_geometry	0.3062	equal	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	F	kendall	NOISE-K	kemeny	kemeny	R_F_p	robustness	0.1628	dual_geometry	0.1628	equal	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Fbar	kendall	NOISE-K	kemeny	kemeny	R_Fbar_p	robustness	-0.0684	dual_geometry	0.0684	equal	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	C	kendall	NOISE-K	kemeny	kemeny	R_C_p	robustness	0.3156	dual_geometry	0.3156	equal	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Cbar	kendall	NOISE-K	kemeny	kemeny	R_Cbar_p	robustness	-0.2774	dual_geometry	0.2774	equal	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	F	kendall	NOISE-K	kemeny	kemeny	R_F_s	robustness	0.0846	dual_geometry	0.0846	equal	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Fbar	kendall	NOISE-K	kemeny	kemeny	R_Fbar_s	robustness	-0.0446	dual_geometry	0.0446	equal	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	C	kendall	NOISE-K	kemeny	kemeny	R_C_s	robustness	0.1202	dual_geometry	0.1202	equal	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Cbar	kendall	NOISE-K	kemeny	kemeny	R_Cbar_s	robustness	-0.1034	dual_geometry	0.1034	equal	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	F	kendall	NOISE-K	kemeny	kemeny	R_F_a	robustness	-0.1106	dual_geometry	0.1106	equal	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Fbar	kendall	NOISE-K	kemeny	kemeny	R_Fbar_a	robustness	0.0272	dual_geometry	0.0272	equal	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	C	kendall	NOISE-K	kemeny	kemeny	R_C_a	robustness	-0.2054	dual_geometry	0.2054	equal	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Cbar	kendall	NOISE-K	kemeny	kemeny	R_Cbar_a	robustness	0.0746	dual_geometry	0.0746	equal	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	kendall	NOISE-K	kemeny	rrf	F	quality	0.1886	clean_selected	0.1762	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	kendall	NOISE-K	kemeny	rrf	Fbar	quality	0.1868	clean_selected	0.1752	individual	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	kendall	NOISE-K	kemeny	rrf	C	quality	0.3152	clean_selected	0.2922	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	kendall	NOISE-K	kemeny	rrf	Cbar	quality	0.3094	clean_selected	0.2952	individual	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	F	kendall	NOISE-K	kemeny	rrf	R_F_g	robustness	0.1646	clean_selected	0.1522	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Fbar	kendall	NOISE-K	kemeny	rrf	R_Fbar_g	robustness	-0.1144	clean_selected	0.1032	individual	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	C	kendall	NOISE-K	kemeny	rrf	R_C_g	robustness	0.3352	clean_selected	0.3282	individual	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Cbar	kendall	NOISE-K	kemeny	rrf	R_Cbar_g	robustness	-0.3324	clean_selected	0.3192	individual	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	F	kendall	NOISE-K	kemeny	rrf	R_F_p	robustness	0.1572	clean_selected	0.1378	individual	better

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Fbar	kendall	NOISE-K	kemeny	rrf	R_Fbar_p	robustness	-0.0966	clean_selected	0.10086	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	C	kendall	NOISE-K	kemeny	rrf	R_C_p	robustness	0.3154	clean_selected	0.3156	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Cbar	kendall	NOISE-K	kemeny	rrf	R_Cbar_p	robustness	-0.3072	clean_selected	0.12356	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	F	kendall	NOISE-K	kemeny	rrf	R_F_s	robustness	0.0822	clean_selected	0.0618	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Fbar	kendall	NOISE-K	kemeny	rrf	R_Fbar_s	robustness	-0.0468	clean_selected	0.037	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	C	kendall	NOISE-K	kemeny	rrf	R_C_s	robustness	0.1146	clean_selected	0.1178	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Cbar	kendall	NOISE-K	kemeny	rrf	R_Cbar_s	robustness	-0.108	clean_selected	0.095	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	F	kendall	NOISE-K	kemeny	rrf	R_F_a	robustness	-0.1102	clean_selected	0.1105	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Fbar	kendall	NOISE-K	kemeny	rrf	R_Fbar_a	robustness	0.032	clean_selected	0.0256	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	C	kendall	NOISE-K	kemeny	rrf	R_C_a	robustness	-0.205	clean_selected	0.12096	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Cbar	kendall	NOISE-K	kemeny	rrf	R_Cbar_a	robustness	0.0754	clean_selected	0.0572	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	kendall	NOISE-K	kemeny	rrf	F	quality	0.1886	naive_q11	0.1612	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	kendall	NOISE-K	kemeny	rrf	Fbar	quality	0.1868	naive_q11	0.2176	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	kendall	NOISE-K	kemeny	rrf	C	quality	0.3152	naive_q11	0.2812	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	kendall	NOISE-K	kemeny	rrf	Cbar	quality	0.3094	naive_q11	0.3424	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	F	kendall	NOISE-K	kemeny	rrf	R_F_g	robustness	0.1646	naive_q11	0.1648	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Fbar	kendall	NOISE-K	kemeny	rrf	R_Fbar_g	robustness	-0.1144	naive_q11	-0.0776	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	C	kendall	NOISE-K	kemeny	rrf	R_C_g	robustness	0.3352	naive_q11	0.3286	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Cbar	kendall	NOISE-K	kemeny	rrf	R_Cbar_g	robustness	-0.3324	naive_q11	-0.2944	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	F	kendall	NOISE-K	kemeny	rrf	R_F_p	robustness	0.1572	naive_q11	0.1624	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Fbar	kendall	NOISE-K	kemeny	rrf	R_Fbar_p	robustness	-0.0966	naive_q11	-0.066	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	C	kendall	NOISE-K	kemeny	rrf	R_C_p	robustness	0.3154	naive_q11	0.3134	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Cbar	kendall	NOISE-K	kemeny	rrf	R_Cbar_p	robustness	-0.3072	naive_q11	-0.2654	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	F	kendall	NOISE-K	kemeny	rrf	R_F_s	robustness	0.0822	naive_q11	0.0742	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Fbar	kendall	NOISE-K	kemeny	rrf	R_Fbar_s	robustness	-0.0468	naive_q11	-0.0342	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	C	kendall	NOISE-K	kemeny	rrf	R_C_s	robustness	0.1146	naive_q11	0.1126	max	better

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Cbar	kendall	NOISE-K	kemeny	rrf	R_Cbar_s	robustness	-0.108	naive_q11	-0.0958	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	F	kendall	NOISE-K	kemeny	rrf	R_F_a	robustness	-0.1102	naive_q11	-0.0956	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Fbar	kendall	NOISE-K	kemeny	rrf	R_Fbar_a	robustness	0.032	naive_q11	0.0246	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	C	kendall	NOISE-K	kemeny	rrf	R_C_a	robustness	-0.205	naive_q11	-0.1914	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Cbar	kendall	NOISE-K	kemeny	rrf	R_Cbar_a	robustness	0.0754	naive_q11	0.0608	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	kendall	NOISE-K	kemeny	rrf	F	quality	0.1886	NOISE_sam0.1642	0.1642	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	kendall	NOISE-K	kemeny	rrf	Fbar	quality	0.1868	NOISE_sam0.2376	0.2376	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	kendall	NOISE-K	kemeny	rrf	C	quality	0.3152	NOISE_sam0.2842	0.2842	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	kendall	NOISE-K	kemeny	rrf	Cbar	quality	0.3094	NOISE_sam0.3424	0.3424	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	F	kendall	NOISE-K	kemeny	rrf	R_F_g	robustness	0.1646	NOISE_sam0.1646	0.1646	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Fbar	kendall	NOISE-K	kemeny	rrf	R_Fbar_g	robustness	-0.1144	NOISE_sam0.0776	0.0776	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	C	kendall	NOISE-K	kemeny	rrf	R_C_g	robustness	0.3352	NOISE_sam0.3286	0.3286	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Cbar	kendall	NOISE-K	kemeny	rrf	R_Cbar_g	robustness	-0.3324	NOISE_sam0.2944	0.2944	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	F	kendall	NOISE-K	kemeny	rrf	R_F_p	robustness	0.1572	NOISE_sam0.1624	0.1624	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Fbar	kendall	NOISE-K	kemeny	rrf	R_Fbar_p	robustness	-0.0966	NOISE_sam0.0664	0.0664	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	C	kendall	NOISE-K	kemeny	rrf	R_C_p	robustness	0.3154	NOISE_sam0.3484	0.3484	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Cbar	kendall	NOISE-K	kemeny	rrf	R_Cbar_p	robustness	-0.3072	NOISE_sam0.2964	0.2964	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	F	kendall	NOISE-K	kemeny	rrf	R_F_s	robustness	0.0822	NOISE_sam0.0742	0.0742	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Fbar	kendall	NOISE-K	kemeny	rrf	R_Fbar_s	robustness	-0.0468	NOISE_sam0.0844	0.0844	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	C	kendall	NOISE-K	kemeny	rrf	R_C_s	robustness	0.1146	NOISE_sam0.1426	0.1426	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Cbar	kendall	NOISE-K	kemeny	rrf	R_Cbar_s	robustness	-0.108	NOISE_sam0.0958	0.0958	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	F	kendall	NOISE-K	kemeny	rrf	R_F_a	robustness	-0.1102	NOISE_sam0.0956	0.0956	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Fbar	kendall	NOISE-K	kemeny	rrf	R_Fbar_a	robustness	0.032	NOISE_sam0.0246	0.0246	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	C	kendall	NOISE-K	kemeny	rrf	R_C_a	robustness	-0.205	NOISE_sam0.1914	0.1914	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Cbar	kendall	NOISE-K	kemeny	rrf	R_Cbar_a	robustness	0.0754	NOISE_sam0.0608	0.0608	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	kendall	NOISE-K	kemeny	rrf	F	quality	0.1886	dual_geometry	0.1886	max	equal

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	kendall	NOISE-K	kemeny	rrf	Fbar	quality	0.1868	dual_geometry	0.1868	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	kendall	NOISE-K	kemeny	rrf	C	quality	0.3152	dual_geometry	0.3152	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	kendall	NOISE-K	kemeny	rrf	Cbar	quality	0.3094	dual_geometry	0.3094	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	F	kendall	NOISE-K	kemeny	rrf	R_F_g	robustness	0.1646	dual_geometry	0.1646	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Fbar	kendall	NOISE-K	kemeny	rrf	R_Fbar_g	robustness	-0.1144	dual_geometry	0.1144	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	C	kendall	NOISE-K	kemeny	rrf	R_C_g	robustness	0.3352	dual_geometry	0.3352	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Cbar	kendall	NOISE-K	kemeny	rrf	R_Cbar_g	robustness	-0.3324	dual_geometry	0.3324	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	F	kendall	NOISE-K	kemeny	rrf	R_F_p	robustness	0.1572	dual_geometry	0.1572	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Fbar	kendall	NOISE-K	kemeny	rrf	R_Fbar_p	robustness	-0.0966	dual_geometry	0.0966	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	C	kendall	NOISE-K	kemeny	rrf	R_C_p	robustness	0.3154	dual_geometry	0.3154	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Cbar	kendall	NOISE-K	kemeny	rrf	R_Cbar_p	robustness	-0.3072	dual_geometry	0.3072	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	F	kendall	NOISE-K	kemeny	rrf	R_F_s	robustness	0.0822	dual_geometry	0.0822	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Fbar	kendall	NOISE-K	kemeny	rrf	R_Fbar_s	robustness	-0.0468	dual_geometry	0.0468	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	C	kendall	NOISE-K	kemeny	rrf	R_C_s	robustness	0.1146	dual_geometry	0.1146	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Cbar	kendall	NOISE-K	kemeny	rrf	R_Cbar_s	robustness	-0.108	dual_geometry	0.108	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	F	kendall	NOISE-K	kemeny	rrf	R_F_a	robustness	-0.1102	dual_geometry	0.1102	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Fbar	kendall	NOISE-K	kemeny	rrf	R_Fbar_a	robustness	0.032	dual_geometry	0.032	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	C	kendall	NOISE-K	kemeny	rrf	R_C_a	robustness	-0.205	dual_geometry	0.205	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Cbar	kendall	NOISE-K	kemeny	rrf	R_Cbar_a	robustness	0.0754	dual_geometry	0.0754	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	kendall	NOISE-K	kemeny	schulze	F	quality	0.1876	clean_selected	0.1766	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	kendall	NOISE-K	kemeny	schulze	Fbar	quality	0.2018	clean_selected	0.1752	robustness	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	kendall	NOISE-K	kemeny	schulze	C	quality	0.312	clean_selected	0.292	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	kendall	NOISE-K	kemeny	schulze	Cbar	quality	0.3258	clean_selected	0.2952	robustness	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	F	kendall	NOISE-K	kemeny	schulze	R_F_g	robustness	0.1686	clean_selected	0.15	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Fbar	kendall	NOISE-K	kemeny	schulze	R_Fbar_g	robustness	-0.1176	clean_selected	0.108	robustness	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	C	kendall	NOISE-K	kemeny	schulze	R_C_g	robustness	0.337	clean_selected	0.328	robustness	better

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Cbar	kendall	NOISE-K	kemeny	schulze	R_Cbar_g	robustness	-0.3336	clean_selected	0.13192	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	F	kendall	NOISE-K	kemeny	schulze	R_F_p	robustness	0.1578	clean_selected	0.13758	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Fbar	kendall	NOISE-K	kemeny	schulze	R_Fbar_p	robustness	-0.0996	clean_selected	0.10866	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	C	kendall	NOISE-K	kemeny	schulze	R_C_p	robustness	0.321	clean_selected	0.31767	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Cbar	kendall	NOISE-K	kemeny	schulze	R_Cbar_p	robustness	-0.3072	clean_selected	0.12356	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	F	kendall	NOISE-K	kemeny	schulze	R_F_s	robustness	0.0788	clean_selected	0.06988	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Fbar	kendall	NOISE-K	kemeny	schulze	R_Fbar_s	robustness	-0.049	clean_selected	0.05781	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	C	kendall	NOISE-K	kemeny	schulze	R_C_s	robustness	0.115	clean_selected	0.11782	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Cbar	kendall	NOISE-K	kemeny	schulze	R_Cbar_s	robustness	-0.111	clean_selected	0.09581	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	F	kendall	NOISE-K	kemeny	schulze	R_F_a	robustness	-0.1092	clean_selected	0.11058	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Fbar	kendall	NOISE-K	kemeny	schulze	R_Fbar_a	robustness	0.0352	clean_selected	0.02961	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	C	kendall	NOISE-K	kemeny	schulze	R_C_a	robustness	-0.2016	clean_selected	0.12096	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Cbar	kendall	NOISE-K	kemeny	schulze	R_Cbar_a	robustness	0.0798	clean_selected	0.05782	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	kendall	NOISE-K	kemeny	schulze	F	quality	0.1876	naive_q11	0.1576	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	kendall	NOISE-K	kemeny	schulze	Fbar	quality	0.2018	naive_q11	0.2182	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	kendall	NOISE-K	kemeny	schulze	C	quality	0.312	naive_q11	0.276	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	kendall	NOISE-K	kemeny	schulze	Cbar	quality	0.3258	naive_q11	0.3444	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	F	kendall	NOISE-K	kemeny	schulze	R_F_g	robustness	0.1686	naive_q11	0.1662	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Fbar	kendall	NOISE-K	kemeny	schulze	R_Fbar_g	robustness	-0.1176	naive_q11	-0.0762	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	C	kendall	NOISE-K	kemeny	schulze	R_C_g	robustness	0.337	naive_q11	0.3296	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Cbar	kendall	NOISE-K	kemeny	schulze	R_Cbar_g	robustness	-0.3336	naive_q11	-0.288	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	F	kendall	NOISE-K	kemeny	schulze	R_F_p	robustness	0.1578	naive_q11	0.1592	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Fbar	kendall	NOISE-K	kemeny	schulze	R_Fbar_p	robustness	-0.0996	naive_q11	-0.0656	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	C	kendall	NOISE-K	kemeny	schulze	R_C_p	robustness	0.321	naive_q11	0.3124	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Cbar	kendall	NOISE-K	kemeny	schulze	R_Cbar_p	robustness	-0.3072	naive_q11	-0.2696	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	F	kendall	NOISE-K	kemeny	schulze	R_F_s	robustness	0.0788	naive_q11	0.077	max	better

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Fbar	kendall	NOISE-K	kemeny	schulze	R_Fbar_s	robustness	-0.049	naive_q11	-0.035	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	C	kendall	NOISE-K	kemeny	schulze	R_C_s	robustness	0.115	naive_q11	0.112	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Cbar	kendall	NOISE-K	kemeny	schulze	R_Cbar_s	robustness	-0.111	naive_q11	-0.0958	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	F	kendall	NOISE-K	kemeny	schulze	R_F_a	robustness	-0.1092	naive_q11	-0.0926	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Fbar	kendall	NOISE-K	kemeny	schulze	R_Fbar_a	robustness	0.0352	naive_q11	0.017	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	C	kendall	NOISE-K	kemeny	schulze	R_C_a	robustness	-0.2016	naive_q11	-0.1864	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Cbar	kendall	NOISE-K	kemeny	schulze	R_Cbar_a	robustness	0.0798	naive_q11	0.0506	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	kendall	NOISE-K	kemeny	schulze	F	quality	0.1876	NOISE_same0.1576	0.1576	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	kendall	NOISE-K	kemeny	schulze	Fbar	quality	0.2018	NOISE_same0.2462	0.2462	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	kendall	NOISE-K	kemeny	schulze	C	quality	0.312	NOISE_same0.276	0.276	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	kendall	NOISE-K	kemeny	schulze	Cbar	quality	0.3258	NOISE_same0.344	0.344	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	F	kendall	NOISE-K	kemeny	schulze	R_F_g	robustness	0.1686	NOISE_same0.1662	0.1662	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Fbar	kendall	NOISE-K	kemeny	schulze	R_Fbar_g	robustness	-0.1176	NOISE_same0.0762	0.0762	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	C	kendall	NOISE-K	kemeny	schulze	R_C_g	robustness	0.337	NOISE_same0.3296	0.3296	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Cbar	kendall	NOISE-K	kemeny	schulze	R_Cbar_g	robustness	-0.3336	NOISE_same0.288	0.288	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	F	kendall	NOISE-K	kemeny	schulze	R_F_p	robustness	0.1578	NOISE_same0.1502	0.1502	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Fbar	kendall	NOISE-K	kemeny	schulze	R_Fbar_p	robustness	-0.0996	NOISE_same0.0606	0.0606	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	C	kendall	NOISE-K	kemeny	schulze	R_C_p	robustness	0.321	NOISE_same0.342	0.342	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Cbar	kendall	NOISE-K	kemeny	schulze	R_Cbar_p	robustness	-0.3072	NOISE_same0.2696	0.2696	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	F	kendall	NOISE-K	kemeny	schulze	R_F_s	robustness	0.0788	NOISE_same0.077	0.077	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Fbar	kendall	NOISE-K	kemeny	schulze	R_Fbar_s	robustness	-0.049	NOISE_same0.035	0.035	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	C	kendall	NOISE-K	kemeny	schulze	R_C_s	robustness	0.115	NOISE_same0.112	0.112	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Cbar	kendall	NOISE-K	kemeny	schulze	R_Cbar_s	robustness	-0.111	NOISE_same0.0958	0.0958	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	F	kendall	NOISE-K	kemeny	schulze	R_F_a	robustness	-0.1092	NOISE_same0.0926	0.0926	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Fbar	kendall	NOISE-K	kemeny	schulze	R_Fbar_a	robustness	0.0352	NOISE_same0.017	0.017	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	C	kendall	NOISE-K	kemeny	schulze	R_C_a	robustness	-0.2016	NOISE_same0.1864	0.1864	max	worse

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Cbar	kendall	NOISE-K	kemeny	schulze	R_Cbar_g	robustness	0.0798	NOISE_sampler	0.0566	robustness	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	F	kendall	NOISE-K	kemeny	schulze	F	quality	0.1876	dual_geometry	0.1876	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Fbar	kendall	NOISE-K	kemeny	schulze	Fbar	quality	0.2018	dual_geometry	0.2018	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	C	kendall	NOISE-K	kemeny	schulze	C	quality	0.312	dual_geometry	0.312	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	clean	Cbar	kendall	NOISE-K	kemeny	schulze	Cbar	quality	0.3258	dual_geometry	0.3258	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	F	kendall	NOISE-K	kemeny	schulze	R_F_g	robustness	0.1686	dual_geometry	0.1686	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Fbar	kendall	NOISE-K	kemeny	schulze	R_Fbar_g	robustness	-0.1176	dual_geometry	0.1176	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	C	kendall	NOISE-K	kemeny	schulze	R_C_g	robustness	0.337	dual_geometry	0.337	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Cbar	kendall	NOISE-K	kemeny	schulze	R_Cbar_g	robustness	-0.3336	dual_geometry	0.3336	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	F	kendall	NOISE-K	kemeny	schulze	R_F_p	robustness	0.1578	dual_geometry	0.1578	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Fbar	kendall	NOISE-K	kemeny	schulze	R_Fbar_p	robustness	-0.0996	dual_geometry	0.0996	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	C	kendall	NOISE-K	kemeny	schulze	R_C_p	robustness	0.321	dual_geometry	0.321	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Cbar	kendall	NOISE-K	kemeny	schulze	R_Cbar_p	robustness	-0.3072	dual_geometry	0.3072	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	F	kendall	NOISE-K	kemeny	schulze	R_F_s	robustness	0.0788	dual_geometry	0.0788	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Fbar	kendall	NOISE-K	kemeny	schulze	R_Fbar_s	robustness	-0.049	dual_geometry	0.049	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	C	kendall	NOISE-K	kemeny	schulze	R_C_s	robustness	0.115	dual_geometry	0.115	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Cbar	kendall	NOISE-K	kemeny	schulze	R_Cbar_s	robustness	-0.111	dual_geometry	0.111	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	F	kendall	NOISE-K	kemeny	schulze	R_F_a	robustness	-0.1092	dual_geometry	0.1092	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Fbar	kendall	NOISE-K	kemeny	schulze	R_Fbar_a	robustness	0.0352	dual_geometry	0.0352	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	C	kendall	NOISE-K	kemeny	schulze	R_C_a	robustness	-0.2016	dual_geometry	0.2016	robustness	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Cbar	kendall	NOISE-K	kemeny	schulze	R_Cbar_a	robustness	0.0798	dual_geometry	0.0798	robustness	equal

Table 30: ImageNet–ResNet-18 results.

cell	dataset	model	geometry	center rule	selected q	NOISE q	q error	absolute q error	exact	within one	selected is NOISE tied	selected fidelity	NOISE fidelity	fidelity regret	NOISE tied q	tie policy
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	spearman	borda	4	5	-1	1	False	True	False	0.1856	0.1876	0.002	[5]	smallest_q_within_absolute_1e-12
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	kendall	kemeny	5	5	0	0	True	True	True	0.1874	0.1874	0	[5]	smallest_q_within_absolute_1e-12

Table 31: ImageNet-ResNet-18 results.

cell	dataset	model	method	setting	q	geometry	label	center rule	methods	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	NOISE-S	4	spearman	NOISE-S	borda	["GuidedBicubic"]	0.46904	0.70286	D:0.352ap	0.3706p	L:0.1532	Feat:0.178Ab	A:0.3372	-0.3282	0.1386	-0.1034	0.3086
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	borda	NOISE-S	4	spearman	NOISE-S	borda	["GuidedBicubic"]	0.43856	0.71309	D:0.316ap	0.3024p	L:0.1716	Feat:0.184Ab	A:0.3338	-0.3262	0.1612	-0.0928	0.317
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kemeny	NOISE-S	4	spearman	NOISE-S	borda	["GuidedBicubic"]	0.46756	0.70651	D:0.357ap	0.3779p	L:0.1700	Feat:0.186Ab	A:0.3329	-0.3086	0.1612	-0.0606	0.3108
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	rff	NOISE-S	4	spearman	NOISE-S	borda	["GuidedBicubic"]	0.43834	0.71066	D:0.336ap	0.2738p	L:0.1556	Feat:0.198Ab	A:0.333	-0.3202	0.165	-0.072	0.3196
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	schulze	NOISE-S	4	spearman	NOISE-S	borda	["GuidedBicubic"]	0.43704	0.71294	D:0.357ap	0.379p	L:0.176	Feat:0.184Ab	A:0.3338	-0.3004	0.1694	-0.0512	0.3178
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	NOISE-K	5	kendall	NOISE-K	kemeny	["GuidedBicubic"]	0.43726	0.7098	D:0.372ap	0.3104p	L:0.156	Feat:0.126Ab	A:0.3347	*C:0.3426n	0.1294	-0.107	0.3086
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	borda	NOISE-K	5	kendall	NOISE-K	kemeny	["GuidedBicubic"]	0.43876	0.70983	D:0.332ap	0.3216p	L:0.1876	Feat:0.183Ab	A:0.3406	*C:0.3498n	0.1502	-0.1106	0.3128
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kemeny	NOISE-K	5	kendall	NOISE-K	kemeny	["GuidedBicubic"]	0.43874	0.7059	D:0.328ap	0.2879p	L:0.1704	Feat:0.196Ab	A:0.332	*C:0.3062n	0.1628	-0.0684	0.3156
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	rff	NOISE-K	5	kendall	NOISE-K	kemeny	["GuidedBicubic"]	0.43886	0.7068	D:0.352ap	0.3094p	L:0.164	Feat:0.144Ab	A:0.3352	*C:0.3324n	0.1572	-0.0966	0.3154
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	schulze	NOISE-K	5	kendall	NOISE-K	kemeny	["GuidedBicubic"]	0.43876	0.70983	D:0.332ap	0.3238p	L:0.1886	Feat:0.170Ab	A:0.337	*C:0.3336n	0.1578	-0.0996	0.321

Table 32: ImageNet–ResNet-18 results.

cell	dataset	model	method	setting	q	R Cbar p	R F s	R Fbar s	R C s	R Cbar s	R F a	R Fbar a	R C a	R Cbar a	F perturbed g	Fbar perturbed g	C perturbed g	Cbar perturbed g	F perturbed p	Fbar perturbed p
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	NOISE-S	4	-0.3098	0.08	-0.0688	0.121	-0.1234	-0.097	0.034	-0.1882	0.0788	0.3336	0.3558	0.6396	0.6988	0.319	0.3414
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	borda	NOISE-S	4	-0.2998	0.0798	-0.0402	0.1176	-0.1024	-0.11	0.0302	-0.206	0.0712	0.3572	0.2936	0.6454	0.6286	0.3468	0.273
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	kemeny	NOISE-S	4	-0.2756	0.0806	-0.0352	0.1136	-0.1016	-0.1066	0.0088	-0.2046	0.0402	0.3456	0.251	0.6268	0.5858	0.3362	0.2256
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	rrf	NOISE-S	4	-0.284	0.0828	-0.0386	0.1194	-0.102	-0.1104	0.026	-0.2048	0.0638	0.359	0.259	0.6396	0.595	0.3484	0.2326
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	schulze	NOISE-S	4	-0.2672	0.0876	-0.028	0.1156	-0.0916	-0.1046	0.0142	-0.206	0.0508	0.3464	0.2544	0.6212	0.5876	0.3398	0.2238
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	NOISE-K	5	-0.3174	0.0722	-0.0666	0.1188	-0.13	-0.0908	0.0428	-0.1732	0.0784	0.3286	0.396	0.6342	0.743	0.302	0.3768
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	borda	NOISE-K	5	-0.3188	0.0764	-0.051	0.1138	-0.1142	-0.1108	0.0262	-0.203	0.072	0.3552	0.3282	0.6526	0.6714	0.3378	0.3088
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	kemeny	NOISE-K	5	-0.2774	0.0846	-0.0446	0.1202	-0.1034	-0.1106	0.0272	-0.2054	0.0746	0.3578	0.2618	0.6448	0.5934	0.3502	0.2342
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	rrf	NOISE-K	5	-0.3072	0.0822	-0.0468	0.1146	-0.108	-0.1102	0.032	-0.205	0.0754	0.3532	0.3012	0.6504	0.6418	0.3458	0.2834
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	schulze	NOISE-K	5	-0.3072	0.0788	-0.049	0.115	-0.111	-0.1092	0.0352	-0.2016	0.0798	0.3562	0.3194	0.649	0.6594	0.3454	0.3014

Table 33: ImageNet–ResNet-18 results.

cell	dataset	model	method	setting	q	C perturbed p	Cbar perturbed p	F perturbed s	Fbar perturbed s	C perturbed s	Cbar perturbed s	F perturbed a	Fbar perturbed a	C perturbed a	Cbar perturbed a
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	simpleavg	NOISE-S	4	0.611	0.6804	0.2604	0.3068	0.4234	0.494	0.0834	0.204	0.1142	0.2918
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	borda	NOISE-S	4	0.6286	0.6022	0.2654	0.2204	0.4292	0.4048	0.0756	0.15	0.1056	0.2312
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	kemeny	NOISE-S	4	0.6086	0.5528	0.2556	0.2002	0.4114	0.3788	0.0684	0.1562	0.0932	0.237
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	rrf	NOISE-S	4	0.6262	0.5588	0.2662	0.1992	0.426	0.3768	0.073	0.1346	0.1018	0.211
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	schulze	NOISE-S	4	0.6152	0.5544	0.258	0.2006	0.413	0.3788	0.0658	0.1584	0.0914	0.2364
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	simpleavg	NOISE-K	5	0.5958	0.7178	0.2448	0.3364	0.406	0.5304	0.0818	0.227	0.114	0.322
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	borda	NOISE-K	5	0.6248	0.6404	0.264	0.2492	0.4258	0.4358	0.0768	0.172	0.109	0.2496
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	kemeny	NOISE-K	5	0.6284	0.5646	0.272	0.2104	0.433	0.3906	0.0768	0.1386	0.1074	0.2126
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	rrf	NOISE-K	5	0.6306	0.6166	0.2708	0.2336	0.4298	0.4174	0.0784	0.1548	0.1102	0.234
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	schulze	NOISE-K	5	0.633	0.633	0.2664	0.2508	0.427	0.4368	0.0784	0.1666	0.1104	0.246

128

cell	dataset	model	distance model	q	aggregation	mean distance	n distances	fit model	fit statistic	fit p value	fit theta	selected q	selected by noise	forced fallback	methods	selection task id	selection task digest	gof json	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	kemeny	2341.4	10000	kendall_m	0.12653148	0.002190711403	0.0711403	11	False	True	["GuidedB-skipnet", "De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155", "IntegratedC0921p	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	kemeny	1829.8	15000	kendall_m	0.16571128	0.002190711403	0.02809	11	False	True	["GuidedB-skipnet", "De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155", "IntegratedC0921p	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	kemeny	3010.4	20000	kendall_m	0.15935298	0.002190711403	0.053303	11	False	True	["GuidedB-skipnet", "De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155", "IntegratedC0921p	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	kemeny	3433	25000	kendall_m	0.13457658	0.002190711403	0.045407	11	False	True	["GuidedB-skipnet", "De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155", "IntegratedC0921p	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	kemeny	3377.5	30000	kendall_m	0.14965288	0.002190711403	0.046342	11	False	True	["GuidedB-skipnet", "De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155", "IntegratedC0921p	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	kemeny	3218.6	35000	kendall_m	0.14983148	0.002190711403	0.049178	11	False	True	["GuidedB-skipnet", "De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155", "IntegratedC0921p	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	kemeny	3257.5	40000	kendall_m	0.14940058	0.002190711403	0.048461	11	False	True	["GuidedB-skipnet", "De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155", "IntegratedC0921p	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	kemeny	3164.8	45000	kendall_m	0.15078868	0.002190711403	0.050196	11	False	True	["GuidedB-skipnet", "De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155", "IntegratedC0921p	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	kemeny	3430.5	50000	kendall_m	0.14851988	0.002190711403	0.045449	11	False	True	["GuidedB-skipnet", "De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155", "IntegratedC0921p	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	kemeny	3733	55000	kendall_m	0.14703668	0.002190711403	0.040792	11	True	True	["GuidedB-skipnet", "De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155", "IntegratedC0921p	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	borda	1.0999e+05	10000	spearman	0.530999	0.002190711403	0.009567	11	False	True	["GuidedB-skipnet", "De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155", "IntegratedC0921p	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	borda	1.0523e+05	15000	spearman	0.661997	0.002190711403	0.009648	11	False	True	["GuidedB-skipnet", "De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155", "IntegratedC0921p	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	De7pB6fShag737Dae993nf59E869776260e12bf9a9447ae0655532638fef9b155	

cell	dataset	model	distance model	q	aggregation	mean distance	n distances	fit model	fit statistic	fit P value	fit theta	selected q	selected by noise	forced fallback	methods	selection task id	selection task digest	gof json
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	borda	2.0796e+05	20000	spearman	0.52264	0.002	0.60945	importance	False	bin	Symmetric	[{"picked": 1, "score": 1}], "D8d9b1f23ccf5BE54971a63d1fa0b92a75b1b16f0202213993771a3d58472616a1_importance_bin		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	borda	2.3254e+05	25000	spearman	0.47564	0.002	0.60932	importance	False	bin	Symmetric	[{"picked": 1, "score": 1}], "D8d9b1f23ccf5BE54971a63d1fa0b92a75b1b16f0202213993771a3d58472616a1_importance_bin		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	borda	2.3084e+05	30000	spearman	0.50583	0.002	0.60933	importance	False	bin	Symmetric	[{"picked": 1, "score": 1}], "D8d9b1f23ccf5BE54971a63d1fa0b92a75b1b16f0202213993771a3d58472616a1_importance_bin		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	borda	2.2177e+05	35000	spearman	0.50908	0.002	0.60937	importance	False	bin	Symmetric	[{"picked": 1, "score": 1}], "D8d9b1f23ccf5BE54971a63d1fa0b92a75b1b16f0202213993771a3d58472616a1_importance_bin		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	borda	2.2576e+05	40000	spearman	0.51464	0.002	0.60935	importance	False	bin	Symmetric	[{"picked": 1, "score": 1}], "D8d9b1f23ccf5BE54971a63d1fa0b92a75b1b16f0202213993771a3d58472616a1_importance_bin		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	borda	2.1949e+05	45000	spearman	0.61249	0.002	0.60934	importance	False	bin	Symmetric	[{"picked": 1, "score": 1}], "D8d9b1f23ccf5BE54971a63d1fa0b92a75b1b16f0202213993771a3d58472616a1_importance_bin		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	borda	2.5082e+05	50000	spearman	0.51865	0.002	0.60937	importance	False	bin	Symmetric	[{"picked": 1, "score": 1}], "D8d9b1f23ccf5BE54971a63d1fa0b92a75b1b16f0202213993771a3d58472616a1_importance_bin		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	borda	2.9165e+05	55000	spearman	0.51847	0.002	0.60921	importance	False	bin	Symmetric	[{"picked": 1, "score": 1}], "D8d9b1f23ccf5BE54971a63d1fa0b92a75b1b16f0202213993771a3d58472616a1_importance_bin		

Table 35: ImageNet–ResNet-18 results.

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	C	borda	quality	max	5	0.312	[5]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	Cbar	borda	quality	min	2	0.2586	[2]	smallest_q12	["GuidedBackprop", "DeepLiftShap"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	F	borda	quality	max	5	0.1876	[5]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	Fbar	borda	quality	min	2	0.1452	[2]	smallest_q12	["GuidedBackprop", "DeepLiftShap"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversarial-sara-2-255	C	borda	robustness	max	11	-0.1882	[11]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversarial-sara-2-255	Cbar	borda	robustness	max	5	0.072	[5]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversarial-sara-2-255	F	borda	robustness	max	8	-0.094	[8]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversarial-sara-2-255	Fbar	borda	robustness	max	6	0.0324	[6]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	C	borda	robustness	max	6	0.3474	[6]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	Cbar	borda	robustness	max	9	-0.2942	[9]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	F	borda	robustness	max	7	0.178	[7]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	Fbar	borda	robustness	max	9	-0.0828	[9]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	C	borda	robustness	max	7	0.3256	[7]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	Cbar	borda	robustness	max	9	-0.2636	[9]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	F	borda	robustness	max	8	0.1664	[8]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	Fbar	borda	robustness	max	3	-0.047	[3]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	C	borda	robustness	max	7	0.126	[7,8]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	Cbar	borda	robustness	max	9	-0.0898	[9]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	F	borda	robustness	max	8	0.0866	[8]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	Fbar	borda	robustness	max	3	-0.0274	[3]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	C	kemeny	quality	max	5	0.3128	[5]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	Cbar	kemeny	quality	min	2	0.2586	[2]	smallest_q12	["GuidedBackprop", "DeepLiftShap"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	F	kemeny	quality	max	5	0.1874	[5]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	Fbar	kemeny	quality	min	2	0.1452	[2]	smallest_q12	["GuidedBackprop", "DeepLiftShap"]

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversaria-sara-2-255	C	kemeny	robustness	max	11	-0.179	[11]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversaria-sara-2-255	Cbar	kemeny	robustness	max	5	0.0746	[5]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversaria-sara-2-255	F	kemeny	robustness	max	11	-0.0904	[11]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversaria-sara-2-255	Fbar	kemeny	robustness	max	6	0.036	[6]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	C	kemeny	robustness	max	7	0.3358	[7]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	Cbar	kemeny	robustness	max	9	-0.2642	[9]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	F	kemeny	robustness	max	3	0.175	[3]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	Fbar	kemeny	robustness	max	9	-0.0522	[9]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	C	kemeny	robustness	max	8	0.3216	[8]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	Cbar	kemeny	robustness	max	9	-0.2452	[9]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	F	kemeny	robustness	max	3	0.1672	[3]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	Fbar	kemeny	robustness	max	3	-0.0356	[3]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	C	kemeny	robustness	max	8	0.1234	[8]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	Cbar	kemeny	robustness	max	6	-0.0882	[6]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	F	kemeny	robustness	max	5	0.0846	[5]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	Fbar	kemeny	robustness	max	3	-0.0222	[3]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	C	rrf	quality	max	5	0.3152	[5]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	Cbar	rrf	quality	min	2	0.256	[2]	smallest_q12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	F	rrf	quality	max	5	0.1886	[5]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	Fbar	rrf	quality	min	2	0.1424	[2]	smallest_q12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversaria-sara-2-255	C	rrf	robustness	max	10	-0.1868	[10]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversaria-sara-2-255	Cbar	rrf	robustness	max	6	0.0784	[6]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversaria-sara-2-255	F	rrf	robustness	max	11	-0.0956	[11]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversaria-sara-2-255	Fbar	rrf	robustness	max	6	0.0382	[6]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	C	rrf	robustness	max	6	0.3436	[6]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	Cbar	rrf	robustness	max	9	-0.2768	[9]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	F	rrf	robustness	max	4	0.1756	[4]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	Fbar	rrf	robustness	max	9	-0.07	[9]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	C	rrf	robustness	max	6	0.321	[6]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	Cbar	rrf	robustness	max	9	-0.2524	[9]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	F	rrf	robustness	max	3	0.1658	[3]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	Fbar	rrf	robustness	max	9	-0.052	[9]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	C	rrf	robustness	max	7	0.1262	[7]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	Cbar	rrf	robustness	max	8	-0.0882	[8,9]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	F	rrf	robustness	max	7	0.0858	[7]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	Fbar	rrf	robustness	max	3	-0.0276	[3]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	C	schulze	quality	max	5	0.312	[5]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	Cbar	schulze	quality	min	2	0.2586	[2]	smallest_q12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	F	schulze	quality	max	5	0.1876	[5]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	Fbar	schulze	quality	min	2	0.1452	[2]	smallest_q12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversarial-sara-2-255	C	schulze	robustness	max	9	-0.1846	[9]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversarial-sara-2-255	Cbar	schulze	robustness	max	5	0.0798	[5]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversarial-sara-2-255	F	schulze	robustness	max	11	-0.0926	[11]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversarial-sara-2-255	Fbar	schulze	robustness	max	5	0.0352	[5]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	C	schulze	robustness	max	6	0.339	[6]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	Cbar	schulze	robustness	max	10	-0.2776	[10]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	F	schulze	robustness	max	3	0.1794	[3]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	Fbar	schulze	robustness	max	9	-0.0652	[9]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	C	schulze	robustness	max	5	0.321	[5]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	Cbar	schulze	robustness	max	10	-0.2512	[10]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	F	schulze	robustness	max	3	0.1698	[3]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	Fbar	schulze	robustness	max	3	-0.0382	[3]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	C	schulze	robustness	max	6	0.1206	[6]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	Cbar	schulze	robustness	max	2	-0.0906	[2]	smallest_q12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	F	schulze	robustness	max	3	0.0878	[3]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	Fbar	schulze	robustness	max	3	-0.0238	[3]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	C	simpleavg	quality	max	2	0.3056	[2]	smallest_q12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	Cbar	simpleavg	quality	min	2	0.2646	[2]	smallest_q12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	F	simpleavg	quality	max	2	0.1814	[2]	smallest_q12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	Fbar	simpleavg	quality	min	2	0.15	[2]	smallest_q12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversarial-sara-2-255	C	simpleavg	robustness	max	8	-0.173	[8]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversarial-sara-2-255	Cbar	simpleavg	robustness	max	4	0.0788	[4]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversarial-sara-2-255	F	simpleavg	robustness	max	5	-0.0908	[5]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversarial-sara-2-255	Fbar	simpleavg	robustness	max	5	0.0428	[5]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	C	simpleavg	robustness	max	8	0.35	[8]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	Cbar	simpleavg	robustness	max	3	-0.3048	[3]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	F	simpleavg	robustness	max	3	0.1726	[3]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	Fbar	simpleavg	robustness	max	3	-0.088	[3]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	C	simpleavg	robustness	max	8	0.3218	[8]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	Cbar	simpleavg	robustness	max	3	-0.2764	[3]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	F	simpleavg	robustness	max	3	0.1618	[3]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	Fbar	simpleavg	robustness	max	3	-0.0568	[3]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	C	simpleavg	robustness	max	8	0.124	[8]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	Cbar	simpleavg	robustness	max	3	-0.0928	[3]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	F	simpleavg	robustness	max	4	0.08	[4]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	speckle- 0.15	Fbar	simpleavg	robustness	max	3	-0.0282	[3]	smallest_ 12	Guided Backprop, DeepLiftShap, "DeepLift"]

Table 36: ImageNet–ResNet-18 results.

cell	dataset	model	q	rule	q11 reference	method prefix	F clean	Fbar clean	C clean	Cbar clean	F perturbed gaussian-0.15	Fbar perturbed gaussian-0.15	C perturbed gaussian-0.15	Cbar perturbed gaussian-0.15	F perturbed salt-pepper-0.05	Fbar perturbed salt-pepper-0.05	C perturbed salt-pepper-0.05	Cbar perturbed salt-pepper-0.05	F perturbed speckle-0.15	Fbar perturbed speckle-0.15
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	simpleavg	False	["GuidedBackprop", "DeepLiftShap3056"]	0.2646	0.2646	0.3442	0.2508	0.6302	0.5798	0.3322	0.2146	0.603	0.551	0.2532	0.1868		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	borda	False	["GuidedBackprop", "DeepLiftShap308"]	0.2586	0.2586	0.3498	0.2466	0.6324	0.579	0.3426	0.2066	0.614	0.541	0.2634	0.173		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	rrf	False	["GuidedBackprop", "DeepLiftShap3074"]	0.256	0.256	0.3456	0.2472	0.6344	0.5794	0.3418	0.2126	0.6132	0.5448	0.2594	0.179		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	kemeny	False	["GuidedBackprop", "DeepLiftShap308"]	0.2586	0.2586	0.3498	0.2466	0.6324	0.579	0.3426	0.2066	0.614	0.541	0.2634	0.173		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	schulze	False	["GuidedBackprop", "DeepLiftShap308"]	0.2586	0.2586	0.3498	0.2466	0.6324	0.579	0.3426	0.2066	0.614	0.541	0.2634	0.173		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	simpleavg	False	["GuidedBackprop", "DeepLiftShap3090"]	0.2752	0.2752	0.3488	0.2518	0.628	0.58	0.338	0.2206	0.6078	0.5516	0.253	0.192		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	borda	False	["GuidedBackprop", "DeepLiftShap3032"]	0.2638	0.2638	0.3458	0.2502	0.621	0.5822	0.3378	0.2056	0.6118	0.5416	0.2602	0.186		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	rrf	False	["GuidedBackprop", "DeepLiftShap3022"]	0.2716	0.2716	0.345	0.2474	0.6178	0.5848	0.342	0.2144	0.6124	0.5482	0.2566	0.1888		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	kemeny	False	["GuidedBackprop", "DeepLiftShap2910"]	0.274	0.274	0.345	0.2452	0.6196	0.5826	0.3372	0.226	0.608	0.5632	0.2512	0.2126		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	schulze	False	["GuidedBackprop", "DeepLiftShap2923"]	0.2791	0.2791	0.3452	0.2466	0.6206	0.581	0.3356	0.2168	0.6088	0.5556	0.2536	0.2024		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simpleavg	False	["GuidedBackprop", "DeepLiftShap3022"]	0.2707	0.2707	0.3458	0.2466	0.6206	0.581	0.3356	0.2168	0.6088	0.5556	0.2536	0.2024		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	False	["GuidedBackprop", "DeepLiftShap3110"]	0.272	0.272	0.3458	0.2466	0.6206	0.581	0.3356	0.2168	0.6088	0.5556	0.2536	0.2024		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	rrf	False	["GuidedBackprop", "DeepLiftShap3030"]	0.2743	0.2743	0.3458	0.2466	0.6206	0.581	0.3356	0.2168	0.6088	0.5556	0.2536	0.2024		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	kemeny	False	["GuidedBackprop", "DeepLiftShap2973"]	0.277	0.277	0.3458	0.2466	0.6206	0.581	0.3356	0.2168	0.6088	0.5556	0.2536	0.2024		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	False	["GuidedBackprop", "DeepLiftShap2973"]	0.277	0.277	0.3458	0.2466	0.6206	0.581	0.3356	0.2168	0.6088	0.5556	0.2536	0.2024		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simpleavg	False	["GuidedBackprop", "DeepLiftShap2870"]	0.286	0.286	0.3458	0.2466	0.6206	0.581	0.3356	0.2168	0.6088	0.5556	0.2536	0.2024		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	False	["GuidedBackprop", "DeepLiftShap312"]	0.2821	0.2821	0.3458	0.2466	0.6206	0.581	0.3356	0.2168	0.6088	0.5556	0.2536	0.2024		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	rrf	False	["GuidedBackprop", "DeepLiftShap3152"]	0.2809	0.2809	0.3458	0.2466	0.6206	0.581	0.3356	0.2168	0.6088	0.5556	0.2536	0.2024		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	kemeny	False	["GuidedBackprop", "DeepLiftShap3123"]	0.287	0.287	0.3458	0.2466	0.6206	0.581	0.3356	0.2168	0.6088	0.5556	0.2536	0.2024		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	schulze	False	["GuidedBackprop", "DeepLiftShap3123"]	0.287	0.287	0.3458	0.2466	0.6206	0.581	0.3356	0.2168	0.6088	0.5556	0.2536	0.2024		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simpleavg	False	["GuidedBackprop", "DeepLiftShap2870"]	0.2854	0.2854	0.3458	0.2466	0.6206	0.581	0.3356	0.2168	0.6088	0.5556	0.2536	0.2024		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	False	["GuidedBackprop", "DeepLiftShap2950"]	0.2822	0.2822	0.3458	0.2466	0.6206	0.581	0.3356	0.2168	0.6088	0.5556	0.2536	0.2024		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	rrf	False	["GuidedBackprop", "DeepLiftShap2950"]	0.2822	0.2822	0.3458	0.2466	0.6206	0.581	0.3356	0.2168	0.6088	0.5556	0.2536	0.2024		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	kemeny	False	["GuidedBackprop", "DeepLiftShap3060"]	0.285	0.285	0.3458	0.2466	0.6206	0.581	0.3356	0.2168	0.6088	0.5556	0.2536	0.2024		

cell	dataset	model	q	rule	q11 reference	method prefix	F clean	Fbar clean	C clean	Cbar clean	F perturbed gaussian-0.15	Fbar perturbed gaussian-0.15	C perturbed gaussian-0.15	Cbar perturbed gaussian-0.15	F perturbed salt-pepper-0.05	Fbar perturbed salt-pepper-0.05	C perturbed salt-pepper-0.05	Cbar perturbed salt-pepper-0.05	F perturbed speckle-0.15	Fbar perturbed speckle-0.15
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	schulze	False	["GuidedBackprop", "DeepLiftShap250DeepDi8157FeatureA1148on", "Occld18824", "Gradient0.331ap"]	0.6186	0.3356	0.2632	0.6156	0.5938	0.262	0.2346							
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleavg	False	["GuidedBackprop", "DeepLiftShap250DeepDi8157FeatureA1148on", "Occld18744", "Gradient0.331ap", "Integ0.721dGradients0.3124"]	0.3592	0.6054	0.6972	0.2478	0.318									
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	False	["GuidedBackprop", "DeepLiftShap250DeepDi8157FeatureA1148on", "Occld18264", "Gradient0.331ap", "Integ0.684dGradients0.3354"]	0.303	0.6146	0.6394	0.2538	0.2644									
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	rrf	False	["GuidedBackprop", "DeepLiftShap291DeepDi8233FeatureA11424on", "Occld18966", "Gradient0.331ap", "Integ0.629dGradients0.3296"]	0.2732	0.605	0.599	0.2586	0.2412									
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	kemeny	False	["GuidedBackprop", "DeepLiftShap250DeepDi8307FeatureA1146on", "Occld1879", "Gradient0.331ap", "Integ0.615dGradients0.332"]	0.2558	0.605	0.5846	0.2514	0.2376									
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	False	["GuidedBackprop", "DeepLiftShap290DeepDi8177FeatureA11422on", "Occld18732", "Gradient0.331ap", "Integ0.619dGradients0.3388"]	0.2662	0.6092	0.594	0.2546	0.2322									
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	False	["GuidedBackprop", "DeepLiftShap250DeepDi8157FeatureA11208on", "Occld18608", "Gradient0.331ap", "Integ0.715dGradients0.331diciency"]	0.352	0.6068	0.688	0.2498	0.3212									
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	False	["GuidedBackprop", "DeepLiftShap250DeepDi81478FeatureA11376on", "Occld18344", "Gradient0.331ap", "Integ0.623dGradients0.3328diciency"]	0.3014	0.6016	0.6302	0.25	0.2592									
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	False	["GuidedBackprop", "DeepLiftShap257DeepDi8307FeatureA11376on", "Occld18866", "Gradient0.331ap", "Integ0.608dGradients0.3306diciency"]	0.2698	0.6004	0.5988	0.2512	0.236									
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	False	["GuidedBackprop", "DeepLiftShap282DeepDi8297FeatureA11322on", "Occld18856", "Gradient0.331ap", "Integ0.623dGradients0.3328diciency"]	0.2628	0.6036	0.5922	0.2458	0.2426									
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	False	["GuidedBackprop", "DeepLiftShap250DeepDi8317FeatureA11338on", "Occld18836", "Gradient0.331ap", "Integ0.618dGradients0.332diciency"]	0.2634	0.6006	0.592	0.248	0.2422									
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simpleavg	False	["GuidedBackprop", "DeepLiftShap250DeepDi8357FeatureA11202on", "Occld18684", "Gradient0.331ap", "Integ0.703dGradients0.332diciency", "Input0.3026radient"]	0.6022	0.6816	0.2466	0.3168										
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	False	["GuidedBackprop", "DeepLiftShap277DeepDi8367FeatureA11334on", "Occld18246", "Gradient0.331ap", "Integ0.609dGradients0.3328diciency", "Input0.3022radient"]	0.6024	0.63	0.2388	0.2668										
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	rrf	False	["GuidedBackprop", "DeepLiftShap279DeepDi8357FeatureA11346on", "Occld18958", "Gradient0.331ap", "Integ0.621dGradients0.3342diciency", "Input0.2778radient"]	0.594	0.6076	0.2384	0.2578										
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	kemeny	False	["GuidedBackprop", "DeepLiftShap279DeepDi8337FeatureA11202on", "Occld18946", "Gradient0.331ap", "Integ0.627dGradients0.3326diciency", "Input0.2778radient"]	0.593	0.6086	0.233	0.2682										
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	False	["GuidedBackprop", "DeepLiftShap269DeepDi8367FeatureA11248on", "Occld18904", "Gradient0.331ap", "Integ0.622dGradients0.3334diciency", "Input0.278radient"]	0.5896	0.61	0.235	0.2698										
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	False	["GuidedBackprop", "DeepLiftShap255DeepDi8357FeatureA11272on", "Occld18682", "Gradient0.331ap", "Integ0.705dGradients0.3332diciency", "Input0.3032radient", "Dec0.604olution"]	0.6816	0.2472	0.314											
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	False	["GuidedBackprop", "DeepLiftShap276DeepDi8317FeatureA11302on", "Occld18244", "Gradient0.331ap", "Integ0.605dGradients0.3332diciency", "Input0.2938radient", "Dec0.5936olution"]	0.6292	0.2372	0.2652											
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	rrf	False	["GuidedBackprop", "DeepLiftShap277DeepDi8357FeatureA11302on", "Occld18642", "Gradient0.331ap", "Integ0.605dGradients0.3326diciency", "Input0.2778radient", "Dec0.594olution"]	0.6022	0.239	0.2524											
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	kemeny	False	["GuidedBackprop", "DeepLiftShap272DeepDi8347FeatureA11248on", "Occld18064", "Gradient0.331ap", "Integ0.606dGradients0.3354diciency", "Input0.2762radient", "Dec0.5872olution"]	0.6076	0.2312	0.2586											
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	False	["GuidedBackprop", "DeepLiftShap275DeepDi8327FeatureA11222on", "Occld18966", "Gradient0.331ap", "Integ0.629dGradients0.3382diciency", "Input0.2748radient", "Dec0.5946olution"]	0.6034	0.2386	0.2648											
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simpleavg	True	["GuidedBackprop", "DeepLiftShap280DeepDi8367FeatureA11329on", "Occld18682", "Gradient0.331ap", "Integ0.705dGradients0.3332diciency", "Input0.3026radient", "Dec0.604olution", "LR0.0808"]	0.246	0.3146												
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	True	["GuidedBackprop", "DeepLiftShap275DeepDi8467FeatureA11272on", "Occld18182", "Gradient0.331ap", "Integ0.607dGradients0.3304diciency", "Input0.2774radient", "Dec0.5966olution", "LR0.08286"]	0.2328	0.2614												
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	rrf	True	["GuidedBackprop", "DeepLiftShap281DeepDi8427FeatureA11326on", "Occld18952", "Gradient0.331ap", "Integ0.608dGradients0.3336diciency", "Input0.2836radient", "Dec0.5946olution", "LR0.08078"]	0.2354	0.2518												
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	kemeny	True	["GuidedBackprop", "DeepLiftShap27DeepDi8497FeatureA11224on", "Occld18948", "Gradient0.331ap", "Integ0.626dGradients0.337diciency", "Input0.2834radient", "Dec0.5888olution", "LR0.08014"]	0.2304	0.2596												

cell	dataset	model	q	rule	q11 reference	method prefix	F clean	Fbar clean	C clean	Cbar clean	F perturbed gaussian-0.15	Fbar perturbed gaussian-0.15	C perturbed gaussian-0.15	Cbar perturbed gaussian-0.15	F perturbed salt-pepper-0.05	Fbar perturbed salt-pepper-0.05	C perturbed salt-pepper-0.05	Cbar perturbed salt-pepper-0.05	F perturbed speckle-0.15	Fbar perturbed speckle-0.15
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	True	["GuidedBackprojections", "Occlusion", "Gradient", "IntegralGradients", "InputDependency", "InputGradient", "DeepFool", "LRP"]	0.1576	0.1527	0.276	0.144	0.1528	0.144	0.0556	0.0324	0.3568	0.2838	0.0584	0.14	0.2346	0.2532

Table 37: ImageNet–ResNet-18 results.

cell	dataset	model	q	C perturbed speckle-0.15	Cbar perturbed speckle-0.15	F perturbed adversarial-sara-2-255	Fbar perturbed adversarial-sara-2-255	C perturbed adversarial-sara-2-255	Cbar perturbed adversarial-sara-2-255	R F gaussian-0.15	R Fbar gaussian-0.15	R C gaussian-0.15	R Cbar gaussian-0.15	R F salt-pepper-0.05	R Fbar salt-pepper-0.05	R C salt-pepper-0.05
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	2	0.4078	0.3658	0.0666	0.1256	0.0932	0.2054	0.1628	-0.1008	0.3246	-0.3152	0.1508	-0.0646	0.2974
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	2	0.4186	0.3492	0.0658	0.122	0.0922	0.2	0.168	-0.1014	0.3244	-0.3204	0.1608	-0.0614	0.306
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	2	0.4144	0.3594	0.0652	0.119	0.0926	0.1954	0.1644	-0.1048	0.327	-0.3234	0.1606	-0.0702	0.3058
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	2	0.4186	0.3492	0.0658	0.122	0.0922	0.2	0.168	-0.1014	0.3244	-0.3204	0.1608	-0.0614	0.306
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	2	0.4186	0.3492	0.0658	0.122	0.0922	0.2	0.168	-0.1014	0.3244	-0.3204	0.1608	-0.0614	0.306
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	3	0.4112	0.368	0.0608	0.1456	0.0852	0.2218	0.1726	-0.088	0.3284	-0.3048	0.1618	-0.0568	0.3082
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	3	0.4164	0.3674	0.0612	0.1364	0.0856	0.2154	0.1696	-0.0916	0.3176	-0.3134	0.1616	-0.047	0.3084
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	3	0.413	0.3678	0.0622	0.141	0.0858	0.2192	0.1688	-0.0862	0.3156	-0.3132	0.1658	-0.0532	0.3102
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	3	0.4032	0.3936	0.0586	0.1786	0.0824	0.2654	0.175	-0.0548	0.328	-0.2782	0.1672	-0.0356	0.3164
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	3	0.4058	0.3834	0.06	0.172	0.0832	0.2552	0.1794	-0.068	0.3282	-0.29	0.1698	-0.0382	0.3164
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	0.4234	0.494	0.0834	0.204	0.1142	0.2918	0.1532	-0.1178	0.3372	-0.3282	0.1386	-0.1034	0.3086
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	0.4292	0.4048	0.0756	0.15	0.1056	0.2312	0.1716	-0.1134	0.3338	-0.3262	0.1612	-0.0928	0.317
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	0.426	0.3768	0.073	0.1346	0.1018	0.211	0.1756	-0.0984	0.333	-0.3202	0.165	-0.072	0.3196
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	0.4114	0.3788	0.0684	0.1562	0.0932	0.237	0.1706	-0.086	0.329	-0.3086	0.1612	-0.0606	0.3108
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	0.413	0.3788	0.0658	0.1584	0.0914	0.2364	0.176	-0.0818	0.3238	-0.3004	0.1694	-0.0512	0.3178
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	0.406	0.5304	0.0818	0.227	0.114	0.322	0.156	-0.1262	0.347	-0.3426	0.1294	-0.107	0.3086
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	0.4258	0.4358	0.0768	0.172	0.109	0.2496	0.1676	-0.13	0.3406	-0.3498	0.1502	-0.1106	0.3128
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	0.4298	0.4174	0.0784	0.1548	0.1102	0.234	0.1646	-0.1144	0.3352	-0.3324	0.1572	-0.0966	0.3154
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	0.433	0.3906	0.0768	0.1386	0.1074	0.2126	0.1704	-0.096	0.332	-0.3062	0.1628	-0.0684	0.3156
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	0.427	0.4368	0.0784	0.1666	0.1104	0.246	0.1686	-0.1176	0.337	-0.3336	0.1578	-0.0996	0.321
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	6	0.4076	0.5232	0.0804	0.2218	0.1126	0.317	0.1558	-0.1238	0.3478	-0.3366	0.1328	-0.105	0.3138
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	6	0.415	0.4394	0.074	0.1768	0.1012	0.2648	0.1772	-0.1166	0.3474	-0.3358	0.1598	-0.0932	0.3188
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	6	0.4182	0.4134	0.0766	0.1582	0.1052	0.2396	0.1714	-0.0966	0.3436	-0.3132	0.1618	-0.0732	0.321
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	6	0.4194	0.3938	0.0706	0.1508	0.0984	0.2342	0.1634	-0.0776	0.317	-0.2952	0.1542	-0.0548	0.3072

cell	dataset	model	q	C perturbed speckle-0.15	Cbar perturbed speckle-0.15	F perturbed adversarial-sara-2-255	Fbar perturbed adversarial-sara-2-255	C perturbed adversarial-sara-2-255	Cbar perturbed adversarial-sara-2-255	R F gaussian-0.15	R Fbar gaussian-0.15	R C gaussian-0.15	R Cbar gaussian-0.15	R F salt-pepper-0.05	R Fbar salt-pepper-0.05	R C salt-pepper-0.05
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	0.4214	0.4126	0.073	0.1668	0.1002	0.2482	0.1668	-0.0868	0.339	-0.3034	0.1546	-0.0676	0.3148
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	0.4066	0.5148	0.0802	0.2222	0.1122	0.314	0.156	-0.1152	0.3448	-0.3314	0.1382	-0.1	0.3156
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	0.415	0.4524	0.0708	0.1926	0.0966	0.2788	0.178	-0.1042	0.3452	-0.3202	0.1656	-0.0788	0.3256
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	0.4174	0.4234	0.0724	0.1794	0.0982	0.2626	0.1696	-0.086	0.337	-0.3066	0.1568	-0.0686	0.3138
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	0.4094	0.4228	0.068	0.183	0.094	0.2716	0.173	-0.0702	0.3358	-0.2846	0.1604	-0.047	0.3166
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	0.4116	0.412	0.073	0.17	0.0982	0.2544	0.167	-0.0778	0.3246	-0.2934	0.1638	-0.0708	0.3126
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	0.409	0.5122	0.0812	0.218	0.112	0.3108	0.1574	-0.1124	0.35	-0.3256	0.1426	-0.0946	0.3218
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	0.4104	0.4428	0.0694	0.1998	0.0946	0.2864	0.1742	-0.1018	0.3422	-0.319	0.1664	-0.0818	0.3172
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	0.4096	0.4188	0.0688	0.1836	0.0952	0.2662	0.1694	-0.081	0.3348	-0.2962	0.1624	-0.0622	0.3126
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	0.4054	0.4284	0.066	0.1884	0.0914	0.2754	0.168	-0.0758	0.3284	-0.2932	0.1656	-0.053	0.3216
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	0.4048	0.4304	0.0668	0.1866	0.092	0.2734	0.1658	-0.0768	0.325	-0.2872	0.1618	-0.0566	0.3162
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	0.4056	0.506	0.0784	0.22	0.1078	0.3136	0.1514	-0.1096	0.3408	-0.3202	0.1372	-0.0888	0.314
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	0.4016	0.4562	0.0646	0.2154	0.0892	0.3068	0.1716	-0.0828	0.3418	-0.2942	0.1662	-0.0624	0.3246
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	0.3996	0.4434	0.0674	0.2026	0.0926	0.2918	0.1702	-0.07	0.3324	-0.2768	0.1598	-0.052	0.3142
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	0.3882	0.455	0.0602	0.2156	0.0854	0.3088	0.1688	-0.0522	0.3278	-0.2642	0.1652	-0.0396	0.3186
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	0.389	0.458	0.061	0.2202	0.0848	0.3138	0.167	-0.0652	0.3328	-0.2818	0.1616	-0.0458	0.3202
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	0.4056	0.504	0.0776	0.217	0.1074	0.3106	0.1536	-0.1128	0.3452	-0.32	0.1396	-0.0938	0.3182
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	0.3972	0.4524	0.0644	0.2072	0.0884	0.3018	0.1686	-0.097	0.3396	-0.314	0.1576	-0.0704	0.3168
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	0.399	0.4354	0.0668	0.1968	0.0904	0.2886	0.1664	-0.0842	0.3322	-0.2968	0.1564	-0.06	0.3128
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	0.3876	0.445	0.0628	0.2066	0.0874	0.2994	0.1632	-0.0712	0.323	-0.2816	0.1568	-0.047	0.315
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	0.3906	0.449	0.0644	0.2116	0.0888	0.3036	0.1604	-0.0704	0.3246	-0.2776	0.1564	-0.0486	0.3156
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	0.4052	0.5058	0.0782	0.2172	0.1092	0.3108	0.1564	-0.1118	0.3474	-0.3208	0.1376	-0.0916	0.3152
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	0.3898	0.4494	0.063	0.1996	0.0874	0.2932	0.1692	-0.0996	0.3384	-0.3208	0.1624	-0.0788	0.3208
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	0.3938	0.4382	0.0656	0.193	0.0898	0.2816	0.1648	-0.0776	0.3286	-0.2944	0.1624	-0.066	0.3134
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	0.3846	0.4486	0.0652	0.2084	0.092	0.3	0.1668	-0.0684	0.3296	-0.2774	0.1614	-0.045	0.317

cell	dataset	model	q	C perturbed speckle-0.15	Cbar perturbed speckle-0.15	F perturbed adversarial-sara-2-255	Fbar perturbed adversarial-sara-2-255	C perturbed adversarial-sara-2-255	Cbar perturbed adversarial-sara-2-255	R F gaussian-0.15	R Fbar gaussian-0.15	R C gaussian-0.15	R Cbar gaussian-0.15	R F salt-pepper-0.05	R Fbar salt-pepper-0.05	R C salt-pepper-0.05
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	0.388	0.4402	0.065	0.2012	0.0896	0.2938	0.1662	-0.0762	0.3296	-0.288	0.1592	-0.0656	0.3124

Table 38: ImageNet–ResNet-18 results.

cell	dataset	model	q	R Cbar speckle-0.15	R F adversarial-sara-2-255	R Fbar adversarial-sara-2-255	R C adversarial-sara-2-255	R Cbar adversarial-sara-2-255
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	2	-0.1012	-0.1148	0.0244	-0.2124	0.0592
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	2	-0.0906	-0.116	0.0232	-0.2158	0.0586
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	2	-0.1034	-0.116	0.0234	-0.2148	0.0606
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	2	-0.0906	-0.116	0.0232	-0.2158	0.0586
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	2	-0.0906	-0.116	0.0232	-0.2158	0.0586
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	3	-0.0928	-0.1154	0.0182	-0.2144	0.0534
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	3	-0.0986	-0.115	0.0222	-0.2178	0.0534
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	3	-0.0962	-0.114	0.0202	-0.2164	0.0524
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	3	-0.0892	-0.1114	0.0118	-0.2092	0.039
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	3	-0.0924	-0.1058	0.0066	-0.2092	0.0358
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	-0.1234	-0.097	0.034	-0.1882	0.0788
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	-0.1024	-0.11	0.0302	-0.206	0.0712
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	-0.102	-0.1104	0.026	-0.2048	0.0638
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	-0.1016	-0.1066	0.0088	-0.2046	0.0402
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	-0.0916	-0.1046	0.0142	-0.206	0.0508
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	-0.13	-0.0908	0.0428	-0.1732	0.0784
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	-0.1142	-0.1108	0.0262	-0.203	0.072
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	-0.108	-0.1102	0.032	-0.205	0.0754
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	-0.1034	-0.1106	0.0272	-0.2054	0.0746
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	-0.111	-0.1092	0.0352	-0.2016	0.0798
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	6	-0.1278	-0.0934	0.0414	-0.175	0.0784
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	6	-0.107	-0.1042	0.0324	-0.1974	0.0676
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	6	-0.0954	-0.1032	0.0382	-0.1934	0.0784
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	6	-0.0882	-0.11	0.036	-0.2076	0.0714

cell	dataset	model	q	R Cbar speckle-0.15	R F adversarial-sara-2-255	R Fbar adversarial-sara-2-255	R C adversarial-sara-2-255	R Cbar adversarial-sara-2-255
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	-0.0974	-0.108	0.0288	-0.2006	0.067
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	-0.1252	-0.094	0.037	-0.1776	0.0756
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	-0.1042	-0.099	0.0316	-0.1924	0.0694
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	-0.1004	-0.1004	0.0252	-0.193	0.0604
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	-0.0924	-0.1036	0.0258	-0.1944	0.0588
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	-0.0946	-0.102	0.0254	-0.1984	0.063
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	-0.1228	-0.0912	0.0394	-0.173	0.0786
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	-0.098	-0.094	0.0198	-0.1898	0.0584
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	-0.0882	-0.0994	0.024	-0.1926	0.0644
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	-0.0986	-0.0982	0.0214	-0.1906	0.0544
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	-0.0988	-0.1004	0.0202	-0.1924	0.0582
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	-0.1178	-0.0964	0.0338	-0.1804	0.0746
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	-0.0898	-0.0972	0.0234	-0.1886	0.0596
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	-0.0882	-0.097	0.0232	-0.1872	0.0634
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	-0.0916	-0.0972	0.0238	-0.189	0.0546
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	-0.1016	-0.0968	0.014	-0.1846	0.0426
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	-0.1182	-0.096	0.0324	-0.1784	0.0752
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	-0.101	-0.0972	0.0212	-0.1884	0.0496
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	-0.0966	-0.097	0.0202	-0.1868	0.0502
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	-0.0904	-0.0958	0.0226	-0.1848	0.0552
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	-0.0968	-0.0974	0.0146	-0.187	0.0486
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	-0.1196	-0.0944	0.0338	-0.1768	0.0754
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	-0.103	-0.095	0.019	-0.1882	0.0532
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	-0.0958	-0.0956	0.0246	-0.1914	0.0608
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	-0.0994	-0.0904	0.015	-0.179	0.0492

cell	dataset	model		R Cbar q speckle-0.15	R F adversarial-sara-2-255	R Fbar adversarial-sara-2-255	R C adversarial-sara-2-255	R Cbar adversarial-sara-2-255
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	-0.0958	-0.0926	0.017	-0.1864	0.0506

Table 39: ImageNet–ResNet-18 results.

cell	q	rule	predicted score	theta	mean distance	actual F	predicted q	NOISE q	actual regret	actual near optimal 95	dual geometry score	dual geometry predicted q	dual geometry actual regret	dual geometry actual near optimal 95
ImageNet–ImageNet-resnet18	2	borda	0.171067	4.239551	5.7148	0.1818	4	5	0.002	True	0.171067	5	0	True
ImageNet–ImageNet-resnet18	3	borda	0.171443	4.386417	5.364533	0.1762	4	5	0.002	False	0.170558	5	0	True
ImageNet–ImageNet-resnet18	4	borda	0.176989	3.54931	7.57135	0.1856	4	5	0.002	True	0.173717	5	0	True
ImageNet–ImageNet-resnet18	5	borda	0.172512	3.457704	7.84256	0.1876	4	5	0.002	True	0.176148	5	0	True
ImageNet–ImageNet-resnet18	6	borda	0.170775	3.41039	7.984733	0.1782	4	5	0.002	False	0.172239	5	0	True
ImageNet–ImageNet-resnet18	7	borda	0.169595	3.427477	7.933229	0.1698	4	5	0.002	False	0.168571	5	0	True
ImageNet–ImageNet-resnet18	8	borda	0.164607	3.392996	8.03735	0.1634	4	5	0.002	False	0.163351	5	0	True
ImageNet–ImageNet-resnet18	9	borda	0.157607	3.42122	7.952067	0.1618	4	5	0.002	False	0.154635	5	0	True
ImageNet–ImageNet-resnet18	10	borda	0.160269	3.193735	8.65292	0.1616	4	5	0.002	False	0.156015	5	0	True
ImageNet–ImageNet-resnet18	11	borda	0.160312	2.9804	9.335673	0.158	4	5	0.002	False	0.157057	5	0	True
ImageNet–ImageNet-resnet18	2	kemeny	0.171067	4.239551	5.7148	0.1818	5	5	0	True	0.171067	5	0	True
ImageNet–ImageNet-resnet18	3	kemeny	0.169673	5.013329	4.046133	0.17	5	5	0	False	0.170558	5	0	True
ImageNet–ImageNet-resnet18	4	kemeny	0.170446	3.987173	6.3539	0.175	5	5	0	False	0.173717	5	0	True
ImageNet–ImageNet-resnet18	5	kemeny	0.179783	3.694213	7.15368	0.1874	5	5	0	True	0.176148	5	0	True
ImageNet–ImageNet-resnet18	6	kemeny	0.173703	3.657112	7.259267	0.1806	5	5	0	True	0.172239	5	0	True
ImageNet–ImageNet-resnet18	7	kemeny	0.167547	3.749178	6.999	0.1716	5	5	0	False	0.168571	5	0	True
ImageNet–ImageNet-resnet18	8	kemeny	0.162094	3.678705	7.1977	0.1642	5	5	0	False	0.163351	5	0	True
ImageNet–ImageNet-resnet18	9	kemeny	0.151663	3.719726	7.081622	0.1574	5	5	0	False	0.154635	5	0	True
ImageNet–ImageNet-resnet18	10	kemeny	0.151761	3.455865	7.84806	0.1586	5	5	0	False	0.156015	5	0	True
ImageNet–ImageNet-resnet18	11	kemeny	0.153802	3.223616	8.559164	0.1556	5	5	0	False	0.157057	5	0	True

Table 40: ImageNet–ResNet-18 results.

dataset	model	architecture	replit	metric	sample count	noise	condition id	robustness	selected method
ImageNet	ImageNet-resnet18	cnn	test	R_F	5000	gaussian	gaussian-0.15	0.078	LRP
ImageNet	ImageNet-resnet18	cnn	test	R_Fbar	5000	gaussian	gaussian-0.15	0.0108	InputXGradient
ImageNet	ImageNet-resnet18	cnn	test	R_C	5000	gaussian	gaussian-0.15	0.2344	LRP
ImageNet	ImageNet-resnet18	cnn	test	R_Cbar	5000	gaussian	gaussian-0.15	0.184	InputXGradient
ImageNet	ImageNet-resnet18	cnn	test	R_F	5000	salt_pepper	salt-pepper-0.05	0.0442	LRP
ImageNet	ImageNet-resnet18	cnn	test	R_Fbar	5000	salt_pepper	salt-pepper-0.05	0.0086	InputXGradient
ImageNet	ImageNet-resnet18	cnn	test	R_C	5000	salt_pepper	salt-pepper-0.05	0.2042	LRP
ImageNet	ImageNet-resnet18	cnn	test	R_Cbar	5000	salt_pepper	salt-pepper-0.05	0.1848	InputXGradient
ImageNet	ImageNet-resnet18	cnn	test	R_F	5000	speckle	speckle-0.15	0.0238	LRP
ImageNet	ImageNet-resnet18	cnn	test	R_Fbar	5000	speckle	speckle-0.15	0.0004	InputXGradient
ImageNet	ImageNet-resnet18	cnn	test	R_C	5000	speckle	speckle-0.15	0.0644	LRP
ImageNet	ImageNet-resnet18	cnn	test	R_Cbar	5000	speckle	speckle-0.15	0.047	InputXGradient
ImageNet	ImageNet-resnet18	cnn	test	R_F	5000	adversarial	adversarial-sara-2-255	0.036	LRP
ImageNet	ImageNet-resnet18	cnn	test	R_Fbar	5000	adversarial	adversarial-sara-2-255	0.0026	Deconvolution
ImageNet	ImageNet-resnet18	cnn	test	R_C	5000	adversarial	adversarial-sara-2-255	0.1048	LRP
ImageNet	ImageNet-resnet18	cnn	test	R_Cbar	5000	adversarial	adversarial-sara-2-255	0.002	Deconvolution

Table 41: ImageNet–ResNet-18 results.

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Best Individual	best-individual		1	g	F	33706f8ee8f5d0078f946cbaceb95a5f8046f0dfb3a7c3345cb57f3b9b03029616	50005	f946cbaceb95a5f8046f0dfb3a7c3345cb57f3b9b03029616			0.044	0.110333	0.044	0.110333		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Best Individual	best-individual		1	g	Fbar	33706f8ee8f5d0078f946cbaceb95a5f8046f0dfb3a7c3345cb57f3b9b03016248	50005	f946cbaceb95a5f8046f0dfb3a7c3345cb57f3b9b03016248			0.4272	0.5014	-0.4272	-0.5014		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Best Individual	best-individual		1	g	C	33706f8ee8f5d0078f946cbaceb95a5f8046f0dfb3a7c3345cb57f3b9b03028703	50005	f946cbaceb95a5f8046f0dfb3a7c3345cb57f3b9b03028703			0.124667	0.362733	0.124667	0.362733		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Best Individual	best-individual		1	g	Cbar	33706f8ee8f5d0078f946cbaceb95a5f8046f0dfb3a7c3345cb57f3b9b03029363	50005	f946cbaceb95a5f8046f0dfb3a7c3345cb57f3b9b03029363			0.569267	0.851267	-0.569267	-0.851267		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Best Individual	best-individual		1	p	F	33706f8ee8f5d0078f946cbaceb95a5f8046f0dfb3a7c3345cb57f3b9b03025974	50005	f946cbaceb95a5f8046f0dfb3a7c3345cb57f3b9b03025974			0.044	0.0932	0.044	0.0932		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Best Individual	best-individual		1	p	Fbar	33706f8ee8f5d0078f946cbaceb95a5f8046f0dfb3a7c3345cb57f3b9b03016921	50005	f946cbaceb95a5f8046f0dfb3a7c3345cb57f3b9b03016921			0.4272	0.499467	-0.4272	-0.499467		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Best Individual	best-individual		1	p	C	33706f8ee8f5d0078f946cbaceb95a5f8046f0dfb3a7c3345cb57f3b9b03027777	50005	f946cbaceb95a5f8046f0dfb3a7c3345cb57f3b9b03027777			0.124667	0.342333	0.124667	0.342333		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Best Individual	best-individual		1	p	Cbar	33706f8ee8f5d0078f946cbaceb95a5f8046f0dfb3a7c3345cb57f3b9b03025113	50005	f946cbaceb95a5f8046f0dfb3a7c3345cb57f3b9b03025113			0.569267	0.836	-0.569267	-0.836		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Best Individual	best-individual		1	s	F	33706f8ee8f5d0078f946cbaceb95a5f8046f0dfb3a7c3345cb57f3b9b0302731	50005	f946cbaceb95a5f8046f0dfb3a7c3345cb57f3b9b0302731			0.044	0.068933	0.044	0.068933		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Best Individual	best-individual		1	s	Fbar	33706f8ee8f5d0078f946cbaceb95a5f8046f0dfb3a7c3345cb57f3b9b03028785	50005	f946cbaceb95a5f8046f0dfb3a7c3345cb57f3b9b03028785			0.4272	0.504667	-0.4272	-0.504667		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Best Individual	best-individual		1	s	C	33706f8ee8f5d0078f946cbaceb95a5f8046f0dfb3a7c3345cb57f3b9b03005048	50005	f946cbaceb95a5f8046f0dfb3a7c3345cb57f3b9b03005048			0.124667	0.194333	0.124667	0.194333		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Best Individual	best-individual		1	s	Cbar	33706f8ee8f5d0078f946cbaceb95a5f8046f0dfb3a7c3345cb57f3b9b03029783	50005	f946cbaceb95a5f8046f0dfb3a7c3345cb57f3b9b03029783			0.569267	0.7008	-0.569267	-0.7008		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Best Individual	best-individual		1	a	F	33706f8ee8f5d0078f946cbaceb95a5f8046f0dfb3a7c3345cb57f3b9b03004732	50005	f946cbaceb95a5f8046f0dfb3a7c3345cb57f3b9b03004732			0.044	0.0078	0.044	0.0078		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Best Individual	best-individual		1	a	Fbar	33706f8ee8f5d0078f946cbaceb95a5f8046f0dfb3a7c3345cb57f3b9b03005794	50005	f946cbaceb95a5f8046f0dfb3a7c3345cb57f3b9b03005794			0.4272	0.4212	-0.4272	-0.4212		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Best Individual	best-individual		1	a	C	33706f8ee8f5d0078f946cbaceb95a5f8046f0dfb3a7c3345cb57f3b9b03004219	50005	f946cbaceb95a5f8046f0dfb3a7c3345cb57f3b9b03004219			0.124667	0.015267	0.124667	0.015267		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Best Individual	best-individual		1	a	Cbar	33706f8ee8f5d0078f946cbaceb95a5f8046f0dfb3a7c3345cb57f3b9b03006271	50005	f946cbaceb95a5f8046f0dfb3a7c3345cb57f3b9b03006271			0.569267	0.5516	-0.569267	-0.5516		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	SimpleAvg	NAIVE		11	g	F	3b7223b327a5000541927dd41ab862f2eb328cc5464662afe288da9846f001745	50005	41927dd41ab862f2eb328cc5464662afe288da9846f001745			0.027133	0.104333	0.027133	0.104333		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	SimpleAvg	NAIVE		11	g	Fbar	3b7223b327a5000541927dd41ab862f2eb328cc5464662afe288da9846f00285	50005	41927dd41ab862f2eb328cc5464662afe288da9846f00285			0.640933	0.5726	-0.640933	-0.5726		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	SimpleAvg	NAIVE		11	g	C	3b7223b327a5000541927dd41ab862f2eb328cc5464662afe288da9846f004083	50005	41927dd41ab862f2eb328cc5464662afe288da9846f004083			0.095733	0.355933	0.095733	0.355933		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	SimpleAvg	NAIVE		11	g	Cbar	3b7223b327a5000541927dd41ab862f2eb328cc5464662afe288da9846f005173	50005	41927dd41ab862f2eb328cc5464662afe288da9846f005173			0.7948	0.931333	-0.7948	-0.931333		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	SimpleAvg	NAIVE		11	p	F	3b7223b327a5000541927dd41ab862f2eb328cc5464662afe288da9846f007567	50005	41927dd41ab862f2eb328cc5464662afe288da9846f007567			0.027133	0.086467	0.027133	0.086467		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	SimpleAvg	NAIVE		11	p	Fbar	3b7223b327a5000541927dd41ab862f2eb328cc5464662afe288da9846f005547	50005	41927dd41ab862f2eb328cc5464662afe288da9846f005547			0.640933	0.5738	-0.640933	-0.5738		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	SimpleAvg	NAIVE		11	p	C	3b7223b327a5000541927dd41ab862f2eb328cc5464662afe288da9846f00443	50005	41927dd41ab862f2eb328cc5464662afe288da9846f00443			0.095733	0.3262	0.095733	0.3262		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	SimpleAvg	NAIVE		11	p	Cbar	3b7223b327a5000541927dd41ab862f2eb328cc5464662afe288da9846f00658	50005	41927dd41ab862f2eb328cc5464662afe288da9846f00658			0.7948	0.921	-0.7948	-0.921		

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	NAIVE		11	s	F	3b7223b327a5000541927dd41ab862f2eb328cc5464662afe288da98406046e05	50005	41927dd41ab862f2eb328cc5464662afe288da98406046e05	ab862f2eb328cc5464662afe288da98406046e05	2afe288da98406046e05	0.027133	0.050333	0.027133	0.050333		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	NAIVE		11	s	Fbar	3b7223b327a5000541927dd41ab862f2eb328cc5464662afe288da98406046e05	50005	41927dd41ab862f2eb328cc5464662afe288da98406046e05	ab862f2eb328cc5464662afe288da98406046e05	2afe288da98406046e05	0.640933	0.640467	-0.640933	-0.640467		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	NAIVE		11	s	C	3b7223b327a5000541927dd41ab862f2eb328cc5464662afe288da98406046e05	50005	41927dd41ab862f2eb328cc5464662afe288da98406046e05	ab862f2eb328cc5464662afe288da98406046e05	2afe288da98406046e05	0.095733	0.168933	0.095733	0.168933		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	NAIVE		11	s	Cbar	3b7223b327a5000541927dd41ab862f2eb328cc5464662afe288da98406046e05	50005	41927dd41ab862f2eb328cc5464662afe288da98406046e05	ab862f2eb328cc5464662afe288da98406046e05	2afe288da98406046e05	0.7948	0.849267	-0.7948	-0.849267		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	NAIVE		11	a	F	3b7223b327a5000541927dd41ab862f2eb328cc5464662afe288da98406046e05	50005	41927dd41ab862f2eb328cc5464662afe288da98406046e05	ab862f2eb328cc5464662afe288da98406046e05	2afe288da98406046e05	0.027133	0.0028	0.027133	0.0028		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	NAIVE		11	a	Fbar	3b7223b327a5000541927dd41ab862f2eb328cc5464662afe288da98406046e05	50005	41927dd41ab862f2eb328cc5464662afe288da98406046e05	ab862f2eb328cc5464662afe288da98406046e05	2afe288da98406046e05	0.640933	0.639333	-0.640933	-0.639333		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	NAIVE		11	a	C	3b7223b327a5000541927dd41ab862f2eb328cc5464662afe288da98406046e05	50005	41927dd41ab862f2eb328cc5464662afe288da98406046e05	ab862f2eb328cc5464662afe288da98406046e05	2afe288da98406046e05	0.095733	0.006533	0.095733	0.006533		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	NAIVE		11	a	Cbar	3b7223b327a5000541927dd41ab862f2eb328cc5464662afe288da98406046e05	50005	41927dd41ab862f2eb328cc5464662afe288da98406046e05	ab862f2eb328cc5464662afe288da98406046e05	2afe288da98406046e05	0.7948	0.793533	-0.7948	-0.793533		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	ind		11	g	F	ed73509580b500e74268ee7918c3e02c76f43cdb63c43f0e60686f12da06005431	50007	4268ee7918c3e02c76f43cdb63c43f0e60686f12da06005431	3e02c76f43cdb63c43f0e60686f12da06005431	e60686f12da06005431	0.0224	0.1028	0.0224	0.1028		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	ind		11	g	Fbar	ed73509580b500e74268ee7918c3e02c76f43cdb63c43f0e60686f12da06005431	50007	4268ee7918c3e02c76f43cdb63c43f0e60686f12da06005431	3e02c76f43cdb63c43f0e60686f12da06005431	e60686f12da06005431	0.6304	0.5664	-0.6304	-0.5664		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	ind		11	g	C	ed73509580b500e74268ee7918c3e02c76f43cdb63c43f0e60686f12da06005431	50007	4268ee7918c3e02c76f43cdb63c43f0e60686f12da06005431	3e02c76f43cdb63c43f0e60686f12da06005431	e60686f12da06005431	0.0908	0.3466	0.0908	0.3466		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	ind		11	g	Cbar	ed73509580b500e74268ee7918c3e02c76f43cdb63c43f0e60686f12da06005431	50007	4268ee7918c3e02c76f43cdb63c43f0e60686f12da06005431	3e02c76f43cdb63c43f0e60686f12da06005431	e60686f12da06005431	0.7818	0.9262	-0.7818	-0.9262		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	ind		11	p	F	ed73509580b500e74268ee7918c3e02c76f43cdb63c43f0e60686f12da06005431	50007	4268ee7918c3e02c76f43cdb63c43f0e60686f12da06005431	3e02c76f43cdb63c43f0e60686f12da06005431	e60686f12da06005431	0.0224	0.0802	0.0224	0.0802		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	ind		11	p	Fbar	ed73509580b500e74268ee7918c3e02c76f43cdb63c43f0e60686f12da06005431	50007	4268ee7918c3e02c76f43cdb63c43f0e60686f12da06005431	3e02c76f43cdb63c43f0e60686f12da06005431	e60686f12da06005431	0.6304	0.5726	-0.6304	-0.5726		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	ind		11	p	C	ed73509580b500e74268ee7918c3e02c76f43cdb63c43f0e60686f12da06005431	50007	4268ee7918c3e02c76f43cdb63c43f0e60686f12da06005431	3e02c76f43cdb63c43f0e60686f12da06005431	e60686f12da06005431	0.0908	0.323	0.0908	0.323		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	ind		11	p	Cbar	ed73509580b500e74268ee7918c3e02c76f43cdb63c43f0e60686f12da06005431	50007	4268ee7918c3e02c76f43cdb63c43f0e60686f12da06005431	3e02c76f43cdb63c43f0e60686f12da06005431	e60686f12da06005431	0.7818	0.9204	-0.7818	-0.9204		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	ind		11	s	F	ed73509580b500e74268ee7918c3e02c76f43cdb63c43f0e60686f12da06005431	50007	4268ee7918c3e02c76f43cdb63c43f0e60686f12da06005431	3e02c76f43cdb63c43f0e60686f12da06005431	e60686f12da06005431	0.0224	0.0492	0.0224	0.0492		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	ind		11	s	Fbar	ed73509580b500e74268ee7918c3e02c76f43cdb63c43f0e60686f12da06005431	50007	4268ee7918c3e02c76f43cdb63c43f0e60686f12da06005431	3e02c76f43cdb63c43f0e60686f12da06005431	e60686f12da06005431	0.6304	0.631	-0.6304	-0.631		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	ind		11	s	C	ed73509580b500e74268ee7918c3e02c76f43cdb63c43f0e60686f12da06005431	50007	4268ee7918c3e02c76f43cdb63c43f0e60686f12da06005431	3e02c76f43cdb63c43f0e60686f12da06005431	e60686f12da06005431	0.0908	0.1676	0.0908	0.1676		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	ind		11	s	Cbar	ed73509580b500e74268ee7918c3e02c76f43cdb63c43f0e60686f12da06005431	50007	4268ee7918c3e02c76f43cdb63c43f0e60686f12da06005431	3e02c76f43cdb63c43f0e60686f12da06005431	e60686f12da06005431	0.7818	0.8402	-0.7818	-0.8402		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	ind		11	a	F	ed73509580b500e74268ee7918c3e02c76f43cdb63c43f0e60686f12da06005431	50007	4268ee7918c3e02c76f43cdb63c43f0e60686f12da06005431	3e02c76f43cdb63c43f0e60686f12da06005431	e60686f12da06005431	0.0224	0.003	0.0224	0.003		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	ind		11	a	Fbar	ed73509580b500e74268ee7918c3e02c76f43cdb63c43f0e60686f12da06005431	50007	4268ee7918c3e02c76f43cdb63c43f0e60686f12da06005431	3e02c76f43cdb63c43f0e60686f12da06005431	e60686f12da06005431	0.6304	0.629	-0.6304	-0.629		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	ind		11	a	C	ed73509580b500e74268ee7918c3e02c76f43cdb63c43f0e60686f12da06005431	50007	4268ee7918c3e02c76f43cdb63c43f0e60686f12da06005431	3e02c76f43cdb63c43f0e60686f12da06005431	e60686f12da06005431	0.0908	0.0064	0.0908	0.0064		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	ind		11	a	Cbar	ed73509580b500e74268ee7918c3e02c76f43cdb63c43f0e60686f12da06005431	50007	4268ee7918c3e02c76f43cdb63c43f0e60686f12da06005431	3e02c76f43cdb63c43f0e60686f12da06005431	e60686f12da06005431	0.7818	0.782	-0.7818	-0.782		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Borda	NAIVE		11	g	F	a0797fb5a0260060edcc3a1f3b1044a4e8b6ed61a548650b1bd5731bc4040f8808	260060	edcc3a1f3b1044a4e8b6ed61a548650b1bd5731bc4040f8808	1044a4e8b6ed61a548650b1bd5731bc4040f8808	b1bd5731bc4040f8808	0.031333	0.103733	0.031333	0.103733		

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	NAIVE		11	a	F	304af6c9abd500764eca51cc0db0334075d36e7069bbd15c60c073e10.1063767	5000	4eca51cc0db0334075d36e7069bbd15c60c073e10.1063767	36e7069bbd15c60c073e10.1063767	36e7069bbd15c60c073e10.1063767	0.029133	0.002933	0.029133	0.002933		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	NAIVE		11	a	Fbar	304af6c9abd500764eca51cc0db0334075d36e7069bbd15c60c073e10.1063767	5000	4eca51cc0db0334075d36e7069bbd15c60c073e10.1063767	36e7069bbd15c60c073e10.1063767	36e7069bbd15c60c073e10.1063767	0.623	0.620333	-0.623	-0.620333		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	NAIVE		11	a	C	304af6c9abd500764eca51cc0db0334075d36e7069bbd15c60c073e10.1063767	5000	4eca51cc0db0334075d36e7069bbd15c60c073e10.1063767	36e7069bbd15c60c073e10.1063767	36e7069bbd15c60c073e10.1063767	0.0972	0.006733	0.0972	0.006733		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	NAIVE		11	a	Cbar	304af6c9abd500764eca51cc0db0334075d36e7069bbd15c60c073e10.1063767	5000	4eca51cc0db0334075d36e7069bbd15c60c073e10.1063767	36e7069bbd15c60c073e10.1063767	36e7069bbd15c60c073e10.1063767	0.7764	0.772133	-0.7764	-0.772133		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	ind		11	g	F	6e1d901450c507089fb2668f5abf552d8b1f6bab2ef319a34ba95637739c552008	5000	89fb2668f5abf552d8b1f6bab2ef319a34ba95637739c552008	34ba95637739c552008	34ba95637739c552008	0.03	0.0964	0.03	0.0964		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	ind		11	g	Fbar	6e1d901450c507089fb2668f5abf552d8b1f6bab2ef319a34ba95637739c552008	5000	89fb2668f5abf552d8b1f6bab2ef319a34ba95637739c552008	34ba95637739c552008	34ba95637739c552008	0.6202	0.5788	-0.6202	-0.5788		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	ind		11	g	C	6e1d901450c507089fb2668f5abf552d8b1f6bab2ef319a34ba95637739c552008	5000	89fb2668f5abf552d8b1f6bab2ef319a34ba95637739c552008	34ba95637739c552008	34ba95637739c552008	0.0996	0.3464	0.0996	0.3464		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	ind		11	g	Cbar	6e1d901450c507089fb2668f5abf552d8b1f6bab2ef319a34ba95637739c552008	5000	89fb2668f5abf552d8b1f6bab2ef319a34ba95637739c552008	34ba95637739c552008	34ba95637739c552008	0.7764	0.9394	-0.7764	-0.9394		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	ind		11	p	F	6e1d901450c507089fb2668f5abf552d8b1f6bab2ef319a34ba95637739c552008	5000	89fb2668f5abf552d8b1f6bab2ef319a34ba95637739c552008	34ba95637739c552008	34ba95637739c552008	0.03	0.0766	0.03	0.0766		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	ind		11	p	Fbar	6e1d901450c507089fb2668f5abf552d8b1f6bab2ef319a34ba95637739c552008	5000	89fb2668f5abf552d8b1f6bab2ef319a34ba95637739c552008	34ba95637739c552008	34ba95637739c552008	0.6202	0.5836	-0.6202	-0.5836		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	ind		11	p	C	6e1d901450c507089fb2668f5abf552d8b1f6bab2ef319a34ba95637739c552008	5000	89fb2668f5abf552d8b1f6bab2ef319a34ba95637739c552008	34ba95637739c552008	34ba95637739c552008	0.0996	0.3134	0.0996	0.3134		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	ind		11	p	Cbar	6e1d901450c507089fb2668f5abf552d8b1f6bab2ef319a34ba95637739c552008	5000	89fb2668f5abf552d8b1f6bab2ef319a34ba95637739c552008	34ba95637739c552008	34ba95637739c552008	0.7764	0.9354	-0.7764	-0.9354		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	ind		11	s	F	6e1d901450c507089fb2668f5abf552d8b1f6bab2ef319a34ba95637739c552008	5000	89fb2668f5abf552d8b1f6bab2ef319a34ba95637739c552008	34ba95637739c552008	34ba95637739c552008	0.03	0.052	0.03	0.052		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	ind		11	s	Fbar	6e1d901450c507089fb2668f5abf552d8b1f6bab2ef319a34ba95637739c552008	5000	89fb2668f5abf552d8b1f6bab2ef319a34ba95637739c552008	34ba95637739c552008	34ba95637739c552008	0.6202	0.6374	-0.6202	-0.6374		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	ind		11	s	C	6e1d901450c507089fb2668f5abf552d8b1f6bab2ef319a34ba95637739c552008	5000	89fb2668f5abf552d8b1f6bab2ef319a34ba95637739c552008	34ba95637739c552008	34ba95637739c552008	0.0996	0.1658	0.0996	0.1658		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	ind		11	s	Cbar	6e1d901450c507089fb2668f5abf552d8b1f6bab2ef319a34ba95637739c552008	5000	89fb2668f5abf552d8b1f6bab2ef319a34ba95637739c552008	34ba95637739c552008	34ba95637739c552008	0.7764	0.8478	-0.7764	-0.8478		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	ind		11	a	F	6e1d901450c507089fb2668f5abf552d8b1f6bab2ef319a34ba95637739c552008	5000	89fb2668f5abf552d8b1f6bab2ef319a34ba95637739c552008	34ba95637739c552008	34ba95637739c552008	0.03	0.0034	0.03	0.0034		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	ind		11	a	Fbar	6e1d901450c507089fb2668f5abf552d8b1f6bab2ef319a34ba95637739c552008	5000	89fb2668f5abf552d8b1f6bab2ef319a34ba95637739c552008	34ba95637739c552008	34ba95637739c552008	0.6202	0.6216	-0.6202	-0.6216		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	ind		11	a	C	6e1d901450c507089fb2668f5abf552d8b1f6bab2ef319a34ba95637739c552008	5000	89fb2668f5abf552d8b1f6bab2ef319a34ba95637739c552008	34ba95637739c552008	34ba95637739c552008	0.0996	0.007	0.0996	0.007		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	ind		11	a	Cbar	6e1d901450c507089fb2668f5abf552d8b1f6bab2ef319a34ba95637739c552008	5000	89fb2668f5abf552d8b1f6bab2ef319a34ba95637739c552008	34ba95637739c552008	34ba95637739c552008	0.7764	0.7734	-0.7764	-0.7734		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	NAIVE		11	g	F	d10dcf40daa30804aaed2ddd6d8c0257e5ecd921cf2ee647adf5ec660406020541	1000	aaed2ddd6d8c0257e5ecd921cf2ee647adf5ec660406020541	47adf5ec660406020541	47adf5ec660406020541	0.029867	0.094333	0.029867	0.094333		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	NAIVE		11	g	Fbar	d10dcf40daa30804aaed2ddd6d8c0257e5ecd921cf2ee647adf5ec660406020541	1000	aaed2ddd6d8c0257e5ecd921cf2ee647adf5ec660406020541	47adf5ec660406020541	47adf5ec660406020541	0.622067	0.5762	-0.622067	-0.5762		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	NAIVE		11	g	C	d10dcf40daa30804aaed2ddd6d8c0257e5ecd921cf2ee647adf5ec660406020541	1000	aaed2ddd6d8c0257e5ecd921cf2ee647adf5ec660406020541	47adf5ec660406020541	47adf5ec660406020541	0.0982	0.3432	0.0982	0.3432		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	NAIVE		11	g	Cbar	d10dcf40daa30804aaed2ddd6d8c0257e5ecd921cf2ee647adf5ec660406020541	1000	aaed2ddd6d8c0257e5ecd921cf2ee647adf5ec660406020541	47adf5ec660406020541	47adf5ec660406020541	0.775733	0.9362	-0.775733	-0.9362		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	NAIVE		11	p	F	d10dcf40daa30804aaed2ddd6d8c0257e5ecd921cf2ee647adf5ec660406020541	1000	aaed2ddd6d8c0257e5ecd921cf2ee647adf5ec660406020541	47adf5ec660406020541	47adf5ec660406020541	0.029867	0.076867	0.029867	0.076867		

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	ind		11	a	C	45539794317500697	de55eb3a22171020857991c51114e530929ed670f02056						0.1002	0.006	0.1002	0.006
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	ind		11	a	Cbar	45539794317500697	de55eb3a22171020857991c51114e530929ed670f02056						0.7814	0.7744	-0.7814	-0.7744

Table 42: ImageNet–ResNet-18 results.

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Best Individual	best-individual		1	g	F	0.13995	cfe0e90954	8d33d1a4598	634c55333	17495b50276a5039a00283dfedc0a0d1b5
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Best Individual	best-individual		1	g	Fbar	-0.485152	d1abe1c18	1e708a606	11347bmd62	9b2742c6c6194c7822c0c730c05ba7ca4a3
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Best Individual	best-individual		1	g	C	0.391436	6a1baec44	2269e150550	60475b1f2c	51493b14215020f778b51ebbaef9c565761
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Best Individual	best-individual		1	g	Cbar	-0.830903	95b554003	1e024fcb08	7442Paf55c	144921e8db4cc5d6bd42eb3d72e6c10620b
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Best Individual	best-individual		1	p	F	0.119174	4c5325f63b	1204575852	64c54481d	374790a9b5f412e1c0fa2d04b4ac43d968
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Best Individual	best-individual		1	p	Fbar	-0.479546	09ad128ce	383e198d13	3484P456366	14446331a21346c72dbdfd7d4527bcd8dc
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Best Individual	best-individual		1	p	C	0.370111	11ed0db20	72876c2422	604b5d3bc	51493b14215020f778b51ebbaef9c565761
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Best Individual	best-individual		1	p	Cbar	-0.810887	bcba10e90	1ae06940d5	40849c9f5e	17495b50276a5039a00283dfedc0a0d1b5
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Best Individual	best-individual		1	s	F	0.071664	5165f17ac	149692f042	2043d4430c	7442Paf55c144921e8db4cc5d6bd42eb3d72e6c10620b
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Best Individual	best-individual		1	s	Fbar	-0.475882	19399a18c	0ba84c4506	7d84P4c568	17495b50276a5039a00283dfedc0a0d1b5
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Best Individual	best-individual		1	s	C	0.199381	7a09f680fa	0635e0c30f5	604b5d3bc	51493b14215020f778b51ebbaef9c565761
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Best Individual	best-individual		1	s	Cbar	-0.670017	07d7a69a9	102d8244m4	4544P83b246	351943bd021dba5aeb0c48e3e77cd525a5354
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Best Individual	best-individual		1	a	F	0.006068	ed4abc805	72354cbb18	04b125d70c	51493b14215020f778b51ebbaef9c565761
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Best Individual	best-individual		1	a	Fbar	-0.42914	cb2acb633	3e0c04440c	3044P1dd0c	17495b50276a5039a00283dfedc0a0d1b5
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Best Individual	best-individual		1	a	C	0.014047	066ed30a6	1863eb1m3	504494832	7442Paf55c144921e8db4cc5d6bd42eb3d72e6c10620b
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Best Individual	best-individual		1	a	Cbar	-0.557871	0ea2c9856	92447a5feb	104223354c	17495b50276a5039a00283dfedc0a0d1b5
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	SimpleAvg	NAIVE		11	g	F	0.116048	96175b901	775220a5vd	460264ad	2043d4430c51493b14215020f778b51ebbaef9c565761
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	SimpleAvg	NAIVE		11	g	Fbar	-0.696885	6ddff6c0e5	3143156b007	17883e9434d	144921e8db4cc5d6bd42eb3d72e6c10620b
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	SimpleAvg	NAIVE		11	g	C	0.351851	09d031ba1	0711e769872	2c56098889	61782da1d1bc112d46feaa644b057e06cc02
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	SimpleAvg	NAIVE		11	g	Cbar	-1.044506	1010706ce	289282249d	7584b167a5	5556708b47b99d24d761339e94398ed96b6c
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	SimpleAvg	NAIVE		11	p	F	0.094133	c6133875fe	4d14c480a2b	169813697	7442Paf55c144921e8db4cc5d6bd42eb3d72e6c10620b
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	SimpleAvg	NAIVE		11	p	Fbar	-0.711617	a31ff58f51	fd08300b79	29ng88c9e07	17495b50276a5039a00283dfedc0a0d1b5
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	SimpleAvg	NAIVE		11	p	C	0.330313	d094395d3	ff0097d154	4644b72e8	37c61b22480162073e57c6d2728183eda13b4
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	SimpleAvg	NAIVE		11	p	Cbar	-1.032058	9c0a36660	b0f65f047d	15a617645	42811d4ff6fb01aa84fc23e8dfd65b42d017

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	NAIVE		11	s	F	0.050356	1216db584	fb31c6f49676ac70705677da8	eaab1ade96693305cda7fd5322d3763	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	NAIVE		11	s	Fbar	-0.723287	44d7df52c7	485ff902ced61md7794b3f0678b8c1	423dff20a30851a17b2c0bf8e	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	NAIVE		11	s	C	0.164341	229d394fa	5303cb512e79572b1ff0d4b0cra71ac190fbbb025ca5d316e536fe		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	NAIVE		11	s	Cbar	-0.917133	240ec8fbac	4e59ca3155870f9b1ddfc0715e98766d	d65606393f4270b8e399676b	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	NAIVE		11	a	F	-0.00181	cb12bd050	20dda6a496f28944bdf926177cf90df9	2333417073cd64279a2916a84	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	NAIVE		11	a	Fbar	-0.659056	cfb7534801	4e1dda509bc513e682bd8b1f14aa0	0833f0da1644314c0b5da2d2f	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	NAIVE		11	a	C	-0.000286	81ecb394ce	6630ca3dfe249e97f0960f1ac7c6efb	69ee9d3f902ad76b813e66f	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	NAIVE		11	a	Cbar	-0.815091	3fbd535ce1	6b16b8a5ea4802fcb9cd3f9d40aa5f4c	50de9aeed78660c87ca4915	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	ind		11	g	F	0.108731	96175b901	775220e5eda60264ad284f9cb70834	493f40bc53b30abc3dfdc61f2	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	ind		11	g	Fbar	-0.686847	6ddff6c0e5	7143156b0071878e943d4d46815e880	ad53a32319d47cc17da93ae	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	ind		11	g	C	0.344843	09d031ba1	0ff1c769872c569888966189da1d1bc1	12d46feaa644b057e06cc02	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	ind		11	g	Cbar	-1.032638	1010706ce2	6828201d7b581df7a5556768b47f99d	24d761339e94398de96b6c	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	ind		11	p	F	0.086527	c6133875fe	dd04c4802b168813697fmb75a521717	eb0f5ca67bc2a5d0f3774f	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	ind		11	p	Fbar	-0.700631	a31ff58f51	efdb3303b7299ng88cc607b569644446	131588a1dd1ea42fd574198	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	ind		11	p	C	0.323226	d094395d3	fb0097d151f64b72e837c0b32480162	073e57c6d2728183eda13b4	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	ind		11	p	Cbar	-1.019883	9c0a36660b	0f565fcd47d5a617645e4281d4ff6fb	01aa84fc23e8dfd65b42d017	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	ind		11	s	F	0.043986	1216db584	fb31c6f49676ac70705677da8	eaab1ade96693305cda7fd5322d3763	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	ind		11	s	Fbar	-0.711477	44d7df52c7	485ff902ced61md7794b3f0678b8c1	423dff20a30851a17b2c0bf8e	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	ind		11	s	C	0.158287	229d394fa	5303cb512e79572b1ff0d4b0cra71ac190fbbb025ca5d316e536fe		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	ind		11	s	Cbar	-0.903325	240ec8fbac	4e59ca3155870f9b1ddfc0715e98766d	d65606393f4270b8e399676b	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	ind		11	a	F	-0.00412	cb12bd050	20dda6a496f28944bdf926177cf90df9	2333417073cd64279a2916a84	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	ind		11	a	Fbar	-0.647669	cfb7534801	4e1dda509bc513e682bd8b1f14aa0	0833f0da1644314c0b5da2d2f	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	ind		11	a	C	-0.002741	81ecb394ce	6630ca3dfe249e97f0960f1ac7c6efb	69ee9d3f902ad76b813e66f	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	SimpleAvg	ind		11	a	Cbar	-0.800218	3fbd535ce1	6b16b8a5ea4802fcb9cd3f9d40aa5f4c	50de9aeed78660c87ca4915	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Borda	NAIVE		11	g	F	0.122541	96175b901	775220e5eda60264ad284f9cb70834	493f40bc53b30abc3dfdc61f2	

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Borda	NAIVE		11	g	Fbar	-0.679222	6ddff6c0e5f1431561b00715889e943d4d1458	15e880ad53a32319d47cc17da93ae		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Borda	NAIVE		11	g	C	0.358859	09d031ba10f11e769872c5698889561782d	a1d1bc112d46feaa644b057e06cc02		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Borda	NAIVE		11	g	Cbar	-1.02777	1010706ce2802822d1d7b81d167a55567678b47b	99d24d761339e94398ed96b6c		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Borda	NAIVE		11	p	F	0.100882	c6133875fedd14c440e2b1698136970b1b7	8a521717eb0f5ca67bc2a5d0f3774f		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Borda	NAIVE		11	p	Fbar	-0.692288	a31ff58f51efd58303b79299ng88cse67b50644446	131588a1dd1ea42fd574198		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Borda	NAIVE		11	p	C	0.337401	d094395d3f600971451464b72e837c0b22	480162073e57c6d2728183eda13b4		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Borda	NAIVE		11	p	Cbar	-1.014888	9c0a36660b0f65fmi47d5a617645b4281d44ff6ft	01aa84fc23e8dfd65b42d017		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Borda	NAIVE		11	s	F	0.056008	1216db584fb31c5f06761c7070677dus	ea1ade96693305cda7fd5322d3763		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Borda	NAIVE		11	s	Fbar	-0.702507	44d7df52c7a85ff9a2ce16imgf794hmd0678b8c1	423dff20a30851a17b2c0bf8e		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Borda	NAIVE		11	s	C	0.170394	229d394fa5203cb01e279972b1ff04b0c	71ac190fbbb025ca5d316e536fe		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Borda	NAIVE		11	s	Cbar	-0.89766	240ec8fbac4f53c13155870f0b1d1fc07d5c	98766dd65606393f4270b8e399676b		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Borda	NAIVE		11	a	F	0.000239	cb12bd05020d16c4196f28949d1f925b177f	90df92333417073cd64279a2916a84		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Borda	NAIVE		11	a	Fbar	-0.63902	cfb75348014e1da509bce513a5821bd0a1f14aa0	0833f0da1644314c0b5da2d2f		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Borda	NAIVE		11	a	C	0.002169	81ecb394ce6630c3d1ce249997f0960f1m	47c6efb69ee9d3f902ad76b813e66f		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Borda	NAIVE		11	a	Cbar	-0.794115	3fbd535ce1606b8a1ce4802f4fb9cd39d40	aa5f4c50de9aeed78660c87ca4915		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Borda	ind		11	g	F	0.119552	96175b901375220e5eda660264cd381f9cb	70834493f40bc53b30abc3dfdc61f2		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Borda	ind		11	g	Fbar	-0.685322	6ddff6c0e5f1431561b00715889e943d4d1458	15e880ad53a32319d47cc17da93ae		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Borda	ind		11	g	C	0.365015	09d031ba10f11e769872c5698889561782d	a1d1bc112d46feaa644b057e06cc02		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Borda	ind		11	g	Cbar	-1.033004	1010706ce2802822d1d7b81d167a55567678b47b	99d24d761339e94398ed96b6c		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Borda	ind		11	p	F	0.097775	c6133875fedd14c440e2b1698136970b1b7	8a521717eb0f5ca67bc2a5d0f3774f		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Borda	ind		11	p	Fbar	-0.698963	a31ff58f51efd58303b79299ng88cse67b50644446	131588a1dd1ea42fd574198		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Borda	ind		11	p	C	0.343626	d094395d3f600971451464b72e837c0b22	480162073e57c6d2728183eda13b4		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Borda	ind		11	p	Cbar	-1.020258	9c0a36660b0f65fmi47d5a617645b4281d44ff6ft	01aa84fc23e8dfd65b42d017		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Borda	ind		11	s	F	0.053406	1216db584fb31c5f06761c7070677dus	ea1ade96693305cda7fd5322d3763		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Borda	ind		11	s	Fbar	-0.709683	44d7df52c7a85ff9a2ce16imgf794hmd0678b8c1	423dff20a30851a17b2c0bf8e		

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Borda	ind		11	s	C	0.175712	229d394fa15303cb512e795720bffa09c	5303cb512e795720bffa09c	795720bffa09c	71ac190fbbb025ca5d316e536fe
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Borda	ind		11	s	Cbar	-0.90375	240ec8fbac4e59ca315587069b1d4fc0715e	4e59ca315587069b1d4fc0715e	8766d65606393f4270b8e399676b	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Borda	ind		11	a	F	-0.000704	cb12bd05020d1a6a406c289142df935177f90df9	20d1a6a406c289142df935177f90df9	2333417073cd64279a2916a84	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Borda	ind		11	a	Fbar	-0.645939	cfb75348014e1da709bcfd13a632bd85b1f14aa0	4e1da709bcfd13a632bd85b1f14aa0	0833f0da1644314c0b5da2d2f	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Borda	ind		11	a	C	0.004326	81ecb394cf6630ca315a249e97f0960f11c	6630ca315a249e97f0960f11c	7c6efb69ee9d3f902ad76b813e66f	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Borda	ind		11	a	Cbar	-0.800675	3fbd535ce16b16ba9ea48024fb9m3f9d440	6b16ba9ea48024fb9m3f9d440	aa5f4c50de9aeed78660c87ca4915	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	RRF	NAIVE		11	g	F	0.122747	96175b901751220e5eda66264ad234f9cb	751220e5eda66264ad234f9cb	70834493f40bc53b30abe3dfdc61f2	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	RRF	NAIVE		11	g	Fbar	-0.680938	6ddff6c0e53143156b0c71582e9434d4158	3143156b0c71582e9434d4158	80ad53a32319d47cc17da93ae	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	RRF	NAIVE		11	g	C	0.359143	09d031ba10f1c769872c5698889661812	0f1c769872c5698889661812	da1d1bc112d46feaa644b057e06cc02	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	RRF	NAIVE		11	g	Cbar	-1.029413	1010706ce280282a12d7b816f7a5556708b	280282a12d7b816f7a5556708b	47b99d24d761339e94398ed96b6c	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	RRF	NAIVE		11	p	F	0.101096	c6133875fed114c430c2b16981369576m	d114c430c2b16981369576m	78a521717eb0f5ca67bc2a5d0f3774f	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	RRF	NAIVE		11	p	Fbar	-0.694165	a31ff58f51f4f53031v729ag88cse61b506	4f53031v729ag88cse61b506	4446131588a1dd1ea42fd574198	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	RRF	NAIVE		11	p	C	0.337688	d094395d3f60971151464172e837cd122	971151464172e837cd122	480162073e57c6d2728183eda13b4	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	RRF	NAIVE		11	p	Cbar	-1.016574	9c0a36660bdff65fml47d15a6176456428	bdff65fml47d15a6176456428	1144ff6fb01aa84fc23e8dfd65b42d017	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	RRF	NAIVE		11	s	F	0.056188	1216db5840b31c0c406761e70706577dus	0b31c0c406761e70706577dus	eaab1ade96693305cda7fd5322d3763	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	RRF	NAIVE		11	s	Fbar	-0.704525	44d7df52c7485ff902ec161m6f794im3f967	485ff902ec161m6f794im3f967	8b8c1423dff20a30851a17b2c0bf8e	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	RRF	NAIVE		11	s	C	0.17064	229d394fa15303cb512e795720bffa09c	5303cb512e795720bffa09c	71ac190fbbb025ca5d316e536fe	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	RRF	NAIVE		11	s	Cbar	-0.899572	240ec8fbac4e59ca315587069b1d4fc0715e	4e59ca315587069b1d4fc0715e	98766d65606393f4270b8e399676b	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	RRF	NAIVE		11	a	F	0.000304	cb12bd05020d1a6a406c289142df935177f90df9	20d1a6a406c289142df935177f90df9	2333417073cd64279a2916a84	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	RRF	NAIVE		11	a	Fbar	-0.640966	cfb75348014e1da709bcfd13a632bd85b1f14aa0	4e1da709bcfd13a632bd85b1f14aa0	0833f0da1644314c0b5da2d2f	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	RRF	NAIVE		11	a	C	0.002269	81ecb394cf6630ca315a249e97f0960f11c	6630ca315a249e97f0960f11c	7c6efb69ee9d3f902ad76b813e66f	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	RRF	NAIVE		11	a	Cbar	-0.796175	3fbd535ce16b16ba9ea48024fb9m3f9d440	6b16ba9ea48024fb9m3f9d440	aa5f4c50de9aeed78660c87ca4915	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	RRF	ind		11	g	F	0.122335	96175b901751220e5eda66264ad234f9cb	751220e5eda66264ad234f9cb	70834493f40bc53b30abe3dfdc61f2	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	RRF	ind		11	g	Fbar	-0.6817	6ddff6c0e53143156b0c71582e9434d4158	3143156b0c71582e9434d4158	80ad53a32319d47cc17da93ae	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	RRF	ind		11	g	C	0.361605	09d031ba10f1c769872c5698889661812	0f1c769872c5698889661812	da1d1bc112d46feaa644b057e06cc02	

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	RRF	ind		11	g	Cbar	-1.030995	1010706ce28d2822a1d7b581d167a5556708b47b99d24d761339e94398ed96b6c	28d2822a1d7b581d167a5556708b47b99d24d761339e94398ed96b6c	28d2822a1d7b581d167a5556708b47b99d24d761339e94398ed96b6c	28d2822a1d7b581d167a5556708b47b99d24d761339e94398ed96b6c
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	RRF	ind		11	p	F	0.100668	c6133875fe4d04c480e2b16981369701b78a521717eb0f5ca67bc2a5d0f3774f	4d04c480e2b16981369701b78a521717eb0f5ca67bc2a5d0f3774f	4d04c480e2b16981369701b78a521717eb0f5ca67bc2a5d0f3774f	4d04c480e2b16981369701b78a521717eb0f5ca67bc2a5d0f3774f
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	RRF	ind		11	p	Fbar	-0.694999	a31ff58f51efdf8303b72929ng88cpe07b50644446131588a1dd1ea42fd574198	fd8303b72929ng88cpe07b50644446131588a1dd1ea42fd574198	fd8303b72929ng88cpe07b50644446131588a1dd1ea42fd574198	fd8303b72929ng88cpe07b50644446131588a1dd1ea42fd574198
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	RRF	ind		11	p	C	0.340178	d094395d3ff00971d51464b72e8370fb22480162073e57c6d2728183eda13b4	ff00971d51464b72e8370fb22480162073e57c6d2728183eda13b4	ff00971d51464b72e8370fb22480162073e57c6d2728183eda13b4	ff00971d51464b72e8370fb22480162073e57c6d2728183eda13b4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	RRF	ind		11	p	Cbar	-1.018197	9c0a36660b0f65fmi47d5a617645e4281d44ff6fb01aa84fc23e8dfd65b42d017	b0f65fmi47d5a617645e4281d44ff6fb01aa84fc23e8dfd65b42d017	b0f65fmi47d5a617645e4281d44ff6fb01aa84fc23e8dfd65b42d017	b0f65fmi47d5a617645e4281d44ff6fb01aa84fc23e8dfd65b42d017
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	RRF	ind		11	s	F	0.055829	1216db584fb31len5f0676icn70706677dus8eab1ade96693305cda7fd5322d3763	fb31len5f0676icn70706677dus8eab1ade96693305cda7fd5322d3763	fb31len5f0676icn70706677dus8eab1ade96693305cda7fd5322d3763	fb31len5f0676icn70706677dus8eab1ade96693305cda7fd5322d3763
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	RRF	ind		11	s	Fbar	-0.705422	44d7df52c7a85ff0a2ce16imgd794hmd0678b8c1423dff20a30851a17b2c0bf8e	7a85ff0a2ce16imgd794hmd0678b8c1423dff20a30851a17b2c0bf8e	7a85ff0a2ce16imgd794hmd0678b8c1423dff20a30851a17b2c0bf8e	7a85ff0a2ce16imgd794hmd0678b8c1423dff20a30851a17b2c0bf8e
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	RRF	ind		11	s	C	0.172767	229d394fa5203cb512e79f72b1ff04b1ac190fbbb025ca5d316e536fe	5203cb512e79f72b1ff04b1ac190fbbb025ca5d316e536fe	5203cb512e79f72b1ff04b1ac190fbbb025ca5d316e536fe	5203cb512e79f72b1ff04b1ac190fbbb025ca5d316e536fe
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	RRF	ind		11	s	Cbar	-0.901413	240ec8fbac4e59ca3155870f0b1d4fc071d5e98766d65606393f4270b8e399676b	4e59ca3155870f0b1d4fc071d5e98766d65606393f4270b8e399676b	4e59ca3155870f0b1d4fc071d5e98766d65606393f4270b8e399676b	4e59ca3155870f0b1d4fc071d5e98766d65606393f4270b8e399676b
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	RRF	ind		11	a	F	0.000174	cb12bd05020dl1c6406c2894fcdff03b177f90df9233417073cd64279a2916a84	20dl1c6406c2894fcdff03b177f90df9233417073cd64279a2916a84	20dl1c6406c2894fcdff03b177f90df9233417073cd64279a2916a84	20dl1c6406c2894fcdff03b177f90df9233417073cd64279a2916a84
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	RRF	ind		11	a	Fbar	-0.641831	cfb75348014e1d3a509bc5d3a582bd85b1f14aa0833f0da1644314c0b5da2d2f	4e1d3a509bc5d3a582bd85b1f14aa0833f0da1644314c0b5da2d2f	4e1d3a509bc5d3a582bd85b1f14aa0833f0da1644314c0b5da2d2f	4e1d3a509bc5d3a582bd85b1f14aa0833f0da1644314c0b5da2d2f
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	RRF	ind		11	a	C	0.003131	81ecb394cf6630c8d1fa249e97f0960f11c47c6fb69ee9d3f902ad76b813e66f	6630c8d1fa249e97f0960f11c47c6fb69ee9d3f902ad76b813e66f	6630c8d1fa249e97f0960f11c47c6fb69ee9d3f902ad76b813e66f	6630c8d1fa249e97f0960f11c47c6fb69ee9d3f902ad76b813e66f
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	RRF	ind		11	a	Cbar	-0.798158	3fbdc535ce4b16c6b3e1a4802fcb9m49d40aa5fc50de9aeed78660c87ca4915	4b16c6b3e1a4802fcb9m49d40aa5fc50de9aeed78660c87ca4915	4b16c6b3e1a4802fcb9m49d40aa5fc50de9aeed78660c87ca4915	4b16c6b3e1a4802fcb9m49d40aa5fc50de9aeed78660c87ca4915
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Kemeny	NAIVE		11	g	F	0.11914	96175b901703220e5edca602f4ad284b9c0b70834493f40bc53b30abe3dfdc61f2	703220e5edca602f4ad284b9c0b70834493f40bc53b30abe3dfdc61f2	703220e5edca602f4ad284b9c0b70834493f40bc53b30abe3dfdc61f2	703220e5edca602f4ad284b9c0b70834493f40bc53b30abe3dfdc61f2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Kemeny	NAIVE		11	g	Fbar	-0.679794	6ddff6c0e5f1413156b0071789e9434d4d15e880ad53a32319d47cc17da93ae	31413156b0071789e9434d4d15e880ad53a32319d47cc17da93ae	31413156b0071789e9434d4d15e880ad53a32319d47cc17da93ae	31413156b0071789e9434d4d15e880ad53a32319d47cc17da93ae
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Kemeny	NAIVE		11	g	C	0.353934	09d031ba10ff4c769872c5698889f6132da1d1bc112d46feaa644b057e06cc02	ff4c769872c5698889f6132da1d1bc112d46feaa644b057e06cc02	ff4c769872c5698889f6132da1d1bc112d46feaa644b057e06cc02	ff4c769872c5698889f6132da1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Kemeny	NAIVE		11	g	Cbar	-1.027709	1010706ce28d2822a1d7b581d167a5556708b47b99d24d761339e94398ed96b6c	28d2822a1d7b581d167a5556708b47b99d24d761339e94398ed96b6c	28d2822a1d7b581d167a5556708b47b99d24d761339e94398ed96b6c	28d2822a1d7b581d167a5556708b47b99d24d761339e94398ed96b6c
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Kemeny	NAIVE		11	p	F	0.097347	c6133875fe4d04c480e2b16981369701b78a521717eb0f5ca67bc2a5d0f3774f	4d04c480e2b16981369701b78a521717eb0f5ca67bc2a5d0f3774f	4d04c480e2b16981369701b78a521717eb0f5ca67bc2a5d0f3774f	4d04c480e2b16981369701b78a521717eb0f5ca67bc2a5d0f3774f
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Kemeny	NAIVE		11	p	Fbar	-0.692913	a31ff58f51efdf8303b72929ng88cpe07b50644446131588a1dd1ea42fd574198	fd8303b72929ng88cpe07b50644446131588a1dd1ea42fd574198	fd8303b72929ng88cpe07b50644446131588a1dd1ea42fd574198	fd8303b72929ng88cpe07b50644446131588a1dd1ea42fd574198
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Kemeny	NAIVE		11	p	C	0.33242	d094395d3ff00971d51464b72e8370fb22480162073e57c6d2728183eda13b4	ff00971d51464b72e8370fb22480162073e57c6d2728183eda13b4	ff00971d51464b72e8370fb22480162073e57c6d2728183eda13b4	ff00971d51464b72e8370fb22480162073e57c6d2728183eda13b4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Kemeny	NAIVE		11	p	Cbar	-1.014826	9c0a36660b0f65fmi47d5a617645e4281d44ff6fb01aa84fc23e8dfd65b42d017	b0f65fmi47d5a617645e4281d44ff6fb01aa84fc23e8dfd65b42d017	b0f65fmi47d5a617645e4281d44ff6fb01aa84fc23e8dfd65b42d017	b0f65fmi47d5a617645e4281d44ff6fb01aa84fc23e8dfd65b42d017
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Kemeny	NAIVE		11	s	F	0.053048	1216db584fb31len5f0676icn70706677dus8eab1ade96693305cda7fd5322d3763	fb31len5f0676icn70706677dus8eab1ade96693305cda7fd5322d3763	fb31len5f0676icn70706677dus8eab1ade96693305cda7fd5322d3763	fb31len5f0676icn70706677dus8eab1ade96693305cda7fd5322d3763
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Kemeny	NAIVE		11	s	Fbar	-0.703179	44d7df52c7a85ff0a2ce16imgd794hmd0678b8c1423dff20a30851a17b2c0bf8e	7a85ff0a2ce16imgd794hmd0678b8c1423dff20a30851a17b2c0bf8e	7a85ff0a2ce16imgd794hmd0678b8c1423dff20a30851a17b2c0bf8e	7a85ff0a2ce16imgd794hmd0678b8c1423dff20a30851a17b2c0bf8e
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Kemeny	NAIVE		11	s	C	0.166141	229d394fa5203cb512e79f72b1ff04b1ac190fbbb025ca5d316e536fe	5203cb512e79f72b1ff04b1ac190fbbb025ca5d316e536fe	5203cb512e79f72b1ff04b1ac190fbbb025ca5d316e536fe	5203cb512e79f72b1ff04b1ac190fbbb025ca5d316e536fe
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	Kemeny	NAIVE		11	s	Cbar	-0.897589	240ec8fbac4e59ca3155870f0b1d4fc071d5e98766d65606393f4270b8e399676b	4e59ca3155870f0b1d4fc071d5e98766d65606393f4270b8e399676b	4e59ca3155870f0b1d4fc071d5e98766d65606393f4270b8e399676b	4e59ca3155870f0b1d4fc071d5e98766d65606393f4270b8e399676b

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	NAIVE		11	a	F	-0.000834	cb12bd050	2011a6a40662894492df92333417073cd64279a2916a84		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	NAIVE		11	a	Fbar	-0.639669	cfb7534801	4a11da709bcfd3a682bd5b1f14aa00833f0da1644314c0b5da2d2f		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	NAIVE		11	a	C	0.000444	81ecb394c6	6630a3d1ac2499497f09960f1ac7c6efb69ee9d3f902ad76b813e66f		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	NAIVE		11	a	Cbar	-0.794039	3fbd535ce1	5b16c68a9ea4802f6fb9m3f9d40aa5f4c50de9aeed78660c87ca4915		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	ind		11	g	F	0.12048	96175b901	7751220e5eda6602f4e4234f9c6b70834493f40bc53b30abe3dfdc61f2		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	ind		11	g	Fbar	-0.677126	6ddff6c0e5	314315650071789e943d4d146815e880ad53a32319d47cc17da93ae		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	ind		11	g	C	0.357344	09d031ba1	0f11c769872c569888966181da1d1bc112d46feaa644b057e06cc02		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	ind		11	g	Cbar	-1.027709	1010706ce	2802822a1d7b81g167a55856708b47b99d24d761339e94398ed96b6c		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	ind		11	p	F	0.09874	c6133875fe	4d114c480e2b1698436970ba778a521717eb0f5ca67bc2a5d0f3774f		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	ind		11	p	Fbar	-0.689993	a31ff58f51	ef058303b72929ng88c9e07b50644446131588a1dd1ea42fd574198		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	ind		11	p	C	0.335868	d094395d3	ff0097d151464b72e837c0b32480162073e57c6d2728183eda13b4		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	ind		11	p	Cbar	-1.014826	9c0a36660	5f65fmi47d5a61f645e6281a4ff6ft01aa84fc23e8dfd65b42d017		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	ind		11	s	F	0.054214	1216db584	0a31e610576icg70706677d8eab1ade96693305cda7fd5322d3763		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	ind		11	s	Fbar	-0.70004	44d7df52c7	885f9a02ce16img1794hmd0678b8c1423dff20a30851a17b2c0bf8e		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	ind		11	s	C	0.169086	229d394fa	5203cb51e279572b1ff04d1ac7af71ac190fbbb025ca5d316e536fe		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	ind		11	s	Cbar	-0.897589	240ec8fbac	4f59ca3155870f0b1d1f0c07145e98766d65606393f4270b8e399676b		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	ind		11	a	F	-0.000411	cb12bd050	2011a6a40662894492df92333417073cd64279a2916a84		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	ind		11	a	Fbar	-0.636642	cfb7534801	4a11da709bcfd3a682bd5b1f14aa00833f0da1644314c0b5da2d2f		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	ind		11	a	C	0.001638	81ecb394c6	6630a3d1ac2499497f09960f1ac7c6efb69ee9d3f902ad76b813e66f		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Kemeny	ind		11	a	Cbar	-0.794039	3fbd535ce1	5b16c68a9ea4802f6fb9m3f9d40aa5f4c50de9aeed78660c87ca4915		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	NAIVE		11	g	F	0.120274	96175b901	7751220e5eda6602f4e4234f9c6b70834493f40bc53b30abe3dfdc61f2		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	NAIVE		11	g	Fbar	-0.678905	6ddff6c0e5	314315650071789e943d4d146815e880ad53a32319d47cc17da93ae		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	NAIVE		11	g	C	0.355355	09d031ba1	0f11c769872c569888966181da1d1bc112d46feaa644b057e06cc02		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	NAIVE		11	g	Cbar	-1.0271	1010706ce	2802822a1d7b81g167a55856708b47b99d24d761339e94398ed96b6c		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	NAIVE		11	p	F	0.098525	c6133875fe	4d114c480e2b1698436970ba778a521717eb0f5ca67bc2a5d0f3774f		

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	NAIVE		11	p	Fbar	-0.69194	a31ff58f51efdb3302b72929ag88cc607b50644446131588a1dd1ea42fd574198			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	NAIVE		11	p	C	0.333857	d094395d3f60b97d1f54f64b72e837c0b22480162073e57c6d2728183eda13b4			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	NAIVE		11	p	Cbar	-1.014202	9c0a36660b0f65fmi47d15a617645e4281d4ff6fb01aa84fc23e8dfd65b42d017			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	NAIVE		11	s	F	0.054034	1216db584fb31c6f49676img70705677du8eab1ade96693305cda7fd5322d3763			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	NAIVE		11	s	Fbar	-0.702133	44d7df52c7a85ff002ced6img70705677du8eab1ade96693305cda7fd5322d3763			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	NAIVE		11	s	C	0.167368	229d394fa15203cb512e79772b0ff64b72e837c0b22480162073e57c6d2728183eda13b4			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	NAIVE		11	s	Cbar	-0.896881	240ec8fbac4a59c4315557069d4f0715e98766d65606393f4270b8e399676b			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	NAIVE		11	a	F	-0.000476	cb12bd05020dda6c406c28949df035177f90df92333417073cd64279a2916a84			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	NAIVE		11	a	Fbar	-0.63866	cfb75348014e1dca509bc5d3a632bd8bdf14aa00833f0da1644314c0b5da2d2f			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	NAIVE		11	a	C	0.000942	81ecb394c66303ad19c2499c07f0960f11cd7c6efb69ee9d3f902ad76b813e66f			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	NAIVE		11	a	Cbar	-0.793276	3fbd535ce16dd61b9ee4802fbb9c3f9d440aa5fc50de9aeed78660c87ca4915			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	ind		11	g	F	0.121098	96175b901751220e5eda60264ad234f9cfb70834493f40bc53b30abe3dfdc61f2			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	ind		11	g	Fbar	-0.68494	6ddff6c0e571d1515b0071789e943ad414f815e880ad53a32319d47cc17da93ae			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	ind		11	g	C	0.358196	09d031ba10f11e769872c5698389667812da1d1bc112d46feaa644b057e06cc02			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	ind		11	g	Cbar	-1.032273	1010706ce2802822d1d7b81d67a55556708b47b99d24d761339e94398ed96b6c			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	ind		11	p	F	0.099382	c6133875fedd014c420c2b16981369574mb78a521717eb0f5ca67bc2a5d0f3774f			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	ind		11	p	Fbar	-0.698545	a31ff58f51efdb3302b72929ag88cc607b50644446131588a1dd1ea42fd574198			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	ind		11	p	C	0.33673	d094395d3f60b97d1f54f64b72e837c0b22480162073e57c6d2728183eda13b4			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	ind		11	p	Cbar	-1.019509	9c0a36660b0f65fmi47d15a617645e4281d4ff6fb01aa84fc23e8dfd65b42d017			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	ind		11	s	F	0.054752	1216db584fb31c6f49676img70705677du8eab1ade96693305cda7fd5322d3763			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	ind		11	s	Fbar	-0.709234	44d7df52c7a85ff002ced6img70705677du8eab1ade96693305cda7fd5322d3763			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	ind		11	s	C	0.169822	229d394fa15203cb512e79772b0ff64b72e837c0b22480162073e57c6d2728183eda13b4			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	ind		11	s	Cbar	-0.9029	240ec8fbac4a59c4315557069d4f0715e98766d65606393f4270b8e399676b			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	ind		11	a	F	-0.000216	cb12bd05020dda6c406c28949df035177f90df92333417073cd64279a2916a84			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	ind		11	a	Fbar	-0.645507	cfb75348014e1dca509bc5d3a632bd8bdf14aa00833f0da1644314c0b5da2d2f			

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	ind		11	a	C	0.001937	81ecb394ce6630e3d1a299e97f0966f1e47c6efb69ee9d3f902ad76b813e66f	full	full	full
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	Schulze	ind		11	a	Cbar	-0.79976	3fbd535ce1fdd6b8dce48024fb9a3f9d40aa5f4c50de9aeed78660c87ca4915	full	full	full

Table 43: ImageNet–ResNet-18 results.

cell	dataset	model	split	method	setting	distance model	q	candidate id	sample count	geometry	geometry label	source id	methods	selected individual	ER F g	ER Fbar g	ER C g	ER Cbar g	ER F p	ER Fbar p
ImageNet–ImageNet–resnet18	ImageNet	ImageNet–resnet18	test	Best Individual	best-individual		1	33706f8ee8f540078f946cbace95a5f8046f0dfb3a7c3345cb57f3b9693de	5000					'GuidedBacKprop', 'Cbar', 'LRP', 'F': 'GuidedBacKprop', 'Fbar': 'LRP'}	-0.029616	-0.016248	-0.028703	-0.020363	-0.025974	-0.019921
ImageNet–ImageNet–resnet18	ImageNet	ImageNet–resnet18	test	SimpleAvg	NAIVE		11	3b7223b327a53000541927dd41ab862f2eb328cc5464662efe288da9846fdb1e	5000						-0.011715	0.124285	0.004083	0.113173	-0.007667	0.137817
ImageNet–ImageNet–resnet18	ImageNet	ImageNet–resnet18	test	SimpleAvg	ind		11	ed73509580b590074268ee7918c3e02c76f43cdb63c43f0c60686f12daf615bd	5000						-0.005931	0.120447	0.001757	0.106438	-0.006327	0.128031
ImageNet–ImageNet–resnet18	ImageNet	ImageNet–resnet18	test	Borda	NAIVE		11	a0797fb5a0250000edcc3a1f3b1044a4e8b6ed61a548650b1fd5731bc4ce0fc7	5000						-0.018808	0.103489	-0.002059	0.09157	-0.014682	0.110754
ImageNet–ImageNet–resnet18	ImageNet	ImageNet–resnet18	test	Borda	ind		11	a13ed4f80e85000ba0d428604aef0965cbf6db700e04ed482d181dc3ed92269d	5000						-0.013552	0.106122	-0.009415	0.092804	-0.021175	0.112363
ImageNet–ImageNet–resnet18	ImageNet	ImageNet–resnet18	test	RRF	NAIVE		11	36ce59e27e1400028a3ebab9367783075f7b1d328c206ce13748ac64dbb64c5b	5000						-0.023081	0.105204	-0.012276	0.092346	-0.02323	0.112565
ImageNet–ImageNet–resnet18	ImageNet	ImageNet–resnet18	test	RRF	ind		11	308cb161703500a3807ddb898a4a9a668ed877990e53b82209fe81d89f5450a3	5000						-0.025135	0.1019	-0.017005	0.088795	-0.026268	0.110799
ImageNet–ImageNet–resnet18	ImageNet	ImageNet–resnet18	test	Kemeny	NAIVE		11	304af6c9abd5000764eca51cc0db0334075d36e7069bbd19c60c073e1016f3ef	5000						-0.026807	0.105061	-0.014001	0.092642	-0.020814	0.10998
ImageNet–ImageNet–resnet18	ImageNet	ImageNet–resnet18	test	Kemeny	ind		11	6e1d901450c500089fb2668f5abf552d8b1f6bab2ef319a34ba95637739e5c00	5000						-0.02408	0.098326	-0.010944	0.088309	-0.02214	0.106393
ImageNet–ImageNet–resnet18	ImageNet	ImageNet–resnet18	test	Schulze	NAIVE		11	d10dcf40daa50004aed2ddd6d8c0257e5ecd921cf2ee647adf5ec660406a91b	5000						-0.025941	0.102705	-0.012155	0.0909	-0.021659	0.10934
ImageNet–ImageNet–resnet18	ImageNet	ImageNet–resnet18	test	Schulze	ind		11	45539794317500097de55eb3a22171020857991c51114ea939929ed67afa7058	5000						-0.021898	0.10514	-0.009596	0.089873	-0.020182	0.114345

Table 44: ImageNet–ResNet-18 results.

cell	dataset	model	split	method	setting	distance model	q	ER C p	ER Cbar p	ER F s	ER Fbar s	ER C s	ER Cbar s	ER F a	ER Fbar a	ER C a	ER Cbar a
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	Best Indi- vidual	best- individual		1	-0.027777	-0.025113	-0.002731	-0.028785	-0.005048	-0.030783	0.001732	0.00794	0.001219	0.006271
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	SimpleAvg	NAIVE		11	-0.004113	0.111058	-2.266e-05	0.08282	0.004592	0.067867	0.00461	0.019722	0.006819	0.021558
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	SimpleAvg	ind		11	-0.000226	0.099483	0.005214	0.080477	0.009313	0.063125	0.00712	0.018669	0.009141	0.018218
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	Borda	NAIVE		11	-0.010468	0.086355	0.000925	0.066773	0.005539	0.05146	0.003027	0.01722	0.005297	0.018849
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	Borda	ind		11	-0.021026	0.082858	0.001394	0.067683	-0.001112	0.05275	0.004104	0.017739	0.001874	0.019475
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	RRF	NAIVE		11	-0.018022	0.088441	-0.003321	0.068392	-0.00184	0.053172	0.002562	0.0167	0.004065	0.019442
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	RRF	ind		11	-0.024378	0.081197	-0.003629	0.064022	-0.007767	0.049413	0.003026	0.021031	0.003669	0.024358
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	Kemeny	NAIVE		11	-0.017287	0.084959	-0.003848	0.069113	-0.002474	0.053123	0.003767	0.019336	0.006289	0.021906
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	Kemeny	ind		11	-0.022468	0.079426	-0.002214	0.06264	-0.003286	0.049789	0.003811	0.015042	0.005362	0.020639
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	Schulze	NAIVE		11	-0.01679	0.085402	-0.003901	0.067933	-0.000768	0.051748	0.00341	0.016793	0.005792	0.019476
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	Schulze	ind		11	-0.01793	0.084109	-0.001952	0.068434	-0.001422	0.0509	0.003616	0.021507	0.004063	0.02536

Table 45: ImageNet–ResNet-18 results.

cell	condition	metric	curve id	excluded method	reference count	fit model	slope	unconstrained slope	slope was constrained	intercept	residual sum squares	residual standard deviation	r squared	clean min	clean max	perturbed min	perturbed max	reference methods
ImageNet–ImageNet-resnet18	a	C	066ed30a61863dbd1ba339442343212c6f6c2f01498992165d612899185510134squares	3533	1	2	0.1986921	0.1986921	0.1986921	-0.048151	0.001583	0.014068	0.826873	0.1174	0.292	0.0126	0.1134	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	s	Cbar	07d7a69a9a0b1824aa4a5c483b246eb22b4d0219365089048c927798525c5564squares	100	1	2	0.1936508	0.1936508	0.1936508	-0.085546	0.009516	0.034489	0.891457	-0.565	-0.2952	-0.7	-0.3902	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	p	Fbar	09ad128ce353b198d13347f07f38fe6b1c33120190572c7d0d1d4557b0d134squares	3533	1	2	0.190572	0.190572	0.190572	-0.054209	0.017803	0.047174	0.765955	-0.423	-0.1752	-0.511	-0.2326	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	g	C	09d031ba10ff4e789872e569338956182cga1d1dc1106338f0d3f449057c66c60squares	3533	1	2	0.190572	0.190572	0.190572	0.215856	0.003172	0.018775	0.954785	0.1174	0.292	0.3518	0.62	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	a	Cbar	0ea2c9856f924b7a57cbfc4d23384df39c6003c0a328915f0d1d58900567c45squares	100	1	2	0.1936508	0.1936508	0.1936508	0.095657	0.006747	0.029041	0.935409	-0.565	-0.2952	-0.563	-0.238	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	g	Cbar	1010706ce289282242d7b8d1f7af5656f08b47f0992292751305912332c1956squares	100	1	2	0.1936508	0.1936508	0.1936508	-0.318947	0.02265	0.050166	0.755578	-0.565	-0.2952	-0.8856	-0.5968	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	p	C	11ed0db202376c2f22b1fdd5f8bb6ed9d0a10a2f3704d3663113501e1a7f9040squares	3533	1	2	0.190572	0.190572	0.190572	0.18667	0.004515	0.023756	0.935768	0.1174	0.292	0.3216	0.6096	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	s	F	1216db5846b3decfd9576ec70705f70dc8eab1d396793305113751522d3762squares	3533	1	2	0.190572	0.190572	0.190572	0.01384	0.000635	0.008402	0.981622	0.043	0.1716	0.0668	0.2552	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	s	Fbar	19399a18c53831c45967d54c056f0dd11631d7c08715738011084058c3f33squares	3533	1	2	0.190572	0.190572	0.190572	-0.014011	0.008211	0.032037	0.893243	-0.423	-0.1752	-0.5008	-0.2122	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	s	C	229d394fa15363cb512e7977b9bf1a0c17eaf11dc193734095107705453c3squares	3533	1	2	0.190572	0.190572	0.190572	0.046869	0.000565	0.007921	0.988828	0.1174	0.292	0.1818	0.4098	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	s	Cbar	240ec8fbacae59c1315787010eddfe7045e987f0a1068067291020093879678squares	100	1	2	0.1936508	0.1936508	0.1936508	-0.072907	0.01031	0.033845	0.901909	-0.565	-0.2952	-0.7	-0.3902	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	a	Cbar	3fbd535ce1abe6b8eeea48021fb93a90d49aa5fd30a48c07d604437ca934squares	100	1	2	0.1936508	0.1936508	0.1936508	0.094279	0.006757	0.027399	0.942124	-0.565	-0.2952	-0.563	-0.238	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	s	Fbar	44d7d52c7485ff902acd6ba4d794bea0678b31d4234102403085121730c018squares	3533	1	2	0.190572	0.190572	0.190572	-0.004641	0.008982	0.031591	0.903619	-0.423	-0.1752	-0.5008	-0.2122	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	p	F	4c5325f63b30057035283c59d80a8c093409b10326650f2116394653d396squares	3533	1	2	0.190572	0.190572	0.190572	0.046456	0.004756	0.024382	0.906291	0.043	0.1696	0.0872	0.341	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	s	F	5165ff17ac139692f323438f4959fcd1dd3336072705628751370e3510db58squares	3533	1	2	0.190572	0.190572	0.190572	0.011092	0.000477	0.007721	0.985278	0.043	0.1696	0.0668	0.2552	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	g	C	6a1baec442c9cd11350f0b5b6adf2061cd49d216080375b57d1b15939565764squares	3533	1	2	0.190572	0.190572	0.190572	0.210627	0.002855	0.018891	0.957233	0.1174	0.292	0.3518	0.62	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	g	Fbar	6ddff6c0e5314315fb9071782e9434041583f0880933043340b050147cd95squares	3533	1	2	0.190572	0.190572	0.190572	-0.086049	0.018674	0.045551	0.765147	-0.423	-0.1752	-0.5286	-0.2574	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	s	C	7a09f680fa0358cd3f945c0b173f5b1807cb77f8306578b3d5720127592246squares	3533	1	2	0.190572	0.190572	0.190572	0.045271	0.000535	0.008178	0.988605	0.1174	0.292	0.1818	0.4098	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	a	C	81ecb394c6c630e3dfac299497f096001dc57f1c040562359004570353c356squares	3533	1	2	0.190572	0.190572	0.190572	-0.047926	0.001584	0.013266	0.838464	0.1174	0.292	0.0126	0.1134	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	g	Cbar	95b5540031c124fcbac8c74c1af58cb443721810e825657c426187023c03c59squares	100	1	2	0.1936508	0.1936508	0.1936508	-0.331852	0.021822	0.052228	0.723071	-0.565	-0.2952	-0.8856	-0.5968	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	g	F	96175b901875220e5eda66244d23097c083445259019c115645e34fcd9362squares	3533	1	2	0.190572	0.190572	0.190572	0.074103	0.002445	0.016484	0.948215	0.043	0.1716	0.121	0.348	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	p	Cbar	9c0a36660b1565fe147d5a617647a42314d41f5093654402340409011912d17squares	3533	1	2	0.190572	0.190572	0.190572	-0.287713	0.020052	0.047202	0.786093	-0.565	-0.2952	-0.846	-0.5668	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	p	Fbar	a31ff58f51ef458303b7929a188c8e67b50844340103963c0d11049206157d19squares	3533	1	2	0.190572	0.190572	0.190572	-0.043149	0.018877	0.045798	0.794231	-0.423	-0.1752	-0.511	-0.2326	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	p	Cbar	bcba10e901b1d6940d3e659dcfa1b3d2gdc12286059249f0859292c0f75squares	3533	1	2	0.190572	0.190572	0.190572	-0.304358	0.018675	0.048315	0.758638	-0.565	-0.2952	-0.846	-0.5668	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap

cell	condition	metric	curve id	excluded method	reference count	fit model	slope	unconstrained slope	slope was constrained	intercept	residual sum squares	residual standard deviation	r squared	clean min	clean max	perturbed min	perturbed max	reference methods
ImageNet-ImageNet-resnet18	p	F	c6133875fedd04c430a2b46081369376ca785514737d98f50e671692380637544		289418	1760176901023879870734614977349291234	0.050533	0.005104	0.023815	0.904564	0.043	0.1716	0.0872	0.341	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientSh			
ImageNet-ImageNet-resnet18	a	F	cb12bd05020da6c4966289418df02b01776901023879870734614977349291234		289418	1760176901023879870734614977349291234	-0.015049	0.000671	0.008632	0.86933	0.043	0.1716	0.007	0.0794	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientSh			
ImageNet-ImageNet-resnet18	a	Fbar	cb2acb63361b944b9e889911decdf16541f140786057224d1168907762a015		289418	1760176901023879870734614977349291234	0.03519	0.005269	0.025664	0.929468	-0.423	-0.1752	-0.4256	-0.1536	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientSh			
ImageNet-ImageNet-resnet18	a	Fbar	cfb75348014eada709bcfd346321d8bdf16541f140786057224d1168907762a015		289418	1760176901023879870734614977349291234	0.033816	0.005286	0.024234	0.936748	-0.423	-0.1752	-0.4256	-0.1536	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientSh			
ImageNet-ImageNet-resnet18	g	F	cfe0e90954c3381cd586a3549754c4aee1e5b027650469a60235514d180a015		289418	1760176901023879870734614977349291234	0.069808	0.002059	0.016041	0.954103	0.043	0.1696	0.121	0.348	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientSh			
ImageNet-ImageNet-resnet18	p	C	d094395d3fe0f971151f64c72a837cfd02248016293766696d21f2806369a1234		289418	1760176901023879870734614977349291234	0.192776	0.004948	0.023446	0.932654	0.1174	0.292	0.3216	0.6096	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientSh			
ImageNet-ImageNet-resnet18	g	Fbar	d1abelc18e708aa606014c0bad61ba27e42f0e61944563220d0790505a7c1348		289418	1760176901023879870734614977349291234	-0.095757	0.017847	0.047231	0.732353	-0.423	-0.1752	-0.5286	-0.2574	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientSh			
ImageNet-ImageNet-resnet18	a	F	ed4abc805c384cd11832644fec1380dd03126e88f50946801459754663234		289418	1760176901023879870734614977349291234	-0.015745	0.00066	0.009086	0.862398	0.043	0.1696	0.007	0.0794	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientSh			

Table 46: ImageNet-ResNet-18 results.

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_individual	best_individual	spearman	g	F		4b1d9eaea4350030e1b1ec8b4d3a0383452817c460e69362223ee4d2e0758428	6500582023770526b93642b446c221c4b1n766b963103049921					0.1716	0.3216	0.1716	0.3216	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_individual	best_individual	spearman	g	Fbar		4b1d9eaea4350030e1b1ec8b4d3a0383452817c460e69362223ee4d2e0758428	6500582023770526b93642b446c221c4b1n766b963103049921					0.1752	0.2782	-0.1752	-0.2782	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_individual	best_individual	spearman	g	C		4b1d9eaea4350030e1b1ec8b4d3a0383452817c460e69362223ee4d2e0758428	6500582023770526b93642b446c221c4b1n766b963103049921					0.292	0.62	0.292	0.62	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_individual	best_individual	spearman	g	Cbar		4b1d9eaea4350030e1b1ec8b4d3a0383452817c460e69362223ee4d2e0758428	6500582023770526b93642b446c221c4b1n766b963103049921					0.2952	0.6054	-0.2952	-0.6054	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_individual	best_individual	spearman	p	F		4b1d9eaea4350030e1b1ec8b4d3a0383452817c460e69362223ee4d2e0758428	6500582023770526b93642b446c221c4b1n766b963103049921					0.1716	0.3094	0.1716	0.3094	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_individual	best_individual	spearman	p	Fbar		4b1d9eaea4350030e1b1ec8b4d3a0383452817c460e69362223ee4d2e0758428	6500582023770526b93642b446c221c4b1n766b963103049921					0.1752	0.2438	-0.1752	-0.2438	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_individual	best_individual	spearman	p	C		4b1d9eaea4350030e1b1ec8b4d3a0383452817c460e69362223ee4d2e0758428	6500582023770526b93642b446c221c4b1n766b963103049921					0.292	0.6096	0.292	0.6096	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_individual	best_individual	spearman	p	Cbar		4b1d9eaea4350030e1b1ec8b4d3a0383452817c460e69362223ee4d2e0758428	6500582023770526b93642b446c221c4b1n766b963103049921					0.2952	0.5808	-0.2952	-0.5808	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_individual	best_individual	spearman	s	F		4b1d9eaea4350030e1b1ec8b4d3a0383452817c460e69362223ee4d2e0758428	6500582023770526b93642b446c221c4b1n766b963103049921					0.1716	0.2334	0.1716	0.2334	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_individual	best_individual	spearman	s	Fbar		4b1d9eaea4350030e1b1ec8b4d3a0383452817c460e69362223ee4d2e0758428	6500582023770526b93642b446c221c4b1n766b963103049921					0.1752	0.2122	-0.1752	-0.2122	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_individual	best_individual	spearman	s	C		4b1d9eaea4350030e1b1ec8b4d3a0383452817c460e69362223ee4d2e0758428	6500582023770526b93642b446c221c4b1n766b963103049921					0.292	0.4098	0.292	0.4098	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_individual	best_individual	spearman	s	Cbar		4b1d9eaea4350030e1b1ec8b4d3a0383452817c460e69362223ee4d2e0758428	6500582023770526b93642b446c221c4b1n766b963103049921					0.2952	0.3902	-0.2952	-0.3902	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_individual	best_individual	spearman	a	F		4b1d9eaea4350030e1b1ec8b4d3a0383452817c460e69362223ee4d2e0758428	6500582023770526b93642b446c221c4b1n766b963103049921					0.1716	0.0658	0.1716	0.0658	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_individual	best_individual	spearman	a	Fbar		4b1d9eaea4350030e1b1ec8b4d3a0383452817c460e69362223ee4d2e0758428	6500582023770526b93642b446c221c4b1n766b963103049921					0.1752	0.1536	-0.1752	-0.1536	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_individual	best_individual	spearman	a	C		4b1d9eaea4350030e1b1ec8b4d3a0383452817c460e69362223ee4d2e0758428	6500582023770526b93642b446c221c4b1n766b963103049921					0.292	0.0824	0.292	0.0824	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_individual	best_individual	spearman	a	Cbar		4b1d9eaea4350030e1b1ec8b4d3a0383452817c460e69362223ee4d2e0758428	6500582023770526b93642b446c221c4b1n766b963103049921					0.2952	0.238	-0.2952	-0.238	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	spearman	g	F		685703c1eb6500582023770526b93642b446c221c4b1n766b963103049921	6500582023770526b93642b446c221c4b1n766b963103049921					0.1726	0.329	0.1726	0.329	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	spearman	g	Fbar		685703c1eb6500582023770526b93642b446c221c4b1n766b963103049921	6500582023770526b93642b446c221c4b1n766b963103049921					0.251	0.3628	-0.251	-0.3628	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	spearman	g	C		685703c1eb6500582023770526b93642b446c221c4b1n766b963103049921	6500582023770526b93642b446c221c4b1n766b963103049921					0.286	0.6334	0.286	0.6334	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	spearman	g	Cbar		685703c1eb6500582023770526b93642b446c221c4b1n766b963103049921	6500582023770526b93642b446c221c4b1n766b963103049921					0.3862	0.707	-0.3862	-0.707	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	spearman	p	F		685703c1eb6500582023770526b93642b446c221c4b1n766b963103049921	6500582023770526b93642b446c221c4b1n766b963103049921					0.1726	0.3102	0.1726	0.3102	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	spearman	p	Fbar		685703c1eb6500582023770526b93642b446c221c4b1n766b963103049921	6500582023770526b93642b446c221c4b1n766b963103049921					0.251	0.3426	-0.251	-0.3426	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	spearman	p	C		685703c1eb6500582023770526b93642b446c221c4b1n766b963103049921	6500582023770526b93642b446c221c4b1n766b963103049921					0.286	0.6012	0.286	0.6012	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	spearman	p	Cbar		685703c1eb6500582023770526b93642b446c221c4b1n766b963103049921	6500582023770526b93642b446c221c4b1n766b963103049921					0.3862	0.6808	-0.3862	-0.6808	

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	spearman		g	Fbar	d1ed4f281b650084d26ce28b5abdd3ae4f437e93dc47da969d88cdbc9a0716778	650084	26ce28b5abdd3ae4f437e93dc47da969d88cdbc9a0716778				0.2186	0.3182	-0.2186	-0.3182	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	spearman		g	C	d1ed4f281b650084d26ce28b5abdd3ae4f437e93dc47da969d88cdbc9a0716778	650084	26ce28b5abdd3ae4f437e93dc47da969d88cdbc9a0716778				0.2756	0.614	0.2756	0.614	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	spearman		g	Cbar	d1ed4f281b650084d26ce28b5abdd3ae4f437e93dc47da969d88cdbc9a0716778	650084	26ce28b5abdd3ae4f437e93dc47da969d88cdbc9a0716778				0.3464	0.6672	-0.3464	-0.6672	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	spearman		p	F	d1ed4f281b650084d26ce28b5abdd3ae4f437e93dc47da969d88cdbc9a0716778	650084	26ce28b5abdd3ae4f437e93dc47da969d88cdbc9a0716778				0.158	0.3204	0.158	0.3204	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	spearman		p	Fbar	d1ed4f281b650084d26ce28b5abdd3ae4f437e93dc47da969d88cdbc9a0716778	650084	26ce28b5abdd3ae4f437e93dc47da969d88cdbc9a0716778				0.2186	0.2974	-0.2186	-0.2974	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	spearman		p	C	d1ed4f281b650084d26ce28b5abdd3ae4f437e93dc47da969d88cdbc9a0716778	650084	26ce28b5abdd3ae4f437e93dc47da969d88cdbc9a0716778				0.2756	0.5964	0.2756	0.5964	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	spearman		p	Cbar	d1ed4f281b650084d26ce28b5abdd3ae4f437e93dc47da969d88cdbc9a0716778	650084	26ce28b5abdd3ae4f437e93dc47da969d88cdbc9a0716778				0.3464	0.6286	-0.3464	-0.6286	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	spearman		s	F	d1ed4f281b650084d26ce28b5abdd3ae4f437e93dc47da969d88cdbc9a0716778	650084	26ce28b5abdd3ae4f437e93dc47da969d88cdbc9a0716778				0.158	0.2328	0.158	0.2328	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	spearman		s	Fbar	d1ed4f281b650084d26ce28b5abdd3ae4f437e93dc47da969d88cdbc9a0716778	650084	26ce28b5abdd3ae4f437e93dc47da969d88cdbc9a0716778				0.2186	0.2614	-0.2186	-0.2614	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	spearman		s	C	d1ed4f281b650084d26ce28b5abdd3ae4f437e93dc47da969d88cdbc9a0716778	650084	26ce28b5abdd3ae4f437e93dc47da969d88cdbc9a0716778				0.2756	0.3898	0.2756	0.3898	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	spearman		s	Cbar	d1ed4f281b650084d26ce28b5abdd3ae4f437e93dc47da969d88cdbc9a0716778	650084	26ce28b5abdd3ae4f437e93dc47da969d88cdbc9a0716778				0.3464	0.4494	-0.3464	-0.4494	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	spearman		a	F	d1ed4f281b650084d26ce28b5abdd3ae4f437e93dc47da969d88cdbc9a0716778	650084	26ce28b5abdd3ae4f437e93dc47da969d88cdbc9a0716778				0.158	0.063	0.158	0.063	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	spearman		a	Fbar	d1ed4f281b650084d26ce28b5abdd3ae4f437e93dc47da969d88cdbc9a0716778	650084	26ce28b5abdd3ae4f437e93dc47da969d88cdbc9a0716778				0.2186	0.1996	-0.2186	-0.1996	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	spearman		a	C	d1ed4f281b650084d26ce28b5abdd3ae4f437e93dc47da969d88cdbc9a0716778	650084	26ce28b5abdd3ae4f437e93dc47da969d88cdbc9a0716778				0.2756	0.0874	0.2756	0.0874	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	spearman		a	Cbar	d1ed4f281b650084d26ce28b5abdd3ae4f437e93dc47da969d88cdbc9a0716778	650084	26ce28b5abdd3ae4f437e93dc47da969d88cdbc9a0716778				0.3464	0.2932	-0.3464	-0.2932	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	spearman		g	F	46df8a55b2382002072397d2a8953d753047e06508a9644c1d0563c68f095536	382002	072397d2a8953d753047e06508a9644c1d0563c68f095536				0.158	0.3272	0.158	0.3272	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	spearman		g	Fbar	46df8a55b2382002072397d2a8953d753047e06508a9644c1d0563c68f095536	382002	072397d2a8953d753047e06508a9644c1d0563c68f095536				0.2186	0.3182	-0.2186	-0.3182	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	spearman		g	C	46df8a55b2382002072397d2a8953d753047e06508a9644c1d0563c68f095536	382002	072397d2a8953d753047e06508a9644c1d0563c68f095536				0.2756	0.614	0.2756	0.614	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	spearman		g	Cbar	46df8a55b2382002072397d2a8953d753047e06508a9644c1d0563c68f095536	382002	072397d2a8953d753047e06508a9644c1d0563c68f095536				0.3464	0.6672	-0.3464	-0.6672	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	spearman		p	F	46df8a55b2382002072397d2a8953d753047e06508a9644c1d0563c68f095536	382002	072397d2a8953d753047e06508a9644c1d0563c68f095536				0.158	0.3204	0.158	0.3204	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	spearman		p	Fbar	46df8a55b2382002072397d2a8953d753047e06508a9644c1d0563c68f095536	382002	072397d2a8953d753047e06508a9644c1d0563c68f095536				0.2186	0.2974	-0.2186	-0.2974	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	spearman		p	C	46df8a55b2382002072397d2a8953d753047e06508a9644c1d0563c68f095536	382002	072397d2a8953d753047e06508a9644c1d0563c68f095536				0.2756	0.5964	0.2756	0.5964	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	spearman		p	Cbar	46df8a55b2382002072397d2a8953d753047e06508a9644c1d0563c68f095536	382002	072397d2a8953d753047e06508a9644c1d0563c68f095536				0.3464	0.6286	-0.3464	-0.6286	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	spearman		s	F	46df8a55b2382002072397d2a8953d753047e06508a9644c1d0563c68f095536	382002	072397d2a8953d753047e06508a9644c1d0563c68f095536				0.158	0.2328	0.158	0.2328	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	spearman		s	Fbar	46df8a55b2382002072397d2a8953d753047e06508a9644c1d0563c68f095536	382002	072397d2a8953d753047e06508a9644c1d0563c68f095536				0.2186	0.2614	-0.2186	-0.2614	

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	spearman		p	Fbar	c34bcb1e1c938008f0601b3aa3524c36f4bcb292af2a712c0a89a0980fca0800077	938008	f0601b3aa3524c36f4bcb292af2a712c0a89a0980fca0800097	0.2182	0.2838	-0.2182	-0.2838				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	spearman		p	C	c34bcb1e1c938008f0601b3aa3524c36f4bcb292af2a712c0a89a0980fca0800097	938008	f0601b3aa3524c36f4bcb292af2a712c0a89a0980fca0800097	0.276	0.5884	0.276	0.5884				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	spearman		p	Cbar	c34bcb1e1c938008f0601b3aa3524c36f4bcb292af2a712c0a89a0980fca0800077	938008	f0601b3aa3524c36f4bcb292af2a712c0a89a0980fca0800077	0.3444	0.614	-0.3444	-0.614				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	spearman		s	F	c34bcb1e1c938008f0601b3aa3524c36f4bcb292af2a712c0a89a0980fca0800063	938008	f0601b3aa3524c36f4bcb292af2a712c0a89a0980fca0800063	0.1576	0.2346	0.1576	0.2346				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	spearman		s	Fbar	c34bcb1e1c938008f0601b3aa3524c36f4bcb292af2a712c0a89a0980fca0800092	938008	f0601b3aa3524c36f4bcb292af2a712c0a89a0980fca0800092	0.2182	0.2532	-0.2182	-0.2532				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	spearman		s	C	c34bcb1e1c938008f0601b3aa3524c36f4bcb292af2a712c0a89a0980fca0800049	938008	f0601b3aa3524c36f4bcb292af2a712c0a89a0980fca0800049	0.276	0.388	0.276	0.388				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	spearman		s	Cbar	c34bcb1e1c938008f0601b3aa3524c36f4bcb292af2a712c0a89a0980fca0800076	938008	f0601b3aa3524c36f4bcb292af2a712c0a89a0980fca0800076	0.3444	0.4402	-0.3444	-0.4402				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	spearman		a	F	c34bcb1e1c938008f0601b3aa3524c36f4bcb292af2a712c0a89a0980fca0800005	938008	f0601b3aa3524c36f4bcb292af2a712c0a89a0980fca0800005	0.1576	0.065	0.1576	0.065				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	spearman		a	Fbar	c34bcb1e1c938008f0601b3aa3524c36f4bcb292af2a712c0a89a0980fca0800066	938008	f0601b3aa3524c36f4bcb292af2a712c0a89a0980fca0800066	0.2182	0.2012	-0.2182	-0.2012				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	spearman		a	C	c34bcb1e1c938008f0601b3aa3524c36f4bcb292af2a712c0a89a0980fca0800078	938008	f0601b3aa3524c36f4bcb292af2a712c0a89a0980fca0800078	0.276	0.0896	0.276	0.0896				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	spearman		a	Cbar	c34bcb1e1c938008f0601b3aa3524c36f4bcb292af2a712c0a89a0980fca0800066	938008	f0601b3aa3524c36f4bcb292af2a712c0a89a0980fca0800066	0.3444	0.2938	-0.3444	-0.2938				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	spearman		g	F	180dff39e2887002e50da6a8d3fd33155087b3408dba78501f5ecbb726e01003064	887002	e50da6a8d3fd33155087b3408dba78501f5ecbb726e01003064	0.1576	0.3238	0.1576	0.3238				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	spearman		g	Fbar	180dff39e2887002e50da6a8d3fd33155087b3408dba78501f5ecbb726e01003067	887002	e50da6a8d3fd33155087b3408dba78501f5ecbb726e01003067	0.2182	0.2944	-0.2182	-0.2944				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	spearman		g	C	180dff39e2887002e50da6a8d3fd33155087b3408dba78501f5ecbb726e01003063	887002	e50da6a8d3fd33155087b3408dba78501f5ecbb726e01003063	0.276	0.6056	0.276	0.6056				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	spearman		g	Cbar	180dff39e2887002e50da6a8d3fd33155087b3408dba78501f5ecbb726e01003064	887002	e50da6a8d3fd33155087b3408dba78501f5ecbb726e01003064	0.3444	0.6324	-0.3444	-0.6324				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	spearman		p	F	180dff39e2887002e50da6a8d3fd33155087b3408dba78501f5ecbb726e01003061	887002	e50da6a8d3fd33155087b3408dba78501f5ecbb726e01003061	0.1576	0.3168	0.1576	0.3168				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	spearman		p	Fbar	180dff39e2887002e50da6a8d3fd33155087b3408dba78501f5ecbb726e01003067	887002	e50da6a8d3fd33155087b3408dba78501f5ecbb726e01003067	0.2182	0.2838	-0.2182	-0.2838				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	spearman		p	C	180dff39e2887002e50da6a8d3fd33155087b3408dba78501f5ecbb726e01003067	887002	e50da6a8d3fd33155087b3408dba78501f5ecbb726e01003067	0.276	0.5884	0.276	0.5884				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	spearman		p	Cbar	180dff39e2887002e50da6a8d3fd33155087b3408dba78501f5ecbb726e01003065	887002	e50da6a8d3fd33155087b3408dba78501f5ecbb726e01003065	0.3444	0.614	-0.3444	-0.614				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	spearman		s	F	180dff39e2887002e50da6a8d3fd33155087b3408dba78501f5ecbb726e01003063	887002	e50da6a8d3fd33155087b3408dba78501f5ecbb726e01003063	0.1576	0.2346	0.1576	0.2346				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	spearman		s	Fbar	180dff39e2887002e50da6a8d3fd33155087b3408dba78501f5ecbb726e01003062	887002	e50da6a8d3fd33155087b3408dba78501f5ecbb726e01003062	0.2182	0.2532	-0.2182	-0.2532				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	spearman		s	C	180dff39e2887002e50da6a8d3fd33155087b3408dba78501f5ecbb726e01003049	887002	e50da6a8d3fd33155087b3408dba78501f5ecbb726e01003049	0.276	0.388	0.276	0.388				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	spearman		s	Cbar	180dff39e2887002e50da6a8d3fd33155087b3408dba78501f5ecbb726e01003066	887002	e50da6a8d3fd33155087b3408dba78501f5ecbb726e01003066	0.3444	0.4402	-0.3444	-0.4402				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	spearman		a	F	180dff39e2887002e50da6a8d3fd33155087b3408dba78501f5ecbb726e01003065	887002	e50da6a8d3fd33155087b3408dba78501f5ecbb726e01003065	0.1576	0.065	0.1576	0.065				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	spearman		a	Fbar	180dff39e2887002e50da6a8d3fd33155087b3408dba78501f5ecbb726e01003066	887002	e50da6a8d3fd33155087b3408dba78501f5ecbb726e01003066	0.2182	0.2012	-0.2182	-0.2012				

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE	spearman		a	C	180dff39e2857002e50da6a8d3f433155087b3408dba78501f5ecbb7256d4d831f8	87002	50da6a8d3f433155087b3408dba78501f5ecbb7256d4d831f8	3408dba78501f5ecbb7256d4d831f8	501f5ecbb7256d4d831f8	0.276	0.0896	0.276	0.0896		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE	spearman		a	Cbar	180dff39e2857002e50da6a8d3f433155087b3408dba78501f5ecbb7256d4d831f8	87002	50da6a8d3f433155087b3408dba78501f5ecbb7256d4d831f8	3408dba78501f5ecbb7256d4d831f8	501f5ecbb7256d4d831f8	0.3444	0.2938	-0.3444	-0.2938		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	best_indiv	best_individual	kendall		g	F	d0e526cd5f6500034b2bf5c8bf06a7cdb2628601a896bff451d95aa3fe2989123759	500034	b2bf5c8bf06a7cdb2628601a896bff451d95aa3fe2989123759	601a896bff451d95aa3fe2989123759	451d95aa3fe2989123759	0.1716	0.3216	0.1716	0.3216		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	best_indiv	best_individual	kendall		g	Fbar	d0e526cd5f6500034b2bf5c8bf06a7cdb2628601a896bff451d95aa3fe2989123759	500034	b2bf5c8bf06a7cdb2628601a896bff451d95aa3fe2989123759	601a896bff451d95aa3fe2989123759	451d95aa3fe2989123759	0.1752	0.2782	-0.1752	-0.2782		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	best_indiv	best_individual	kendall		g	C	d0e526cd5f6500034b2bf5c8bf06a7cdb2628601a896bff451d95aa3fe2989123759	500034	b2bf5c8bf06a7cdb2628601a896bff451d95aa3fe2989123759	601a896bff451d95aa3fe2989123759	451d95aa3fe2989123759	0.292	0.62	0.292	0.62		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	best_indiv	best_individual	kendall		g	Cbar	d0e526cd5f6500034b2bf5c8bf06a7cdb2628601a896bff451d95aa3fe2989123759	500034	b2bf5c8bf06a7cdb2628601a896bff451d95aa3fe2989123759	601a896bff451d95aa3fe2989123759	451d95aa3fe2989123759	0.2952	0.6054	-0.2952	-0.6054		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	best_indiv	best_individual	kendall		p	F	d0e526cd5f6500034b2bf5c8bf06a7cdb2628601a896bff451d95aa3fe2989123759	500034	b2bf5c8bf06a7cdb2628601a896bff451d95aa3fe2989123759	601a896bff451d95aa3fe2989123759	451d95aa3fe2989123759	0.1716	0.3094	0.1716	0.3094		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	best_indiv	best_individual	kendall		p	Fbar	d0e526cd5f6500034b2bf5c8bf06a7cdb2628601a896bff451d95aa3fe2989123759	500034	b2bf5c8bf06a7cdb2628601a896bff451d95aa3fe2989123759	601a896bff451d95aa3fe2989123759	451d95aa3fe2989123759	0.1752	0.2438	-0.1752	-0.2438		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	best_indiv	best_individual	kendall		p	C	d0e526cd5f6500034b2bf5c8bf06a7cdb2628601a896bff451d95aa3fe2989123759	500034	b2bf5c8bf06a7cdb2628601a896bff451d95aa3fe2989123759	601a896bff451d95aa3fe2989123759	451d95aa3fe2989123759	0.292	0.6096	0.292	0.6096		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	best_indiv	best_individual	kendall		p	Cbar	d0e526cd5f6500034b2bf5c8bf06a7cdb2628601a896bff451d95aa3fe2989123759	500034	b2bf5c8bf06a7cdb2628601a896bff451d95aa3fe2989123759	601a896bff451d95aa3fe2989123759	451d95aa3fe2989123759	0.2952	0.5808	-0.2952	-0.5808		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	best_indiv	best_individual	kendall		s	F	d0e526cd5f6500034b2bf5c8bf06a7cdb2628601a896bff451d95aa3fe2989123759	500034	b2bf5c8bf06a7cdb2628601a896bff451d95aa3fe2989123759	601a896bff451d95aa3fe2989123759	451d95aa3fe2989123759	0.1716	0.2334	0.1716	0.2334		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	best_indiv	best_individual	kendall		s	Fbar	d0e526cd5f6500034b2bf5c8bf06a7cdb2628601a896bff451d95aa3fe2989123759	500034	b2bf5c8bf06a7cdb2628601a896bff451d95aa3fe2989123759	601a896bff451d95aa3fe2989123759	451d95aa3fe2989123759	0.1752	0.2122	-0.1752	-0.2122		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	best_indiv	best_individual	kendall		s	C	d0e526cd5f6500034b2bf5c8bf06a7cdb2628601a896bff451d95aa3fe2989123759	500034	b2bf5c8bf06a7cdb2628601a896bff451d95aa3fe2989123759	601a896bff451d95aa3fe2989123759	451d95aa3fe2989123759	0.292	0.4098	0.292	0.4098		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	best_indiv	best_individual	kendall		s	Cbar	d0e526cd5f6500034b2bf5c8bf06a7cdb2628601a896bff451d95aa3fe2989123759	500034	b2bf5c8bf06a7cdb2628601a896bff451d95aa3fe2989123759	601a896bff451d95aa3fe2989123759	451d95aa3fe2989123759	0.2952	0.3902	-0.2952	-0.3902		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	best_indiv	best_individual	kendall		a	F	d0e526cd5f6500034b2bf5c8bf06a7cdb2628601a896bff451d95aa3fe2989123759	500034	b2bf5c8bf06a7cdb2628601a896bff451d95aa3fe2989123759	601a896bff451d95aa3fe2989123759	451d95aa3fe2989123759	0.1716	0.0658	0.1716	0.0658		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	best_indiv	best_individual	kendall		a	Fbar	d0e526cd5f6500034b2bf5c8bf06a7cdb2628601a896bff451d95aa3fe2989123759	500034	b2bf5c8bf06a7cdb2628601a896bff451d95aa3fe2989123759	601a896bff451d95aa3fe2989123759	451d95aa3fe2989123759	0.1752	0.1536	-0.1752	-0.1536		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	best_indiv	best_individual	kendall		a	C	d0e526cd5f6500034b2bf5c8bf06a7cdb2628601a896bff451d95aa3fe2989123759	500034	b2bf5c8bf06a7cdb2628601a896bff451d95aa3fe2989123759	601a896bff451d95aa3fe2989123759	451d95aa3fe2989123759	0.292	0.0824	0.292	0.0824		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	best_indiv	best_individual	kendall		a	Cbar	d0e526cd5f6500034b2bf5c8bf06a7cdb2628601a896bff451d95aa3fe2989123759	500034	b2bf5c8bf06a7cdb2628601a896bff451d95aa3fe2989123759	601a896bff451d95aa3fe2989123759	451d95aa3fe2989123759	0.2952	0.238	-0.2952	-0.238		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	naive	kendall		g	F	c30625e85ae5000d0f90e3c5a55662007f2c31f3a1b6d6dc1bra5a355045912075924	5000d0	f90e3c5a55662007f2c31f3a1b6d6dc1bra5a355045912075924	5912075924	5912075924	0.1726	0.329	0.1726	0.329		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	naive	kendall		g	Fbar	c30625e85ae5000d0f90e3c5a55662007f2c31f3a1b6d6dc1bra5a355045912075924	5000d0	f90e3c5a55662007f2c31f3a1b6d6dc1bra5a355045912075924	5912075924	5912075924	0.251	0.3628	-0.251	-0.3628		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	naive	kendall		g	C	c30625e85ae5000d0f90e3c5a55662007f2c31f3a1b6d6dc1bra5a355045912075924	5000d0	f90e3c5a55662007f2c31f3a1b6d6dc1bra5a355045912075924	5912075924	5912075924	0.286	0.6334	0.286	0.6334		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	naive	kendall		g	Cbar	c30625e85ae5000d0f90e3c5a55662007f2c31f3a1b6d6dc1bra5a355045912075924	5000d0	f90e3c5a55662007f2c31f3a1b6d6dc1bra5a355045912075924	5912075924	5912075924	0.3862	0.707	-0.3862	-0.707		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	naive	kendall		p	F	c30625e85ae5000d0f90e3c5a55662007f2c31f3a1b6d6dc1bra5a355045912075924	5000d0	f90e3c5a55662007f2c31f3a1b6d6dc1bra5a355045912075924	5912075924	5912075924	0.1726	0.3102	0.1726	0.3102		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	naive	kendall		p	Fbar	c30625e85ae5000d0f90e3c5a55662007f2c31f3a1b6d6dc1bra5a355045912075924	5000d0	f90e3c5a55662007f2c31f3a1b6d6dc1bra5a355045912075924	5912075924	5912075924	0.251	0.3426	-0.251	-0.3426		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	naive	kendall		p	C	c30625e85ae5000d0f90e3c5a55662007f2c31f3a1b6d6dc1bra5a355045912075924	5000d0	f90e3c5a55662007f2c31f3a1b6d6dc1bra5a355045912075924	5912075924	5912075924	0.286	0.6012	0.286	0.6012		

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	kendall		p	Cbar	c30625e85ae500d0f90e3c5a55662007f2c31f3a1b6d6dc	50000	90e3c5a55662007f2c31f3a1b6d6dc	hri5a35504591201404	0.3862	0.6808	-0.3862	-0.6808			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	kendall		s	F	c30625e85ae500d0f90e3c5a55662007f2c31f3a1b6d6dc	50000	90e3c5a55662007f2c31f3a1b6d6dc	hri5a35504591201404	0.1726	0.246	0.1726	0.246			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	kendall		s	Fbar	c30625e85ae500d0f90e3c5a55662007f2c31f3a1b6d6dc	50000	90e3c5a55662007f2c31f3a1b6d6dc	hri5a35504591201404	0.251	0.3146	-0.251	-0.3146			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	kendall		s	C	c30625e85ae500d0f90e3c5a55662007f2c31f3a1b6d6dc	50000	90e3c5a55662007f2c31f3a1b6d6dc	hri5a35504591201404	0.286	0.4052	0.286	0.4052			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	kendall		s	Cbar	c30625e85ae500d0f90e3c5a55662007f2c31f3a1b6d6dc	50000	90e3c5a55662007f2c31f3a1b6d6dc	hri5a35504591201404	0.3862	0.5058	-0.3862	-0.5058			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	kendall		a	F	c30625e85ae500d0f90e3c5a55662007f2c31f3a1b6d6dc	50000	90e3c5a55662007f2c31f3a1b6d6dc	hri5a35504591201404	0.1726	0.0782	0.1726	0.0782			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	kendall		a	Fbar	c30625e85ae500d0f90e3c5a55662007f2c31f3a1b6d6dc	50000	90e3c5a55662007f2c31f3a1b6d6dc	hri5a35504591201404	0.251	0.2172	-0.251	-0.2172			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	kendall		a	C	c30625e85ae500d0f90e3c5a55662007f2c31f3a1b6d6dc	50000	90e3c5a55662007f2c31f3a1b6d6dc	hri5a35504591201404	0.286	0.1092	0.286	0.1092			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	kendall		a	Cbar	c30625e85ae500d0f90e3c5a55662007f2c31f3a1b6d6dc	50000	90e3c5a55662007f2c31f3a1b6d6dc	hri5a35504591201404	0.3862	0.3108	-0.3862	-0.3108			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	kendall		g	F	63de57324e450085f856540185ec2d6da2b9e0e7f51560c	50000	856540185ec2d6da2b9e0e7f51560c	nfic834f6140d7037404	0.1726	0.329	0.1726	0.329			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	kendall		g	Fbar	63de57324e450085f856540185ec2d6da2b9e0e7f51560c	50000	856540185ec2d6da2b9e0e7f51560c	nfic834f6140d7037404	0.251	0.3628	-0.251	-0.3628			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	kendall		g	C	63de57324e450085f856540185ec2d6da2b9e0e7f51560c	50000	856540185ec2d6da2b9e0e7f51560c	nfic834f6140d7037404	0.286	0.6334	0.286	0.6334			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	kendall		g	Cbar	63de57324e450085f856540185ec2d6da2b9e0e7f51560c	50000	856540185ec2d6da2b9e0e7f51560c	nfic834f6140d7037404	0.3862	0.707	-0.3862	-0.707			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	kendall		p	F	63de57324e450085f856540185ec2d6da2b9e0e7f51560c	50000	856540185ec2d6da2b9e0e7f51560c	nfic834f6140d7037404	0.1726	0.3104	0.1726	0.3104			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	kendall		p	Fbar	63de57324e450085f856540185ec2d6da2b9e0e7f51560c	50000	856540185ec2d6da2b9e0e7f51560c	nfic834f6140d7037404	0.251	0.3426	-0.251	-0.3426			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	kendall		p	C	63de57324e450085f856540185ec2d6da2b9e0e7f51560c	50000	856540185ec2d6da2b9e0e7f51560c	nfic834f6140d7037404	0.286	0.6012	0.286	0.6012			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	kendall		p	Cbar	63de57324e450085f856540185ec2d6da2b9e0e7f51560c	50000	856540185ec2d6da2b9e0e7f51560c	nfic834f6140d7037404	0.3862	0.6808	-0.3862	-0.6808			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	kendall		s	F	63de57324e450085f856540185ec2d6da2b9e0e7f51560c	50000	856540185ec2d6da2b9e0e7f51560c	nfic834f6140d7037404	0.1726	0.246	0.1726	0.246			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	kendall		s	Fbar	63de57324e450085f856540185ec2d6da2b9e0e7f51560c	50000	856540185ec2d6da2b9e0e7f51560c	nfic834f6140d7037404	0.251	0.3146	-0.251	-0.3146			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	kendall		s	C	63de57324e450085f856540185ec2d6da2b9e0e7f51560c	50000	856540185ec2d6da2b9e0e7f51560c	nfic834f6140d7037404	0.286	0.4052	0.286	0.4052			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	kendall		s	Cbar	63de57324e450085f856540185ec2d6da2b9e0e7f51560c	50000	856540185ec2d6da2b9e0e7f51560c	nfic834f6140d7037404	0.3862	0.5058	-0.3862	-0.5058			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	kendall		a	F	63de57324e450085f856540185ec2d6da2b9e0e7f51560c	50000	856540185ec2d6da2b9e0e7f51560c	nfic834f6140d7037404	0.1726	0.0782	0.1726	0.0782			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	kendall		a	Fbar	63de57324e450085f856540185ec2d6da2b9e0e7f51560c	50000	856540185ec2d6da2b9e0e7f51560c	nfic834f6140d7037404	0.251	0.2172	-0.251	-0.2172			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	kendall		a	C	63de57324e450085f856540185ec2d6da2b9e0e7f51560c	50000	856540185ec2d6da2b9e0e7f51560c	nfic834f6140d7037404	0.286	0.1092	0.286	0.1092			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	kendall		a	Cbar	63de57324e450085f856540185ec2d6da2b9e0e7f51560c	50000	856540185ec2d6da2b9e0e7f51560c	nfic834f6140d7037404	0.3862	0.3108	-0.3862	-0.3108			

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	kendall		g	C	9e8d85fe50f50098e9c59fef469a18c865afb735108033b35890dd80403076127	5000	9c59fef469a18c865afb735108033b35890dd80403076126		735108033b35890dd80403076126	35890dd80403076126	0.271	0.6006	0.271	0.6006	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	kendall		g	Cbar	9e8d85fe50f50098e9c59fef469a18c865afb735108033b35890dd80403076126	5000	9c59fef469a18c865afb735108033b35890dd80403076126		735108033b35890dd80403076126	35890dd80403076126	0.3492	0.6266	-0.3492	-0.6266	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	kendall		p	F	9e8d85fe50f50098e9c59fef469a18c865afb735108033b35890dd80403076125	5000	9c59fef469a18c865afb735108033b35890dd80403076125		735108033b35890dd80403076125	35890dd80403076125	0.1556	0.317	0.1556	0.317	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	kendall		p	Fbar	9e8d85fe50f50098e9c59fef469a18c865afb735108033b35890dd804030776126	5000	9c59fef469a18c865afb735108033b35890dd804030776126		735108033b35890dd804030776126	35890dd804030776126	0.2234	0.2684	-0.2234	-0.2684	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	kendall		p	C	9e8d85fe50f50098e9c59fef469a18c865afb735108033b35890dd80403076127	5000	9c59fef469a18c865afb735108033b35890dd80403076127		735108033b35890dd80403076127	35890dd80403076127	0.271	0.588	0.271	0.588	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	kendall		p	Cbar	9e8d85fe50f50098e9c59fef469a18c865afb735108033b35890dd80403076126	5000	9c59fef469a18c865afb735108033b35890dd80403076126		735108033b35890dd80403076126	35890dd80403076126	0.3492	0.6014	-0.3492	-0.6014	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	kendall		s	F	9e8d85fe50f50098e9c59fef469a18c865afb735108033b35890dd80403076125	5000	9c59fef469a18c865afb735108033b35890dd80403076125		735108033b35890dd80403076125	35890dd80403076125	0.1556	0.2304	0.1556	0.2304	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	kendall		s	Fbar	9e8d85fe50f50098e9c59fef469a18c865afb735108033b35890dd80403076472	5000	9c59fef469a18c865afb735108033b35890dd80403076472		735108033b35890dd80403076472	35890dd80403076472	0.2234	0.2596	-0.2234	-0.2596	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	kendall		s	C	9e8d85fe50f50098e9c59fef469a18c865afb735108033b35890dd80403076124	5000	9c59fef469a18c865afb735108033b35890dd80403076124		735108033b35890dd80403076124	35890dd80403076124	0.271	0.3846	0.271	0.3846	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	kendall		s	Cbar	9e8d85fe50f50098e9c59fef469a18c865afb735108033b35890dd80403076127	5000	9c59fef469a18c865afb735108033b35890dd80403076127		735108033b35890dd80403076127	35890dd80403076127	0.3492	0.4486	-0.3492	-0.4486	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	kendall		a	F	9e8d85fe50f50098e9c59fef469a18c865afb735108033b35890dd80403076126	5000	9c59fef469a18c865afb735108033b35890dd80403076126		735108033b35890dd80403076126	35890dd80403076126	0.1556	0.0652	0.1556	0.0652	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	kendall		a	Fbar	9e8d85fe50f50098e9c59fef469a18c865afb735108033b35890dd80403076123	5000	9c59fef469a18c865afb735108033b35890dd80403076123		735108033b35890dd80403076123	35890dd80403076123	0.2234	0.2084	-0.2234	-0.2084	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	kendall		a	C	9e8d85fe50f50098e9c59fef469a18c865afb735108033b35890dd80403076126	5000	9c59fef469a18c865afb735108033b35890dd80403076126		735108033b35890dd80403076126	35890dd80403076126	0.271	0.092	0.271	0.092	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	kendall		a	Cbar	9e8d85fe50f50098e9c59fef469a18c865afb735108033b35890dd80403076128	5000	9c59fef469a18c865afb735108033b35890dd80403076128		735108033b35890dd80403076128	35890dd80403076128	0.3492	0.3	-0.3492	-0.3	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	kendall		g	F	b0a2e3e34e9100059e856d8d5b8bbc937ad849622a3425m3f027788c347018340	5000	9e856d8d5b8bbc937ad849622a3425m3f027788c347018340		849622a3425m3f027788c347018340	347018340	0.1612	0.326	0.1612	0.326	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	kendall		g	Fbar	b0a2e3e34e9100059e856d8d5b8bbc937ad849622a3425m3f027788c347018340	5000	9e856d8d5b8bbc937ad849622a3425m3f027788c347018340		849622a3425m3f027788c347018340	347018340	0.2176	0.2952	-0.2176	-0.2952	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	kendall		g	C	b0a2e3e34e9100059e856d8d5b8bbc937ad849622a3425m3f027788c347018340	5000	9e856d8d5b8bbc937ad849622a3425m3f027788c347018340		849622a3425m3f027788c347018340	347018340	0.2812	0.6098	0.2812	0.6098	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	kendall		g	Cbar	b0a2e3e34e9100059e856d8d5b8bbc937ad849622a3425m3f027788c347018340	5000	9e856d8d5b8bbc937ad849622a3425m3f027788c347018340		849622a3425m3f027788c347018340	347018340	0.3424	0.6368	-0.3424	-0.6368	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	kendall		p	F	b0a2e3e34e9100059e856d8d5b8bbc937ad849622a3425m3f027788c347018340	5000	9e856d8d5b8bbc937ad849622a3425m3f027788c347018340		849622a3425m3f027788c347018340	347018340	0.1612	0.3236	0.1612	0.3236	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	kendall		p	Fbar	b0a2e3e34e9100059e856d8d5b8bbc937ad849622a3425m3f027788c347018340	5000	9e856d8d5b8bbc937ad849622a3425m3f027788c347018340		849622a3425m3f027788c347018340	347018340	0.2176	0.2836	-0.2176	-0.2836	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	kendall		p	C	b0a2e3e34e9100059e856d8d5b8bbc937ad849622a3425m3f027788c347018340	5000	9e856d8d5b8bbc937ad849622a3425m3f027788c347018340		849622a3425m3f027788c347018340	347018340	0.2812	0.5946	0.2812	0.5946	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	kendall		p	Cbar	b0a2e3e34e9100059e856d8d5b8bbc937ad849622a3425m3f027788c347018340	5000	9e856d8d5b8bbc937ad849622a3425m3f027788c347018340		849622a3425m3f027788c347018340	347018340	0.3424	0.6078	-0.3424	-0.6078	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	kendall		s	F	b0a2e3e34e9100059e856d8d5b8bbc937ad849622a3425m3f027788c347018340	5000	9e856d8d5b8bbc937ad849622a3425m3f027788c347018340		849622a3425m3f027788c347018340	347018340	0.1612	0.2354	0.1612	0.2354	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	kendall		s	Fbar	b0a2e3e34e9100059e856d8d5b8bbc937ad849622a3425m3f027788c347018340	5000	9e856d8d5b8bbc937ad849622a3425m3f027788c347018340		849622a3425m3f027788c347018340	347018340	0.2176	0.2518	-0.2176	-0.2518	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	kendall		s	C	b0a2e3e34e9100059e856d8d5b8bbc937ad849622a3425m3f027788c347018340	5000	9e856d8d5b8bbc937ad849622a3425m3f027788c347018340		849622a3425m3f027788c347018340	347018340	0.2812	0.3938	0.2812	0.3938	

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	kendall		s	Cbar	b0a2e3e34e95100059e856d8d5b8bbc937ad849622a3428m3f027788c347008461	95100059	e856d8d5b8bbc937ad849622a3428m3f027788c347008461				0.3424	0.4382	-0.3424	-0.4382	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	kendall		a	F	b0a2e3e34e95100059e856d8d5b8bbc937ad849622a3428m3f027788c347008461	95100059	e856d8d5b8bbc937ad849622a3428m3f027788c347008461				0.1612	0.0656	0.1612	0.0656	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	kendall		a	Fbar	b0a2e3e34e95100059e856d8d5b8bbc937ad849622a3428m3f027788c347008461	95100059	e856d8d5b8bbc937ad849622a3428m3f027788c347008461				0.2176	0.193	-0.2176	-0.193	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	kendall		a	C	b0a2e3e34e95100059e856d8d5b8bbc937ad849622a3428m3f027788c347008461	95100059	e856d8d5b8bbc937ad849622a3428m3f027788c347008461				0.2812	0.0898	0.2812	0.0898	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	kendall		a	Cbar	b0a2e3e34e95100059e856d8d5b8bbc937ad849622a3428m3f027788c347008461	95100059	e856d8d5b8bbc937ad849622a3428m3f027788c347008461				0.3424	0.2816	-0.3424	-0.2816	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	kendall		g	F	e807e24afb5534004c2f5113cd957ed403ec71e63d244dc10491812a8aa02074969	534004c	2f5113cd957ed403ec71e63d244dc10491812a8aa02074969				0.1612	0.326	0.1612	0.326	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	kendall		g	Fbar	e807e24afb5534004c2f5113cd957ed403ec71e63d244dc10491812a8aa02074969	534004c	2f5113cd957ed403ec71e63d244dc10491812a8aa02074969				0.2176	0.2952	-0.2176	-0.2952	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	kendall		g	C	e807e24afb5534004c2f5113cd957ed403ec71e63d244dc10491812a8aa02074969	534004c	2f5113cd957ed403ec71e63d244dc10491812a8aa02074969				0.2812	0.6098	0.2812	0.6098	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	kendall		g	Cbar	e807e24afb5534004c2f5113cd957ed403ec71e63d244dc10491812a8aa02074969	534004c	2f5113cd957ed403ec71e63d244dc10491812a8aa02074969				0.3424	0.6368	-0.3424	-0.6368	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	kendall		p	F	e807e24afb5534004c2f5113cd957ed403ec71e63d244dc10491812a8aa02074969	534004c	2f5113cd957ed403ec71e63d244dc10491812a8aa02074969				0.1612	0.3236	0.1612	0.3236	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	kendall		p	Fbar	e807e24afb5534004c2f5113cd957ed403ec71e63d244dc10491812a8aa02074969	534004c	2f5113cd957ed403ec71e63d244dc10491812a8aa02074969				0.2176	0.2836	-0.2176	-0.2836	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	kendall		p	C	e807e24afb5534004c2f5113cd957ed403ec71e63d244dc10491812a8aa02074969	534004c	2f5113cd957ed403ec71e63d244dc10491812a8aa02074969				0.2812	0.5946	0.2812	0.5946	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	kendall		p	Cbar	e807e24afb5534004c2f5113cd957ed403ec71e63d244dc10491812a8aa02074969	534004c	2f5113cd957ed403ec71e63d244dc10491812a8aa02074969				0.3424	0.6078	-0.3424	-0.6078	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	kendall		s	F	e807e24afb5534004c2f5113cd957ed403ec71e63d244dc10491812a8aa02074969	534004c	2f5113cd957ed403ec71e63d244dc10491812a8aa02074969				0.1612	0.2354	0.1612	0.2354	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	kendall		s	Fbar	e807e24afb5534004c2f5113cd957ed403ec71e63d244dc10491812a8aa02074969	534004c	2f5113cd957ed403ec71e63d244dc10491812a8aa02074969				0.2176	0.2518	-0.2176	-0.2518	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	kendall		s	C	e807e24afb5534004c2f5113cd957ed403ec71e63d244dc10491812a8aa02074969	534004c	2f5113cd957ed403ec71e63d244dc10491812a8aa02074969				0.2812	0.3938	0.2812	0.3938	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	kendall		s	Cbar	e807e24afb5534004c2f5113cd957ed403ec71e63d244dc10491812a8aa02074969	534004c	2f5113cd957ed403ec71e63d244dc10491812a8aa02074969				0.3424	0.4382	-0.3424	-0.4382	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	kendall		a	F	e807e24afb5534004c2f5113cd957ed403ec71e63d244dc10491812a8aa02074969	534004c	2f5113cd957ed403ec71e63d244dc10491812a8aa02074969				0.1612	0.0656	0.1612	0.0656	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	kendall		a	Fbar	e807e24afb5534004c2f5113cd957ed403ec71e63d244dc10491812a8aa02074969	534004c	2f5113cd957ed403ec71e63d244dc10491812a8aa02074969				0.2176	0.193	-0.2176	-0.193	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	kendall		a	C	e807e24afb5534004c2f5113cd957ed403ec71e63d244dc10491812a8aa02074969	534004c	2f5113cd957ed403ec71e63d244dc10491812a8aa02074969				0.2812	0.0898	0.2812	0.0898	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	kendall		a	Cbar	e807e24afb5534004c2f5113cd957ed403ec71e63d244dc10491812a8aa02074969	534004c	2f5113cd957ed403ec71e63d244dc10491812a8aa02074969				0.3424	0.2816	-0.3424	-0.2816	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	kendall		g	F	8e1cf25cda16700be3c2d1005293b227f6612a9b1f6261887bcfd0b2417006054	16700be3c2d1005293b227f6612a9b1f6261887bcfd0b2417006054				0.1576	0.3238	0.1576	0.3238		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	kendall		g	Fbar	8e1cf25cda16700be3c2d1005293b227f6612a9b1f6261887bcfd0b2417006054	16700be3c2d1005293b227f6612a9b1f6261887bcfd0b2417006054				0.2182	0.2944	-0.2182	-0.2944		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	kendall		g	C	8e1cf25cda16700be3c2d1005293b227f6612a9b1f6261887bcfd0b2417006054	16700be3c2d1005293b227f6612a9b1f6261887bcfd0b2417006054				0.276	0.6056	0.276	0.6056		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	kendall		g	Cbar	8e1cf25cda16700be3c2d1005293b227f6612a9b1f6261887bcfd0b2417006054	16700be3c2d1005293b227f6612a9b1f6261887bcfd0b2417006054				0.3444	0.6324	-0.3444	-0.6324		

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE	kendall		a	Fbar	302b199fe1976304869ca7e091e53960db182739bd42b5d1deb270540615702397568	563048	69ca7e091e53960db182739bd42b5d1deb270540615702397568	53960db182739bd42b5d1deb270540615702397568	2739bd42b5d1deb270540615702397568	direction	0.1701768	0.2182	0.2012	-0.2182	-0.2012
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE	kendall		a	C	302b199fe1976304869ca7e091e53960db182739bd42b5d1deb270540615702397568	563048	69ca7e091e53960db182739bd42b5d1deb270540615702397568	53960db182739bd42b5d1deb270540615702397568	2739bd42b5d1deb270540615702397568	direction	0.1701768	0.276	0.0896	0.276	0.0896
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE	kendall		a	Cbar	302b199fe1976304869ca7e091e53960db182739bd42b5d1deb270540615702397568	563048	69ca7e091e53960db182739bd42b5d1deb270540615702397568	53960db182739bd42b5d1deb270540615702397568	2739bd42b5d1deb270540615702397568	direction	0.1701768	0.3444	0.2938	-0.3444	-0.2938

Table 47: ImageNet–ResNet-18 results.

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_indiv	best	spearman		g	F	0.343359	cfe0e909543d301a4598360c85f330c	3d301a4598360c85f330c	3d301a4598360c85f330c	76a5039a00283dfdc0a0d1b5
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_indiv	best	spearman		g	Fbar	-0.240086	d39d6fd93c1b0c98bb897d4908330c	3d301a4598360c85f330c	3d301a4598360c85f330c	aed80f9bff2c7c9f8726325b8
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_indiv	best	spearman		g	C	0.633129	7c50bc284c1b0c98bb897d4908330c	3d301a4598360c85f330c	3d301a4598360c85f330c	2a8cbc1a21a8570d3ada519b4
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_indiv	best	spearman		g	Cbar	-0.580084	be9143dad1523da0b9b60d0f1d30c	3d301a4598360c85f330c	3d301a4598360c85f330c	4839543c1716b875dcf1ec2229
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_indiv	best	spearman		p	F	0.330054	4c5325f63b1b20157485260c5f1d30c	3d301a4598360c85f330c	3d301a4598360c85f330c	9a9b5f412e1c0fa2d04b4ac43d968
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_indiv	best	spearman		p	Fbar	-0.216666	f887946448f89c5a04f505f71ab30c	3d301a4598360c85f330c	3d301a4598360c85f330c	536f5055e2ca255e4d9ccd9
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_indiv	best	spearman		p	C	0.612905	537b44d6dd0ab0a25e46045f6a726130c	3d301a4598360c85f330c	3d301a4598360c85f330c	2a10007189e8985f85d0a44514
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_indiv	best	spearman		p	Cbar	-0.555996	5d7063b09d230f916df133025f30c	3d301a4598360c85f330c	3d301a4598360c85f330c	7b16d2867d04b1dd13442a5975a
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_indiv	best	spearman		s	F	0.247326	5165f17acc14002f042304c6f1d30c	3d301a4598360c85f330c	3d301a4598360c85f330c	33507279b32875ec36ec5d9eb18
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_indiv	best	spearman		s	Fbar	-0.195372	4f51889f2a5f6e96ec0b4056c0b30c	3d301a4598360c85f330c	3d301a4598360c85f330c	7eca6e6ccf7a7da49ef4e279
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_indiv	best	spearman		s	C	0.404103	cc175d1777862099c0b010507b1f30c	3d301a4598360c85f330c	3d301a4598360c85f330c	5812ab7589e2ad322fb955fb51830c
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_indiv	best	spearman		s	Cbar	-0.384628	8ef69de9dd0dc31274c29130b30c	3d301a4598360c85f330c	3d301a4598360c85f330c	05f1a53c5458780574b886047a8d8
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_indiv	best	spearman		a	F	0.069326	ed4abc805c7334c1b0c98bb897d4908330c	3d301a4598360c85f330c	3d301a4598360c85f330c	12b3a8815f9468f177d0ee86324c
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_indiv	best	spearman		a	Fbar	-0.156599	f999c441c0d4c267f30f260c4f1f30c	3d301a4598360c85f330c	3d301a4598360c85f330c	175a1f9e2a83b6a28b2893cf9a8
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_indiv	best	spearman		a	C	0.100857	809f4a93b2b37834b8190c30f1f30c	3d301a4598360c85f330c	3d301a4598360c85f330c	b229a59405f8b6193a5e2ee349f41
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_indiv	best	spearman		a	Cbar	-0.246166	b0f63d87774b2c68350260c4f1f30c	3d301a4598360c85f330c	3d301a4598360c85f330c	9c47fd5d0af95ab5af4df569d0f6
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	spearman		g	F	0.340924	96175b901751220e5eda66264ad280c	3d301a4598360c85f330c	3d301a4598360c85f330c	70834493f40bc53b30abe3dfdc61f2
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	spearman		g	Fbar	-0.325263	6ddff6c0e5f14315610671589e9434f0c	3d301a4598360c85f330c	3d301a4598360c85f330c	80ad53a32319d47cc17da93ae
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	spearman		g	C	0.622136	09d031ba10f11e789872e50938960f30c	3d301a4598360c85f330c	3d301a4598360c85f330c	1d1bc112d46feaa644b057e06cc02
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	spearman		g	Cbar	-0.671502	1010706cc269282242d7b81g167af53507c	3d301a4598360c85f330c	3d301a4598360c85f330c	47b99d24d761339e94398ed96b6c
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	spearman		p	F	0.327882	c6133875fedd14c489a2b1698136070c	3d301a4598360c85f330c	3d301a4598360c85f330c	78a521717eb0f5ca67bc2a5d0f3774f
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	spearman		p	Fbar	-0.304932	a31ff58f51fd58303b7929ag88c90f7b59c	3d301a4598360c85f330c	3d301a4598360c85f330c	46131588a1dd1ea42fd574198
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	spearman		p	C	0.603663	d094395d3f600971151464c79e837c0b22c	3d301a4598360c85f330c	3d301a4598360c85f330c	480162073e57c6d2728183eda13b4
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	spearman		p	Cbar	-0.649396	9c0a36660b0f65fcd47c5a16176470c	3d301a4598360c85f330c	3d301a4598360c85f330c	01aa84fc23e8dfd65b42d017

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	spearman		s	F	0.246124	1216db584f6b31c1e1f9676c7b70567fde8	naive	naive	96693305cda7fd5322d3763
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	spearman		s	Fbar	-0.286075	44d7df52c7485ff902ced6bmgf794h06678b8c1	naive	naive	423dff20a30851a17b2c0bf8e
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	spearman		s	C	0.397812	229d394fa15263cb5f4e29977b1f1ad7eaf71ac	naive	naive	190fbbb025ca5d316e536fe
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	spearman		s	Cbar	-0.483124	240ec8fbac4e59ca3357870692d1f07f45e98766d	naive	naive	65606393f4270b8e399676b
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	spearman		a	F	0.069169	cb12bd05070116c49662894f9b35f77f90df9	naive	naive	2333417073cd64279a2916a84
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	spearman		a	Fbar	-0.237524	cfb75348014e4da709bfc12e682bd8ff14aa0	naive	naive	0833f0da1644314c0b5da2d2f
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	spearman		a	C	0.094398	81ecb394c6f630c3d5a2499d7f0960f1ed7c6efb	naive	naive	69ee9d3f902ad76b813e66f
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	spearman		a	Cbar	-0.347592	3fb5d35ce1e416cb8ee4802bf9a3d3d40aa5f4c	naive	naive	50de9aecd78660c87ca4915
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	spearman		g	F	0.340924	96175b901775220e5eda66264cd28f9c7b	naive	naive	70834493f40bc53b30abe3dfdc61f2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	spearman		g	Fbar	-0.325263	6dddf6c0e531d135f06071789e9434d458	naive	naive	80ad53a32319d47cc17da93ae
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	spearman		g	C	0.622136	09d031ba10f1e789872c560988966f732da	naive	naive	112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	spearman		g	Cbar	-0.671502	1010706ce2892822d1d7b81d7a55556708b47b	naive	naive	99d24d761339e94398ed96b6c
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	spearman		p	F	0.327882	c6133875fed114c420a2b468813997eb7	naive	naive	717eb0f5ca67bc2a5d0f3774f
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	spearman		p	Fbar	-0.304932	a31ff58f51ef4d5303b7929ag88c9c07b59	naive	naive	6131588a1dd1ea42fd574198
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	spearman		p	C	0.603663	d094395d3fb00971d151464n79e370eb29	naive	naive	480162073c57c6d2728183eda13b4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	spearman		p	Cbar	-0.649396	9c0a3666010f65fmd47c5a161f64f04231	naive	naive	44ff6fb01aa84fc23e8dfd65b42d017
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	spearman		s	F	0.246124	1216db584f6b31c1e1f9676c7b70567fde8	naive	naive	96693305cda7fd5322d3763
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	spearman		s	Fbar	-0.286075	44d7df52c7485ff902ced6bmgf794h06678b8c1	naive	naive	423dff20a30851a17b2c0bf8e
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	spearman		s	C	0.397812	229d394fa15263cb5f4e29977b1f1ad7eaf71ac	naive	naive	190fbbb025ca5d316e536fe
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	spearman		s	Cbar	-0.483124	240ec8fbac4e59ca3357870692d1f07f45e98766d	naive	naive	65606393f4270b8e399676b
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	spearman		a	F	0.069169	cb12bd05070116c49662894f9b35f77f90df9	naive	naive	2333417073cd64279a2916a84
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	spearman		a	Fbar	-0.237524	cfb75348014e4da709bfc12e682bd8ff14aa0	naive	naive	0833f0da1644314c0b5da2d2f
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	spearman		a	C	0.094398	81ecb394c6f630c3d5a2499d7f0960f1ed7c6efb	naive	naive	69ee9d3f902ad76b813e66f
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	spearman		a	Cbar	-0.347592	3fb5d35ce1e416cb8ee4802bf9a3d3d40aa5f4c	naive	naive	50de9aecd78660c87ca4915
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	spearman		g	F	0.318354	96175b901775220e5eda66264cd28f9c7b	naive	naive	70834493f40bc53b30abe3dfdc61f2

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	spearman		g	Fbar	-0.294384	6ddff6c0e5f143155b0671789e94344f4d15e880ad53a32319d47cc17da93ae	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	spearman		g	C	0.607362	09d031ba10f14c789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	spearman		g	Cbar	-0.63517	1010706ce28d2822d1d7b81d67a5556708b47b99d24d761339e94398ed96b6c	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	spearman		p	F	0.304421	c6133875fed114c4439a2b1698136970ab78a521717eb0f5ca67bc2a5d0f3774f	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	spearman		p	Fbar	-0.27114	a31ff58f51ef4d8303b7929ag88cpe7b59644446131588a1dd1ea42fd574198	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	spearman		p	C	0.588722	d094395d3f600971d151f664n79a370b29480162073e57c6d2728183eda13b4	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	spearman		p	Cbar	-0.612123	9c0a36660b0f65fmi47c5a61764f0423144ff6fb01aa84fc23e8dfd65b42d017	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	spearman		s	F	0.226475	1216db584f31c1cfd19676c7d70567b18eab1ade96693305cda7fd5322d3763	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	spearman		s	Fbar	-0.249746	44d7df52c7a85ff902wed6bmgf794h00658b8c1423dff20a30851a17b2c0bf8e	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	spearman		s	C	0.385051	229d394fa15203c0b512e79572b1f0a7b77ca71ac190fbabb025ca5d316e536fe	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	spearman		s	Cbar	-0.440849	240ec8fbac4d03c1355787069d1d0ff0f45e98766d65606393f4270b8e399676b	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	spearman		a	F	0.062045	cb12bd05020116c4d662894f91f93ff77490df9233417073cd64279a2916a84	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	spearman		a	Fbar	-0.202498	cfb75348014e4da709bcfd2682b0b0d5f14aa00833f0da1644314c0b5da2d2f	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	spearman		a	C	0.089223	81ecb394c6f630ad15a2499e7f0960f11ed7c6efb69ee9d3f902ad76b813e66f	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	spearman		a	Cbar	-0.302054	3fbd535ce1f4d6b36ee4a8026f69ca7d440aa5f4c50de9aeed78660c87ca4915	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	spearman		g	F	0.318354	96175b9017751220e5eda66264cd28f9f70834493f40bc53b30abe3dfdc61f2	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	spearman		g	Fbar	-0.294384	6ddff6c0e5f143155b0671789e94344f4d15e880ad53a32319d47cc17da93ae	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	spearman		g	C	0.607362	09d031ba10f14c789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	spearman		g	Cbar	-0.63517	1010706ce28d2822d1d7b81d67a5556708b47b99d24d761339e94398ed96b6c	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	spearman		p	F	0.304421	c6133875fed114c4439a2b1698136970ab78a521717eb0f5ca67bc2a5d0f3774f	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	spearman		p	Fbar	-0.27114	a31ff58f51ef4d8303b7929ag88cpe7b59644446131588a1dd1ea42fd574198	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	spearman		p	C	0.588722	d094395d3f600971d151f664n79a370b29480162073e57c6d2728183eda13b4	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	spearman		p	Cbar	-0.612123	9c0a36660b0f65fmi47c5a61764f0423144ff6fb01aa84fc23e8dfd65b42d017	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	spearman		s	F	0.226475	1216db584f31c1cfd19676c7d70567b18eab1ade96693305cda7fd5322d3763	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	spearman		s	Fbar	-0.249746	44d7df52c7a85ff902wed6bmgf794h00658b8c1423dff20a30851a17b2c0bf8e	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f82ca1d1bc112d46feaa644b057e06cc02

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	spearman		s	C	0.385051	229d394fa15263cb5f42c7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	5263cb5f42c7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	5263cb5f42c7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	spearman		s	Cbar	-0.440849	240ec8fbac1e50ca3357870f9d1d0745e98766d65606393f4270b8e399676b	1e50ca3357870f9d1d0745e98766d65606393f4270b8e399676b	1e50ca3357870f9d1d0745e98766d65606393f4270b8e399676b	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	spearman		a	F	0.062045	cb12bd050720116ca46628949a1f93ff77e90df92333417073cd64279a2916a84	20116ca46628949a1f93ff77e90df92333417073cd64279a2916a84	20116ca46628949a1f93ff77e90df92333417073cd64279a2916a84	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	spearman		a	Fbar	-0.202498	cfb75348014e1da709bcfd3a632bd8ff614aa00833f0da1644314c0b5da2d2f	4e1da709bcfd3a632bd8ff614aa00833f0da1644314c0b5da2d2f	4e1da709bcfd3a632bd8ff614aa00833f0da1644314c0b5da2d2f	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	spearman		a	C	0.089223	81ecb394c66630e3d5a249a927f0960f1ed7c6efb69ee9d3f902ad76b813e66f	6630e3d5a249a927f0960f1ed7c6efb69ee9d3f902ad76b813e66f	6630e3d5a249a927f0960f1ed7c6efb69ee9d3f902ad76b813e66f	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	spearman		a	Cbar	-0.302054	3fbd535ce1f116cb8eeca48026fb9a93d40aa5f4c50de9aeed78660c87ca4915	f116cb8eeca48026fb9a93d40aa5f4c50de9aeed78660c87ca4915	f116cb8eeca48026fb9a93d40aa5f4c50de9aeed78660c87ca4915	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive	spearman		g	F	0.314644	96175b901775220e5eda66264ad28f5b70834493f40bc53b30abe3dfdc61f2	775220e5eda66264ad28f5b70834493f40bc53b30abe3dfdc61f2	775220e5eda66264ad28f5b70834493f40bc53b30abe3dfdc61f2	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive	spearman		g	Fbar	-0.298959	6ddff6c0e53f143155b0671789e94344f45815e880ad53a32319d47cc17da93ae	3f143155b0671789e94344f45815e880ad53a32319d47cc17da93ae	3f143155b0671789e94344f45815e880ad53a32319d47cc17da93ae	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive	spearman		g	C	0.600827	09d031ba1ff1e789572c569383960f32da1d1bc112d46feaa644b057e06cc02	ff1e789572c569383960f32da1d1bc112d46feaa644b057e06cc02	ff1e789572c569383960f32da1d1bc112d46feaa644b057e06cc02	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive	spearman		g	Cbar	-0.637726	1010706ce2802822d42d7b8167a55b5708b47b99d24d761339e94398ed96b6c	802822d42d7b8167a55b5708b47b99d24d761339e94398ed96b6c	802822d42d7b8167a55b5708b47b99d24d761339e94398ed96b6c	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive	spearman		p	F	0.300565	c6133875fed104c43921a16981360706ab78a521717eb0f5ca67bc2a5d0f3774f	d104c43921a16981360706ab78a521717eb0f5ca67bc2a5d0f3774f	d104c43921a16981360706ab78a521717eb0f5ca67bc2a5d0f3774f	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive	spearman		p	Fbar	-0.276146	a31ff58f51ef5830337929a988c9e6f7b559644446131588a1dd1ea42fd574198	ff5830337929a988c9e6f7b559644446131588a1dd1ea42fd574198	ff5830337929a988c9e6f7b559644446131588a1dd1ea42fd574198	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive	spearman		p	C	0.582113	d094395d3f00971af15f64e79e3370b294162073e57c6d2728183eda13b4	00971af15f64e79e3370b294162073e57c6d2728183eda13b4	00971af15f64e79e3370b294162073e57c6d2728183eda13b4	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive	spearman		p	Cbar	-0.614745	9c0a366601d165fdd47c5a67645e423144ff6fb01aa84fc23e8dfd65b42d017	d165fdd47c5a67645e423144ff6fb01aa84fc23e8dfd65b42d017	d165fdd47c5a67645e423144ff6fb01aa84fc23e8dfd65b42d017	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive	spearman		s	F	0.223245	1216db584f031c6d195761e70705679d8eab1ade96693305cda7fd5322d3763	f031c6d195761e70705679d8eab1ade96693305cda7fd5322d3763	f031c6d195761e70705679d8eab1ade96693305cda7fd5322d3763	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive	spearman		s	Fbar	-0.255128	44d7df52c7485ff962ced6bmgd794m00658b8c1423dff20a30851a17b2c0bf8e	485ff962ced6bmgd794m00658b8c1423dff20a30851a17b2c0bf8e	485ff962ced6bmgd794m00658b8c1423dff20a30851a17b2c0bf8e	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive	spearman		s	C	0.379406	229d394fa15263cb5f42c7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	5263cb5f42c7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	5263cb5f42c7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive	spearman		s	Cbar	-0.443823	240ec8fbac1e50ca3357870f9d1d0745e98766d65606393f4270b8e399676b	1e50ca3357870f9d1d0745e98766d65606393f4270b8e399676b	1e50ca3357870f9d1d0745e98766d65606393f4270b8e399676b	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive	spearman		a	F	0.060874	cb12bd050720116ca46628949a1f93ff77e90df92333417073cd64279a2916a84	20116ca46628949a1f93ff77e90df92333417073cd64279a2916a84	20116ca46628949a1f93ff77e90df92333417073cd64279a2916a84	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive	spearman		a	Fbar	-0.207687	cfb75348014e1da709bcfd3a632bd8ff614aa00833f0da1644314c0b5da2d2f	4e1da709bcfd3a632bd8ff614aa00833f0da1644314c0b5da2d2f	4e1da709bcfd3a632bd8ff614aa00833f0da1644314c0b5da2d2f	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive	spearman		a	C	0.086934	81ecb394c66630e3d5a249a927f0960f1ed7c6efb69ee9d3f902ad76b813e66f	6630e3d5a249a927f0960f1ed7c6efb69ee9d3f902ad76b813e66f	6630e3d5a249a927f0960f1ed7c6efb69ee9d3f902ad76b813e66f	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive	spearman		a	Cbar	-0.305258	3fbd535ce1f116cb8eeca48026fb9a93d40aa5f4c50de9aeed78660c87ca4915	f116cb8eeca48026fb9a93d40aa5f4c50de9aeed78660c87ca4915	f116cb8eeca48026fb9a93d40aa5f4c50de9aeed78660c87ca4915	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	spearman		g	F	0.314644	96175b901775220e5eda66264ad28f5b70834493f40bc53b30abe3dfdc61f2	775220e5eda66264ad28f5b70834493f40bc53b30abe3dfdc61f2	775220e5eda66264ad28f5b70834493f40bc53b30abe3dfdc61f2	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	spearman		g	Fbar	-0.298959	6ddff6c0e53f143155b0671789e94344f45815e880ad53a32319d47cc17da93ae	3f143155b0671789e94344f45815e880ad53a32319d47cc17da93ae	3f143155b0671789e94344f45815e880ad53a32319d47cc17da93ae	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	spearman		g	C	0.600827	09d031ba1ff1e789572c569383960f32da1d1bc112d46feaa644b057e06cc02	ff1e789572c569383960f32da1d1bc112d46feaa644b057e06cc02	ff1e789572c569383960f32da1d1bc112d46feaa644b057e06cc02	

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	spearman		g	Cbar	-0.637726	1010706ce28d2822d4d7b81g167a5556708b47b99d24d761339e94398ed96b6c			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	spearman		p	F	0.300565	c6133875fedd04c483a2b1698136076ab78a521717eb0f5ca67bc2a5d0f3774f			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	spearman		p	Fbar	-0.276146	a31ff58f51efdd5303b7929ag88c3e07b59644446131588a1dd1ea42fd574198			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	spearman		p	C	0.582113	d094395d3f600971d151f64n79a5370b29480162073e57c6d2728183eda13b4			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	spearman		p	Cbar	-0.614745	9c0a366601f065fmi47d5a6g76450423144ff6fb01aa84fc23e8dfd65b42d017			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	spearman		s	F	0.223245	1216db584f031cndf0676c70705679d18eab1ade96693305cda7fd5322d3763			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	spearman		s	Fbar	-0.255128	44d7df52c7a85ff002ced16bng7941n0668b8c1423dff20a30851a17b2c0bf8e			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	spearman		s	C	0.379406	229d394fa15233cb5v2e79g77b1f10ad7eaf71ac190fbbb025ca5d316e536fe			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	spearman		s	Cbar	-0.443823	240ec8fbac4e50ca3357870g9d1dfo7f45e98766d65606393f4270b8e399676b			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	spearman		a	F	0.060874	cb12bd05020110ca4066289g4b1f0307f7690df92333417073cd64279a2916a84			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	spearman		a	Fbar	-0.207687	cfb75348014e1da509bfc13g682bd50ff1e14aa00833f0da1644314c0b5da2d2f			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	spearman		a	C	0.086934	81ecb394c66630gndfua209g07f0966f1ed7c6efb69ee9d3f902ad76b813e66f			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	spearman		a	Cbar	-0.305258	3fbd535ce15110cb3ee4802bfe9n033d40aa5f4c50de9aecd78660c87ca4915			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	spearman		g	F	0.323301	96175b901770220c3edca612g4d238b1fb70834493f40bc53b30abe3dfdc61f2			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	spearman		g	Fbar	-0.293431	6ddff6c0e53f1d315510071789e9434d4f5815e880ad53a32319d47cc17da93ae			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	spearman		g	C	0.615317	09d031ba10f11c789572e509388960f832da1d1bc112d46feaa644b057e06cc02			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	spearman		g	Cbar	-0.631518	1010706ce28d2822d4d7b81g167a5556708b47b99d24d761339e94398ed96b6c			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	spearman		p	F	0.309564	c6133875fedd04c483a2b1698136076ab78a521717eb0f5ca67bc2a5d0f3774f			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	spearman		p	Fbar	-0.270097	a31ff58f51efdd5303b7929ag88c3e07b59644446131588a1dd1ea42fd574198			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	spearman		p	C	0.596767	d094395d3f600971d151f64n79a5370b29480162073e57c6d2728183eda13b4			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	spearman		p	Cbar	-0.608377	9c0a366601f065fmi47d5a6g76450423144ff6fb01aa84fc23e8dfd65b42d017			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	spearman		s	F	0.230782	1216db584f031cndf0676c70705679d18eab1ade96693305cda7fd5322d3763			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	spearman		s	Fbar	-0.248625	44d7df52c7a85ff002ced16bng7941n0668b8c1423dff20a30851a17b2c0bf8e			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	spearman		s	C	0.391922	229d394fa15233cb5v2e79g77b1f10ad7eaf71ac190fbbb025ca5d316e536fe			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	spearman		s	Cbar	-0.4366	240ec8fbac4e50ca3357870g9d1dfo7f45e98766d65606393f4270b8e399676b			

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	spearman		a	F	0.063606	cb12bd05020116c4d662894f91fb3ff77490df9	20116c4d662894f91fb3ff77490df9	20116c4d662894f91fb3ff77490df9	2333417073cd64279a2916a84
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	spearman		a	Fbar	-0.201417	cfb75348014e1da709bcef132682bd0ff614aa0	4e1da709bcef132682bd0ff614aa0	4e1da709bcef132682bd0ff614aa0	0833f0da1644314c0b5da2d2f
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	spearman		a	C	0.09201	81ecb394c66309ad15a249907f0960f1ed7c6efb	66309ad15a249907f0960f1ed7c6efb	66309ad15a249907f0960f1ed7c6efb	69ee9d3f902ad76b813e66f
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	spearman		a	Cbar	-0.297478	3fbd535ce154d6b8eeea48026fb9cd39d440aa5f4c	54d6b8eeea48026fb9cd39d440aa5f4c	54d6b8eeea48026fb9cd39d440aa5f4c	50de9aeed78660c87ca4915
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	spearman		g	F	0.323301	96175b901775220e5eda66264cd28f85b70834	775220e5eda66264cd28f85b70834	775220e5eda66264cd28f85b70834	4493f40bc53b30abe3dfdc61f2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	spearman		g	Fbar	-0.293431	6ddff6c0e57143155b0671789e94344f0d15e8	7143155b0671789e94344f0d15e8	7143155b0671789e94344f0d15e8	80ad53a32319d47cc17da93ae
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	spearman		g	C	0.615317	09d031ba1ff1e789872c569388956ff832ca1d1bc	ff1e789872c569388956ff832ca1d1bc	ff1e789872c569388956ff832ca1d1bc	112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	spearman		g	Cbar	-0.631518	1010706ce28028224d27b81g167a55856708b47b	8028224d27b81g167a55856708b47b	8028224d27b81g167a55856708b47b	99d24d761339e94398ed96b6c
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	spearman		p	F	0.309564	c6133875fedd04c480a2b16981369076ab78a521	dd04c480a2b16981369076ab78a521	dd04c480a2b16981369076ab78a521	717eb0f5ca67bc2a5d0f3774f
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	spearman		p	Fbar	-0.270097	a31ff58f51cfd58303b7929ag88c8ca7b55964444	fd58303b7929ag88c8ca7b55964444	fd58303b7929ag88c8ca7b55964444	6131588a1dd1ea42fd574198
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	spearman		p	C	0.596767	d094395d3ff60971d151464b79a370c7b2248016	094395d3ff60971d151464b79a370c7b2248016	094395d3ff60971d151464b79a370c7b2248016	2073e57c6d2728183eda13b4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	spearman		p	Cbar	-0.608377	9c0a3666050f65fmi47d5a6176450423144ff6fb	0f65fmi47d5a6176450423144ff6fb	0f65fmi47d5a6176450423144ff6fb	01aa84fc23e8dfd65b42d017
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	spearman		s	F	0.230782	1216db5847b31c1edf0676c7d705679d8eab1ade	7b31c1edf0676c7d705679d8eab1ade	7b31c1edf0676c7d705679d8eab1ade	96693305cda7fd5322d3763
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	spearman		s	Fbar	-0.248625	44d7df52c7a85ff902ce16bngf794f00668b8c14	85ff902ce16bngf794f00668b8c14	85ff902ce16bngf794f00668b8c14	23dff20a30851a17b2c0bf8e
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	spearman		s	C	0.391922	229d394fa15203cb5142c79572b1ff0ad7caf71ac	5203cb5142c79572b1ff0ad7caf71ac	5203cb5142c79572b1ff0ad7caf71ac	190fbbb025ca5d316e536fe
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	spearman		s	Cbar	-0.4366	240ec8fbac4d50ca3357870f9ed1c070745e98766	50ca3357870f9ed1c070745e98766	50ca3357870f9ed1c070745e98766	d65606393f4270b8e399676b
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	spearman		a	F	0.063606	cb12bd05020116c4d662894f91fb3ff77490df9	20116c4d662894f91fb3ff77490df9	20116c4d662894f91fb3ff77490df9	2333417073cd64279a2916a84
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	spearman		a	Fbar	-0.201417	cfb75348014e1da709bcef132682bd0ff614aa0	4e1da709bcef132682bd0ff614aa0	4e1da709bcef132682bd0ff614aa0	0833f0da1644314c0b5da2d2f
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	spearman		a	C	0.09201	81ecb394c66309ad15a249907f0960f1ed7c6efb	66309ad15a249907f0960f1ed7c6efb	66309ad15a249907f0960f1ed7c6efb	69ee9d3f902ad76b813e66f
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	spearman		a	Cbar	-0.297478	3fbd535ce154d6b8eeea48026fb9cd39d440aa5f4c	54d6b8eeea48026fb9cd39d440aa5f4c	54d6b8eeea48026fb9cd39d440aa5f4c	50de9aeed78660c87ca4915
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	spearman		g	F	0.317736	96175b901775220e5eda66264cd28f85b70834	775220e5eda66264cd28f85b70834	775220e5eda66264cd28f85b70834	4493f40bc53b30abe3dfdc61f2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	spearman		g	Fbar	-0.294003	6ddff6c0e57143155b0671789e94344f0d15e8	7143155b0671789e94344f0d15e8	7143155b0671789e94344f0d15e8	80ad53a32319d47cc17da93ae
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	spearman		g	C	0.60793	09d031ba1ff1e789872c569388956ff832ca1d1bc	ff1e789872c569388956ff832ca1d1bc	ff1e789872c569388956ff832ca1d1bc	112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	spearman		g	Cbar	-0.633344	1010706ce28028224d27b81g167a55856708b47b	8028224d27b81g167a55856708b47b	8028224d27b81g167a55856708b47b	99d24d761339e94398ed96b6c
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	spearman		p	F	0.303779	c6133875fedd04c480a2b16981369076ab78a521	dd04c480a2b16981369076ab78a521	dd04c480a2b16981369076ab78a521	717eb0f5ca67bc2a5d0f3774f

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	spearman		p	Fbar	-0.270723	a31ff58f51efdf58303b7929a88c8c6f7b59644446131588a1dd1ea42fd574198	full	naive	0.589297
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	spearman		p	C	0.589297	d094395d3f600971d151464b79e370eb29480162073e57c6d2728183eda13b4	full	naive	0.589297
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	spearman		p	Cbar	-0.61025	9c0a36660b0f65fdd47d5a6176450423144ff6fb01aa84fc23e8dfd65b42d017	full	naive	-0.61025
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	spearman		s	F	0.225937	1216db584f031e6d9676e70705679d5eab1ade96693305cda7fd5322d3763	full	naive	0.225937
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	spearman		s	Fbar	-0.249298	44d7df52c74a5ff062ced16bmgd794f0e0658b8c1423dff20a30851a17b2c0bf8e	full	naive	-0.249298
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	spearman		s	C	0.385541	229d394fa15203cb512c79270bf1f0ad7caf71ac190fbbb025ca5d316e536fe	full	naive	0.385541
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	spearman		s	Cbar	-0.438724	240ec8fbac1e50c13155787069d1d07f45e98766d65606393f4270b8e399676b	full	naive	-0.438724
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	spearman		a	F	0.06185	cb12bd0502011a6a406628949d1f93ff7790df92333417073cd64279a2916a84	full	naive	0.06185
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	spearman		a	Fbar	-0.202066	cfb75348014e1da709bfc12a632bd0ff1e14aa00833f0da1644314c0b5da2d2f	full	naive	-0.202066
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	spearman		a	C	0.089422	81ecb394c6f630ad1a249927f0960f1ed7c6efb69ee9d3f902ad76b813e66f	full	naive	0.089422
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	spearman		a	Cbar	-0.299766	3fb535ce16146b3eeca48026fb9c07d440aa5f4c50de9aeed78660c87ca4915	full	naive	-0.299766
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	spearman		g	F	0.317736	96175b901775220e5eda66264cd28f9f70834493f40bc53b30abe3dfdc61f2	full	naive	0.317736
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	spearman		g	Fbar	-0.294003	6ddff6c0e57113155f0671789de9434d45880ad53a32319d47cc17da93ae	full	naive	-0.294003
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	spearman		g	C	0.60793	09d031ba1ff1e789572c506938950f782ca1d1bc112d46feaa644b057e06cc02	full	naive	0.60793
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	spearman		g	Cbar	-0.633344	1010706ce280282042d7b8167a55556708b471b99d24d761339e94398ed96b6c	full	naive	-0.633344
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	spearman		p	F	0.303779	c6133875fedd14c43921e16981360706b78a521717eb0f5ca67bc2a5d0f3774f	full	naive	0.303779
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	spearman		p	Fbar	-0.270723	a31ff58f51efdf58303b7929a88c8c6f7b59644446131588a1dd1ea42fd574198	full	naive	-0.270723
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	spearman		p	C	0.589297	d094395d3f600971d151464b79e370eb29480162073e57c6d2728183eda13b4	full	naive	0.589297
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	spearman		p	Cbar	-0.61025	9c0a36660b0f65fdd47d5a6176450423144ff6fb01aa84fc23e8dfd65b42d017	full	naive	-0.61025
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	spearman		s	F	0.225937	1216db584f031e6d9676e70705679d5eab1ade96693305cda7fd5322d3763	full	naive	0.225937
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	spearman		s	Fbar	-0.249298	44d7df52c74a5ff062ced16bmgd794f0e0658b8c1423dff20a30851a17b2c0bf8e	full	naive	-0.249298
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	spearman		s	C	0.385541	229d394fa15203cb512c79270bf1f0ad7caf71ac190fbbb025ca5d316e536fe	full	naive	0.385541
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	spearman		s	Cbar	-0.438724	240ec8fbac1e50c13155787069d1d07f45e98766d65606393f4270b8e399676b	full	naive	-0.438724
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	spearman		a	F	0.06185	cb12bd0502011a6a406628949d1f93ff7790df92333417073cd64279a2916a84	full	naive	0.06185
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	spearman		a	Fbar	-0.202066	cfb75348014e1da709bfc12a632bd0ff1e14aa00833f0da1644314c0b5da2d2f	full	naive	-0.202066

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	spearman		a	C	0.089422	81ecb394c6630e3d5a249e97f0566011ed7c6efb69ee9d3f902ad76b813e66f			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	spearman		a	Cbar	-0.299766	3fbd535ce1616b8dce48026fb9a3d440aa5f4c50de9aced78660c87ca4915			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_indiv	best	kendall		g	F	0.343359	cfe0e909548d331a459860f185f1ee5b15b0276a5039a00283dfedc0a0d1b5			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_indiv	best	kendall		g	Fbar	-0.240086	d39d6fd93e140cc98bb367b9ed23e5b1a2879aed80f9bfff2c7c9f8726325b8			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_indiv	best	kendall		g	C	0.633129	7c50bc284c440c41815c20e6f5a1f6c510c118442a8cbc1a21a8570d3ada519b4			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_indiv	best	kendall		g	Cbar	-0.580084	be9143dad1523da0b91610f1a13ee5b1552d4839543c1716b875dcf1ec2229			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_indiv	best	kendall		p	F	0.330054	4c5325f63b82015768526a651d83c4f769109b5f412e1c0fa2d04b4ac43d968			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_indiv	best	kendall		p	Fbar	-0.216666	f887946448f89e5a04f5f57f18130c8f9508cf9536f5055e2ca255e4d9ccd9			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_indiv	best	kendall		p	C	0.612905	537b44d6dd40abe9a254c63af5fa72971a1046e2a10007189e8985f85d0a44514			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_indiv	best	kendall		p	Cbar	-0.555996	5d7063b0972a6916df0301257bde8971c7b16d2867d04b1dd13442a5975a			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_indiv	best	kendall		s	F	0.247326	5165f17ac14662f6d304464130c5b101e33507279b32875ec36ee5d9eb18			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_indiv	best	kendall		s	Fbar	-0.195372	4f51889f2a5f6e996c0eb4566e913084b179193857eea6e6ccf7a7da49ef4e279			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_indiv	best	kendall		s	C	0.404103	cc175d1777f29099cebd05a9074475f1e1312ab7589e2ad322fb955fb51830c			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_indiv	best	kendall		s	Cbar	-0.384628	8ef69de9dd01dc3127d4c9a13ab35e4b105f1a53c5458780574b886047a8d8			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_indiv	best	kendall		a	F	0.069326	ed4abc80517384eb4b8306436d3b3d39a112b3a8815f9468f177d0ee86324c			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_indiv	best	kendall		a	Fbar	-0.156599	f999ec441c34e267f30f260ff74f372919af875af19e2a83b6a28b2893cf9a8			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_indiv	best	kendall		a	C	0.100857	809f4a93b2bb3783a68100c635d160834f9eb229a59405f8b6193a5e2ee349f41			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_indiv	best	kendall		a	Cbar	-0.246166	b0f63d877f3b2a683502610c9c994e8b9e47fd5d0af95ab5af4df569d0f6			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	kendall		g	F	0.340924	96175b90177d220e5eda66264ed2a8f9c1b70834493f40bc53b30abe3dfdc61f2			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	kendall		g	Fbar	-0.325263	6ddff6c0e571d31550671789e94344d15815e880ad53a32319d47cc17da93ae			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	kendall		g	C	0.622136	09d031ba10f1e789872e569838960f33da1d1bc112d46feaa644b057e06cc02			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	kendall		g	Cbar	-0.671502	1010706ce280282242d7b84e167a5556708b47b99d24d761339e94398ed96b6c			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	kendall		p	F	0.327882	c6133875fedd14c48a21468139076b175a521717eb0f5ca67bc2a5d0f3774f			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	kendall		p	Fbar	-0.304932	a31ff58f51ef4d52303b7929ng88c9a7b59644446131588a1dd1ea42fd574198			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	kendall		p	C	0.603663	d094395d3f60971d151464792e370c0b29480162073e57c6d2728183eda13b4			

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	kendall		p	Cbar	-0.649396	9c0a366605f65fmi47d5a61f6450422144ff6fb01aa84fc23e8dfd65b42d017	0.065fmi47d5a61f6450422144ff6fb01aa84fc23e8dfd65b42d017	0.065fmi47d5a61f6450422144ff6fb01aa84fc23e8dfd65b42d017	0.065fmi47d5a61f6450422144ff6fb01aa84fc23e8dfd65b42d017
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	kendall		s	F	0.246124	1216db584f0b31cndf0676c70705677fdu8eab1ade96693305cda7fd5322d3763	0.31cndf0676c70705677fdu8eab1ade96693305cda7fd5322d3763	0.31cndf0676c70705677fdu8eab1ade96693305cda7fd5322d3763	0.31cndf0676c70705677fdu8eab1ade96693305cda7fd5322d3763
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	kendall		s	Fbar	-0.286075	44d7df52c7a85ff002ced6bmgd794hmd0658b8c1423dff20a30851a17b2c0bf8e	0.55ff002ced6bmgd794hmd0658b8c1423dff20a30851a17b2c0bf8e	0.55ff002ced6bmgd794hmd0658b8c1423dff20a30851a17b2c0bf8e	0.55ff002ced6bmgd794hmd0658b8c1423dff20a30851a17b2c0bf8e
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	kendall		s	C	0.397812	229d394fa15203cb512e79572bffd4d7caaf71ac190fbbb025ca5d316e536fe	5203cb512e79572bffd4d7caaf71ac190fbbb025ca5d316e536fe	5203cb512e79572bffd4d7caaf71ac190fbbb025ca5d316e536fe	5203cb512e79572bffd4d7caaf71ac190fbbb025ca5d316e536fe
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	kendall		s	Cbar	-0.483124	240ec8fbacfa50ca3357870f0d1f0745e98766d65606393f4270b8e399676b	fa50ca3357870f0d1f0745e98766d65606393f4270b8e399676b	fa50ca3357870f0d1f0745e98766d65606393f4270b8e399676b	fa50ca3357870f0d1f0745e98766d65606393f4270b8e399676b
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	kendall		a	F	0.069169	cb12bd05020116ca406c2894921f035f77f90df92333417073cd64279a2916a84	20116ca406c2894921f035f77f90df92333417073cd64279a2916a84	20116ca406c2894921f035f77f90df92333417073cd64279a2916a84	20116ca406c2894921f035f77f90df92333417073cd64279a2916a84
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	kendall		a	Fbar	-0.237524	cfb75348014a1da709bcfd3g632bd08df614aa00833f0da1644314c0b5da2d2f	4a1da709bcfd3g632bd08df614aa00833f0da1644314c0b5da2d2f	4a1da709bcfd3g632bd08df614aa00833f0da1644314c0b5da2d2f	4a1da709bcfd3g632bd08df614aa00833f0da1644314c0b5da2d2f
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	kendall		a	C	0.094398	81ecb394c6630ca3d1ca249c97f0960f1e47c6efb69ee9d3f902ad76b813e66f	6630ca3d1ca249c97f0960f1e47c6efb69ee9d3f902ad76b813e66f	6630ca3d1ca249c97f0960f1e47c6efb69ee9d3f902ad76b813e66f	6630ca3d1ca249c97f0960f1e47c6efb69ee9d3f902ad76b813e66f
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	kendall		a	Cbar	-0.347592	3fbd535ce16146b8ecea48026fb9ca29d40aa5f4c50de9aeed78660c87ca4915	6146b8ecea48026fb9ca29d40aa5f4c50de9aeed78660c87ca4915	6146b8ecea48026fb9ca29d40aa5f4c50de9aeed78660c87ca4915	6146b8ecea48026fb9ca29d40aa5f4c50de9aeed78660c87ca4915
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	kendall		g	F	0.340924	96175b901370220c5eda60264ed284f9c0b70834493f40bc53b30abe3dfd6c1f2	370220c5eda60264ed284f9c0b70834493f40bc53b30abe3dfd6c1f2	370220c5eda60264ed284f9c0b70834493f40bc53b30abe3dfd6c1f2	370220c5eda60264ed284f9c0b70834493f40bc53b30abe3dfd6c1f2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	kendall		g	Fbar	-0.325263	6ddff6c0e53f43155f0671589e9434f0d15815e880ad53a32319d47cc17da93ae	3f43155f0671589e9434f0d15815e880ad53a32319d47cc17da93ae	3f43155f0671589e9434f0d15815e880ad53a32319d47cc17da93ae	3f43155f0671589e9434f0d15815e880ad53a32319d47cc17da93ae
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	kendall		g	C	0.622136	09d031ba10ff1e789872e569838956f82da1d1bc112d46feaa644b057e06cc02	ff1e789872e569838956f82da1d1bc112d46feaa644b057e06cc02	ff1e789872e569838956f82da1d1bc112d46feaa644b057e06cc02	ff1e789872e569838956f82da1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	kendall		g	Cbar	-0.671502	1010706ce280282042d7b81g167a55356708b47b99d24d761339e94398ed96b6c	80282042d7b81g167a55356708b47b99d24d761339e94398ed96b6c	80282042d7b81g167a55356708b47b99d24d761339e94398ed96b6c	80282042d7b81g167a55356708b47b99d24d761339e94398ed96b6c
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	kendall		p	F	0.327882	c6133875fed114c439a21a688139070b178a521717eb0f5ca67bc2a5d0f3774f	dd114c439a21a688139070b178a521717eb0f5ca67bc2a5d0f3774f	dd114c439a21a688139070b178a521717eb0f5ca67bc2a5d0f3774f	dd114c439a21a688139070b178a521717eb0f5ca67bc2a5d0f3774f
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	kendall		p	Fbar	-0.304932	a31ff58f51ef053033v7920ng88c8ca7b5964446131588a1dd1ea42fd574198	fd053033v7920ng88c8ca7b5964446131588a1dd1ea42fd574198	fd053033v7920ng88c8ca7b5964446131588a1dd1ea42fd574198	fd053033v7920ng88c8ca7b5964446131588a1dd1ea42fd574198
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	kendall		p	C	0.603663	d094395d3ff00971151464a792e370c0b29480162073e57c6d2728183eda13b4	00971151464a792e370c0b29480162073e57c6d2728183eda13b4	00971151464a792e370c0b29480162073e57c6d2728183eda13b4	00971151464a792e370c0b29480162073e57c6d2728183eda13b4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	kendall		p	Cbar	-0.649396	9c0a366605f65fmi47d5a61f6450422144ff6fb01aa84fc23e8dfd65b42d017	0.065fmi47d5a61f6450422144ff6fb01aa84fc23e8dfd65b42d017	0.065fmi47d5a61f6450422144ff6fb01aa84fc23e8dfd65b42d017	0.065fmi47d5a61f6450422144ff6fb01aa84fc23e8dfd65b42d017
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	kendall		s	F	0.246124	1216db584f0b31cndf0676c70705677fdu8eab1ade96693305cda7fd5322d3763	0.31cndf0676c70705677fdu8eab1ade96693305cda7fd5322d3763	0.31cndf0676c70705677fdu8eab1ade96693305cda7fd5322d3763	0.31cndf0676c70705677fdu8eab1ade96693305cda7fd5322d3763
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	kendall		s	Fbar	-0.286075	44d7df52c7a85ff002ced6bmgd794hmd0658b8c1423dff20a30851a17b2c0bf8e	0.55ff002ced6bmgd794hmd0658b8c1423dff20a30851a17b2c0bf8e	0.55ff002ced6bmgd794hmd0658b8c1423dff20a30851a17b2c0bf8e	0.55ff002ced6bmgd794hmd0658b8c1423dff20a30851a17b2c0bf8e
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	kendall		s	C	0.397812	229d394fa15203cb512e79572bffd4d7caaf71ac190fbbb025ca5d316e536fe	5203cb512e79572bffd4d7caaf71ac190fbbb025ca5d316e536fe	5203cb512e79572bffd4d7caaf71ac190fbbb025ca5d316e536fe	5203cb512e79572bffd4d7caaf71ac190fbbb025ca5d316e536fe
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	kendall		s	Cbar	-0.483124	240ec8fbacfa50ca3357870f0d1f0745e98766d65606393f4270b8e399676b	fa50ca3357870f0d1f0745e98766d65606393f4270b8e399676b	fa50ca3357870f0d1f0745e98766d65606393f4270b8e399676b	fa50ca3357870f0d1f0745e98766d65606393f4270b8e399676b
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	kendall		a	F	0.069169	cb12bd05020116ca406c2894921f035f77f90df92333417073cd64279a2916a84	20116ca406c2894921f035f77f90df92333417073cd64279a2916a84	20116ca406c2894921f035f77f90df92333417073cd64279a2916a84	20116ca406c2894921f035f77f90df92333417073cd64279a2916a84
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	kendall		a	Fbar	-0.237524	cfb75348014a1da709bcfd3g632bd08df614aa00833f0da1644314c0b5da2d2f	4a1da709bcfd3g632bd08df614aa00833f0da1644314c0b5da2d2f	4a1da709bcfd3g632bd08df614aa00833f0da1644314c0b5da2d2f	4a1da709bcfd3g632bd08df614aa00833f0da1644314c0b5da2d2f
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	kendall		a	C	0.094398	81ecb394c6630ca3d1ca249c97f0960f1e47c6efb69ee9d3f902ad76b813e66f	6630ca3d1ca249c97f0960f1e47c6efb69ee9d3f902ad76b813e66f	6630ca3d1ca249c97f0960f1e47c6efb69ee9d3f902ad76b813e66f	6630ca3d1ca249c97f0960f1e47c6efb69ee9d3f902ad76b813e66f
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	kendall		a	Cbar	-0.347592	3fbd535ce16146b8ecea48026fb9ca29d40aa5f4c50de9aeed78660c87ca4915	6146b8ecea48026fb9ca29d40aa5f4c50de9aeed78660c87ca4915	6146b8ecea48026fb9ca29d40aa5f4c50de9aeed78660c87ca4915	6146b8ecea48026fb9ca29d40aa5f4c50de9aeed78660c87ca4915

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	kendall		g	F	0.318354	96175b901775220e5eda66264cd28f9cfe70834493f40bc53b30abe3dfdc61f2	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	kendall		g	Fbar	-0.294384	6ddff6c0e53143155b0671589e94344d4d15e880ad53a32319d47cc17da93ae	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	kendall		g	C	0.607362	09d031ba10f11e789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	kendall		g	Cbar	-0.63517	1010706ce289282242d7b81g167af5556708b47b99d24d761339e94398ed96b6c	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	kendall		p	F	0.304421	c613875fedd04c489a2b16981399708b78a521717eb0f5ca67bc2a5d0f3774f	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	kendall		p	Fbar	-0.27114	a31ff58f51ef4d8303b7929ag88c9e7b59644446131588a1dd1ea42fd574198	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	kendall		p	C	0.588722	d094395d3f90971d151464b79a537c0b29480162073e57c6d2728183eda13b4	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	kendall		p	Cbar	-0.612123	9c0a36660b0f65fmi4745a617645042d144ff6fb01aa84fc23e8dfd65b42d017	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	kendall		s	F	0.226475	1216db584f031cendf9676c70705679d8eab1ade96693305cda7fd5322d3763	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	kendall		s	Fbar	-0.249746	44d7df52c74a05f902wed6img17944img0658b8c1423dff20a30851a17b2c0bf8e	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	kendall		s	C	0.385051	229d394fa1503c0b518e29572b1f10ad7caf71ac190fbbb025ca5d316e536fe	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	kendall		s	Cbar	-0.440849	240ec8fbac4a50c13157870901d1c0ff45e98766d65606393f4270b8e399676b	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	kendall		a	F	0.062045	cb12bd0502011a6a496c2894421fp30b7790df92333417073cd64279a2916a84	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	kendall		a	Fbar	-0.202498	cfb75348014a1da709b5fd12a632bd0e0ff14aa00833f0da1644314c0b5da2d2f	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	kendall		a	C	0.089223	81ecb394c666303d15a209907f0960f11ed7c6efb69ee9d3f902ad76b813e66f	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	kendall		a	Cbar	-0.302054	3fb535cce16146b5eeca48026fb9a39d440aa5f4c50de9aeed78660c87ca4915	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	kendall		g	F	0.318354	96175b901775220e5eda66264cd28f9cfe70834493f40bc53b30abe3dfdc61f2	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	kendall		g	Fbar	-0.294384	6ddff6c0e53143155b0671589e94344d4d15e880ad53a32319d47cc17da93ae	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	kendall		g	C	0.607362	09d031ba10f11e789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	kendall		g	Cbar	-0.63517	1010706ce289282242d7b81g167af5556708b47b99d24d761339e94398ed96b6c	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	kendall		p	F	0.304421	c613875fedd04c489a2b16981399708b78a521717eb0f5ca67bc2a5d0f3774f	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	kendall		p	Fbar	-0.27114	a31ff58f51ef4d8303b7929ag88c9e7b59644446131588a1dd1ea42fd574198	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	kendall		p	C	0.588722	d094395d3f90971d151464b79a537c0b29480162073e57c6d2728183eda13b4	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	kendall		p	Cbar	-0.612123	9c0a36660b0f65fmi4745a617645042d144ff6fb01aa84fc23e8dfd65b42d017	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	kendall		s	F	0.226475	1216db584f031cendf9676c70705679d8eab1ade96693305cda7fd5322d3763	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02	File:789872c569838956f82ca1d1bc112d46feaa644b057e06cc02

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	kendall		s	Fbar	-0.249746	44d7df52c7485ff002ced6bmgf794hm0638b8c1423dff20a30851a17b2c0bf8e	5203cb512e79972bf1f0ad7caf71ac190fbbb025ca5d316e536fe	44d7df52c7485ff002ced6bmgf794hm0638b8c1423dff20a30851a17b2c0bf8e	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	kendall		s	C	0.385051	229d394fa15203cb512e79972bf1f0ad7caf71ac190fbbb025ca5d316e536fe	5203cb512e79972bf1f0ad7caf71ac190fbbb025ca5d316e536fe	44d7df52c7485ff002ced6bmgf794hm0638b8c1423dff20a30851a17b2c0bf8e	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	kendall		s	Cbar	-0.440849	240ec8fbac4e59c3355879f09d1dfo7f45e98766d65606393f4270b8e399676b	4e59c3355879f09d1dfo7f45e98766d65606393f4270b8e399676b	44d7df52c7485ff002ced6bmgf794hm0638b8c1423dff20a30851a17b2c0bf8e	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	kendall		a	F	0.062045	cb12bd05020d1a6a49662894f93f9b77690df92333417073cd64279a2916a84	20d1a6a49662894f93f9b77690df92333417073cd64279a2916a84	44d7df52c7485ff002ced6bmgf794hm0638b8c1423dff20a30851a17b2c0bf8e	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	kendall		a	Fbar	-0.202498	cfb75348014e1da709bfc51a682bd05f14aa00833f0da1644314c0b5da2d2f	4e1da709bfc51a682bd05f14aa00833f0da1644314c0b5da2d2f	44d7df52c7485ff002ced6bmgf794hm0638b8c1423dff20a30851a17b2c0bf8e	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	kendall		a	C	0.089223	81ecb394c6f630a3d5a2499e97f0960f1e47c6efb69ee9d3f902ad76b813e66f	6f630a3d5a2499e97f0960f1e47c6efb69ee9d3f902ad76b813e66f	44d7df52c7485ff002ced6bmgf794hm0638b8c1423dff20a30851a17b2c0bf8e	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	kendall		a	Cbar	-0.302054	3fbd535ce14463b8eeca48026fb9c9b4da0aa5f4c50de9aeed78660c87ca4915	4463b8eeca48026fb9c9b4da0aa5f4c50de9aeed78660c87ca4915	44d7df52c7485ff002ced6bmgf794hm0638b8c1423dff20a30851a17b2c0bf8e	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive	kendall		g	F	0.314644	96175b901775220e5eda66264ed28f5b70834493f40bc53b30abe3dfdc61f2	775220e5eda66264ed28f5b70834493f40bc53b30abe3dfdc61f2	44d7df52c7485ff002ced6bmgf794hm0638b8c1423dff20a30851a17b2c0bf8e	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive	kendall		g	Fbar	-0.298959	6ddff6c0e57f43155b0671789e94344f015e880ad53a32319d47cc17da93ae	7f43155b0671789e94344f015e880ad53a32319d47cc17da93ae	44d7df52c7485ff002ced6bmgf794hm0638b8c1423dff20a30851a17b2c0bf8e	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive	kendall		g	C	0.600827	09d031ba10f1e789872e509388960f52ba1d1bc112d46feaa644b057e06cc02	0f1e789872e509388960f52ba1d1bc112d46feaa644b057e06cc02	44d7df52c7485ff002ced6bmgf794hm0638b8c1423dff20a30851a17b2c0bf8e	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive	kendall		g	Cbar	-0.637726	1010706ce2802822d4d7b81g16745556708b47b99d24d761339e94398ed96b6c	802822d4d7b81g16745556708b47b99d24d761339e94398ed96b6c	44d7df52c7485ff002ced6bmgf794hm0638b8c1423dff20a30851a17b2c0bf8e	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive	kendall		p	F	0.300565	c6133875fedd14c439a2b1698139976ab78a521717eb0f5ca67bc2a5d0f3774f	dd14c439a2b1698139976ab78a521717eb0f5ca67bc2a5d0f3774f	44d7df52c7485ff002ced6bmgf794hm0638b8c1423dff20a30851a17b2c0bf8e	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive	kendall		p	Fbar	-0.276146	a31ff58f51ef4d5830847929ag88c9e0f55644446131588a1dd1ea42fd574198	fd5830847929ag88c9e0f55644446131588a1dd1ea42fd574198	44d7df52c7485ff002ced6bmgf794hm0638b8c1423dff20a30851a17b2c0bf8e	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive	kendall		p	C	0.582113	d094395d3f600971d151464a79a8370fb22480162073e57c6d2728183eda13b4	00971d151464a79a8370fb22480162073e57c6d2728183eda13b4	44d7df52c7485ff002ced6bmgf794hm0638b8c1423dff20a30851a17b2c0bf8e	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive	kendall		p	Cbar	-0.614745	9c0a36660b0f65fed47c5a617647042d144ff6fb01aa84fc23e8dfd65b42d017	0f65fed47c5a617647042d144ff6fb01aa84fc23e8dfd65b42d017	44d7df52c7485ff002ced6bmgf794hm0638b8c1423dff20a30851a17b2c0bf8e	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive	kendall		s	F	0.223245	1216db584f6b31e6fd9676c7d705679d18eab1ade96693305cda7fd5322d3763	6b31e6fd9676c7d705679d18eab1ade96693305cda7fd5322d3763	44d7df52c7485ff002ced6bmgf794hm0638b8c1423dff20a30851a17b2c0bf8e	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive	kendall		s	Fbar	-0.255128	44d7df52c7485ff002ced6bmgf794hm0638b8c1423dff20a30851a17b2c0bf8e	44d7df52c7485ff002ced6bmgf794hm0638b8c1423dff20a30851a17b2c0bf8e	44d7df52c7485ff002ced6bmgf794hm0638b8c1423dff20a30851a17b2c0bf8e	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive	kendall		s	C	0.379406	229d394fa15203cb512e79972bf1f0ad7caf71ac190fbbb025ca5d316e536fe	5203cb512e79972bf1f0ad7caf71ac190fbbb025ca5d316e536fe	44d7df52c7485ff002ced6bmgf794hm0638b8c1423dff20a30851a17b2c0bf8e	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive	kendall		s	Cbar	-0.443823	240ec8fbac4e59c3355879f09d1dfo7f45e98766d65606393f4270b8e399676b	4e59c3355879f09d1dfo7f45e98766d65606393f4270b8e399676b	44d7df52c7485ff002ced6bmgf794hm0638b8c1423dff20a30851a17b2c0bf8e	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive	kendall		a	F	0.060874	cb12bd05020d1a6a49662894f93f9b77690df92333417073cd64279a2916a84	20d1a6a49662894f93f9b77690df92333417073cd64279a2916a84	44d7df52c7485ff002ced6bmgf794hm0638b8c1423dff20a30851a17b2c0bf8e	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive	kendall		a	Fbar	-0.207687	cfb75348014e1da709bfc51a682bd05f14aa00833f0da1644314c0b5da2d2f	4e1da709bfc51a682bd05f14aa00833f0da1644314c0b5da2d2f	44d7df52c7485ff002ced6bmgf794hm0638b8c1423dff20a30851a17b2c0bf8e	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive	kendall		a	C	0.086934	81ecb394c6f630a3d5a2499e97f0960f1e47c6efb69ee9d3f902ad76b813e66f	6f630a3d5a2499e97f0960f1e47c6efb69ee9d3f902ad76b813e66f	44d7df52c7485ff002ced6bmgf794hm0638b8c1423dff20a30851a17b2c0bf8e	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive	kendall		a	Cbar	-0.305258	3fbd535ce14463b8eeca48026fb9c9b4da0aa5f4c50de9aeed78660c87ca4915	4463b8eeca48026fb9c9b4da0aa5f4c50de9aeed78660c87ca4915	44d7df52c7485ff002ced6bmgf794hm0638b8c1423dff20a30851a17b2c0bf8e	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	kendall		g	F	0.314644	96175b901775220e5eda66264ed28f5b70834493f40bc53b30abe3dfdc61f2	775220e5eda66264ed28f5b70834493f40bc53b30abe3dfdc61f2	44d7df52c7485ff002ced6bmgf794hm0638b8c1423dff20a30851a17b2c0bf8e	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	kendall		g	Fbar	-0.298959	6ddff6c0e57f43155b0671789e94344f015e880ad53a32319d47cc17da93ae	7f43155b0671789e94344f015e880ad53a32319d47cc17da93ae	44d7df52c7485ff002ced6bmgf794hm0638b8c1423dff20a30851a17b2c0bf8e	

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	kendall		g	C	0.600827	09d031ba10f1e789872c569838956f832c1d1bc112d46feaa644b057e06cc02	File:789872c569838956f832c1d1bc112d46feaa644b057e06cc02		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	kendall		g	Cbar	-0.637726	1010706cc2892822d12d7b8hg167a55856708b47b99d24d761339e94398ed96b6c	File:789872c569838956f832c1d1bc112d46feaa644b057e06cc02		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	kendall		p	F	0.300565	c6133875fedd14c4d39a2b1698139070bb78a521717eb0f5ca67bc2a5d0f3774f	File:789872c569838956f832c1d1bc112d46feaa644b057e06cc02		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	kendall		p	Fbar	-0.276146	a31ff58f51ef58303b7929ag88c9e67b59644446131588a1dd1ea42fd574198	File:789872c569838956f832c1d1bc112d46feaa644b057e06cc02		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	kendall		p	C	0.582113	d094395d3ff60971d151464b79a837c0b29480162073e57c6d2728183eda13b4	File:789872c569838956f832c1d1bc112d46feaa644b057e06cc02		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	kendall		p	Cbar	-0.614745	9c0a36660b0f65fcd47d5a617645042d144ff6fb01aa84fc23e8dfd65b42d017	File:789872c569838956f832c1d1bc112d46feaa644b057e06cc02		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	kendall		s	F	0.223245	1216db584f031c1cfd06761c70705679d188eab1ade96693305cda7fd5322d3763	File:789872c569838956f832c1d1bc112d46feaa644b057e06cc02		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	kendall		s	Fbar	-0.255128	44d7df52c74a5ff902ced6bng1794b0658b8c1423dff20a30851a17b2c0bf8e	File:789872c569838956f832c1d1bc112d46feaa644b057e06cc02		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	kendall		s	C	0.379406	229d394fa15203cb518e79572b1f104b47ca71ac190fbbb025ca5d316e536fe	File:789872c569838956f832c1d1bc112d46feaa644b057e06cc02		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	kendall		s	Cbar	-0.443823	240ec8fbac109ca31b578709b1df077a5e98766d65606393f4270b8e399676b	File:789872c569838956f832c1d1bc112d46feaa644b057e06cc02		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	kendall		a	F	0.060874	cb12bd0502011c64d662894f91f93ff77e90df92333417073cd64279a2916a84	File:789872c569838956f832c1d1bc112d46feaa644b057e06cc02		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	kendall		a	Fbar	-0.207687	cfb75348014e1da709b1d3a632bd5ff45e14aa0833f0da1644314c0b5da2d2f	File:789872c569838956f832c1d1bc112d46feaa644b057e06cc02		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	kendall		a	C	0.086934	81ecb394c6f630c81fa249a97f0960f1e47c6efb69ee9d3f902ad76b813e66f	File:789872c569838956f832c1d1bc112d46feaa644b057e06cc02		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	kendall		a	Cbar	-0.305258	3fb5d35ce14461b8ecea48026fb9c03d40aa5f4c50de9aeed78660c87ca4915	File:789872c569838956f832c1d1bc112d46feaa644b057e06cc02		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	kendall		g	F	0.323301	96175b9017f0220a5eda66264cd281bfb70834493f40bc53b30abe3dfdc61f2	File:789872c569838956f832c1d1bc112d46feaa644b057e06cc02		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	kendall		g	Fbar	-0.293431	6ddff6c0e5314315510071582e94244f045815e880ad53a32319d47cc17da93ae	File:789872c569838956f832c1d1bc112d46feaa644b057e06cc02		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	kendall		g	C	0.615317	09d031ba10f1e789872c569838956f832c1d1bc112d46feaa644b057e06cc02	File:789872c569838956f832c1d1bc112d46feaa644b057e06cc02		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	kendall		g	Cbar	-0.631518	1010706cc2892822d12d7b8hg167a55856708b47b99d24d761339e94398ed96b6c	File:789872c569838956f832c1d1bc112d46feaa644b057e06cc02		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	kendall		p	F	0.309564	c6133875fedd14c4d39a2b1698139070bb78a521717eb0f5ca67bc2a5d0f3774f	File:789872c569838956f832c1d1bc112d46feaa644b057e06cc02		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	kendall		p	Fbar	-0.270097	a31ff58f51ef58303b7929ag88c9e67b59644446131588a1dd1ea42fd574198	File:789872c569838956f832c1d1bc112d46feaa644b057e06cc02		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	kendall		p	C	0.596767	d094395d3ff60971d151464b79a837c0b29480162073e57c6d2728183eda13b4	File:789872c569838956f832c1d1bc112d46feaa644b057e06cc02		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	kendall		p	Cbar	-0.608377	9c0a36660b0f65fcd47d5a617645042d144ff6fb01aa84fc23e8dfd65b42d017	File:789872c569838956f832c1d1bc112d46feaa644b057e06cc02		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	kendall		s	F	0.230782	1216db584f031c1cfd06761c70705679d188eab1ade96693305cda7fd5322d3763	File:789872c569838956f832c1d1bc112d46feaa644b057e06cc02		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	kendall		s	Fbar	-0.248625	44d7df52c74a5ff902ced6bng1794b0658b8c1423dff20a30851a17b2c0bf8e	File:789872c569838956f832c1d1bc112d46feaa644b057e06cc02		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	kendall		s	C	0.391922	229d394fa15203cb518e79572b1f104b47ca71ac190fbbb025ca5d316e536fe	File:789872c569838956f832c1d1bc112d46feaa644b057e06cc02		

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	kendall		s	Cbar	-0.4366	240ec8fbac	fu50c1315587969d1c07745e98766d65606393f4270b8e399676b		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	kendall		a	F	0.063606	cb12bd050	2011a6a40662894491f93ff77490df92333417073cd64279a2916a84		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	kendall		a	Fbar	-0.201417	cfb7534801	4a1da709b-fd3a682bd0ff414aa00833f0da1644314c0b5da2d2f		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	kendall		a	C	0.09201	81ecb394c6	6630e3d1a2499e7f0960f11ed7c6efb69ee9d3f902ad76b813e66f		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	kendall		a	Cbar	-0.297478	3fbd535ce1	61d6b8aeea48026fb9cd3d40aa5f4c50de9aeed78660c87ca4915		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	kendall		g	F	0.323301	96175b901	77522ba5eda66264ad28ff5b70834493f40bc53b30abe3dfdc61f2		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	kendall		g	Fbar	-0.293431	6ddff6c0e5	31d3156b0671789e94344f4d5815e880ad53a32319d47cc17da93ae		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	kendall		g	C	0.615317	09d031ba1	0f11e789872c569388956f782ca1d1bc112d46feaa644b057e06cc02		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	kendall		g	Cbar	-0.631518	1010706cc2	89282242d7b81g167af5556708b47b99d24d761339e94398ed96b6c		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	kendall		p	F	0.309564	c6133875fe	d014c43021469813907ab78a521717eb0f5ca67bc2a5d0f3774f		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	kendall		p	Fbar	-0.270097	a31ff58f51	fd58303b7929ag88c9e07b59644446131588a1dd1ea42fd574198		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	kendall		p	C	0.596767	d094395d3f	00971d151464n79e837cbb29480162073e57c6d2728183eda13b4		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	kendall		p	Cbar	-0.608377	9c0a36660b	065fca17ed5a676450e22144ff6fb01aa84fc23e8dfd65b42d017		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	kendall		s	F	0.230782	1216db584	fu31c1ed10676c7070567b188eab1ade96693305cda7fd5322d3763		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	kendall		s	Fbar	-0.248625	44d7df52c7	4a5ff902ced6bmgf7941m0658b8c1423dff20a30851a17b2c0bf8e		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	kendall		s	C	0.391922	229d394fa	5203cb512e79572bf10a4b7caf71ac190fbbb025ca5d316e536fe		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	kendall		s	Cbar	-0.4366	240ec8fbac	fu50c1315587969d1c07745e98766d65606393f4270b8e399676b		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	kendall		a	F	0.063606	cb12bd050	2011a6a40662894491f93ff77490df92333417073cd64279a2916a84		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	kendall		a	Fbar	-0.201417	cfb7534801	4a1da709b-fd3a682bd0ff414aa00833f0da1644314c0b5da2d2f		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	kendall		a	C	0.09201	81ecb394c6	6630e3d1a2499e7f0960f11ed7c6efb69ee9d3f902ad76b813e66f		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	kendall		a	Cbar	-0.297478	3fbd535ce1	61d6b8aeea48026fb9cd3d40aa5f4c50de9aeed78660c87ca4915		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	kendall		g	F	0.317736	96175b901	77522ba5eda66264ad28ff5b70834493f40bc53b30abe3dfdc61f2		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	kendall		g	Fbar	-0.294003	6ddff6c0e5	31d3156b0671789e94344f4d5815e880ad53a32319d47cc17da93ae		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	kendall		g	C	0.60793	09d031ba1	0f11e789872c569388956f782ca1d1bc112d46feaa644b057e06cc02		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	kendall		g	Cbar	-0.633344	1010706cc2	89282242d7b81g167af5556708b47b99d24d761339e94398ed96b6c		

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	kendall		p	F	0.303779	c6133875fe	d04c483a2b1698136976ab78a521717eb0f5ca67bc2a5d0f3774f		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	kendall		p	Fbar	-0.270723	a31ff58f51e	fd58303b7929ag88c9e7b59644446131588a1dd1ea42fd574198		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	kendall		p	C	0.589297	d094395d3f	6009711f51f64172e837c0b29480162073e57c6d2728183eda13b4		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	kendall		p	Cbar	-0.61025	9c0a36660b	0f65fmi47c5a617645e022144ff6fb01aa84fc23e8dfd65b42d017		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	kendall		s	F	0.225937	1216db584f	0u31cndf9676c7070567falsceab1ade96693305cda7fd5322d3763		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	kendall		s	Fbar	-0.249298	44d7df52c7	885ff002wed16hngf794h00658b8c1423dff20a30851a17b2c0bf8e		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	kendall		s	C	0.385541	229d394fa1	5203cb51d279570bf10ad7caf71ac190fbbb025ca5d316e536fe		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	kendall		s	Cbar	-0.438724	240ec8fbac	fd59ca315787069d1d07075e98766d65606393f4270b8e399676b		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	kendall		a	F	0.06185	cb12bd0502	0u1h6ca49662894f21f93ff77e90df92333417073cd64279a2916a84		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	kendall		a	Fbar	-0.202066	cfb7534801	4uhda709b-cfd3682dd00f14aa00833f0da1644314c0b5da2d2f		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	kendall		a	C	0.089422	81ecb394c6	6630g8d5a209g7f0960f11ed7c6efb69ee9d3f902ad76b813e66f		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	kendall		a	Cbar	-0.299766	3fbd535ce1	6uh6b3eeea48026f9n03d40aa5f4c50de9aecd78660c87ca4915		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	kendall		g	F	0.317736	96175b9017	75220e5eda662044288945b70834493f40bc53b30abe3dfdc61f2		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	kendall		g	Fbar	-0.294003	6ddff6c0e5	7u1315610671789e943440415815e880ad53a32319d47cc17da93ae		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	kendall		g	C	0.60793	09d031ba1f	0f1e789872c560388960f32ca1d1bc112d46feaa644b057e06cc02		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	kendall		g	Cbar	-0.633344	1010706cc2	880282242d7b8hgf7af556708b47b99d24d761339e94398ed96b6c		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	kendall		p	F	0.303779	c6133875fe	d04c483a2b1698136976ab78a521717eb0f5ca67bc2a5d0f3774f		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	kendall		p	Fbar	-0.270723	a31ff58f51e	fd58303b7929ag88c9e7b59644446131588a1dd1ea42fd574198		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	kendall		p	C	0.589297	d094395d3f	6009711f51f64172e837c0b29480162073e57c6d2728183eda13b4		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	kendall		p	Cbar	-0.61025	9c0a36660b	0f65fmi47c5a617645e022144ff6fb01aa84fc23e8dfd65b42d017		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	kendall		s	F	0.225937	1216db584f	0u31cndf9676c7070567falsceab1ade96693305cda7fd5322d3763		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	kendall		s	Fbar	-0.249298	44d7df52c7	885ff002wed16hngf794h00658b8c1423dff20a30851a17b2c0bf8e		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	kendall		s	C	0.385541	229d394fa1	5203cb51d279570bf10ad7caf71ac190fbbb025ca5d316e536fe		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	kendall		s	Cbar	-0.438724	240ec8fbac	fd59ca315787069d1d07075e98766d65606393f4270b8e399676b		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	kendall		a	F	0.06185	cb12bd0502	0u1h6ca49662894f21f93ff77e90df92333417073cd64279a2916a84		

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE	kendall		a	Fbar	-0.202066	cfb7534801	44da709b	cf12682b	55f114aa0833f0da1644314c0b5da2d2f
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE	kendall		a	C	0.089422	81ecb394c6	630ca1fa	249e97f0	960f1e47c6efb69ee9d3f902ad76b813e66f
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE	kendall		a	Cbar	-0.299766	3fbd535ce1	44da709b	cf12682b	55f114aa0833f0da1644314c0b5da2d2f

Table 48: ImageNet–ResNet-18 results.

cell	dataset	model	split	method	setting	distance model	q	candidate id	sample count	geometry	geometry label	source id	methods	selected individual	ER F g	ER Fbar g	ER C g	ER Cbar g	ER F p	ER Fbar p
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_indiv	best_indiv	spearman		4b1d9eaea3500030	10000	1b1ec8b4d3a03834528	17c460e69362223ee4d2ee758428				-0.021759	-0.038114	-0.013129	-0.025316	-0.020654	-0.027134
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	spearman		685703c1eb650005	10000	820237705f26b93642b446c221c4b1a766b963113b499e1					-0.011924	-0.037537	0.011264	-0.035498	-0.017682	-0.037668
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	spearman		7adc2b4b81500069	10000	d91f3206c3cf4bb2dad019929f10c93fc10608c006d4c2b					-0.011924	-0.037537	0.011264	-0.035498	-0.017482	-0.037668
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	spearman		d1ed4f281b650004d	10000	26ce28b5abdd3ae4f437e93dc47da989d88cdbc9ae7b778					0.008846	-0.023816	0.006638	-0.03203	0.015979	-0.02626
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	spearman		46df8a55b23500020	10000	72397d2a8953d753047e06508a9644c1d0563c68f39553c					0.008846	-0.023816	0.006638	-0.03203	0.015979	-0.02626
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive	spearman		7a79f1194a550006d	10000	7425dec4ad735f0f9fab17772fd04291376bdae2a46a1					0.007756	0.007159	-0.000227	0.011126	0.016435	0.007746
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	spearman		c9b90e4b7225000e	10000	ee6685d55aea53a3aad93d9380c3ee5bd3575dbf94191968					0.007756	0.007159	-0.000227	0.011126	0.016435	0.007746
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	spearman		d3d3204dc5500006	10000	96e86dc78b29eb91edb419ec02998b9a3ac49c3d7397bfc77					0.002699	-0.001769	-0.005517	-0.005282	0.014036	-0.013503
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	spearman		e57b928fb900000b	10000	e560cafb9332e6af7e2131ce66bf6726c6ac03d8987ed68f					0.002699	-0.001769	-0.005517	-0.005282	0.014036	-0.013503
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	spearman		c34bcb1e1c50008f0	10000	601b3aa3524c36f4bcb292af2a712ee89a0980fca8d500					0.006064	-0.000397	-0.00233	0.000944	0.013021	-0.013077
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	spearman		180dff39e2880002	10000	e50da6a8d3fd433155087b3408dba78601fecb725ede83f8					0.006064	-0.000397	-0.00233	0.000944	0.013021	-0.013077
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	best_indiv	best_indiv	kendall		d0e526cd5f650003b	10000	4b2bf5c8bf06a7cdb2628601a896bf45195aa3fe2989bc6f					-0.021759	-0.038114	-0.013129	-0.025316	-0.020654	-0.027134
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive	kendall		c30625e85ae5000d0	10000	f90e3c5a55662007f2c31f3a1b6d6dc1ca5a3550459126be					-0.011924	-0.037537	0.011264	-0.035498	-0.017682	-0.037668
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE	kendall		63de57324d500005	10000	856540185ec2d6da2b9e07f51560ca6c834f6140d76cfd					-0.011924	-0.037537	0.011264	-0.035498	-0.017482	-0.037668
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive	kendall		1fb37529ef55000b	10000	e92bb248e046f52e2cd3db5282807513d3d9b3eac8af481d					0.008846	-0.023816	0.006638	-0.03203	0.015979	-0.02626
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE	kendall		9a5afe1cdfc8000b	10000	54b64aff397dc1ac16152e628ab1d7726a398de12e0cbbf					0.008846	-0.023816	0.006638	-0.03203	0.015979	-0.02626
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive	kendall		0e9f8e5a8b5500086	10000	cf26074df2f3a6b5f353b5e7336633e9b41c71a8134d9a14					0.007756	0.007159	-0.000227	0.011126	0.016435	0.007746
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE	kendall		9e8d85fe50f500098	10000	e9c59fef469a18c865afb735108033b35890dd80413476d					0.007756	0.007159	-0.000227	0.011126	0.016435	0.007746
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive	kendall		b0a2e3c34e9500059	10000	e856d8d5b8bb937ad849622a3428e3f027788c3471b841					0.002699	-0.001769	-0.005517	-0.005282	0.014036	-0.013503
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE	kendall		e807e24aff550004c	10000	2f5113cd957ed403ec71e63d244dc10491812a8aa257a96					0.002699	-0.001769	-0.005517	-0.005282	0.014036	-0.013503
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	naive	kendall		8e1cf25cda167000	10000	3c2d1005293b227f6612a9b1f6261887bcfd0b24170ea05					0.006064	-0.000397	-0.00233	0.000944	0.013021	-0.013077
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE	kendall		302b199fe197000d	10000	4869ca7e091e53960db182739bd42b5dbeb270540ab72b7c8					0.006064	-0.000397	-0.00233	0.000944	0.013021	-0.013077

Table 49: ImageNet–ResNet-18 results.

cell	dataset	model	split	method	setting	distance model	q	ER C p	ER Cbar p	ER F s	ER Fbar s	ER C s	ER Cbar s	ER F a	ER Fbar a	ER C a	ER Cbar a
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	best_indiv	best individual	spearman		-0.003305	-0.024804	-0.013926	-0.016828	0.005697	-0.005572	-0.003526	0.002999	-0.018457	0.008166
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	simpleavg	naive	spearman		-0.002463	-0.031404	-0.000124	-0.028525	0.007388	-0.022676	0.009031	0.020324	0.014802	0.036792
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	simpleavg	NOISE	spearman		-0.002463	-0.031404	-0.000124	-0.028525	0.007388	-0.022676	0.009031	0.020324	0.014802	0.036792
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	borda	naive	spearman		0.007678	-0.016477	0.006325	-0.011654	0.004749	-0.008551	0.000955	0.002898	-0.001823	0.008854
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	borda	NOISE	spearman		0.007678	-0.016477	0.006325	-0.011654	0.004749	-0.008551	0.000955	0.002898	-0.001823	0.008854
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	kemeny	naive	spearman		0.005887	0.013345	0.007155	-0.004472	0.005194	-0.004777	0.004326	-0.000713	0.005066	0.005258
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	kemeny	NOISE	spearman		0.005887	0.013345	0.007155	-0.004472	0.005194	-0.004777	0.004326	-0.000713	0.005066	0.005258
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	rrf	naive	spearman		-0.002167	0.000577	0.004618	-0.003175	0.001878	-0.0016	0.001994	0.008417	-0.00221	0.015878
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	rrf	NOISE	spearman		-0.002167	0.000577	0.004618	-0.003175	0.001878	-0.0016	0.001994	0.008417	-0.00221	0.015878
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	schulze	naive	spearman		-0.000897	-0.00375	0.008663	-0.003902	0.002459	-0.001476	0.00315	0.000866	0.000178	0.005966
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	schulze	NOISE	spearman		-0.000897	-0.00375	0.008663	-0.003902	0.002459	-0.001476	0.00315	0.000866	0.000178	0.005966
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	best_indiv	best individual	kendall		-0.003305	-0.024804	-0.013926	-0.016828	0.005697	-0.005572	-0.003526	0.002999	-0.018457	0.008166
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	simpleavg	naive	kendall		-0.002463	-0.031404	-0.000124	-0.028525	0.007388	-0.022676	0.009031	0.020324	0.014802	0.036792
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	simpleavg	NOISE	kendall		-0.002463	-0.031404	-0.000124	-0.028525	0.007388	-0.022676	0.009031	0.020324	0.014802	0.036792
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	borda	naive	kendall		0.007678	-0.016477	0.006325	-0.011654	0.004749	-0.008551	0.000955	0.002898	-0.001823	0.008854
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	borda	NOISE	kendall		0.007678	-0.016477	0.006325	-0.011654	0.004749	-0.008551	0.000955	0.002898	-0.001823	0.008854
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	kemeny	naive	kendall		0.005887	0.013345	0.007155	-0.004472	0.005194	-0.004777	0.004326	-0.000713	0.005066	0.005258
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	kemeny	NOISE	kendall		0.005887	0.013345	0.007155	-0.004472	0.005194	-0.004777	0.004326	-0.000713	0.005066	0.005258
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	rrf	naive	kendall		-0.002167	0.000577	0.004618	-0.003175	0.001878	-0.0016	0.001994	0.008417	-0.00221	0.015878
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	rrf	NOISE	kendall		-0.002167	0.000577	0.004618	-0.003175	0.001878	-0.0016	0.001994	0.008417	-0.00221	0.015878
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	schulze	naive	kendall		-0.000897	-0.00375	0.008663	-0.003902	0.002459	-0.001476	0.00315	0.000866	0.000178	0.005966
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	schulze	NOISE	kendall		-0.000897	-0.00375	0.008663	-0.003902	0.002459	-0.001476	0.00315	0.000866	0.000178	0.005966

Table 50: ImageNet-ResNet-18 results.

cell	condition	metric	curve id	excluded method	reference count	fit model	slope	unconstrained slope	slope was constrained	intercept	residual sum squares	residual standard deviation	r squared	clean min	clean max	perturbed min	perturbed max	reference methods	
ImageNet-ImageNet-resnet18	g	C	09d031ba10ff4e789872e569338956182e91d1dc1400585f0a15490576e96f9a9e8		6	linear	1.400585	1.400585	True	0.215856	0.003172	0.018775	0.954785	0.1174	0.292	0.3518	0.62	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackpropagation	ImageNet-ImageNet-resnet18
ImageNet-ImageNet-resnet18	g	Cbar	1010706ce28928242d7b81d77af5566108b1d7609422487b180a12382e5b9f9e8		6	linear	1.400585	1.400585	True	-0.318947	0.02265	0.050166	0.755578	-0.565	-0.2952	-0.8856	-0.5968	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackpropagation	ImageNet-ImageNet-resnet18
ImageNet-ImageNet-resnet18	s	F	1216db5846b3decfd9576ec7D705f70dc8eab1d194699330511a7f5122c3739e8		6	linear	1.400585	1.400585	True	0.01384	0.000635	0.008402	0.981622	0.043	0.1716	0.0668	0.2552	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackpropagation	ImageNet-ImageNet-resnet18
ImageNet-ImageNet-resnet18	s	C	229d394fa15363cb512e797f7b9f1a0c1fcd31d1937d1051b07707a53b5e9e8		6	linear	1.400585	1.400585	True	0.046869	0.000565	0.007921	0.988828	0.1174	0.292	0.1818	0.4098	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackpropagation	ImageNet-ImageNet-resnet18
ImageNet-ImageNet-resnet18	s	Cbar	240ec8fbacae59c13157870109ddfa7745e9876a106806793af020993d79967b1e9e8		6	linear	1.400585	1.400585	True	-0.072907	0.01031	0.033845	0.901909	-0.565	-0.2952	-0.7	-0.3902	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackpropagation	ImageNet-ImageNet-resnet18
ImageNet-ImageNet-resnet18	a	Cbar	3fbd535ce1abe6b8eeea48021fb9a8a9440aa5fd13014d8e07b609437aaf93d5e9e8		6	linear	1.400585	1.400585	True	0.094279	0.006757	0.027399	0.942124	-0.565	-0.2952	-0.563	-0.238	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackpropagation	ImageNet-ImageNet-resnet18
ImageNet-ImageNet-resnet18	s	Fbar	44d7df52c7485f902acd6bd4794bba0679b1d1234930a3085121740e0f15e9e8		6	linear	1.400585	1.400585	True	-0.004641	0.008982	0.031591	0.903619	-0.423	-0.1752	-0.5008	-0.2122	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackpropagation	ImageNet-ImageNet-resnet18
ImageNet-ImageNet-resnet18	p	F	4c5325f63b4201b7855256c59d80a5a60f93049c519326650f21165926643d39e8		6	linear	1.400585	1.400585	True	0.046456	0.004756	0.024382	0.906291	0.043	0.1696	0.0872	0.341	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackpropagation	ImageNet-ImageNet-resnet18
ImageNet-ImageNet-resnet18	s	Fbar	4f51889f2a15e9961bb445d0b002047d943887c810962c7f47155990e927f5e9e8		6	linear	1.400585	1.400585	True	0.006749	0.008795	0.033157	0.880463	-0.423	-0.1884	-0.5008	-0.2146	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackpropagation	ImageNet-ImageNet-resnet18
ImageNet-ImageNet-resnet18	s	F	5165ff17ac130692f4303481f49596f0d1b6335072736578571b37665610b18e9e8		6	linear	1.400585	1.400585	True	0.011092	0.000477	0.007721	0.985278	0.043	0.1696	0.0668	0.2552	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackpropagation	ImageNet-ImageNet-resnet18
ImageNet-ImageNet-resnet18	p	C	537b44d6d40e95258469150f4729718a9462141097159d889073360a1f54e9e8		6	linear	1.400585	1.400585	True	0.191746	0.004939	0.024846	0.925855	0.1174	0.2858	0.3216	0.596	Deconvolution;DeepLift;FeatureAblation;GradientShap;GuidedBackpropagation	ImageNet-ImageNet-resnet18
ImageNet-ImageNet-resnet18	p	Cbar	5d7063b09f231b94f423e23571c66997e5c70604283210a1012793342a595de9e8		6	linear	1.400585	1.400585	True	-0.267191	0.019639	0.049547	0.751194	-0.565	-0.3024	-0.846	-0.5668	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackpropagation	ImageNet-ImageNet-resnet18
ImageNet-ImageNet-resnet18	g	Fbar	6ddff6c0e5314315fb9071782e94340045830880930432300b59171dca295e9e8		6	linear	1.400585	1.400585	True	-0.086049	0.018674	0.045551	0.765147	-0.423	-0.1752	-0.5286	-0.2574	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackpropagation	ImageNet-ImageNet-resnet18
ImageNet-ImageNet-resnet18	g	C	7c50bc284c40e918f6328c00a3ceeb330f1844218101a31d85004038a5151de9e8		6	linear	1.400585	1.400585	True	0.211765	0.003032	0.019469	0.953177	0.1174	0.2858	0.3518	0.6088	Deconvolution;DeepLift;FeatureAblation;GradientShap;GuidedBackpropagation	ImageNet-ImageNet-resnet18
ImageNet-ImageNet-resnet18	a	C	809f4a93b2e2783f63190c6051ca0804fec223465908296110859923049f74e9e8		6	linear	1.400585	1.400585	True	-0.053678	0.001307	0.012783	0.863974	0.1174	0.2858	0.0126	0.1134	Deconvolution;DeepLift;FeatureAblation;GradientShap;GuidedBackpropagation	ImageNet-ImageNet-resnet18
ImageNet-ImageNet-resnet18	a	C	81ecb394c6c630e3dfa299497f096011d9c7f61e04050285990a40703513e35f9e8		6	linear	1.400585	1.400585	True	-0.047926	0.001584	0.013266	0.838464	0.1174	0.292	0.0126	0.1134	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackpropagation	ImageNet-ImageNet-resnet18
ImageNet-ImageNet-resnet18	s	Cbar	8ef69de9dd04cd2274e4957fb050000e934051b193654837810507188604715de9e8		6	linear	1.400585	1.400585	True	-0.068297	0.010289	0.035862	0.873643	-0.565	-0.3024	-0.7	-0.397	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackpropagation	ImageNet-ImageNet-resnet18
ImageNet-ImageNet-resnet18	g	F	96175b901375220e5eda66204ad2ab99f6f08344925901c5310645e34fcd13de9e8		6	linear	1.400585	1.400585	True	0.074103	0.002445	0.016484	0.948215	0.043	0.1716	0.121	0.348	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackpropagation	ImageNet-ImageNet-resnet18
ImageNet-ImageNet-resnet18	p	Cbar	9c0a36660b1565fe147d5a1617647a2314d446f903365459238600010192415de9e8		6	linear	1.400585	1.400585	True	-0.287713	0.020052	0.047202	0.786093	-0.565	-0.2952	-0.846	-0.5668	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackpropagation	ImageNet-ImageNet-resnet18
ImageNet-ImageNet-resnet18	p	Fbar	a31ff58f51ef458303b7929a188c8e65b508464400389631d11049266157c15de9e8		6	linear	1.400585	1.400585	True	-0.043149	0.018877	0.045798	0.794231	-0.423	-0.1752	-0.511	-0.2326	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackpropagation	ImageNet-ImageNet-resnet18
ImageNet-ImageNet-resnet18	a	Cbar	b0f63d877f4c218b3928e516f894ae3032c017f130088915154918569d0f5de9e8		6	linear	1.400585	1.400585	True	0.087523	0.006712	0.028965	0.921838	-0.565	-0.3024	-0.563	-0.2666	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackpropagation	ImageNet-ImageNet-resnet18
ImageNet-ImageNet-resnet18	g	Cbar	be9143dad0323ad059c019fa78e0a35e2b5210809596c0f710497551bf8e23de9e8		6	linear	1.400585	1.400585	True	-0.298002	0.02222	0.052702	0.717974	-0.565	-0.3024	-0.8856	-0.5968	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackpropagation	ImageNet-ImageNet-resnet18
ImageNet-ImageNet-resnet18	p	F	c6133875fedd04c430a2b46D8136376ab78a5147370489f30c6710928006375de9e8		6	linear	1.400585	1.400585	True	0.050533	0.005104	0.023815	0.904564	0.043	0.1716	0.0872	0.341	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackpropagation	ImageNet-ImageNet-resnet18
ImageNet-ImageNet-resnet18	a	F	cb12bd05020da6c49662894df020b177990f02233392707610447734029115de9e8		6	linear	1.400585	1.400585	True	-0.015049	0.000671	0.008632	0.86933	0.043	0.1716	0.007	0.0794	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackpropagation	ImageNet-ImageNet-resnet18

cell	condition	metric	curve id	excluded method	reference count	fit model	slope	unconstrained slope	slope was constrained	intercept	residual sum squares	residual standard deviation	r squared	clean min	clean max	perturbed min	perturbed max	reference methods
ImageNet-ImageNet-resnet18	s	C	cc175d1777b99d9fe5615700bb95650b53d32ab235922ad2723b9338a51530		1	linear	0.048644	0.000538	0.008204	0.987893	0.1174	0.2858	0.1818	0.393	Deconvolution;DeepLift;FeatureAblation;GradientShap;GuidedBackpropagation			
ImageNet-ImageNet-resnet18	a	Fbar	cfb75348014eada709b5fd315321d830f115441005833605b6d11039c0b5da239f		1	linear	0.033816	0.005286	0.024234	0.936748	-0.423	-0.1752	-0.4256	-0.1536	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap			
ImageNet-ImageNet-resnet18	g	F	cfe0e9095482331dd358a3549754c4ee01e5b0275004089a0723321411000f1b35		1	linear	0.069808	0.002059	0.016041	0.954103	0.043	0.1696	0.121	0.348	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap			
ImageNet-ImageNet-resnet18	p	C	d094395d3fe0f971151f64c72a837cfdb22480162076007956d27280f6308a13e4		1	linear	0.192776	0.004948	0.023446	0.932654	0.1174	0.292	0.3216	0.6096	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap			
ImageNet-ImageNet-resnet18	g	Fbar	d39d6fd93e0a0c98ba8971af3223d010e2679a0660504f215099870632758		1	linear	-0.060251	0.017714	0.047056	0.743256	-0.423	-0.1884	-0.5286	-0.2574	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap			
ImageNet-ImageNet-resnet18	a	F	ed4abc805c6384edba83264ffec13839163120e985594680153476456324		1	linear	-0.015745	0.00066	0.009086	0.862398	0.043	0.1696	0.007	0.0794	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap			
ImageNet-ImageNet-resnet18	p	Fbar	f8879464483096d24344fe76ae30ee5653cf051085055e4d1065220act95		1	linear	-0.024782	0.018391	0.047946	0.760459	-0.423	-0.1884	-0.511	-0.2326	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap			
ImageNet-ImageNet-resnet18	a	Fbar	f999ec441c6e065f20625c0101fe372a628f375cf19702a58b6d100775208c9		1	linear	0.031786	0.00528	0.02569	0.914227	-0.423	-0.1884	-0.4256	-0.1802	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap			

Table 51: ImageNet–ResNet-18 results.

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	best_indiv	archive			g	F	d1b6f41e1ea50005fc1962dec30a11741774b3f6499aae5192f88fd3c3401084559	50005	1962dec30a11741774b3f6499aae5192f88fd3c3401084559		3f6499aae5192f88fd3c3401084559	0.1716	0.3216	0.1716	0.3216		
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	best_indiv	archive			g	Fbar	d1b6f41e1ea50005fc1962dec30a11741774b3f6499aae5192f88fd3c3401084559	50005	1962dec30a11741774b3f6499aae5192f88fd3c3401084559		3f6499aae5192f88fd3c3401084559	0.1752	0.2782	-0.1752	-0.2782		
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	best_indiv	archive			g	C	d1b6f41e1ea50005fc1962dec30a11741774b3f6499aae5192f88fd3c3401084559	50005	1962dec30a11741774b3f6499aae5192f88fd3c3401084559		3f6499aae5192f88fd3c3401084559	0.292	0.62	0.292	0.62		
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	best_indiv	archive			g	Cbar	d1b6f41e1ea50005fc1962dec30a11741774b3f6499aae5192f88fd3c3401084559	50005	1962dec30a11741774b3f6499aae5192f88fd3c3401084559		3f6499aae5192f88fd3c3401084559	0.2952	0.6054	-0.2952	-0.6054		
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	best_indiv	archive			p	F	d1b6f41e1ea50005fc1962dec30a11741774b3f6499aae5192f88fd3c3401084559	50005	1962dec30a11741774b3f6499aae5192f88fd3c3401084559		3f6499aae5192f88fd3c3401084559	0.1716	0.3094	0.1716	0.3094		
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	best_indiv	archive			p	Fbar	d1b6f41e1ea50005fc1962dec30a11741774b3f6499aae5192f88fd3c3401084559	50005	1962dec30a11741774b3f6499aae5192f88fd3c3401084559		3f6499aae5192f88fd3c3401084559	0.1752	0.2438	-0.1752	-0.2438		
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	best_indiv	archive			p	C	d1b6f41e1ea50005fc1962dec30a11741774b3f6499aae5192f88fd3c3401084559	50005	1962dec30a11741774b3f6499aae5192f88fd3c3401084559		3f6499aae5192f88fd3c3401084559	0.292	0.6096	0.292	0.6096		
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	best_indiv	archive			p	Cbar	d1b6f41e1ea50005fc1962dec30a11741774b3f6499aae5192f88fd3c3401084559	50005	1962dec30a11741774b3f6499aae5192f88fd3c3401084559		3f6499aae5192f88fd3c3401084559	0.2952	0.5808	-0.2952	-0.5808		
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	best_indiv	archive			s	F	d1b6f41e1ea50005fc1962dec30a11741774b3f6499aae5192f88fd3c3401084559	50005	1962dec30a11741774b3f6499aae5192f88fd3c3401084559		3f6499aae5192f88fd3c3401084559	0.1716	0.2334	0.1716	0.2334		
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	best_indiv	archive			s	Fbar	d1b6f41e1ea50005fc1962dec30a11741774b3f6499aae5192f88fd3c3401084559	50005	1962dec30a11741774b3f6499aae5192f88fd3c3401084559		3f6499aae5192f88fd3c3401084559	0.1752	0.2122	-0.1752	-0.2122		
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	best_indiv	archive			s	C	d1b6f41e1ea50005fc1962dec30a11741774b3f6499aae5192f88fd3c3401084559	50005	1962dec30a11741774b3f6499aae5192f88fd3c3401084559		3f6499aae5192f88fd3c3401084559	0.292	0.4098	0.292	0.4098		
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	best_indiv	archive			s	Cbar	d1b6f41e1ea50005fc1962dec30a11741774b3f6499aae5192f88fd3c3401084559	50005	1962dec30a11741774b3f6499aae5192f88fd3c3401084559		3f6499aae5192f88fd3c3401084559	0.2952	0.3902	-0.2952	-0.3902		
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	best_indiv	archive			a	F	d1b6f41e1ea50005fc1962dec30a11741774b3f6499aae5192f88fd3c3401084559	50005	1962dec30a11741774b3f6499aae5192f88fd3c3401084559		3f6499aae5192f88fd3c3401084559	0.1716	0.0658	0.1716	0.0658		
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	best_indiv	archive			a	Fbar	d1b6f41e1ea50005fc1962dec30a11741774b3f6499aae5192f88fd3c3401084559	50005	1962dec30a11741774b3f6499aae5192f88fd3c3401084559		3f6499aae5192f88fd3c3401084559	0.1752	0.1536	-0.1752	-0.1536		
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	best_indiv	archive			a	C	d1b6f41e1ea50005fc1962dec30a11741774b3f6499aae5192f88fd3c3401084559	50005	1962dec30a11741774b3f6499aae5192f88fd3c3401084559		3f6499aae5192f88fd3c3401084559	0.292	0.0824	0.292	0.0824		
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	best_indiv	archive			a	Cbar	d1b6f41e1ea50005fc1962dec30a11741774b3f6499aae5192f88fd3c3401084559	50005	1962dec30a11741774b3f6499aae5192f88fd3c3401084559		3f6499aae5192f88fd3c3401084559	0.2952	0.238	-0.2952	-0.238		
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	simpleavg	naive			g	F	a953ca7e087500837436866f50ed2b7a0e665385820c725f69f63635213016924	750083	436866f50ed2b7a0e665385820c725f69f63635213016924		5385820c725f69f63635213016924	0.1726	0.329	0.1726	0.329		
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	simpleavg	naive			g	Fbar	a953ca7e087500837436866f50ed2b7a0e665385820c725f69f63635213016924	750083	436866f50ed2b7a0e665385820c725f69f63635213016924		5385820c725f69f63635213016924	0.251	0.3628	-0.251	-0.3628		
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	simpleavg	naive			g	C	a953ca7e087500837436866f50ed2b7a0e665385820c725f69f63635213016924	750083	436866f50ed2b7a0e665385820c725f69f63635213016924		5385820c725f69f63635213016924	0.286	0.6334	0.286	0.6334		
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	simpleavg	naive			g	Cbar	a953ca7e087500837436866f50ed2b7a0e665385820c725f69f63635213016924	750083	436866f50ed2b7a0e665385820c725f69f63635213016924		5385820c725f69f63635213016924	0.3862	0.707	-0.3862	-0.707		
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	simpleavg	naive			p	F	a953ca7e087500837436866f50ed2b7a0e665385820c725f69f63635213016924	750083	436866f50ed2b7a0e665385820c725f69f63635213016924		5385820c725f69f63635213016924	0.1726	0.3102	0.1726	0.3102		
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	simpleavg	naive			p	Fbar	a953ca7e087500837436866f50ed2b7a0e665385820c725f69f63635213016924	750083	436866f50ed2b7a0e665385820c725f69f63635213016924		5385820c725f69f63635213016924	0.251	0.3426	-0.251	-0.3426		
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	simpleavg	naive			p	C	a953ca7e087500837436866f50ed2b7a0e665385820c725f69f63635213016924	750083	436866f50ed2b7a0e665385820c725f69f63635213016924		5385820c725f69f63635213016924	0.286	0.6012	0.286	0.6012		
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	simpleavg	naive			p	Cbar	a953ca7e087500837436866f50ed2b7a0e665385820c725f69f63635213016924	750083	436866f50ed2b7a0e665385820c725f69f63635213016924		5385820c725f69f63635213016924	0.3862	0.6808	-0.3862	-0.6808		

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive			s	F	a953ca7e087500837436866f50ed2b7a0e665385820c725a69f63635213000324	7500837	436866f50ed2b7a0e665385820c725a69f63635213000324				0.1726	0.246	0.1726	0.246	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive			s	Fbar	a953ca7e087500837436866f50ed2b7a0e665385820c725a69f63635213000324	7500837	436866f50ed2b7a0e665385820c725a69f63635213000324				0.251	0.3146	-0.251	-0.3146	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive			s	C	a953ca7e087500837436866f50ed2b7a0e665385820c725a69f63635213000324	7500837	436866f50ed2b7a0e665385820c725a69f63635213000324				0.286	0.4052	0.286	0.4052	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive			s	Cbar	a953ca7e087500837436866f50ed2b7a0e665385820c725a69f63635213000324	7500837	436866f50ed2b7a0e665385820c725a69f63635213000324				0.3862	0.5058	-0.3862	-0.5058	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive			a	F	a953ca7e087500837436866f50ed2b7a0e665385820c725a69f63635213000324	7500837	436866f50ed2b7a0e665385820c725a69f63635213000324				0.1726	0.0782	0.1726	0.0782	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive			a	Fbar	a953ca7e087500837436866f50ed2b7a0e665385820c725a69f63635213000324	7500837	436866f50ed2b7a0e665385820c725a69f63635213000324				0.251	0.2172	-0.251	-0.2172	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive			a	C	a953ca7e087500837436866f50ed2b7a0e665385820c725a69f63635213000324	7500837	436866f50ed2b7a0e665385820c725a69f63635213000324				0.286	0.1092	0.286	0.1092	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	naive			a	Cbar	a953ca7e087500837436866f50ed2b7a0e665385820c725a69f63635213000324	7500837	436866f50ed2b7a0e665385820c725a69f63635213000324				0.3862	0.3108	-0.3862	-0.3108	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive			g	F	826314e64815000af29ad7cb208513b98e104aa20edaf5742e10e95f0a9c006325	15000af29	ad7cb208513b98e104aa20edaf5742e10e95f0a9c006325				0.158	0.3272	0.158	0.3272	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive			g	Fbar	826314e64815000af29ad7cb208513b98e104aa20edaf5742e10e95f0a9c006325	15000af29	ad7cb208513b98e104aa20edaf5742e10e95f0a9c006325				0.2186	0.3182	-0.2186	-0.3182	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive			g	C	826314e64815000af29ad7cb208513b98e104aa20edaf5742e10e95f0a9c006325	15000af29	ad7cb208513b98e104aa20edaf5742e10e95f0a9c006325				0.2756	0.614	0.2756	0.614	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive			g	Cbar	826314e64815000af29ad7cb208513b98e104aa20edaf5742e10e95f0a9c006325	15000af29	ad7cb208513b98e104aa20edaf5742e10e95f0a9c006325				0.3464	0.6672	-0.3464	-0.6672	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive			p	F	826314e64815000af29ad7cb208513b98e104aa20edaf5742e10e95f0a9c006325	15000af29	ad7cb208513b98e104aa20edaf5742e10e95f0a9c006325				0.158	0.3204	0.158	0.3204	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive			p	Fbar	826314e64815000af29ad7cb208513b98e104aa20edaf5742e10e95f0a9c006325	15000af29	ad7cb208513b98e104aa20edaf5742e10e95f0a9c006325				0.2186	0.2974	-0.2186	-0.2974	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive			p	C	826314e64815000af29ad7cb208513b98e104aa20edaf5742e10e95f0a9c006325	15000af29	ad7cb208513b98e104aa20edaf5742e10e95f0a9c006325				0.2756	0.5964	0.2756	0.5964	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive			p	Cbar	826314e64815000af29ad7cb208513b98e104aa20edaf5742e10e95f0a9c006325	15000af29	ad7cb208513b98e104aa20edaf5742e10e95f0a9c006325				0.3464	0.6286	-0.3464	-0.6286	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive			s	F	826314e64815000af29ad7cb208513b98e104aa20edaf5742e10e95f0a9c006325	15000af29	ad7cb208513b98e104aa20edaf5742e10e95f0a9c006325				0.158	0.2328	0.158	0.2328	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive			s	Fbar	826314e64815000af29ad7cb208513b98e104aa20edaf5742e10e95f0a9c006325	15000af29	ad7cb208513b98e104aa20edaf5742e10e95f0a9c006325				0.2186	0.2614	-0.2186	-0.2614	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive			s	C	826314e64815000af29ad7cb208513b98e104aa20edaf5742e10e95f0a9c006325	15000af29	ad7cb208513b98e104aa20edaf5742e10e95f0a9c006325				0.2756	0.3898	0.2756	0.3898	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive			s	Cbar	826314e64815000af29ad7cb208513b98e104aa20edaf5742e10e95f0a9c006325	15000af29	ad7cb208513b98e104aa20edaf5742e10e95f0a9c006325				0.3464	0.4494	-0.3464	-0.4494	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive			a	F	826314e64815000af29ad7cb208513b98e104aa20edaf5742e10e95f0a9c006325	15000af29	ad7cb208513b98e104aa20edaf5742e10e95f0a9c006325				0.158	0.063	0.158	0.063	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive			a	Fbar	826314e64815000af29ad7cb208513b98e104aa20edaf5742e10e95f0a9c006325	15000af29	ad7cb208513b98e104aa20edaf5742e10e95f0a9c006325				0.2186	0.1996	-0.2186	-0.1996	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive			a	C	826314e64815000af29ad7cb208513b98e104aa20edaf5742e10e95f0a9c006325	15000af29	ad7cb208513b98e104aa20edaf5742e10e95f0a9c006325				0.2756	0.0874	0.2756	0.0874	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	naive			a	Cbar	826314e64815000af29ad7cb208513b98e104aa20edaf5742e10e95f0a9c006325	15000af29	ad7cb208513b98e104aa20edaf5742e10e95f0a9c006325				0.3464	0.2932	-0.3464	-0.2932	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive			g	F	0ca46955d815000af29ad7cb208513b98e104aa20edaf5742e10e95f0a9c006325	15000af29	ad7cb208513b98e104aa20edaf5742e10e95f0a9c006325				0.1556	0.3224	0.1556	0.3224	

Table 52: ImageNet–ResNet-18 results.

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	best_indiv	naive			g	F	0.343359	cfe0e90954	3d301a4598	604c85f33e	5b0276a5039a00283dfdc0a0d1b5
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	best_indiv	naive			g	Fbar	-0.240086	d39d6fd93e	14cc98bb8	974490833e	2879aed80f9bff2c7c9f8726325b8
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	best_indiv	naive			g	C	0.633129	7c50bc284c	14cc98bb8	974490833e	2879aed80f9bff2c7c9f8726325b8
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	best_indiv	naive			g	Cbar	-0.580084	be9143dad2	14cc98bb8	974490833e	2879aed80f9bff2c7c9f8726325b8
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	best_indiv	naive			p	F	0.330054	4c5325f63b	14cc98bb8	974490833e	2879aed80f9bff2c7c9f8726325b8
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	best_indiv	naive			p	Fbar	-0.216666	f887946448	14cc98bb8	974490833e	2879aed80f9bff2c7c9f8726325b8
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	best_indiv	naive			p	C	0.612905	537b44d6d0	14cc98bb8	974490833e	2879aed80f9bff2c7c9f8726325b8
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	best_indiv	naive			p	Cbar	-0.555996	5d7063b092	14cc98bb8	974490833e	2879aed80f9bff2c7c9f8726325b8
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	best_indiv	naive			s	F	0.247326	5165f17ac1	14cc98bb8	974490833e	2879aed80f9bff2c7c9f8726325b8
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	best_indiv	naive			s	Fbar	-0.195372	4f51889f2a	14cc98bb8	974490833e	2879aed80f9bff2c7c9f8726325b8
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	best_indiv	naive			s	C	0.404103	cc175d1777	14cc98bb8	974490833e	2879aed80f9bff2c7c9f8726325b8
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	best_indiv	naive			s	Cbar	-0.384628	8ef69de9dd	14cc98bb8	974490833e	2879aed80f9bff2c7c9f8726325b8
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	best_indiv	naive			a	F	0.069326	ed4abc805e	14cc98bb8	974490833e	2879aed80f9bff2c7c9f8726325b8
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	best_indiv	naive			a	Fbar	-0.156599	f999ec441c	14cc98bb8	974490833e	2879aed80f9bff2c7c9f8726325b8
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	best_indiv	naive			a	C	0.100857	809f4a93b2	14cc98bb8	974490833e	2879aed80f9bff2c7c9f8726325b8
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	best_indiv	naive			a	Cbar	-0.246166	b0f63d8777	14cc98bb8	974490833e	2879aed80f9bff2c7c9f8726325b8
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	naive			g	F	0.340924	96175b9017	14cc98bb8	974490833e	2879aed80f9bff2c7c9f8726325b8
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	naive			g	Fbar	-0.325263	6ddff6c0e5	14cc98bb8	974490833e	2879aed80f9bff2c7c9f8726325b8
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	naive			g	C	0.622136	09d031ba1f	14cc98bb8	974490833e	2879aed80f9bff2c7c9f8726325b8
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	naive			g	Cbar	-0.671502	1010706cce	14cc98bb8	974490833e	2879aed80f9bff2c7c9f8726325b8
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	naive			p	F	0.327882	c6133875fe	14cc98bb8	974490833e	2879aed80f9bff2c7c9f8726325b8
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	naive			p	Fbar	-0.304932	a31ff58f51	14cc98bb8	974490833e	2879aed80f9bff2c7c9f8726325b8
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	naive			p	C	0.603663	d094395d3f	14cc98bb8	974490833e	2879aed80f9bff2c7c9f8726325b8
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	naive			p	Cbar	-0.649396	9c0a36660b	14cc98bb8	974490833e	2879aed80f9bff2c7c9f8726325b8

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	naive			s	F	0.246124	1216db584f6b31cfd19676c7b70567f9d5eab1ade96693305cda7fd5322d3763	naive	naive	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	naive			s	Fbar	-0.286075	44d7df52c7485ff902ced6bmgf794hnd0678b8c1423dff20a30851a17b2c0bf8e	naive	naive	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	naive			s	C	0.397812	229d394fa152b3cbb5f42e7987b0ff0ad7eaf71ac190fbbb025ca5d316e536fe	naive	naive	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	naive			s	Cbar	-0.483124	240ec8fbac4e50ca3357870692d1f07f45e98766d65606393f4270b8e399676b	naive	naive	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	naive			a	F	0.069169	cb12bd05020116ca49662894f93f93f77f90df92333417073cd64279a2916a84	naive	naive	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	naive			a	Fbar	-0.237524	cfb75348014e4da709bfc12e682bd8ffdc14aa00833f0da1644314c0b5da2d2f	naive	naive	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	naive			a	C	0.094398	81ecb394c6f630ca3d5a2499d7f0960f1ed7c6efb69ee9d3f902ad76b813e66f	naive	naive	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	naive			a	Cbar	-0.347592	3fb5d35ce15116cb8ee4802cfb9ca23d40aa5f4c50de9aecd78660c87ca4915	naive	naive	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	naive			g	F	0.318354	96175b901775220a5eda66264cd28f9c70834493f40bc53b30abe3dfdc61f2	naive	naive	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	naive			g	Fbar	-0.294384	6ddff6c0e5311131510071789e9434d45815e880ad53a32319d47cc17da93ae	naive	naive	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	naive			g	C	0.607362	09d031ba10f11c789872c560838960f7832da1d1bc112d46feaa644b057e06cc02	naive	naive	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	naive			g	Cbar	-0.63517	1010706ce2892822d1d7b81d7a55556708b47b99d24d761339e94398ed96b6c	naive	naive	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	naive			p	F	0.304421	c6133875fed114c420a21e1688139970ab78a521717eb0f5ca67bc2a5d0f3774f	naive	naive	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	naive			p	Fbar	-0.27114	a31ff58f51ef4d83003b7929ag88c9c07b59644446131588a1dd1ea42fd574198	naive	naive	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	naive			p	C	0.588722	d094395d3fb009711514f64n79e370f0b29480162073e7c6d2728183eda13b4	naive	naive	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	naive			p	Cbar	-0.612123	9c0a3666010f65fmi47c5a161f64f0423144ff6fb01aa84fc23e8dfd65b42d017	naive	naive	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	naive			s	F	0.226475	1216db584f6b31cfd19676c7b70567f9d5eab1ade96693305cda7fd5322d3763	naive	naive	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	naive			s	Fbar	-0.249746	44d7df52c7485ff902ced6bmgf794hnd0678b8c1423dff20a30851a17b2c0bf8e	naive	naive	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	naive			s	C	0.385051	229d394fa152b3cbb5f42e7987b0ff0ad7eaf71ac190fbbb025ca5d316e536fe	naive	naive	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	naive			s	Cbar	-0.440849	240ec8fbac4e50ca3357870692d1f07f45e98766d65606393f4270b8e399676b	naive	naive	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	naive			a	F	0.062045	cb12bd05020116ca49662894f93f93f77f90df92333417073cd64279a2916a84	naive	naive	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	naive			a	Fbar	-0.202498	cfb75348014e4da709bfc12e682bd8ffdc14aa00833f0da1644314c0b5da2d2f	naive	naive	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	naive			a	C	0.089223	81ecb394c6f630ca3d5a2499d7f0960f1ed7c6efb69ee9d3f902ad76b813e66f	naive	naive	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	naive			a	Cbar	-0.302054	3fb5d35ce15116cb8ee4802cfb9ca23d40aa5f4c50de9aecd78660c87ca4915	naive	naive	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	naive			g	F	0.314644	96175b901775220a5eda66264cd28f9c70834493f40bc53b30abe3dfdc61f2	naive	naive	

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive			g	Fbar	-0.298959	6ddff6c0e53f1b155b0671789e94344f4d15e880ad53a32319d47cc17da93ae	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	0ad53a32319d47cc17da93ae
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive			g	C	0.600827	09d031ba10ff4e789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	0ad53a32319d47cc17da93ae
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive			g	Cbar	-0.637726	1010706ce28d2822d12d7b81d67a5556708b47b99d24d761339e94398ed96b6c	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	0ad53a32319d47cc17da93ae
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive			p	F	0.300565	c6133875fedd14c483a2b1698139070ab78a521717eb0f5ca67bc2a5d0f3774f	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	0ad53a32319d47cc17da93ae
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive			p	Fbar	-0.276146	a31ff58f51ef4d8303b7929ag88c8e7b59644446131588a1dd1ea42fd574198	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	0ad53a32319d47cc17da93ae
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive			p	C	0.582113	d094395d3f600971d151f64a79a5370fb29480162073e57c6d2728183eda13b4	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	0ad53a32319d47cc17da93ae
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive			p	Cbar	-0.614745	9c0a36660b0f65fmi47c5a6176450423144ff6fb01aa84fc23e8dfd65b42d017	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	0ad53a32319d47cc17da93ae
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive			s	F	0.223245	1216db584f31c1cfd10676c7d70567b18eab1ade96693305cda7fd5322d3763	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	0ad53a32319d47cc17da93ae
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive			s	Fbar	-0.255128	44d7df52c78d5ff002ced6bmgf7941m0658b8c1423dff20a30851a17b2c0bf8e	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	0ad53a32319d47cc17da93ae
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive			s	C	0.379406	229d394fa15203cb512e79570bffa0747caf71ac190fbb025ca5d316e536fe	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	0ad53a32319d47cc17da93ae
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive			s	Cbar	-0.443823	240ec8fbac4d03ca1315787069d1d0ff0f5c98766d65606393f4270b8e399676b	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	0ad53a32319d47cc17da93ae
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive			a	F	0.060874	cb12bd050170116c406628949b1fb94f77e90df9233417073cd64279a2916a84	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	0ad53a32319d47cc17da93ae
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive			a	Fbar	-0.207687	cfb75348014e4da7019bfc12a682bd0e0f514aa00833f0da1644314c0b5da2d2f	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	0ad53a32319d47cc17da93ae
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive			a	C	0.086934	81ecb394c6f630ca3d1a249ag7f0960f11ed7c6efb69ee9d3f902ad76b813e66f	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	0ad53a32319d47cc17da93ae
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	naive			a	Cbar	-0.305258	3fbd535ce1f4d6b6e1a4802bf9ca4d40aa5f4c50de9aeed78660c87ca4915	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	0ad53a32319d47cc17da93ae
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive			g	F	0.323301	96175b9017751220e5eda66264cd28f9fb70834493f40bc53b30abe3dfdc61f2	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	0ad53a32319d47cc17da93ae
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive			g	Fbar	-0.293431	6ddff6c0e53f1b155b0671789e94344f4d15e880ad53a32319d47cc17da93ae	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	0ad53a32319d47cc17da93ae
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive			g	C	0.615317	09d031ba10ff4e789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	0ad53a32319d47cc17da93ae
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive			g	Cbar	-0.631518	1010706ce28d2822d12d7b81d67a5556708b47b99d24d761339e94398ed96b6c	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	0ad53a32319d47cc17da93ae
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive			p	F	0.309564	c6133875fedd14c483a2b1698139070ab78a521717eb0f5ca67bc2a5d0f3774f	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	0ad53a32319d47cc17da93ae
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive			p	Fbar	-0.270097	a31ff58f51ef4d8303b7929ag88c8e7b59644446131588a1dd1ea42fd574198	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	0ad53a32319d47cc17da93ae
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive			p	C	0.596767	d094395d3f600971d151f64a79a5370fb29480162073e57c6d2728183eda13b4	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	0ad53a32319d47cc17da93ae
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive			p	Cbar	-0.608377	9c0a36660b0f65fmi47c5a6176450423144ff6fb01aa84fc23e8dfd65b42d017	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	0ad53a32319d47cc17da93ae
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive			s	F	0.230782	1216db584f31c1cfd10676c7d70567b18eab1ade96693305cda7fd5322d3763	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	0ad53a32319d47cc17da93ae
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	naive			s	Fbar	-0.248625	44d7df52c78d5ff002ced6bmgf7941m0658b8c1423dff20a30851a17b2c0bf8e	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	File:789872c569388966f832ca1d1bc112d46feaa644b057e06cc02	0ad53a32319d47cc17da93ae

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	naive			s	C	0.391922	229d394fa152b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	naive			s	Cbar	-0.4366	240ec8fbacf59c13157870f0d1d0745e98766d65606393f4270b8e399676b	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	naive			a	F	0.063606	cb12bd05020116ca4662891491f93ff77e90df92333417073cd64279a2916a84	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	naive			a	Fbar	-0.201417	cfb75348014e1da709bcfd126632bd8ff5fe14aa00833f0da1644314c0b5da2d2f	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	naive			a	C	0.09201	81ecb394c66630e8d5a2499e97f0960f1ed7c6efb69ee9d3f902ad76b813e66f	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	naive			a	Cbar	-0.297478	3fbd535ce15116cb8eeca48026fb9a33d40aa5f4c50de9aeed78660c87ca4915	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	naive			g	F	0.317736	96175b901701220e5eda66264cd28f5b70834493f40bc53b30abe3dfdc61f2	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	naive			g	Fbar	-0.294003	6ddff6c0e571413155b6071789e04344f45815e880ad53a32319d47cc17da93ae	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	naive			g	C	0.60793	09d031ba17f1e789872e509e38960f532ea1d1bc112d46feaa644b057e06cc02	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	naive			g	Cbar	-0.633344	1010706ce2802822d12d7b8167a55b5e08b47b99d24d761339e94398ed96b6c	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	naive			p	F	0.303779	c6133875fed014c483e21e16981360706ab78a521717eb0f5ca67bc2a5d0f3774f	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	naive			p	Fbar	-0.270723	a31ff58f51ef5830837929ag88c8e67b559644446131588a1dd1ea42fd574198	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	naive			p	C	0.589297	d094395d3f00971af151664n72e3370eb294162073e57c6d2728183eda13b4	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	naive			p	Cbar	-0.61025	9c0a366601d165fmi47c5a67647e02d144ff6fb01aa84fc23e8dfd65b42d017	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	naive			s	F	0.225937	1216db584f031c1cfd19676c7070567b18eab1ade96693305cda7fd5322d3763	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	naive			s	Fbar	-0.249298	44d7df52c7685ff062wed6bmgd794m00658b8c1423dff20a30851a17b2c0bf8e	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	naive			s	C	0.385541	229d394fa152b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	naive			s	Cbar	-0.438724	240ec8fbacf59c13157870f0d1d0745e98766d65606393f4270b8e399676b	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	naive			a	F	0.06185	cb12bd05020116ca4662891491f93ff77e90df92333417073cd64279a2916a84	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	naive			a	Fbar	-0.202066	cfb75348014e1da709bcfd126632bd8ff5fe14aa00833f0da1644314c0b5da2d2f	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	naive			a	C	0.089422	81ecb394c66630e8d5a2499e97f0960f1ed7c6efb69ee9d3f902ad76b813e66f	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	naive			a	Cbar	-0.299766	3fbd535ce15116cb8eeca48026fb9a33d40aa5f4c50de9aeed78660c87ca4915	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	52b3cb512e7957dbff0ad7caf71ac190fbbb025ca5d316e536fe	

Table 53: ImageNet–ResNet-18 results.

cell	dataset	model	split	method	setting	distance model	q	candidate id	sample count	geometry	geometry label	source id	methods	selected individual	ER F g	ER Fbar g	ER C g	ER Cbar g	ER F p	ER Fbar p
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	best_indiv	naive			d1b6f41e1ea50075fc1962dec30a11741774b3f6499aae5192f88fd3c3e118e6	5000	1962dec30a11741774b3f6499aae5192f88fd3c3e118e6					-0.021759	-0.038114	-0.013129	-0.025316	-0.020654	-0.027134
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	simpleavg	naive			a953ca7e087504837436866f50ed2b7a0e665385820c725a69f63635213ea632	5000	7436866f50ed2b7a0e665385820c725a69f63635213ea632					-0.011924	-0.037537	0.011264	-0.035498	-0.017682	-0.037668
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	borda	naive			826314e6481500af29ad7cb208613b98e104aa20edaf5742e10e95f0a9e3aadcd	5000	1500af29ad7cb208613b98e104aa20edaf5742e10e95f0a9e3aadcd					0.008846	-0.023816	0.006638	-0.03203	0.015979	-0.02626
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	kemeny	naive			0ca46955d8b509077fda8a44a23d5875495022738eff16f5d5f7b54e5872c4beb	5000	8b509077fda8a44a23d5875495022738eff16f5d5f7b54e5872c4beb					0.007756	0.007159	-0.000227	0.011126	0.016435	0.007746
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	rrf	naive			385fd791e9a50007b5399e51726c5ebb10ab95942b5df8b9d1a1b612acc7a334	5000	50007b5399e51726c5ebb10ab95942b5df8b9d1a1b612acc7a334					0.002699	-0.001769	-0.005517	-0.005282	0.014036	-0.013503
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	schulze	naive			0dba3c2765e50085a5c7522d7d931618d9b58b4d5d0dc971f73567c1c3cff4a	5000	50085a5c7522d7d931618d9b58b4d5d0dc971f73567c1c3cff4a					0.006064	-0.000397	-0.00233	0.000944	0.013021	-0.013077

Table 54: ImageNet–ResNet-18 results.

cell	dataset	model	split	method	setting	distance model	q	ER C p	ER Cbar p	ER F s	ER Fbar s	ER C s	ER Cbar s	ER F a	ER Fbar a	ER C a	ER Cbar a
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	best_indiv	naive			-0.003305	-0.024804	-0.013926	-0.016828	0.005697	-0.005572	-0.003526	0.002999	-0.018457	0.008166
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	simpleavg	naive			-0.002463	-0.031404	-0.000124	-0.028525	0.007388	-0.022676	0.009031	0.020324	0.014802	0.036792
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	borda	naive			0.007678	-0.016477	0.006325	-0.011654	0.004749	-0.008551	0.000955	0.002898	-0.001823	0.008854
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	kemeny	naive			0.005887	0.013345	0.007155	-0.004472	0.005194	-0.004777	0.004326	-0.000713	0.005066	0.005258
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	rrf	naive			-0.002167	0.000577	0.004618	-0.003175	0.001878	-0.0016	0.001994	0.008417	-0.00221	0.015878
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	schulze	naive			-0.000897	-0.00375	0.008663	-0.003902	0.002459	-0.001476	0.00315	0.000866	0.000178	0.005966

Table 55: ImageNet–ResNet-18 results.

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	dual_geometry_noise		5	g	F	6905661250f60004f	60004f	db16df27c1c8ade1b9348c97acb5c728123076eb600772024		28123076eb600772024	0.1726	0.3286	0.1726	0.3286		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	dual_geometry_noise		5	g	Fbar	6905661250f60004f	60004f	db16df27c1c8ade1b9348c97acb5c728123076eb600772024		28123076eb600772024	0.2698	0.396	-0.2698	-0.396		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	dual_geometry_noise		5	g	C	6905661250f60004f	60004f	db16df27c1c8ade1b9348c97acb5c728123076eb600772024		28123076eb600772024	0.2872	0.6342	0.2872	0.6342		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	dual_geometry_noise		5	g	Cbar	6905661250f60004f	60004f	db16df27c1c8ade1b9348c97acb5c728123076eb600772024		28123076eb600772024	0.4004	0.743	-0.4004	-0.743		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	dual_geometry_noise		5	p	F	6905661250f60004f	60004f	db16df27c1c8ade1b9348c97acb5c728123076eb600772024		28123076eb600772024	0.1726	0.302	0.1726	0.302		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	dual_geometry_noise		5	p	Fbar	6905661250f60004f	60004f	db16df27c1c8ade1b9348c97acb5c728123076eb600772024		28123076eb600772024	0.2698	0.3768	-0.2698	-0.3768		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	dual_geometry_noise		5	p	C	6905661250f60004f	60004f	db16df27c1c8ade1b9348c97acb5c728123076eb600772024		28123076eb600772024	0.2872	0.5958	0.2872	0.5958		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	dual_geometry_noise		5	p	Cbar	6905661250f60004f	60004f	db16df27c1c8ade1b9348c97acb5c728123076eb600772024		28123076eb600772024	0.4004	0.7178	-0.4004	-0.7178		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	dual_geometry_noise		5	s	F	6905661250f60004f	60004f	db16df27c1c8ade1b9348c97acb5c728123076eb600772024		28123076eb600772024	0.1726	0.2448	0.1726	0.2448		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	dual_geometry_noise		5	s	Fbar	6905661250f60004f	60004f	db16df27c1c8ade1b9348c97acb5c728123076eb600772024		28123076eb600772024	0.2698	0.3364	-0.2698	-0.3364		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	dual_geometry_noise		5	s	C	6905661250f60004f	60004f	db16df27c1c8ade1b9348c97acb5c728123076eb600772024		28123076eb600772024	0.2872	0.406	0.2872	0.406		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	dual_geometry_noise		5	s	Cbar	6905661250f60004f	60004f	db16df27c1c8ade1b9348c97acb5c728123076eb600772024		28123076eb600772024	0.4004	0.5304	-0.4004	-0.5304		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	dual_geometry_noise		5	a	F	6905661250f60004f	60004f	db16df27c1c8ade1b9348c97acb5c728123076eb600772024		28123076eb600772024	0.1726	0.0818	0.1726	0.0818		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	dual_geometry_noise		5	a	Fbar	6905661250f60004f	60004f	db16df27c1c8ade1b9348c97acb5c728123076eb600772024		28123076eb600772024	0.2698	0.227	-0.2698	-0.227		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	dual_geometry_noise		5	a	C	6905661250f60004f	60004f	db16df27c1c8ade1b9348c97acb5c728123076eb600772024		28123076eb600772024	0.2872	0.114	0.2872	0.114		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	dual_geometry_noise		5	a	Cbar	6905661250f60004f	60004f	db16df27c1c8ade1b9348c97acb5c728123076eb600772024		28123076eb600772024	0.4004	0.322	-0.4004	-0.322		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	dual_geometry_noise		5	g	F	417ae84889b501038b	6902967c9a5beef95c	1934b5b190f7721fb4de0766033013		7721fb4de0766033013	0.1876	0.3552	0.1876	0.3552		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	dual_geometry_noise		5	g	Fbar	417ae84889b501038b	6902967c9a5beef95c	1934b5b190f7721fb4de0766033013		7721fb4de0766033013	0.1982	0.3282	-0.1982	-0.3282		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	dual_geometry_noise		5	g	C	417ae84889b501038b	6902967c9a5beef95c	1934b5b190f7721fb4de0766033013		7721fb4de0766033013	0.312	0.6526	0.312	0.6526		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	dual_geometry_noise		5	g	Cbar	417ae84889b501038b	6902967c9a5beef95c	1934b5b190f7721fb4de0766033013		7721fb4de0766033013	0.3216	0.6714	-0.3216	-0.6714		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	dual_geometry_noise		5	p	F	417ae84889b501038b	6902967c9a5beef95c	1934b5b190f7721fb4de0766033013		7721fb4de0766033013	0.1876	0.3378	0.1876	0.3378		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	dual_geometry_noise		5	p	Fbar	417ae84889b501038b	6902967c9a5beef95c	1934b5b190f7721fb4de0766033013		7721fb4de0766033013	0.1982	0.3088	-0.1982	-0.3088		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	dual_geometry_noise		5	p	C	417ae84889b501038b	6902967c9a5beef95c	1934b5b190f7721fb4de0766033013		7721fb4de0766033013	0.312	0.6248	0.312	0.6248		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	dual_geometry_noise		5	p	Cbar	417ae84889b501038b	6902967c9a5beef95c	1934b5b190f7721fb4de0766033013		7721fb4de0766033013	0.3216	0.6404	-0.3216	-0.6404		

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	dual_geometry_noise		5	s	F	417ae84889b50038b6902967c9a5beef95c1934b5b190f7721fb4de070002311	50038	b6902967c9a5beef95c1934b5b190f7721fb4de070002311	b6902967c9a5beef95c1934b5b190f7721fb4de070002311	50038	0.1876	0.264	0.1876	0.264		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	dual_geometry_noise		5	s	Fbar	417ae84889b50038b6902967c9a5beef95c1934b5b190f7721fb4de070002327	50038	b6902967c9a5beef95c1934b5b190f7721fb4de070002327	b6902967c9a5beef95c1934b5b190f7721fb4de070002327	50038	0.1982	0.2492	-0.1982	-0.2492		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	dual_geometry_noise		5	s	C	417ae84889b50038b6902967c9a5beef95c1934b5b190f7721fb4de070003316	50038	b6902967c9a5beef95c1934b5b190f7721fb4de070003316	b6902967c9a5beef95c1934b5b190f7721fb4de070003316	50038	0.312	0.4258	0.312	0.4258		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	dual_geometry_noise		5	s	Cbar	417ae84889b50038b6902967c9a5beef95c1934b5b190f7721fb4de070003203	50038	b6902967c9a5beef95c1934b5b190f7721fb4de070003203	b6902967c9a5beef95c1934b5b190f7721fb4de070003203	50038	0.3216	0.4358	-0.3216	-0.4358		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	dual_geometry_noise		5	a	F	417ae84889b50038b6902967c9a5beef95c1934b5b190f7721fb4de070009312	50038	b6902967c9a5beef95c1934b5b190f7721fb4de070009312	b6902967c9a5beef95c1934b5b190f7721fb4de070009312	50038	0.1876	0.0768	0.1876	0.0768		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	dual_geometry_noise		5	a	Fbar	417ae84889b50038b6902967c9a5beef95c1934b5b190f7721fb4de070008445	50038	b6902967c9a5beef95c1934b5b190f7721fb4de070008445	b6902967c9a5beef95c1934b5b190f7721fb4de070008445	50038	0.1982	0.172	-0.1982	-0.172		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	dual_geometry_noise		5	a	C	417ae84889b50038b6902967c9a5beef95c1934b5b190f7721fb4de070003863	50038	b6902967c9a5beef95c1934b5b190f7721fb4de070003863	b6902967c9a5beef95c1934b5b190f7721fb4de070003863	50038	0.312	0.109	0.312	0.109		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	dual_geometry_noise		5	a	Cbar	417ae84889b50038b6902967c9a5beef95c1934b5b190f7721fb4de070002808	50038	b6902967c9a5beef95c1934b5b190f7721fb4de070002808	b6902967c9a5beef95c1934b5b190f7721fb4de070002808	50038	0.3216	0.2496	-0.3216	-0.2496		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	dual_geometry_noise		5	g	F	ebfd37b1acf5002d39da17d7f95fbb5d73592160c50ff895513f761ee792006004	5002d	39da17d7f95fbb5d73592160c50ff895513f761ee792006004	39da17d7f95fbb5d73592160c50ff895513f761ee792006004	5002d	0.1874	0.3578	0.1874	0.3578		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	dual_geometry_noise		5	g	Fbar	ebfd37b1acf5002d39da17d7f95fbb5d73592160c50ff895513f761ee7920067736	5002d	39da17d7f95fbb5d73592160c50ff895513f761ee7920067736	39da17d7f95fbb5d73592160c50ff895513f761ee7920067736	5002d	0.1658	0.2618	-0.1658	-0.2618		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	dual_geometry_noise		5	g	C	ebfd37b1acf5002d39da17d7f95fbb5d73592160c50ff895513f761ee7920065407	5002d	39da17d7f95fbb5d73592160c50ff895513f761ee7920065407	39da17d7f95fbb5d73592160c50ff895513f761ee7920065407	5002d	0.3128	0.6448	0.3128	0.6448		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	dual_geometry_noise		5	g	Cbar	ebfd37b1acf5002d39da17d7f95fbb5d73592160c50ff895513f761ee7920062273	5002d	39da17d7f95fbb5d73592160c50ff895513f761ee7920062273	39da17d7f95fbb5d73592160c50ff895513f761ee7920062273	5002d	0.2872	0.5934	-0.2872	-0.5934		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	dual_geometry_noise		5	p	F	ebfd37b1acf5002d39da17d7f95fbb5d73592160c50ff895513f761ee7920061464	5002d	39da17d7f95fbb5d73592160c50ff895513f761ee7920061464	39da17d7f95fbb5d73592160c50ff895513f761ee7920061464	5002d	0.1874	0.3502	0.1874	0.3502		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	dual_geometry_noise		5	p	Fbar	ebfd37b1acf5002d39da17d7f95fbb5d73592160c50ff895513f761ee7920063128	5002d	39da17d7f95fbb5d73592160c50ff895513f761ee7920063128	39da17d7f95fbb5d73592160c50ff895513f761ee7920063128	5002d	0.1658	0.2342	-0.1658	-0.2342		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	dual_geometry_noise		5	p	C	ebfd37b1acf5002d39da17d7f95fbb5d73592160c50ff895513f761ee7920063766	5002d	39da17d7f95fbb5d73592160c50ff895513f761ee7920063766	39da17d7f95fbb5d73592160c50ff895513f761ee7920063766	5002d	0.3128	0.6284	0.3128	0.6284		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	dual_geometry_noise		5	p	Cbar	ebfd37b1acf5002d39da17d7f95fbb5d73592160c50ff895513f761ee792007919	5002d	39da17d7f95fbb5d73592160c50ff895513f761ee792007919	39da17d7f95fbb5d73592160c50ff895513f761ee792007919	5002d	0.2872	0.5646	-0.2872	-0.5646		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	dual_geometry_noise		5	s	F	ebfd37b1acf5002d39da17d7f95fbb5d73592160c50ff895513f761ee792007959	5002d	39da17d7f95fbb5d73592160c50ff895513f761ee792007959	39da17d7f95fbb5d73592160c50ff895513f761ee792007959	5002d	0.1874	0.272	0.1874	0.272		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	dual_geometry_noise		5	s	Fbar	ebfd37b1acf5002d39da17d7f95fbb5d73592160c50ff895513f761ee7920069856	5002d	39da17d7f95fbb5d73592160c50ff895513f761ee7920069856	39da17d7f95fbb5d73592160c50ff895513f761ee7920069856	5002d	0.1658	0.2104	-0.1658	-0.2104		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	dual_geometry_noise		5	s	C	ebfd37b1acf5002d39da17d7f95fbb5d73592160c50ff895513f761ee792002302	5002d	39da17d7f95fbb5d73592160c50ff895513f761ee792002302	39da17d7f95fbb5d73592160c50ff895513f761ee792002302	5002d	0.3128	0.433	0.3128	0.433		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	dual_geometry_noise		5	s	Cbar	ebfd37b1acf5002d39da17d7f95fbb5d73592160c50ff895513f761ee7920062633	5002d	39da17d7f95fbb5d73592160c50ff895513f761ee7920062633	39da17d7f95fbb5d73592160c50ff895513f761ee7920062633	5002d	0.2872	0.3906	-0.2872	-0.3906		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	dual_geometry_noise		5	a	F	ebfd37b1acf5002d39da17d7f95fbb5d73592160c50ff895513f761ee79200041	5002d	39da17d7f95fbb5d73592160c50ff895513f761ee79200041	39da17d7f95fbb5d73592160c50ff895513f761ee79200041	5002d	0.1874	0.0768	0.1874	0.0768		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	dual_geometry_noise		5	a	Fbar	ebfd37b1acf5002d39da17d7f95fbb5d73592160c50ff895513f761ee792000682	5002d	39da17d7f95fbb5d73592160c50ff895513f761ee792000682	39da17d7f95fbb5d73592160c50ff895513f761ee792000682	5002d	0.1658	0.1386	-0.1658	-0.1386		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	dual_geometry_noise		5	a	C	ebfd37b1acf5002d39da17d7f95fbb5d73592160c50ff895513f761ee792000335	5002d	39da17d7f95fbb5d73592160c50ff895513f761ee792000335	39da17d7f95fbb5d73592160c50ff895513f761ee792000335	5002d	0.3128	0.1074	0.3128	0.1074		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	dual_geometry_noise		5	a	Cbar	ebfd37b1acf5002d39da17d7f95fbb5d73592160c50ff895513f761ee792000721	5002d	39da17d7f95fbb5d73592160c50ff895513f761ee792000721	39da17d7f95fbb5d73592160c50ff895513f761ee792000721	5002d	0.2872	0.2126	-0.2872	-0.2126		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	dual_geometry_noise		5	g	F	8a798b9bf24000100689f0f90a711418ca197800928b6645b1fb420070098269	40001	00689f0f90a711418ca197800928b6645b1fb420070098269	00689f0f90a711418ca197800928b6645b1fb420070098269	40001	0.1886	0.3532	0.1886	0.3532		

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	dual_geometry_noise		5	g	Fbar	8a798b9bf2406091	00689f0f90a7	711418ca197800928b6645bdfb42007a1985123				0.1868	0.3012	-0.1868	-0.3012	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	dual_geometry_noise		5	g	C	8a798b9bf2406091	00689f0f90a7	711418ca197800928b6645bdfb42007a1985126				0.3152	0.6504	0.3152	0.6504	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	dual_geometry_noise		5	g	Cbar	8a798b9bf2406091	00689f0f90a7	711418ca197800928b6645bdfb42007a1985107				0.3094	0.6418	-0.3094	-0.6418	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	dual_geometry_noise		5	p	F	8a798b9bf2406091	00689f0f90a7	711418ca197800928b6645bdfb42007a1985102				0.1886	0.3458	0.1886	0.3458	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	dual_geometry_noise		5	p	Fbar	8a798b9bf2406091	00689f0f90a7	711418ca197800928b6645bdfb42007a1985126				0.1868	0.2834	-0.1868	-0.2834	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	dual_geometry_noise		5	p	C	8a798b9bf2406091	00689f0f90a7	711418ca197800928b6645bdfb42007a1985104				0.3152	0.6306	0.3152	0.6306	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	dual_geometry_noise		5	p	Cbar	8a798b9bf2406091	00689f0f90a7	711418ca197800928b6645bdfb42007a1985128				0.3094	0.6166	-0.3094	-0.6166	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	dual_geometry_noise		5	s	F	8a798b9bf2406091	00689f0f90a7	711418ca197800928b6645bdfb42007a1985144				0.1886	0.2708	0.1886	0.2708	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	dual_geometry_noise		5	s	Fbar	8a798b9bf2406091	00689f0f90a7	711418ca197800928b6645bdfb42007a1985151				0.1868	0.2336	-0.1868	-0.2336	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	dual_geometry_noise		5	s	C	8a798b9bf2406091	00689f0f90a7	711418ca197800928b6645bdfb42007a1985143				0.3152	0.4298	0.3152	0.4298	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	dual_geometry_noise		5	s	Cbar	8a798b9bf2406091	00689f0f90a7	711418ca197800928b6645bdfb42007a1985152				0.3094	0.4174	-0.3094	-0.4174	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	dual_geometry_noise		5	a	F	8a798b9bf2406091	00689f0f90a7	711418ca197800928b6645bdfb42007a1985124				0.1886	0.0784	0.1886	0.0784	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	dual_geometry_noise		5	a	Fbar	8a798b9bf2406091	00689f0f90a7	711418ca197800928b6645bdfb42007a1985121				0.1868	0.1548	-0.1868	-0.1548	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	dual_geometry_noise		5	a	C	8a798b9bf2406091	00689f0f90a7	711418ca197800928b6645bdfb42007a1985127				0.3152	0.1102	0.3152	0.1102	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	dual_geometry_noise		5	a	Cbar	8a798b9bf2406091	00689f0f90a7	711418ca197800928b6645bdfb42007a1985121				0.3094	0.234	-0.3094	-0.234	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	dual_geometry_noise		5	g	F	0e4e526d4bcd3101aa	497bc38c707a2a2405e3f5bb3d4531adcd05cf0c5e06067913				0.1876	0.3562	0.1876	0.3562		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	dual_geometry_noise		5	g	Fbar	0e4e526d4bcd3101aa	497bc38c707a2a2405e3f5bb3d4531adcd05cf0c5e06067913				0.2018	0.3194	-0.2018	-0.3194		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	dual_geometry_noise		5	g	C	0e4e526d4bcd3101aa	497bc38c707a2a2405e3f5bb3d4531adcd05cf0c5e06067913				0.312	0.649	0.312	0.649		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	dual_geometry_noise		5	g	Cbar	0e4e526d4bcd3101aa	497bc38c707a2a2405e3f5bb3d4531adcd05cf0c5e06067913				0.3258	0.6594	-0.3258	-0.6594		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	dual_geometry_noise		5	p	F	0e4e526d4bcd3101aa	497bc38c707a2a2405e3f5bb3d4531adcd05cf0c5e0606585				0.1876	0.3454	0.1876	0.3454		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	dual_geometry_noise		5	p	Fbar	0e4e526d4bcd3101aa	497bc38c707a2a2405e3f5bb3d4531adcd05cf0c5e06067913				0.2018	0.3014	-0.2018	-0.3014		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	dual_geometry_noise		5	p	C	0e4e526d4bcd3101aa	497bc38c707a2a2405e3f5bb3d4531adcd05cf0c5e06065017				0.312	0.633	0.312	0.633		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	dual_geometry_noise		5	p	Cbar	0e4e526d4bcd3101aa	497bc38c707a2a2405e3f5bb3d4531adcd05cf0c5e06065017				0.3258	0.633	-0.3258	-0.633		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	dual_geometry_noise		5	s	F	0e4e526d4bcd3101aa	497bc38c707a2a2405e3f5bb3d4531adcd05cf0c5e060642405				0.1876	0.2664	0.1876	0.2664		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	dual_geometry_noise		5	s	Fbar	0e4e526d4bcd3101aa	497bc38c707a2a2405e3f5bb3d4531adcd05cf0c5e060642405				0.2018	0.2508	-0.2018	-0.2508		

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	dual_geometry_noise		5	s	C	0e4e526d4bd5010aa	497bc38c707a2a2405e3f5bb3d4531	adcd05cf0c56ca17437	0.312	0.427	-0.3258	-0.4368				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	dual_geometry_noise		5	s	Cbar	0e4e526d4bd5010aa	497bc38c707a2a2405e3f5bb3d4531	adcd05cf0c56ca17437	0.3258	0.4368	-0.3258	-0.4368				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	dual_geometry_noise		5	a	F	0e4e526d4bd5010aa	497bc38c707a2a2405e3f5bb3d4531	adcd05cf0c56ca17437	0.1876	0.0784	0.1876	0.0784				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	dual_geometry_noise		5	a	Fbar	0e4e526d4bd5010aa	497bc38c707a2a2405e3f5bb3d4531	adcd05cf0c56ca17437	0.2018	0.1666	-0.2018	-0.1666				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	dual_geometry_noise		5	a	C	0e4e526d4bd5010aa	497bc38c707a2a2405e3f5bb3d4531	adcd05cf0c56ca17437	0.312	0.1104	0.312	0.1104				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	dual_geometry_noise		5	a	Cbar	0e4e526d4bd5010aa	497bc38c707a2a2405e3f5bb3d4531	adcd05cf0c56ca17437	0.3258	0.246	-0.3258	-0.246				

Table 56: ImageNet–ResNet-18 results.

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	simpleavg	dual_geometry_noise		5	g	F	0.340924	96175b901775220a5eda66094a12819cf	66094a12819cf	66094a12819cf	70834493f40bc53b30abe3dfdc61f2
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	simpleavg	dual_geometry_noise		5	g	Fbar	-0.34318	6ddff6c0e5314315610071589e94344d158	15610071589e94344d158	15610071589e94344d158	0ad53a32319d47cc17da93ae
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	simpleavg	dual_geometry_noise		5	g	C	0.62384	09d031ba10ff1e769872e569388976782da	569388976782da	569388976782da	112d46feaa644b057e06cc02
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	simpleavg	dual_geometry_noise		5	g	Cbar	-0.684465	1010706ce289282042d7b81g167a55856798b	289282042d7b81g167a55856798b	289282042d7b81g167a55856798b	99d24d761339e94398ed96b6c
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	simpleavg	dual_geometry_noise		5	p	F	0.327882	c6133875fcdd04c480e2b4698136070ab7	4c480e2b4698136070ab7	4c480e2b4698136070ab7	717eb0f5ca67bc2a5d0f3774f
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	simpleavg	dual_geometry_noise		5	p	Fbar	-0.32454	a31ff58f51efdd8303b7920ng88c8e6f7b59	303b7920ng88c8e6f7b59	303b7920ng88c8e6f7b59	64446131588a1dd1ea42fd574198
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	simpleavg	dual_geometry_noise		5	p	C	0.605387	d094395d3f600971d15464672e8370cb22	600971d15464672e8370cb22	600971d15464672e8370cb22	480162073e57c6d2728183eda13b4
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	simpleavg	dual_geometry_noise		5	p	Cbar	-0.662695	9c0a36660b0f65fmi47d5a61764f5042214	0f65fmi47d5a61764f5042214	0f65fmi47d5a61764f5042214	4ff6fb01aa84fc23e8dfd65b42d017
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	simpleavg	dual_geometry_noise		5	s	F	0.246124	1216db584cf031c5d0676e70705677d8e	31c5d0676e70705677d8e	31c5d0676e70705677d8e	ab1ade96693305cda7fd5322d3763
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	simpleavg	dual_geometry_noise		5	s	Fbar	-0.307154	44d7df52c7885ff002ced16bndf794bnd06	ff002ced16bndf794bnd06	ff002ced16bndf794bnd06	58c1423dff20a30851a17b2c0bf8e
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	simpleavg	dual_geometry_noise		5	s	C	0.399285	229d394fa15333ab51e79779b7f1ad7ca	33ab51e79779b7f1ad7ca	33ab51e79779b7f1ad7ca	71ac190fbbb025ca5d316e536fe
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	simpleavg	dual_geometry_noise		5	s	Cbar	-0.498207	240ec8fbacfed9ca13155870981df07745e	ca13155870981df07745e	ca13155870981df07745e	98766d65606393f4270b8e399676b
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	simpleavg	dual_geometry_noise		5	a	F	0.069169	cb12bd050200a0c49602894b1f926ff77	00a0c49602894b1f926ff77	00a0c49602894b1f926ff77	f90df92333417073cd64279a2916a84
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	simpleavg	dual_geometry_noise		5	a	Fbar	-0.257847	cfb75348014e1dca709b5fd32682b08f05d	1dca709b5fd32682b08f05d	1dca709b5fd32682b08f05d	4aa00833f0da1644314c0b5da2d2f
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	simpleavg	dual_geometry_noise		5	a	C	0.094995	81ecb394c666303dfe249e97f0960f1e4	0303dfe249e97f0960f1e4	0303dfe249e97f0960f1e4	7c6efb69ec9d3f902ad76b813e66f
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	simpleavg	dual_geometry_noise		5	a	Cbar	-0.363839	3fbd535ce15dd46b8d9e4802bf9a87d440	46b8d9e4802bf9a87d440	46b8d9e4802bf9a87d440	aa5f4c50de9aecd78660c87ca4915
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	borda	dual_geometry_noise		5	g	F	0.364113	96175b901775220a5eda66094a12819cf	66094a12819cf	66094a12819cf	70834493f40bc53b30abe3dfdc61f2
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	borda	dual_geometry_noise		5	g	Fbar	-0.274942	6ddff6c0e5314315610071589e94344d158	15610071589e94344d158	15610071589e94344d158	0ad53a32319d47cc17da93ae
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	borda	dual_geometry_noise		5	g	C	0.65907	09d031ba10ff1e769872e569388976782da	569388976782da	569388976782da	112d46feaa644b057e06cc02
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	borda	dual_geometry_noise		5	g	Cbar	-0.61253	1010706ce289282042d7b81g167a55856798b	289282042d7b81g167a55856798b	289282042d7b81g167a55856798b	99d24d761339e94398ed96b6c
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	borda	dual_geometry_noise		5	p	F	0.351985	c6133875fcdd04c480e2b4698136070ab7	4c480e2b4698136070ab7	4c480e2b4698136070ab7	717eb0f5ca67bc2a5d0f3774f
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	borda	dual_geometry_noise		5	p	Fbar	-0.249864	a31ff58f51efdd8303b7920ng88c8e6f7b59	303b7920ng88c8e6f7b59	303b7920ng88c8e6f7b59	64446131588a1dd1ea42fd574198
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	borda	dual_geometry_noise		5	p	C	0.641017	d094395d3f600971d15464672e8370cb22	600971d15464672e8370cb22	600971d15464672e8370cb22	480162073e57c6d2728183eda13b4
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	borda	dual_geometry_noise		5	p	Cbar	-0.588897	9c0a36660b0f65fmi47d5a61764f5042214	0f65fmi47d5a61764f5042214	0f65fmi47d5a61764f5042214	4ff6fb01aa84fc23e8dfd65b42d017

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	dual_geometry_noise		5	s	F	0.266311	1216db584f6b31c1e5d19576e76705677de8eab1ade	96693305cda7fd5322d3763			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	dual_geometry_noise		5	s	Fbar	-0.226873	44d7df52c78d5ff902ced6bngd794bnd70678b8c14	23df20a30851a17b2c0bf8e			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	dual_geometry_noise		5	s	C	0.429716	229d394fa15333cb512e7977bbff1c0d71ac	190fbbb025ca5d316e536fe			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	dual_geometry_noise		5	s	Cbar	-0.414507	240ec8fbac4e09c1315585709b1d4f0745e98766d	65606393f4270b8e399676b			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	dual_geometry_noise		5	a	F	0.076488	cb12bd05020d6c49662894f81f995b77f90df9	2333417073cd64279a2916a84			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	dual_geometry_noise		5	a	Fbar	-0.180445	cfb75348014e1da709bcfd3gc82b485bf14aa0	833f0da1644314c0b5da2d2f			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	dual_geometry_noise		5	a	C	0.107337	81ecb394c6f630c3dfe2499c97f0960f1re	47c6efb69ee9d3f902ad76b813e66f			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	dual_geometry_noise		5	a	Cbar	-0.27368	3fbd535ce14446b6dce4802bf9b829d40aa5f4	c50de9aecd78660c87ca4915			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	dual_geometry_noise		5	g	F	0.363804	96175b901875220e5eda66234e4288f9c6b	70834493f40bc53b30abe3dfdc61f2			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	dual_geometry_noise		5	g	Fbar	-0.244064	6ddff6c0e5343154b0071782ce943441455	80ad53a32319d47cc17da93ae			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	dual_geometry_noise		5	g	C	0.660207	09d031ba10f1c769872c560938976131da1d1bc	112d46feaa644b057e06cc02			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	dual_geometry_noise		5	g	Cbar	-0.581127	1010706ce28028242e7b81d67a558567e8b47b	99d24d761339e94398ed96b6c			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	dual_geometry_noise		5	p	F	0.351664	c6133875feddd14e4802b469843997fbb78a521	717eb0f5ca67bc2a5d0f3774f			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	dual_geometry_noise		5	p	Fbar	-0.216072	a31ff58f51ef4d8303179229ng8c8c607b5964444	6131588a1dd1ea42fd574198			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	dual_geometry_noise		5	p	C	0.642166	d094395d3ff60971d154654b72e837c0db2248016	2073c57c6d2728183eda13b4			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	dual_geometry_noise		5	p	Cbar	-0.556681	9c0a36660bf565fmi47d35a61764f504291d44f6fb	01aa84fc23e8dfd65b42d017			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	dual_geometry_noise		5	s	F	0.266041	1216db584f6b31c1e5d19576e76705677de8eab1ade	96693305cda7fd5322d3763			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	dual_geometry_noise		5	s	Fbar	-0.190544	44d7df52c78d5ff902ced6bngd794bnd70678b8c14	23df20a30851a17b2c0bf8e			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	dual_geometry_noise		5	s	C	0.430698	229d394fa15333cb512e7977bbff1c0d71ac	190fbbb025ca5d316e536fe			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	dual_geometry_noise		5	s	Cbar	-0.377967	240ec8fbac4e09c1315585709b1d4f0745e98766d	65606393f4270b8e399676b			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	dual_geometry_noise		5	a	F	0.07639	cb12bd05020d6c49662894f81f995b77f90df9	2333417073cd64279a2916a84			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	dual_geometry_noise		5	a	Fbar	-0.14542	cfb75348014e1da709bcfd3gc82b485bf14aa0	833f0da1644314c0b5da2d2f			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	dual_geometry_noise		5	a	C	0.107735	81ecb394c6f630c3dfe2499c97f0960f1re	47c6efb69ee9d3f902ad76b813e66f			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	dual_geometry_noise		5	a	Cbar	-0.234321	3fbd535ce14446b6dce4802bf9b829d40aa5f4	c50de9aecd78660c87ca4915			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	dual_geometry_noise		5	g	F	0.365659	96175b901875220e5eda66234e4288f9c6b	70834493f40bc53b30abe3dfdc61f2			

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	dual_geometry_noise		5	g	Fbar	-0.264077	6ddff6c0e53f4b3155b0071582e9434f4d15e880ad53a32319d47cc17da93ae	09d031ba10ff1e769872e56938896613da1d1bc112d46feaa644b057e06cc02	1010706ce28d282042d7b81d67a55856798b47b99d24d761339e94398ed96b6c	0.663616
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	dual_geometry_noise		5	g	C	0.663616	09d031ba10ff1e769872e56938896613da1d1bc112d46feaa644b057e06cc02	1010706ce28d282042d7b81d67a55856798b47b99d24d761339e94398ed96b6c	-0.601393	0.353592
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	dual_geometry_noise		5	g	Cbar	-0.601393	1010706ce28d282042d7b81d67a55856798b47b99d24d761339e94398ed96b6c	0.663616	-0.601393	0.353592
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	dual_geometry_noise		5	p	F	0.353592	c6133875fedd04c480e2b46981399076b78a521717eb0f5ca67bc2a5d0f3774f	1010706ce28d282042d7b81d67a55856798b47b99d24d761339e94398ed96b6c	-0.601393	0.353592
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	dual_geometry_noise		5	p	Fbar	-0.237974	a31ff58f51ef4d8303b7929a88c8c6e7b59644446131588a1dd1ea42fd574198	1010706ce28d282042d7b81d67a55856798b47b99d24d761339e94398ed96b6c	-0.601393	0.353592
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	dual_geometry_noise		5	p	C	0.645614	d094395d3f60d971d15464c72e837cd0b22480162073e57c6d2728183eda13b4	1010706ce28d282042d7b81d67a55856798b47b99d24d761339e94398ed96b6c	-0.601393	0.353592
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	dual_geometry_noise		5	p	Cbar	-0.577472	9c0a36660b0f65fmi4745a6176450d2144ff6fb01aa84fc23e8dfd65b42d017	1010706ce28d282042d7b81d67a55856798b47b99d24d761339e94398ed96b6c	-0.601393	0.353592
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	dual_geometry_noise		5	s	F	0.267656	1216db584d3d1cndf0676cng70705677de8eab1ade96693305cda7fd5322d3763	1010706ce28d282042d7b81d67a55856798b47b99d24d761339e94398ed96b6c	-0.601393	0.353592
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	dual_geometry_noise		5	s	Fbar	-0.21409	44d7df52c78d5ff902ced6bngd794b40658b8c1423dff20a30851a17b2c0bf8e	1010706ce28d282042d7b81d67a55856798b47b99d24d761339e94398ed96b6c	-0.601393	0.353592
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	dual_geometry_noise		5	s	C	0.433643	229d394fa15333cbb512e79770b7f1cda0fca71ac190fbbb025ca5d316e536fe	1010706ce28d282042d7b81d67a55856798b47b99d24d761339e94398ed96b6c	-0.601393	0.353592
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	dual_geometry_noise		5	s	Cbar	-0.401548	240ec8fbac4c09c13155850f0bd1f0c7f45e98766d65606393f4270b8e399676b	1010706ce28d282042d7b81d67a55856798b47b99d24d761339e94398ed96b6c	-0.601393	0.353592
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	dual_geometry_noise		5	a	F	0.076976	cb12bd05020d16c4d6628948a1f995b77df90df92333417073cd64279a2916a84	1010706ce28d282042d7b81d67a55856798b47b99d24d761339e94398ed96b6c	-0.601393	0.353592
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	dual_geometry_noise		5	a	Fbar	-0.168121	cfb75348014e1da709bfc32a6821b5e4f14aa0833f0da1644314c0b5da2d2f	1010706ce28d282042d7b81d67a55856798b47b99d24d761339e94398ed96b6c	-0.601393	0.353592
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	dual_geometry_noise		5	a	C	0.108929	81ecb394c6f6303ddfe249e97f0960ff1ac47c6efb69ee9d3f902ad76b813e66f	1010706ce28d282042d7b81d67a55856798b47b99d24d761339e94398ed96b6c	-0.601393	0.353592
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	dual_geometry_noise		5	a	Cbar	-0.259721	3fbd535ce14446b0d9ea48021fb9b29440aa5f4c50de9aeed78660c87ca4915	1010706ce28d282042d7b81d67a55856798b47b99d24d761339e94398ed96b6c	-0.601393	0.353592
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	dual_geometry_noise		5	g	F	0.364113	96175b901375220e5eda66234a428d9c0f70834493f40bc53b30abe3dfdc61f2	1010706ce28d282042d7b81d67a55856798b47b99d24d761339e94398ed96b6c	-0.601393	0.353592
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	dual_geometry_noise		5	g	Fbar	-0.278373	6ddff6c0e53f4b3155b0071582e9434f4d15e880ad53a32319d47cc17da93ae	09d031ba10ff1e769872e56938896613da1d1bc112d46feaa644b057e06cc02	1010706ce28d282042d7b81d67a55856798b47b99d24d761339e94398ed96b6c	0.663616
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	dual_geometry_noise		5	g	C	0.65907	09d031ba10ff1e769872e56938896613da1d1bc112d46feaa644b057e06cc02	1010706ce28d282042d7b81d67a55856798b47b99d24d761339e94398ed96b6c	-0.601393	0.353592
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	dual_geometry_noise		5	g	Cbar	-0.616364	1010706ce28d282042d7b81d67a55856798b47b99d24d761339e94398ed96b6c	0.663616	-0.601393	0.353592
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	dual_geometry_noise		5	p	F	0.351985	c6133875fedd04c480e2b46981399076b78a521717eb0f5ca67bc2a5d0f3774f	1010706ce28d282042d7b81d67a55856798b47b99d24d761339e94398ed96b6c	-0.601393	0.353592
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	dual_geometry_noise		5	p	Fbar	-0.253618	a31ff58f51ef4d8303b7929a88c8c6e7b59644446131588a1dd1ea42fd574198	1010706ce28d282042d7b81d67a55856798b47b99d24d761339e94398ed96b6c	-0.601393	0.353592
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	dual_geometry_noise		5	p	C	0.641017	d094395d3f60d971d15464c72e837cd0b22480162073e57c6d2728183eda13b4	1010706ce28d282042d7b81d67a55856798b47b99d24d761339e94398ed96b6c	-0.601393	0.353592
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	dual_geometry_noise		5	p	Cbar	-0.592831	9c0a36660b0f65fmi4745a6176450d2144ff6fb01aa84fc23e8dfd65b42d017	1010706ce28d282042d7b81d67a55856798b47b99d24d761339e94398ed96b6c	-0.601393	0.353592
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	dual_geometry_noise		5	s	F	0.266311	1216db584d3d1cndf0676cng70705677de8eab1ade96693305cda7fd5322d3763	1010706ce28d282042d7b81d67a55856798b47b99d24d761339e94398ed96b6c	-0.601393	0.353592
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	dual_geometry_noise		5	s	Fbar	-0.230909	44d7df52c78d5ff902ced6bngd794b40658b8c1423dff20a30851a17b2c0bf8e	1010706ce28d282042d7b81d67a55856798b47b99d24d761339e94398ed96b6c	-0.601393	0.353592

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	dual_geometry_noise		5	s	C	0.429716	229d394fa1533c3b512e7975b1f1c4a7	full	full	190fbb025ca5d316e536fe
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	dual_geometry_noise		5	s	Cbar	-0.418968	240ec8fbacfe10c13155870f081d1f07f45e9	full	full	d65606393f4270b8e399676b
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	dual_geometry_noise		5	a	F	0.076488	cb12bd050201b6c4d6628949a1f935b72f90df9	full	full	2333417073cd64279a2916a84
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	dual_geometry_noise		5	a	Fbar	-0.184337	cfb75348014e1da709bcfd3a6821b274514aa0	full	full	0833f0da1644314c0b5da2d2f
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	dual_geometry_noise		5	a	C	0.107337	81ecb394c6630a3dfee249e97f0960f11e4	full	full	7c6efb69ee9d3f902ad76b813e66f
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	dual_geometry_noise		5	a	Cbar	-0.278485	3fbd535ce14446b3e9e48024f9a29440aa5f4	full	full	c50de9aced78660c87ca4915

Table 57: ImageNet–ResNet-18 results.

cell	dataset	model	split	method	setting	distance model	q	candidate id	sample count	geometry	geometry label	source id	methods	selected individual	ER F g	ER Fbar g	ER C g	ER Cbar g	ER F p	ER Fbar p
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	simpleavg	dual_geometry_noise		5	6905661250f6b064fdbb16df27c1c8ade1b9348c97acb5c7281230775ec1670374	6000	db16df27c1c8ade1b9348c97acb5c7281230775ec1670374	DeepLift	Shap	DeepLift	Shap	DeepLift	Shap	DeepLift	Shap	DeepLift	Shap
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	borda	dual_geometry_noise		5	417ae84889b500038b6902967c8a5beef95c1934b5b190c772d6b44b0c160313	6000	b6902967c8a5beef95c1934b5b190c772d6b44b0c160313	DeepLift	Shap	DeepLift	Shap	DeepLift	Shap	DeepLift	Shap	DeepLift	Shap
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	kemeny	dual_geometry_noise		5	ebfd37b1acf50002d39da17d7f85fbb5d73592160c50ff8351235763ec1670374	6000	d39da17d7f85fbb5d73592160c50ff8351235763ec1670374	DeepLift	Shap	DeepLift	Shap	DeepLift	Shap	DeepLift	Shap	DeepLift	Shap
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	rrf	dual_geometry_noise		5	8a798b9bf2246003100689f0f90a711418ca197800928b66c55d6b44b0c160313	6000	f0f90a711418ca197800928b66c55d6b44b0c160313	DeepLift	Shap	DeepLift	Shap	DeepLift	Shap	DeepLift	Shap	DeepLift	Shap
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	schulze	dual_geometry_noise		5	0e4e526d4bd3000aa497bc38c707a2a2405e3f5bb3d453161c0e5d6c1670374	6000	a497bc38c707a2a2405e3f5bb3d453161c0e5d6c1670374	DeepLift	Shap	DeepLift	Shap	DeepLift	Shap	DeepLift	Shap	DeepLift	Shap

Table 58: ImageNet–ResNet-18 results.

cell	dataset	model	split	method	setting	distance model	q	ER C p	ER Cbar p	ER F s	ER Fbar s	ER C s	ER Cbar s	ER F a	ER Fbar a	ER C a	ER Cbar a
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	simpleavg	dual_geometry_noise		5	-0.009587	-0.055105	-0.001324	-0.029246	0.006715	-0.032193	0.012631	0.030847	0.019005	0.041839
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	borda	dual_geometry_noise		5	-0.016217	-0.051503	-0.002311	-0.022327	-0.003916	-0.021293	0.000312	0.008445	0.001663	0.02408
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	kemeny	dual_geometry_noise		5	-0.013766	-0.007919	0.005959	-0.019856	0.002302	-0.012633	0.00041	0.00682	-0.000335	0.021721
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	rrf	dual_geometry_noise		5	-0.015014	-0.039128	0.003144	-0.01951	-0.003843	-0.015852	0.001424	0.013321	0.001271	0.025721
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	schulze	dual_geometry_noise		5	-0.008017	-0.040169	8.9402e-05	-0.019891	-0.002716	-0.017832	0.001912	0.017737	0.003063	0.032485

Table 59: ImageNet–ResNet-18 results.

cell	condition	metric	curve id	excluded method	reference count	fit model	slope	unconstrained slope	slope was constrained	intercept	residual sum squares	residual standard deviation	r squared	clean min	clean max	perturbed min	perturbed max	reference methods
ImageNet–ImageNet-resnet18	g	C	09d031ba10ff4e789872e569338956182e91d1dc1408385f0d1449357896789		56182e91d1dc1408385f0d1449357896789	fit model	slope	unconstrained slope	slope was constrained	intercept	residual sum squares	residual standard deviation	r squared	clean min	clean max	perturbed min	perturbed max	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	g	Cbar	1010706ce289282242d7b81df7af5e565f08b4f7699823873130091238495		56565f08b4f7699823873130091238495	fit model	slope	unconstrained slope	slope was constrained	intercept	residual sum squares	residual standard deviation	r squared	clean min	clean max	perturbed min	perturbed max	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	s	F	1216db5846b3decfd9576ec70705f09dce8ab1d1906993305113275122d3792		709dce8ab1d1906993305113275122d3792	fit model	slope	unconstrained slope	slope was constrained	intercept	residual sum squares	residual standard deviation	r squared	clean min	clean max	perturbed min	perturbed max	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	s	C	229d394fa15363cb512e7977b9ff1a9d7e94711d193734103518277074e53f9		7977b9ff1a9d7e94711d193734103518277074e53f9	fit model	slope	unconstrained slope	slope was constrained	intercept	residual sum squares	residual standard deviation	r squared	clean min	clean max	perturbed min	perturbed max	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	s	Cbar	240ec8fbacae59c1315787010ddff7545e9876c1068067993f10709387936751		7545e9876c1068067993f10709387936751	fit model	slope	unconstrained slope	slope was constrained	intercept	residual sum squares	residual standard deviation	r squared	clean min	clean max	perturbed min	perturbed max	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	a	Cbar	3fbfd535ce1abe6b8eeea48021fb938a944a5f4d304d6e7b6694d37a2d93		8a944a5f4d304d6e7b6694d37a2d93	fit model	slope	unconstrained slope	slope was constrained	intercept	residual sum squares	residual standard deviation	r squared	clean min	clean max	perturbed min	perturbed max	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	s	Fbar	44d7df52c7485ff902acd6ba1d794b0a06783b1d4204f34030512172401f9		0a06783b1d4204f34030512172401f9	fit model	slope	unconstrained slope	slope was constrained	intercept	residual sum squares	residual standard deviation	r squared	clean min	clean max	perturbed min	perturbed max	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	g	Fbar	6ddff6c0e5314315fb9071782e9434f04583f088098339433400b59147cd195		4f04583f088098339433400b59147cd195	fit model	slope	unconstrained slope	slope was constrained	intercept	residual sum squares	residual standard deviation	r squared	clean min	clean max	perturbed min	perturbed max	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	a	C	81ecb394c6c630e3dfaa299497f09960110e7c7f60905628349004470313e35		960110e7c7f60905628349004470313e35	fit model	slope	unconstrained slope	slope was constrained	intercept	residual sum squares	residual standard deviation	r squared	clean min	clean max	perturbed min	perturbed max	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	g	F	96175b901875220e5eda6234ad28b9e7c708344585404153118545894fd93d2		28b9e7c708344585404153118545894fd93d2	fit model	slope	unconstrained slope	slope was constrained	intercept	residual sum squares	residual standard deviation	r squared	clean min	clean max	perturbed min	perturbed max	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	p	Cbar	9c0a36660b1565fe147d5a617647a4231d44f5960936549234640951912d157		4231d44f5960936549234640951912d157	fit model	slope	unconstrained slope	slope was constrained	intercept	residual sum squares	residual standard deviation	r squared	clean min	clean max	perturbed min	perturbed max	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	p	Fbar	a31ff58f51ef458303b7929a188c8e65b598443401032963ad11e4226157d19		65b598443401032963ad11e4226157d19	fit model	slope	unconstrained slope	slope was constrained	intercept	residual sum squares	residual standard deviation	r squared	clean min	clean max	perturbed min	perturbed max	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	p	F	c6133875fedd04c430a2b4608136976ab78a5347370fb9f3c067140793806377		76ab78a5347370fb9f3c067140793806377	fit model	slope	unconstrained slope	slope was constrained	intercept	residual sum squares	residual standard deviation	r squared	clean min	clean max	perturbed min	perturbed max	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	a	F	cb12bd05020da6c496628949df021d157690d8238308707810449793929118		1d157690d8238308707810449793929118	fit model	slope	unconstrained slope	slope was constrained	intercept	residual sum squares	residual standard deviation	r squared	clean min	clean max	perturbed min	perturbed max	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	a	Fbar	cfb75348014eada709bcfd316321d81df114410d583025b6d118910751d1238		1df114410d583025b6d118910751d1238	fit model	slope	unconstrained slope	slope was constrained	intercept	residual sum squares	residual standard deviation	r squared	clean min	clean max	perturbed min	perturbed max	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap
ImageNet–ImageNet-resnet18	p	C	d094395d3fe0f971151f64c72a837cfb2248016207660025cd21280509a125		fb2248016207660025cd21280509a125	fit model	slope	unconstrained slope	slope was constrained	intercept	residual sum squares	residual standard deviation	r squared	clean min	clean max	perturbed min	perturbed max	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap

Table 60: ImageNet–ResNet-18 results.

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE-S		4	g	F	9e54e048fba33006aef60ce62ca7e4d93E58c	33006aef60ce62ca7e4d93E58c	NOISE-S	089259591a1b074ca645180f02d1	089259591a1b074ca645180f02d1	0.1804	0.3336	0.1804	0.3336		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE-S		4	g	Fbar	9e54e048fba33006aef60ce62ca7e4d93E58c	33006aef60ce62ca7e4d93E58c	NOISE-S	089259591a1b074ca645180f02d1	089259591a1b074ca645180f02d1	0.238	0.3558	-0.238	-0.3558		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE-S		4	g	C	9e54e048fba33006aef60ce62ca7e4d93E58c	33006aef60ce62ca7e4d93E58c	NOISE-S	089259591a1b074ca645180f02d1	089259591a1b074ca645180f02d1	0.3024	0.6396	0.3024	0.6396		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE-S		4	g	Cbar	9e54e048fba33006aef60ce62ca7e4d93E58c	33006aef60ce62ca7e4d93E58c	NOISE-S	089259591a1b074ca645180f02d1	089259591a1b074ca645180f02d1	0.3706	0.6988	-0.3706	-0.6988		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE-S		4	p	F	9e54e048fba33006aef60ce62ca7e4d93E58c	33006aef60ce62ca7e4d93E58c	NOISE-S	089259591a1b074ca645180f02d1	089259591a1b074ca645180f02d1	0.1804	0.319	0.1804	0.319		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE-S		4	p	Fbar	9e54e048fba33006aef60ce62ca7e4d93E58c	33006aef60ce62ca7e4d93E58c	NOISE-S	089259591a1b074ca645180f02d1	089259591a1b074ca645180f02d1	0.238	0.3414	-0.238	-0.3414		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE-S		4	p	C	9e54e048fba33006aef60ce62ca7e4d93E58c	33006aef60ce62ca7e4d93E58c	NOISE-S	089259591a1b074ca645180f02d1	089259591a1b074ca645180f02d1	0.3024	0.611	0.3024	0.611		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE-S		4	p	Cbar	9e54e048fba33006aef60ce62ca7e4d93E58c	33006aef60ce62ca7e4d93E58c	NOISE-S	089259591a1b074ca645180f02d1	089259591a1b074ca645180f02d1	0.3706	0.6804	-0.3706	-0.6804		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE-S		4	s	F	9e54e048fba33006aef60ce62ca7e4d93E58c	33006aef60ce62ca7e4d93E58c	NOISE-S	089259591a1b074ca645180f02d1	089259591a1b074ca645180f02d1	0.1804	0.2604	0.1804	0.2604		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE-S		4	s	Fbar	9e54e048fba33006aef60ce62ca7e4d93E58c	33006aef60ce62ca7e4d93E58c	NOISE-S	089259591a1b074ca645180f02d1	089259591a1b074ca645180f02d1	0.238	0.3068	-0.238	-0.3068		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE-S		4	s	C	9e54e048fba33006aef60ce62ca7e4d93E58c	33006aef60ce62ca7e4d93E58c	NOISE-S	089259591a1b074ca645180f02d1	089259591a1b074ca645180f02d1	0.3024	0.4234	0.3024	0.4234		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE-S		4	s	Cbar	9e54e048fba33006aef60ce62ca7e4d93E58c	33006aef60ce62ca7e4d93E58c	NOISE-S	089259591a1b074ca645180f02d1	089259591a1b074ca645180f02d1	0.3706	0.494	-0.3706	-0.494		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE-S		4	a	F	9e54e048fba33006aef60ce62ca7e4d93E58c	33006aef60ce62ca7e4d93E58c	NOISE-S	089259591a1b074ca645180f02d1	089259591a1b074ca645180f02d1	0.1804	0.0834	0.1804	0.0834		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE-S		4	a	Fbar	9e54e048fba33006aef60ce62ca7e4d93E58c	33006aef60ce62ca7e4d93E58c	NOISE-S	089259591a1b074ca645180f02d1	089259591a1b074ca645180f02d1	0.238	0.204	-0.238	-0.204		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE-S		4	a	C	9e54e048fba33006aef60ce62ca7e4d93E58c	33006aef60ce62ca7e4d93E58c	NOISE-S	089259591a1b074ca645180f02d1	089259591a1b074ca645180f02d1	0.3024	0.1142	0.3024	0.1142		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE-S		4	a	Cbar	9e54e048fba33006aef60ce62ca7e4d93E58c	33006aef60ce62ca7e4d93E58c	NOISE-S	089259591a1b074ca645180f02d1	089259591a1b074ca645180f02d1	0.3706	0.2918	-0.3706	-0.2918		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-S		4	g	F	2bd8e7f81085609a3d6f03e94407e4d93E58c	3d6f03e94407e4d93E58c	NOISE-S	513a598a10061bc351af74503038	513a598a10061bc351af74503038	0.1856	0.3572	0.1856	0.3572		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-S		4	g	Fbar	2bd8e7f81085609a3d6f03e94407e4d93E58c	3d6f03e94407e4d93E58c	NOISE-S	513a598a10061bc351af74503038	513a598a10061bc351af74503038	0.1802	0.2936	-0.1802	-0.2936		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-S		4	g	C	2bd8e7f81085609a3d6f03e94407e4d93E58c	3d6f03e94407e4d93E58c	NOISE-S	513a598a10061bc351af74503038	513a598a10061bc351af74503038	0.3116	0.6454	0.3116	0.6454		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-S		4	g	Cbar	2bd8e7f81085609a3d6f03e94407e4d93E58c	3d6f03e94407e4d93E58c	NOISE-S	513a598a10061bc351af74503038	513a598a10061bc351af74503038	0.3024	0.6286	-0.3024	-0.6286		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-S		4	p	F	2bd8e7f81085609a3d6f03e94407e4d93E58c	3d6f03e94407e4d93E58c	NOISE-S	513a598a10061bc351af74503038	513a598a10061bc351af74503038	0.1856	0.3468	0.1856	0.3468		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-S		4	p	Fbar	2bd8e7f81085609a3d6f03e94407e4d93E58c	3d6f03e94407e4d93E58c	NOISE-S	513a598a10061bc351af74503038	513a598a10061bc351af74503038	0.1802	0.273	-0.1802	-0.273		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-S		4	p	C	2bd8e7f81085609a3d6f03e94407e4d93E58c	3d6f03e94407e4d93E58c	NOISE-S	513a598a10061bc351af74503038	513a598a10061bc351af74503038	0.3116	0.6286	0.3116	0.6286		
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-S		4	p	Cbar	2bd8e7f81085609a3d6f03e94407e4d93E58c	3d6f03e94407e4d93E58c	NOISE-S	513a598a10061bc351af74503038	513a598a10061bc351af74503038	0.3024	0.6022	-0.3024	-0.6022		

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	NOISE-S		4	s	F	2bd8e7f81085609a3df603e9440f015b3e358	513a598a10061hc351af7451303871	0.1856	0.2654	0.1856	0.2654					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	NOISE-S		4	s	Fbar	2bd8e7f81085609a3df603e9440f015b3e358	513a598a10061hc351af7451303871	0.1802	0.2204	-0.1802	-0.2204					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	NOISE-S		4	s	C	2bd8e7f81085609a3df603e9440f015b3e358	513a598a10061hc351af7451303871	0.3116	0.4292	0.3116	0.4292					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	NOISE-S		4	s	Cbar	2bd8e7f81085609a3df603e9440f015b3e358	513a598a10061hc351af7451303871	0.3024	0.4048	-0.3024	-0.4048					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	NOISE-S		4	a	F	2bd8e7f81085609a3df603e9440f015b3e358	513a598a10061hc351af7451303871	0.1856	0.0756	0.1856	0.0756					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	NOISE-S		4	a	Fbar	2bd8e7f81085609a3df603e9440f015b3e358	513a598a10061hc351af7451303871	0.1802	0.15	-0.1802	-0.15					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	NOISE-S		4	a	C	2bd8e7f81085609a3df603e9440f015b3e358	513a598a10061hc351af7451303871	0.3116	0.1056	0.3116	0.1056					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	NOISE-S		4	a	Cbar	2bd8e7f81085609a3df603e9440f015b3e358	513a598a10061hc351af7451303871	0.3024	0.2312	-0.3024	-0.2312					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-S		4	g	F	e5bd301583d00061a2657b88e74c025b315	46597a089e5541a912b03c040b61	0.175	0.3456	0.175	0.3456					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-S		4	g	Fbar	e5bd301583d00061a2657b88e74c025b315	46597a089e5541a912b03c040b61	0.165	0.251	-0.165	-0.251					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-S		4	g	C	e5bd301583d00061a2657b88e74c025b315	46597a089e5541a912b03c040b61	0.2978	0.6268	0.2978	0.6268					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-S		4	g	Cbar	e5bd301583d00061a2657b88e74c025b315	46597a089e5541a912b03c040b61	0.2772	0.5858	-0.2772	-0.5858					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-S		4	p	F	e5bd301583d00061a2657b88e74c025b315	46597a089e5541a912b03c040b61	0.175	0.3362	0.175	0.3362					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-S		4	p	Fbar	e5bd301583d00061a2657b88e74c025b315	46597a089e5541a912b03c040b61	0.165	0.2256	-0.165	-0.2256					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-S		4	p	C	e5bd301583d00061a2657b88e74c025b315	46597a089e5541a912b03c040b61	0.2978	0.6086	0.2978	0.6086					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-S		4	p	Cbar	e5bd301583d00061a2657b88e74c025b315	46597a089e5541a912b03c040b61	0.2772	0.5528	-0.2772	-0.5528					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-S		4	s	F	e5bd301583d00061a2657b88e74c025b315	46597a089e5541a912b03c040b61	0.175	0.2556	0.175	0.2556					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-S		4	s	Fbar	e5bd301583d00061a2657b88e74c025b315	46597a089e5541a912b03c040b61	0.165	0.2002	-0.165	-0.2002					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-S		4	s	C	e5bd301583d00061a2657b88e74c025b315	46597a089e5541a912b03c040b61	0.2978	0.4114	0.2978	0.4114					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-S		4	s	Cbar	e5bd301583d00061a2657b88e74c025b315	46597a089e5541a912b03c040b61	0.2772	0.3788	-0.2772	-0.3788					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-S		4	a	F	e5bd301583d00061a2657b88e74c025b315	46597a089e5541a912b03c040b61	0.175	0.0684	0.175	0.0684					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-S		4	a	Fbar	e5bd301583d00061a2657b88e74c025b315	46597a089e5541a912b03c040b61	0.165	0.1562	-0.165	-0.1562					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-S		4	a	C	e5bd301583d00061a2657b88e74c025b315	46597a089e5541a912b03c040b61	0.2978	0.0932	0.2978	0.0932					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-S		4	a	Cbar	e5bd301583d00061a2657b88e74c025b315	46597a089e5541a912b03c040b61	0.2772	0.237	-0.2772	-0.237					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	NOISE-S		4	g	F	61a3529fd3e5d80e9ef60c9d172315e1845	5bb5c3302a5b5b27bf6133d200958	0.1834	0.359	0.1834	0.359					

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-K		5	g	Cbar	b666d0f48660004285de7a112d7f8495ddab81500f327	6600042	85de7a112d7f8495ddab81500f327	NOISE-K	0dbcd07eb78495ddab81500f327	78495ddab81500f327	81500f327	0.3216	0.6714	-0.3216	-0.6714
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-K		5	p	F	b666d0f48660004285de7a112d7f8495ddab81500f327	6600042	85de7a112d7f8495ddab81500f327	NOISE-K	0dbcd07eb78495ddab81500f327	78495ddab81500f327	81500f327	0.1876	0.3378	0.1876	0.3378
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-K		5	p	Fbar	b666d0f48660004285de7a112d7f8495ddab81500f327	6600042	85de7a112d7f8495ddab81500f327	NOISE-K	0dbcd07eb78495ddab81500f327	78495ddab81500f327	81500f327	0.1982	0.3088	-0.1982	-0.3088
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-K		5	p	C	b666d0f48660004285de7a112d7f8495ddab81500f327	6600042	85de7a112d7f8495ddab81500f327	NOISE-K	0dbcd07eb78495ddab81500f327	78495ddab81500f327	81500f327	0.312	0.6248	0.312	0.6248
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-K		5	p	Cbar	b666d0f48660004285de7a112d7f8495ddab81500f327	6600042	85de7a112d7f8495ddab81500f327	NOISE-K	0dbcd07eb78495ddab81500f327	78495ddab81500f327	81500f327	0.3216	0.6404	-0.3216	-0.6404
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-K		5	s	F	b666d0f48660004285de7a112d7f8495ddab81500f327	6600042	85de7a112d7f8495ddab81500f327	NOISE-K	0dbcd07eb78495ddab81500f327	78495ddab81500f327	81500f327	0.1876	0.264	0.1876	0.264
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-K		5	s	Fbar	b666d0f48660004285de7a112d7f8495ddab81500f327	6600042	85de7a112d7f8495ddab81500f327	NOISE-K	0dbcd07eb78495ddab81500f327	78495ddab81500f327	81500f327	0.1982	0.2492	-0.1982	-0.2492
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-K		5	s	C	b666d0f48660004285de7a112d7f8495ddab81500f327	6600042	85de7a112d7f8495ddab81500f327	NOISE-K	0dbcd07eb78495ddab81500f327	78495ddab81500f327	81500f327	0.312	0.4258	0.312	0.4258
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-K		5	s	Cbar	b666d0f48660004285de7a112d7f8495ddab81500f327	6600042	85de7a112d7f8495ddab81500f327	NOISE-K	0dbcd07eb78495ddab81500f327	78495ddab81500f327	81500f327	0.3216	0.4358	-0.3216	-0.4358
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-K		5	a	F	b666d0f48660004285de7a112d7f8495ddab81500f327	6600042	85de7a112d7f8495ddab81500f327	NOISE-K	0dbcd07eb78495ddab81500f327	78495ddab81500f327	81500f327	0.1876	0.0768	0.1876	0.0768
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-K		5	a	Fbar	b666d0f48660004285de7a112d7f8495ddab81500f327	6600042	85de7a112d7f8495ddab81500f327	NOISE-K	0dbcd07eb78495ddab81500f327	78495ddab81500f327	81500f327	0.1982	0.172	-0.1982	-0.172
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-K		5	a	C	b666d0f48660004285de7a112d7f8495ddab81500f327	6600042	85de7a112d7f8495ddab81500f327	NOISE-K	0dbcd07eb78495ddab81500f327	78495ddab81500f327	81500f327	0.312	0.109	0.312	0.109
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-K		5	a	Cbar	b666d0f48660004285de7a112d7f8495ddab81500f327	6600042	85de7a112d7f8495ddab81500f327	NOISE-K	0dbcd07eb78495ddab81500f327	78495ddab81500f327	81500f327	0.3216	0.2496	-0.3216	-0.2496
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE-K		5	g	F	c98b89f4e7b50dbb5ed793H5e4a1f035ff6K7	50dbb5ed793H5e4a1f035ff6K7	5ed793H5e4a1f035ff6K7	2c3467600e5266710d8bce90d3476	5266710d8bce90d3476	90d3476	0.1874	0.3578	0.1874	0.3578	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE-K		5	g	Fbar	c98b89f4e7b50dbb5ed793H5e4a1f035ff6K7	50dbb5ed793H5e4a1f035ff6K7	5ed793H5e4a1f035ff6K7	2c3467600e5266710d8bce90d3476	5266710d8bce90d3476	90d3476	0.1658	0.2618	-0.1658	-0.2618	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE-K		5	g	C	c98b89f4e7b50dbb5ed793H5e4a1f035ff6K7	50dbb5ed793H5e4a1f035ff6K7	5ed793H5e4a1f035ff6K7	2c3467600e5266710d8bce90d3476	5266710d8bce90d3476	90d3476	0.3128	0.6448	0.3128	0.6448	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE-K		5	g	Cbar	c98b89f4e7b50dbb5ed793H5e4a1f035ff6K7	50dbb5ed793H5e4a1f035ff6K7	5ed793H5e4a1f035ff6K7	2c3467600e5266710d8bce90d3476	5266710d8bce90d3476	90d3476	0.2872	0.5934	-0.2872	-0.5934	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE-K		5	p	F	c98b89f4e7b50dbb5ed793H5e4a1f035ff6K7	50dbb5ed793H5e4a1f035ff6K7	5ed793H5e4a1f035ff6K7	2c3467600e5266710d8bce90d3476	5266710d8bce90d3476	90d3476	0.1874	0.3502	0.1874	0.3502	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE-K		5	p	Fbar	c98b89f4e7b50dbb5ed793H5e4a1f035ff6K7	50dbb5ed793H5e4a1f035ff6K7	5ed793H5e4a1f035ff6K7	2c3467600e5266710d8bce90d3476	5266710d8bce90d3476	90d3476	0.1658	0.2342	-0.1658	-0.2342	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE-K		5	p	C	c98b89f4e7b50dbb5ed793H5e4a1f035ff6K7	50dbb5ed793H5e4a1f035ff6K7	5ed793H5e4a1f035ff6K7	2c3467600e5266710d8bce90d3476	5266710d8bce90d3476	90d3476	0.3128	0.6284	0.3128	0.6284	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE-K		5	p	Cbar	c98b89f4e7b50dbb5ed793H5e4a1f035ff6K7	50dbb5ed793H5e4a1f035ff6K7	5ed793H5e4a1f035ff6K7	2c3467600e5266710d8bce90d3476	5266710d8bce90d3476	90d3476	0.2872	0.5646	-0.2872	-0.5646	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE-K		5	s	F	c98b89f4e7b50dbb5ed793H5e4a1f035ff6K7	50dbb5ed793H5e4a1f035ff6K7	5ed793H5e4a1f035ff6K7	2c3467600e5266710d8bce90d3476	5266710d8bce90d3476	90d3476	0.1874	0.272	0.1874	0.272	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE-K		5	s	Fbar	c98b89f4e7b50dbb5ed793H5e4a1f035ff6K7	50dbb5ed793H5e4a1f035ff6K7	5ed793H5e4a1f035ff6K7	2c3467600e5266710d8bce90d3476	5266710d8bce90d3476	90d3476	0.1658	0.2104	-0.1658	-0.2104	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE-K		5	s	C	c98b89f4e7b50dbb5ed793H5e4a1f035ff6K7	50dbb5ed793H5e4a1f035ff6K7	5ed793H5e4a1f035ff6K7	2c3467600e5266710d8bce90d3476	5266710d8bce90d3476	90d3476	0.3128	0.433	0.3128	0.433	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE-K		5	s	Cbar	c98b89f4e7b50dbb5ed793H5e4a1f035ff6K7	50dbb5ed793H5e4a1f035ff6K7	5ed793H5e4a1f035ff6K7	2c3467600e5266710d8bce90d3476	5266710d8bce90d3476	90d3476	0.2872	0.3906	-0.2872	-0.3906	

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-K		5	a	F	c98b89f4e7b50b0b5ed793d15e4a1035ff6K7	5266710d8bc01008047	5266710d8bc01008047	5266710d8bc01008047	5266710d8bc01008047	5266710d8bc01008047	0.1874	0.0768	0.1874	0.0768	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-K		5	a	Fbar	c98b89f4e7b50b0b5ed793d15e4a1035ff6K7	5266710d8bc01008047	5266710d8bc01008047	5266710d8bc01008047	5266710d8bc01008047	5266710d8bc01008047	0.1658	0.1386	-0.1658	-0.1386	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-K		5	a	C	c98b89f4e7b50b0b5ed793d15e4a1035ff6K7	5266710d8bc01008047	5266710d8bc01008047	5266710d8bc01008047	5266710d8bc01008047	5266710d8bc01008047	0.3128	0.1074	0.3128	0.1074	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-K		5	a	Cbar	c98b89f4e7b50b0b5ed793d15e4a1035ff6K7	5266710d8bc01008047	5266710d8bc01008047	5266710d8bc01008047	5266710d8bc01008047	5266710d8bc01008047	0.2872	0.2126	-0.2872	-0.2126	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	NOISE-K		5	g	F	1ff52710d1e50104a9b2ff6d135f6f0882BeKa	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	0.1886	0.3532	0.1886	0.3532	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	NOISE-K		5	g	Fbar	1ff52710d1e50104a9b2ff6d135f6f0882BeKa	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	0.1868	0.3012	-0.1868	-0.3012	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	NOISE-K		5	g	C	1ff52710d1e50104a9b2ff6d135f6f0882BeKa	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	0.3152	0.6504	0.3152	0.6504	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	NOISE-K		5	g	Cbar	1ff52710d1e50104a9b2ff6d135f6f0882BeKa	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	0.3094	0.6418	-0.3094	-0.6418	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	NOISE-K		5	p	F	1ff52710d1e50104a9b2ff6d135f6f0882BeKa	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	0.1886	0.3458	0.1886	0.3458	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	NOISE-K		5	p	Fbar	1ff52710d1e50104a9b2ff6d135f6f0882BeKa	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	0.1868	0.2834	-0.1868	-0.2834	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	NOISE-K		5	p	C	1ff52710d1e50104a9b2ff6d135f6f0882BeKa	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	0.3152	0.6306	0.3152	0.6306	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	NOISE-K		5	p	Cbar	1ff52710d1e50104a9b2ff6d135f6f0882BeKa	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	0.3094	0.6166	-0.3094	-0.6166	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	NOISE-K		5	s	F	1ff52710d1e50104a9b2ff6d135f6f0882BeKa	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	0.1886	0.2708	0.1886	0.2708	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	NOISE-K		5	s	Fbar	1ff52710d1e50104a9b2ff6d135f6f0882BeKa	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	0.1868	0.2336	-0.1868	-0.2336	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	NOISE-K		5	s	C	1ff52710d1e50104a9b2ff6d135f6f0882BeKa	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	0.3152	0.4298	0.3152	0.4298	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	NOISE-K		5	s	Cbar	1ff52710d1e50104a9b2ff6d135f6f0882BeKa	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	0.3094	0.4174	-0.3094	-0.4174	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	NOISE-K		5	a	F	1ff52710d1e50104a9b2ff6d135f6f0882BeKa	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	0.1886	0.0784	0.1886	0.0784	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	NOISE-K		5	a	Fbar	1ff52710d1e50104a9b2ff6d135f6f0882BeKa	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	0.1868	0.1548	-0.1868	-0.1548	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	NOISE-K		5	a	C	1ff52710d1e50104a9b2ff6d135f6f0882BeKa	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	0.3152	0.1102	0.3152	0.1102	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	NOISE-K		5	a	Cbar	1ff52710d1e50104a9b2ff6d135f6f0882BeKa	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	663623fab038rda12969034d812459	0.3094	0.234	-0.3094	-0.234	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE-K		5	g	F	e2a297747fd5002356ndff4e79405356350538818a300n1fa622903b2303f0913	2303f0913	2303f0913	2303f0913	2303f0913	2303f0913	0.1876	0.3562	0.1876	0.3562	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE-K		5	g	Fbar	e2a297747fd5002356ndff4e79405356350538818a300n1fa622903b2303f0913	2303f0913	2303f0913	2303f0913	2303f0913	2303f0913	0.2018	0.3194	-0.2018	-0.3194	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE-K		5	g	C	e2a297747fd5002356ndff4e79405356350538818a300n1fa622903b2303f0913	2303f0913	2303f0913	2303f0913	2303f0913	2303f0913	0.312	0.649	0.312	0.649	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE-K		5	g	Cbar	e2a297747fd5002356ndff4e79405356350538818a300n1fa622903b2303f0913	2303f0913	2303f0913	2303f0913	2303f0913	2303f0913	0.3258	0.6594	-0.3258	-0.6594	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE-K		5	p	F	e2a297747fd5002356ndff4e79405356350538818a300n1fa622903b2303f0913	2303f0913	2303f0913	2303f0913	2303f0913	2303f0913	0.1876	0.3454	0.1876	0.3454	

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE-K		5	p	Fbar	e2a297747d50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	538818a300n1fa622903b2303782	n1fa622903b2303782	2303782	0.2018	0.3014	-0.2018	-0.3014
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE-K		5	p	C	e2a297747d50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	538818a300n1fa622903b2303782	n1fa622903b2303782	2303782	0.312	0.633	0.312	0.633
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE-K		5	p	Cbar	e2a297747d50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	538818a300n1fa622903b2303782	n1fa622903b2303782	2303782	0.3258	0.633	-0.3258	-0.633
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE-K		5	s	F	e2a297747d50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	538818a300n1fa622903b2303782	n1fa622903b2303782	2303782	0.1876	0.2664	0.1876	0.2664
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE-K		5	s	Fbar	e2a297747d50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	538818a300n1fa622903b2303782	n1fa622903b2303782	2303782	0.2018	0.2508	-0.2018	-0.2508
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE-K		5	s	C	e2a297747d50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	538818a300n1fa622903b2303782	n1fa622903b2303782	2303782	0.312	0.427	0.312	0.427
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE-K		5	s	Cbar	e2a297747d50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	538818a300n1fa622903b2303782	n1fa622903b2303782	2303782	0.3258	0.4368	-0.3258	-0.4368
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE-K		5	a	F	e2a297747d50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	538818a300n1fa622903b2303782	n1fa622903b2303782	2303782	0.1876	0.0784	0.1876	0.0784
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE-K		5	a	Fbar	e2a297747d50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	538818a300n1fa622903b2303782	n1fa622903b2303782	2303782	0.2018	0.1666	-0.2018	-0.1666
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE-K		5	a	C	e2a297747d50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	538818a300n1fa622903b2303782	n1fa622903b2303782	2303782	0.312	0.1104	0.312	0.1104
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE-K		5	a	Cbar	e2a297747d50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	50002356ndff0e4e7940535a360538818a300n1fa622903b2303782	538818a300n1fa622903b2303782	n1fa622903b2303782	2303782	0.3258	0.246	-0.3258	-0.246

Table 61: ImageNet–ResNet-18 results.

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE-S		4	g	F	0.352982	96175b901f75220a5eda66094a12819cf	66094a12819cf	66094a12819cf	70834493f40bc53b30abe3dfdc61f2
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE-S		4	g	Fbar	-0.312873	6ddff6c0e53f4b315610071589e9434f4d158	71589e9434f4d158	71589e9434f4d158	0ad53a32319d47cc17da93ae
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE-S		4	g	C	0.645433	09d031ba10ff4e769872e569388976179da	569388976179da	569388976179da	112d46feaa644b057e06cc02
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE-S		4	g	Cbar	-0.657261	1010706ce289282042d7b58167a55856798b	7b58167a55856798b	7b58167a55856798b	99d24d761339e94398ed96b6c
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE-S		4	p	F	0.340416	c6133875fcdd04c480e2b4698136070ab7	4c480e2b4698136070ab7	4c480e2b4698136070ab7	717eb0f5ca67bc2a5d0f3774f
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE-S		4	p	Fbar	-0.291373	a31ff58f51efdd8303b7920ng88c8e6f7b59	303b7920ng88c8e6f7b59	303b7920ng88c8e6f7b59	4446131588a1dd1ea42fd574198
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE-S		4	p	C	0.627225	d094395d3f600971d5464672e8370db22	464672e8370db22	464672e8370db22	480162073e57c6d2728183eda13b4
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE-S		4	p	Cbar	-0.634787	9c0a36660bf065fmi47d5a61764f504221	65fmi47d5a61764f504221	65fmi47d5a61764f504221	44ff6fb01aa84fc23e8dfd65b42d017
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE-S		4	s	F	0.256621	1216db584dfb31c5d10676e70705677d8e	31c5d10676e70705677d8e	31c5d10676e70705677d8e	ab1ade96693305cda7fd5322d3763
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE-S		4	s	Fbar	-0.271498	44d7df52c7885ff002ecd6bndf794bnd0658	ff002ecd6bndf794bnd0658	ff002ecd6bndf794bnd0658	b8c1423dff20a30851a17b2c0bf8e
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE-S		4	s	C	0.417936	229d394fa15333ab51e79779b7f1e4b7	33ab51e79779b7f1e4b7	33ab51e79779b7f1e4b7	ac190fbbb025ca5d316e536fe
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE-S		4	s	Cbar	-0.466554	240ec8fbacfd09ca13155879691df07745e	13155879691df07745e	13155879691df07745e	98766d65606393f4270b8e399676b
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE-S		4	a	F	0.072975	cb12bd050200a0c49602894b1f926ff77	0c49602894b1f926ff77	0c49602894b1f926ff77	f90df92333417073cd64279a2916a84
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE-S		4	a	Fbar	-0.22347	cfb75348014e1dca709b5fd32682b088f5d	709b5fd32682b088f5d	709b5fd32682b088f5d	4aa00833f0da1644314c0b5da2d2f
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE-S		4	a	C	0.102559	81ecb394c66630c3dfe249e97f0960ff1e	0c3dfe249e97f0960ff1e	0c3dfe249e97f0960ff1e	47c6efb69ec9d3f902ad76b813e66f
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	simpleavg	NOISE-S		4	a	Cbar	-0.329743	3fbd535ce15dd46b8dres4802bf9a859d40	46b8dres4802bf9a859d40	46b8dres4802bf9a859d40	aa5f4c50de9aecd78660c87ca4915
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-S		4	g	F	0.361021	96175b901f75220a5eda66094a12819cf	66094a12819cf	66094a12819cf	70834493f40bc53b30abe3dfdc61f2
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-S		4	g	Fbar	-0.257787	6ddff6c0e53f4b315610071589e9434f4d158	71589e9434f4d158	71589e9434f4d158	0ad53a32319d47cc17da93ae
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-S		4	g	C	0.658502	09d031ba10ff4e769872e569388976179da	569388976179da	569388976179da	112d46feaa644b057e06cc02
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-S		4	g	Cbar	-0.595003	1010706ce289282042d7b58167a55856798b	7b58167a55856798b	7b58167a55856798b	99d24d761339e94398ed96b6c
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-S		4	p	F	0.348772	c6133875fcdd04c480e2b4698136070ab7	4c480e2b4698136070ab7	4c480e2b4698136070ab7	717eb0f5ca67bc2a5d0f3774f
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-S		4	p	Fbar	-0.23109	a31ff58f51efdd8303b7920ng88c8e6f7b59	303b7920ng88c8e6f7b59	303b7920ng88c8e6f7b59	4446131588a1dd1ea42fd574198
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-S		4	p	C	0.640442	d094395d3f600971d5464672e8370db22	464672e8370db22	464672e8370db22	480162073e57c6d2728183eda13b4
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-S		4	p	Cbar	-0.570916	9c0a36660bf065fmi47d5a61764f504221	65fmi47d5a61764f504221	65fmi47d5a61764f504221	44ff6fb01aa84fc23e8dfd65b42d017

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	NOISE-S		4	s	F	0.263619	1216db584f6b31c1e5d19576e76705677de8eab1ade96693305cda7fd5322d3763				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	NOISE-S		4	s	Fbar	-0.20669	44d7df52e78d5ff902ced6bngd794bnd0678b8c1423dff20a30851a17b2c0bf8e				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	NOISE-S		4	s	C	0.429225	229d394fa153b3cb512e7977bbff1e0d7fca71ac190fbbb025ca5d316e536fe				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	NOISE-S		4	s	Cbar	-0.394113	240ec8fbac4e09c1315585709b1d1f0c7f45e98766d65606393f4270b8e399676b				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	NOISE-S		4	a	F	0.075512	cb12bd05020b6c49662894b1f095b77f90df92333417073cd64279a2916a84				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	NOISE-S		4	a	Fbar	-0.160987	cfb75348014e1da709bcef13ge632b485f114aa00833f0da1644314c0b5da2d2f				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	NOISE-S		4	a	C	0.107138	81ecb394c6f6303adfe249eg7f0960f1re47c6efb69ee9d3f902ad76b813e66f				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	NOISE-S		4	a	Cbar	-0.251712	3fbd535ce1446b6aee4802bf9b9829d40aa5f4c50de9aedd78660c87ca4915				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-S		4	g	F	0.344635	96175b901875220e5eda66234e42849c6b70834493f40bc53b30abe3dfdc61f2				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-S		4	g	Fbar	-0.243301	6ddff6c0e5343154b0071782ce94344046515e880ad53a32319d47cc17da93ae				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-S		4	g	C	0.638898	09d031ba10f1e769872e56938896b131da1d1bc112d46feaa644b057e06cc02				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-S		4	g	Cbar	-0.571998	1010706ce280282042e7b81g167a558567e8b47b99d24d761339e94398ed96b6c				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-S		4	p	F	0.331739	c6133875fedd14e4802b1468813997fab78a521717eb0f5ca67bc2a5d0f3774f				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-S		4	p	Fbar	-0.215237	a31ff58f51ef4d8303179229ng8c8p07b59644446131588a1dd1ea42fd574198				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-S		4	p	C	0.620616	d094395d3ff00971d15464b72e837c0b122480162073e57c6d2728183eda13b4				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-S		4	p	Cbar	-0.547316	9c0a36660bf565fmi47d35a61764f504291d44ff6fb01aa84fc23e8dfd65b42d017				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-S		4	s	F	0.249354	1216db584f6b31c1e5d19576e76705677de8eab1ade96693305cda7fd5322d3763				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-S		4	s	Fbar	-0.189647	44d7df52e78d5ff902ced6bngd794bnd0678b8c1423dff20a30851a17b2c0bf8e				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-S		4	s	C	0.412292	229d394fa153b3cb512e7977bbff1e0d7fca71ac190fbbb025ca5d316e536fe				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-S		4	s	Cbar	-0.367345	240ec8fbac4e09c1315585709b1d1f0c7f45e98766d65606393f4270b8e399676b				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-S		4	a	F	0.07034	cb12bd05020b6c49662894b1f095b77f90df92333417073cd64279a2916a84				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-S		4	a	Fbar	-0.144555	cfb75348014e1da709bcef13ge632b485f114aa00833f0da1644314c0b5da2d2f				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-S		4	a	C	0.10027	81ecb394c6f6303adfe249eg7f0960f1re47c6efb69ee9d3f902ad76b813e66f				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-S		4	a	Cbar	-0.222879	3fbd535ce1446b6aee4802bf9b9829d40aa5f4c50de9aedd78660c87ca4915				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	NOISE-S		4	g	F	0.35762	96175b901875220e5eda66234e42849c6b70834493f40bc53b30abe3dfdc61f2				

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE-S		4	g	Fbar	-0.239108	6ddff6c0e53f4b3155b0071583e943441d15e880ad53a32319d47cc17da93ae	09d031ba10ff1e769872e5693889613da1d1bc112d46feaa644b057e06cc02	28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c	09d031ba10ff1e769872e5693889613da1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE-S		4	g	C	0.651399	09d031ba10ff1e769872e5693889613da1d1bc112d46feaa644b057e06cc02	09d031ba10ff1e769872e5693889613da1d1bc112d46feaa644b057e06cc02	28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c	09d031ba10ff1e769872e5693889613da1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE-S		4	g	Cbar	-0.569807	1010706ce28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c	1010706ce28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c	28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c	1010706ce28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE-S		4	p	F	0.345236	c6133875fedd14c480e2b46981399076ab78a521717eb0f5ca67bc2a5d0f3774f	c6133875fedd14c480e2b46981399076ab78a521717eb0f5ca67bc2a5d0f3774f	28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c	c6133875fedd14c480e2b46981399076ab78a521717eb0f5ca67bc2a5d0f3774f
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE-S		4	p	Fbar	-0.210648	a31ff58f51ef4d8303b7929a88c8c67b56644446131588a1dd1ea42fd574198	a31ff58f51ef4d8303b7929a88c8c67b56644446131588a1dd1ea42fd574198	28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c	a31ff58f51ef4d8303b7929a88c8c67b56644446131588a1dd1ea42fd574198
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE-S		4	p	C	0.633259	d094395d3f60d971d15464c72e837cd0b22480162073e57c6d2728183eda13b4	d094395d3f60d971d15464c72e837cd0b22480162073e57c6d2728183eda13b4	28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c	d094395d3f60d971d15464c72e837cd0b22480162073e57c6d2728183eda13b4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE-S		4	p	Cbar	-0.545068	9c0a36660d065fmi4745a61764504291d44ff6b01aa84fc23e8dfd65b42d017	9c0a36660d065fmi4745a61764504291d44ff6b01aa84fc23e8dfd65b42d017	28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c	9c0a36660d065fmi4745a61764504291d44ff6b01aa84fc23e8dfd65b42d017
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE-S		4	s	F	0.260658	1216db584d3d1cnd0676c7d705679d8eab1ade96693305cda7fd5322d3763	1216db584d3d1cnd0676c7d705679d8eab1ade96693305cda7fd5322d3763	28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c	1216db584d3d1cnd0676c7d705679d8eab1ade96693305cda7fd5322d3763
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE-S		4	s	Fbar	-0.184714	44d7df52c78d5ff902ced6bnd794bnd79678b8c1423dff20a30851a17b2c0bf8e	44d7df52c78d5ff902ced6bnd794bnd79678b8c1423dff20a30851a17b2c0bf8e	28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c	44d7df52c78d5ff902ced6bnd794bnd79678b8c1423dff20a30851a17b2c0bf8e
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE-S		4	s	C	0.42309	229d394fa15333b0512e79779b7f0a0fca71ac190fbbb025ca5d316e536fe	229d394fa15333b0512e79779b7f0a0fca71ac190fbbb025ca5d316e536fe	28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c	229d394fa15333b0512e79779b7f0a0fca71ac190fbbb025ca5d316e536fe
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE-S		4	s	Cbar	-0.364796	240ec8fbac4c09c1315585090ed1f0c7d5e98766d65606393f4270b8e399676b	240ec8fbac4c09c1315585090ed1f0c7d5e98766d65606393f4270b8e399676b	28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c	240ec8fbac4c09c1315585090ed1f0c7d5e98766d65606393f4270b8e399676b
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE-S		4	a	F	0.074439	cb12bd05020d16c496628948d1f995b77df90df9233417073cd64279a2916a84	cb12bd05020d16c496628948d1f995b77df90df9233417073cd64279a2916a84	28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c	cb12bd05020d16c496628948d1f995b77df90df9233417073cd64279a2916a84
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE-S		4	a	Fbar	-0.139798	cfb75348014e1da709bfc5326821b55f114aa0833f0da1644314c0b5da2d2f	cfb75348014e1da709bfc5326821b55f114aa0833f0da1644314c0b5da2d2f	28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c	cfb75348014e1da709bfc5326821b55f114aa0833f0da1644314c0b5da2d2f
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE-S		4	a	C	0.10465	81ecb394c6f6303ddfe249e97f0960f11e47c6efb69ee9d3f902ad76b813e66f	81ecb394c6f6303ddfe249e97f0960f11e47c6efb69ee9d3f902ad76b813e66f	28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c	81ecb394c6f6303ddfe249e97f0960f11e47c6efb69ee9d3f902ad76b813e66f
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE-S		4	a	Cbar	-0.220133	3fbd535ce14446bndee4802d1f9b3d9d40aa5f4c50de9aeed78660c87ca4915	3fbd535ce14446bndee4802d1f9b3d9d40aa5f4c50de9aeed78660c87ca4915	28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c	3fbd535ce14446bndee4802d1f9b3d9d40aa5f4c50de9aeed78660c87ca4915
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE-S		4	g	F	0.337523	96175b901375220e5eda66234c428f94fb70834493f40bc53b30abe3dfdc61f2	96175b901375220e5eda66234c428f94fb70834493f40bc53b30abe3dfdc61f2	28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c	96175b901375220e5eda66234c428f94fb70834493f40bc53b30abe3dfdc61f2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE-S		4	g	Fbar	-0.250544	6ddff6c0e53f4b3155b0071583e943441d15e880ad53a32319d47cc17da93ae	6ddff6c0e53f4b3155b0071583e943441d15e880ad53a32319d47cc17da93ae	28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c	6ddff6c0e53f4b3155b0071583e943441d15e880ad53a32319d47cc17da93ae
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE-S		4	g	C	0.63833	09d031ba10ff1e769872e5693889613da1d1bc112d46feaa644b057e06cc02	09d031ba10ff1e769872e5693889613da1d1bc112d46feaa644b057e06cc02	28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c	09d031ba10ff1e769872e5693889613da1d1bc112d46feaa644b057e06cc02
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE-S		4	g	Cbar	-0.581127	1010706ce28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c	1010706ce28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c	28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c	1010706ce28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE-S		4	p	F	0.324347	c6133875fedd14c480e2b46981399076ab78a521717eb0f5ca67bc2a5d0f3774f	c6133875fedd14c480e2b46981399076ab78a521717eb0f5ca67bc2a5d0f3774f	28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c	c6133875fedd14c480e2b46981399076ab78a521717eb0f5ca67bc2a5d0f3774f
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE-S		4	p	Fbar	-0.223164	a31ff58f51ef4d8303b7929a88c8c67b56644446131588a1dd1ea42fd574198	a31ff58f51ef4d8303b7929a88c8c67b56644446131588a1dd1ea42fd574198	28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c	a31ff58f51ef4d8303b7929a88c8c67b56644446131588a1dd1ea42fd574198
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE-S		4	p	C	0.620041	d094395d3f60d971d15464c72e837cd0b22480162073e57c6d2728183eda13b4	d094395d3f60d971d15464c72e837cd0b22480162073e57c6d2728183eda13b4	28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c	d094395d3f60d971d15464c72e837cd0b22480162073e57c6d2728183eda13b4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE-S		4	p	Cbar	-0.556681	9c0a36660d065fmi4745a61764504291d44ff6b01aa84fc23e8dfd65b42d017	9c0a36660d065fmi4745a61764504291d44ff6b01aa84fc23e8dfd65b42d017	28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c	9c0a36660d065fmi4745a61764504291d44ff6b01aa84fc23e8dfd65b42d017
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE-S		4	s	F	0.243163	1216db584d3d1cnd0676c7d705679d8eab1ade96693305cda7fd5322d3763	1216db584d3d1cnd0676c7d705679d8eab1ade96693305cda7fd5322d3763	28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c	1216db584d3d1cnd0676c7d705679d8eab1ade96693305cda7fd5322d3763
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE-S		4	s	Fbar	-0.198169	44d7df52c78d5ff902ced6bnd794bnd79678b8c1423dff20a30851a17b2c0bf8e	44d7df52c78d5ff902ced6bnd794bnd79678b8c1423dff20a30851a17b2c0bf8e	28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c	44d7df52c78d5ff902ced6bnd794bnd79678b8c1423dff20a30851a17b2c0bf8e

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE-S		4	s	C	0.411801	229d394fa153b3cb512e79f7dbff1a4b7caf71ac190fbbb025ca5d316e536fe			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE-S		4	s	Cbar	-0.377967	240ec8fbac1e19c13155870f9b1f0c7f45e98766d65606393f4270b8e399676b			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE-S		4	a	F	0.068095	cb12bd050201b6c496628949b1f93b77f90df92333417073cd64279a2916a84			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE-S		4	a	Fbar	-0.152771	cfb75348014e1da709bcfd3a682b085aff14aa00833f0da1644314c0b5da2d2f			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE-S		4	a	C	0.100071	81ecb394c6f630a3dfce249e97f0960f1e47c6efb69ee9d3f902ad76b813e66f			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE-S		4	a	Cbar	-0.234321	3fbd535ce1f446b3dce4802bf9c829440aa5f4c50de9aced78660c87ca4915			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	NOISE-K		5	g	F	0.340924	96175b901370220a5eda6623da42849c7b70834493f40bc53b30abe3dfdc61f2			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	NOISE-K		5	g	Fbar	-0.34318	6ddff6c0e53f43155b0071582e94344b15815e880ad53a32319d47cc17da93ae			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	NOISE-K		5	g	C	0.62384	09d031ba10f1e769872e569388976782da1d1bc112d46feaa644b057e06cc02			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	NOISE-K		5	g	Cbar	-0.684465	1010706ce28d282042d7b81d67e55856798b47b99d24d761339e94398ed96b6c			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	NOISE-K		5	p	F	0.327882	c6133875fedd04c480e2b46881369076b78a521717eb0f5ca67bc2a5d0f3774f			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	NOISE-K		5	p	Fbar	-0.32454	a31ff58f51ef483303b7929a88c667b59644446131588a1dd1ea42fd574198			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	NOISE-K		5	p	C	0.605387	d094395d3f60971a5464c79e837cd529480162073e57c6d2728183eda13b4			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	NOISE-K		5	p	Cbar	-0.662695	9c0a36660b0f65fmi4745a61764f0422144ff6fb01aa84fc23e8dfd65b42d017			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	NOISE-K		5	s	F	0.246124	1216db584d0b31cndf0576b270705670d8eab1ade96693305cda7fd5322d3763			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	NOISE-K		5	s	Fbar	-0.307154	44d7df52c7835f902ced6bndf794b20658b8c1423dff20a30851a17b2c0bf8e			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	NOISE-K		5	s	C	0.399285	229d394fa153b3cb512e79f7dbff1a4b7caf71ac190fbbb025ca5d316e536fe			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	NOISE-K		5	s	Cbar	-0.498207	240ec8fbac1e19c13155870f9b1f0c7f45e98766d65606393f4270b8e399676b			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	NOISE-K		5	a	F	0.069169	cb12bd050201b6c496628949b1f93b77f90df92333417073cd64279a2916a84			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	NOISE-K		5	a	Fbar	-0.257847	cfb75348014e1da709bcfd3a682b085aff14aa00833f0da1644314c0b5da2d2f			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	NOISE-K		5	a	C	0.094995	81ecb394c6f630a3dfce249e97f0960f1e47c6efb69ee9d3f902ad76b813e66f			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	NOISE-K		5	a	Cbar	-0.363839	3fbd535ce1f446b3dce4802bf9c829440aa5f4c50de9aced78660c87ca4915			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	NOISE-K		5	g	F	0.364113	96175b901370220a5eda6623da42849c7b70834493f40bc53b30abe3dfdc61f2			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	NOISE-K		5	g	Fbar	-0.274942	6ddff6c0e53f43155b0071582e94344b15815e880ad53a32319d47cc17da93ae			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	NOISE-K		5	g	C	0.65907	09d031ba10f1e769872e569388976782da1d1bc112d46feaa644b057e06cc02			

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-K		5	g	Cbar	-0.61253	1010706ce28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c	28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c	28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-K		5	p	F	0.351985	c6133875fcd040480e2b4608136076b78a521717eb0f5ca67bc2a5d0f3774f	cd040480e2b4608136076b78a521717eb0f5ca67bc2a5d0f3774f	cd040480e2b4608136076b78a521717eb0f5ca67bc2a5d0f3774f	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-K		5	p	Fbar	-0.249864	a31ff58f51ef4d83003b7920ng88c8e67b59644446131588a1dd1ea42fd574198	fd83003b7920ng88c8e67b59644446131588a1dd1ea42fd574198	fd83003b7920ng88c8e67b59644446131588a1dd1ea42fd574198	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-K		5	p	C	0.641017	d094395d3ff00971d154e64n72e837cd0b22480162073e57c6d2728183eda13b4	ff00971d154e64n72e837cd0b22480162073e57c6d2728183eda13b4	ff00971d154e64n72e837cd0b22480162073e57c6d2728183eda13b4	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-K		5	p	Cbar	-0.588897	9c0a36660bf0f65fmi47d5a6g17645o420144ff6fb01aa84fc23e8dfd65b42d017	ff65fmi47d5a6g17645o420144ff6fb01aa84fc23e8dfd65b42d017	ff65fmi47d5a6g17645o420144ff6fb01aa84fc23e8dfd65b42d017	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-K		5	s	F	0.266311	1216db584f0b31cnd10676icng70705677de8eab1ade96693305cda7fd5322d3763	fb31cnd10676icng70705677de8eab1ade96693305cda7fd5322d3763	fb31cnd10676icng70705677de8eab1ade96693305cda7fd5322d3763	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-K		5	s	Fbar	-0.226873	44d7df52c78d5ff002nc16bngd794im40678b8c1423dff20a30851a17b2c0bf8e	8d5ff002nc16bngd794im40678b8c1423dff20a30851a17b2c0bf8e	8d5ff002nc16bngd794im40678b8c1423dff20a30851a17b2c0bf8e	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-K		5	s	C	0.429716	229d394fa15333nb512e79770b7f1ca407ca71ac190fbbb025ca5d316e536fe	5333nb512e79770b7f1ca407ca71ac190fbbb025ca5d316e536fe	5333nb512e79770b7f1ca407ca71ac190fbbb025ca5d316e536fe	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-K		5	s	Cbar	-0.414507	240ec8fbac4e09c13155850f0b1d4f07f45e98766d65606393f4270b8e399676b	09c13155850f0b1d4f07f45e98766d65606393f4270b8e399676b	09c13155850f0b1d4f07f45e98766d65606393f4270b8e399676b	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-K		5	a	F	0.076488	cb12bd050200b0c406c289g0b1f020177f9d0f92333417073cd64279a2916a84	0b0c406c289g0b1f020177f9d0f92333417073cd64279a2916a84	0b0c406c289g0b1f020177f9d0f92333417073cd64279a2916a84	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-K		5	a	Fbar	-0.180445	cfb75348014e01d509bcfd3g632p085f4d4aa00833f0da1644314c0b5da2d2f	01d509bcfd3g632p085f4d4aa00833f0da1644314c0b5da2d2f	01d509bcfd3g632p085f4d4aa00833f0da1644314c0b5da2d2f	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-K		5	a	C	0.107337	81ecb394c6f630a3dfce24ng97f0960f1re47c6efb69ee9d3f902ad76b813e66f	630a3dfce24ng97f0960f1re47c6efb69ee9d3f902ad76b813e66f	630a3dfce24ng97f0960f1re47c6efb69ee9d3f902ad76b813e66f	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	borda	NOISE-K		5	a	Cbar	-0.27368	3fbd535ce1f046ba0ee4802bf59n020440aa5f4c50de9aced78660c87ca4915	046ba0ee4802bf59n020440aa5f4c50de9aced78660c87ca4915	046ba0ee4802bf59n020440aa5f4c50de9aced78660c87ca4915	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE-K		5	g	F	0.363804	96175b90107020e5eda66034e428d9c0b70834493f40bc53b30abe3dfdc61f2	020e5eda66034e428d9c0b70834493f40bc53b30abe3dfdc61f2	020e5eda66034e428d9c0b70834493f40bc53b30abe3dfdc61f2	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE-K		5	g	Fbar	-0.244064	6ddff6c0e53f0b154b00717ng9e9434d0415e880ad53a32319d47cc17da93ae	0b154b00717ng9e9434d0415e880ad53a32319d47cc17da93ae	0b154b00717ng9e9434d0415e880ad53a32319d47cc17da93ae	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE-K		5	g	C	0.660207	09d031ba10f0e769872e50g98896789da1d1bc112d46feaa644b057e06cc02	769872e50g98896789da1d1bc112d46feaa644b057e06cc02	769872e50g98896789da1d1bc112d46feaa644b057e06cc02	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE-K		5	g	Cbar	-0.581127	1010706ce28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c	28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c	28d282042d7b81d67a55856708b47b99d24d761339e94398ed96b6c	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE-K		5	p	F	0.351664	c6133875fcd040480e2b4608136076b78a521717eb0f5ca67bc2a5d0f3774f	cd040480e2b4608136076b78a521717eb0f5ca67bc2a5d0f3774f	cd040480e2b4608136076b78a521717eb0f5ca67bc2a5d0f3774f	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE-K		5	p	Fbar	-0.216072	a31ff58f51ef4d83003b7920ng88c8e67b59644446131588a1dd1ea42fd574198	fd83003b7920ng88c8e67b59644446131588a1dd1ea42fd574198	fd83003b7920ng88c8e67b59644446131588a1dd1ea42fd574198	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE-K		5	p	C	0.642166	d094395d3ff00971d154e64n72e837cd0b22480162073e57c6d2728183eda13b4	ff00971d154e64n72e837cd0b22480162073e57c6d2728183eda13b4	ff00971d154e64n72e837cd0b22480162073e57c6d2728183eda13b4	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE-K		5	p	Cbar	-0.556681	9c0a36660bf0f65fmi47d5a6g17645o420144ff6fb01aa84fc23e8dfd65b42d017	ff65fmi47d5a6g17645o420144ff6fb01aa84fc23e8dfd65b42d017	ff65fmi47d5a6g17645o420144ff6fb01aa84fc23e8dfd65b42d017	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE-K		5	s	F	0.266041	1216db584f0b31cnd10676icng70705677de8eab1ade96693305cda7fd5322d3763	fb31cnd10676icng70705677de8eab1ade96693305cda7fd5322d3763	fb31cnd10676icng70705677de8eab1ade96693305cda7fd5322d3763	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE-K		5	s	Fbar	-0.190544	44d7df52c78d5ff002nc16bngd794im40678b8c1423dff20a30851a17b2c0bf8e	8d5ff002nc16bngd794im40678b8c1423dff20a30851a17b2c0bf8e	8d5ff002nc16bngd794im40678b8c1423dff20a30851a17b2c0bf8e	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE-K		5	s	C	0.430698	229d394fa15333nb512e79770b7f1ca407ca71ac190fbbb025ca5d316e536fe	5333nb512e79770b7f1ca407ca71ac190fbbb025ca5d316e536fe	5333nb512e79770b7f1ca407ca71ac190fbbb025ca5d316e536fe	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE-K		5	s	Cbar	-0.377967	240ec8fbac4e09c13155850f0b1d4f07f45e98766d65606393f4270b8e399676b	09c13155850f0b1d4f07f45e98766d65606393f4270b8e399676b	09c13155850f0b1d4f07f45e98766d65606393f4270b8e399676b	

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE-K		5	a	F	0.07639	cb12bd050701b6c4d6628949a1f935b77f90df92333417073cd64279a2916a84	cb12bd050701b6c4d6628949a1f935b77f90df92333417073cd64279a2916a84	cb12bd050701b6c4d6628949a1f935b77f90df92333417073cd64279a2916a84	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE-K		5	a	Fbar	-0.14542	cfb75348014e1da7509bfc5d3a682b085bf14aa00833f0da1644314c0b5da2d2f	cfb75348014e1da7509bfc5d3a682b085bf14aa00833f0da1644314c0b5da2d2f	cfb75348014e1da7509bfc5d3a682b085bf14aa00833f0da1644314c0b5da2d2f	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE-K		5	a	C	0.107735	81ecb394c6630a3dfe249e97f0960f11e47c6efb69ee9d3f902ad76b813e66f	81ecb394c6630a3dfe249e97f0960f11e47c6efb69ee9d3f902ad76b813e66f	81ecb394c6630a3dfe249e97f0960f11e47c6efb69ee9d3f902ad76b813e66f	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	kemeny	NOISE-K		5	a	Cbar	-0.234321	3fbd535ce1446b6aee4802bf9a39d440aa5f4c50de9aeed78660c87ca4915	3fbd535ce1446b6aee4802bf9a39d440aa5f4c50de9aeed78660c87ca4915	3fbd535ce1446b6aee4802bf9a39d440aa5f4c50de9aeed78660c87ca4915	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE-K		5	g	F	0.365659	96175b90175220a5eda66264a4238f9cfb70834493f40bc53b30abe3dfdc61f2	96175b90175220a5eda66264a4238f9cfb70834493f40bc53b30abe3dfdc61f2	96175b90175220a5eda66264a4238f9cfb70834493f40bc53b30abe3dfdc61f2	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE-K		5	g	Fbar	-0.264077	6ddff6c0e53143155b0e71583e94344b15e880ad53a32319d47cc17da93ae	6ddff6c0e53143155b0e71583e94344b15e880ad53a32319d47cc17da93ae	6ddff6c0e53143155b0e71583e94344b15e880ad53a32319d47cc17da93ae	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE-K		5	g	C	0.663616	09d031ba10f1e769872e5603889f6781da1d1bc112d46feaa644b057e06cc02	09d031ba10f1e769872e5603889f6781da1d1bc112d46feaa644b057e06cc02	09d031ba10f1e769872e5603889f6781da1d1bc112d46feaa644b057e06cc02	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE-K		5	g	Cbar	-0.601393	1010706ce289282242d7b8167a55856798b47b99d24d761339e94398ed96b6c	1010706ce289282242d7b8167a55856798b47b99d24d761339e94398ed96b6c	1010706ce289282242d7b8167a55856798b47b99d24d761339e94398ed96b6c	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE-K		5	p	F	0.353592	c6133875fedd04c430a2b46881369076ab78a521717eb0f5ca67bc2a5d0f3774f	c6133875fedd04c430a2b46881369076ab78a521717eb0f5ca67bc2a5d0f3774f	c6133875fedd04c430a2b46881369076ab78a521717eb0f5ca67bc2a5d0f3774f	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE-K		5	p	Fbar	-0.237974	a31ff58f51ef4d830317929a88c3e67b59644446131588a1dd1ea42fd574198	a31ff58f51ef4d830317929a88c3e67b59644446131588a1dd1ea42fd574198	a31ff58f51ef4d830317929a88c3e67b59644446131588a1dd1ea42fd574198	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE-K		5	p	C	0.645614	d094395d3ff08271d15464c72b837c0b122480162073e57c6d2728183eda13b4	d094395d3ff08271d15464c72b837c0b122480162073e57c6d2728183eda13b4	d094395d3ff08271d15464c72b837c0b122480162073e57c6d2728183eda13b4	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE-K		5	p	Cbar	-0.577472	9c0a366605d065f0147d5a647645a438144ff6b01aa84fc23e8dfd65b42d017	9c0a366605d065f0147d5a647645a438144ff6b01aa84fc23e8dfd65b42d017	9c0a366605d065f0147d5a647645a438144ff6b01aa84fc23e8dfd65b42d017	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE-K		5	s	F	0.267656	1216db5841b31c5d19676e1705677de8eab1ade96693305cda7fd5322d3763	1216db5841b31c5d19676e1705677de8eab1ade96693305cda7fd5322d3763	1216db5841b31c5d19676e1705677de8eab1ade96693305cda7fd5322d3763	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE-K		5	s	Fbar	-0.21409	44d7df52c7855ff02ced16b9d794b00658b8c1423dff20a30851a17b2c0bf8e	44d7df52c7855ff02ced16b9d794b00658b8c1423dff20a30851a17b2c0bf8e	44d7df52c7855ff02ced16b9d794b00658b8c1423dff20a30851a17b2c0bf8e	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE-K		5	s	C	0.433643	229d394fa15333b512e79f79b7f0a07ca71ac190fbb025ca5d316e536fe	229d394fa15333b512e79f79b7f0a07ca71ac190fbb025ca5d316e536fe	229d394fa15333b512e79f79b7f0a07ca71ac190fbb025ca5d316e536fe	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE-K		5	s	Cbar	-0.401548	240ec8fbac4e0c131558570f0ed4f07745e98766d65606393f4270b8e399676b	240ec8fbac4e0c131558570f0ed4f07745e98766d65606393f4270b8e399676b	240ec8fbac4e0c131558570f0ed4f07745e98766d65606393f4270b8e399676b	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE-K		5	a	F	0.076976	cb12bd050701b6c4d6628949a1f935b77f90df92333417073cd64279a2916a84	cb12bd050701b6c4d6628949a1f935b77f90df92333417073cd64279a2916a84	cb12bd050701b6c4d6628949a1f935b77f90df92333417073cd64279a2916a84	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE-K		5	a	Fbar	-0.168121	cfb75348014e1da7509bfc5d3a682b085bf14aa00833f0da1644314c0b5da2d2f	cfb75348014e1da7509bfc5d3a682b085bf14aa00833f0da1644314c0b5da2d2f	cfb75348014e1da7509bfc5d3a682b085bf14aa00833f0da1644314c0b5da2d2f	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE-K		5	a	C	0.108929	81ecb394c6630a3dfe249e97f0960f11e47c6efb69ee9d3f902ad76b813e66f	81ecb394c6630a3dfe249e97f0960f11e47c6efb69ee9d3f902ad76b813e66f	81ecb394c6630a3dfe249e97f0960f11e47c6efb69ee9d3f902ad76b813e66f	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	rrf	NOISE-K		5	a	Cbar	-0.259721	3fbd535ce1446b6aee4802bf9a39d440aa5f4c50de9aeed78660c87ca4915	3fbd535ce1446b6aee4802bf9a39d440aa5f4c50de9aeed78660c87ca4915	3fbd535ce1446b6aee4802bf9a39d440aa5f4c50de9aeed78660c87ca4915	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE-K		5	g	F	0.364113	96175b90175220a5eda66264a4238f9cfb70834493f40bc53b30abe3dfdc61f2	96175b90175220a5eda66264a4238f9cfb70834493f40bc53b30abe3dfdc61f2	96175b90175220a5eda66264a4238f9cfb70834493f40bc53b30abe3dfdc61f2	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE-K		5	g	Fbar	-0.278373	6ddff6c0e53143155b0e71583e94344b15e880ad53a32319d47cc17da93ae	6ddff6c0e53143155b0e71583e94344b15e880ad53a32319d47cc17da93ae	6ddff6c0e53143155b0e71583e94344b15e880ad53a32319d47cc17da93ae	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE-K		5	g	C	0.65907	09d031ba10f1e769872e5603889f6781da1d1bc112d46feaa644b057e06cc02	09d031ba10f1e769872e5603889f6781da1d1bc112d46feaa644b057e06cc02	09d031ba10f1e769872e5603889f6781da1d1bc112d46feaa644b057e06cc02	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE-K		5	g	Cbar	-0.616364	1010706ce289282242d7b8167a55856798b47b99d24d761339e94398ed96b6c	1010706ce289282242d7b8167a55856798b47b99d24d761339e94398ed96b6c	1010706ce289282242d7b8167a55856798b47b99d24d761339e94398ed96b6c	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	test	schulze	NOISE-K		5	p	F	0.351985	c6133875fedd04c430a2b46881369076ab78a521717eb0f5ca67bc2a5d0f3774f	c6133875fedd04c430a2b46881369076ab78a521717eb0f5ca67bc2a5d0f3774f	c6133875fedd04c430a2b46881369076ab78a521717eb0f5ca67bc2a5d0f3774f	

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE-K		5	p	Fbar	-0.253618	a31ff58f51ef4d8300317929a88c8c867b5964446131588a1dd1ea42fd574198	4d8300317929a88c8c867b5964446131588a1dd1ea42fd574198	4d8300317929a88c8c867b5964446131588a1dd1ea42fd574198	4d8300317929a88c8c867b5964446131588a1dd1ea42fd574198
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE-K		5	p	C	0.641017	d094395d3ff00971d154f64672e837c0b22480162073e57c6d2728183eda13b4	d094395d3ff00971d154f64672e837c0b22480162073e57c6d2728183eda13b4	d094395d3ff00971d154f64672e837c0b22480162073e57c6d2728183eda13b4	d094395d3ff00971d154f64672e837c0b22480162073e57c6d2728183eda13b4
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE-K		5	p	Cbar	-0.592831	9c0a36660b0f65f0147d15a617645a022144ff6b01aa84fc23e8dfd65b42d017	9c0a36660b0f65f0147d15a617645a022144ff6b01aa84fc23e8dfd65b42d017	9c0a36660b0f65f0147d15a617645a022144ff6b01aa84fc23e8dfd65b42d017	9c0a36660b0f65f0147d15a617645a022144ff6b01aa84fc23e8dfd65b42d017
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE-K		5	s	F	0.266311	1216db5849b3dcd0676e70705677de8eab1ade96693305cda7fd5322d3763	1216db5849b3dcd0676e70705677de8eab1ade96693305cda7fd5322d3763	1216db5849b3dcd0676e70705677de8eab1ade96693305cda7fd5322d3763	1216db5849b3dcd0676e70705677de8eab1ade96693305cda7fd5322d3763
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE-K		5	s	Fbar	-0.230909	44d7df52c7485ff002ced16b9d7f94b020658b8c1423dff20a30851a17b2c0bf8e	44d7df52c7485ff002ced16b9d7f94b020658b8c1423dff20a30851a17b2c0bf8e	44d7df52c7485ff002ced16b9d7f94b020658b8c1423dff20a30851a17b2c0bf8e	44d7df52c7485ff002ced16b9d7f94b020658b8c1423dff20a30851a17b2c0bf8e
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE-K		5	s	C	0.429716	229d394fa15363cb512e79f72b1f100407caf71ac190fbb025ca5d316e536fe	229d394fa15363cb512e79f72b1f100407caf71ac190fbb025ca5d316e536fe	229d394fa15363cb512e79f72b1f100407caf71ac190fbb025ca5d316e536fe	229d394fa15363cb512e79f72b1f100407caf71ac190fbb025ca5d316e536fe
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE-K		5	s	Cbar	-0.418968	240ec8fbacfe09c1315587090d14f0c7745e98766d65606393f4270b8e399676b	240ec8fbacfe09c1315587090d14f0c7745e98766d65606393f4270b8e399676b	240ec8fbacfe09c1315587090d14f0c7745e98766d65606393f4270b8e399676b	240ec8fbacfe09c1315587090d14f0c7745e98766d65606393f4270b8e399676b
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE-K		5	a	F	0.076488	cb12bd050701b6c496628942c1f935b77f90df92333417073cd64279a2916a84	cb12bd050701b6c496628942c1f935b77f90df92333417073cd64279a2916a84	cb12bd050701b6c496628942c1f935b77f90df92333417073cd64279a2916a84	cb12bd050701b6c496628942c1f935b77f90df92333417073cd64279a2916a84
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE-K		5	a	Fbar	-0.184337	cfb75348014e1da709bcef326821b02f4514aa00833f0da1644314c0b5da2d2f	cfb75348014e1da709bcef326821b02f4514aa00833f0da1644314c0b5da2d2f	cfb75348014e1da709bcef326821b02f4514aa00833f0da1644314c0b5da2d2f	cfb75348014e1da709bcef326821b02f4514aa00833f0da1644314c0b5da2d2f
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE-K		5	a	C	0.107337	81ecb394c6630c3dfe249e2f7f960f11e47c6efb69ee9d3f902ad76b813e66f	81ecb394c6630c3dfe249e2f7f960f11e47c6efb69ee9d3f902ad76b813e66f	81ecb394c6630c3dfe249e2f7f960f11e47c6efb69ee9d3f902ad76b813e66f	81ecb394c6630c3dfe249e2f7f960f11e47c6efb69ee9d3f902ad76b813e66f
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE-K		5	a	Cbar	-0.278485	3fbd535ce14446b3e9e480224f9b029440aa5f4c50de9aeed78660c87ca4915	3fbd535ce14446b3e9e480224f9b029440aa5f4c50de9aeed78660c87ca4915	3fbd535ce14446b3e9e480224f9b029440aa5f4c50de9aeed78660c87ca4915	3fbd535ce14446b3e9e480224f9b029440aa5f4c50de9aeed78660c87ca4915

Table 62: ImageNet–ResNet-18 results.

cell	dataset	model	split	method	setting	distance model	q	candidate id	sample count	geometry	geometry label	source id	methods	selected individual	ER F g	ER Fbar g	ER C g	ER Cbar g	ER F p	ER Fbar p
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	NOISE-S		4	9e54e048fb a39006aef6 4eef62ba7 e2033e58c	5000	NOISE-S	NOISE-S	089259591a 0074cd347 14ef721d	DeepLift	Shap3D2p	0.003382p	0.007227r	0.008583s	-0.041539	-0.021416	-0.050027
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	NOISE-S		4	2bd8e7f810 85659a3d 603ce440 7e0133e35	5000	NOISE-S	NOISE-S	513a598a10 03b1d51357 14124038	DeepLift	Shap3D2p	0.003324p	0.005581r	0.01181102	-0.033597	-0.001972	-0.04191
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-S		4	e5bd301583 00001a26 57b38e7 7e0133e35	5000	NOISE-S	NOISE-S	46597a089e c5541cd32 03c2410	DeepLift	Shap3D2p	0.003324p	0.007699r	0.0112098	-0.013802	0.004461	-0.010363
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	NOISE-S		4	61a3529fd3 e5080eae f6e69db7 7e0133e35	5000	NOISE-S	NOISE-S	55bb5c3302a5 35b375f6a 33a26939	DeepLift	Shap3D2p	0.003324p	0.007899r	0.0111799	-0.025193	0.003164	-0.021952
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE-S		4	9eb73cc68e 4500bae6 3e791a0 7e0133e35	5000	NOISE-S	NOISE-S	5e735ff64d 03dd7d3a 461e583	DeepLift	Shap3D2p	0.003324p	0.007856r	0.0111748	-0.006473	0.015453	-0.000636
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	simpleavg	NOISE-K		5	42cb9029ab 792af38c b41ef48 7e0133e35	5000	NOISE-K	NOISE-K	0c0939732f5 60b9d347 13049	DeepLift	Shap3D2p	0.003324p	0.015282r	0.011036	0.0155555	-0.025882	-0.05226
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	borda	NOISE-K		5	b66d0f4866 0004285e 7a112d7 7e0133e35	5000	NOISE-K	NOISE-K	00dbcd07eb 7c005dd3 81506112	DeepLift	Shap3D2p	0.003324p	0.005235r	0.010647	0.0165887	-0.014185	-0.058936
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	kemeny	NOISE-K		5	c98b89f4e7 b500bb5d d793d5e4 7e0133e35	5000	NOISE-K	NOISE-K	2c3467600e 52667d48 349b9b59	DeepLift	Shap3D2p	0.003324p	0.007336r	0.0115405	0.0112273	-0.001464	-0.018128
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	rrf	NOISE-K		5	1ff52710d1e 50004a9b 2ff6135f 7e0133e35	5000	NOISE-K	NOISE-K	663623fab0 364a1296 034e18c	DeepLift	Shap3D2p	0.003324p	0.007712r	0.0118216	0.01146497	-0.007792	-0.045426
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	test	schulze	NOISE-K		5	e2a297747d 50002356 ndf04e7 7e0133e35	5000	NOISE-K	NOISE-K	538818a300 Chia622B 63b859d	DeepLift	Shap3D2p	0.003324p	0.007627r	0.0111007	0.01143036	-0.006585	-0.047782

Table 63: ImageNet–ResNet-18 results.

cell	dataset	model	split	method	setting	distance model	q	ER C p	ER Cbar p	ER F s	ER Fbar s	ER C s	ER Cbar s	ER F a	ER Fbar a	ER C a	ER Cbar a
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	simpleavg	NOISE-S		4	-0.016225	-0.045613	0.003779	-0.035302	0.005464	-0.027446	0.010425	0.01947	0.011641	0.037943
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	borda	NOISE-S		4	-0.011842	-0.031284	0.001781	-0.01371	-2.5317e-05	-0.010687	8.7898e-05	0.010987	-0.001538	0.020512
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	kemeny	NOISE-S		4	-0.012016	-0.005484	0.006246	-0.010553	-0.000892	-0.011455	-0.00194	-0.011645	-0.00707	-0.014121
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	rrf	NOISE-S		4	-0.007059	-0.013732	0.005542	-0.014486	0.00291	-0.012004	-0.001439	0.005198	-0.00285	0.009133
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	schulze	NOISE-S		4	-0.004841	0.002281	0.014837	-0.002431	0.001199	-0.000833	-0.002295	-0.005629	-0.008671	-0.002079
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	simpleavg	NOISE-K		5	-0.009587	-0.055105	-0.001324	-0.029246	0.006715	-0.032193	0.012631	0.030847	0.019005	0.041839
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	borda	NOISE-K		5	-0.016217	-0.051503	-0.002311	-0.022327	-0.003916	-0.021293	0.000312	0.008445	0.001663	0.02408
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	kemeny	NOISE-K		5	-0.013766	-0.007919	0.005959	-0.019856	0.002302	-0.012633	0.00041	0.00682	-0.000335	0.021721
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	rrf	NOISE-K		5	-0.015014	-0.039128	0.003144	-0.01951	-0.003843	-0.015852	0.001424	0.013321	0.001271	0.025721
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	test	schulze	NOISE-K		5	-0.008017	-0.040169	8.9402e-05	-0.019891	-0.002716	-0.017832	0.001912	0.017737	0.003063	0.032485

Table 64: ImageNet–ResNet-18 results.

cell	dataset	model	q	condition	metric	comparison id	sample count	geometry	geometry label	rule	condition label	naive er	noise er	gain	standard error	ci low	ci high	confidence	one sided positive gain p value	holm adjusted p value
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	F	86cb6feb19150082f729b1b1b1b3	100000	86cb6feb19150082f729b1b1b1b3	NOISE58ce41b1f1a1b1b1b3	86cb6feb19150082f729b1b1b1b3	86cb6feb19150082f729b1b1b1b3	0.0019382	-0.019382	-0.007458	0.006678	-0.020704	0.005658	0.95	0.8707	1
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Fbar	5fbb98e3e155000ca4pd233fab8	50000	5fbb98e3e155000ca4pd233fab8	NOISE58ce41b1f1a1b1b1b3	5fbb98e3e155000ca4pd233fab8	5fbb98e3e155000ca4pd233fab8	0.042927	-0.042927	-0.00539	0.006094	-0.017183	0.006565	0.95	0.80885	1
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	C	bca6e92ec9f750087e0p0043dr42	100000	bca6e92ec9f750087e0p0043dr42	NOISE58ce41b1f1a1b1b1b3	bca6e92ec9f750087e0p0043dr42	bca6e92ec9f750087e0p0043dr42	0.005833	-0.005833	-0.017097	0.006942	-0.030648	-0.003582	0.95	0.99235	1
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Cbar	e283df1171860085e4p04r41a0f	100000	e283df1171860085e4p04r41a0f	NOISE58ce41b1f1a1b1b1b3	e283df1171860085e4p04r41a0f	e283df1171860085e4p04r41a0f	0.01539	-0.01539	-0.006041	0.00622	-0.018074	0.006172	0.95	0.83575	1
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	F	6b64743eab6000124725b1f1b1b1b3	100000	6b64743eab6000124725b1f1b1b1b3	NOISE58ce41b1f1a1b1b1b3	6b64743eab6000124725b1f1b1b1b3	6b64743eab6000124725b1f1b1b1b3	0.021416	-0.021416	-0.003734	0.006884	-0.017224	0.009845	0.95	0.71005	1
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Fbar	f82dcab2b7d5000795e383722b8	100000	f82dcab2b7d5000795e383722b8	NOISE58ce41b1f1a1b1b1b3	f82dcab2b7d5000795e383722b8	f82dcab2b7d5000795e383722b8	0.050027	-0.050027	-0.012358	0.006236	-0.024523	-0.000231	0.95	0.97665	1
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	C	b5448bec2ea50006a2p03671b1b1b3	100000	b5448bec2ea50006a2p03671b1b1b3	NOISE58ce41b1f1a1b1b1b3	b5448bec2ea50006a2p03671b1b1b3	b5448bec2ea50006a2p03671b1b1b3	0.016225	-0.016225	-0.013761	0.006916	-0.027341	-0.000221	0.95	0.97625	1
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Cbar	58ec827f14230001e4p04r41a0f	100000	58ec827f14230001e4p04r41a0f	NOISE58ce41b1f1a1b1b1b3	58ec827f14230001e4p04r41a0f	58ec827f14230001e4p04r41a0f	0.045613	-0.045613	-0.01421	0.006065	-0.026038	-0.002454	0.95	0.99025	1
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	F	134b72be7e5000f5e30a7733b1b1b3	100000	134b72be7e5000f5e30a7733b1b1b3	NOISE58ce41b1f1a1b1b1b3	134b72be7e5000f5e30a7733b1b1b3	134b72be7e5000f5e30a7733b1b1b3	0.003779	0.003779	0.003903	0.006123	-0.008082	0.015987	0.95	0.264	1
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Fbar	89a21315a05000722p483f1b1b1b3	100000	89a21315a05000722p483f1b1b1b3	NOISE58ce41b1f1a1b1b1b3	89a21315a05000722p483f1b1b1b3	89a21315a05000722p483f1b1b1b3	0.035302	-0.035302	-0.006776	0.006693	-0.02014	0.006271	0.95	0.84895	1
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	C	c3a9700def5000244p03671b1b1b3	100000	c3a9700def5000244p03671b1b1b3	NOISE58ce41b1f1a1b1b1b3	c3a9700def5000244p03671b1b1b3	c3a9700def5000244p03671b1b1b3	0.005464	-0.005464	-0.001924	0.006073	-0.013757	0.010034	0.95	0.6283	1
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Cbar	6e3bee0e5225000f3bp031a1b1b1b3	100000	6e3bee0e5225000f3bp031a1b1b1b3	NOISE58ce41b1f1a1b1b1b3	6e3bee0e5225000f3bp031a1b1b1b3	6e3bee0e5225000f3bp031a1b1b1b3	0.027446	-0.027446	-0.00477	0.00667	-0.017925	0.008257	0.95	0.7675	1
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	F	8699c96feb5000755p000d1b1b1b3	100000	8699c96feb5000755p000d1b1b1b3	NOISE58ce41b1f1a1b1b1b3	8699c96feb5000755p000d1b1b1b3	8699c96feb5000755p000d1b1b1b3	0.010425	0.010425	0.001394	0.003044	-0.004555	0.007322	0.95	0.33025	1
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Fbar	b577096a646000ca0p055cm007	100000	b577096a646000ca0p055cm007	NOISE58ce41b1f1a1b1b1b3	b577096a646000ca0p055cm007	b577096a646000ca0p055cm007	0.01947	-0.01947	-0.000853	0.006174	-0.013053	0.01107	0.95	0.55745	1
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	C	c0040b5aa5500049dp03671b1b1b3	100000	c0040b5aa5500049dp03671b1b1b3	NOISE58ce41b1f1a1b1b1b3	c0040b5aa5500049dp03671b1b1b3	c0040b5aa5500049dp03671b1b1b3	0.011641	-0.011641	-0.003161	0.003348	-0.009715	0.003439	0.95	0.82645	1
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Cbar	6b39baaab850008b6p0557n1b1b1b3	100000	6b39baaab850008b6p0557n1b1b1b3	NOISE58ce41b1f1a1b1b1b3	6b39baaab850008b6p0557n1b1b1b3	6b39baaab850008b6p0557n1b1b1b3	0.037943	0.037943	0.001151	0.006871	-0.012422	0.014654	0.95	0.4329	1
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	F	f168c1bc2ac500045e8p055r1b1b1b3	100000	f168c1bc2ac500045e8p055r1b1b1b3	NOISE58ce41b1f1a1b1b1b3	f168c1bc2ac500045e8p055r1b1b1b3	f168c1bc2ac500045e8p055r1b1b1b3	0.003821	-0.003821	-0.012667	0.008039	-0.028252	0.003046	0.95	0.9461	1
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Fbar	08e3892c3ab3000574p0002dnd	100000	08e3892c3ab3000574p0002dnd	NOISE58ce41b1f1a1b1b1b3	08e3892c3ab3000574p0002dnd	08e3892c3ab3000574p0002dnd	0.035813	-0.035813	-0.011997	0.007465	-0.026426	0.002743	0.95	0.9477	1
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	C	902f3a1c2a9200048p25a80m23	100000	902f3a1c2a9200048p25a80m23	NOISE58ce41b1f1a1b1b1b3	902f3a1c2a9200048p25a80m23	902f3a1c2a9200048p25a80m23	0.013102	-0.013102	-0.01974	0.008187	-0.035548	-0.003614	0.95	0.99275	1
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Cbar	43d86eae0f350003e6p03671b1b1b3	100000	43d86eae0f350003e6p03671b1b1b3	NOISE58ce41b1f1a1b1b1b3	43d86eae0f350003e6p03671b1b1b3	43d86eae0f350003e6p03671b1b1b3	0.033597	-0.033597	-0.001567	0.007647	-0.016287	0.013522	0.95	0.5797	1
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	F	d1d6157f525000a9p000f1b1b1b3	100000	d1d6157f525000a9p000f1b1b1b3	NOISE58ce41b1f1a1b1b1b3	d1d6157f525000a9p000f1b1b1b3	d1d6157f525000a9p000f1b1b1b3	0.001972	-0.001972	-0.01795	0.008267	-0.033937	-0.001461	0.95	0.9864	1
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Fbar	c6ba35c30dd500019d1727f1b1b1b3	100000	c6ba35c30dd500019d1727f1b1b1b3	NOISE58ce41b1f1a1b1b1b3	c6ba35c30dd500019d1727f1b1b1b3	c6ba35c30dd500019d1727f1b1b1b3	0.04191	-0.04191	-0.01565	0.007929	-0.030822	0.00015	0.95	0.978	1
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	C	ff42ae78ef64000e7p663m0d7d	100000	ff42ae78ef64000e7p663m0d7d	NOISE58ce41b1f1a1b1b1b3	ff42ae78ef64000e7p663m0d7d	ff42ae78ef64000e7p663m0d7d	0.011842	-0.011842	-0.01952	0.008198	-0.035603	-0.003535	0.95	0.9914	1

cell	dataset	model	q	condition	metric	comparison id	sample count	geometry	geometry label	rule	condition label	naive er	noise er	gain	standard error	ci low	ci high	confidence	one sided positive gain p value	holm adjusted p value
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Cbar	5655aa70823000e	3600	exp6e22a1nc	5675312-5	152f4d71079	6ed26a096	0.0085878	0.009133	-0.006745	0.008032	-0.022443	0.009116	0.95	0.8052	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	F	3f2520eba2f400006	6000	6600374df2	5675312-5	721e2n32de6	40e57acc	0.0087756	0.000965	-0.006679	0.007727	-0.021681	0.008424	0.95	0.81295	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Fbar	f8128815dc46605b	1000	bie6cnd45	5675312-5	4622e1y840	8p226c84d6	877047339	-0.007699	-0.014858	0.007272	-0.029065	-0.000402	0.95	0.98035	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	C	3bd1dc8d58422073	7000	792694b8a8	5675312-5	29c70f59e93	4e5533f32a	0.0087227	-0.012098	-0.011871	0.008128	-0.027818	0.003999	0.95	0.92885	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Cbar	52e60d6ecb6303b	1000	exp2ef46ba	5675312-5	3d418950c0	2d613f23dc	0.0071226	-0.013802	-0.024928	0.007533	-0.039517	-0.009958	0.95	0.99945	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	F	02aa7b154e06003f	6000	exp700844b	5675312-5	30c1b8e829	60c1b8e829	0.00810485	0.004461	-0.011974	0.008131	-0.027768	0.004103	0.95	0.9321	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Fbar	75885e8eff7f50081	7000	75d4f0cnd5	5675312-5	60c1b8e829	60c1b8e829	0.0087346	-0.010363	-0.018109	0.007761	-0.033336	-0.002794	0.95	0.99025	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	C	77ab5159ad2500039	6000	exp0b05209c	5675312-5	40c1b8e829	40c1b8e829	0.00875887	-0.012016	-0.017903	0.008308	-0.034312	-0.001576	0.95	0.98325	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Cbar	5b5868902c65000f	8000	8p0a55524	5675312-5	16a386a0a8	82Bd10p6pp	0.0043385	-0.005484	-0.018829	0.007761	-0.033851	-0.003633	0.95	0.9924	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	F	034a03ea76a10002	exp72119bnc	5675312-5	40c1b8e829	40c1b8e829	0.0087346	0.006246	-0.000908	0.007217	-0.01497	0.013346	0.95	0.5552	1	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Fbar	5e7c08b66c300013	2p0c1d857b	5675312-5	40c1b8e829	40c1b8e829	0.0087346	-0.010553	-0.006081	0.007968	-0.021469	0.009555	0.95	0.7815	1	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	C	2ed4889affa500039	2p0c1d857b	5675312-5	40c1b8e829	40c1b8e829	0.0087346	-0.000892	-0.006086	0.007343	-0.0206	0.008306	0.95	0.8009	1	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Cbar	f10e394c10d50005a	3p0ab0b1b8d5	5675312-5	40c1b8e829	40c1b8e829	0.0087346	-0.011455	-0.006677	0.008144	-0.022245	0.009435	0.95	0.8008	1	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	F	af51d2e39157000c	6p0f0105a1c	5675312-5	40c1b8e829	40c1b8e829	0.0087346	-0.00194	-0.006266	0.003125	-0.012383	-7.2233e-05	0.95	0.9775	1	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Fbar	31913b15cd00003	1p145bm78c	5675312-5	40c1b8e829	40c1b8e829	0.0087346	-0.011645	-0.010932	0.007475	-0.025485	0.003832	0.95	0.92955	1	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	C	1c41bd5fab8000b03	3p0ab0b1b8d5	5675312-5	40c1b8e829	40c1b8e829	0.0087346	-0.00707	-0.012137	0.003517	-0.018995	-0.005312	0.95	0.9994	1	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Cbar	328fc55ac3450006c	7p22338cnd0b	5675312-5	40c1b8e829	40c1b8e829	0.0087346	-0.014121	-0.019379	0.008227	-0.035416	-0.003128	0.95	0.9912	1	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	F	4d58cd10ed8500015	4p0b424617c	5675312-5	40c1b8e829	40c1b8e829	0.0087346	0.008877	0.002813	0.007923	-0.012761	0.018286	0.95	0.36915	1	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Fbar	1f93ac4036c30002b	7p431bd2c03	5675312-5	40c1b8e829	40c1b8e829	0.0087346	-0.003856	-0.003459	0.007273	-0.017519	0.010676	0.95	0.6956	1	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	C	4a07dc798ef5000c	8p22338cnd0b	5675312-5	40c1b8e829	40c1b8e829	0.0087346	-0.01713	-0.0148	0.008181	-0.030924	0.001041	0.95	0.96375	1	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Cbar	04b3f0ab71b50027	4p0b424617c	5675312-5	40c1b8e829	40c1b8e829	0.0087346	-0.006473	-0.007417	0.007535	-0.022108	0.007767	0.95	0.84545	1	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	F	3847319dd0d00006d	2p1215010c6	5675312-5	40c1b8e829	40c1b8e829	0.0087346	0.015453	0.002432	0.008326	-0.013904	0.018643	0.95	0.38745	1	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Fbar	fc8516985416000f8	8p22338cnd0b	5675312-5	40c1b8e829	40c1b8e829	0.0087346	-0.000636	0.012441	0.007696	-0.002441	0.02756	0.95	0.05635	1	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	C	6eeb0f45d320000a	2p1215010c6	5675312-5	40c1b8e829	40c1b8e829	0.0087346	-0.004841	-0.003945	0.008344	-0.020458	0.012461	0.95	0.68345	1	

cell	dataset	model	q	condition	metric	comparison id	sample count	geometry	geometry label	rule	condition label	naive er	noise er	gain	standard error	ci low	ci high	confidence	one sided positive gain p value	holm adjusted p value
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Cbar	4079e09160c8000b5pda8ffda495607f58450	5000	5pda8ffda495607f58450	cat11340487	871879895	86934325	0.002281	0.006031	0.007576	-0.008508	0.020968	0.95	0.22465	1	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	F	c7dde7ea63850001b5pda8ffda495607f58450	5000	5pda8ffda495607f58450	Sch142ec0af3d4E70e3a	92308663	0.014837	0.006174	0.007102	-0.007534	0.020339	0.95	0.1924	1		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Fbar	6f1f97418eb5000395pda8ffda495607f58450	5000	5pda8ffda495607f58450	289d98430fip9d7f28c0	48086902	-0.002431	0.001471	0.008043	-0.014035	0.017391	0.95	0.43475	1		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	C	1d9c40520b5000d74pca9a468a1018E75d88f0e22d	5000	4pca9a468a1018E75d88f0e22d	cbf3e4d93bc8	58008459	0.001199	-0.001259	0.007162	-0.015165	0.012903	0.95	0.56845	1		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Cbar	847fd2a513a50003e6pca9a468a1018E75d88f0e22d	5000	4pca9a468a1018E75d88f0e22d	cbf3e4d93bc8	58008459	-0.000833	0.000643	0.008127	-0.014985	0.016874	0.95	0.47835	1		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	F	b69dc10ed365000bc9p7bbfaa1990c3854	9000	9p7bbfaa1990c3854	ed70b2e409ad6e4e1nk3	006302054	-0.002295	-0.005446	0.003221	-0.011723	0.000936	0.95	0.95625	1		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Fbar	c1cf9ec37a0500059pca9a468a1018E75d88f0e22d	9000	9pca9a468a1018E75d88f0e22d	cbf3e4d93bc8	58008459	-0.005629	-0.006495	0.007347	-0.020642	0.008186	0.95	0.8192	1		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	C	9b2a11d7ad3000d63pab1ad1d039025	3000	6p3mb1ad1d039025	87a9cd17ea06d1b42e81Dh0	206ff79	-0.008671	-0.008849	0.003594	-0.015935	-0.00172	0.95	0.9927	1		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Cbar	259f8c26191850061dpca9a468a1018E75d88f0e22d	3000	6pca9a468a1018E75d88f0e22d	cbf3e4d93bc8	58008459	-0.002079	-0.008045	0.00809	-0.023605	0.008011	0.95	0.84495	1		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	F	eda835b299000060006c3fda82d15b5d7005E5E8	5000	5pda8ffda495607f58450	NO16E75d88f0e22d	cbf3e4d93bc8	58008459	-0.012324	-0.0004	0.006924	-0.014031	0.013137	0.95	0.5189	1	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Fbar	1e9193a6fa95000fd0006c3fda82d15b5d7005E5E8	5000	5pda8ffda495607f58450	NO16E75d88f0e22d	cbf3e4d93bc8	58008459	-0.05282	-0.015283	0.006485	-0.028114	-0.00273	0.95	0.991	1	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	C	9fd23bd3ca0500000006c3fda82d15b5d7005E5E8	2000	2p641b894c6370	63E7K024d90274158a7ss2hri9	007011264	0.01036	-0.000905	0.00718	-0.014945	0.013	0.95	0.5451	1		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Cbar	1b673199bf35000020006c3fda82d15b5d7005E5E8	2000	2p641b894c6370	63E7K024d90274158a7ss2hri9	007011264	-0.058535	-0.023037	0.006624	-0.036061	-0.010052	0.95	0.99995	1		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	F	710ed5db6f05000eb0006c3fda82d15b5d7005E5E8	5000	5pda8ffda495607f58450	NO16E75d88f0e22d	cbf3e4d93bc8	58008459	-0.025882	-0.0082	0.007211	-0.02231	0.005964	0.95	0.8707	1	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Fbar	c4f34680dd1600000006c3fda82d15b5d7005E5E8	5000	5pda8ffda495607f58450	NO16E75d88f0e22d	cbf3e4d93bc8	58008459	-0.05226	-0.014592	0.00684	-0.028089	-0.001229	0.95	0.98315	1	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	C	5cd880c9eb2700030006c3fda82d15b5d7005E5E8	5000	5pda8ffda495607f58450	NO16E75d88f0e22d	cbf3e4d93bc8	58008459	-0.009587	-0.007124	0.007257	-0.02144	0.006931	0.95	0.83205	1	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Cbar	f17e5a016ce5000480006c3fda82d15b5d7005E5E8	5000	5pda8ffda495607f58450	NO16E75d88f0e22d	cbf3e4d93bc8	58008459	-0.055105	-0.023701	0.006676	-0.036862	-0.010696	0.95	0.9999	1	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	F	41829403ab78000120006c3fda82d15b5d7005E5E8	4000	4p81d1813e84079	5eE24e668b0c75	apt0816969	483000223	-0.001324	-0.0012	0.006373	-0.013778	0.011319	0.95	0.57045	1	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Fbar	b58649ea72f9000b0006c3fda82d15b5d7005E5E8	5000	5pda8ffda495607f58450	NO16E75d88f0e22d	cbf3e4d93bc8	58008459	-0.029246	-0.000721	0.007413	-0.015224	0.013563	0.95	0.53365	1	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	C	eb856b729cf5000150006c3fda82d15b5d7005E5E8	5000	5pda8ffda495607f58450	NO16E75d88f0e22d	cbf3e4d93bc8	58008459	0.006715	-0.000672	0.006461	-0.013348	0.012099	0.95	0.53905	1	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Cbar	b7124e87f9d6000230006c3fda82d15b5d7005E5E8	5000	5pda8ffda495607f58450	NO16E75d88f0e22d	cbf3e4d93bc8	58008459	-0.032193	-0.009517	0.00746	-0.02416	0.005098	0.95	0.8983	1	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	F	ef5fd98927d5000ab0006c3fda82d15b5d7005E5E8	5000	5pda8ffda495607f58450	NO16E75d88f0e22d	cbf3e4d93bc8	58008459	0.012631	0.0036	0.003124	-0.002552	0.009698	0.95	0.1218	1	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Fbar	ef7a2bf33355000d0006c3fda82d15b5d7005E5E8	5000	5pda8ffda495607f58450	NO16E75d88f0e22d	cbf3e4d93bc8	58008459	0.030847	0.010523	0.00661	-0.002711	0.023442	0.95	0.0524	1	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	C	5cc6f4fc3d70000d0006c3fda82d15b5d7005E5E8	5000	5pda8ffda495607f58450	NO16E75d88f0e22d	cbf3e4d93bc8	58008459	0.019005	0.004203	0.003437	-0.002496	0.010926	0.95	0.11195	1	

cell	dataset	model	q	condition	metric	comparison id	sample count	geometry	geometry label	rule	condition	naive er	noise er	gain	standard error	ci low	ci high	confidence	one sided positive gain p value	holm adjusted p value
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Cbar	0458b47541f38003	18000	0458b47541f38003	0458b47541f38003	0458b47541f38003	0458b47541f38003	0.0136292	0.041839	0.005047	0.007228	-0.00925	0.019205	0.95	0.23685	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	F	04ffa00a7dd30601	18000	04ffa00a7dd30601	04ffa00a7dd30601	04ffa00a7dd30601	04ffa00a7dd30601	0.0038846	-0.008913	-0.017758	0.008328	-0.034094	-0.001476	0.95	0.98375	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Fbar	22cbbc2eald50008	18000	22cbbc2eald50008	22cbbc2eald50008	22cbbc2eald50008	22cbbc2eald50008	0.003806	-0.053258	-0.029442	0.007696	-0.044743	-0.014265	0.95	0.99985	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	C	5439b18fc38600f0	18000	5439b18fc38600f0	5439b18fc38600f0	5439b18fc38600f0	5439b18fc38600f0	0.0006638	-0.00647	-0.013108	0.008608	-0.029848	0.003828	0.95	0.938	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Cbar	19ab1c639e76005	18000	19ab1c639e76005	19ab1c639e76005	19ab1c639e76005	19ab1c639e76005	0.003263	-0.05887	-0.026839	0.007845	-0.042252	-0.01132	0.95	0.9996	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	F	dbf9a7eb96a20001	18000	dbf9a7eb96a20001	dbf9a7eb96a20001	dbf9a7eb96a20001	dbf9a7eb96a20001	0.005079	-0.014185	-0.030164	0.008649	-0.04709	-0.013166	0.95	0.9997	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Fbar	4f95fbc392350001	18000	4f95fbc392350001	4f95fbc392350001	4f95fbc392350001	4f95fbc392350001	0.002866	-0.058936	-0.032676	0.008166	-0.048641	-0.016624	0.95	1	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	C	7e83d5ea7c42007d	18000	7e83d5ea7c42007d	7e83d5ea7c42007d	7e83d5ea7c42007d	7e83d5ea7c42007d	0.0007678	-0.016217	-0.023895	0.00866	-0.040952	-0.007121	0.95	0.99735	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Cbar	e58fe3bf9cbb000a	18000	e58fe3bf9cbb000a	e58fe3bf9cbb000a	e58fe3bf9cbb000a	e58fe3bf9cbb000a	0.0016177	-0.051503	-0.035026	0.008252	-0.0512	-0.018702	0.95	0.99995	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	F	f14d711f33660068	18000	f14d711f33660068	f14d711f33660068	f14d711f33660068	f14d711f33660068	0.0003025	-0.002311	-0.008635	0.007823	-0.023886	0.006918	0.95	0.8689	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Fbar	aeb6b415a7a50009	18000	aeb6b415a7a50009	aeb6b415a7a50009	aeb6b415a7a50009	aeb6b415a7a50009	0.0017654	-0.022327	-0.010673	0.008362	-0.027102	0.005687	0.95	0.9011	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	C	c20170d08a500834	18000	c20170d08a500834	c20170d08a500834	c20170d08a500834	c20170d08a500834	0.0005749	-0.003916	-0.008665	0.007797	-0.023957	0.006744	0.95	0.8674	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Cbar	ea9effe524c850070a	18000	ea9effe524c850070a	ea9effe524c850070a	ea9effe524c850070a	ea9effe524c850070a	0.0008551	-0.021293	-0.012742	0.008412	-0.029269	0.003659	0.95	0.9358	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	F	5274719069050066a	18000	5274719069050066a	5274719069050066a	5274719069050066a	5274719069050066a	0.000335	0.000312	-0.000643	0.003444	-0.007366	0.006129	0.95	0.5797	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Fbar	4254532955d50005	18000	4254532955d50005	4254532955d50005	4254532955d50005	4254532955d50005	0.0002898	0.008445	0.005547	0.007917	-0.01011	0.021177	0.95	0.2395	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	C	69605d296d1500025	18000	69605d296d1500025	69605d296d1500025	69605d296d1500025	69605d296d1500025	0.0002423	0.001663	0.003486	0.003852	-0.003966	0.011	0.95	0.18905	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Cbar	852951e4985000f0	18000	852951e4985000f0	852951e4985000f0	852951e4985000f0	852951e4985000f0	0.0008854	0.02408	0.015225	0.008689	-0.001799	0.032081	0.95	0.0382	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	F	238c49bb45e50001c	18000	238c49bb45e50001c	238c49bb45e50001c	238c49bb45e50001c	238c49bb45e50001c	0.0002699	-0.012459	-0.015157	0.008466	-0.031729	0.001692	0.95	0.9635	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Fbar	5b832b501d160007c	18000	5b832b501d160007c	5b832b501d160007c	5b832b501d160007c	5b832b501d160007c	0.0005069	-0.037123	-0.035354	0.007688	-0.050418	-0.02032	0.95	1	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	C	ace857ba2c15000e4	18000	ace857ba2c15000e4	ace857ba2c15000e4	ace857ba2c15000e4	ace857ba2c15000e4	0.0005317	-0.013216	-0.007699	0.008645	-0.024799	0.009249	0.95	0.82075	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Cbar	baa06263a11500036	18000	baa06263a11500036	baa06263a11500036	baa06263a11500036	baa06263a11500036	0.0008782	-0.040407	-0.035125	0.007954	-0.050683	-0.019444	0.95	1	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	F	f069f4b83ba50008c	18000	f069f4b83ba50008c	f069f4b83ba50008c	f069f4b83ba50008c	f069f4b83ba50008c	0.0004636	-0.007792	-0.021829	0.008852	-0.039037	-0.004262	0.95	0.99355	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Fbar	4725dc2ceb50007c	18000	4725dc2ceb50007c	4725dc2ceb50007c	4725dc2ceb50007c	4725dc2ceb50007c	0.0003503	-0.045426	-0.031923	0.008097	-0.047752	-0.0159	0.95	0.99995	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	C	619a656f6ee50004c	18000	619a656f6ee50004c	619a656f6ee50004c	619a656f6ee50004c	619a656f6ee50004c	0.0002987	-0.015014	-0.012847	0.008874	-0.030056	0.004762	0.95	0.9304	1

cell	dataset	model	q	condition	metric	comparison id	sample count	geometry	geometry label	rule	condition label	naive er	noise er	gain	standard error	ci low	ci high	confidence	one sided positive gain p value	holm adjusted p value
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Cbar	a3ff6efc47b05d02b3bba4dc14937802687468c9f8abf5589dd833eppd699006577	10000	10000	10000	10000	10000	0.000000	-0.039128	-0.039705	0.008174	-0.055735	-0.023528	0.95	1	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	F	a8f8848d8f77500017b0828811e4880725b459478fc586c9a8244e25556c004018	10000	10000	10000	10000	10000	0.003144	0.003144	-0.001475	0.007703	-0.016445	0.01366	0.95	0.5846	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Fbar	58b0e5df002666f200811d92f749045f5958c25f8e682684c53d4c77b8c0034675	10000	10000	10000	10000	10000	-0.01951	-0.01951	-0.016334	0.00821	-0.032402	-0.00012	0.95	0.9766	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	C	481bd3405b6000ea46009d67b22031e7a73417381488d9039849fd1000138785	10000	10000	10000	10000	10000	-0.003843	-0.003843	-0.005721	0.007749	-0.020733	0.009475	0.95	0.77075	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Cbar	0257125efb500096466d8dbca401892a271df2d6a016b95418fa1827500056	10000	10000	10000	10000	10000	-0.015852	-0.015852	-0.014252	0.008395	-0.030575	0.002153	0.95	0.9559	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	F	59758d703b2600743428381d4c52909E3k45f85ef34d0b3470662aria4100018948	10000	10000	10000	10000	10000	0.001424	0.001424	-0.00057	0.003527	-0.007452	0.006294	0.95	0.5735	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Fbar	25a83e010cf5002176204471b6b000163d4c7c7f8cfd65b6d5e22c1b736095417	10000	10000	10000	10000	10000	0.013321	0.013321	0.004904	0.007441	-0.009526	0.019526	0.95	0.25955	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	C	b29eea1a12d70010b0ad42613f832155837f587c27e9999d5c9800ad4000221	10000	10000	10000	10000	10000	0.001271	0.001271	0.00348	0.003879	-0.004129	0.011084	0.95	0.1942	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Cbar	7cbe24b86b13000f99b0261152d4764548438858cb56d68adcd49b0b02025678c	10000	10000	10000	10000	10000	0.025721	0.025721	0.009843	0.008321	-0.006121	0.026495	0.95	0.1167	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	F	6a33b065e55000650dd4f08c45801554E117dacc147c2ab776fa0f58182756	10000	10000	10000	10000	10000	-0.006004	-0.006004	-0.013759	0.008372	-0.029902	0.00292	0.95	0.9505	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Fbar	94217ef047c6600d8f37f3ed0cd570708E1F378612e9afc26c99e1ffc592c071159	10000	10000	10000	10000	10000	-0.017736	-0.017736	-0.024895	0.007571	-0.039741	-0.010117	0.95	0.99945	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	C	a8e63b79f15500031feb7a2070c84096Ead6E26ed42e803acc3f8f83e0b000227	10000	10000	10000	10000	10000	-0.015407	-0.015407	-0.015179	0.008751	-0.032316	0.002211	0.95	0.96045	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Cbar	aecfc1234d5600801b2c1b1b5cb2507034046049d36657d985d828375037b11f6	10000	10000	10000	10000	10000	-0.012273	-0.012273	-0.023399	0.007717	-0.038341	-0.008246	0.95	0.9987	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	F	0b221153bd5000737cb043h1dd200495a536E9d3254447f4469b99d50B90E3	10000	10000	10000	10000	10000	-0.001464	-0.001464	-0.017899	0.008577	-0.03464	-0.000938	0.95	0.9821	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Fbar	8d4f3887f224000b60eb9ab1f5e00233000a0e29a737973De58c99a45608786	10000	10000	10000	10000	10000	-0.018128	-0.018128	-0.025875	0.007999	-0.041698	-0.01036	0.95	0.999	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	C	76a72eca54c400020c6bd431ldf461c353627K35464e54bc38289794d2270003867	10000	10000	10000	10000	10000	-0.013766	-0.013766	-0.019653	0.008728	-0.036819	-0.002575	0.95	0.9877	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Cbar	b401d88e2dd500b44dfr12bd24a50038E46543E7d47404357c9789b500003305	10000	10000	10000	10000	10000	-0.007919	-0.007919	-0.021264	0.007949	-0.036963	-0.005666	0.95	0.9958	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	F	3183233d814500031b061ab12aac7f6318DeK94e17edg00732661231bc4f002055	10000	10000	10000	10000	10000	0.005959	0.005959	-0.001196	0.007531	-0.015899	0.013636	0.95	0.56745	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Fbar	9c4609c5b8150002276cdd20a826048E2367e5f879f867272949a7600002472	10000	10000	10000	10000	10000	-0.019856	-0.019856	-0.015384	0.008384	-0.031858	0.001087	0.95	0.9667	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	C	d97bdd595360083d9972b0cc738a055B6f5920b740c1308e9c152c4982003484	10000	10000	10000	10000	10000	0.002302	0.002302	-0.002892	0.007683	-0.01773	0.012396	0.95	0.64985	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Cbar	ab5d100b4d800780365411d20b26204355K38888e87d7348d0c761387000077	10000	10000	10000	10000	10000	-0.012633	-0.012633	-0.007856	0.008471	-0.024309	0.00882	0.95	0.82465	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	F	82b7668ac325000534988d14d61604807K51747e38b15ad4457521830094325	10000	10000	10000	10000	10000	0.00041	0.00041	-0.003916	0.00348	-0.010791	0.002965	0.95	0.87465	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Fbar	e6bbfa6896b100020E49db1d5142048E34684d736118f56046c8cd3b300006713	10000	10000	10000	10000	10000	0.00682	0.00682	0.007532	0.007657	-0.007419	0.022518	0.95	0.16355	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	C	a97b213fd18600f7025a324a9f0075E55ek54643eb67454e06da100002056	10000	10000	10000	10000	10000	-0.000335	-0.000335	-0.005401	0.003886	-0.01301	0.002145	0.95	0.9162	1

Table 65: ImageNet–ResNet-18 results.

cell	dataset	model	q	condition	metric	comparison id	holm reject positive gain null	bootstrap nonpositive probability	point outcome
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	g	F	86cb6feb19	1a2082f7e81b01873051d3669aec91c7a	189c8b8d78038b35b19c1c	
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	g	Fbar	5fbb98e3e1	58106ca4cd23381c49bce5a26fddbb75dc	901877ae399c427d9f0cb	
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	g	C	bca6e92ec9	Fa1787e0ae024398273d6bca8b98c319c	8cb53ef44f4d136651fef9	
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	g	Cbar	e283df1171	806385e1cfcb41802704d26cd86373d2c	4b15e9a2c8ce91996f3405	
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	p	F	6b64743ae1	5836d1247280f704654ff93cd297884f2e	305157bef1d2285f1e98	
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	p	Fbar	f82dcab2b7	Fa16617707e8372766586319150677c8878c	deb2d03197d8e557d36	
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	p	C	b5448bec29	Fa1ff66a20c3079569514fcd45ec03602e	2a0c97fd9bba01a2ba0ad	
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	p	Cbar	58ec827f14	Fa179de4b5646490951e49c66da404ea	17335df2c10d7e2c7a7d2	
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	F	134b72be79	56a06ffc30c703f58425b840d1f5583f8d	7932399a7ce48e30dc914a	
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	Fbar	89a21315a0	56b4a722a48f0f07975165702b75cc26f	cea7b1d21f819738c691	
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	C	c3a9700def	4515b2a413ec063804b8a0d4eb832b2518	76cfd0c872ca863cbb3	
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	Cbar	6e3bee0e52	Fa1993f3be81aed7608ff4bd872814ec00	6f28cfdb4a00626a68b2ab	
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	F	8699c96cfe	Fa1579857acedd222f8306c6b1c9922a9e	98d231079f604c7343091	
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	Fbar	b577096a6f	Fa14f4ca06e5cd400772ceff9cd66926a11	1a224b111b2dfd9d96d6a2	
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	C	c0040b5aa5	55449c49dbcb97f9270550a09c4f89b23e	8c194f823dc99ec18cc412	
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	Cbar	6b39baaab8	Fa1de28b6b857042324f734c0f5876538	ccd238bb74371e2d1971fedc	
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	g	F	f168c1bc2a	Fa155a5c83e5e90199d122c97e8ac18cf8d	1b7761890abf08e8c09e3	
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	g	Fbar	08e3892c3a	Fa18be957bae6024a5074bca267504912f	59b26c984476f865b777dc6	
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	g	C	902f3a1c2a	F2ae3d48225a809253bca4096974063d	766f9880360b75704a703d	
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	g	Cbar	43d86eae0f	Fa1d63e50ba16e6832507f45b6d46cd56	ad6fb94e2bd1437e0ccfa	
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	p	F	d1d6157f55	Fa156ca98809f059332028524f6d33147	4169e9482348fe643dca6	
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	p	Fbar	c6ba35c30a	Fa17619d172703974953f07f467e437fc	0d55d36fa47ad7da0fc2b92	
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	p	C	ff42ae78ef	Fa1420ea76f630097f28cca2563008ad2	5460f6ad00b1d5883c05c0	
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	p	Cbar	ae3ee58983	Fa14c69078890f9092eb3a7f9ae9d1367	c05f374df75de487c6fb11	

cell	dataset	model	q	condition	metric	comparison id	holm reject positive gain null	bootstrap nonpositive probability	point outcome
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	F	02bbc0111234439a10eaa68726852547d9b0cd3f4e57462d4ea81c70961c3789			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	Fbar	882899e3b3b716e5ad4087b33989f0d57bd4f0ddaab6dd4d957095dc720b99f8			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	C	9ff9cbc4a1f5799701f8c31b23335da540743e543b0f44d5139986de6e4c5c02			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	Cbar	1b1651ea79f41ed123ac4e20c2950Head4891e7d549aa1e226239692356c05fc16			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	F	68af006c4a327564ae184ff075982f78e0cb55725840f92d5b553acb2f0acb2c			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	Fbar	37d883616f582720986760dd32851254e608962556f861d25c19191903e9f4ff0			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	C	55a4526265f687472d3e0681d6f897a3e005fa4e411f0bdc45b245833023124			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	Cbar	f2a5591f8c3e013aa5a1371ff595561d87375250eb9b5169ca95a9dcc681636449			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	g	F	c110673c317ad2abab908279541273e9d83ee932bf6d4932b48a6e0d9c2acd7b4			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	g	Fbar	d37250a95f91ee4b3f4e18d619e22567f003e4b0fd9ebd9345c11a79914110d62			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	g	C	4386bf2c0b5d08deaca4010173550de035f866b3c5179951ab719a91ce8c2ef15			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	g	Cbar	f69cf4f29fd6156bf71a9ecd12755cc959325b139b5d7ff451aa2d137ec5bd7			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	p	F	3ea657772c5766761132e56922d52c1b425bdcc0309ebf0cd36518d019dd7a74			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	p	Fbar	d7213212bf5a2a542dc3bf03337852c2e7b5dd7a33f2156cef3d0f692fc5db1ff			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	p	C	8290a7fba2fdd4287084fe3607234e2eb545bf869e0b782d761ca4d05cfbe333a			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	p	Cbar	1de6e67a73fdd7b3e754b9339485867c01549d6f2b58cbeddec286234ea3f15c			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	F	c732305a095687fb9b8c090044043adcf5eb0e52a24917d370d3599a1c3393eb50			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	Fbar	3b9c254bd457dddda2bba0cd9236c65e22766cd23b4de24d1d71084ca41c0fce0			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	C	0f9d781e147b38ddfd44ab400039951461584dee311ab8d8ffb69984638d538bb5			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	Cbar	1e6bd2b09fdd3ee63ffc77038f09954ca905a68a3a61dad793985758b9ce2e637			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	F	c8dc4b16aef08a47020f567084793cfbc400f2655b29c445223e6f6dbe8f913b			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	Fbar	81092673e9f68d1609e2dec06687e21b5686cadb11ce840d1bb0b5335d988dd8			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	C	76ec08f06a11d0859a9d23b580315de5wa92132281e867e42a792565aad821937			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	Cbar	5655aa708f254fcccce5e2007986457c7dd1e5152f4d71079fed26c6960be8d56			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	g	F	3f2520eba2fddfe60ff60637840725893wd7am721c2c32def42ea7ccecf4068			

cell	dataset	model	q	condition	metric	comparison id	holm reject positive gain null	bootstrap nonpositive probability	point outcome
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	g	Fbar	f8128815d6f8ac5b1bd5e6d4e9775457ad190bf0281a8408a326c84d6877e473f			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	g	C	3bd1dc8d55f32207379269019275537e5b4d296c79f53e93e495533f32dde6f71			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	g	Cbar	52e60d6ecf53532b1ee2cf05945b2b93ma3a3d489f00c02dfd3f23decca7324			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	p	F	02aa7b154e9d268f6cb7008d2758cce9a82960dbce84e62c8c52806bb83194f9			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	p	Fbar	75885e8eff7513817711e0e1902fa0a489e86501cbe4ff3fa3bb843d169e8d3			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	p	C	77ab5159a1e43439e1c0b052b403559303fcd11fefe96ca3e4e09b3e91b9defbf			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	p	Cbar	5b5868902e59bbef18a0ad51922251100a6dd1b6a386a0a8826d0c6a9f55ae4880			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	F	034a03ea76f137d2cef72105d4657e37428b2b3742dd951aeebaa1a0e0d743e4			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	Fbar	5e7c08bf60438f132bc9dd876b4b9ee041885710a2bf9ed0cf44c3d205f34b8c			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	C	2ed4889aff431ae592634f3017983d5a790d6d4af2a53f4d566e0514d6dbfcd2a			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	Cbar	f10e394c10f4f155a1d30b07f84885058227a54054ef1d2acc5cd73a1de03347d			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	F	af51d2e391572ac64607900376055ceb9f4ed5c7e11e00df1133e6f7a30ab4			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	Fbar	31913b15c0f438f9319195b092620f72a55fde302125d0a01df602a5782ff8dff			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	C	1c41bdf5ab807e3b034eb0299629cbba64df6594c05c9fe63ca459d69c6b96d1			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	Cbar	328fc55ac3f5deb6e74323049085326882cd7b3dd00cca06752f849cfc4b1f413			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	g	F	4d58cd10e0f4e55115ba542063784703f6tr1299de6129879a88159bef633bea0e			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	g	Fbar	1f93ac4036f0032cb7243bd1570320e020e05111640097c80811b9d5718d192c9			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	g	C	4a07dc798eF35fcee85278035058d1e3702a5e1a6f885149cc0b98c9189e4c47cc			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	g	Cbar	04b3f0ab71f582e7b5ef870352953716579aff22c9490274b9c92a2b405dafd48			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	p	F	3847319dd0fd9ac6d2b2107279f147f7bcb669d77ebd2f7023f780b54eb59312			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	p	Fbar	fc85169854fcd200f85288404750546cd9adff025f84f2eb2a0587eee7dbb806ee8			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	p	C	6eeb0f45d3f4bb3a25df53043215f0a90b27950eed424e4b3551b26a947c52eb			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	p	Cbar	4079e09160F8601bf51d8fdd24056178a210cd6181948787d879837b369242d			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	F	c7dde7ea638516a1b86420a1f908cc7b14c4f78eb1a4eec0aff34f70e3a923c9e			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	Fbar	6f1f97418e1f8d8e39f7127907721a83e25e03fm239a098430f1a917528c05838f9			

cell	dataset	model	q	condition	metric	comparison id	holm reject positive gain null	bootstrap nonpositive probability	point outcome
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	C	1d9c405201571c3d74ec9a46584f151ec71488f0e221cbfb4d3d93bc858cb8ad			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	Cbar	847fd2a5133f866965c768d07e47312528f02173e27737fc592b7b0d7a2a0f738aa			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	F	b69dc10ed3f4141bc9b71bbf09504c20b4d195cd70c7e409ca6c4e1a13055020c4			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	Fbar	c1cf9ec37a0b706f5f9f5ea0c8090573d661ec7a65dbc1a3939ef74465a0c7ab			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	C	9b2a11d7a1c49e1d681ab1b080229025e85e9cd047ea0601912c810bfb20cfce9			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	Cbar	259f8c261934581db92906832f49ab72ce70097037f0fcfc3b196e7ed272645			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	F	eda835b29f017b6c9efa2901507009f6018bb1c6e59c1a0fad170b6cd45f35			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	Fbar	1e9193a6fa9b07afdbbe9ded15941caac91bb3e563eac83fb16683d8638acfa0f91			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	C	9fd23bd3ca1f891e020f41c8955637b6ad79020d40274158b7ea2b19cf17faef1			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	Cbar	1b673199bb7a2e602f21f289550474907099ad5431caf1edabf08f63f2a05d2c			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	F	710ed5db6ff6108cbbcbe067872d4e8a9d3e549079260a840fb6328d4e4e8fc8df			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	Fbar	c4f34680dd161b7904d5368308863898wcr84cf928e246e18bd2786c3b23436d37			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	C	5cd880c9eb27b483a756cfff73399fbb52d0183fa3e532e834ae527ed8172bcc2			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	Cbar	f17e5a016d9d1254843bb9aee508511e270b29fee47092e6a5f2a1f7ba41e273b			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	F	41829403a7f892124931d8157755b790092e0636cc78fae108e69694882a1b3			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	Fbar	b58649ea72fa2c1cb8a2c08134065f3e075b7dadbd8ec6625d98187a9799ef3			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	C	eb856b729f066e150a76ff88387965c9002d903cb10f4efd997e2be5d7d16fb			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	Cbar	b7124e87f9ff222329a74803597852f0707e28803f93e6aa3ea0190cee5273fb9			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	F	ef5fd98927f81ecab4695c00320bf51b0b16902e14f128815df894479f4ddc0			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	Fbar	ef7a2bf3337a054c1e794e8105005261dd414b4ac25f4c71d9f45093a72ae2056			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	C	5cc6f4fc3d70016d09b2d004333a98f10c7fe0357d62ce6f22f226c334461ed			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	Cbar	0458b4754f88923c9906d4734505e736116d27c55f9396fa79fc25de84d1af22			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	F	04ffa00a7d189e81ceffa9988201ef80699e9373d21c7a628fe931c276583			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	Fbar	22cbbc2ea1f0a1e881da870c2399019302cd95ce21c33676dc3103670cf4c79d30			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	C	5439b18fc3f0a31f0bec4383031d435900015431b5e3806699a0a5b5fc860c689			

cell	dataset	model	q	condition	metric	comparison id	holm reject positive gain null	bootstrap nonpositive probability	point outcome
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	Cbar	19ab1c639e7a8095c69978013987b2f276e1fe04e3aabb8f11d92a2cb09b565ac			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	F	dbf9a7eb96521e71a8f326f25996c60au7a3f5200ba2aeb1045a920c04be5b0d			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	Fbar	4f95fbc3923e198d45448916bbda148b010b1c1a23fae039aff0f9681dab0a48e			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	C	7e83d5ea7c72837d4bd344d0487c77b8e79b52e5627a1c16a27c510b1eaf26c9			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	Cbar	e58fe3bf9c258fca2081e6e64ef499e47586d1b842ee6920597b83bc62e7ab1			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	F	fl4d711f3366d8568463d3018603c9c8a5d4203452ac3b207c494ef563e6a56d			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	Fbar	aeb6b415a75049f9dd4bf8059756c4e90ab08f3a3c2a1ad57f875fb385e647bb			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	C	c20170d08a50383487f2e7008351lea3199f117874d3e6a7074e341d115f5beb			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	Cbar	ea9effe524c8517e0a677870943025a8e35d4653248be2aff1e6cd6f08b26340a			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	F	5274719060d11a6a1e91485d682f58215811fab792f1bcbfd019c405ac67ab338			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	Fbar	42545329555a95154f209a6f3375941b8567f822ae6837d14f8b9fcedb9468e13			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	C	69605d296fbd09259310b50f288928251a81f6904547009bee10fdebd17b392d6b			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	Cbar	852951e4985452f0f65eb003f473882306d1e1e8df5a4191647f534f5eadf98b8			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	F	238c49bb47551d71c9a3ad976025f374377e40905734b55598d671f4bd5fcfee			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	Fbar	5b832b501f0d4b7e39f3e3721c91bbf560e2c15ba40d2ae931f918cf27ad509			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	C	ace857ba2c73fe0e4de51e3b809917cd540de38f21c56c1bc128716026850af01			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	Cbar	baa06263a1f90936de062b801ca8c71e9377b2d2428eb8ac5fcd7770171b48fb0			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	F	f069f4b83b10a1b8bce694e03993623f2963d733c96f74f3a59e6cd07eed560c5			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	Fbar	4725dc2ce6f5b1e7ec9f89291c98feddb248a6ea10372631d2a2a42589daf1a6			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	C	619a656f6e4ad242ed570382921835cd8dd57f8629e8b83f7a7871224ad3c8fb8			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	Cbar	a3ff6efc47bb58120be9b40c649378120b76acc9d8abf5589d7831addec9f26ed			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	F	a8f8848d8f7780817b9838f1566950725bce59478ffc586c9a82b1a2555ae7d11			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	Fbar	58b0e5df00fcd6af20083103977094a3e5958e425f8e682684d584c77b8e6646			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	C	481bd3405f0dacead6009067052214b67778d17381488d0f939819fd1d0013bd5			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	Cbar	0257125ef677007966a6d8d195d449d964a270a12d6a016b25118fa182750ac56			

cell	dataset	model	q	condition	metric	comparison id	holm reject positive gain null	bootstrap nonpositive probability	point outcome
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	F	59758d703b3e74612838d55d92969c2a45f58ef34d0b347b62aa4d2b00d848			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	Fbar	25a83e010c894217630b4712327f9bcb01f3c			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	C	b29eea1a128721e10b0a4426713565e1b6805f587e27e9999efc280044cbe231a			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	Cbar	7cbe24b861a1769f90b02015263757a48858eb56d68aded49b0b0272b074c			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	F	6a33b065ec581676e59cedf084955abb5424171accd47cf2ab776fa0f58192d5			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	Fbar	94217ef0477609d8fa7fc2c099f670c417271612e2afc2bc99eaffc592c171			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	C	a8e63b79f1500c3fel7a007388f569c7a1de8264d2e803ecc3f8f683e5bb7de			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	Cbar	aecfc1234d7a15801b2e1e69d375cf70ed0a0ec9433657d985d828375757a4ff			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	F	0b221153bd5842f37cb9a8401981241c90a936673432544d7f4469b99df5d99103			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	Fbar	8d4f3887f2740e5b604b9dbf9958d243000a0e8c29a7379735e53c63aa5898cf			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	C	76a72eca54f44db20c6b13049861cf5262745e464e54be33369731d237903bb6			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	Cbar	b401d88e217d68b4d5fd2db99625439a6f543f74f4e740d357e958cb5000ec71			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	F	3183233d81451d93abb6aa01359fe8440e8941d7cde00782665231bc4fd21f9			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	Fbar	9c4609c5b8f52a02276ad0206825248d22a67e5879f867779e9176002072774			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	C	d97bdd5953ad48e8ce97f20647895af536e5929b74cc1308e99e52c4982b6b48			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	Cbar	ab5d100b4c8078036e54d462618929cd405f48883cc87d734381c761387b1b9dac			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	F	82b7668ac32adb5319280186f6b62a8075bf5717e33b15ab4b5782183fd94525			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	Fbar	e6bbfa6896f114920519cb7d627272144ce8e473f118f56016c3de3b039b9a3b			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	C	a97b213fd161e1f702a5a324745b7a3b55ec54643eb67154e064da1bbb2651			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	Cbar	200358c54e5817e64c6caff70c7226ed7b0c8f50bd4cbaf0680a5dc362bc7ea240			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	F	d5c4dafcd151ac256729ed37942254619270012ce3e2e06ba427cf4081f26f812			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	Fbar	575d3d1105ad3b598059331bb383a0510e6cc3c7e7cf56c094204d55ac8a3a74			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	C	f927e3780740b762380bcd89707521b0cf246d9c544eda62b01586c609d4f849			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	Cbar	bfe76fd20b4bbab88aa0f643bd103902817569a8714976b59adf8651c0991984f			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	F	1e14507fd286179ea33b3220780ff35bd11ba32c713be7cddf5eedade2eeea5			

cell	dataset	model	q	condition	metric	comparison id	holm reject positive gain null	bootstrap nonpositive probability	point outcome
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	Fbar	a37728ff6b94d03b7a982b9b3f4bc827266e172678a2538f6beeebec751d290			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	C	23a5d9096e503265c0d920017851de74d16cd11a3a3b8bf7390c4a710752c00f			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	Cbar	ed5aa137fe5b36092969de2b386ab68fdeb1790695559a82d6cc6cd61de5331			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	F	e036ecc344f776985446da085f03b67c5f8ea57b68d1fc5a38d7ae03df55bd0f			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	Fbar	a155d5dbe9daa6af24f63e9c9630ba7b7748824e6c0576b7726cd2638f6c4365			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	C	2142931574E711b013969f8017305df75e817e57939cf8ca57218a8455fe75605			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	Cbar	78799ee143fcdbe573f4cc10a09987a78dbb79a4e86f523585c8bf32aa71502e7			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	F	b87413a7cd4f1183bc882603f29701f0d6b16e24a79d5a01909580dd9ed1437a7			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	Fbar	5eb5dc1b61E948c457bcf40002209afbb86ed118f4e60796d214c4e9739e70c8c			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	C	b61499e1ee7b1cddd553000838656cd6f9861c2a3e1a6ff693860f19c6531fa			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	Cbar	41f9f77b357b2ec72e0774650609db2f57a48fe64553d5b4cbd930c2ef8e6a4c			

Table 66: ImageNet–ResNet-18 results.

dataset	model	architecture	replit	method	sample count	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s
ImageNet	ImageNet- resnet18	cnn	test	best_individual	5000	0.1716	0.1752	0.292	0.2952	0.15	-0.103	0.328	-0.3102	0.1378	-0.0686	0.3176	-0.2856	0.0618	-0.037	0.1178
ImageNet	ImageNet- resnet18	cnn	test	simpleavg	5000	0.1726	0.251	0.286	0.3862	0.1564	-0.1118	0.3474	-0.3208	0.1376	-0.0916	0.3152	-0.2946	0.0734	-0.0636	0.1192
ImageNet	ImageNet- resnet18	cnn	test	borda	5000	0.158	0.2186	0.2756	0.3464	0.1692	-0.0996	0.3384	-0.3208	0.1624	-0.0788	0.3208	-0.2822	0.0748	-0.0428	0.1142
ImageNet	ImageNet- resnet18	cnn	test	kemeny	5000	0.1556	0.2234	0.271	0.3492	0.1668	-0.0684	0.3296	-0.2774	0.1614	-0.045	0.317	-0.2522	0.0748	-0.0362	0.1136
ImageNet	ImageNet- resnet18	cnn	test	rrf	5000	0.1612	0.2176	0.2812	0.3424	0.1648	-0.0776	0.3286	-0.2944	0.1624	-0.066	0.3134	-0.2654	0.0742	-0.0342	0.1126
ImageNet	ImageNet- resnet18	cnn	test	schulze	5000	0.1576	0.2182	0.276	0.3444	0.1662	-0.0762	0.3296	-0.288	0.1592	-0.0656	0.3124	-0.2696	0.077	-0.035	0.112

Table 67: ImageNet–ResNet-18 results.

dataset	model	architecture	replit	method	R Cbar s	R F a	R Fbar a	R C a	R Cbar a	F perturbed g	Fbar perturbed g	C perturbed g	Cbar perturbed g	F perturbed p	Fbar perturbed p	C perturbed p	Cbar perturbed p	F perturbed s	Fbar perturbed s	C perturbed s
ImageNet	ImageNet-resnet18	cnn	test	best_individual	-0.095	-0.1058	0.0216	-0.2096	0.0572	0.3216	0.2782	0.62	0.6054	0.3094	0.2438	0.6096	0.5808	0.2334	0.2122	0.4098
ImageNet	ImageNet-resnet18	cnn	test	simpleavg	-0.1196	-0.0944	0.0338	-0.1768	0.0754	0.329	0.3628	0.6334	0.707	0.3102	0.3426	0.6012	0.6808	0.246	0.3146	0.4052
ImageNet	ImageNet-resnet18	cnn	test	borda	-0.103	-0.095	0.019	-0.1882	0.0532	0.3272	0.3182	0.614	0.6672	0.3204	0.2974	0.5964	0.6286	0.2328	0.2614	0.3898
ImageNet	ImageNet-resnet18	cnn	test	kemeny	-0.0994	-0.0904	0.015	-0.179	0.0492	0.3224	0.2918	0.6006	0.6266	0.317	0.2684	0.588	0.6014	0.2304	0.2596	0.3846
ImageNet	ImageNet-resnet18	cnn	test	rrf	-0.0958	-0.0956	0.0246	-0.1914	0.0608	0.326	0.2952	0.6098	0.6368	0.3236	0.2836	0.5946	0.6078	0.2354	0.2518	0.3938
ImageNet	ImageNet-resnet18	cnn	test	schulze	-0.0958	-0.0926	0.017	-0.1864	0.0506	0.3238	0.2944	0.6056	0.6324	0.3168	0.2838	0.5884	0.614	0.2346	0.2532	0.388

Table 68: ImageNet–ResNet-18 results.

dataset	model	architecture	split	method	Cbar perturbed s	F perturbed a	Fbar perturbed a	C perturbed a	Cbar perturbed a	selected sources
ImageNet	ImageNet- resnet18	cnn	test	best_individual	0.3902	0.0658	0.1536	0.0824	0.238	1a822ff1 e60319ef f1829781 4f9bd5b6 91116f07 0246d6b7 e0c1da4c ed9cdd19
ImageNet	ImageNet- resnet18	cnn	test	simpleavg	0.5058	0.0782	0.2172	0.1092	0.3108	
ImageNet	ImageNet- resnet18	cnn	test	borda	0.4494	0.063	0.1996	0.0874	0.2932	
ImageNet	ImageNet- resnet18	cnn	test	kemeny	0.4486	0.0652	0.2084	0.092	0.3	
ImageNet	ImageNet- resnet18	cnn	test	rrf	0.4382	0.0656	0.193	0.0898	0.2816	
ImageNet	ImageNet- resnet18	cnn	test	schulze	0.4402	0.065	0.2012	0.0896	0.2938	

Table 69: ImageNet–ResNet-18 results.

dataset	model	method	scope	group	comparison cells	wins	vs best better	vs best equal	vs best worse	vs simpleavg better	vs simpleavg equal	vs simpleavg worse
ImageNet	ImageNet-resnet18	best_individual	dataset_model	all	20	4						
ImageNet	ImageNet-resnet18	simpleavg	dataset_model	all	20	6	9	0	11			
ImageNet	ImageNet-resnet18	borda	dataset_model	all	20	3	9	0	11	11	1	8
ImageNet	ImageNet-resnet18	kemeny	dataset_model	all	20	5	11	0	9	13	0	7
ImageNet	ImageNet-resnet18	rrf	dataset_model	all	20	2	13	0	7	11	0	9
ImageNet	ImageNet-resnet18	schulze	dataset_model	all	20	1	11	0	9	12	0	8
ImageNet	ImageNet-resnet18	best_individual	dataset_model	opacity	4	3						
ImageNet	ImageNet-resnet18	simpleavg	dataset_model	opacity	4	1	1	0	3			
ImageNet	ImageNet-resnet18	borda	dataset_model	opacity	4	0	0	0	4	2	0	2
ImageNet	ImageNet-resnet18	kemeny	dataset_model	opacity	4	0	0	0	4	2	0	2
ImageNet	ImageNet-resnet18	rrf	dataset_model	opacity	4	0	0	0	4	2	0	2
ImageNet	ImageNet-resnet18	schulze	dataset_model	opacity	4	0	0	0	4	2	0	2
ImageNet	ImageNet-resnet18	best_individual	dataset_model	robustness_all	16	1						
ImageNet	ImageNet-resnet18	simpleavg	dataset_model	robustness_all	16	5	8	0	8			
ImageNet	ImageNet-resnet18	borda	dataset_model	robustness_all	16	3	9	0	7	9	1	6
ImageNet	ImageNet-resnet18	kemeny	dataset_model	robustness_all	16	5	11	0	5	11	0	5
ImageNet	ImageNet-resnet18	rrf	dataset_model	robustness_all	16	2	13	0	3	9	0	7
ImageNet	ImageNet-resnet18	schulze	dataset_model	robustness_all	16	1	11	0	5	10	0	6
ImageNet	ImageNet-resnet18	best_individual	dataset_model	gaussian	4	0						
ImageNet	ImageNet-resnet18	simpleavg	dataset_model	gaussian	4	1	2	0	2			
ImageNet	ImageNet-resnet18	borda	dataset_model	gaussian	4	1	3	0	1	2	1	1
ImageNet	ImageNet-resnet18	kemeny	dataset_model	gaussian	4	2	4	0	0	3	0	1
ImageNet	ImageNet-resnet18	rrf	dataset_model	gaussian	4	0	4	0	0	3	0	1
ImageNet	ImageNet-resnet18	schulze	dataset_model	gaussian	4	0	4	0	0	3	0	1
ImageNet	ImageNet-resnet18	best_individual	dataset_model	edit_pepper	4	0						
ImageNet	ImageNet-resnet18	simpleavg	dataset_model	edit_pepper	4	0	0	0	4			
ImageNet	ImageNet-resnet18	borda	dataset_model	edit_pepper	4	2	3	0	1	4	0	0
ImageNet	ImageNet-resnet18	kemeny	dataset_model	edit_pepper	4	2	3	0	1	4	0	0
ImageNet	ImageNet-resnet18	rrf	dataset_model	edit_pepper	4	1	3	0	1	3	0	1
ImageNet	ImageNet-resnet18	schulze	dataset_model	edit_pepper	4	0	3	0	1	3	0	1
ImageNet	ImageNet-resnet18	best_individual	dataset_model	spetckle	4	1						
ImageNet	ImageNet-resnet18	simpleavg	dataset_model	spetckle	4	1	2	0	2			
ImageNet	ImageNet-resnet18	borda	dataset_model	spetckle	4	0	1	0	3	3	0	1
ImageNet	ImageNet-resnet18	kemeny	dataset_model	spetckle	4	0	2	0	2	3	0	1
ImageNet	ImageNet-resnet18	rrf	dataset_model	spetckle	4	1	2	0	2	3	0	1
ImageNet	ImageNet-resnet18	schulze	dataset_model	spetckle	4	1	2	0	2	3	0	1

dataset	model	method	scope	group	comparison cells	vs wins	vs best better	vs best equal	vs best worse	vs simpleavg better	vs simpleavg equal	vs simpleavg worse
ImageNet	ImageNet- resnet18	best_indiv	dataset_m	adversarial	4	0						
ImageNet	ImageNet- resnet18	simpleavg	dataset_m	adversarial	4	3	4	0	0			
ImageNet	ImageNet- resnet18	borda	dataset_m	adversarial	4	0	2	0	2	0	0	4
ImageNet	ImageNet- resnet18	kemeny	dataset_m	adversarial	4	1	2	0	2	1	0	3
ImageNet	ImageNet- resnet18	rrf	dataset_m	adversarial	4	0	4	0	0	0	0	4
ImageNet	ImageNet- resnet18	schulze	dataset_m	adversarial	4	0	2	0	2	1	0	3
		best_indiv	overall	all	80	21						
		simpleavg	overall	all	80	12	34	1	45			
		borda	overall	all	80	14	46	2	32	52	3	25
		kemeny	overall	all	80	18	48	0	32	56	0	24
		rrf	overall	all	80	9	48	1	31	52	1	27
		schulze	overall	all	80	9	46	0	34	50	3	27
		best_indiv	quality	all	16	11						
		simpleavg	overall	quality	16	1	5	0	11			
		borda	overall	quality	16	1	4	0	12	5	1	10
		kemeny	overall	quality	16	0	4	0	12	7	0	9
		rrf	overall	quality	16	0	4	0	12	6	0	10
		schulze	overall	quality	16	3	4	0	12	7	1	8
		best_indiv	robustness_all	64	10							
		simpleavg	overall	robustness_all	64	11	29	1	34			
		borda	overall	robustness_all	64	13	42	2	20	47	2	15
		kemeny	overall	robustness_all	64	18	44	0	20	49	0	15
		rrf	overall	robustness_all	64	9	44	1	19	46	1	17
		schulze	overall	robustness_all	64	6	42	0	22	43	2	19
		best_indiv	gaussian	16	2							
		simpleavg	overall	gaussian	16	1	7	0	9			
		borda	overall	gaussian	16	4	12	0	4	13	1	2
		kemeny	overall	gaussian	16	6	12	0	4	15	0	1
		rrf	overall	gaussian	16	1	13	0	3	15	0	1
		schulze	overall	gaussian	16	2	12	0	4	14	1	1
		best_indiv	salt_pepper	16	2							
		simpleavg	overall	salt_pepper	16	0	5	1	10			
		borda	overall	salt_pepper	16	5	12	0	4	15	1	0
		kemeny	overall	salt_pepper	16	7	12	0	4	16	0	0
		rrf	overall	salt_pepper	16	3	12	1	3	14	1	1
		schulze	overall	salt_pepper	16	1	12	0	4	14	0	2
		best_indiv	speckle	16	2							
		simpleavg	overall	speckle	16	3	8	0	8			
		borda	overall	speckle	16	1	11	0	5	12	0	4
		kemeny	overall	speckle	16	2	12	0	4	13	0	3
		rrf	overall	speckle	16	5	11	0	5	13	0	3
		schulze	overall	speckle	16	3	12	0	4	10	1	5
		best_indiv	adversarial	16	4							
		simpleavg	overall	adversarial	16	7	9	0	7			
		borda	overall	adversarial	16	3	7	2	7	7	0	9
		kemeny	overall	adversarial	16	3	8	0	8	5	0	11
		rrf	overall	adversarial	16	0	8	0	8	4	0	12
		schulze	overall	adversarial	16	0	6	0	10	5	0	11

Table 70: ImageNet–ResNet-18 results.

method	k	F	Fbar	C	Cbar	F perturbed g	Fbar perturbed g	C perturbed g	Cbar perturbed g	F perturbed p	Fbar perturbed p	C perturbed p	Cbar perturbed p	F perturbed s	Fbar perturbed s	C perturbed s	Cbar perturbed s	F perturbed a	Fbar perturbed a	C perturbed a
best_indiv	10	0.1116	0.3446	0.214	0.4816	0.2268	0.3834	0.5082	0.7406	0.2014	0.3754	0.4798	0.7232	0.1508	0.3676	0.3002	0.566	0.0308	0.325	0.05
simpleavg	10	0.1122	0.4314	0.2172	0.5768	0.2388	0.4656	0.5148	0.8248	0.218	0.4658	0.4868	0.8108	0.1686	0.4678	0.3084	0.6686	0.0296	0.405	0.046
borda	10	0.1016	0.4124	0.205	0.5538	0.2262	0.4408	0.4878	0.797	0.2142	0.4424	0.4692	0.7848	0.145	0.442	0.2796	0.6392	0.0222	0.4062	0.0344
kemeny	10	0.098	0.4174	0.1934	0.5602	0.223	0.4154	0.4722	0.7688	0.2174	0.4114	0.4634	0.7606	0.1362	0.4274	0.2718	0.6322	0.0226	0.409	0.0322
rrf	10	0.102	0.407	0.2054	0.5478	0.2354	0.424	0.486	0.7794	0.2236	0.4116	0.477	0.7576	0.1486	0.431	0.2846	0.631	0.0244	0.4056	0.0358
schulze	10	0.1012	0.4176	0.2016	0.5618	0.2278	0.4062	0.48	0.7624	0.2172	0.4118	0.4664	0.7586	0.1456	0.435	0.2812	0.637	0.023	0.404	0.0326
best_indiv	20	0.1716	0.1752	0.292	0.2952	0.3216	0.2782	0.62	0.6054	0.3094	0.2438	0.6096	0.5808	0.2334	0.2122	0.4098	0.3902	0.0658	0.1536	0.0824
simpleavg	20	0.1726	0.251	0.286	0.3862	0.329	0.3628	0.6334	0.707	0.3102	0.3426	0.6012	0.6808	0.246	0.3146	0.4052	0.5058	0.0782	0.2172	0.1092
borda	20	0.158	0.2186	0.2756	0.3464	0.3272	0.3182	0.614	0.6672	0.3204	0.2974	0.5964	0.6286	0.2328	0.2614	0.3898	0.4494	0.063	0.1996	0.0874
kemeny	20	0.1556	0.2234	0.271	0.3492	0.3224	0.2918	0.6006	0.6266	0.317	0.2684	0.588	0.6014	0.2304	0.2596	0.3846	0.4486	0.0652	0.2084	0.092
rrf	20	0.1612	0.2176	0.2812	0.3424	0.326	0.2952	0.6098	0.6368	0.3236	0.2836	0.5946	0.6078	0.2354	0.2518	0.3938	0.4382	0.0656	0.193	0.0898
schulze	20	0.1576	0.2182	0.276	0.3444	0.3238	0.2944	0.6056	0.6324	0.3168	0.2838	0.5884	0.614	0.2346	0.2532	0.388	0.4402	0.065	0.2012	0.0896
best_indiv	40	0.311	0.0644	0.4418	0.1518	0.4502	0.1174	0.7652	0.4354	0.4446	0.0824	0.7514	0.4018	0.3986	0.0836	0.572	0.2418	0.1968	0.044	0.2552
simpleavg	40	0.2906	0.1048	0.4178	0.2124	0.4376	0.214	0.7636	0.5398	0.4268	0.1958	0.7412	0.509	0.3786	0.1516	0.5552	0.316	0.1928	0.0642	0.2504
borda	40	0.279	0.0756	0.412	0.1758	0.429	0.151	0.737	0.452	0.4336	0.13	0.7336	0.4314	0.376	0.1092	0.5472	0.2688	0.168	0.0456	0.2196
kemeny	40	0.282	0.083	0.4102	0.1814	0.4288	0.1508	0.7372	0.4558	0.422	0.1198	0.7196	0.42	0.361	0.117	0.531	0.2716	0.1662	0.0548	0.2158
rrf	40	0.2848	0.0772	0.413	0.177	0.4338	0.15	0.7426	0.454	0.4308	0.1184	0.7336	0.4202	0.37	0.1062	0.542	0.2638	0.174	0.048	0.2254
schulze	40	0.2798	0.0814	0.4138	0.1786	0.4304	0.151	0.7342	0.4572	0.4258	0.122	0.726	0.419	0.3692	0.1132	0.5394	0.2708	0.1678	0.0524	0.2188
best_indiv	80	0.507	0.0174	0.6444	0.0812	0.5422	0.033	0.8802	0.3012	0.5452	-0.0002	0.8728	0.2766	0.5706	0.02	0.7632	0.152	0.4306	0.0038	0.5358
simpleavg	80	0.4784	0.0242	0.6186	0.0964	0.5326	0.077	0.8784	0.3534	0.532	0.0574	0.8654	0.3294	0.5416	0.0396	0.7374	0.176	0.4098	0.0046	0.5162
borda	80	0.4632	0.0148	0.6028	0.0812	0.5304	0.0338	0.8616	0.286	0.529	0.016	0.8524	0.2648	0.5408	0.0252	0.7306	0.153	0.3784	0.0016	0.4736
kemeny	80	0.4628	0.0202	0.6054	0.0912	0.5232	0.0318	0.8536	0.2846	0.5304	0.021	0.853	0.2696	0.5344	0.0216	0.7226	0.1456	0.3752	0.0046	0.4688
rrf	80	0.4726	0.016	0.6094	0.086	0.5326	0.0378	0.8664	0.2868	0.5268	0.0168	0.8482	0.2662	0.5432	0.024	0.7296	0.15	0.3862	0.0022	0.4814
schulze	80	0.4656	0.0156	0.605	0.085	0.5264	0.0366	0.8602	0.2862	0.5288	0.0224	0.8516	0.2648	0.5386	0.0242	0.7268	0.1498	0.3798	0.0036	0.4736

Table 71: ImageNet–ResNet-18 results.

method	k	Cbar perturbed	R _g F	R _g Fbar	R _g C	R _g Cbar	R _p F	R _p Fbar	R _p C	R _p Cbar	R _s F	R _s Fbar	R _s C	R _s Cbar	R _a F	R _a Fbar	R _a C	R _a Cbar
best_indiv	10	0.4526	0.1152	-0.0388	0.2942	-0.259	0.0898	-0.0308	0.2658	-0.2416	0.0392	-0.023	0.0862	-0.0844	-0.0808	0.0196	-0.164	0.029
simpleavg	10	0.5364	0.1266	-0.0342	0.2976	-0.248	0.1058	-0.0344	0.2696	-0.234	0.0564	-0.0364	0.0912	-0.0918	-0.0826	0.0264	-0.1712	0.0404
borda	10	0.5316	0.1246	-0.0284	0.2828	-0.2432	0.1126	-0.03	0.2642	-0.231	0.0434	-0.0296	0.0746	-0.0854	-0.0794	0.0062	-0.1706	0.0222
kemeny	10	0.536	0.125	0.002	0.2788	-0.2086	0.1194	0.006	0.27	-0.2004	0.0382	-0.01	0.0784	-0.072	-0.0754	0.0084	-0.1612	0.0242
rrf	10	0.5288	0.1334	-0.017	0.2806	-0.2316	0.1216	-0.0046	0.2716	-0.2098	0.0466	-0.024	0.0792	-0.0832	-0.0776	0.0014	-0.1696	0.019
schulze	10	0.5288	0.1266	0.0114	0.2784	-0.2006	0.116	0.0058	0.2648	-0.1968	0.0444	-0.0174	0.0796	-0.0752	-0.0782	0.0136	-0.169	0.033
best_indiv	20	0.238	0.15	-0.103	0.328	-0.3102	0.1378	-0.0686	0.3176	-0.2856	0.0618	-0.037	0.1178	-0.095	-0.1058	0.0216	-0.2096	0.0572
simpleavg	20	0.3108	0.1564	-0.1118	0.3474	-0.3208	0.1376	-0.0916	0.3152	-0.2946	0.0734	-0.0636	0.1192	-0.1196	-0.0944	0.0338	-0.1768	0.0754
borda	20	0.2932	0.1692	-0.0996	0.3384	-0.3208	0.1624	-0.0788	0.3208	-0.2822	0.0748	-0.0428	0.1142	-0.103	-0.095	0.019	-0.1882	0.0532
kemeny	20	0.3	0.1668	-0.0684	0.3296	-0.2774	0.1614	-0.045	0.317	-0.2522	0.0748	-0.0362	0.1136	-0.0994	-0.0904	0.015	-0.179	0.0492
rrf	20	0.2816	0.1648	-0.0776	0.3286	-0.2944	0.1624	-0.066	0.3134	-0.2654	0.0742	-0.0342	0.1126	-0.0958	-0.0956	0.0246	-0.1914	0.0608
schulze	20	0.2938	0.1662	-0.0762	0.3296	-0.288	0.1592	-0.0656	0.3124	-0.2696	0.077	-0.035	0.112	-0.0958	-0.0926	0.017	-0.1864	0.0506
best_indiv	40	0.0746	0.1392	-0.053	0.3234	-0.2836	0.1336	-0.018	0.3096	-0.25	0.0876	-0.0192	0.1302	-0.09	-0.1142	0.0204	-0.1866	0.0772
simpleavg	40	0.109	0.147	-0.1092	0.3458	-0.3274	0.1362	-0.091	0.3234	-0.2966	0.088	-0.0468	0.1374	-0.1036	-0.0978	0.0406	-0.1674	0.1034
borda	40	0.0858	0.15	-0.0754	0.325	-0.2762	0.1546	-0.0544	0.3216	-0.2556	0.097	-0.0336	0.1352	-0.093	-0.111	0.03	-0.1924	0.09
kemeny	40	0.0954	0.1468	-0.0678	0.327	-0.2744	0.14	-0.0368	0.3094	-0.2386	0.079	-0.034	0.1208	-0.0902	-0.1158	0.0282	-0.1944	0.086
rrf	40	0.0876	0.149	-0.0728	0.3296	-0.277	0.146	-0.0412	0.3206	-0.2432	0.0852	-0.029	0.129	-0.0868	-0.1108	0.0292	-0.1876	0.0894
schulze	40	0.0926	0.1506	-0.0696	0.3204	-0.2786	0.146	-0.0406	0.3122	-0.2404	0.0894	-0.0318	0.1256	-0.0922	-0.112	0.029	-0.195	0.086
best_indiv	80	0.0108	0.0352	-0.0156	0.2358	-0.22	0.0382	0.0176	0.2284	-0.1954	0.0636	-0.0026	0.1188	-0.0708	-0.0764	0.0136	-0.1086	0.0704
simpleavg	80	0.0134	0.0542	-0.0528	0.2598	-0.257	0.0536	-0.0332	0.2468	-0.233	0.0632	-0.0154	0.1188	-0.0796	-0.0686	0.0196	-0.1024	0.083
borda	80	0.0092	0.0672	-0.019	0.2588	-0.2048	0.0658	-0.0012	0.2496	-0.1836	0.0776	-0.0104	0.1278	-0.0718	-0.0848	0.0132	-0.1292	0.072
kemeny	80	0.012	0.0604	-0.0116	0.2482	-0.1934	0.0676	-0.0008	0.2476	-0.1784	0.0716	-0.0014	0.1172	-0.0544	-0.0876	0.0156	-0.1366	0.0792
rrf	80	0.0082	0.06	-0.0218	0.257	-0.2008	0.0542	-0.0008	0.2388	-0.1802	0.0706	-0.008	0.1202	-0.064	-0.0864	0.0138	-0.128	0.0778
schulze	80	0.0102	0.0608	-0.021	0.2552	-0.2012	0.0632	-0.0068	0.2466	-0.1798	0.073	-0.0086	0.1218	-0.0648	-0.0858	0.012	-0.1314	0.0748

Table 72: ImageNet–ResNet-18 results.

method	p	F	Fbar	C	Cbar	F perturbed g	Fbar perturbed g	C perturbed g	Cbar perturbed g	F perturbed p	Fbar perturbed p	C perturbed p	Cbar perturbed p	F perturbed s	Fbar perturbed s	C perturbed s	Cbar perturbed s	F perturbed a	Fbar perturbed a	C perturbed a
best_individual	8	0.101	0.6522	0.1998	0.8118	0.173	0.5126	0.4468	0.8808	0.1616	0.5218	0.4308	0.8764	0.1266	0.602	0.269	0.8168	0.021	0.6564	0.0346
simpleavg	8	0.0988	0.7428	0.196	0.9038	0.1976	0.575	0.4634	0.9398	0.182	0.5874	0.4474	0.9454	0.1426	0.7014	0.2852	0.914	0.0208	0.7324	0.033
borda	8	0.0858	0.739	0.182	0.8988	0.183	0.5712	0.4258	0.937	0.1678	0.5872	0.407	0.9404	0.1242	0.6944	0.2576	0.911	0.016	0.744	0.0262
kemeny	8	0.0768	0.7168	0.1728	0.877	0.1872	0.5404	0.4196	0.9092	0.1722	0.5514	0.404	0.9118	0.1216	0.6652	0.2478	0.8796	0.0156	0.7206	0.0242
rrf	8	0.0812	0.717	0.1772	0.8784	0.1982	0.5446	0.4392	0.911	0.178	0.5568	0.4154	0.9174	0.124	0.6722	0.2558	0.8852	0.0156	0.7204	0.0256
schulze	8	0.0828	0.7176	0.1814	0.876	0.1896	0.5412	0.4244	0.9094	0.1762	0.563	0.4116	0.9206	0.1228	0.6704	0.2538	0.884	0.0162	0.7206	0.0246
best_individual	14	0.1496	0.2664	0.2706	0.4014	0.3186	0.3274	0.5846	0.6664	0.3104	0.296	0.5672	0.641	0.219	0.2854	0.3736	0.4742	0.0488	0.2458	0.0658
simpleavg	14	0.1578	0.3846	0.2718	0.5284	0.3074	0.42	0.5984	0.7736	0.2846	0.4204	0.5724	0.7642	0.2228	0.4114	0.3818	0.6076	0.0632	0.353	0.092
borda	14	0.1424	0.3442	0.2576	0.4834	0.2936	0.383	0.5664	0.732	0.2874	0.374	0.5578	0.7196	0.21	0.3618	0.3666	0.5602	0.0492	0.3328	0.069
kemeny	14	0.135	0.332	0.2482	0.4664	0.2856	0.347	0.5576	0.6972	0.2846	0.3392	0.5536	0.678	0.1956	0.3484	0.3498	0.5418	0.0476	0.3278	0.0664
rrf	14	0.143	0.3218	0.2574	0.4564	0.297	0.3484	0.5644	0.6934	0.29	0.345	0.5616	0.6868	0.2056	0.3486	0.3602	0.5384	0.053	0.3188	0.0726
schulze	14	0.137	0.3286	0.25	0.4638	0.2954	0.3518	0.5646	0.7024	0.2834	0.3448	0.552	0.6866	0.2016	0.3418	0.3562	0.5354	0.0478	0.3242	0.0662
best_individual	16	0.1716	0.1752	0.292	0.2952	0.3216	0.2782	0.62	0.6054	0.3094	0.2438	0.6096	0.5808	0.2334	0.2122	0.4098	0.3902	0.0658	0.1536	0.0824
simpleavg	16	0.1726	0.251	0.286	0.3862	0.329	0.3628	0.6334	0.707	0.3102	0.3426	0.6012	0.6808	0.246	0.3146	0.4052	0.5058	0.0782	0.2172	0.1092
borda	16	0.158	0.2186	0.2756	0.3464	0.3272	0.3182	0.614	0.6672	0.3204	0.2974	0.5964	0.6286	0.2328	0.2614	0.3898	0.4494	0.063	0.1996	0.0874
kemeny	16	0.1556	0.2234	0.271	0.3492	0.3224	0.2918	0.6006	0.6266	0.317	0.2684	0.588	0.6014	0.2304	0.2596	0.3846	0.4486	0.0652	0.2084	0.092
rrf	16	0.1612	0.2176	0.2812	0.3424	0.326	0.2952	0.6098	0.6368	0.3236	0.2836	0.5946	0.6078	0.2354	0.2518	0.3938	0.4382	0.0656	0.193	0.0898
schulze	16	0.1576	0.2182	0.276	0.3444	0.3238	0.2944	0.6056	0.6324	0.3168	0.2838	0.5884	0.614	0.2346	0.2532	0.388	0.4402	0.065	0.2012	0.0896

Table 73: ImageNet–ResNet-18 results.

method	Cbar perturbed a	R _g F	R _g Fbar	R _g C	R _g Cbar	R _p F	R _p Fbar	R _p C	R _p Cbar	R _s F	R _s Fbar	R _s C	R _s Cbar	R _a F	R _a Fbar	R _a C	R _a Cbar
best_individual	0.815	0.073	0.1396	0.247	-0.069	0.0616	0.1304	0.231	-0.0646	0.0266	0.0502	0.0692	-0.005	-0.079	-0.0042	-0.1652	-0.0032
simpleavg	0.8894	0.0988	0.1678	0.2674	-0.036	0.0832	0.1554	0.2514	-0.0416	0.0438	0.0414	0.0892	-0.0102	-0.078	0.0104	-0.163	0.0144
borda	0.9044	0.0972	0.1678	0.2438	-0.0382	0.082	0.1518	0.225	-0.0416	0.0384	0.0446	0.0756	-0.0122	-0.0698	-0.005	-0.1558	-0.0056
kemeny	0.8794	0.1104	0.1764	0.2468	-0.0322	0.0954	0.1654	0.2312	-0.0348	0.0448	0.0516	0.075	-0.0026	-0.0612	-0.0038	-0.1486	-0.0024
rrf	0.8778	0.117	0.1724	0.262	-0.0326	0.0968	0.1602	0.2382	-0.039	0.0428	0.0448	0.0786	-0.0068	-0.0656	-0.0034	-0.1516	0.0006
schulze	0.8792	0.1068	0.1764	0.243	-0.0334	0.0934	0.1546	0.2302	-0.0446	0.04	0.0472	0.0724	-0.008	-0.0666	-0.003	-0.1568	-0.0032
best_individual	0.8572	0.169	-0.061	0.314	-0.265	0.1608	-0.0296	0.2966	-0.2396	0.0694	-0.019	0.103	-0.0728	-0.1008	0.0206	-0.2048	0.0442
simpleavg	0.469	0.1496	-0.0354	0.3266	-0.2452	0.1268	-0.0358	0.3006	-0.2358	0.065	-0.0268	0.11	-0.0792	-0.0946	0.0316	-0.1798	0.0594
borda	0.4478	0.1512	-0.0388	0.3088	-0.2486	0.145	-0.0298	0.3002	-0.2362	0.0676	-0.0176	0.109	-0.0768	-0.0932	0.0114	-0.1886	0.0356
kemeny	0.4398	0.1506	-0.015	0.3094	-0.2308	0.1496	-0.0072	0.3054	-0.2116	0.0606	-0.0164	0.1016	-0.0754	-0.0874	0.0042	-0.1818	0.0266
rrf	0.4298	0.154	-0.0266	0.307	-0.237	0.147	-0.0232	0.3042	-0.2304	0.0626	-0.0268	0.1028	-0.082	-0.09	0.003	-0.1848	0.0266
schulze	0.4396	0.1584	-0.0232	0.3146	-0.2386	0.1464	-0.0162	0.302	-0.2228	0.0646	-0.0132	0.1062	-0.0716	-0.0892	0.0044	-0.1838	0.0242
best_individual	0.838	0.15	-0.103	0.328	-0.3102	0.1378	-0.0686	0.3176	-0.2856	0.0618	-0.037	0.1178	-0.095	-0.1058	0.0216	-0.2096	0.0572
simpleavg	0.3108	0.1564	-0.1118	0.3474	-0.3208	0.1376	-0.0916	0.3152	-0.2946	0.0734	-0.0636	0.1192	-0.1196	-0.0944	0.0338	-0.1768	0.0754
borda	0.2932	0.1692	-0.0996	0.3384	-0.3208	0.1624	-0.0788	0.3208	-0.2822	0.0748	-0.0428	0.1142	-0.103	-0.095	0.019	-0.1882	0.0532
kemeny	0.3	0.1668	-0.0684	0.3296	-0.2774	0.1614	-0.045	0.317	-0.2522	0.0748	-0.0362	0.1136	-0.0994	-0.0904	0.015	-0.179	0.0492
rrf	0.2816	0.1648	-0.0776	0.3286	-0.2944	0.1624	-0.066	0.3134	-0.2654	0.0742	-0.0342	0.1126	-0.0958	-0.0956	0.0246	-0.1914	0.0608
schulze	0.2938	0.1662	-0.0762	0.3296	-0.288	0.1592	-0.0656	0.3124	-0.2696	0.077	-0.035	0.112	-0.0958	-0.0926	0.017	-0.1864	0.0506

Table 74: ImageNet–ResNet-18 results.

method	fill	F	Fbar	C	Cbar	F perturbed g	Fbar perturbed g	C perturbed g	Cbar perturbed g	F perturbed p	Fbar perturbed p	C perturbed p	Cbar perturbed p	F perturbed s	Fbar perturbed s	C perturbed s	Cbar perturbed s	F perturbed a	Fbar perturbed a	C perturbed a
best_indiv	dataset_mean	0.1716	0.1752	0.292	0.2952	0.3216	0.2782	0.62	0.6054	0.3094	0.2438	0.6096	0.5808	0.2334	0.2122	0.4098	0.3902	0.0658	0.1536	0.0824
simpleavg	dataset_mean	0.1726	0.251	0.286	0.3862	0.329	0.3628	0.6334	0.707	0.3102	0.3426	0.6012	0.6808	0.246	0.3146	0.4052	0.5058	0.0782	0.2172	0.1092
borda	dataset_mean	0.158	0.2186	0.2756	0.3464	0.3272	0.3182	0.614	0.6672	0.3204	0.2974	0.5964	0.6286	0.2328	0.2614	0.3898	0.4494	0.063	0.1996	0.0874
kemeny	dataset_mean	0.1556	0.2234	0.271	0.3492	0.3224	0.2918	0.6006	0.6266	0.317	0.2684	0.588	0.6014	0.2304	0.2596	0.3846	0.4486	0.0652	0.2084	0.092
rrf	dataset_mean	0.1612	0.2176	0.2812	0.3424	0.326	0.2952	0.6098	0.6368	0.3236	0.2836	0.5946	0.6078	0.2354	0.2518	0.3938	0.4382	0.0656	0.193	0.0898
schulze	dataset_mean	0.1576	0.2182	0.276	0.3444	0.3238	0.2944	0.6056	0.6324	0.3168	0.2838	0.5884	0.614	0.2346	0.2532	0.388	0.4402	0.065	0.2012	0.0896
best_indiv	class_mean	0.1784	0.2618	0.2952	0.393	0.3262	0.3402	0.622	0.6854	0.3102	0.3194	0.6076	0.6676	0.2388	0.2948	0.4146	0.4868	0.0662	0.23	0.0854
simpleavg	class_mean	0.174	0.344	0.29	0.4804	0.331	0.4116	0.6304	0.7616	0.3154	0.404	0.6048	0.7564	0.252	0.3974	0.412	0.5982	0.0826	0.3156	0.1132
borda	class_mean	0.1658	0.31	0.2826	0.4464	0.3314	0.3708	0.6154	0.7236	0.3176	0.3666	0.5968	0.7108	0.2414	0.346	0.3982	0.5424	0.0676	0.2954	0.093
kemeny	class_mean	0.1656	0.3096	0.2782	0.4414	0.3248	0.3466	0.606	0.7006	0.3166	0.3448	0.5902	0.6884	0.2358	0.3404	0.3896	0.5336	0.0688	0.3024	0.0944
rrf	class_mean	0.1714	0.3042	0.2886	0.4338	0.3288	0.3512	0.6124	0.7058	0.3218	0.3558	0.5952	0.697	0.2424	0.3346	0.399	0.5302	0.0708	0.2832	0.0974
schulze	class_mean	0.1662	0.3096	0.2804	0.439	0.3214	0.3508	0.6074	0.7032	0.3144	0.3462	0.5878	0.6882	0.2388	0.3462	0.396	0.541	0.0676	0.2972	0.0926

Table 75: ImageNet–ResNet-18 results.

method	Cbar perturbed a	R _g F	R _g Fbar	R _g C	R _g Cbar	R _p F	R _p Fbar	R _p C	R _p Cbar	R _s F	R _s Fbar	R _s C	R _s Cbar	R _a F	R _a Fbar	R _a C	R _a Cbar
best_individual	0.238	0.15	-0.103	0.328	-0.3102	0.1378	-0.0686	0.3176	-0.2856	0.0618	-0.037	0.1178	-0.095	-0.1058	0.0216	-0.2096	0.0572
simpleavg	0.3108	0.1564	-0.1118	0.3474	-0.3208	0.1376	-0.0916	0.3152	-0.2946	0.0734	-0.0636	0.1192	-0.1196	-0.0944	0.0338	-0.1768	0.0754
borda	0.2932	0.1692	-0.0996	0.3384	-0.3208	0.1624	-0.0788	0.3208	-0.2822	0.0748	-0.0428	0.1142	-0.103	-0.095	0.019	-0.1882	0.0532
kemeny	0.3	0.1668	-0.0684	0.3296	-0.2774	0.1614	-0.045	0.317	-0.2522	0.0748	-0.0362	0.1136	-0.0994	-0.0904	0.015	-0.179	0.0492
rrf	0.2816	0.1648	-0.0776	0.3286	-0.2944	0.1624	-0.066	0.3134	-0.2654	0.0742	-0.0342	0.1126	-0.0958	-0.0956	0.0246	-0.1914	0.0608
schulze	0.2938	0.1662	-0.0762	0.3296	-0.288	0.1592	-0.0656	0.3124	-0.2696	0.077	-0.035	0.112	-0.0958	-0.0926	0.017	-0.1864	0.0506
best_individual	0.4428	0.1478	-0.0784	0.3268	-0.2924	0.1318	-0.0576	0.3124	-0.2746	0.0604	-0.033	0.1194	-0.0938	-0.1122	0.0318	-0.2098	0.0502
simpleavg	0.4298	0.157	-0.0676	0.3404	-0.2812	0.1414	-0.06	0.3148	-0.276	0.078	-0.0534	0.122	-0.1178	-0.0914	0.0284	-0.1768	0.0506
borda	0.4124	0.1656	-0.0608	0.3328	-0.2772	0.1518	-0.0566	0.3142	-0.2644	0.0756	-0.036	0.1156	-0.096	-0.0982	0.0146	-0.1896	0.034
kemeny	0.4132	0.1592	-0.037	0.3278	-0.2592	0.151	-0.0352	0.312	-0.247	0.0702	-0.0308	0.1114	-0.0922	-0.0968	0.0072	-0.1838	0.0282
rrf	0.3948	0.1574	-0.047	0.3238	-0.272	0.1504	-0.0516	0.3066	-0.2632	0.071	-0.0304	0.1104	-0.0964	-0.1006	0.021	-0.1912	0.039
schulze	0.4112	0.1552	-0.0412	0.327	-0.2642	0.1482	-0.0366	0.3074	-0.2492	0.0726	-0.0366	0.1156	-0.102	-0.0986	0.0124	-0.1878	0.0278

Table 76: ImageNet–ResNet-18 results.

method	noise	severity	F clean	Fbar clean	C clean	Cbar clean	F perturbed	Fbar perturbed	C perturbed	Cbar perturbed	R F	R Fbar	R C	R Cbar
best_indiv	gaussian	0.1	0.1716	0.1752	0.292	0.2952	0.2996	0.2632	0.4984	0.483	0.128	-0.088	0.2064	-0.1878
simpleavg	gaussian	0.1	0.1726	0.251	0.286	0.3862	0.2986	0.3644	0.4952	0.5942	0.126	-0.1134	0.2092	-0.208
borda	gaussian	0.1	0.158	0.2186	0.2756	0.3464	0.2848	0.3046	0.4698	0.5288	0.1268	-0.086	0.1942	-0.1824
kemeny	gaussian	0.1	0.1556	0.2234	0.271	0.3492	0.2806	0.2908	0.4672	0.51	0.125	-0.0674	0.1962	-0.1608
rrf	gaussian	0.1	0.1612	0.2176	0.2812	0.3424	0.2892	0.2876	0.4726	0.507	0.128	-0.07	0.1914	-0.1646
schulze	gaussian	0.1	0.1576	0.2182	0.276	0.3444	0.2886	0.2902	0.4746	0.5144	0.131	-0.072	0.1986	-0.17
best_indiv	gaussian	0.15	0.1716	0.1752	0.292	0.2952	0.3216	0.2782	0.62	0.6054	0.15	-0.103	0.328	-0.3102
simpleavg	gaussian	0.15	0.1726	0.251	0.286	0.3862	0.329	0.3628	0.6334	0.707	0.1564	-0.1118	0.3474	-0.3208
borda	gaussian	0.15	0.158	0.2186	0.2756	0.3464	0.3272	0.3182	0.614	0.6672	0.1692	-0.0996	0.3384	-0.3208
kemeny	gaussian	0.15	0.1556	0.2234	0.271	0.3492	0.3224	0.2918	0.6006	0.6266	0.1668	-0.0684	0.3296	-0.2774
rrf	gaussian	0.15	0.1612	0.2176	0.2812	0.3424	0.326	0.2952	0.6098	0.6368	0.1648	-0.0776	0.3286	-0.2944
schulze	gaussian	0.15	0.1576	0.2182	0.276	0.3444	0.3238	0.2944	0.6056	0.6324	0.1662	-0.0762	0.3296	-0.288
best_indiv	gaussian	0.2	0.1716	0.1752	0.292	0.2952	0.2976	0.256	0.7166	0.729	0.126	-0.0808	0.4246	-0.4338
simpleavg	gaussian	0.2	0.1726	0.251	0.286	0.3862	0.3048	0.3154	0.7262	0.7988	0.1322	-0.0644	0.4402	-0.4126
borda	gaussian	0.2	0.158	0.2186	0.2756	0.3464	0.304	0.2812	0.7134	0.7558	0.146	-0.0626	0.4378	-0.4094
kemeny	gaussian	0.2	0.1556	0.2234	0.271	0.3492	0.2966	0.2534	0.6992	0.7288	0.141	-0.03	0.4282	-0.3796
rrf	gaussian	0.2	0.1612	0.2176	0.2812	0.3424	0.3028	0.2626	0.7048	0.7344	0.1416	-0.045	0.4236	-0.392
schulze	gaussian	0.2	0.1576	0.2182	0.276	0.3444	0.2966	0.2586	0.697	0.734	0.139	-0.0404	0.421	-0.3896
best_indiv	salt_pepper	0.03	0.1716	0.1752	0.292	0.2952	0.2884	0.2266	0.522	0.4822	0.1168	-0.0514	0.23	-0.187
simpleavg	salt_pepper	0.03	0.1726	0.251	0.286	0.3862	0.3018	0.3366	0.524	0.6008	0.1292	-0.0856	0.238	-0.2146
borda	salt_pepper	0.03	0.158	0.2186	0.2756	0.3464	0.2958	0.2768	0.5092	0.532	0.1378	-0.0582	0.2336	-0.1856
kemeny	salt_pepper	0.03	0.1556	0.2234	0.271	0.3492	0.2932	0.2544	0.5014	0.5078	0.1376	-0.031	0.2304	-0.1586
rrf	salt_pepper	0.03	0.1612	0.2176	0.2812	0.3424	0.2962	0.2644	0.5052	0.5126	0.135	-0.0468	0.224	-0.1702
schulze	salt_pepper	0.03	0.1576	0.2182	0.276	0.3444	0.2926	0.2574	0.5012	0.5076	0.135	-0.0392	0.2252	-0.1632
best_indiv	salt_pepper	0.05	0.1716	0.1752	0.292	0.2952	0.3094	0.2438	0.6096	0.5808	0.1378	-0.0686	0.3176	-0.2856
simpleavg	salt_pepper	0.05	0.1726	0.251	0.286	0.3862	0.3102	0.3426	0.6012	0.6808	0.1376	-0.0916	0.3152	-0.2946
borda	salt_pepper	0.05	0.158	0.2186	0.2756	0.3464	0.3204	0.2974	0.5964	0.6286	0.1624	-0.0788	0.3208	-0.2822
kemeny	salt_pepper	0.05	0.1556	0.2234	0.271	0.3492	0.317	0.2684	0.588	0.6014	0.1614	-0.045	0.317	-0.2522
rrf	salt_pepper	0.05	0.1612	0.2176	0.2812	0.3424	0.3236	0.2836	0.5946	0.6078	0.1624	-0.066	0.3134	-0.2654
schulze	salt_pepper	0.05	0.1576	0.2182	0.276	0.3444	0.3168	0.2838	0.5884	0.614	0.1592	-0.0656	0.3124	-0.2696
best_indiv	salt_pepper	0.08	0.1716	0.1752	0.292	0.2952	0.3198	0.2654	0.6884	0.6928	0.1482	-0.0902	0.3964	-0.3976
simpleavg	salt_pepper	0.08	0.1726	0.251	0.286	0.3862	0.3278	0.3364	0.7096	0.772	0.1552	-0.0854	0.4236	-0.3858
borda	salt_pepper	0.08	0.158	0.2186	0.2756	0.3464	0.327	0.3054	0.6914	0.7356	0.169	-0.0868	0.4158	-0.3892
kemeny	salt_pepper	0.08	0.1556	0.2234	0.271	0.3492	0.322	0.28	0.6768	0.7088	0.1664	-0.0566	0.4058	-0.3596
rrf	salt_pepper	0.08	0.1612	0.2176	0.2812	0.3424	0.3226	0.2818	0.6854	0.717	0.1614	-0.0642	0.4042	-0.3746
schulze	salt_pepper	0.08	0.1576	0.2182	0.276	0.3444	0.3256	0.2822	0.6818	0.71	0.168	-0.064	0.4058	-0.3656
best_indiv	speckle	0.1	0.1716	0.1752	0.292	0.2952	0.2084	0.1978	0.3566	0.3452	0.0368	-0.0226	0.0646	-0.05
simpleavg	speckle	0.1	0.1726	0.251	0.286	0.3862	0.2214	0.2938	0.3582	0.454	0.0488	-0.0428	0.0722	-0.0678
borda	speckle	0.1	0.158	0.2186	0.2756	0.3464	0.2072	0.2412	0.3366	0.4002	0.0492	-0.0226	0.061	-0.0538
kemeny	speckle	0.1	0.1556	0.2234	0.271	0.3492	0.2022	0.246	0.3284	0.3994	0.0466	-0.0226	0.0574	-0.0502
rrf	speckle	0.1	0.1612	0.2176	0.2812	0.3424	0.2094	0.2378	0.3402	0.3894	0.0482	-0.0202	0.059	-0.047
schulze	speckle	0.1	0.1576	0.2182	0.276	0.3444	0.2072	0.2402	0.3338	0.3928	0.0496	-0.022	0.0578	-0.0484
best_indiv	speckle	0.15	0.1716	0.1752	0.292	0.2952	0.2334	0.2122	0.4098	0.3902	0.0618	-0.037	0.1178	-0.095
simpleavg	speckle	0.15	0.1726	0.251	0.286	0.3862	0.246	0.3146	0.4052	0.5058	0.0734	-0.0636	0.1192	-0.1196
borda	speckle	0.15	0.158	0.2186	0.2756	0.3464	0.2328	0.2614	0.3898	0.4494	0.0748	-0.0428	0.1142	-0.103
kemeny	speckle	0.15	0.1556	0.2234	0.271	0.3492	0.2304	0.2596	0.3846	0.4486	0.0748	-0.0362	0.1136	-0.0994
rrf	speckle	0.15	0.1612	0.2176	0.2812	0.3424	0.2354	0.2518	0.3938	0.4382	0.0742	-0.0342	0.1126	-0.0958
schulze	speckle	0.15	0.1576	0.2182	0.276	0.3444	0.2346	0.2532	0.388	0.4402	0.077	-0.035	0.112	-0.0958
best_indiv	speckle	0.2	0.1716	0.1752	0.292	0.2952	0.253	0.2244	0.4606	0.4412	0.0814	-0.0492	0.1686	-0.146
simpleavg	speckle	0.2	0.1726	0.251	0.286	0.3862	0.2656	0.3256	0.4606	0.5498	0.093	-0.0746	0.1746	-0.1636
borda	speckle	0.2	0.158	0.2186	0.2756	0.3464	0.259	0.2788	0.4482	0.506	0.101	-0.0602	0.1726	-0.1596
kemeny	speckle	0.2	0.1556	0.2234	0.271	0.3492	0.2572	0.2642	0.44	0.4784	0.1016	-0.0408	0.169	-0.1292
rrf	speckle	0.2	0.1612	0.2176	0.2812	0.3424	0.262	0.269	0.4462	0.4906	0.1008	-0.0514	0.165	-0.1482
schulze	speckle	0.2	0.1576	0.2182	0.276	0.3444	0.2568	0.2712	0.4446	0.4912	0.0992	-0.053	0.1686	-0.1468
best_indiv	adversarial	0.003922	0.1716	0.1752	0.292	0.2952	0.0712	0.1556	0.0994	0.2522	-0.1004	0.0196	-0.1926	0.043
simpleavg	adversarial	0.003922	0.1726	0.251	0.286	0.3862	0.0812	0.2062	0.1184	0.3042	-0.0914	0.0448	-0.1676	0.082
borda	adversarial	0.003922	0.158	0.2186	0.2756	0.3464	0.0692	0.1954	0.1004	0.2988	-0.0888	0.0232	-0.1752	0.0476
kemeny	adversarial	0.003922	0.1556	0.2234	0.271	0.3492	0.0686	0.2034	0.1006	0.3044	-0.087	0.02	-0.1704	0.0448
rrf	adversarial	0.003922	0.1612	0.2176	0.2812	0.3424	0.0742	0.1948	0.1072	0.294	-0.087	0.0228	-0.174	0.0484
schulze	adversarial	0.003922	0.1576	0.2182	0.276	0.3444	0.071	0.198	0.1026	0.2994	-0.0866	0.0202	-0.1734	0.045
best_indiv	adversarial	0.007843	0.1716	0.1752	0.292	0.2952	0.0658	0.1536	0.0824	0.238	-0.1058	0.0216	-0.2096	0.0572
simpleavg	adversarial	0.007843	0.1726	0.251	0.286	0.3862	0.0782	0.2172	0.1092	0.3108	-0.0944	0.0338	-0.1768	0.0754
borda	adversarial	0.007843	0.158	0.2186	0.2756	0.3464	0.063	0.1996	0.0874	0.2932	-0.095	0.019	-0.1882	0.0532
kemeny	adversarial	0.007843	0.1556	0.2234	0.271	0.3492	0.0652	0.2084	0.092	0.3	-0.0904	0.015	-0.179	0.0492
rrf	adversarial	0.007843	0.1612	0.2176	0.2812	0.3424	0.0656	0.193	0.0898	0.2816	-0.0956	0.0246	-0.1914	0.0608
schulze	adversarial	0.007843	0.1576	0.2182	0.276	0.3444	0.065	0.2012	0.0896	0.2938	-0.0926	0.017	-0.1864	0.0506
best_indiv	adversarial	0.015686	0.1716	0.1752	0.292	0.2952	0.0664	0.1576	0.0834	0.2366	-0.1052	0.0176	-0.2086	0.0586

method	noise	severity	F clean	Fbar clean	C clean	Cbar clean	F perturbed	Fbar perturbed	C perturbed	Cbar perturbed	R F	R Fbar	R C	R Cbar
simpleavg	adversarial	0.015686	0.1726	0.251	0.286	0.3862	0.0776	0.2278	0.1072	0.3192	-0.095	0.0232	-0.1788	0.067
borda	adversarial	0.015686	0.158	0.2186	0.2756	0.3464	0.0582	0.2184	0.082	0.3098	-0.0998	0.0002	-0.1936	0.0366
kemeny	adversarial	0.015686	0.1556	0.2234	0.271	0.3492	0.0628	0.214	0.0868	0.3106	-0.0928	0.0094	-0.1842	0.0386
rrf	adversarial	0.015686	0.1612	0.2176	0.2812	0.3424	0.0622	0.2176	0.0866	0.307	-0.099	0	-0.1946	0.0354
schulze	adversarial	0.015686	0.1576	0.2182	0.276	0.3444	0.0638	0.2054	0.0872	0.2998	-0.0938	0.0128	-0.1888	0.0446

Table 77: ImageNet–ResNet-18 results.

dataset	model	architecture	replit	method	sample count	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s
ImageNet	ImageNet- resnet18	cnn	test	best_individual	5000	0.1716	0.1752	0.292	0.2952	0.078	0.0108	0.2344	0.184	0.0442	0.0086	0.2042	0.1848	0.0238	0.0004	0.0644
ImageNet	ImageNet- resnet18	cnn	test	simpleavg	5000	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192
ImageNet	ImageNet- resnet18	cnn	test	borda	5000	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142
ImageNet	ImageNet- resnet18	cnn	test	kemeny	5000	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136
ImageNet	ImageNet- resnet18	cnn	test	rrf	5000	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126
ImageNet	ImageNet- resnet18	cnn	test	schulze	5000	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112

Table 78: ImageNet–ResNet-18 results.

dataset	model	architecture	split	method	R Cbar s	R F a	R Fbar a	R C a	R Cbar a	selected sources
ImageNet	ImageNet-resnet18	cnn	test	best_individual	0.047	0.036	0.0026	0.1048	0.002	3102f14a e28876c5 74f83678 7c1c0863 1f7d7356 54dddc7d 798c951c f86d73f3
ImageNet	ImageNet-resnet18	cnn	test	simpleavg	0.1196	0.0944	0.0338	0.1768	0.0754	
ImageNet	ImageNet-resnet18	cnn	test	borda	0.103	0.095	0.019	0.1882	0.0532	
ImageNet	ImageNet-resnet18	cnn	test	kemeny	0.0994	0.0904	0.015	0.179	0.0492	
ImageNet	ImageNet-resnet18	cnn	test	rrf	0.0958	0.0956	0.0246	0.1914	0.0608	
ImageNet	ImageNet-resnet18	cnn	test	schulze	0.0958	0.0926	0.017	0.1864	0.0506	

Table 79: ImageNet–ResNet-18 results.

dataset	model	method	scope	group	comparison cells	wins	vs best better	vs best equal	vs best worse	vs simpleavg better	vs simpleavg equal	vs simpleavg worse
ImageNet	ImageNet-resnet18	best_individual	dataset_model	all	20	19						
ImageNet	ImageNet-resnet18	simpleavg	dataset_model	all	20	1	1	0	19			
ImageNet	ImageNet-resnet18	borda	dataset_model	all	20	0	0	0	20	11	1	8
ImageNet	ImageNet-resnet18	kemeny	dataset_model	all	20	0	0	0	20	13	0	7
ImageNet	ImageNet-resnet18	rrf	dataset_model	all	20	0	0	0	20	13	0	7
ImageNet	ImageNet-resnet18	schulze	dataset_model	all	20	0	0	0	20	14	0	6
ImageNet	ImageNet-resnet18	best_individual	dataset_model	robustness	4	3						
ImageNet	ImageNet-resnet18	simpleavg	dataset_model	robustness	4	1	1	0	3			
ImageNet	ImageNet-resnet18	borda	dataset_model	robustness	4	0	0	0	4	2	0	2
ImageNet	ImageNet-resnet18	kemeny	dataset_model	robustness	4	0	0	0	4	2	0	2
ImageNet	ImageNet-resnet18	rrf	dataset_model	robustness	4	0	0	0	4	2	0	2
ImageNet	ImageNet-resnet18	schulze	dataset_model	robustness	4	0	0	0	4	2	0	2
ImageNet	ImageNet-resnet18	best_individual	dataset_model	robustness_all 16	16	16						
ImageNet	ImageNet-resnet18	simpleavg	dataset_model	robustness_all 16	16	0	0	0	16			
ImageNet	ImageNet-resnet18	borda	dataset_model	robustness_all 16	16	0	0	0	16	9	1	6
ImageNet	ImageNet-resnet18	kemeny	dataset_model	robustness_all 16	16	0	0	0	16	11	0	5
ImageNet	ImageNet-resnet18	rrf	dataset_model	robustness_all 16	16	0	0	0	16	11	0	5
ImageNet	ImageNet-resnet18	schulze	dataset_model	robustness_all 16	16	0	0	0	16	12	0	4
ImageNet	ImageNet-resnet18	best_individual	dataset_model	gaussian	4	4						
ImageNet	ImageNet-resnet18	simpleavg	dataset_model	gaussian	4	0	0	0	4			
ImageNet	ImageNet-resnet18	borda	dataset_model	gaussian	4	0	0	0	4	2	1	1
ImageNet	ImageNet-resnet18	kemeny	dataset_model	gaussian	4	0	0	0	4	3	0	1
ImageNet	ImageNet-resnet18	rrf	dataset_model	gaussian	4	0	0	0	4	3	0	1
ImageNet	ImageNet-resnet18	schulze	dataset_model	gaussian	4	0	0	0	4	3	0	1
ImageNet	ImageNet-resnet18	best_individual	dataset_model	edit_pepper	4	4						
ImageNet	ImageNet-resnet18	simpleavg	dataset_model	edit_pepper	4	0	0	0	4			
ImageNet	ImageNet-resnet18	borda	dataset_model	edit_pepper	4	0	0	0	4	2	0	2
ImageNet	ImageNet-resnet18	kemeny	dataset_model	edit_pepper	4	0	0	0	4	2	0	2
ImageNet	ImageNet-resnet18	rrf	dataset_model	edit_pepper	4	0	0	0	4	3	0	1
ImageNet	ImageNet-resnet18	schulze	dataset_model	edit_pepper	4	0	0	0	4	3	0	1
ImageNet	ImageNet-resnet18	best_individual	dataset_model	spetckle	4	4						
ImageNet	ImageNet-resnet18	simpleavg	dataset_model	spetckle	4	0	0	0	4			
ImageNet	ImageNet-resnet18	borda	dataset_model	spetckle	4	0	0	0	4	3	0	1
ImageNet	ImageNet-resnet18	kemeny	dataset_model	spetckle	4	0	0	0	4	3	0	1
ImageNet	ImageNet-resnet18	rrf	dataset_model	spetckle	4	0	0	0	4	3	0	1
ImageNet	ImageNet-resnet18	schulze	dataset_model	spetckle	4	0	0	0	4	3	0	1

dataset	model	method	scope	group	comparison cells	vs wins	vs best better	vs best equal	vs best worse	vs simpleavg better	vs simpleavg equal	vs simpleavg worse
ImageNet	ImageNet- resnet18	best_indiv	dataset_m	adversarial	4	4						
ImageNet	ImageNet- resnet18	simpleavg	dataset_m	adversarial	4	0	0	0	4			
ImageNet	ImageNet- resnet18	borda	dataset_m	adversarial	4	0	0	0	4	2	0	2
ImageNet	ImageNet- resnet18	kemeny	dataset_m	adversarial	4	0	0	0	4	3	0	1
ImageNet	ImageNet- resnet18	rrf	dataset_m	adversarial	4	0	0	0	4	2	0	2
ImageNet	ImageNet- resnet18	schulze	dataset_m	adversarial	4	0	0	0	4	3	0	1
		best_indiv	overall	all	80	68						
		simpleavg	overall	all	80	5	10	0	70			
		borda	overall	all	80	4	10	0	70	41	3	36
		kemeny	overall	all	80	1	9	0	71	40	0	40
		rrf	overall	all	80	0	7	0	73	38	1	41
		schulze	overall	all	80	3	9	0	71	37	4	39
		best_indiv	quality	all	16	11						
		simpleavg	overall	quality	16	1	5	0	11			
		borda	overall	quality	16	1	4	0	12	5	1	10
		kemeny	overall	quality	16	0	4	0	12	7	0	9
		rrf	overall	quality	16	0	4	0	12	6	0	10
		schulze	overall	quality	16	3	4	0	12	7	1	8
		best_indiv	robustness_all	64	57							
		simpleavg	overall	robustness_all	64	4	5	0	59			
		borda	overall	robustness_all	64	3	6	0	58	36	2	26
		kemeny	overall	robustness_all	64	1	5	0	59	33	0	31
		rrf	overall	robustness_all	64	0	3	0	61	32	1	31
		schulze	overall	robustness_all	64	0	5	0	59	30	3	31
		best_indiv	gaussian	16	14							
		simpleavg	overall	gaussian	16	1	2	0	14			
		borda	overall	gaussian	16	1	2	0	14	9	1	6
		kemeny	overall	gaussian	16	0	2	0	14	9	0	7
		rrf	overall	gaussian	16	0	1	0	15	9	0	7
		schulze	overall	gaussian	16	0	2	0	14	8	1	7
		best_indiv	salt_pepper	16	13							
		simpleavg	overall	salt_pepper	16	2	2	0	14			
		borda	overall	salt_pepper	16	1	3	0	13	8	1	7
		kemeny	overall	salt_pepper	16	1	3	0	13	8	0	8
		rrf	overall	salt_pepper	16	0	2	0	14	8	1	7
		schulze	overall	salt_pepper	16	0	3	0	13	8	1	7
		best_indiv	speckle	16	14							
		simpleavg	overall	speckle	16	1	1	0	15			
		borda	overall	speckle	16	1	1	0	15	10	0	6
		kemeny	overall	speckle	16	0	0	0	16	9	0	7
		rrf	overall	speckle	16	0	0	0	16	9	0	7
		schulze	overall	speckle	16	0	0	0	16	7	1	8
		best_indiv	adversarial	16	16							
		simpleavg	overall	adversarial	16	0	0	0	16			
		borda	overall	adversarial	16	0	0	0	16	9	0	7
		kemeny	overall	adversarial	16	0	0	0	16	7	0	9
		rrf	overall	adversarial	16	0	0	0	16	6	0	10
		schulze	overall	adversarial	16	0	0	0	16	7	0	9

Table 80: ImageNet–ResNet-18 results.

method	k	F	Fbar	C	Cbar	R g F	R g Fbar	R g C	R g Cbar	R p F	R p Fbar	R p C	R p Cbar	R s F	R s Fbar	R s C	R s Cbar	R a F	R a Fbar	R a C
best_indiv	10	0.1116	0.3446	0.214	0.4816	0.0456	0.0008	0.172	0.1204	0.023	0.013	0.145	0.12	0.0174	0.0022	0.0494	0.0386	0.0162	0.0036	0.0732
simpleavg	10	0.1122	0.4314	0.2172	0.5768	0.1266	0.0342	0.2976	0.248	0.1058	0.0344	0.2696	0.234	0.0564	0.0364	0.0912	0.0918	0.0826	0.0264	0.1712
borda	10	0.1016	0.4124	0.205	0.5538	0.1246	0.0284	0.2828	0.2432	0.1126	0.03	0.2642	0.231	0.0434	0.0296	0.0746	0.0854	0.0794	0.0062	0.1706
kemeny	10	0.098	0.4174	0.1934	0.5602	0.125	0.002	0.2788	0.2086	0.1194	0.006	0.27	0.2004	0.0382	0.01	0.0784	0.072	0.0754	0.0084	0.1612
rrf	10	0.102	0.407	0.2054	0.5478	0.1334	0.017	0.2806	0.2316	0.1216	0.0046	0.2716	0.2098	0.0466	0.024	0.0792	0.0832	0.0776	0.0014	0.1696
schulze	10	0.1012	0.4176	0.2016	0.5618	0.1266	0.0114	0.2784	0.2006	0.116	0.0058	0.2648	0.1968	0.0444	0.0174	0.0796	0.0752	0.0782	0.0136	0.169
best_indiv	20	0.1716	0.1752	0.292	0.2952	0.078	0.0108	0.2344	0.184	0.0442	0.0086	0.2042	0.1848	0.0238	0.0004	0.0644	0.047	0.036	0.0026	0.1048
simpleavg	20	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196	0.0944	0.0338	0.1768
borda	20	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142	0.103	0.095	0.019	0.1882
kemeny	20	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136	0.0994	0.0904	0.015	0.179
rrf	20	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958	0.0956	0.0246	0.1914
schulze	20	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958	0.0926	0.017	0.1864
best_indiv	40	0.311	0.0644	0.4418	0.1518	0.1276	0.026	0.3098	0.2212	0.0958	0.0002	0.2612	0.1856	0.0446	0.0074	0.0926	0.0592	0.0602	0.002	0.1326
simpleavg	40	0.2906	0.1048	0.4178	0.2124	0.147	0.1092	0.3458	0.3274	0.1362	0.091	0.3234	0.2966	0.088	0.0468	0.1374	0.1036	0.0978	0.0406	0.1674
borda	40	0.279	0.0756	0.412	0.1758	0.15	0.0754	0.325	0.2762	0.1546	0.0544	0.3216	0.2556	0.097	0.0336	0.1352	0.093	0.111	0.03	0.1924
kemeny	40	0.282	0.083	0.4102	0.1814	0.1468	0.0678	0.327	0.2744	0.14	0.0368	0.3094	0.2386	0.079	0.034	0.1208	0.0902	0.1158	0.0282	0.1944
rrf	40	0.2848	0.0772	0.413	0.177	0.149	0.0728	0.3296	0.277	0.146	0.0412	0.3206	0.2432	0.0852	0.029	0.129	0.0868	0.1108	0.0292	0.1876
schulze	40	0.2798	0.0814	0.4138	0.1786	0.1506	0.0696	0.3204	0.2786	0.146	0.0406	0.3122	0.2404	0.0894	0.0318	0.1256	0.0922	0.112	0.029	0.195
best_indiv	80	0.507	0.0174	0.6444	0.0812	0.0352	0.0076	0.2358	0.1812	0.0382	0.0008	0.2284	0.1602	0.0586	0.0012	0.1048	0.0522	0.0534	0.0136	0.0786
simpleavg	80	0.4784	0.0242	0.6186	0.0964	0.0542	0.0528	0.2598	0.257	0.0536	0.0332	0.2468	0.233	0.0632	0.0154	0.1188	0.0796	0.0686	0.0196	0.1024
borda	80	0.4632	0.0148	0.6028	0.0812	0.0672	0.019	0.2588	0.2048	0.0658	0.0012	0.2496	0.1836	0.0776	0.0104	0.1278	0.0718	0.0848	0.0132	0.1292
kemeny	80	0.4628	0.0202	0.6054	0.0912	0.0604	0.0116	0.2482	0.1934	0.0676	0.0008	0.2476	0.1784	0.0716	0.0014	0.1172	0.0544	0.0876	0.0156	0.1366
rrf	80	0.4726	0.016	0.6094	0.086	0.06	0.0218	0.257	0.2008	0.0542	0.0008	0.2388	0.1802	0.0706	0.008	0.1202	0.064	0.0864	0.0138	0.128
schulze	80	0.4656	0.0156	0.605	0.085	0.0608	0.021	0.2552	0.2012	0.0632	0.0068	0.2466	0.1798	0.073	0.0086	0.1218	0.0648	0.0858	0.012	0.1314

Table 81: ImageNet–ResNet-18 results.

method	k	R a Cbar
best_individual	10	0.0008
simpleavg	10	0.0404
borda	10	0.0222
kemeny	10	0.0242
rrf	10	0.019
schulze	10	0.033
best_individual	20	0.002
simpleavg	20	0.0754
borda	20	0.0532
kemeny	20	0.0492
rrf	20	0.0608
schulze	20	0.0506
best_individual	40	0.0426
simpleavg	40	0.1034
borda	40	0.09
kemeny	40	0.086
rrf	40	0.0894
schulze	40	0.086
best_individual	80	0.0704
simpleavg	80	0.083
borda	80	0.072
kemeny	80	0.0792
rrf	80	0.0778
schulze	80	0.0748

Table 82: ImageNet–ResNet-18 results.

method	p	F	Fbar	C	Cbar	R g F	R g Fbar	R g C	R g Cbar	R p F	R p Fbar	R p C	R p Cbar	R s F	R s Fbar	R s C	R s Cbar	R a F	R a Fbar	R a C
best_individual	8	0.1	0.6522	0.1998	0.8118	0.0278	0.1396	0.1358	0.0008	0.011	0.128	0.1194	0.0088	0.0124	0.026	0.0378	0.0006	0.011	0.0018	0.061
simpleavg	8	0.0988	0.7428	0.196	0.9038	0.0988	0.1678	0.2674	0.036	0.0832	0.1554	0.2514	0.0416	0.0438	0.0414	0.0892	0.0102	0.078	0.0104	0.163
borda	8	0.0858	0.739	0.182	0.8988	0.0972	0.1678	0.2438	0.0382	0.082	0.1518	0.225	0.0416	0.0384	0.0446	0.0756	0.0122	0.0698	0.005	0.1558
kemeny	8	0.0768	0.7168	0.1728	0.877	0.1104	0.1764	0.2468	0.0322	0.0954	0.1654	0.2312	0.0348	0.0448	0.0516	0.075	0.0026	0.0612	0.0038	0.1486
rrf	8	0.0812	0.717	0.1772	0.8784	0.117	0.1724	0.262	0.0326	0.0968	0.1602	0.2382	0.039	0.0428	0.0448	0.0786	0.0068	0.0656	0.0034	0.1516
schulze	8	0.0828	0.7176	0.1814	0.876	0.1068	0.1764	0.243	0.0334	0.0934	0.1546	0.2302	0.0446	0.04	0.0472	0.0724	0.008	0.0666	0.003	0.1568
best_individual	14	0.1496	0.2664	0.2706	0.4014	0.0642	0.0028	0.2026	0.1434	0.0382	0.0004	0.1822	0.1268	0.0212	0.0002	0.0514	0.0344	0.0286	0.0016	0.0992
simpleavg	14	0.1578	0.3846	0.2718	0.5284	0.1496	0.0354	0.3266	0.2452	0.1268	0.0358	0.3006	0.2358	0.065	0.0268	0.11	0.0792	0.0946	0.0316	0.1798
borda	14	0.1424	0.3442	0.2576	0.4834	0.1512	0.0388	0.3088	0.2486	0.145	0.0298	0.3002	0.2362	0.0676	0.0176	0.109	0.0768	0.0932	0.0114	0.1886
kemeny	14	0.135	0.332	0.2482	0.4664	0.1506	0.015	0.3094	0.2308	0.1496	0.0072	0.3054	0.2116	0.0606	0.0164	0.1016	0.0754	0.0874	0.0042	0.1818
rrf	14	0.143	0.3218	0.2574	0.4564	0.154	0.0266	0.307	0.237	0.147	0.0232	0.3042	0.2304	0.0626	0.0268	0.1028	0.082	0.09	0.003	0.1848
schulze	14	0.137	0.3286	0.25	0.4638	0.1584	0.0232	0.3146	0.2386	0.1464	0.0162	0.302	0.2228	0.0646	0.0132	0.1062	0.0716	0.0892	0.0044	0.1838
best_individual	16	0.1716	0.1752	0.292	0.2952	0.078	0.0108	0.2344	0.184	0.0442	0.0086	0.2042	0.1848	0.0238	0.0004	0.0644	0.047	0.036	0.0026	0.1048
simpleavg	16	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196	0.0944	0.0338	0.1768
borda	16	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142	0.103	0.095	0.019	0.1882
kemeny	16	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136	0.0994	0.0904	0.015	0.179
rrf	16	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958	0.0956	0.0246	0.1914
schulze	16	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958	0.0926	0.017	0.1864

Table 83: ImageNet–ResNet-18 results.

method	R a Cbar
best_individual	0.0002
simpleavg	0.0144
borda	0.0056
kemeny	0.0024
rrf	0.0006
schulze	0.0032
best_individual	0.0002
simpleavg	0.0594
borda	0.0356
kemeny	0.0266
rrf	0.0266
schulze	0.0242
best_individual	0.0002
simpleavg	0.0754
borda	0.0532
kemeny	0.0492
rrf	0.0608
schulze	0.0506

Table 84: ImageNet–ResNet-18 results.

method	fill	F	Fbar	C	Cbar	R g F	R g Fbar	R g C	R g Cbar	R p F	R p Fbar	R p C	R p Cbar	R s F	R s Fbar	R s C	R s Cbar	R a F	R a Fbar	R a C
best_indiv	dataset_mean	0.1716	0.1752	0.292	0.2952	0.078	0.0108	0.2344	0.184	0.0442	0.0086	0.2042	0.1848	0.0238	0.0004	0.0644	0.047	0.036	0.0026	0.1048
simpleavg	dataset_mean	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196	0.0944	0.0338	0.1768
borda	dataset_mean	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142	0.103	0.095	0.019	0.1882
kemeny	dataset_mean	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136	0.0994	0.0904	0.015	0.179
rrf	dataset_mean	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958	0.0956	0.0246	0.1914
schulze	dataset_mean	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958	0.0926	0.017	0.1864
best_indiv	class_mean	0.1784	0.2618	0.2952	0.393	0.078	0.009	0.2378	0.1562	0.0494	0.0018	0.2108	0.1596	0.0274	0.0074	0.066	0.0454	0.0354	0.0006	0.1044
simpleavg	class_mean	0.174	0.344	0.29	0.4804	0.157	0.0676	0.3404	0.2812	0.1414	0.06	0.3148	0.276	0.078	0.0534	0.122	0.1178	0.0914	0.0284	0.1768
borda	class_mean	0.1658	0.31	0.2826	0.4464	0.1656	0.0608	0.3328	0.2772	0.1518	0.0566	0.3142	0.2644	0.0756	0.036	0.1156	0.096	0.0982	0.0146	0.1896
kemeny	class_mean	0.1656	0.3096	0.2782	0.4414	0.1592	0.037	0.3278	0.2592	0.151	0.0352	0.312	0.247	0.0702	0.0308	0.1114	0.0922	0.0968	0.0072	0.1838
rrf	class_mean	0.1714	0.3042	0.2886	0.4338	0.1574	0.047	0.3238	0.272	0.1504	0.0516	0.3066	0.2632	0.071	0.0304	0.1104	0.0964	0.1006	0.021	0.1912
schulze	class_mean	0.1662	0.3096	0.2804	0.439	0.1552	0.0412	0.327	0.2642	0.1482	0.0366	0.3074	0.2492	0.0726	0.0366	0.1156	0.102	0.0986	0.0124	0.1878

Table 85: ImageNet–ResNet-18 results.

method	R a Cbar
best_individual	0.0002
simpleavg	0.0754
borda	0.0532
kemeny	0.0492
rrf	0.0608
schulze	0.0506
best_individual	0.0004
simpleavg	0.0506
borda	0.034
kemeny	0.0282
rrf	0.039
schulze	0.0278

Table 86: ImageNet–ResNet-18 results.

method	noise	severity	F	Fbar	C	Cbar
best_indiv	gaussian	0.1	0.0442	0.026	0.1186	0.1168
simpleavg	gaussian	0.1	0.126	0.1134	0.2092	0.208
borda	gaussian	0.1	0.1268	0.086	0.1942	0.1824
kemeny	gaussian	0.1	0.125	0.0674	0.1962	0.1608
rrf	gaussian	0.1	0.128	0.07	0.1914	0.1646
schulze	gaussian	0.1	0.131	0.072	0.1986	0.17
best_indiv	gaussian	0.15	0.078	0.0108	0.2344	0.184
simpleavg	gaussian	0.15	0.1564	0.1118	0.3474	0.3208
borda	gaussian	0.15	0.1692	0.0996	0.3384	0.3208
kemeny	gaussian	0.15	0.1668	0.0684	0.3296	0.2774
rrf	gaussian	0.15	0.1648	0.0776	0.3286	0.2944
schulze	gaussian	0.15	0.1662	0.0762	0.3296	0.288
best_indiv	gaussian	0.2	0.0764	0.0026	0.3448	0.2622
simpleavg	gaussian	0.2	0.1322	0.0644	0.4402	0.4126
borda	gaussian	0.2	0.146	0.0626	0.4378	0.4094
kemeny	gaussian	0.2	0.141	0.03	0.4282	0.3796
rrf	gaussian	0.2	0.1416	0.045	0.4236	0.392
schulze	gaussian	0.2	0.139	0.0404	0.421	0.3896
best_indiv	salt_pepper	0.03	0.0394	0.0048	0.1324	0.1074
simpleavg	salt_pepper	0.03	0.1292	0.0856	0.238	0.2146
borda	salt_pepper	0.03	0.1378	0.0582	0.2336	0.1856
kemeny	salt_pepper	0.03	0.1376	0.031	0.2304	0.1586
rrf	salt_pepper	0.03	0.135	0.0468	0.224	0.1702
schulze	salt_pepper	0.03	0.135	0.0392	0.2252	0.1632
best_indiv	salt_pepper	0.05	0.0442	0.0086	0.2042	0.1848
simpleavg	salt_pepper	0.05	0.1376	0.0916	0.3152	0.2946
borda	salt_pepper	0.05	0.1624	0.0788	0.3208	0.2822
kemeny	salt_pepper	0.05	0.1614	0.045	0.317	0.2522
rrf	salt_pepper	0.05	0.1624	0.066	0.3134	0.2654
schulze	salt_pepper	0.05	0.1592	0.0656	0.3124	0.2696
best_indiv	salt_pepper	0.08	0.0774	0.0068	0.295	0.2616
simpleavg	salt_pepper	0.08	0.1552	0.0854	0.4236	0.3858
borda	salt_pepper	0.08	0.169	0.0868	0.4158	0.3892
kemeny	salt_pepper	0.08	0.1664	0.0566	0.4058	0.3596
rrf	salt_pepper	0.08	0.1614	0.0642	0.4042	0.3746
schulze	salt_pepper	0.08	0.168	0.064	0.4058	0.3656
best_indiv	speckle	0.1	0.0208	0.0008	0.0358	0.024
simpleavg	speckle	0.1	0.0488	0.0428	0.0722	0.0678
borda	speckle	0.1	0.0492	0.0226	0.061	0.0538
kemeny	speckle	0.1	0.0466	0.0226	0.0574	0.0502
rrf	speckle	0.1	0.0482	0.0202	0.059	0.047
schulze	speckle	0.1	0.0496	0.022	0.0578	0.0484
best_indiv	speckle	0.15	0.0238	0.0004	0.0644	0.047
simpleavg	speckle	0.15	0.0734	0.0636	0.1192	0.1196
borda	speckle	0.15	0.0748	0.0428	0.1142	0.103
kemeny	speckle	0.15	0.0748	0.0362	0.1136	0.0994
rrf	speckle	0.15	0.0742	0.0342	0.1126	0.0958
schulze	speckle	0.15	0.077	0.035	0.112	0.0958
best_indiv	speckle	0.2	0.0282	0.004	0.102	0.082
simpleavg	speckle	0.2	0.093	0.0746	0.1746	0.1636
borda	speckle	0.2	0.101	0.0602	0.1726	0.1596
kemeny	speckle	0.2	0.1016	0.0408	0.169	0.1292
rrf	speckle	0.2	0.1008	0.0514	0.165	0.1482
schulze	speckle	0.2	0.0992	0.053	0.1686	0.1468
best_indiv	adversarial	0.003922	0.0334	0.0014	0.0964	0.0002
simpleavg	adversarial	0.003922	0.0914	0.0448	0.1676	0.082
borda	adversarial	0.003922	0.0888	0.0232	0.1752	0.0476
kemeny	adversarial	0.003922	0.087	0.02	0.1704	0.0448
rrf	adversarial	0.003922	0.087	0.0228	0.174	0.0484
schulze	adversarial	0.003922	0.0866	0.0202	0.1734	0.045
best_indiv	adversarial	0.007843	0.036	0.0026	0.1048	0.002
simpleavg	adversarial	0.007843	0.0944	0.0338	0.1768	0.0754
borda	adversarial	0.007843	0.095	0.019	0.1882	0.0532
kemeny	adversarial	0.007843	0.0904	0.015	0.179	0.0492
rrf	adversarial	0.007843	0.0956	0.0246	0.1914	0.0608
schulze	adversarial	0.007843	0.0926	0.017	0.1864	0.0506
best_indiv	adversarial	0.015686	0.0316	0.0052	0.1006	0.002

method	noise	severity	F	Fbar	C	Cbar
simpleavg	adversarial	0.015686	0.095	0.0232	0.1788	0.067
borda	adversarial	0.015686	0.0998	0.0002	0.1936	0.0366
kemeny	adversarial	0.015686	0.0928	0.0094	0.1842	0.0386
rrf	adversarial	0.015686	0.099	0	0.1946	0.0354
schulze	adversarial	0.015686	0.0938	0.0128	0.1888	0.0446

Table 87: ImageNet–ResNet-18 results.

dataset	model	architecture	replit	method	sample count	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s
ImageNet	ImageNet-resnet18	cnn	test	best_individual	5000	0.1716	0.1752	0.292	0.2952	0.15	0.103	0.328	0.3102	0.1378	0.0686	0.3176	0.2856	0.0618	0.037	0.1178
ImageNet	ImageNet-resnet18	cnn	test	simpleavg	5000	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192
ImageNet	ImageNet-resnet18	cnn	test	borda	5000	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142
ImageNet	ImageNet-resnet18	cnn	test	kemeny	5000	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136
ImageNet	ImageNet-resnet18	cnn	test	rrf	5000	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126
ImageNet	ImageNet-resnet18	cnn	test	schulze	5000	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112

Table 88: ImageNet–ResNet-18 results.

dataset	model	architecture	split	method	R Cbar s	R F a	R Fbar a	R C a	R Cbar a	selected sources
ImageNet	ImageNet-resnet18	cnn	test	best_individual	0.095	0.1058	0.0216	0.2096	0.0572	4f812c8b 47b6bb1c 4319ae30 10cb4282 1229d20e e030d680 8723d450 80f44bd8
ImageNet	ImageNet-resnet18	cnn	test	simpleavg	0.1196	0.0944	0.0338	0.1768	0.0754	
ImageNet	ImageNet-resnet18	cnn	test	borda	0.103	0.095	0.019	0.1882	0.0532	
ImageNet	ImageNet-resnet18	cnn	test	kemeny	0.0994	0.0904	0.015	0.179	0.0492	
ImageNet	ImageNet-resnet18	cnn	test	rrf	0.0958	0.0956	0.0246	0.1914	0.0608	
ImageNet	ImageNet-resnet18	cnn	test	schulze	0.0958	0.0926	0.017	0.1864	0.0506	

Table 89: ImageNet–ResNet-18 results.

dataset	model	method	scope	group	comparison cells	wins	vs best better	vs best equal	vs best worse	vs simpleavg better	vs simpleavg equal	vs simpleavg worse
ImageNet	ImageNet- resnet18	best_indiv	dataset_model	all	20	7						
ImageNet	ImageNet- resnet18	simpleavg	dataset_model	all	20	3	5	0	15			
ImageNet	ImageNet- resnet18	borda	dataset_model	all	20	0	7	0	13	11	1	8
ImageNet	ImageNet- resnet18	kemeny	dataset_model	all	20	7	11	0	9	13	0	7
ImageNet	ImageNet- resnet18	rrf	dataset_model	all	20	1	9	0	11	13	0	7
ImageNet	ImageNet- resnet18	schulze	dataset_model	all	20	2	11	0	9	14	0	6
ImageNet	ImageNet- resnet18	best_indiv	dataset_model	robustness	4	3						
ImageNet	ImageNet- resnet18	simpleavg	dataset_model	robustness	4	1	1	0	3			
ImageNet	ImageNet- resnet18	borda	dataset_model	robustness	4	0	0	0	4	2	0	2
ImageNet	ImageNet- resnet18	kemeny	dataset_model	robustness	4	0	0	0	4	2	0	2
ImageNet	ImageNet- resnet18	rrf	dataset_model	robustness	4	0	0	0	4	2	0	2
ImageNet	ImageNet- resnet18	schulze	dataset_model	robustness	4	0	0	0	4	2	0	2
ImageNet	ImageNet- resnet18	best_indiv	dataset_model	robustness_all 16	4	4						
ImageNet	ImageNet- resnet18	simpleavg	dataset_model	robustness_all 16	4	2	4	0	12			
ImageNet	ImageNet- resnet18	borda	dataset_model	robustness_all 16	4	0	7	0	9	9	1	6
ImageNet	ImageNet- resnet18	kemeny	dataset_model	robustness_all 16	4	7	11	0	5	11	0	5
ImageNet	ImageNet- resnet18	rrf	dataset_model	robustness_all 16	4	1	9	0	7	11	0	5
ImageNet	ImageNet- resnet18	schulze	dataset_model	robustness_all 16	4	2	11	0	5	12	0	4
ImageNet	ImageNet- resnet18	best_indiv	dataset_model	gaussian	4	2						
ImageNet	ImageNet- resnet18	simpleavg	dataset_model	gaussian	4	0	0	0	4			
ImageNet	ImageNet- resnet18	borda	dataset_model	gaussian	4	0	1	0	3	2	1	1
ImageNet	ImageNet- resnet18	kemeny	dataset_model	gaussian	4	2	2	0	2	3	0	1
ImageNet	ImageNet- resnet18	rrf	dataset_model	gaussian	4	0	2	0	2	3	0	1
ImageNet	ImageNet- resnet18	schulze	dataset_model	gaussian	4	0	2	0	2	3	0	1
ImageNet	ImageNet- resnet18	best_indiv	dataset_model	edit_pepper	4	0						
ImageNet	ImageNet- resnet18	simpleavg	dataset_model	edit_pepper	4	1	2	0	2			
ImageNet	ImageNet- resnet18	borda	dataset_model	edit_pepper	4	0	1	0	3	2	0	2
ImageNet	ImageNet- resnet18	kemeny	dataset_model	edit_pepper	4	2	3	0	1	2	0	2
ImageNet	ImageNet- resnet18	rrf	dataset_model	edit_pepper	4	0	3	0	1	3	0	1
ImageNet	ImageNet- resnet18	schulze	dataset_model	edit_pepper	4	1	3	0	1	3	0	1
ImageNet	ImageNet- resnet18	best_indiv	dataset_model	spetckle	4	2						
ImageNet	ImageNet- resnet18	simpleavg	dataset_model	spetckle	4	0	0	0	4			
ImageNet	ImageNet- resnet18	borda	dataset_model	spetckle	4	0	1	0	3	3	0	1
ImageNet	ImageNet- resnet18	kemeny	dataset_model	spetckle	4	0	2	0	2	3	0	1
ImageNet	ImageNet- resnet18	rrf	dataset_model	spetckle	4	1	2	0	2	3	0	1
ImageNet	ImageNet- resnet18	schulze	dataset_model	spetckle	4	1	2	0	2	3	0	1

dataset	model	method	scope	group	comparison cells	vs wins	vs best better	vs best equal	vs best worse	vs simpleavg better	vs simpleavg equal	vs simpleavg worse
ImageNet	ImageNet- resnet18	best_indiv	dataset_m	adversarial	4	0						
ImageNet	ImageNet- resnet18	simpleavg	dataset_m	adversarial	4	1	2	0	2			
ImageNet	ImageNet- resnet18	borda	dataset_m	adversarial	4	0	4	0	0	2	0	2
ImageNet	ImageNet- resnet18	kemeny	dataset_m	adversarial	4	3	4	0	0	3	0	1
ImageNet	ImageNet- resnet18	rrf	dataset_m	adversarial	4	0	2	0	2	2	0	2
ImageNet	ImageNet- resnet18	schulze	dataset_m	adversarial	4	0	4	0	0	3	0	1
		best_indiv	overall	all	80	32						
		simpleavg	overall	all	80	16	28	1	51			
		borda	overall	all	80	11	33	2	45	41	3	36
		kemeny	overall	all	80	17	39	0	41	40	0	40
		rrf	overall	all	80	1	29	1	50	38	1	41
		schulze	overall	all	80	6	35	0	45	37	4	39
		best_indiv	quality	all	16	11						
		simpleavg	overall	quality	16	1	5	0	11			
		borda	overall	quality	16	1	4	0	12	5	1	10
		kemeny	overall	quality	16	0	4	0	12	7	0	9
		rrf	overall	quality	16	0	4	0	12	6	0	10
		schulze	overall	quality	16	3	4	0	12	7	1	8
		best_indiv	robustness_all 64	all	21							
		simpleavg	overall	robustness_all 64	15	23	1	40				
		borda	overall	robustness_all 64	10	29	2	33	36	2	2	26
		kemeny	overall	robustness_all 64	17	35	0	29	33	0	0	31
		rrf	overall	robustness_all 64	1	25	1	38	32	1	1	31
		schulze	overall	robustness_all 64	3	31	0	33	30	3	3	31
		best_indiv	gaussian	all	16	6						
		simpleavg	overall	gaussian	16	2	5	0	11			
		borda	overall	gaussian	16	3	8	0	8	9	1	6
		kemeny	overall	gaussian	16	5	8	0	8	9	0	7
		rrf	overall	gaussian	16	0	7	0	9	9	0	7
		schulze	overall	gaussian	16	0	8	0	8	8	1	7
		best_indiv	salt_pepper	all	16	3						
		simpleavg	overall	salt_pepper	16	5	8	1	7			
		borda	overall	salt_pepper	16	3	9	0	7	8	1	7
		kemeny	overall	salt_pepper	16	5	11	0	5	8	0	8
		rrf	overall	salt_pepper	16	0	9	1	6	8	1	7
		schulze	overall	salt_pepper	16	2	11	0	5	8	1	7
		best_indiv	speckle	all	16	7						
		simpleavg	overall	speckle	16	3	3	0	13			
		borda	overall	speckle	16	2	5	0	11	10	0	6
		kemeny	overall	speckle	16	2	6	0	10	9	0	7
		rrf	overall	speckle	16	1	3	0	13	9	0	7
		schulze	overall	speckle	16	1	4	0	12	7	1	8
		best_indiv	adversarial	all	16	5						
		simpleavg	overall	adversarial	16	5	7	0	9			
		borda	overall	adversarial	16	2	7	2	7	9	0	7
		kemeny	overall	adversarial	16	5	10	0	6	7	0	9
		rrf	overall	adversarial	16	0	6	0	10	6	0	10
		schulze	overall	adversarial	16	0	8	0	8	7	0	9

Table 90: ImageNet–ResNet-18 results.

cell	dataset	model	condition	metric	seed count	mean	standard deviation	standard error	minimum	maximum	range	first half mean	second half mean	half bank absolute difference
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	F	8	0.023025	0.003289	0.001163	0.0186	0.0274	0.0088	0.0224	0.02365	0.00125
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	Fbar	8	0.6855	0.004253	0.001504	0.6778	0.6922	0.0144	0.6844	0.6866	0.0022
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	C	8	0.0937	0.00224	0.000792	0.0906	0.0972	0.0066	0.09435	0.09305	0.0013
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	Cbar	8	0.843475	0.00452	0.001598	0.8344	0.8502	0.0158	0.84255	0.8444	0.00185
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	g	F	8	0.09815	0.004531	0.001602	0.0902	0.1058	0.0156	0.0992	0.0971	0.0021
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	g	Fbar	8	0.585	0.003253	0.00115	0.579	0.5902	0.0112	0.58695	0.58305	0.0039
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	g	C	8	0.356275	0.003669	0.001297	0.3516	0.362	0.0104	0.35675	0.3558	0.00095
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	g	Cbar	8	0.946175	0.002903	0.001026	0.94	0.9506	0.0106	0.94755	0.9448	0.00275
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	p	F	8	0.075275	0.003365	0.00119	0.0716	0.0818	0.0102	0.07585	0.0747	0.00115
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	p	Fbar	8	0.594925	0.002037	0.00072	0.591	0.5972	0.0062	0.5955	0.59435	0.00115
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	p	C	8	0.32605	0.00305	0.001078	0.3222	0.331	0.0088	0.3253	0.3268	0.0015
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	p	Cbar	8	0.9436	0.002953	0.001044	0.9388	0.9462	0.0074	0.944	0.9432	0.0008
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	s	F	8	0.050175	0.003285	0.001162	0.0462	0.055	0.0088	0.051	0.04935	0.00165
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	s	Fbar	8	0.678525	0.004466	0.001579	0.6732	0.6874	0.0142	0.6791	0.67795	0.00115
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	s	C	8	0.173575	0.003613	0.001278	0.1694	0.1788	0.0094	0.17275	0.1744	0.00165
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	s	Cbar	8	0.889075	0.002888	0.001021	0.8868	0.8958	0.009	0.88955	0.8886	0.00095
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	a	F	8	0.001325	0.000501	0.000177	0.0006	0.002	0.0014	0.0012	0.00145	0.00025
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	a	Fbar	8	0.68745	0.003505	0.001239	0.6828	0.694	0.0112	0.68805	0.68685	0.0012
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	a	C	8	0.00515	0.000573	0.000203	0.0044	0.006	0.0016	0.005	0.0053	0.0003
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	a	Cbar	8	0.84365	0.003479	0.00123	0.8392	0.8494	0.0102	0.8442	0.8431	0.0011

Table 91: ImageNet–ResNet-18 results.

cell	dataset	model	q	condition	metric	comparison id	sample count	geometry	geometry label	rule	condition label	metric direction	random clean quality	random perturbed quality	naive clean excess	naive perturbed excess	naive rrel	noise clean excess	noise perturbed excess	noise rrel
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	F	d3b85905d84070a83b04d45591360b9554597e3d0f381a3c3b094463c966c4a0e0	84070a83b04d45591360b9554597e3d0f381a3c3b094463c966c4a0e0	84070a83b04d45591360b9554597e3d0f381a3c3b094463c966c4a0e0	84070a83b04d45591360b9554597e3d0f381a3c3b094463c966c4a0e0	84070a83b04d45591360b9554597e3d0f381a3c3b094463c966c4a0e0	84070a83b04d45591360b9554597e3d0f381a3c3b094463c966c4a0e0	0.023025	0.09815	0.149575	0.23085	-0.543373	0.157375	0.23545	-0.496108	
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Fbar	e0336d9443b5000c3f5a4f793228016575a12404f787615a0d017425b90e63	3b5000c3f5a4f793228016575a12404f787615a0d017425b90e63	3b5000c3f5a4f793228016575a12404f787615a0d017425b90e63	3b5000c3f5a4f793228016575a12404f787615a0d017425b90e63	3b5000c3f5a4f793228016575a12404f787615a0d017425b90e63	3b5000c3f5a4f793228016575a12404f787615a0d017425b90e63	0.6855	0.585	0.4345	0.2222	0.488608	0.4475	0.2292	0.487821	
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	C	2818f69e2254070916fde26ab5080055269904d0c18c87b31366f8d4087d44d	54070916fde26ab5080055269904d0c18c87b31366f8d4087d44d	54070916fde26ab5080055269904d0c18c87b31366f8d4087d44d	54070916fde26ab5080055269904d0c18c87b31366f8d4087d44d	54070916fde26ab5080055269904d0c18c87b31366f8d4087d44d	54070916fde26ab5080055269904d0c18c87b31366f8d4087d44d	0.0937	0.356275	0.1923	0.277125	-0.441108	0.2087	0.283325	-0.357571	
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Cbar	fda276c6bea500928ped019abb36035589343d0f32de5c47e706f8c5b0e084	500928ped019abb36035589343d0f32de5c47e706f8c5b0e084	500928ped019abb36035589343d0f32de5c47e706f8c5b0e084	500928ped019abb36035589343d0f32de5c47e706f8c5b0e084	500928ped019abb36035589343d0f32de5c47e706f8c5b0e084	500928ped019abb36035589343d0f32de5c47e706f8c5b0e084	0.843475	0.946175	0.457275	0.239175	0.476956	0.472875	0.247375	0.47687	
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	F	60c8085cb7b500855f4a0669032c015343cbb03030ag07a0c6099c50a04e	500855f4a0669032c015343cbb03030ag07a0c6099c50a04e	500855f4a0669032c015343cbb03030ag07a0c6099c50a04e	500855f4a0669032c015343cbb03030ag07a0c6099c50a04e	500855f4a0669032c015343cbb03030ag07a0c6099c50a04e	500855f4a0669032c015343cbb03030ag07a0c6099c50a04e	0.023025	0.075275	0.149575	0.234925	-0.570617	0.157375	0.243725	-0.548689	
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Fbar	03d558ef2203000795pca0160b1a1601610409755a05057a5002075900567cdce	3000795pca0160b1a1601610409755a05057a5002075900567cdce	3000795pca0160b1a1601610409755a05057a5002075900567cdce	3000795pca0160b1a1601610409755a05057a5002075900567cdce	3000795pca0160b1a1601610409755a05057a5002075900567cdce	3000795pca0160b1a1601610409755a05057a5002075900567cdce	0.6855	0.594925	0.4345	0.252325	0.419275	0.4475	0.253525	0.433464	
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	C	e911aace33fd0004a9f07e20d03200597c80d4nq14ebg7a5f81b564p3988a57	fd0004a9f07e20d03200597c80d4nq14ebg7a5f81b564p3988a57	fd0004a9f07e20d03200597c80d4nq14ebg7a5f81b564p3988a57	fd0004a9f07e20d03200597c80d4nq14ebg7a5f81b564p3988a57	fd0004a9f07e20d03200597c80d4nq14ebg7a5f81b564p3988a57	fd0004a9f07e20d03200597c80d4nq14ebg7a5f81b564p3988a57	0.0937	0.32605	0.1923	0.27515	-0.430837	0.2087	0.28495	-0.365357	
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Cbar	c000ee9eed380004f8p47d420df1601575c24f0135c62868949epb36dd5b	80004f8p47d420df1601575c24f0135c62868949epb36dd5b	80004f8p47d420df1601575c24f0135c62868949epb36dd5b	80004f8p47d420df1601575c24f0135c62868949epb36dd5b	80004f8p47d420df1601575c24f0135c62868949epb36dd5b	80004f8p47d420df1601575c24f0135c62868949epb36dd5b	0.843475	0.9436	0.457275	0.2628	0.425291	0.472875	0.2632	0.443405	
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	F	abe5f0a08254007f1695b58mfic1003528248493469a4p18fdb8571724215	4007f1695b58mfic1003528248493469a4p18fdb8571724215	4007f1695b58mfic1003528248493469a4p18fdb8571724215	4007f1695b58mfic1003528248493469a4p18fdb8571724215	4007f1695b58mfic1003528248493469a4p18fdb8571724215	4007f1695b58mfic1003528248493469a4p18fdb8571724215	0.023025	0.050175	0.149575	0.195825	-0.309209	0.157375	0.210225	-0.335822	
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Fbar	ed9986b6c58006cedp547c5624204155619244p12c1g7ef50dcbcbce0208dd	8006cedp547c5624204155619244p12c1g7ef50dcbcbce0208dd	8006cedp547c5624204155619244p12c1g7ef50dcbcbce0208dd	8006cedp547c5624204155619244p12c1g7ef50dcbcbce0208dd	8006cedp547c5624204155619244p12c1g7ef50dcbcbce0208dd	8006cedp547c5624204155619244p12c1g7ef50dcbcbce0208dd	0.6855	0.678525	0.4345	0.363925	0.162428	0.4475	0.371725	0.16933	
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	C	41161c243ec500081a2ed26a1a00018325a38b0p3a596ap0c8896ff0mdc989	500081a2ed26a1a00018325a38b0p3a596ap0c8896ff0mdc989	500081a2ed26a1a00018325a38b0p3a596ap0c8896ff0mdc989	500081a2ed26a1a00018325a38b0p3a596ap0c8896ff0mdc989	500081a2ed26a1a00018325a38b0p3a596ap0c8896ff0mdc989	500081a2ed26a1a00018325a38b0p3a596ap0c8896ff0mdc989	0.0937	0.173575	0.1923	0.231625	-0.204498	0.2087	0.249825	-0.197053	
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Cbar	b5ad68e29b6004b6596572adb340157436a2842097544p73380b2d730f905b	6004b6596572adb340157436a2842097544p73380b2d730f905b	6004b6596572adb340157436a2842097544p73380b2d730f905b	6004b6596572adb340157436a2842097544p73380b2d730f905b	6004b6596572adb340157436a2842097544p73380b2d730f905b	6004b6596572adb340157436a2842097544p73380b2d730f905b	0.843475	0.889075	0.457275	0.383275	0.161828	0.472875	0.395075	0.164526	
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	F	58184c2740b3009460p70fmbb60c009738c34a558bivg791b1e42d7e310de96dac	909460p70fmbb60c009738c34a558bivg791b1e42d7e310de96dac	909460p70fmbb60c009738c34a558bivg791b1e42d7e310de96dac	909460p70fmbb60c009738c34a558bivg791b1e42d7e310de96dac	909460p70fmbb60c009738c34a558bivg791b1e42d7e310de96dac	909460p70fmbb60c009738c34a558bivg791b1e42d7e310de96dac	0.023025	0.001325	0.149575	0.076875	0.486044	0.157375	0.082075	0.478475	
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Fbar	38c874e077b5000e9b7341marc2833523838fp75a254810c095713a2bd4c5	000e9b7341marc2833523838fp75a254810c095713a2bd4c5	000e9b7341marc2833523838fp75a254810c095713a2bd4c5	000e9b7341marc2833523838fp75a254810c095713a2bd4c5	000e9b7341marc2833523838fp75a254810c095713a2bd4c5	000e9b7341marc2833523838fp75a254810c095713a2bd4c5	0.6855	0.68745	0.4345	0.47025	-0.082278	0.4475	0.48345	-0.080335	
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	C	15087130ded50006695eemfd383116362a48ap5c73c23c479f9ue786e3	6006695eemfd383116362a48ap5c73c23c479f9ue786e3	6006695eemfd383116362a48ap5c73c23c479f9ue786e3	6006695eemfd383116362a48ap5c73c23c479f9ue786e3	6006695eemfd383116362a48ap5c73c23c479f9ue786e3	6006695eemfd383116362a48ap5c73c23c479f9ue786e3	0.0937	0.00515	0.1923	0.10405	0.458918	0.2087	0.10905	0.47748	
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Cbar	b717c903c256007b6p2f2c24bd21027588cb8fpe0c0f670ddc341bf0bf88f	5007b6p2f2c24bd21027588cb8fpe0c0f670ddc341bf0bf88f	5007b6p2f2c24bd21027588cb8fpe0c0f670ddc341bf0bf88f	5007b6p2f2c24bd21027588cb8fpe0c0f670ddc341bf0bf88f	5007b6p2f2c24bd21027588cb8fpe0c0f670ddc341bf0bf88f	5007b6p2f2c24bd21027588cb8fpe0c0f670ddc341bf0bf88f	0.843475	0.84365	0.457275	0.53285	-0.165273	0.472875	0.55185	-0.16701	
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	F	b6d446f1230500de975f4dm86b9001845717638fb5cf302488e8nb0c65e86	500de975f4dm86b9001845717638fb5cf302488e8nb0c65e86	500de975f4dm86b9001845717638fb5cf302488e8nb0c65e86	500de975f4dm86b9001845717638fb5cf302488e8nb0c65e86	500de975f4dm86b9001845717638fb5cf302488e8nb0c65e86	500de975f4dm86b9001845717638fb5cf302488e8nb0c65e86	0.023025	0.09815	0.134975	0.22905	-0.696981	0.162575	0.25905	-0.593418	
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Fbar	b18325ac31b30085679243bf452b001854593692024961878a374b2b660a20a	80085679243bf452b001854593692024961878a374b2b660a20a	80085679243bf452b001854593692024961878a374b2b660a20a	80085679243bf452b001854593692024961878a374b2b660a20a	80085679243bf452b001854593692024961878a374b2b660a20a	80085679243bf452b001854593692024961878a374b2b660a20a	0.6855	0.585	0.4669	0.2668	0.428571	0.5053	0.2914	0.423313	
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	C	7d251f911469006f30p356093c005E504644d8a326046743e07c0a2d957	6006f30p356093c005E504644d8a326046743e07c0a2d957	6006f30p356093c005E504644d8a326046743e07c0a2d957	6006f30p356093c005E504644d8a326046743e07c0a2d957	6006f30p356093c005E504644d8a326046743e07c0a2d957	6006f30p356093c005E504644d8a326046743e07c0a2d957	0.0937	0.356275	0.1819	0.257725	-0.41685	0.2179	0.289125	-0.32687	
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Cbar	d99e80e55c0500753dp47c2a50f0068E939b29f7c37465392c02774d0a88	500753dp47c2a50f0068E939b29f7c37465392c02774d0a88	500753dp47c2a50f0068E939b29f7c37465392c02774d0a88	500753dp47c2a50f0068E939b29f7c37465392c02774d0a88	500753dp47c2a50f0068E939b29f7c37465392c02774d0a88	500753dp47c2a50f0068E939b29f7c37465392c02774d0a88	0.843475	0.946175	0.497075	0.278975	0.438767	0.541075	0.317575	0.413067	
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	F	506aa1a6e2900098ba3da705abc00194c2cfd0c0275f0bf22c88b9f4a0dc	90098ba3da705abc00194c2cfd0c0275f0bf22c88b9f4a0dc	90098ba3da705abc00194c2cfd0c0275f0bf22c88b9f4a0dc	90098ba3da705abc00194c2cfd0c0275f0bf22c88b9f4a0dc	90098ba3da705abc00194c2cfd0c0275f0bf22c88b9f4a0dc	90098ba3da705abc00194c2cfd0c0275f0bf22c88b9f4a0dc	0.023025	0.075275	0.134975	0.245125	-0.816077	0.162575	0.271525	-0.670152	
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Fbar	ae125a0c6450003726p39am0d340043E28f37a248bd34fd1830b7p3d867faa	3003726p39am0d340043E28f37a248bd34fd1830b7p3d867faa	3003726p39am0d340043E28f37a248bd34fd1830b7p3d867faa	3003726p39am0d340043E28f37a248bd34fd1830b7p3d867faa	3003726p39am0d340043E28f37a248bd34fd1830b7p3d867faa	3003726p39am0d340043E28f37a248bd34fd1830b7p3d867faa	0.6855	0.594925	0.4669	0.297525	0.362765	0.5053	0.321925	0.362903	
ImageNet–ImageNet-resnet18	ImageNet																			

cell	dataset	model	q	condition	metric	compariso id	sample count	geometry	geometry label	rule	condition label	metric direction	random clean quality	random perturbed quality	naive clean excess	naive perturbed excess	naive rrel	noise clean excess	noise perturbed excess	noise rrel
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	F	55c5d11b81600018a5p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	0.023025	0.050175	0.134975	0.182625	-0.353028	0.162575	0.215225	-0.323851
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	Fbar	9328e2b7a3c790668a5p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	0.6855	0.678525	0.4669	0.417125	0.106607	0.5053	0.458125	0.09336
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	C	6d0014e93ae50001736p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	0.0937	0.173575	0.1819	0.216225	-0.188703	0.2179	0.255625	-0.17313
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	Cbar	0698a8146b350002579p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	0.843475	0.889075	0.497075	0.439675	0.115476	0.541075	0.484275	0.104976
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	F	5c6d1c677a160007652p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	0.023025	0.001325	0.134975	0.061675	0.543064	0.162575	0.074275	0.543134
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	Fbar	25c37716b4750005f5p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	0.6855	0.68745	0.4669	0.48785	-0.04487	0.5053	0.53745	-0.063626
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	C	b1b47771a5500088p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	0.0937	0.00515	0.1819	0.08225	0.547828	0.2179	0.10045	0.539009
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	Cbar	72c92af38f80000c0p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	0.843475	0.84365	0.497075	0.55045	-0.107378	0.541075	0.61245	-0.131913
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	g	F	4f10365c67d46000f63p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	0.023025	0.09815	0.138175	0.22785	-0.648996	0.160375	0.26085	-0.6265
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	g	Fbar	09d015d42450006d7p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	0.6855	0.585	0.4679	0.2898	0.380637	0.5249	0.326	0.378929
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	g	C	258d405b0850006c0p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	0.0937	0.356275	0.1875	0.253525	-0.352133	0.2129	0.283325	-0.330789
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	g	Cbar	a3d041ef790800157p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	0.843475	0.946175	0.501075	0.309375	0.382577	0.568675	0.351175	0.382468
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	p	F	5aeecad4e25000cc0p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	0.023025	0.075275	0.138175	0.248325	-0.797177	0.160375	0.273125	-0.70304
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	p	Fbar	93aafba9293000da5p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	0.6855	0.594925	0.4679	0.311325	0.334633	0.5249	0.362325	0.309726
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	p	C	17b8f8b2ed1b000973p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	0.0937	0.32605	0.1875	0.26855	-0.432267	0.2129	0.30015	-0.409817
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	p	Cbar	ac40b525b57500402p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	0.843475	0.9436	0.501075	0.3358	0.329841	0.568675	0.3848	0.323339
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	F	48090662a420008b2p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	0.023025	0.050175	0.138175	0.185225	-0.34051	0.160375	0.216025	-0.346999
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	Fbar	e3a96ac03442000856p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	0.6855	0.678525	0.4679	0.426725	0.088	0.5249	0.479325	0.086826
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	C	b5bf77bbdd150007e0p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	0.0937	0.173575	0.1875	0.220225	-0.174533	0.2129	0.252425	-0.185651
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	Cbar	273ced020dc000e33p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	0.843475	0.889075	0.501075	0.450875	0.100185	0.568675	0.512275	0.099178
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	F	389cec5f8435000136p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	0.023025	0.001325	0.138175	0.064275	0.534829	0.160375	0.071675	0.553079
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	Fbar	0dd6725ea3500038p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	0.6855	0.68745	0.4679	0.49445	-0.056743	0.5249	0.55285	-0.053248
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	C	91b3dfab32e50004c2p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	0.0937	0.00515	0.1875	0.08465	0.548533	0.2129	0.09665	0.546031
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	Cbar	1a4c4ec61e45000cd0p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	0.843475	0.84365	0.501075	0.56205	-0.121688	0.568675	0.63265	-0.112498
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	g	F	5c8bac115d4500027ep3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	16000	8a5p3fbc8114	0.023025	0.09815	0.132575	0.22425	-0.691495	0.151975	0.24745	-0.628228

cell	dataset	model	q	condition	metric	comparison id	sample count	geometry	geometry label	rule	condition label	metric direction	random clean quality	random perturbed quality	naive clean excess	naive perturbed excess	naive rrel	noise clean excess	noise perturbed excess	noise rrel
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	C	14d3678d62607234ce5500d930d18915ac40d01d74fa3pedf0a4e308152ef	5000	34c5500d930d18915ac40d01d74fa3pedf0a4e308152ef	34c5500d930d18915ac40d01d74fa3pedf0a4e308152ef				0.0937	0.173575	0.1823	0.214425	-0.176221	0.2037	0.239425	-0.17538
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	Cbar	ee95fafa0f6157708b596d240a5c06c03f58327cd5a166bc92hp7K1a651969d2	5000	596d240a5c06c03f58327cd5a166bc92hp7K1a651969d2	596d240a5c06c03f58327cd5a166bc92hp7K1a651969d2				0.843475	0.889075	0.499075	0.448875	0.100586	0.556275	0.510275	0.082693
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	F	6cde685b072560044059d40a5c3827430c2f8c3d41792bb5f8641668bcb0c5010	5000	59d40a5c3827430c2f8c3d41792bb5f8641668bcb0c5010	59d40a5c3827430c2f8c3d41792bb5f8641668bcb0c5010				0.023025	0.001325	0.134575	0.063675	0.526844	0.147375	0.064475	0.562511
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	Fbar	533dcfa824234600b0e96c6bf28843807358805a5d6ff22d3d0058afcf90e1502	5000	96c6bf28843807358805a5d6ff22d3d0058afcf90e1502	96c6bf28843807358805a5d6ff22d3d0058afcf90e1502				0.6855	0.68745	0.4673	0.48625	-0.040552	0.5129	0.52905	-0.031488
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	C	c799cb1a06600e84p15fin5ad35053f538a359787b441530d18915ac40d01d74fa3pedf0a4e308152ef	5000	4p15fin5ad35053f538a359787b441530d18915ac40d01d74fa3pedf0a4e308152ef	4p15fin5ad35053f538a359787b441530d18915ac40d01d74fa3pedf0a4e308152ef				0.0937	0.00515	0.1823	0.08445	0.536753	0.2037	0.08625	0.576583
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	Cbar	f5dff9cc9b538008sep0ab2a6r10060536565f843ab4ba5dc7f530f4052046	5000	8ep0ab2a6r10060536565f843ab4ba5dc7f530f4052046	8ep0ab2a6r10060536565f843ab4ba5dc7f530f4052046				0.843475	0.84365	0.499075	0.54985	-0.101738	0.556275	0.60725	-0.091636
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	F	8abed4a748250701140521a6f3019016364f1c90132a0430ad520586a75a1154	5000	40521a6f3019016364f1c90132a0430ad520586a75a1154	40521a6f3019016364f1c90132a0430ad520586a75a1154				0.023025	0.09815	0.149575	0.23085	-0.543373	0.149575	0.23045	-0.540699
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	Fbar	edd4a5b88f5500043f4a44b145b50123847086c31ba32c9f04b036f4ab1a29ae4	5000	3f4a44b145b50123847086c31ba32c9f04b036f4ab1a29ae4	3f4a44b145b50123847086c31ba32c9f04b036f4ab1a29ae4				0.6855	0.585	0.4345	0.2222	0.488608	0.4157	0.189	0.545345
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	C	9f9e981c8dc580031b7b334ad313023847086c31ba32c9f04b036f4ab1a29ae4	5000	1b7b334ad313023847086c31ba32c9f04b036f4ab1a29ae4	1b7b334ad313023847086c31ba32c9f04b036f4ab1a29ae4				0.0937	0.356275	0.1923	0.277125	-0.441108	0.1935	0.277925	-0.436305
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	Cbar	ab0896cc2855000328665a2015a3c19f23cd316024fca2d1507a6a699d0738d4	5000	8665a2015a3c19f23cd316024fca2d1507a6a699d0738d4	8665a2015a3c19f23cd316024fca2d1507a6a699d0738d4				0.843475	0.946175	0.457275	0.239175	0.476956	0.443075	0.203175	0.541443
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	F	516a234561950039ek71d0d25b3302851a3816ad074a60660ccpep730bbd6d96	5000	1ek71d0d25b3302851a3816ad074a60660ccpep730bbd6d96	1ek71d0d25b3302851a3816ad074a60660ccpep730bbd6d96				0.023025	0.075275	0.149575	0.234925	-0.570617	0.149575	0.226725	-0.515795
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	Fbar	0facb85fd806000651e405df2851d60364340eb086a68a60b8120q9902n3c1b	5000	1e405df2851d60364340eb086a68a60b8120q9902n3c1b	1e405df2851d60364340eb086a68a60b8120q9902n3c1b				0.6855	0.594925	0.4345	0.252325	0.419275	0.4157	0.218125	0.475283
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	C	500bf203ca160005b0e93d11cf5000592809665f3502ca01b40f34p0m7d86a	5000	0e93d11cf5000592809665f3502ca01b40f34p0m7d86a	0e93d11cf5000592809665f3502ca01b40f34p0m7d86a				0.0937	0.32605	0.1923	0.27515	-0.430837	0.1935	0.26975	-0.394057
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	Cbar	eaf0dba8b7f3000cb4d01d18fbc9043E4F30e4npl0a396a7ab264pp0f35140	5000	4d01d18fbc9043E4F30e4npl0a396a7ab264pp0f35140	4d01d18fbc9043E4F30e4npl0a396a7ab264pp0f35140				0.843475	0.9436	0.457275	0.2628	0.425291	0.443075	0.2258	0.49038
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	F	6032288bfa75000f81b66204c87f0078b7f23d4d070vg7e77c118891db624e	5000	1b66204c87f0078b7f23d4d070vg7e77c118891db624e	1b66204c87f0078b7f23d4d070vg7e77c118891db624e				0.023025	0.050175	0.149575	0.195825	-0.309209	0.149575	0.194625	-0.301187
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	Fbar	b3e020a5a745000d184280f9bd300335dc25ab072d2298pd66553dd	5000	184280f9bd300335dc25ab072d2298pd66553dd	184280f9bd300335dc25ab072d2298pd66553dd				0.6855	0.678525	0.4345	0.363925	0.162428	0.4157	0.342125	0.176991
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	C	de0d6044da0020bf066f84dd8b84621f2420d181b6c154473782f4f6m248848	5000	066f84dd8b84621f2420d181b6c154473782f4f6m248848	066f84dd8b84621f2420d181b6c154473782f4f6m248848				0.0937	0.173575	0.1923	0.231625	-0.204498	0.1935	0.232425	-0.201163
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	Cbar	eb42e8fea8b5000571e31d3d24a4e0043534Ka427p351b6c31pe600954b3464281	5000	1e31d3d24a4e0043534Ka427p351b6c31pe600954b3464281	1e31d3d24a4e0043534Ka427p351b6c31pe600954b3464281				0.843475	0.889075	0.457275	0.383275	0.161828	0.443075	0.358675	0.190487
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	F	dac1241c45b500081c9d1d36fa2f0028940222fb591cb77d4eb5d019928f5e2	5000	1c9d1d36fa2f0028940222fb591cb77d4eb5d019928f5e2	1c9d1d36fa2f0028940222fb591cb77d4eb5d019928f5e2				0.023025	0.001325	0.149575	0.076875	0.486044	0.149575	0.080475	0.461976
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	Fbar	a159264483c7000b70ba607125d068354031e3bdevc24e2cfd2c2d7618d167	5000	70ba607125d068354031e3bdevc24e2cfd2c2d7618d167	70ba607125d068354031e3bdevc24e2cfd2c2d7618d167				0.6855	0.68745	0.4345	0.47025	-0.082278	0.4157	0.46045	-0.10765
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	C	1249af1ba376000f13d411d1dec0c0137a3c84401d16c6f3041ce9d53ad6001f1	5000	13d411d1dec0c0137a3c84401d16c6f3041ce9d53ad6001f1	13d411d1dec0c0137a3c84401d16c6f3041ce9d53ad6001f1				0.0937	0.00515	0.1923	0.10405	0.458918	0.1935	0.10885	0.437468
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	Cbar	e9b1a77eb7350701a80eeb12554d80421f13102801b21d1f04durs0763cnf0e16	5000	1a80eeb12554d80421f13102801b21d1f04durs0763cnf0e16	1a80eeb12554d80421f13102801b21d1f04durs0763cnf0e16				0.843475	0.84365	0.457275	0.53285	-0.165273	0.443075	0.52165	-0.17734
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	F	a18066b91d0700713205a1b7c4N403E4033481n354d23e700fda02118095039	5000	13205a1b7c4N403E4033481n354d23e700fda02118095039	13205a1b7c4N403E4033481n354d23e700fda02118095039				0.023025	0.09815	0.134975	0.22905	-0.696981	0.164575	0.25705	-0.561902
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	Fbar	8855e5a504b50009A78bdaE68e0180896013801a57bc3475a87nd15nt97e99	5000	178bdaE68e0180896013801a57bc3475a87nd15nt97e99	178bdaE68e0180896013801a57bc3475a87nd15nt97e99				0.6855	0.585	0.4669	0.2668	0.428571	0.4873	0.2568	0.473015
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	C	801db867985007283d5b6d6ff4N403E4033481n354d23e700fda02118095039	5000	3d5b6d6ff4N403E4033481n354d23e700fda02118095039	3d5b6d6ff4N403E4033481n354d23e700fda02118095039				0.0937	0.356275	0.1819	0.257725	-0.41685	0.2183	0.296325	-0.357421

cell	dataset	model	q	condition	metric	comparison id	sample count	geometry	geometry label	rule	condition label	metric direction	random clean quality	random perturbed quality	naive clean excess	naive perturbed excess	naive rrel	noise clean excess	noise perturbed excess	noise rrel
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	Cbar	32a95e8c82b3009d	10000	0b1f1f1042963592468	0685d139e018c6072633	dd1a9e80	0	0.843475	0.946175	0.497075	0.278975	0.438767	0.521875	0.274775	0.473485	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	F	6ce97454aa050005	50000	5d22e0ff1a70332a3c9	45353b15d5d4d4c2299	9ma1f586	0	0.023025	0.075275	0.134975	0.245125	-0.816077	0.164575	0.262525	-0.595169	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	Fbar	197332dc44550706	35000	35ff5ff00a354019924c5	0b1c1d4d51a761a036499	99bad13	0	0.6855	0.594925	0.4669	0.297525	0.362765	0.4873	0.286125	0.412836	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	C	265ca9c9ff505000	0	083a281ae1390852069	4f467be7fd7b211efc095584c	15	0	0.0937	0.32605	0.1819	0.27035	-0.486256	0.2183	0.29875	-0.36853	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	Cbar	525e754a32557408	10000	14e0d8779ea1401950Kc	2b99d83cad7ad99f0769c	60b09835	0	0.843475	0.9436	0.497075	0.315	0.366293	0.521875	0.3032	0.419018	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	F	11cddb6303500000	0	46e759150350d521463	9bd83c49cd5f8c0229d	9a2e93aaf	0	0.023025	0.050175	0.134975	0.182625	-0.353028	0.164575	0.213825	-0.299256	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	Fbar	607f69fdc0c90001a	0	756c21144f0700156049	0384d68f4dc8f5831e0db	ad09236	0	0.6855	0.678525	0.4669	0.417125	0.106607	0.4873	0.429325	0.118972	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	C	a8f13257bcd50005	0	425ff42375470182F0Kb	78572654035f4089ba3	dm88f68	0	0.0937	0.173575	0.1819	0.216225	-0.188703	0.2183	0.252225	-0.155405	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	Cbar	e2859b39c3e50006	0	7bc1484464b38038FD2b	65b297dacc21p3816ed1	1f6c3ecd1a	0	0.843475	0.889075	0.497075	0.439675	0.115476	0.521875	0.453275	0.131449	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	F	bac091c747650003	0	068hd1a30A018254c9	fer07a5e73091e59f00	617zadd	0	0.023025	0.001325	0.134975	0.061675	0.543064	0.164575	0.075475	0.541395	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	Fbar	d14e248ea005070f	0	4cm1a2B3ca32018E2K6	0b4c4b19215d0c706815a	08647d95	0	0.6855	0.68745	0.4669	0.48785	-0.04487	0.4873	0.51545	-0.057767	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	C	8a67da2a21800a9b	0	06a97a8688d4c357540b	0a02be0648ca1e070a4f	804f824	0	0.0937	0.00515	0.1819	0.08225	0.547828	0.2183	0.10385	0.524279	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	Cbar	1922e1f569080000	0	5931f1d14541N601554569	41r15137e3810e50977ma	219	0	0.843475	0.84365	0.497075	0.55045	-0.107378	0.521875	0.59405	-0.138299	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	F	0e13cd0537e07088	0	3ab2641551760284e435	8133b5ae40b0a92a0b	953bc0cd	0	0.023025	0.09815	0.138175	0.22785	-0.648996	0.165575	0.25505	-0.54039	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	Fbar	831036eb8015000e	0	30006d1bcc068239960	bf18570b4960704809b	fcm5d1374	0	0.6855	0.585	0.4679	0.2898	0.380637	0.4987	0.2838	0.43092	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	C	d532151763150001	0	1e66e61e9730059E396	38f224a510a815e69f58a	50273ab	0	0.0937	0.356275	0.1875	0.253525	-0.352133	0.2215	0.294125	-0.327878	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	Cbar	dea815e6dbce5000d	0	7400478b7062256F5	04e024a3b0e66432537	224de751	0	0.843475	0.946175	0.501075	0.309375	0.382577	0.534075	0.304375	0.430089	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	F	847aa85ed445000c	0	bb34681c235018F4Kd	126d0196dea2f08bd2p	6m82a6bb	0	0.023025	0.075275	0.138175	0.248325	-0.797177	0.165575	0.270525	-0.633852	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	Fbar	ba2e182eb2b5000b	0	4c1d4308dfc700151E8S	26f24a1b6bb9c767b0b44	2m52e638	0	0.6855	0.594925	0.4679	0.311325	0.334633	0.4987	0.311525	0.375326	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	C	b69b8b99565000ff	0	1e99d817527NT225682	56f1a47d71a96342f0e92	6713c343	0	0.0937	0.32605	0.1875	0.26855	-0.432267	0.2215	0.30455	-0.374944	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	Cbar	f9a43095dcd50003d	0	7e9053b25bb1011c3214a	ab15a3e002b613059pp	605ffc372	0	0.843475	0.9436	0.501075	0.3358	0.329841	0.534075	0.327	0.387726	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	F	9347927cb39009a	0	2000Ba5216N27B1E6K6	enfe3393abb91082e27a	b5413ad9	0	0.023025	0.050175	0.138175	0.185225	-0.34051	0.165575	0.220625	-0.332478	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	Fbar	a2413a0b03a00702	0	46da289f41K9018E3K4	009408addc4p2e074b5c	b11693c6	0	0.6855	0.678525	0.4679	0.426725	0.088	0.4987	0.444925	0.10783	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	C	912faa3836b50006	0	3899a88db100535e1Kb	60f2755f81a5548c7307	85cd72c	0	0.0937	0.173575	0.1875	0.220225	-0.174533	0.2215	0.256225	-0.156772	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	Cbar	db808ed962500012	0	1a887d0dd93303E2a3C	ca58a1fed1d0bcdc8	3m7b8777	0	0.843475	0.889075	0.501075	0.450875	0.100185	0.534075	0.471675	0.116838	

cell	dataset	model	q	condition	metric	compariso id	sample count	geometry	geometry label	rule	condition label	metric direction	random clean quality	random perturbed quality	naive clean excess	naive perturbed excess	naive rrel	noise clean excess	noise perturbed excess	noise rrel
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	F	edc7b6ac7a560097	100000	6c30b87fb1	SV015F556	7cdec54085	2479e81673	na5242	0.023025	0.001325	0.138175	0.064275	0.534829	0.165575	0.077075	0.534501
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	Fbar	70c4235c7580003	100000	k98b62e54b	N6L5H14cd	bf7c99042c	2d7e08101b	7nd1589	0.6855	0.68745	0.4679	0.49445	-0.056743	0.4987	0.53265	-0.068077
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	C	dc1a22a6a18000b	100000	6c30b87fb1	00015H140	a8588767aa	085e935af1	3308eb15	0.0937	0.00515	0.1875	0.08465	0.548533	0.2215	0.10505	0.525734
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	Cbar	7b0b711c9800060	100000	6c30b87fb1	08085E940	06ff3625f81	3016bea1da	2b359d5d5	0.843475	0.84365	0.501075	0.56205	-0.121688	0.534075	0.60965	-0.141506
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	F	bb87e33602e1000	100000	6c30b87fb1	N015E1Kb	3cd68d82be	2a8323d62	6560ff5b	0.023025	0.09815	0.132575	0.22425	-0.691495	0.164375	0.25965	-0.57962
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	Fbar	a20d85e2f7e6000	100000	6c30b87fb1	N015E1Kb	3cd68d82be	2a8323d62	6560ff5b	0.6855	0.585	0.4621	0.2932	0.365505	0.5197	0.3232	0.378103
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	C	b3eac8615405000	100000	6c30b87fb1	00015H140	a8588767aa	085e935af1	3308eb15	0.0937	0.356275	0.1773	0.244325	-0.378032	0.2191	0.288525	-0.316864
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	Cbar	1e6f841ce675000	100000	6c30b87fb1	N015E1Kb	3cd68d82be	2a8323d62	6560ff5b	0.843475	0.946175	0.494275	0.319575	0.353447	0.556275	0.352775	0.365826
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	F	9a3c4db0da90000	100000	6c30b87fb1	N015E1Kb	3cd68d82be	2a8323d62	6560ff5b	0.023025	0.075275	0.132575	0.241725	-0.823308	0.164375	0.274925	-0.672548
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	Fbar	4a1f25de0995000	100000	6c30b87fb1	29073E146	102549ce43	b33ac66p6	2m3a160f	0.6855	0.594925	0.4621	0.326525	0.293389	0.5197	0.360725	0.305898
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	C	0fdac57d30e0000	100000	6c30b87fb1	N015E1Kb	3cd68d82be	2a8323d62	6560ff5b	0.0937	0.32605	0.1773	0.26195	-0.477439	0.2191	0.30235	-0.379963
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	Cbar	52b027aea0d5000	100000	6c30b87fb1	N015E1Kb	3cd68d82be	2a8323d62	6560ff5b	0.843475	0.9436	0.494275	0.3422	0.307673	0.556275	0.379	0.318682
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	F	0bb12dbe6440000	100000	6c30b87fb1	N015E1Kb	3cd68d82be	2a8323d62	6560ff5b	0.023025	0.050175	0.132575	0.180225	-0.359419	0.164375	0.221825	-0.349506
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	Fbar	815f168ffb5d000	100000	6c30b87fb1	N015E1Kb	3cd68d82be	2a8323d62	6560ff5b	0.6855	0.678525	0.4621	0.418925	0.093432	0.5197	0.468125	0.09924
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	C	0dfb8ededc30000	100000	6c30b87fb1	N015E1Kb	3cd68d82be	2a8323d62	6560ff5b	0.0937	0.173575	0.1773	0.211025	-0.190214	0.2191	0.259425	-0.184048
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	Cbar	a8b36eb7d920000	100000	6c30b87fb1	N015E1Kb	3cd68d82be	2a8323d62	6560ff5b	0.843475	0.889075	0.494275	0.440475	0.108846	0.556275	0.498475	0.103905
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	F	4b22d936f3b5000	100000	6c30b87fb1	N015E1Kb	3cd68d82be	2a8323d62	6560ff5b	0.023025	0.001325	0.132575	0.063875	0.518197	0.164375	0.075475	0.540837
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	Fbar	62533bc3bd80000	100000	6c30b87fb1	29073E146	102549ce43	b33ac66p6	2m3a160f	0.6855	0.68745	0.4621	0.47905	-0.03668	0.5197	0.54885	-0.05609
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	C	a524852a49d0000	100000	6c30b87fb1	N015E1Kb	3cd68d82be	2a8323d62	6560ff5b	0.0937	0.00515	0.1773	0.08685	0.510152	0.2191	0.10225	0.533318
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	Cbar	439e19aa5850001	100000	6c30b87fb1	N015E1Kb	3cd68d82be	2a8323d62	6560ff5b	0.843475	0.84365	0.494275	0.54365	-0.099894	0.556275	0.63105	-0.134421
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	F	1b9756fde220000	100000	6c30b87fb1	N015E1Kb	3cd68d82be	2a8323d62	6560ff5b	0.023025	0.09815	0.134575	0.22565	-0.67676	0.164575	0.25805	-0.567978
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	Fbar	7d9ad419ae50000	100000	6c30b87fb1	N015E1Kb	3cd68d82be	2a8323d62	6560ff5b	0.6855	0.585	0.4673	0.2906	0.37813	0.4837	0.2656	0.450899
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	C	05a1a1c05450004	100000	6c30b87fb1	N015E1Kb	3cd68d82be	2a8323d62	6560ff5b	0.0937	0.356275	0.1823	0.249325	-0.367663	0.2183	0.292725	-0.34093
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	Cbar	8ecc11f573a1000	100000	6c30b87fb1	N015E1Kb	3cd68d82be	2a8323d62	6560ff5b	0.843475	0.946175	0.499075	0.313775	0.371287	0.517675	0.286775	0.446033
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	F	309723c0f8c2000	100000	6c30b87fb1	N015E1Kb	3cd68d82be	2a8323d62	6560ff5b	0.023025	0.075275	0.134575	0.241525	-0.794724	0.164575	0.270125	-0.641349

cell	dataset	model	q	condition	metric	comparison id	sample count	geometry	geometry label	rule	condition label	metric direction	random clean quality	random perturbed quality	naive clean excess	naive perturbed excess	naive rrel	noise clean excess	noise perturbed excess	noise rrel
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	Fbar	21c19989713000cf0008d7ff4360725f4524b5b9799adff05249b5f61ad	13000	0008d7ff4360725f4524b5b9799adff05249b5f61ad	NOISE-K5	24b5b9799adff05249b5f61ad	NOISE-K5	0.6855	0.594925	0.4673	0.311125	0.334207	0.4837	0.293525	0.393167	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	C	1b715125134500c7446c3426a887018727413025fcd0b7d819669248621e9	13000	446c3426a887018727413025fcd0b7d819669248621e9	NOISE-K4	43025fcd0b7d819669248621e9	NOISE-K4	0.0937	0.32605	0.1823	0.26235	-0.439111	0.2183	0.30695	-0.406093	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	Cbar	8e6dd771e050001888d427cc1e31035eK41486f243b2c1cd1184df93dca1800e	13000	88d427cc1e31035eK41486f243b2c1cd1184df93dca1800e	NOISE-K4	43025fcd0b7d819669248621e9	NOISE-K4	0.843475	0.9436	0.499075	0.3296	0.339578	0.517675	0.3106	0.40001	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	F	1ebd69c52530006c8870761afd0570135b364f9dca1800e0f43da340b7	13000	8870761afd0570135b364f9dca1800e0f43da340b7	NOISE-K4	43025fcd0b7d819669248621e9	NOISE-K4	0.023025	0.050175	0.134575	0.184425	-0.370425	0.164575	0.216225	-0.313839	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	Fbar	cec22fd05350038a75ed87ff917b7038E4K404df02a5f4c428b4f594enice36	13000	75ed87ff917b7038E4K404df02a5f4c428b4f594enice36	NOISE-K4	43025fcd0b7d819669248621e9	NOISE-K4	0.6855	0.678525	0.4673	0.425325	0.089825	0.4837	0.427725	0.115723	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	C	b4eb4d0b3f050095d4ford7fd79010434b5849fb072e7c15p254m01ace3e35	13000	4ford7fd79010434b5849fb072e7c15p254m01ace3e35	NOISE-K5	24b5b9799adff05249b5f61ad	NOISE-K5	0.0937	0.173575	0.1823	0.214425	-0.176221	0.2183	0.253425	-0.160902	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	Cbar	f8c6da88ae940001d1b4cd09b21950105E4K93500f12b7df5p4b10dca4c8407449	13000	4cd09b21950105E4K93500f12b7df5p4b10dca4c8407449	NOISE-K9	3500f12b7df5p4b10dca4c8407449	NOISE-K9	0.843475	0.889075	0.499075	0.448875	0.100586	0.517675	0.452275	0.126334	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	F	b61a3b2e8fd6000fa67a2b1734f0c0161F6K5131d12d424c6dcb0b10d15004355	13000	67a2b1734f0c0161F6K5131d12d424c6dcb0b10d15004355	NOISE-K5	24b5b9799adff05249b5f61ad	NOISE-K5	0.023025	0.001325	0.134575	0.063675	0.526844	0.164575	0.077075	0.531672	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	Fbar	a54feaa1dd5000e7E6407d177430763E4K8944dce006ad0783564a765a68f	13000	7E6407d177430763E4K8944dce006ad0783564a765a68f	NOISE-K8	944dce006ad0783564a765a68f	NOISE-K8	0.6855	0.68745	0.4673	0.48625	-0.040552	0.4837	0.52085	-0.076804	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	C	a789b37e5140037c23558a1af3830105E4K1ad12d424c6dcb0b10d15004355	13000	35558a1af3830105E4K1ad12d424c6dcb0b10d15004355	NOISE-K1	ad12d424c6dcb0b10d15004355	NOISE-K1	0.0937	0.00515	0.1823	0.08445	0.536753	0.2183	0.10525	0.517865	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	Cbar	fadc4fabb1500071dd0cd1f563d0054f98951e351ab9745b55017bd5990c	13000	1dd0cd1f563d0054f98951e351ab9745b55017bd5990c	NOISE-K9	3500f12b7df5p4b10dca4c8407449	NOISE-K9	0.843475	0.84365	0.499075	0.54985	-0.101738	0.517675	0.59765	-0.154489	

Table 92: ImageNet–ResNet-18 results.

cell	dataset	model	q	condition	metric	comparison id	rrel gain naive minus noise	perturbed excess gain noise minus naive	rrel gain standard error	rrel gain ci low	rrel gain ci high	rrel gain valid bootstrap fraction	perturbed excess gain standard error	perturbed excess gain ci low	perturbed excess gain ci high	perturbed excess gain valid bootstrap fraction	joint advantage bootstrap fraction	both marginal ci lower positive	point outcome
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	F	d3b85905d8407047963b3455004861b950453701130333324650045732186c4a0e0	0.003907	-0.003	0.0122	1	0.136707	False	quality_only						
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Fbar	e0336d9443ba5100738714f179002216470642093e0789158a800227258930e63	0.004392	-0.0016	0.0156	1	0.526326	False	advantage						
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	C	2818f69e225437693567a264b506820b1f0393842cc9f35c3f671061504037d44H	0.004532	-0.0026	0.0152	1	0.00695	False	quality_only						
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Cbar	fda276c6be8a5692e802019d069863b0b893363e03945145e70021f894f1ace08H	0.00464	-0.0008	0.0172	1	0.497975	False	advantage						
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	F	60c8085cb7b0e0235227ac060088c553e0448453c0308021060f099459c494d	0.004039	0.001	0.0168	1	0.309565	False	quality_only						
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Fbar	03d558ef22032d07354c7a03b049bdd010d0275d0556146602d672899567cdce	0.004378	-0.0074	0.0098	1	0.107255	False	quality_only						
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	C	e911aace35fed0664465a7e20048259b938754c351b3275ff8b100032988a57	0.004466	0.001	0.0186	1	0.024501	False	quality_only						
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Cbar	c000ee9eed390d48147d400004a70184022777f859932363900304036dd5bl	0.004374	-0.0082	0.009	1	0.046702	False	quality_only						
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	F	abe5f0a0825030206635b8d0701441ef0d98891342210592ad18f06337724215	0.003964	0.0068	0.0224	1	0.746437	False	advantage						
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Fbar	ed9986b6c5890066902e54c5010782e0356322414038285870f0a492620298dd	0.004582	-0.0012	0.0168	1	0.305015	False	quality_only						
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	C	41161c243ec75b93143bd1201013271902302703065994e0c8596ff23adc989	0.00425	0.01	0.0266	1	0.39972	False	quality_only						
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Cbar	b5ad68e29b6010026576371010183d370106828400927300e033270051730f905b	0.004745	0.00259	0.0212	1	0.414321	False	quality_only						
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	F	58184c2740b03075691705d10052e200702b407a576d3277fb0421723919de96dac	0.00258	0.0002	0.0102	1	0.641732	False	advantage						
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Fbar	38c874e077bc2004963731e00332858a32280825d7030053b0c027534992bd445	0.004223	0.0048	0.0214	1	0.444922	False	quality_only						
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	C	1508713ded0a016683be1fa033694a0072062ba0c9734923c017902667c86e3	0.002852	-0.0006	0.0106	1	0.134257	False	quality_only						
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Cbar	b717c903c250f004582f2a2d012112270950078a0028000d01031052b1f188f	0.004587	0.0098	0.0278	1	0.544827	False	advantage						
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	F	b6d446f12300e1d0372f41a80b0b3f0dc0e05875733ff22ef202408a04265e861	0.00485	0.0204	0.0396	1	0.037202	False	quality_only						
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Fbar	b18325ac31ba286527213bf17294663e0002297092012000878d70400607e6a20a	0.005352	0.014	0.035	1	0.655333	False	advantage						
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	C	7d251f911e469a08998b356098314005104137814847326926793d007e582d957	0.005551	0.0206	0.0424	1	0.014101	False	quality_only						
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Cbar	d99e80e55c0b0f0357547e2d0986f60c9129479fd63740530255277246aa88	0.005584	0.0276	0.0494	1	0.979549	True	advantage						
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	F	506aa1a6c290f1359231a705020ff410a024f01302278012208999709806dd	0.00499	0.0168	0.0362	1	0.0065	False	quality_only						
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Fbar	ae125a0c6e52f00707389ea0512940a0c283843c293926585f0302676d1367fa4	0.005585	0.0134	0.0354	1	0.495025	False	quality_only						
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	C	74e59fc8ace02372759b14b000d1bf049673f64308722cd060f0227a866efl	0.005647	0.0212	0.0434	1	0.00985	False	quality_only						

cell	dataset	model	q	condition	metric	comparison id	rrel gain naive minus noise	perturbed excess gain noise minus naive	rrel gain standard error	rrel gain ci low	rrel gain ci high	rrel gain valid bootstrap fraction	perturbed excess gain standard error	perturbed excess gain ci low	perturbed excess gain ci high	perturbed excess gain valid bootstrap fraction	joint advantage bootstrap fraction	both marginal ci lower positive	point outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Cbar	6425c13e1a63002584f935340266f0b4d18034fe01025255c1902797778dac1	0.002584	0.002666	0.001803	0.001803	0.001803	0.001803	0.005684	0.0154	0.0376	1	0.420521	False	quality_only
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	F	55c5d11b8160402917fbec81032631f075633229e0306950c3f9972981e4eb4	0.002917	0.003263	0.007563	0.003069	0.003069	0.003069	0.004869	0.023	0.0422	1	0.284564	False	quality_only
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Fbar	9328e2b7a3c7903388511b8e0644c4334b2991057506633f63042455287fb1	0.003388	0.006444	0.0334b2	0.005750	0.005750	0.005750	0.005595	0.0302	0.0522	1	0.810491	False	advantage
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	C	6d0014e93ae0067337316c0103948c8b23662932402869337e0905318937a870b	0.007337	0.010394	0.023662	0.008693	0.008693	0.008693	0.005176	0.02919	0.0494	1	0.340667	False	quality_only
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Cbar	0698a814635d17b2259b75d5b57446108397757549d864203ab43699f0b4d26e8ff	0.002599	0.005744	0.039775	0.008642	0.008642	0.008642	0.005745	0.0334	0.056	1	0.762388	False	advantage
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	F	5c6d1c677a70140765022c60f201365110510224678d04474831990404035b45ca7e3	0.007650	0.012013	0.010224	0.004474	0.004474	0.004474	0.002839	0.007	0.0182	1	0.498725	False	quality_only
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Fbar	25c37716b470d083755c5310c0f96a0469d15182c06d0703225904833205ee8941	0.008375	0.0096a0	0.004691	0.001518	0.001518	0.001518	0.005205	0.0394	0.0598	1	0.889344	False	advantage
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	C	b1b47771a584503883e58e8101865009f64442935590773284f0645038c0ae3f6	0.003883	0.008101	0.009f64	0.004429	0.004429	0.004429	0.003173	0.0122	0.0246	1	0.687984	False	advantage
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Cbar	72c92af38f800102453fa3942a0827c93915720260390379cd09559904f0e81	0.002453	0.003942	0.00827c	0.003915	0.003915	0.003915	0.005639	0.0508	0.073	1	0.941347	False	advantage
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	F	4f10365c67d4e702093f863490837326a55338495644d7259004899371bf553d	0.002093	0.004908	0.003732	0.005533	0.005533	0.005533	0.004845	0.0234	0.0426	1	0.350568	False	quality_only
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Fbar	09d015d4245930d070801f1096362a0122e83925c615785722140028965f15ec982a	0.003070	0.009636	0.0122e8	0.005785	0.005785	0.005785	0.005458	0.0256	0.047	1	0.549427	False	advantage
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	C	258d405b08e0f0606348134f0929987068647800a08801177405655437250cba1	0.006063	0.009299	0.006864	0.007800	0.007800	0.007800	0.005547	0.0188	0.0408	1	0.295915	False	quality_only
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	g	Cbar	a3d041ef7908601504d77963d1181030451f32080a002209b67092454577000	0.001504	0.007963	0.004511	0.00151f	0.00151f	0.00151f	0.005624	0.0306	0.0526	1	0.504925	False	advantage
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	F	5aecead4ec24b02d43816a609348173208048504d51b910c050208924e657c4	0.002438	0.006093	0.003208	0.004850	0.004850	0.004850	0.004758	0.0154	0.034	1	0.054903	False	quality_only
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Fbar	93aafba929340402400810c607064113b47012345b44900a129d0015815976e3859284	0.002400	0.006070	0.004113	0.007012	0.007012	0.007012	0.005637	0.04	0.0622	1	0.968548	False	advantage
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	C	17b8f8b2edbb46f92743e13c010300dd05079579b470241171f808a3533bf02fd	0.002743	0.010300	0.005079	0.007957	0.007957	0.007957	0.005411	0.021	0.0422	1	0.296965	False	quality_only
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	p	Cbar	ac40b525b5703032025452b08326a087629857c00408043e30037697c4e444c	0.003202	0.008326	0.007629	0.004080	0.004080	0.004080	0.005801	0.0376	0.0602	1	0.694535	False	advantage
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	F	48090662a42030081820414c09078720218392844b09002395610f09d4fca036	0.000818	0.004090	0.002183	0.002844	0.002844	0.002844	0.004718	0.0216	0.04	1	0.551578	False	advantage
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Fbar	e3a96ac034400708578f2d334326a5520b99325c0267601483427737f354dd0	0.008578	0.034326	0.020b99	0.005267	0.005267	0.005267	0.005548	0.0418	0.0636	1	0.533327	False	advantage
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	C	b5bf77bbdd51c07d437e1350c022f067038634942590056330703f804443add5	0.007d43	0.00c022	0.006703	0.003863	0.003863	0.003863	0.005075	0.0224	0.0422	1	0.623731	False	advantage
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	s	Cbar	273ced020dc650d4078b874096342231c003857c7040263857a0928948d1bfb33	0.004078	0.009634	0.000038	0.0057c7	0.0057c7	0.0057c7	0.005683	0.0502	0.0726	1	0.529176	False	advantage
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	F	389cec5f843e126132574b3c005b01d02860840b67000990023257035380d	0.003257	0.009005	0.002860	0.0040b6	0.0040b6	0.0040b6	0.002727	0.002	0.0128	1	0.20131	False	quality_only
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	Fbar	0dddf6725ea34b09338572a580387ef0c61440b007d32007b1004311c88efe4	0.009385	0.005803	0.006144	0.007d32	0.007d32	0.007d32	0.005053	0.0486	0.06821	1	0.40167	False	quality_only
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	a	C	91b3dfab32e0a702502423a0a0721364d4d17560070402424550848f677295d3e82	0.002423	0.007213	0.004d4d	0.001756	0.001756	0.001756	0.003095	0.006	0.018	1	0.554728	False	advantage

cell	dataset	model	q	condition	metric	comparison id	rrel gain naive minus noise	perturbed excess gain noise minus naive	rrel gain standard error	rrel gain ci low	rrel gain ci high	rrel gain valid bootstrap fraction	perturbed excess gain standard error	perturbed excess gain ci low	perturbed excess gain ci high	perturbed excess gain valid bootstrap fraction	joint advantage bootstrap fraction	both marginal ci lower positive	point outcome
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	Cbar	1a4c4ec61e4e6b094908a2b2708827013042299081361375989e1001755b758c0	0.004949	0.004949	0.004949	0.004949	0.004949	0.004949	0.005467	0.0598	0.0812	1	0.267713	False	quality_only
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	g	F	5c8bac115d440462269573c202921a1f10582276041812155804022730871f1691	0.004622	0.004622	0.004622	0.004622	0.004622	0.004622	0.004699	0.014	0.0322	1	0.139857	False	quality_only
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	g	Fbar	bb93958461c1d0730d427724086c56c0d8867909818097f58333891922848	0.003094	0.003094	0.003094	0.003094	0.003094	0.003094	0.005294	0.0304	0.051	1	0.710236	False	advantage
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	g	C	08148b4d6db08025779ac01923212051092791c0e19858735c52700362fb1109	0.003025	0.003025	0.003025	0.003025	0.003025	0.003025	0.005447	0.0156	0.037	1	0.105255	False	quality_only
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	g	Cbar	1bb43c45879016078372ae083408f202892819446d836f971738015110ab8a23f	0.004082	0.004082	0.004082	0.004082	0.004082	0.004082	0.00563	0.02979	0.0518	1	0.212361	False	quality_only
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	p	F	dfa1aea9ac3e07761134cb39301f7500937028f0125064f9017105084da9307	0.007611	0.007611	0.007611	0.007611	0.007611	0.007611	0.004869	0.0096	0.0286	1	0.045602	False	quality_only
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	p	Fbar	29040b8c660500248135c8f004885d7450d08398f63814351f60a28722c05e158	0.002481	0.002481	0.002481	0.002481	0.002481	0.002481	0.005585	0.0318	0.0536	1	0.584729	False	advantage
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	p	C	7467125ffe903003036b970a820768909035252c361849835f70d0665876a59dd	0.003036	0.003036	0.003036	0.003036	0.003036	0.003036	0.005633	0.00959	0.0318	1	0.017751	False	quality_only
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	p	Cbar	e127377a2413f092206a0176024861a90918727917008374223019886f56d7e31	0.009220	0.009220	0.009220	0.009220	0.009220	0.009220	0.0058	0.037	0.0598	1	0.435122	False	quality_only
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	F	1d6e542b4ae0200771203b6702524a85f05463871630180772910023389f09342	0.000771	0.000771	0.000771	0.000771	0.000771	0.000771	0.004803	0.0158	0.0346	1	0.440372	False	quality_only
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	Fbar	df842c769a384022469321702059773400a477932b06818320c76004137da868d1	0.022469	0.022469	0.022469	0.022469	0.022469	0.022469	0.005624	0.0484	0.0704	1	0.79929	False	advantage
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	C	5264d279af022760074b110a0d68ec210345082073069335e049538354be97	0.027600	0.027600	0.027600	0.027600	0.027600	0.027600	0.005102	0.0168	0.0366	1	0.256363	False	quality_only
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	Cbar	c294462b61d06593247c5d19628363e3b0548321b80175005e01038134c2745d78	0.059324	0.059324	0.059324	0.059324	0.059324	0.059324	0.005847	0.0584	0.0814	1	0.763538	False	advantage
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	F	001e85b5b79b04070474e18d0f82a54872b58556000886710f010b129f1949d5	0.040704	0.040704	0.040704	0.040704	0.040704	0.040704	0.00256	-0.0018	0.0082	1	0.029951	False	quality_only
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	Fbar	0d1d2af274ad26160285a9b070521dee8d8c496004c4d437467019388c768af1	0.160285	0.160285	0.160285	0.160285	0.160285	0.160285	0.005019	0.0424	0.062	1	0.138557	False	quality_only
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	C	3d6988468070100784424865100413996801862972650940592c20323024da359f5	0.007844	0.007844	0.007844	0.007844	0.007844	0.007844	0.002919	-0.0046	0.007	1	0.0007	False	quality_only
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	Cbar	55flaec6f051010238390f350306fede9b0b30372803a586dc7f30039378cccf2 1	0.023839	0.023839	0.023839	0.023839	0.023839	0.023839	0.005426	0.0524	0.0738	1	0.028601	False	quality_only
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	g	F	f9bf4913f1e90000880bdcdd330220fb10f0618f507006368c501083321b84e9	0.000880	0.000880	0.000880	0.000880	0.000880	0.000880	0.004759	0.0132	0.032	1	0.547777	False	advantage
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	g	Fbar	282ccc7fcd5c230227574854070e04629c99d420d10e7062982d1304525110c44cd	0.022757	0.022757	0.022757	0.022757	0.022757	0.022757	0.005401	0.0294	0.0506	1	0.959598	False	advantage
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	g	C	0aebc45029d403040901650011571700c42372fd0715045e4a025041903fc92fd	0.004090	0.004090	0.004090	0.004090	0.004090	0.004090	0.00553	0.0048	0.0266	1	0.054903	False	quality_only
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	g	Cbar	b4fe542476bb63050873724330009c84a04920b3405226572705041c22e4563c5d	0.050873	0.050873	0.050873	0.050873	0.050873	0.050873	0.005724	0.0336	0.056	1	0.891945	False	advantage
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	p	F	672ac244a7602808087372c0022abc036550dcf0d1272534021290bc50be4e4	0.008087	0.008087	0.008087	0.008087	0.008087	0.008087	0.004938	0.0132	0.0326	1	0.504325	False	advantage
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	p	Fbar	f65af12073b0a099589f5d89078e157400176829918008806e090844a4cebe3	0.099589	0.099589	0.099589	0.099589	0.099589	0.099589	0.00568	0.049	0.0712	1	1	True	advantage
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	p	C	586966e367c40049020c40a0268b4a000624230080271d3020f00609585bd5d11c	0.09020c	0.09020c	0.09020c	0.09020c	0.09020c	0.09020c	0.005677	0.01579	0.038	1	0.331917	False	quality_only

cell	dataset	model	q	condition	metric	comparison id	rrel gain naive minus noise	perturbed excess gain noise minus naive	rrel gain standard error	rrel gain ci low	rrel gain ci high	rrel gain valid bootstrap fraction	perturbed excess gain standard error	perturbed excess gain ci low	perturbed excess gain ci high	perturbed excess gain valid bootstrap fraction	joint advantage bootstrap fraction	both marginal ci lower positive	point outcome
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	p	Cbar	502828541b7075328231418107599f0c194187227a0f0b37233d020839507b62c91	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.00583	0.0482	0.071	1	0.9992	True	advantage
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	F	3e31242e98b870377523f0a0d0204159322575bd0200a170f4013370648f97d7	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.004734	0.0142	0.0328	1	0.779389	False	advantage
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	Fbar	6464406b811010219371cc60f06261712e14452f3d1707956358f0610564b7f316	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.0057	0.0416	0.0638	1	0.922496	False	advantage
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	C	14d3678d62e4702284ec5500d9524a080350490e1d77273aa0d72357c8152df	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.004972	0.0154	0.0348	1	0.489024	False	quality_only
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	s	Cbar	ee95fafa0f617f0158299fd2401b155cf3f38147f4b5401616523b07046597b9421	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.005912	0.05	0.073	1	0.889894	False	advantage
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	F	6cde685b0724b0310658444a0066527d00228324d079201f8804108826ebc5010	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.002612	-0.0042	0.006	1	0.060353	False	quality_only
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	Fbar	533dcfa284231d090626cbf2584286c7d1801510d0f0823390030196f9ee1502	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.005211	0.0324	0.0528	1	0.270314	False	quality_only
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	C	c799cb1a066d0049831f1f05901836bd038335978053446301b02065bb2a3ac	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.002999	-0.004	0.0078	1	0.014551	False	quality_only
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	a	Cbar	f5dff9cc9b5c380408020abb3e05709d6004656f879430400294c701907405204d	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.005644	0.0464	0.0684	1	0.251413	False	quality_only
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	F	8abed4a74820700267052a86f000945a0e0470300b3a009530e1b2058876177a1154	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.00427	-0.0088	0.008	1	0.316566	False	no_advantage
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	Fbar	edd4a5b88f560656388a44604733201268447086e010832e46240338486a29a44	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.004545	-0.0422	-0.0244	1	0	False	no_advantage
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	C	9f9e981c8dc80003307eb24d0008623f002805976705820f00869788000ced	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.004785	-0.0084	0.0102	1	0.363468	False	quality_only
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	Cbar	ab0896cc2855e06326765c201032e390101816004082755a70040959c97384d	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.004861	-0.0456	-0.0266	1	0	False	no_advantage
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	F	516a2345619403308221ace05083289d027507d4074855320604807323bd6d96	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.004238	-0.0166	0.0002	1	0.015501	False	no_advantage
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	Fbar	0facb85fd8060107000080c51028540630630202b008508060b0802d97032c3c1b	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.004693	-0.0434	-0.025	1	0	False	no_advantage
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	C	500bf203ca100c3670e93d80d05049069807070450102561b002867c7d86a	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.004735	-0.0148	0.0038	1	0.067653	False	no_advantage
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	Cbar	eaf0dba8b7f905650891cdcf00373d403072227c010839047a02040822e85140	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.004829	-0.0464	-0.0276	1	0	False	no_advantage
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	F	6032288bfa7d00080265304080105f56d042234207094073770078881d1624d	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.004222	-0.0096	0.0072	1	0.264713	False	no_advantage
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	Fbar	b3e020a5a74502d4563250f0b01814938462328072022981d0553308016d0025	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.005045	-0.0318	-0.0118	1	0	False	no_advantage
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	C	de0d6044da020d02305f4d000895ad0103306d81b0093457370822f2a248848	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.00453	-0.0082	0.0096	1	0.373569	False	quality_only
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	Cbar	eb42e8fea8b09025050b334202067d030b4727c030507888c000902734f428d	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.005249	-0.035	-0.0142	1	0	False	no_advantage
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	F	dac1241c45b0532806841b060d3602420217277b05018692a0b67209928f542	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.002687	-0.0016	0.0088	1	0.835392	False	advantage
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	Fbar	a159264483c7d023377b460701008b8650035343d0662409201000127713d107	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.00449	-0.0186	-0.001	1	0.014301	False	relative_only
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	C	1249af1ba376902114844146d0006ca15088566610504080403057307d691f1	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.002986	-0.001	0.0106	1	0.859693	False	advantage

cell	dataset	model	q	condition	metric	comparison id	rrel gain naive minus noise	perturbed excess gain noise minus naive	rrel gain standard error	rrel gain ci low	rrel gain ci high	rrel gain valid bootstrap fraction	perturbed excess gain standard error	perturbed excess gain ci low	perturbed excess gain ci high	perturbed excess gain valid bootstrap fraction	joint advantage bootstrap fraction	both marginal ci lower positive	point outcome
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	Cbar	e9b1a77eb73d4712068ac112504d292018002861b09007040647832c6f0e16	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.004826	-0.0206	-0.0016	1	0.010101	False	relative_only
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	F	a18066b91d06195707305db70c0281451e0603481e0325f037090d11231718095089	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.00492	0.0184	0.0376	1	0.010601	False	quality_only
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	Fbar	8855e5a504b0f0944738bac5634001838063386d0b37078175a878387ac97e99	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.005523	-0.0208	0.001	1	0.0002	False	no_advantage
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	C	801db86798104723825a620f086c86007738229e0b740245d0925389e25837	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.005609	0.0276	0.0494	1	0.087604	False	quality_only
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	Cbar	32a95e8c82b45094701811f1a00292586a0329755a13560018c400706342ca9e80	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.005804	-0.0156	0.007	1	0.0036	False	no_advantage
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	F	6ce97454aa0893000032fe00101747632e0c3254535315018c1d0927991ac1f586	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.00505	0.0076	0.0272	1	0.0001	False	quality_only
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	Fbar	197332dc4459d7037f15fd00d4440c0c04f001846402573876e00232625bad13	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.005647	-0.0224	-0.0004	1	0.0003	False	no_advantage
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	C	265ca9c9ff506e9107274280a0259af85404838567b206101240c0302968fed51	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.005746	0.0172	0.0398	1	0.00375	False	quality_only
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	Cbar	525e754a325670987250c97791a1816c960138249c8879874d090257090c9835	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.005932	-0.0234	-0.0002	1	0	False	no_advantage
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	F	11cdbd63035d1053775e75910381c702053503483d400478e92773892e93daf	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.004992	0.0214	0.0408	1	0.149157	False	quality_only
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	Fbar	607f69fdc0c907012305c2b44f02033060d5728468844297583a1862ba0e923b	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.005764	0.0008	0.0232	1	0.210011	False	quality_only
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	C	a8f13257bcd40c832035f420770478d302035865726108614608910311e33f68	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.005357	0.0254	0.0464	1	0.19311	False	quality_only
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	s	Cbar	e2859b39e3ced00695f48c0401388b070253572970458255000390d16c3ec11a	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.005894	0.002	0.0252	1	0.140907	False	quality_only
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	F	bac091c74760d006006ac4030abf9932295e0704327339005063083d7add	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.002899	0.0082	0.0196	1	0.528226	False	advantage
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	Fbar	d14e248ea000b05244fab23c02762590c0d6644e0192932b57068113d08647d95	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.005409	0.017	0.038	1	0.785539	False	advantage
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	C	8a67da2a2183a09365e9789032ff55720900620e0f3062c8976127f80ff824	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.003314	0.0152	0.0282	1	0.890945	False	advantage
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	a	Cbar	1922e1f56908e0069231fd1034134a10f0156341e0503743319076007faa219l	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.005847	0.0322	0.055	1	0.966248	False	advantage
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	F	0e13cd0537e0748860b26405272e20d583653433258033090020592bc0td	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.00487	0.0178	0.0368	1	0.027951	False	quality_only
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	Fbar	831036eb801a0650280c0dbda06582809808285707680730329405a5137H	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.005571	-0.017	0.0048	1	0.00015	False	no_advantage
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	C	d53215176310f0210566c0c090703e50c041308f20415034915603585f9273ab	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.005679	0.0294	0.0518	1	0.280564	False	quality_only
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	g	Cbar	dea815e6dbec80475120f973b705620907510402067500468432370224de751	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.005904	-0.0166	0.00641	1	0.00025	False	no_advantage
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	F	847aa85ed4402683262468162993e02d63009c4029537825081422491f82a0bb	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.005188	0.012	0.0324	1	0.004	False	quality_only
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	Fbar	ba2e182eb2b8801059d39300052c71048376240b65852707083842c52e638	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.005597	-0.0108	0.011	1	0.0018	False	quality_only
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	p	C	b69b8b9956e001373299c8b75237c25643251a0747030f302086426712c343	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.00584	0.0246	0.0476	1	0.096055	False	quality_only

cell	dataset	model	q	condition	metric	comparison id	rrel gain naive minus noise	perturbed excess gain noise minus naive	rrel gain standard error	rrel gain ci low	rrel gain ci high	rrel gain valid bootstrap fraction	perturbed excess gain standard error	perturbed excess gain ci low	perturbed excess gain ci high	perturbed excess gain valid bootstrap fraction	joint advantage bootstrap fraction	both marginal ci lower positive	point outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Cbar	f9a43095dd0a0d378789653b21b881dd2211375545a3800866490391283bffc372	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.005979	-0.0206	0.0028	1	0	False	no_advantage
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	F	9347927c9b0f0886200be5b036247321d599ade339995864083227255413ad9	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.004971	0.0256	0.0452	1	0.437872	False	quality_only
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Fbar	a2413a0b03a00719831da260614339167375209340864944652a674065b71693e6	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.005791	0.0068	0.0296	1	0.097105	False	quality_only
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	C	912faa3836b0011670199a83a03604b9923739227569264554867309687c172c	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.005315	0.0256	0.0464	1	0.317966	False	quality_only
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Cbar	db808ed962e0a016658fd90d2803500de3286458a0a610116d1f28237b7bb81777	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.005975	0.0092	0.0324	1	0.129056	False	quality_only
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	F	edc7b6ac7a569f003283ce80f0125d2b6f722730bd504427379b0460369e5242	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.002867	0.0072	0.0184	1	0.511576	False	advantage
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Fbar	70c4235c75803c713303b62b5386cd6dd01537f79900428217c08110277cd1589	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.00529	0.0278	0.0484	1	0.769338	False	advantage
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	C	dc1a22a61846d22848d1d0200ec30d186685887d73463f9358353b393eb115	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.003251	0.014	0.0268	1	0.889244	False	advantage
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Cbar	7b0b711c980d0d981ac4630d0078e88e90602673027f81394016511242b359d3d5	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.005743	0.0362	0.0588	1	0.892945	False	advantage
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	F	bb87e33602e0661d87632d504761549f90f81173d63282142c8320450266560ff5b	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.004857	0.0258	0.0448	1	0.031502	False	quality_only
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Fbar	a20d85e2f7ee07933597a0ff80030d5d0d0444220a9923855920051014cea5444	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.005396	0.0194	0.0406	1	0.165408	False	quality_only
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	C	b3eac8615400d06d1f07dccc08492395b0134b5b833732297c17214352cd28b5da	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.00559	0.0332	0.0552	1	0.080404	False	quality_only
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Cbar	1e6f841ce67107d2847eb070432321cd0843692903773563f521129338767e9	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.005716	0.022	0.0444	1	0.172859	False	quality_only
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	F	9a3c4db0da9013507830c506332cc0b65569d0b287055902e23345e29a0a	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.00495	0.0234	0.043	1	0.00775	False	quality_only
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Fbar	4a1f25de099816d1256992d305322907b0161021549d402262a063485fe28a16df	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.005761	0.0228	0.0454	1	0.184159	False	quality_only
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	C	0fdac57d30e06495276628704504f890204586b04032857269b8468831de67084	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.005649	0.0292	0.0514	1	0.014551	False	quality_only
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Cbar	52b027aea0d93d1759034eb0f036388770d43807d0a03883360307152375bec87a	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.005865	0.0252	0.0482	1	0.20781	False	quality_only
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	F	0bb12dbe6440409910512598410120365974586a11428052039608893de427c	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.004999	0.0318	0.0514	1	0.426971	False	quality_only
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Fbar	815f168fb5d002058084c1676893f4760753472e0fb35543c819290534ff46d4	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.0059	0.0378	0.0608	1	0.350718	False	quality_only
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	C	0dfb8ededc32066846667026285338d0c387f46d33853681ad1d6797679209146	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.005337	0.038	0.0588	1	0.435222	False	quality_only
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Cbar	a8b36eb7d92d40434105cd3e05851fa043677440d237423a2493499328fee4d	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.006076	0.0462	0.07	1	0.631882	False	advantage
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	F	4b22d936f3b0a02263544d3814d2cd3032045a78462309c16922806f9b10bbd	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.002906	0.00599	0.0174	1	0.167158	False	quality_only
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Fbar	62533bc3bd8070002176f07400282505d95d478a33009724bf0410065eb6b957	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.005495	0.059	0.0804	1	0.897795	False	advantage
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	C	a524852a49d69721652aa47c05349a70b697842c801762150b1d304862e77b2818	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.003269	0.009	0.0218	1	0.116506	False	quality_only

								perturbed excess gain noise minus naive	rrel gain standard error	rrel gain ci low	rrel gain ci high	rrel gain valid bootstrap fraction	perturbed excess gain standard error	perturbed excess gain ci low	perturbed excess gain ci high	perturbed excess gain valid bootstrap fraction	joint advantage bootstrap fraction	both marginal ci lower positive	point outcome
cell	dataset	model	q	condition	metric	comparison id	comparison id	rrel gain naive minus noise	rrel gain standard error	rrel gain ci low	rrel gain ci high	rrel gain valid bootstrap fraction	perturbed excess gain standard error	perturbed excess gain ci low	perturbed excess gain ci high	perturbed excess gain valid bootstrap fraction	joint advantage bootstrap fraction	both marginal ci lower positive	point outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Cbar	439e19aa58583da4f27622e5b4987dca	439e19aa58583da4f27622e5b4987dca	230335471024034598a	230048559c	2d29d2ff	0.005909	0.0758	0.099	1	0.987049	True	advantage		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	F	1b9756fde220800828ab176ca39e8e5d7f992953c280598a	1b9756fde220800828ab176ca39e8e5d7f992953c280598a	0.6113998e2a339	0.005101	0.0224	0.0424	1	0.038852	False	quality_only				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Fbar	7d9ad4194e5316727794e2389259d33e01393fa	7d9ad4194e5316727794e2389259d33e01393fa	0.0899035c3005552	0.005729	-0.0362	-0.014	1	0	False	no_advantage				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	C	05a1a1c0545c0b947388827003584916974919fd	05a1a1c0545c0b947388827003584916974919fd	0.0351608227064907	0.005916	0.0318	0.055	1	0.271914	False	quality_only				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	g	Cbar	8ecc11f573a00874746cd1d0640367f6693389544b504733e	8ecc11f573a00874746cd1d0640367f6693389544b504733e	1.673473728	0.006104	-0.0388	-0.015	1	0	False	no_advantage				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	F	309723c0f8c205523376bc525286a267f0674060808332733e	309723c0f8c205523376bc525286a267f0674060808332733e	4.0323379	0.005358	0.018	0.0392	1	0.00935	False	quality_only				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Fbar	21c199897d34070539909807000376af2b04e524db	21c199897d34070539909807000376af2b04e524db	0.01097905405240589	0.005808	-0.0288	-0.0062	1	0	False	no_advantage				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	C	1b7151251346f0037d146e8c2643672a8727357325f13d537e	1b7151251346f0037d146e8c2643672a8727357325f13d537e	8.10569238	0.005997	0.033	0.0564	1	0.241012	False	quality_only				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	p	Cbar	8e6dd7771e0409804388a27e04195a33a3d4084860c	8e6dd7771e0409804388a27e04195a33a3d4084860c	0.0383d5ce18230228	0.006084	-0.031	-0.0072	1	0	False	no_advantage				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	F	1ebd69c525301a66587076e03052bb1534602ba0069467	1ebd69c525301a66587076e03052bb1534602ba0069467	5.6c4491044	0.005263	0.0216	0.042	1	0.143857	False	quality_only				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Fbar	cec22fd053502325897e87f00247f06d01b495af	cec22fd053502325897e87f00247f06d01b495af	2.965864280406594	0.00608	-0.0094	0.0144	1	0.057103	False	quality_only				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	C	b4eb4d0b3f0d049534fe7ff0d09013a0a039296e673653492	b4eb4d0b3f0d049534fe7ff0d09013a0a039296e673653492	25.060008e3c351	0.005594	0.0282	0.04981	1	0.343217	False	quality_only				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	s	Cbar	f8c6da88a9403957481ef90b0035d06d053772610257753e	f8c6da88a9403957481ef90b0035d06d053772610257753e	0.400449498	0.006276	-0.0088	0.0158	1	0.049452	False	quality_only				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	F	b61a3b2e8fd0e30983292147341040401024602cd	b61a3b2e8fd0e30983292147341040401024602cd	0.010237f1e506129022	0.003088	0.0074	0.0194	1	0.426471	False	quality_only				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Fbar	a54feaa11dd531362724075a0734517631d13895c1	a54feaa11dd531362724075a0734517631d13895c1	0.000671e970676087	0.005425	0.0238	0.0452	1	0.987699	True	advantage				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	C	a789b37e5140d37883758ac0c2826165801987c	a789b37e5140d37883758ac0c2826165801987c	2.6872a061e1013573099	0.003435	0.014	0.0276	1	0.829641	False	advantage				
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	a	Cbar	fadc4fabb16025775d0cd1f5637d931e079895163f903197	fadc4fabb16025775d0cd1f5637d931e079895163f903197	1.5b54025b	0.00584	0.0364	0.0592	1	0.9993	True	advantage				

Table 93: ImageNet–ResNet-18 results.

dataset	model	condition	k	condition kind	status	sample count	F	Fbar	C	Cbar
imagenet	resnet18	adversaria- sara-2- 255	20	adversaria	complete	5000	0.001325	0.68745	0.00515	0.84365
imagenet	resnet18	clean	20	clean	complete	5000	0.023025	0.6855	0.0937	0.843475
imagenet	resnet18	gaussian- 0.15	20	factory	complete	5000	0.09815	0.585	0.356275	0.946175
imagenet	resnet18	salt- pepper- 0.05	20	factory	complete	5000	0.075275	0.594925	0.32605	0.9436
imagenet	resnet18	speckle- 0.15	20	factory	complete	5000	0.050175	0.678525	0.173575	0.889075

2 ViT-B/16

Table 94: ImageNet–ViT-B/16 results.

cell	dataset	model	architecture	replit	method	setting	q	source count	sample count	F	Fbar	C	Cbar	R F g	R F p	R F s	R F a	R C g	R C p	R C s
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Best Indi- vidual	best- individual	1	3	5000	0.018	0.239933	0.038467	0.3076	0.0246	0.014733	0.007933	0.043933	0.0398	0.0344	0.0124
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	SimpleAvg	NAIVE	11	3	5000	0.011733	0.290133	0.0286	0.359	0.02	0.008533	0.0072	0.0416	0.041467	0.030867	0.0154
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	SimpleAvg	ind	11	11	5000	0.0156	0.3034	0.0364	0.3704	0.0188	0.0092	0.0068	0.0414	0.035	0.027	0.012
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Borda	NAIVE	11	3	5000	0.015867	0.263467	0.033467	0.3294	0.020533	0.011867	0.008133	0.0416	0.0418	0.0338	0.017133
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Borda	ind	11	11	5000	0.0168	0.2804	0.0382	0.3494	0.0222	0.0132	0.009	0.0446	0.0412	0.0364	0.0136
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	RRF	NAIVE	11	3	5000	0.016867	0.255467	0.035133	0.322067	0.0258	0.014667	0.009133	0.044467	0.047667	0.039333	0.0192
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	RRF	ind	11	11	5000	0.0176	0.272	0.0374	0.338	0.0268	0.0178	0.0126	0.0478	0.0524	0.0412	0.0196
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Kemeny	NAIVE	11	3	5000	0.018267	0.252733	0.037733	0.320067	0.0236	0.0116	0.008	0.044267	0.0472	0.036733	0.016733
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Kemeny	ind	11	11	5000	0.0188	0.2692	0.0386	0.3404	0.027	0.0144	0.0112	0.0466	0.0508	0.0388	0.019
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Schulze	NAIVE	11	3	5000	0.0188	0.255533	0.0364	0.322667	0.022467	0.010867	0.0082	0.042133	0.0458	0.038133	0.0182
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Schulze	ind	11	11	5000	0.0176	0.273	0.0358	0.3416	0.025	0.0154	0.012	0.046	0.0474	0.0418	0.019

Table 95: ImageNet–ViT-B/16 results.

cell	dataset	model	architecture	replit	method	setting	q	source count	R C a	R Fbar g	R Fbar p	R Fbar s	R Fbar a	R Cbar g	R Cbar p	R Cbar s	R Cbar a	F perturbed g	Fbar perturbed g	C perturbed g
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Best Indi- vidual	best- individual	1	3	0.054267	-0.2694	-0.232133	-0.098933	-0.104	-0.308	-0.267133	-0.1072	-0.1078	0.0426	0.509333	0.078267
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	SimpleAvg	NAIVE	11	3	0.054467	-0.2978	-0.256333	-0.1152	-0.101533	-0.335533	-0.293333	-0.1258	-0.106867	0.031733	0.587933	0.070067
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	SimpleAvg	ind	11	11	0.0512	-0.2936	-0.2504	-0.1004	-0.1002	-0.332	-0.2906	-0.1156	-0.1072	0.0344	0.597	0.0714
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Borda	NAIVE	11	3	0.054333	-0.2894	-0.249533	-0.107733	-0.097333	-0.329733	-0.29	-0.121467	-0.1044	0.0364	0.552867	0.075267
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Borda	ind	11	11	0.0534	-0.2848	-0.2488	-0.1004	-0.1034	-0.3236	-0.2872	-0.1092	-0.1106	0.039	0.5652	0.0794
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	RRF	NAIVE	11	3	0.0572	-0.2852	-0.243267	-0.104867	-0.097933	-0.325933	-0.2832	-0.115267	-0.104733	0.042667	0.540667	0.0828
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	RRF	ind	11	11	0.0582	-0.2892	-0.2442	-0.1002	-0.1046	-0.3308	-0.2842	-0.11	-0.1122	0.0444	0.5612	0.0898
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Kemeny	NAIVE	11	3	0.0564	-0.282733	-0.2436	-0.103867	-0.097067	-0.322067	-0.282867	-0.114267	-0.100867	0.041867	0.535467	0.084933
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Kemeny	ind	11	11	0.0596	-0.283	-0.2474	-0.0996	-0.1004	-0.319	-0.2844	-0.1032	-0.1058	0.0458	0.5522	0.0894
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Schulze	NAIVE	11	3	0.055067	-0.2846	-0.247467	-0.103933	-0.095867	-0.3248	-0.285933	-0.114	-0.1012	0.041267	0.540133	0.0822
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Schulze	ind	11	11	0.0564	-0.2908	-0.2502	-0.0988	-0.1034	-0.3294	-0.2888	-0.1086	-0.1088	0.0426	0.5638	0.0832

Table 96: ImageNet–ViT-B/16 results.

cell	dataset	model	architecture	replit	method	setting	q	source count	Cbar perturbed g	F perturbed p	Fbar perturbed p	C perturbed p	Cbar perturbed p	F perturbed s	Fbar perturbed s	C perturbed s	Cbar perturbed s	F perturbed a	Fbar perturbed a	C perturbed a
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Best Indi- vidual	best- individual	1	3	0.6156	0.032733	0.472067	0.072867	0.574733	0.025933	0.338867	0.050867	0.4148	0.061933	0.343933	0.092733
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	SimpleAvg	NAIVE	11	3	0.694533	0.020267	0.546467	0.059467	0.652333	0.018933	0.405333	0.044	0.4848	0.053333	0.391667	0.083067
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	SimpleAvg	ind	11	11	0.7024	0.0248	0.5538	0.0634	0.661	0.0224	0.4038	0.0484	0.486	0.057	0.4036	0.0876
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Borda	NAIVE	11	3	0.659133	0.027733	0.513	0.067267	0.6194	0.024	0.3712	0.0506	0.450867	0.057467	0.3608	0.0878
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Borda	ind	11	11	0.673	0.03	0.5292	0.0746	0.6366	0.0258	0.3808	0.0518	0.4586	0.0614	0.3838	0.0916
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	RRF	NAIVE	11	3	0.648	0.031533	0.498733	0.074467	0.605267	0.026	0.360333	0.054333	0.437333	0.061333	0.3534	0.092333
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	RRF	ind	11	11	0.6688	0.0354	0.5162	0.0786	0.6222	0.0302	0.3722	0.057	0.448	0.0654	0.3766	0.0956
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Kemeny	NAIVE	11	3	0.642133	0.029867	0.496333	0.074467	0.602933	0.026267	0.3566	0.054467	0.434333	0.062533	0.3498	0.094133
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Kemeny	ind	11	11	0.6594	0.0332	0.5166	0.0774	0.6248	0.03	0.3688	0.0576	0.4436	0.0654	0.3696	0.0982
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Schulze	NAIVE	11	3	0.647467	0.029667	0.503	0.074533	0.6086	0.027	0.359467	0.0546	0.436667	0.060933	0.3514	0.091467
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Schulze	ind	11	11	0.671	0.033	0.5232	0.0776	0.6304	0.0296	0.3718	0.0548	0.4502	0.0636	0.3764	0.0922

Table 97: ImageNet–ViT-B/16 results.

cell	dataset	model	architecture	replit	method	setting	q	source count	Cbar perturbed a	sd F	sd Fbar	sd C	sd Cbar	sd R F g	sd R F p	sd R F s	sd R F a	sd R C g	sd R C p	sd R C s
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Best Indi- vidual	best- individual	1	3	0.4154	0.001114	0.003668	0.001102	0.005126	0.0002	0.003602	0.001301	0.003009	0.002706	0.001908	0.003816
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	SimpleAvg	NAIVE	11	3	0.465867	0.0037	0.015421	0.003704	0.015275	0.000721	0.001973	0.001587	0.001908	0.002603	0.001604	0.002433
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	SimpleAvg	ind	11	11	0.4776											
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Borda	NAIVE	11	3	0.4338	0.003885	0.008016	0.003384	0.01029	0.003717	0.002274	0.003372	0.000872	0.002458	0.00151	0.000808
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Borda	ind	11	11	0.46											
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	RRF	NAIVE	11	3	0.4268	0.002572	0.008401	0.003361	0.008003	0.0006	0.002053	0.000808	0.004937	0.001206	0.003602	0.000346
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	RRF	ind	11	11	0.4502											
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Kemeny	NAIVE	11	3	0.420933	0.00261	0.005948	0.002802	0.006307	0.003027	0.002107	0.000872	0.003443	0.001114	0.003301	0.002053
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Kemeny	ind	11	11	0.4462											
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Schulze	NAIVE	11	3	0.423867	0.003292	0.005493	0.004104	0.007905	0.004046	0.002485	0.000346	0.002003	0.002987	0.003009	0.002905
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Schulze	ind	11	11	0.4504											

Table 98: ImageNet–ViT-B/16 results.

cell	dataset	model	architecture	replit	method	setting	q	source count	sd R C a	sd R Fbar g	sd R Fbar p	sd R Fbar s	sd R Fbar a	sd R Cbar g	sd R Cbar p	sd R Cbar s	sd R Cbar a	sd F perturbed g	sd Fbar perturbed g	sd C perturbed g
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Best Indi- vidual	best- individual	1	3	0.003523	0.002987	0.009864	0.001604	0.006161	0.005671	0.0141	0.00302	0.005703	0.0012	0.005033	0.003802
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	SimpleAvg	NAIVE	11	3	0.001361	0.012549	0.011518	0.006744	0.0037	0.012971	0.013366	0.006409	0.004168	0.003557	0.016529	0.005873
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	SimpleAvg	ind	11	11												
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Borda	NAIVE	11	3	0.001102	0.003274	0.005529	0.008271	0.004801	0.004658	0.007937	0.007855	0.004276	0.00394	0.008891	0.00569
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Borda	ind	11	11												
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	RRF	NAIVE	11	3	0.004104	0.004015	0.006463	0.006329	0.000987	0.003402	0.005246	0.006694	0.002212	0.002023	0.006987	0.00453
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	RRF	ind	11	11												
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Kemeny	NAIVE	11	3	0.003995	0.002831	0.003305	0.007433	0.00127	0.002419	0.004636	0.008663	0.001858	0.000416	0.003449	0.003911
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Kemeny	ind	11	11												
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Schulze	NAIVE	11	3	0.001419	0.0024	0.008723	0.003717	0.000231	0.001908	0.006313	0.006609	0.000917	0.000808	0.006531	0.002498
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Schulze	ind	11	11												

Table 99: ImageNet–ViT-B/16 results.

cell	dataset	model	architecture	replit	method	setting	q	source count	sd Cbar perturbed g	sd F perturbed p	sd Fbar perturbed p	sd C perturbed p	sd Cbar perturbed p	sd F perturbed s	sd Fbar perturbed s	sd C perturbed s	sd Cbar perturbed s	sd F perturbed a	sd Fbar perturbed a	sd C perturbed a
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Best Indi- vidual	best- individual	1	3	0.003412	0.004411	0.009078	0.001102	0.010403	0.000231	0.003781	0.003972	0.003811	0.004086	0.009603	0.004041
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	SimpleAvg	NAIVE	11	3	0.015945	0.003301	0.020547	0.004969	0.021887	0.002139	0.022046	0.004911	0.021097	0.005601	0.017668	0.005065
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	SimpleAvg	ind	11	11												
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Borda	NAIVE	11	3	0.009653	0.002344	0.007977	0.003101	0.010054	0.000872	0.016179	0.002646	0.017994	0.004509	0.01253	0.003418
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Borda	ind	11	11												
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	RRF	NAIVE	11	3	0.00803	0.000611	0.00611	0.003951	0.006503	0.001778	0.012067	0.003107	0.011395	0.005746	0.009226	0.004244
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	RRF	ind	11	11												
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Kemeny	NAIVE	11	3	0.004692	0.001629	0.006149	0.002532	0.009717	0.003062	0.006102	0.0045	0.006839	0.005255	0.005923	0.004239
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Kemeny	ind	11	11												
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Schulze	NAIVE	11	3	0.007966	0.000808	0.01113	0.001172	0.011972	0.003639	0.004908	0.006129	0.007885	0.003208	0.005437	0.003331
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Schulze	ind	11	11												

Table 100: ImageNet–ViT-B/16 results.

cell	dataset	model	architecture	replit	method	setting	q	source count	sd Cbar perturbed a	selected individual
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Best Indi- vidual	best- individual	1	3	0.010806	{ "C": "CheferTr ansforme rAttribu tion", "Cbar": "Gradient Attentio nRollout", "F": "Integrat edGradie nts", "Fbar": "Gradient Attentio nRollout" }
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	SimpleAvg	NAIVE	11	3	0.018785	
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	SimpleAvg	ind	11	11		
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Borda	NAIVE	11	3	0.01311	
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Borda	ind	11	11		
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	RRF	NAIVE	11	3	0.0102	
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	RRF	ind	11	11		
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Kemeny	NAIVE	11	3	0.007842	
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Kemeny	ind	11	11		
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Schulze	NAIVE	11	3	0.007015	
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	Schulze	ind	11	11		

Table 101: ImageNet-ViT-B/16 results.

cell	dataset	model	distance model	selected size	candidate count	forced fallback	selection rule	scope	alpha	selected methods	ordered methods	prefix p values	task id	task digest	artifact root	manifest content digest	manifest assumption id	manifest assumption digest
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	11	True	largest_nobj	object	0.05	"Gradient"	Attn,Guided,Relax,Self,Topo	Attn=0.02,Guided=0.02,Relax=0.02,Self=0.02,Topo=0.02	ImageNet-ImageNet-vit-b16-spearman-80045daad	d3ce674e-d1817f57-7a4757a0-8f07bfb5-752f45e5-7436e663-722b2734	n/ImageNet-ImageNet-vit-b16/spearman-80045daad-d3ce674e-d1817f57-7a4757a0-8f07bfb5-752f45e5-7436e663-722b2734	8836b0eb-c4e36d9c-fad0727a-8807037a-5a5a7e2a5-89edc878-23ef0d18	assumption-v1	2b6bd654-28f6de08-5c24e948-0fb37feb-4de4f9cc-49617c64-93ae9bad
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	11	True	largest_nobj	object	0.05	"Gradient"	Attn,Guided,Relax,Self,Topo	Attn=0.02,Guided=0.02,Relax=0.02,Self=0.02,Topo=0.02	ImageNet-ImageNet-vit-b16-kendall-d8f42b596	6161a0b1-9a049749-3914189d-b60d52e0-3ae54674-a603c686-48903d8b	n/ImageNet-ImageNet-vit-b16/kendall-d8f42b596-6161a0b1-9a049749-3914189d-b60d52e0-3ae54674-a603c686-48903d8b	6705c9dc-4d436b89-cd59a7e8-d8265835-99a3dccc-6a05ea67-e5e044ec	assumption-v1	2b6bd654-28f6de08-5c24e948-0fb37feb-4de4f9cc-49617c64-93ae9bad

Table 102: ImageNet–ViT-B/16 results.

cell	dataset	model	architecture	split	method	setting	distance model	sample count	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	best_individual	best_individual	spearman	5000	0.0838	0.095	0.1336	0.1426	0.0106	0.1072	0.0264	0.133	0.0058	0.0742	0.0232	0.104
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	simpleavg	naive	spearman	5000	0.0642	0.1174	0.1032	0.1744	0.0774	0.2488	0.1104	0.2906	0.0672	0.1808	0.096	0.2214
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	simpleavg	NOISE	spearman	5000	0.0642	0.1174	0.1032	0.1744	0.0774	0.2488	0.1104	0.2906	0.0672	0.1808	0.096	0.2214
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	borda	naive	spearman	5000	0.0478	0.2256	0.0802	0.2866	0.0786	0.1832	0.1126	0.2226	0.0692	0.1228	0.1014	0.1616
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	borda	NOISE	spearman	5000	0.0478	0.2256	0.0802	0.2866	0.0786	0.1832	0.1126	0.2226	0.0692	0.1228	0.1014	0.1616
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	kemeny	naive	spearman	5000	0.05	0.2684	0.0856	0.3318	0.0846	0.161	0.1174	0.1992	0.0764	0.1096	0.1036	0.1464
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	kemeny	NOISE	spearman	5000	0.05	0.2684	0.0856	0.3318	0.0846	0.161	0.1174	0.1992	0.0764	0.1096	0.1036	0.1464
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	rrf	naive	spearman	5000	0.0538	0.2172	0.0892	0.2798	0.0834	0.1912	0.1182	0.2304	0.0744	0.132	0.1036	0.172
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	rrf	NOISE	spearman	5000	0.0538	0.2172	0.0892	0.2798	0.0834	0.1912	0.1182	0.2304	0.0744	0.132	0.1036	0.172
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	schulze	naive	spearman	5000	0.0488	0.2336	0.0848	0.2966	0.0862	0.1718	0.1186	0.2112	0.0756	0.1222	0.1018	0.1586
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	schulze	NOISE	spearman	5000	0.0488	0.2336	0.0848	0.2966	0.0862	0.1718	0.1186	0.2112	0.0756	0.1222	0.1018	0.1586
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	best_individual	best_individual	kendall	5000	0.0838	0.095	0.1336	0.1426	0.0106	0.1072	0.0264	0.133	0.0058	0.0742	0.0232	0.104
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	simpleavg	naive	kendall	5000	0.0642	0.1174	0.1032	0.1744	0.0774	0.2488	0.1104	0.2906	0.0672	0.1808	0.096	0.2214
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	simpleavg	NOISE	kendall	5000	0.0642	0.1174	0.1032	0.1744	0.0774	0.2488	0.1104	0.2906	0.0672	0.1808	0.096	0.2214
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	borda	naive	kendall	5000	0.0478	0.2256	0.0802	0.2866	0.0786	0.1832	0.1126	0.2226	0.0692	0.1228	0.1014	0.1616
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	borda	NOISE	kendall	5000	0.0478	0.2256	0.0802	0.2866	0.0786	0.1832	0.1126	0.2226	0.0692	0.1228	0.1014	0.1616
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	kemeny	naive	kendall	5000	0.05	0.2684	0.0856	0.3318	0.0846	0.161	0.1174	0.1992	0.0764	0.1096	0.1036	0.1464
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	kemeny	NOISE	kendall	5000	0.05	0.2684	0.0856	0.3318	0.0846	0.161	0.1174	0.1992	0.0764	0.1096	0.1036	0.1464
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	rrf	naive	kendall	5000	0.0538	0.2172	0.0892	0.2798	0.0834	0.1912	0.1182	0.2304	0.0744	0.132	0.1036	0.172
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	rrf	NOISE	kendall	5000	0.0538	0.2172	0.0892	0.2798	0.0834	0.1912	0.1182	0.2304	0.0744	0.132	0.1036	0.172
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	schulze	naive	kendall	5000	0.0488	0.2336	0.0848	0.2966	0.0862	0.1718	0.1186	0.2112	0.0756	0.1222	0.1018	0.1586
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	vit	test	schulze	NOISE	kendall	5000	0.0488	0.2336	0.0848	0.2966	0.0862	0.1718	0.1186	0.2112	0.0756	0.1222	0.1018	0.1586

Table 103: ImageNet-ViT-B/16 results.

cell	dataset	model	architecture	replit	method	setting	distance model	R F s	R Fbar s	R C s	R Cbar s	R F a	R Fbar a	R C a	R Cbar a	selected sources
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	best_individual	best_individual	spearman	0.002	0.013	0.0078	0.0198	0.0224	0.0758	0.0334	0.0766	57bb1796 8a060f98 f694a0b5 6eb36b9c a69d9868 afa0a322 2bf4cffb 4ce56b7e
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	simpleavg	naive	spearman	0.024	0.066	0.0322	0.0812	0.0632	0.2696	0.0788	0.2848	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	simpleavg	NOISE	spearman	0.024	0.066	0.0322	0.0812	0.0632	0.2696	0.0788	0.2848	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	borda	naive	spearman	0.0266	0.04	0.0368	0.0544	0.0736	0.2438	0.095	0.2556	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	borda	NOISE	spearman	0.0266	0.04	0.0368	0.0544	0.0736	0.2438	0.095	0.2556	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	kemeny	naive	spearman	0.0324	0.0378	0.04	0.048	0.0714	0.2106	0.0926	0.2166	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	kemeny	NOISE	spearman	0.0324	0.0378	0.04	0.048	0.0714	0.2106	0.0926	0.2166	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	rrf	naive	spearman	0.0308	0.0516	0.04	0.066	0.0696	0.238	0.0886	0.2434	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	rrf	NOISE	spearman	0.0308	0.0516	0.04	0.066	0.0696	0.238	0.0886	0.2434	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	schulze	naive	spearman	0.0342	0.0466	0.041	0.056	0.072	0.2358	0.0904	0.2418	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	schulze	NOISE	spearman	0.0342	0.0466	0.041	0.056	0.072	0.2358	0.0904	0.2418	57bb1796 8a060f98 f694a0b5 6eb36b9c a69d9868 afa0a322 2bf4cffb 4ce56b7e
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	best_individual	best_individual	kendall	0.002	0.013	0.0078	0.0198	0.0224	0.0758	0.0334	0.0766	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	simpleavg	naive	kendall	0.024	0.066	0.0322	0.0812	0.0632	0.2696	0.0788	0.2848	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	simpleavg	NOISE	kendall	0.024	0.066	0.0322	0.0812	0.0632	0.2696	0.0788	0.2848	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	borda	naive	kendall	0.0266	0.04	0.0368	0.0544	0.0736	0.2438	0.095	0.2556	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	borda	NOISE	kendall	0.0266	0.04	0.0368	0.0544	0.0736	0.2438	0.095	0.2556	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	kemeny	naive	kendall	0.0324	0.0378	0.04	0.048	0.0714	0.2106	0.0926	0.2166	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	kemeny	NOISE	kendall	0.0324	0.0378	0.04	0.048	0.0714	0.2106	0.0926	0.2166	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	rrf	naive	kendall	0.0308	0.0516	0.04	0.066	0.0696	0.238	0.0886	0.2434	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	rrf	NOISE	kendall	0.0308	0.0516	0.04	0.066	0.0696	0.238	0.0886	0.2434	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	schulze	naive	kendall	0.0342	0.0466	0.041	0.056	0.072	0.2358	0.0904	0.2418	

cell	dataset	model	architecture	split	method	setting	distance model	R F s	R Fbar s	R C s	R Cbar s	R F a	R Fbar a	R C a	R Cbar a	selected sources
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	schulze	NOISE	kendall	0.0342	0.0466	0.041	0.056	0.072	0.2358	0.0904	0.2418	

Table 104: ImageNet-ViT-B/16 results.

cell	dataset	model	architecture	split	method	setting	distance model	sample count	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	best_individual	best_individual	spearman	5000	0.0838	0.095	0.1336	0.1426	0.0722	-0.2274	0.0822	-0.281	0.0546	-0.1718	0.0664	-0.2234
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	simpleavg	naive	spearman	5000	0.0642	0.1174	0.1032	0.1744	0.0774	-0.2488	0.1104	-0.2906	0.0672	-0.1808	0.096	-0.2214
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	simpleavg	NOISE	spearman	5000	0.0642	0.1174	0.1032	0.1744	0.0774	-0.2488	0.1104	-0.2906	0.0672	-0.1808	0.096	-0.2214
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	borda	naive	spearman	5000	0.0478	0.2256	0.0802	0.2866	0.0786	-0.1832	0.1126	-0.2226	0.0692	-0.1228	0.1014	-0.1616
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	borda	NOISE	spearman	5000	0.0478	0.2256	0.0802	0.2866	0.0786	-0.1832	0.1126	-0.2226	0.0692	-0.1228	0.1014	-0.1616
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	kemeny	naive	spearman	5000	0.05	0.2684	0.0856	0.3318	0.0846	-0.161	0.1174	-0.1992	0.0764	-0.1096	0.1036	-0.1464
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	kemeny	NOISE	spearman	5000	0.05	0.2684	0.0856	0.3318	0.0846	-0.161	0.1174	-0.1992	0.0764	-0.1096	0.1036	-0.1464
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	rrf	naive	spearman	5000	0.0538	0.2172	0.0892	0.2798	0.0834	-0.1912	0.1182	-0.2304	0.0744	-0.132	0.1036	-0.172
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	rrf	NOISE	spearman	5000	0.0538	0.2172	0.0892	0.2798	0.0834	-0.1912	0.1182	-0.2304	0.0744	-0.132	0.1036	-0.172
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	schulze	naive	spearman	5000	0.0488	0.2336	0.0848	0.2966	0.0862	-0.1718	0.1186	-0.2112	0.0756	-0.1222	0.1018	-0.1586
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	schulze	NOISE	spearman	5000	0.0488	0.2336	0.0848	0.2966	0.0862	-0.1718	0.1186	-0.2112	0.0756	-0.1222	0.1018	-0.1586
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	best_individual	best_individual	kendall	5000	0.0838	0.095	0.1336	0.1426	0.0722	-0.2274	0.0822	-0.281	0.0546	-0.1718	0.0664	-0.2234
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	simpleavg	naive	kendall	5000	0.0642	0.1174	0.1032	0.1744	0.0774	-0.2488	0.1104	-0.2906	0.0672	-0.1808	0.096	-0.2214
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	simpleavg	NOISE	kendall	5000	0.0642	0.1174	0.1032	0.1744	0.0774	-0.2488	0.1104	-0.2906	0.0672	-0.1808	0.096	-0.2214
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	borda	naive	kendall	5000	0.0478	0.2256	0.0802	0.2866	0.0786	-0.1832	0.1126	-0.2226	0.0692	-0.1228	0.1014	-0.1616
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	borda	NOISE	kendall	5000	0.0478	0.2256	0.0802	0.2866	0.0786	-0.1832	0.1126	-0.2226	0.0692	-0.1228	0.1014	-0.1616
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	kemeny	naive	kendall	5000	0.05	0.2684	0.0856	0.3318	0.0846	-0.161	0.1174	-0.1992	0.0764	-0.1096	0.1036	-0.1464
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	kemeny	NOISE	kendall	5000	0.05	0.2684	0.0856	0.3318	0.0846	-0.161	0.1174	-0.1992	0.0764	-0.1096	0.1036	-0.1464
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	rrf	naive	kendall	5000	0.0538	0.2172	0.0892	0.2798	0.0834	-0.1912	0.1182	-0.2304	0.0744	-0.132	0.1036	-0.172
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	rrf	NOISE	kendall	5000	0.0538	0.2172	0.0892	0.2798	0.0834	-0.1912	0.1182	-0.2304	0.0744	-0.132	0.1036	-0.172
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	schulze	naive	kendall	5000	0.0488	0.2336	0.0848	0.2966	0.0862	-0.1718	0.1186	-0.2112	0.0756	-0.1222	0.1018	-0.1586
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	schulze	NOISE	kendall	5000	0.0488	0.2336	0.0848	0.2966	0.0862	-0.1718	0.1186	-0.2112	0.0756	-0.1222	0.1018	-0.1586

Table 105: ImageNet-ViT-B/16 results.

cell	dataset	model	architecture	replit	method	setting	distance model	R F s	R Fbar s	R C s	R Cbar s	R F a	R Fbar a	R C a	R Cbar a	F perturbed g	Fbar perturbed g	C perturbed g	Cbar perturbed g	F perturbed p
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	best_individual	best_individual	spearman	0.0262	-0.0506	0.0186	-0.0772	0.0792	-0.2328	0.0932	-0.2414	0.156	0.3224	0.2158	0.4236	0.1384
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	simpleavg	naive	spearman	0.024	-0.066	0.0322	-0.0812	0.0632	-0.2696	0.0788	-0.2848	0.1416	0.3662	0.2136	0.465	0.1314
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	simpleavg	NOISE	spearman	0.024	-0.066	0.0322	-0.0812	0.0632	-0.2696	0.0788	-0.2848	0.1416	0.3662	0.2136	0.465	0.1314
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	borda	naive	spearman	0.0266	-0.04	0.0368	-0.0544	0.0736	-0.2438	0.095	-0.2556	0.1264	0.4088	0.1928	0.5092	0.117
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	borda	NOISE	spearman	0.0266	-0.04	0.0368	-0.0544	0.0736	-0.2438	0.095	-0.2556	0.1264	0.4088	0.1928	0.5092	0.117
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	kemeny	naive	spearman	0.0324	-0.0378	0.04	-0.048	0.0714	-0.2106	0.0926	-0.2166	0.1346	0.4294	0.203	0.531	0.1264
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	kemeny	NOISE	spearman	0.0324	-0.0378	0.04	-0.048	0.0714	-0.2106	0.0926	-0.2166	0.1346	0.4294	0.203	0.531	0.1264
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	rrf	naive	spearman	0.0308	-0.0516	0.04	-0.066	0.0696	-0.238	0.0886	-0.2434	0.1372	0.4084	0.2074	0.5102	0.1282
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	rrf	NOISE	spearman	0.0308	-0.0516	0.04	-0.066	0.0696	-0.238	0.0886	-0.2434	0.1372	0.4084	0.2074	0.5102	0.1282
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	schulze	naive	spearman	0.0342	-0.0466	0.041	-0.056	0.072	-0.2358	0.0904	-0.2418	0.135	0.4054	0.2034	0.5078	0.1244
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	schulze	NOISE	spearman	0.0342	-0.0466	0.041	-0.056	0.072	-0.2358	0.0904	-0.2418	0.135	0.4054	0.2034	0.5078	0.1244
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	best_individual	best_individual	kendall	0.0262	-0.0506	0.0186	-0.0772	0.0792	-0.2328	0.0932	-0.2414	0.156	0.3224	0.2158	0.4236	0.1384
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	simpleavg	naive	kendall	0.024	-0.066	0.0322	-0.0812	0.0632	-0.2696	0.0788	-0.2848	0.1416	0.3662	0.2136	0.465	0.1314
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	simpleavg	NOISE	kendall	0.024	-0.066	0.0322	-0.0812	0.0632	-0.2696	0.0788	-0.2848	0.1416	0.3662	0.2136	0.465	0.1314
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	borda	naive	kendall	0.0266	-0.04	0.0368	-0.0544	0.0736	-0.2438	0.095	-0.2556	0.1264	0.4088	0.1928	0.5092	0.117
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	borda	NOISE	kendall	0.0266	-0.04	0.0368	-0.0544	0.0736	-0.2438	0.095	-0.2556	0.1264	0.4088	0.1928	0.5092	0.117
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	kemeny	naive	kendall	0.0324	-0.0378	0.04	-0.048	0.0714	-0.2106	0.0926	-0.2166	0.1346	0.4294	0.203	0.531	0.1264
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	kemeny	NOISE	kendall	0.0324	-0.0378	0.04	-0.048	0.0714	-0.2106	0.0926	-0.2166	0.1346	0.4294	0.203	0.531	0.1264
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	rrf	naive	kendall	0.0308	-0.0516	0.04	-0.066	0.0696	-0.238	0.0886	-0.2434	0.1372	0.4084	0.2074	0.5102	0.1282
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	rrf	NOISE	kendall	0.0308	-0.0516	0.04	-0.066	0.0696	-0.238	0.0886	-0.2434	0.1372	0.4084	0.2074	0.5102	0.1282
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	schulze	naive	kendall	0.0342	-0.0466	0.041	-0.056	0.072	-0.2358	0.0904	-0.2418	0.135	0.4054	0.2034	0.5078	0.1244
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	schulze	NOISE	kendall	0.0342	-0.0466	0.041	-0.056	0.072	-0.2358	0.0904	-0.2418	0.135	0.4054	0.2034	0.5078	0.1244

Table 106: ImageNet-ViT-B/16 results.

cell	dataset	model	architecture	split	method	setting	distance model	Fbar perturbed p	C perturbed p	Cbar perturbed p	F perturbed s	Fbar perturbed s	C perturbed s	Cbar perturbed s	F perturbed a	Fbar perturbed a	C perturbed a	Cbar perturbed a	selected sources
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	best_individual	best_individual	spearman	0.2668	0.2	0.366	0.11	0.1456	0.1522	0.2198	0.163	0.3278	0.2268	0.384	81fbc3ad 271a7f8a ea403c4a 5cdafec0 a30f2fb3 0352af70 f8e0dbfb 2f0c46cc
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	simpleavg	naive	spearman	0.2982	0.1992	0.3958	0.0882	0.1834	0.1354	0.2556	0.1274	0.387	0.182	0.4592	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	simpleavg	NOISE	spearman	0.2982	0.1992	0.3958	0.0882	0.1834	0.1354	0.2556	0.1274	0.387	0.182	0.4592	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	borda	naive	spearman	0.3484	0.1816	0.4482	0.0744	0.2656	0.117	0.341	0.1214	0.4694	0.1752	0.5422	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	borda	NOISE	spearman	0.3484	0.1816	0.4482	0.0744	0.2656	0.117	0.341	0.1214	0.4694	0.1752	0.5422	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	kemeny	naive	spearman	0.378	0.1892	0.4782	0.0824	0.3062	0.1256	0.3798	0.1214	0.479	0.1782	0.5484	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	kemeny	NOISE	spearman	0.378	0.1892	0.4782	0.0824	0.3062	0.1256	0.3798	0.1214	0.479	0.1782	0.5484	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	rrf	naive	spearman	0.3492	0.1928	0.4518	0.0846	0.2688	0.1292	0.3458	0.1234	0.4552	0.1778	0.5232	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	rrf	NOISE	spearman	0.3492	0.1928	0.4518	0.0846	0.2688	0.1292	0.3458	0.1234	0.4552	0.1778	0.5232	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	schulze	naive	spearman	0.3558	0.1866	0.4552	0.083	0.2802	0.1258	0.3526	0.1208	0.4694	0.1752	0.5384	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	schulze	NOISE	spearman	0.3558	0.1866	0.4552	0.083	0.2802	0.1258	0.3526	0.1208	0.4694	0.1752	0.5384	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	best_individual	best_individual	kendall	0.2668	0.2	0.366	0.11	0.1456	0.1522	0.2198	0.163	0.3278	0.2268	0.384	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	simpleavg	naive	kendall	0.2982	0.1992	0.3958	0.0882	0.1834	0.1354	0.2556	0.1274	0.387	0.182	0.4592	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	simpleavg	NOISE	kendall	0.2982	0.1992	0.3958	0.0882	0.1834	0.1354	0.2556	0.1274	0.387	0.182	0.4592	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	borda	naive	kendall	0.3484	0.1816	0.4482	0.0744	0.2656	0.117	0.341	0.1214	0.4694	0.1752	0.5422	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	borda	NOISE	kendall	0.3484	0.1816	0.4482	0.0744	0.2656	0.117	0.341	0.1214	0.4694	0.1752	0.5422	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	kemeny	naive	kendall	0.378	0.1892	0.4782	0.0824	0.3062	0.1256	0.3798	0.1214	0.479	0.1782	0.5484	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	kemeny	NOISE	kendall	0.378	0.1892	0.4782	0.0824	0.3062	0.1256	0.3798	0.1214	0.479	0.1782	0.5484	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	rrf	naive	kendall	0.3492	0.1928	0.4518	0.0846	0.2688	0.1292	0.3458	0.1234	0.4552	0.1778	0.5232	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	rrf	NOISE	kendall	0.3492	0.1928	0.4518	0.0846	0.2688	0.1292	0.3458	0.1234	0.4552	0.1778	0.5232	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	schulze	naive	kendall	0.3558	0.1866	0.4552	0.083	0.2802	0.1258	0.3526	0.1208	0.4694	0.1752	0.5384	

cell	dataset	model	architecture	split	method	setting	distance model	Fbar perturbed p	C perturbed p	Cbar perturbed p	F perturbed s	Fbar perturbed s	C perturbed s	Cbar perturbed s	F perturbed a	Fbar perturbed a	C perturbed a	Cbar perturbed a	selected sources
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	vit	test	schulze	NOISE	kendall	0.3558	0.1866	0.4552	0.083	0.2802	0.1258	0.3526	0.1208	0.4694	0.1752	0.5384	

Table 107: ImageNet-ViT-B/16 results.

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	simpleavg	F	quality	0.0852	clean_select	0.0852	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	simpleavg	Fbar	quality	0.0966	clean_select	0.0966	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	simpleavg	C	quality	0.132	clean_select	0.132	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	simpleavg	Cbar	quality	0.1484	clean_select	0.1484	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	F	simpleavg	R_F_g	robustness	0.0672	clean_select	0.0722	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Fbar	simpleavg	R_Fbar_g	robustness	0.2204	clean_select	0.2274	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	C	simpleavg	R_C_g	robustness	0.0826	clean_select	0.0822	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Cbar	simpleavg	R_Cbar_g	robustness	0.2718	clean_select	0.281	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	F	simpleavg	R_F_p	robustness	0.0548	clean_select	0.0546	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Fbar	simpleavg	R_Fbar_p	robustness	0.1706	clean_select	0.1718	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	C	simpleavg	R_C_p	robustness	0.0714	clean_select	0.0664	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Cbar	simpleavg	R_Cbar_p	robustness	0.2192	clean_select	0.2234	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	F	simpleavg	R_F_s	robustness	0.0234	clean_select	0.0262	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Fbar	simpleavg	R_Fbar_s	robustness	0.0636	clean_select	0.0506	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	C	simpleavg	R_C_s	robustness	0.0214	clean_select	0.0186	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Cbar	simpleavg	R_Cbar_s	robustness	0.0818	clean_select	0.0772	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	F	simpleavg	R_F_a	robustness	0.0772	clean_select	0.0792	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	Fbar	simpleavg	R_Fbar_a	robustness	0.198	clean_select	0.2328	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	C	simpleavg	R_C_a	robustness	0.0934	clean_select	0.0932	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	Cbar	simpleavg	R_Cbar_a	robustness	0.2052	clean_select	0.2444	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	simpleavg	F	quality	0.0852	naive_q11	0.0642	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	simpleavg	Fbar	quality	0.0966	naive_q11	0.1174	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	simpleavg	C	quality	0.132	naive_q11	0.1032	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	simpleavg	Cbar	quality	0.1484	naive_q11	0.1744	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	F	simpleavg	R_F_g	robustness	0.0672	naive_q11	0.0774	min	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	Fbar	simpleavg	R_Fbar_g	robustness	0.2204	naive_q11	0.2488	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	C	simpleavg	R_C_g	robustness	0.0826	naive_q11	0.1104	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	Cbar	simpleavg	R_Cbar_g	robustness	0.2718	naive_q11	0.2906	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	F	simpleavg	R_F_p	robustness	0.0548	naive_q11	0.0672	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	Fbar	simpleavg	R_Fbar_p	robustness	0.1706	naive_q11	0.1808	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	C	simpleavg	R_C_p	robustness	0.0714	naive_q11	0.096	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	Cbar	simpleavg	R_Cbar_p	robustness	0.2192	naive_q11	0.2214	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	F	simpleavg	R_F_s	robustness	0.0234	naive_q11	0.024	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	Fbar	simpleavg	R_Fbar_s	robustness	0.0636	naive_q11	0.066	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	C	simpleavg	R_C_s	robustness	0.0214	naive_q11	0.0322	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	Cbar	simpleavg	R_Cbar_s	robustness	0.0818	naive_q11	0.0812	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversarial	F	simpleavg	R_F_a	robustness	0.0772	naive_q11	0.0632	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversarial	Fbar	simpleavg	R_Fbar_a	robustness	0.198	naive_q11	0.2696	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversarial	C	simpleavg	R_C_a	robustness	0.0934	naive_q11	0.0788	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversarial	Cbar	simpleavg	R_Cbar_a	robustness	0.2052	naive_q11	0.2848	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	F	simpleavg	F	quality	0.0852	NOISE_spearman	0.0642	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	Fbar	simpleavg	Fbar	quality	0.0966	NOISE_spearman	0.1174	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	C	simpleavg	C	quality	0.132	NOISE_spearman	0.1032	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	Cbar	simpleavg	Cbar	quality	0.1484	NOISE_spearman	0.1744	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	F	simpleavg	R_F_g	robustness	0.0672	NOISE_spearman	0.0774	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	Fbar	simpleavg	R_Fbar_g	robustness	0.2204	NOISE_spearman	0.2488	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	C	simpleavg	R_C_g	robustness	0.0826	NOISE_spearman	0.1104	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	Cbar	simpleavg	R_Cbar_g	robustness	0.2718	NOISE_spearman	0.2906	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	F	simpleavg	R_F_p	robustness	0.0548	NOISE_spearman	0.0672	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	Fbar	simpleavg	R_Fbar_p	robustness	0.1706	NOISE_spearman	0.1808	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	C	simpleavg	R_C_p	robustness	0.0714	NOISE_spearman	0.096	min	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Cbar	simpleavg	R_Cbar_p	robustness	0.2192	NOISE_spect	0.2214	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	F	simpleavg	R_F_s	robustness	0.0234	NOISE_spect	0.0241	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Fbar	simpleavg	R_Fbar_s	robustness	0.0636	NOISE_spect	0.0666	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	C	simpleavg	R_C_s	robustness	0.0214	NOISE_spect	0.0222	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Cbar	simpleavg	R_Cbar_s	robustness	0.0818	NOISE_spect	0.0812	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	F	simpleavg	R_F_a	robustness	0.0772	NOISE_spect	0.0632	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	Fbar	simpleavg	R_Fbar_a	robustness	0.198	NOISE_spect	0.2696	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	C	simpleavg	R_C_a	robustness	0.0934	NOISE_spect	0.0788	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	Cbar	simpleavg	R_Cbar_a	robustness	0.2052	NOISE_spect	0.2848	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	simpleavg	F	quality	0.0852	NOISE_kend	0.0642	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	simpleavg	Fbar	quality	0.0966	NOISE_kend	0.1174	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	simpleavg	C	quality	0.132	NOISE_kend	0.1032	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	simpleavg	Cbar	quality	0.1484	NOISE_kend	0.1744	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	F	simpleavg	R_F_g	robustness	0.0672	NOISE_kend	0.0774	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Fbar	simpleavg	R_Fbar_g	robustness	0.2204	NOISE_kend	0.2488	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	C	simpleavg	R_C_g	robustness	0.0826	NOISE_kend	0.1104	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Cbar	simpleavg	R_Cbar_g	robustness	0.2718	NOISE_kend	0.2906	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	F	simpleavg	R_F_p	robustness	0.0548	NOISE_kend	0.0572	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Fbar	simpleavg	R_Fbar_p	robustness	0.1706	NOISE_kend	0.1808	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	C	simpleavg	R_C_p	robustness	0.0714	NOISE_kend	0.0996	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Cbar	simpleavg	R_Cbar_p	robustness	0.2192	NOISE_kend	0.2214	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	F	simpleavg	R_F_s	robustness	0.0234	NOISE_kend	0.024	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Fbar	simpleavg	R_Fbar_s	robustness	0.0636	NOISE_kend	0.0666	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	C	simpleavg	R_C_s	robustness	0.0214	NOISE_kend	0.0222	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Cbar	simpleavg	R_Cbar_s	robustness	0.0818	NOISE_kend	0.0812	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	F	simpleavg	R_F_a	robustness	0.0772	NOISE_kend	0.0632	min	worse

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversaria	Fbar	simpleavg	R_Fbar_s	robustness	0.198	NOISE_kendall	0.2596	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversaria	C	simpleavg	R_C_a	robustness	0.0934	NOISE_kendall	0.0788	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversaria	Cbar	simpleavg	R_Cbar_s	robustness	0.2052	NOISE_kendall	0.2848	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	F	borda	F	quality	0.0864	clean_select	0.0888	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	Fbar	borda	Fbar	quality	0.0928	clean_select	0.0958	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	C	borda	C	quality	0.1352	clean_select	0.1386	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	Cbar	borda	Cbar	quality	0.146	clean_select	0.1468	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	F	borda	R_F_g	robustness	0.073	clean_select	0.0782	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	Fbar	borda	R_Fbar_g	robustness	0.223	clean_select	0.2274	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	C	borda	R_C_g	robustness	0.0846	clean_select	0.0882	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	Cbar	borda	R_Cbar_g	robustness	0.272	clean_select	0.2818	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	F	borda	R_F_p	robustness	0.0544	clean_select	0.0566	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	Fbar	borda	R_Fbar_p	robustness	0.1684	clean_select	0.1718	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	C	borda	R_C_p	robustness	0.0684	clean_select	0.0664	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	Cbar	borda	R_Cbar_p	robustness	0.2136	clean_select	0.2284	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	F	borda	R_F_s	robustness	0.0288	clean_select	0.0262	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	Fbar	borda	R_Fbar_s	robustness	0.0616	clean_select	0.0566	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	C	borda	R_C_s	robustness	0.0252	clean_select	0.0186	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	Cbar	borda	R_Cbar_s	robustness	0.081	clean_select	0.0772	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversaria	F	borda	R_F_a	robustness	0.076	clean_select	0.0792	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversaria	Fbar	borda	R_Fbar_a	robustness	0.2034	clean_select	0.2328	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversaria	C	borda	R_C_a	robustness	0.091	clean_select	0.0982	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversaria	Cbar	borda	R_Cbar_a	robustness	0.2096	clean_select	0.2414	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	F	borda	F	quality	0.0864	naive_q11	0.0478	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	Fbar	borda	Fbar	quality	0.0928	naive_q11	0.2256	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	C	borda	C	quality	0.1352	naive_q11	0.0802	max	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	borda	Cbar	quality	0.146	naive_q11	0.2866	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	F	borda	R_F_g	robustness	0.073	naive_q11	0.0786	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Fbar	borda	R_Fbar_g	robustness	0.223	naive_q11	0.1832	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	C	borda	R_C_g	robustness	0.0846	naive_q11	0.1126	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Cbar	borda	R_Cbar_g	robustness	0.272	naive_q11	0.2226	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	F	borda	R_F_p	robustness	0.0544	naive_q11	0.0692	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Fbar	borda	R_Fbar_p	robustness	0.1684	naive_q11	0.1228	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	C	borda	R_C_p	robustness	0.0684	naive_q11	0.1014	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Cbar	borda	R_Cbar_p	robustness	0.2136	naive_q11	0.1616	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	F	borda	R_F_s	robustness	0.0288	naive_q11	0.0266	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Fbar	borda	R_Fbar_s	robustness	0.0616	naive_q11	0.04	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	C	borda	R_C_s	robustness	0.0252	naive_q11	0.0368	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Cbar	borda	R_Cbar_s	robustness	0.081	naive_q11	0.0544	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	F	borda	R_F_a	robustness	0.076	naive_q11	0.0736	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	Fbar	borda	R_Fbar_a	robustness	0.2034	naive_q11	0.2438	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	C	borda	R_C_a	robustness	0.091	naive_q11	0.095	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	Cbar	borda	R_Cbar_a	robustness	0.2096	naive_q11	0.2556	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	borda	F	quality	0.0864	NOISE_spearman	0.0478	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	borda	Fbar	quality	0.0928	NOISE_spearman	0.2256	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	borda	C	quality	0.1352	NOISE_spearman	0.0892	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	borda	Cbar	quality	0.146	NOISE_spearman	0.2866	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	F	borda	R_F_g	robustness	0.073	NOISE_spearman	0.0786	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Fbar	borda	R_Fbar_g	robustness	0.223	NOISE_spearman	0.1832	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	C	borda	R_C_g	robustness	0.0846	NOISE_spearman	0.1126	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Cbar	borda	R_Cbar_g	robustness	0.272	NOISE_spearman	0.2226	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	F	borda	R_F_p	robustness	0.0544	NOISE_spearman	0.0692	min	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Fbar	borda	R_Fbar_p	robustness	0.1684	NOISE_spear	0.1228	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	C	borda	R_C_p	robustness	0.0684	NOISE_spear	0.1014	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Cbar	borda	R_Cbar_p	robustness	0.2136	NOISE_spear	0.1616	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	F	borda	R_F_s	robustness	0.0288	NOISE_spear	0.0266	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Fbar	borda	R_Fbar_s	robustness	0.0616	NOISE_spear	0.064	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	C	borda	R_C_s	robustness	0.0252	NOISE_spear	0.0368	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Cbar	borda	R_Cbar_s	robustness	0.081	NOISE_spear	0.0544	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	F	borda	R_F_a	robustness	0.076	NOISE_spear	0.0736	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	Fbar	borda	R_Fbar_a	robustness	0.2034	NOISE_spear	0.2438	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	C	borda	R_C_a	robustness	0.091	NOISE_spear	0.095	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	Cbar	borda	R_Cbar_a	robustness	0.2096	NOISE_spear	0.2556	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	borda	F	quality	0.0864	NOISE_kend	0.0478	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	borda	Fbar	quality	0.0928	NOISE_kend	0.2256	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	borda	C	quality	0.1352	NOISE_kend	0.0802	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	borda	Cbar	quality	0.146	NOISE_kend	0.2866	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	F	borda	R_F_g	robustness	0.073	NOISE_kend	0.0786	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Fbar	borda	R_Fbar_g	robustness	0.223	NOISE_kend	0.1832	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	C	borda	R_C_g	robustness	0.0846	NOISE_kend	0.1126	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Cbar	borda	R_Cbar_g	robustness	0.272	NOISE_kend	0.2226	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	F	borda	R_F_p	robustness	0.0544	NOISE_kend	0.0592	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Fbar	borda	R_Fbar_p	robustness	0.1684	NOISE_kend	0.1228	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	C	borda	R_C_p	robustness	0.0684	NOISE_kend	0.1014	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Cbar	borda	R_Cbar_p	robustness	0.2136	NOISE_kend	0.1616	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	F	borda	R_F_s	robustness	0.0288	NOISE_kend	0.0266	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Fbar	borda	R_Fbar_s	robustness	0.0616	NOISE_kend	0.064	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	C	borda	R_C_s	robustness	0.0252	NOISE_kend	0.0368	min	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Cbar	borda	R_Cbar_s	robustness	0.081	NOISE_kendall	0.0544	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	F	borda	R_F_a	robustness	0.076	NOISE_kendall	0.0736	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	Fbar	borda	R_Fbar_a	robustness	0.2034	NOISE_kendall	0.2438	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	C	borda	R_C_a	robustness	0.091	NOISE_kendall	0.095	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	Cbar	borda	R_Cbar_a	robustness	0.2096	NOISE_kendall	0.2556	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	kemeny	F	quality	0.0864	clean_select	0.0888	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	kemeny	Fbar	quality	0.0928	clean_select	0.0956	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	kemeny	C	quality	0.1352	clean_select	0.1386	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	kemeny	Cbar	quality	0.146	clean_select	0.1466	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	F	kemeny	R_F_g	robustness	0.073	clean_select	0.0782	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Fbar	kemeny	R_Fbar_g	robustness	0.223	clean_select	0.2274	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	C	kemeny	R_C_g	robustness	0.0846	clean_select	0.0882	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Cbar	kemeny	R_Cbar_g	robustness	0.272	clean_select	0.281	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	F	kemeny	R_F_p	robustness	0.0544	clean_select	0.0546	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Fbar	kemeny	R_Fbar_p	robustness	0.1684	clean_select	0.1708	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	C	kemeny	R_C_p	robustness	0.0684	clean_select	0.0664	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Cbar	kemeny	R_Cbar_p	robustness	0.2136	clean_select	0.2284	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	F	kemeny	R_F_s	robustness	0.0288	clean_select	0.0262	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Fbar	kemeny	R_Fbar_s	robustness	0.0616	clean_select	0.0566	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	C	kemeny	R_C_s	robustness	0.0252	clean_select	0.0186	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Cbar	kemeny	R_Cbar_s	robustness	0.081	clean_select	0.0772	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	F	kemeny	R_F_a	robustness	0.076	clean_select	0.0792	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	Fbar	kemeny	R_Fbar_a	robustness	0.2034	clean_select	0.2328	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	C	kemeny	R_C_a	robustness	0.091	clean_select	0.0982	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	Cbar	kemeny	R_Cbar_a	robustness	0.2096	clean_select	0.2444	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	kemeny	F	quality	0.0864	naive_q11	0.05	max	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	kemeny	Fbar	quality	0.0928	naive_q11	0.2684	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	kemeny	C	quality	0.1352	naive_q11	0.0856	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	kemeny	Cbar	quality	0.146	naive_q11	0.3318	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	F	kemeny	R_F_g	robustness	0.073	naive_q11	0.0846	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Fbar	kemeny	R_Fbar_g	robustness	0.223	naive_q11	0.161	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	C	kemeny	R_C_g	robustness	0.0846	naive_q11	0.1174	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Cbar	kemeny	R_Cbar_g	robustness	0.272	naive_q11	0.1992	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	F	kemeny	R_F_p	robustness	0.0544	naive_q11	0.0764	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Fbar	kemeny	R_Fbar_p	robustness	0.1684	naive_q11	0.1096	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	C	kemeny	R_C_p	robustness	0.0684	naive_q11	0.1036	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Cbar	kemeny	R_Cbar_p	robustness	0.2136	naive_q11	0.1464	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	F	kemeny	R_F_s	robustness	0.0288	naive_q11	0.0324	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Fbar	kemeny	R_Fbar_s	robustness	0.0616	naive_q11	0.0378	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	C	kemeny	R_C_s	robustness	0.0252	naive_q11	0.04	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Cbar	kemeny	R_Cbar_s	robustness	0.081	naive_q11	0.048	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	F	kemeny	R_F_a	robustness	0.076	naive_q11	0.0714	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	Fbar	kemeny	R_Fbar_a	robustness	0.2034	naive_q11	0.2106	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	C	kemeny	R_C_a	robustness	0.091	naive_q11	0.0926	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	Cbar	kemeny	R_Cbar_a	robustness	0.2096	naive_q11	0.2166	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	kemeny	F	quality	0.0864	NOISE_spearman	0.05	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	kemeny	Fbar	quality	0.0928	NOISE_spearman	0.2684	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	kemeny	C	quality	0.1352	NOISE_spearman	0.0856	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	kemeny	Cbar	quality	0.146	NOISE_spearman	0.3318	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	F	kemeny	R_F_g	robustness	0.073	NOISE_spearman	0.0846	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Fbar	kemeny	R_Fbar_g	robustness	0.223	NOISE_spearman	0.161	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	C	kemeny	R_C_g	robustness	0.0846	NOISE_spearman	0.1174	min	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	Cbar	kemeny	R_Cbar_g	robustness	0.272	NOISE_spear	0.1992	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	F	kemeny	R_F_p	robustness	0.0544	NOISE_spear	0.0764	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	Fbar	kemeny	R_Fbar_p	robustness	0.1684	NOISE_spear	0.1096	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	C	kemeny	R_C_p	robustness	0.0684	NOISE_spear	0.1036	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	Cbar	kemeny	R_Cbar_p	robustness	0.2136	NOISE_spear	0.1464	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	F	kemeny	R_F_s	robustness	0.0288	NOISE_spear	0.0324	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	Fbar	kemeny	R_Fbar_s	robustness	0.0616	NOISE_spear	0.0378	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	C	kemeny	R_C_s	robustness	0.0252	NOISE_spear	0.04	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	Cbar	kemeny	R_Cbar_s	robustness	0.081	NOISE_spear	0.048	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversarial	F	kemeny	R_F_a	robustness	0.076	NOISE_spear	0.0714	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversarial	Fbar	kemeny	R_Fbar_a	robustness	0.2034	NOISE_spear	0.2106	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversarial	C	kemeny	R_C_a	robustness	0.091	NOISE_spear	0.0926	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversarial	Cbar	kemeny	R_Cbar_a	robustness	0.2096	NOISE_spear	0.2166	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	F	kemeny	F	quality	0.0864	NOISE_kendall	0.105	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	Fbar	kemeny	Fbar	quality	0.0928	NOISE_kendall	0.2684	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	C	kemeny	C	quality	0.1352	NOISE_kendall	0.0856	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	Cbar	kemeny	Cbar	quality	0.146	NOISE_kendall	0.3318	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	F	kemeny	R_F_g	robustness	0.073	NOISE_kendall	0.0846	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	Fbar	kemeny	R_Fbar_g	robustness	0.223	NOISE_kendall	0.1161	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	C	kemeny	R_C_g	robustness	0.0846	NOISE_kendall	0.1174	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	Cbar	kemeny	R_Cbar_g	robustness	0.272	NOISE_kendall	0.1992	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	F	kemeny	R_F_p	robustness	0.0544	NOISE_kendall	0.0764	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	Fbar	kemeny	R_Fbar_p	robustness	0.1684	NOISE_kendall	0.1096	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	C	kemeny	R_C_p	robustness	0.0684	NOISE_kendall	0.1036	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	Cbar	kemeny	R_Cbar_p	robustness	0.2136	NOISE_kendall	0.1464	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	F	kemeny	R_F_s	robustness	0.0288	NOISE_kendall	0.0324	min	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Fbar	kemeny	R_Fbar_s	robustness	0.0616	NOISE_kendall	0.0378	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	C	kemeny	R_C_s	robustness	0.0252	NOISE_kendall	0.0104	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Cbar	kemeny	R_Cbar_s	robustness	0.081	NOISE_kendall	0.0148	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	F	kemeny	R_F_a	robustness	0.076	NOISE_kendall	0.0714	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	Fbar	kemeny	R_Fbar_a	robustness	0.2034	NOISE_kendall	0.2106	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	C	kemeny	R_C_a	robustness	0.091	NOISE_kendall	0.0926	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	Cbar	kemeny	R_Cbar_a	robustness	0.2096	NOISE_kendall	0.2166	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	rrf	F	quality	0.0872	clean_select	0.0888	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	rrf	Fbar	quality	0.092	clean_select	0.096	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	rrf	C	quality	0.1356	clean_select	0.1366	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	rrf	Cbar	quality	0.1442	clean_select	0.1426	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	F	rrf	R_F_g	robustness	0.0736	clean_select	0.0722	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Fbar	rrf	R_Fbar_g	robustness	0.2246	clean_select	0.2274	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	C	rrf	R_C_g	robustness	0.0862	clean_select	0.0822	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Cbar	rrf	R_Cbar_g	robustness	0.2736	clean_select	0.281	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_peppe	F	rrf	R_F_p	robustness	0.0526	clean_select	0.0546	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_peppe	Fbar	rrf	R_Fbar_p	robustness	0.1692	clean_select	0.1718	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_peppe	C	rrf	R_C_p	robustness	0.0676	clean_select	0.0664	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_peppe	Cbar	rrf	R_Cbar_p	robustness	0.2162	clean_select	0.2234	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	F	rrf	R_F_s	robustness	0.026	clean_select	0.0262	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Fbar	rrf	R_Fbar_s	robustness	0.0642	clean_select	0.0566	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	C	rrf	R_C_s	robustness	0.0224	clean_select	0.0186	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Cbar	rrf	R_Cbar_s	robustness	0.0828	clean_select	0.0772	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	F	rrf	R_F_a	robustness	0.0764	clean_select	0.0792	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	Fbar	rrf	R_Fbar_a	robustness	0.204	clean_select	0.2328	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	C	rrf	R_C_a	robustness	0.0902	clean_select	0.0932	min	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversaria	Cbar	rrf	R_Cbar_s	robustness	0.2102	clean_select	0.2102	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	F	rrf	F	quality	0.0872	naive_q11	0.0538	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	Fbar	rrf	Fbar	quality	0.092	naive_q11	0.2172	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	C	rrf	C	quality	0.1356	naive_q11	0.0892	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	Cbar	rrf	Cbar	quality	0.1442	naive_q11	0.2798	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	F	rrf	R_F_g	robustness	0.0736	naive_q11	0.0834	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	Fbar	rrf	R_Fbar_g	robustness	0.2246	naive_q11	0.1912	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	C	rrf	R_C_g	robustness	0.0862	naive_q11	0.1182	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	Cbar	rrf	R_Cbar_g	robustness	0.2736	naive_q11	0.2304	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_peppe	F	rrf	R_F_p	robustness	0.0526	naive_q11	0.0744	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_peppe	Fbar	rrf	R_Fbar_p	robustness	0.1692	naive_q11	0.132	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_peppe	C	rrf	R_C_p	robustness	0.0676	naive_q11	0.1036	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_peppe	Cbar	rrf	R_Cbar_p	robustness	0.2162	naive_q11	0.172	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	F	rrf	R_F_s	robustness	0.026	naive_q11	0.0308	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	Fbar	rrf	R_Fbar_s	robustness	0.0642	naive_q11	0.0516	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	C	rrf	R_C_s	robustness	0.0224	naive_q11	0.04	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	Cbar	rrf	R_Cbar_s	robustness	0.0828	naive_q11	0.066	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversaria	F	rrf	R_F_a	robustness	0.0764	naive_q11	0.0696	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversaria	Fbar	rrf	R_Fbar_a	robustness	0.204	naive_q11	0.238	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversaria	C	rrf	R_C_a	robustness	0.0902	naive_q11	0.0886	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversaria	Cbar	rrf	R_Cbar_a	robustness	0.2102	naive_q11	0.2434	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	F	rrf	F	quality	0.0872	NOISE_spea	0.0538	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	Fbar	rrf	Fbar	quality	0.092	NOISE_spea	0.2172	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	C	rrf	C	quality	0.1356	NOISE_spea	0.0892	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	Cbar	rrf	Cbar	quality	0.1442	NOISE_spea	0.2798	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	F	rrf	R_F_g	robustness	0.0736	NOISE_spea	0.0834	min	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	Fbar	rrf	R_Fbar_g	robustness	0.2246	NOISE_spea	0.1912	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	C	rrf	R_C_g	robustness	0.0862	NOISE_spea	0.1182	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	Cbar	rrf	R_Cbar_g	robustness	0.2736	NOISE_spea	0.2304	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_peppe	F	rrf	R_F_p	robustness	0.0526	NOISE_spea	0.0744	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_peppe	Fbar	rrf	R_Fbar_p	robustness	0.1692	NOISE_spea	0.1132	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_peppe	C	rrf	R_C_p	robustness	0.0676	NOISE_spea	0.1036	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_peppe	Cbar	rrf	R_Cbar_p	robustness	0.2162	NOISE_spea	0.1712	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	F	rrf	R_F_s	robustness	0.026	NOISE_spea	0.0308	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	Fbar	rrf	R_Fbar_s	robustness	0.0642	NOISE_spea	0.0516	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	C	rrf	R_C_s	robustness	0.0224	NOISE_spea	0.034	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	Cbar	rrf	R_Cbar_s	robustness	0.0828	NOISE_spea	0.066	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversaria	F	rrf	R_F_a	robustness	0.0764	NOISE_spea	0.0696	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversaria	Fbar	rrf	R_Fbar_a	robustness	0.204	NOISE_spea	0.236	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversaria	C	rrf	R_C_a	robustness	0.0902	NOISE_spea	0.0886	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversaria	Cbar	rrf	R_Cbar_a	robustness	0.2102	NOISE_spea	0.2434	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	F	rrf	F	quality	0.0872	NOISE_kend	0.0538	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	Fbar	rrf	Fbar	quality	0.092	NOISE_kend	0.2172	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	C	rrf	C	quality	0.1356	NOISE_kend	0.0892	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	Cbar	rrf	Cbar	quality	0.1442	NOISE_kend	0.2798	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	F	rrf	R_F_g	robustness	0.0736	NOISE_kend	0.0834	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	Fbar	rrf	R_Fbar_g	robustness	0.2246	NOISE_kend	0.1912	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	C	rrf	R_C_g	robustness	0.0862	NOISE_kend	0.1182	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	Cbar	rrf	R_Cbar_g	robustness	0.2736	NOISE_kend	0.2304	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_peppe	F	rrf	R_F_p	robustness	0.0526	NOISE_kend	0.0744	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_peppe	Fbar	rrf	R_Fbar_p	robustness	0.1692	NOISE_kend	0.1132	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_peppe	C	rrf	R_C_p	robustness	0.0676	NOISE_kend	0.1036	min	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Cbar	rrf	R_Cbar_p	robustness	0.2162	NOISE_kendall	0.1172	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	F	rrf	R_F_s	robustness	0.026	NOISE_kendall	0.0308	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Fbar	rrf	R_Fbar_s	robustness	0.0642	NOISE_kendall	0.0516	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	C	rrf	R_C_s	robustness	0.0224	NOISE_kendall	0.0104	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Cbar	rrf	R_Cbar_s	robustness	0.0828	NOISE_kendall	0.1066	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	F	rrf	R_F_a	robustness	0.0764	NOISE_kendall	0.0596	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	Fbar	rrf	R_Fbar_a	robustness	0.204	NOISE_kendall	0.1238	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	C	rrf	R_C_a	robustness	0.0902	NOISE_kendall	0.0886	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	Cbar	rrf	R_Cbar_a	robustness	0.2102	NOISE_kendall	0.2434	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	schulze	F	quality	0.0864	clean_select	0.0888	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	schulze	Fbar	quality	0.0928	clean_select	0.0956	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	schulze	C	quality	0.1352	clean_select	0.1366	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	schulze	Cbar	quality	0.146	clean_select	0.1466	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	F	schulze	R_F_g	robustness	0.073	clean_select	0.0722	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Fbar	schulze	R_Fbar_g	robustness	0.223	clean_select	0.2274	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	C	schulze	R_C_g	robustness	0.0846	clean_select	0.0822	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Cbar	schulze	R_Cbar_g	robustness	0.272	clean_select	0.251	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	F	schulze	R_F_p	robustness	0.0544	clean_select	0.0546	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Fbar	schulze	R_Fbar_p	robustness	0.1684	clean_select	0.1718	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	C	schulze	R_C_p	robustness	0.0684	clean_select	0.0664	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Cbar	schulze	R_Cbar_p	robustness	0.2136	clean_select	0.2264	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	F	schulze	R_F_s	robustness	0.0288	clean_select	0.0262	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Fbar	schulze	R_Fbar_s	robustness	0.0616	clean_select	0.0506	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	C	schulze	R_C_s	robustness	0.0252	clean_select	0.0186	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Cbar	schulze	R_Cbar_s	robustness	0.081	clean_select	0.0772	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	F	schulze	R_F_a	robustness	0.076	clean_select	0.0792	min	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversaria	Fbar	schulze	R_Fbar_s	robustness	0.2034	clean_select	0.2328	min	individual better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversaria	C	schulze	R_C_a	robustness	0.091	clean_select	0.0932	min	individual better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversaria	Cbar	schulze	R_Cbar_s	robustness	0.2096	clean_select	0.2414	min	individual better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	F	schulze	F	quality	0.0864	naive_q11	0.0488	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	Fbar	schulze	Fbar	quality	0.0928	naive_q11	0.2336	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	C	schulze	C	quality	0.1352	naive_q11	0.0848	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	Cbar	schulze	Cbar	quality	0.146	naive_q11	0.2966	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	F	schulze	R_F_g	robustness	0.073	naive_q11	0.0862	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	Fbar	schulze	R_Fbar_g	robustness	0.223	naive_q11	0.1718	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	C	schulze	R_C_g	robustness	0.0846	naive_q11	0.1186	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	Cbar	schulze	R_Cbar_g	robustness	0.272	naive_q11	0.2112	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_peppe	F	schulze	R_F_p	robustness	0.0544	naive_q11	0.0756	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_peppe	Fbar	schulze	R_Fbar_p	robustness	0.1684	naive_q11	0.1222	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_peppe	C	schulze	R_C_p	robustness	0.0684	naive_q11	0.1018	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_peppe	Cbar	schulze	R_Cbar_p	robustness	0.2136	naive_q11	0.1586	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	F	schulze	R_F_s	robustness	0.0288	naive_q11	0.0342	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	Fbar	schulze	R_Fbar_s	robustness	0.0616	naive_q11	0.0466	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	C	schulze	R_C_s	robustness	0.0252	naive_q11	0.041	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	Cbar	schulze	R_Cbar_s	robustness	0.081	naive_q11	0.056	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversaria	F	schulze	R_F_a	robustness	0.076	naive_q11	0.072	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversaria	Fbar	schulze	R_Fbar_a	robustness	0.2034	naive_q11	0.2358	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversaria	C	schulze	R_C_a	robustness	0.091	naive_q11	0.0904	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversaria	Cbar	schulze	R_Cbar_s	robustness	0.2096	naive_q11	0.2418	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	F	schulze	F	quality	0.0864	NOISE_spea	0.0488	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	Fbar	schulze	Fbar	quality	0.0928	NOISE_spea	0.2336	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	C	schulze	C	quality	0.1352	NOISE_spea	0.0848	max	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	schulze	Cbar	quality	0.146	NOISE_spear	0.2966	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	F	schulze	R_F_g	robustness	0.073	NOISE_spear	0.0862	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Fbar	schulze	R_Fbar_g	robustness	0.223	NOISE_spear	0.1718	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	C	schulze	R_C_g	robustness	0.0846	NOISE_spear	0.1186	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Cbar	schulze	R_Cbar_g	robustness	0.272	NOISE_spear	0.2112	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	F	schulze	R_F_p	robustness	0.0544	NOISE_spear	0.0756	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Fbar	schulze	R_Fbar_p	robustness	0.1684	NOISE_spear	0.1222	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	C	schulze	R_C_p	robustness	0.0684	NOISE_spear	0.1018	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Cbar	schulze	R_Cbar_p	robustness	0.2136	NOISE_spear	0.1586	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	F	schulze	R_F_s	robustness	0.0288	NOISE_spear	0.0342	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Fbar	schulze	R_Fbar_s	robustness	0.0616	NOISE_spear	0.0466	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	C	schulze	R_C_s	robustness	0.0252	NOISE_spear	0.0411	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Cbar	schulze	R_Cbar_s	robustness	0.081	NOISE_spear	0.0556	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	F	schulze	R_F_a	robustness	0.076	NOISE_spear	0.072	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	Fbar	schulze	R_Fbar_a	robustness	0.2034	NOISE_spear	0.2358	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	C	schulze	R_C_a	robustness	0.091	NOISE_spear	0.0904	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	Cbar	schulze	R_Cbar_a	robustness	0.2096	NOISE_spear	0.2118	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	schulze	F	quality	0.0864	NOISE_kendall	0.0488	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	schulze	Fbar	quality	0.0928	NOISE_kendall	0.2836	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	schulze	C	quality	0.1352	NOISE_kendall	0.0548	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	schulze	Cbar	quality	0.146	NOISE_kendall	0.2966	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	F	schulze	R_F_g	robustness	0.073	NOISE_kendall	0.0862	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Fbar	schulze	R_Fbar_g	robustness	0.223	NOISE_kendall	0.1718	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	C	schulze	R_C_g	robustness	0.0846	NOISE_kendall	0.1186	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Cbar	schulze	R_Cbar_g	robustness	0.272	NOISE_kendall	0.2112	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	F	schulze	R_F_p	robustness	0.0544	NOISE_kendall	0.0756	min	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	Fbar	schulze	R_Fbar_p	robustness	0.1684	NOISE_kendall	0.1222	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	C	schulze	R_C_p	robustness	0.0684	NOISE_kendall	0.1018	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	Cbar	schulze	R_Cbar_p	robustness	0.2136	NOISE_kendall	0.1586	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	F	schulze	R_F_s	robustness	0.0288	NOISE_kendall	0.0342	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	Fbar	schulze	R_Fbar_s	robustness	0.0616	NOISE_kendall	0.0466	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	C	schulze	R_C_s	robustness	0.0252	NOISE_kendall	0.1041	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	Cbar	schulze	R_Cbar_s	robustness	0.081	NOISE_kendall	0.1056	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversarial	F	schulze	R_F_a	robustness	0.076	NOISE_kendall	0.1072	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversarial	Fbar	schulze	R_Fbar_a	robustness	0.2034	NOISE_kendall	0.2358	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversarial	C	schulze	R_C_a	robustness	0.091	NOISE_kendall	0.0904	min	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversarial	Cbar	schulze	R_Cbar_a	robustness	0.2096	NOISE_kendall	0.2418	min	better

Table 108: ImageNet–ViT-B/16 results.

cell	dataset	model	method	setting	q	methods	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	simpleavg	dual_geom	2	Gradient	0.0852	0.0906	0.132	0.144	0.0672	0.220	0.0826	0.2718	0.0548	0.1706	0.0714	0.2192	0.0234	0.0636
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	borda	dual_geom	2	Gradient	0.0864	0.0928	0.1362	0.146	0.0736	0.223	0.0846	0.272	0.0544	0.1684	0.0684	0.2136	0.0288	0.0616
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	kemeny	dual_geom	2	Gradient	0.0864	0.0928	0.1362	0.146	0.0736	0.223	0.0846	0.272	0.0544	0.1684	0.0684	0.2136	0.0288	0.0616
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	rrf	dual_geom	2	Gradient	0.0872	0.0942	0.136	0.142	0.0736	0.224	0.0862	0.2736	0.0526	0.1692	0.0676	0.2162	0.026	0.0642
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	schulze	dual_geom	2	Gradient	0.0864	0.0928	0.1362	0.146	0.0736	0.223	0.0846	0.272	0.0544	0.1684	0.0684	0.2136	0.0288	0.0616

Table 109: ImageNet–ViT-B/16 results.

cell	dataset	model	method	setting	q	R C s	R Cbar s	R F a	R Fbar a	R C a	R Cbar a
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	simpleavg	dual_geom	2.49e-02	0.214	0.0818	0.0772	0.198	0.0934	0.2052
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	borda	dual_geom	2.49e-02	0.252	0.081	0.076	0.2034	0.091	0.2096
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	kemeny	dual_geom	2.49e-02	0.252	0.081	0.076	0.2034	0.091	0.2096
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	rrf	dual_geom	2.49e-02	0.224	0.0828	0.0764	0.204	0.0902	0.2102
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	schulze	dual_geom	2.49e-02	0.252	0.081	0.076	0.2034	0.091	0.2096

Table 110: ImageNet–ViT-B/16 results.

group dimension	group value	measure	endpoints	excluded zero clean boundaries	wins	ties	losses	win rate	mean NOISE	mean NAIVE	mean difference	median difference
overall	all	A	640	0	469	39	132	0.732812	0.452892	0.426762	0.02613	0.013929
overall	all	Q	640	0	127	310	203	0.198437	0.843397	0.846121	-0.002724	0
overall	all	G	640	0	425	30	185	0.664062	0.590378	0.572137	0.018241	0.012502
geometry	NOISE-K	A	320	0	214	23	83	0.66875	0.447236	0.426762	0.020475	0.011605
geometry	NOISE-K	Q	320	0	49	155	116	0.153125	0.839543	0.846121	-0.006578	0
geometry	NOISE-K	G	320	0	192	16	112	0.6	0.585161	0.572137	0.013024	0.008906
geometry	NOISE-S	A	320	0	255	16	49	0.796875	0.458548	0.426762	0.031786	0.016326
geometry	NOISE-S	Q	320	0	78	155	87	0.24375	0.847252	0.846121	0.001131	0
geometry	NOISE-S	G	320	0	233	14	73	0.728125	0.595595	0.572137	0.023458	0.01612
cell	dermamnist	A	160	0	104	18	38	0.65	0.413823	0.406371	0.007452	0.006916
cell	dermamnist-resnet18	Q	160	0	22	90	48	0.1375	0.793295	0.803071	-0.009776	0
cell	dermamnist-resnet18	G	160	0	84	16	60	0.525	0.558124	0.552566	0.005558	0.00359
cell	dermamnist-dermamnist-vit-b16	A	160	0	70	20	70	0.4375	0.470379	0.469939	0.00044	0
cell	dermamnist-dermamnist-vit-b16	Q	160	0	27	60	73	0.16875	0.877105	0.884256	-0.007151	0
cell	dermamnist-dermamnist-vit-b16	G	160	0	55	13	92	0.34375	0.599925	0.600957	-0.001032	-0.000538
cell	ImageNet-ImageNet-resnet18	A	160	0	137	0	23	0.85625	0.496722	0.469438	0.027284	0.031843
cell	ImageNet-ImageNet-resnet18	Q	160	0	39	80	41	0.24375	0.812409	0.814995	-0.002586	0
cell	ImageNet-ImageNet-resnet18	G	160	0	128	0	32	0.8	0.628333	0.611403	0.016929	0.022846
cell	ImageNet-ImageNet-vit-b16	A	160	0	158	1	1	0.9875	0.430644	0.3613	0.069345	0.044877
cell	ImageNet-ImageNet-vit-b16	Q	160	0	39	80	41	0.24375	0.890781	0.882162	0.008618	0
cell	ImageNet-ImageNet-vit-b16	G	160	0	158	1	1	0.9875	0.575131	0.523623	0.051508	0.046306
rule	borda	A	128	0	93	8	27	0.726562	0.453264	0.425375	0.027889	0.016037
rule	borda	Q	128	0	25	62	41	0.195312	0.845777	0.848649	-0.002873	0
rule	borda	G	128	0	85	8	35	0.664062	0.590026	0.570834	0.019192	0.015577
rule	kemeny	A	128	0	104	8	16	0.8125	0.461085	0.425041	0.036044	0.021968
rule	kemeny	Q	128	0	20	62	46	0.15625	0.848248	0.852649	-0.004401	0
rule	kemeny	G	128	0	94	7	27	0.734375	0.597992	0.573777	0.024215	0.018785
rule	rrf	A	128	0	95	9	24	0.742188	0.459029	0.430432	0.028598	0.019214
rule	rrf	Q	128	0	27	62	39	0.210938	0.845835	0.848603	-0.002768	0
rule	rrf	G	128	0	87	7	34	0.679688	0.595753	0.575579	0.020174	0.016809
rule	schulze	A	128	0	99	6	23	0.773438	0.457597	0.427735	0.029862	0.015907
rule	schulze	Q	128	0	24	62	42	0.1875	0.844968	0.848161	-0.003193	0
rule	schulze	G	128	0	86	5	37	0.671875	0.594291	0.57383	0.020461	0.019537
rule	simpleavg	A	128	0	78	8	42	0.609375	0.433484	0.425226	0.008257	0.001855
rule	simpleavg	Q	128	0	31	62	35	0.242188	0.83216	0.832543	-0.000383	0
rule	simpleavg	G	128	0	73	3	52	0.570312	0.573829	0.566666	0.007162	0.001469
metric	C	A	160	0	130	5	25	0.8125	0.235397	0.220297	0.015101	0.011985
metric	C	Q	160	0	26	80	54	0.1625	0.766951	0.77309	-0.006139	0
metric	C	G	160	0	107	1	52	0.66875	0.411791	0.398947	0.012845	0.012893
metric	Cbar	A	160	0	120	8	32	0.75	0.572949	0.531761	0.041188	0.0281
metric	Cbar	Q	160	0	43	50	67	0.26875	0.845468	0.849271	-0.003803	0
metric	Cbar	G	160	0	109	6	45	0.68125	0.686305	0.661284	0.025021	0.01781
metric	F	A	160	0	120	5	35	0.75	0.243922	0.227401	0.016522	0.01198
metric	F	Q	160	0	21	100	39	0.13125	0.857996	0.862183	-0.004187	0
metric	F	G	160	0	113	2	45	0.70625	0.436868	0.421013	0.015856	0.013696

group dimension	group value	measure	endpoints	excluded zero clean boundaries	wins	ties	losses	win rate	mean NOISE	mean NAIVE	mean difference	median difference
metric	Fbar	A	160	0	99	21	40	0.61875	0.7593	0.72759	0.03171	0.004836
metric	Fbar	Q	160	0	37	80	43	0.23125	0.903175	0.89994	0.003234	0
metric	Fbar	G	160	0	96	21	43	0.6	0.826548	0.807306	0.019242	0.003817
noise	a	A	160	0	143	3	14	0.89375	0.391845	0.352173	0.039672	0.019188
noise	a	Q	160	0	65	60	35	0.40625	0.763842	0.747725	0.016117	0
noise	a	G	160	0	132	0	28	0.825	0.521881	0.487199	0.034682	0.023838
noise	g	A	160	0	106	13	41	0.6625	0.458924	0.439154	0.01977	0.007812
noise	g	Q	160	0	22	80	58	0.1375	0.807618	0.81805	-0.010431	0
noise	g	G	160	0	94	11	55	0.5875	0.584233	0.573649	0.010584	0.00565
noise	p	A	160	0	106	16	38	0.6625	0.465449	0.445013	0.020436	0.004444
noise	p	Q	160	0	20	80	60	0.125	0.847572	0.856296	-0.008724	0
noise	p	G	160	0	90	13	57	0.5625	0.599936	0.588599	0.011337	0.001782
noise	s	A	160	0	114	7	39	0.7125	0.495349	0.470707	0.024642	0.0181
noise	s	Q	160	0	20	90	50	0.125	0.954557	0.962414	-0.007856	0
noise	s	G	160	0	109	6	45	0.68125	0.655462	0.639101	0.016361	0.01453

Table 111: ImageNet-ViT-B/16 results.

[illegible]

cell	dataset	model	setting	q	condition	metric	comparison id	candidate endpoint id	baseline endpoint id	geometry	geometry label	rule	noise	NOISE A	NAIVE A	delta A	outcome A	NOISE Q	NAIVE Q	delta Q
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	F	3aeb2482c974757b32b12275316114727580435392702835781827e038276c55e7674b56c7e43d984e30452011									0.044974	win	1	1	0
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	Fbar	8b736fb4c67d512620210121272149154021490717201897309369560091237600c22677752d278c2978f7231									0.122575	win	0.923624	0.939137	-0.015513
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	C	5e55bce285591807b32d12290572b57b117f63b28101895e3303001949926355c074c5e4d14351c004a059d7									0.0434	win	1	1	0
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	Cbar	6e189510ea93007d39910676178170142944b11633820156156729344275718661f851ae251d0967133d7179859									0.114	win	0.905152	0.923745	-0.018593
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	F	36156305211d0554dfe168827d78249979503291250763949510346103501317760d764590245f775b73032881									0.044877	win	1	1	0
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	Fbar	1192b3bc17f1d782149702c0151c33926226017207621300180c45211b507c00f340653575b73d168208									0.18958	win	0.752193	0.64564	0.106553
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	C	ab9abce48708903852250793d0729283043174c40c0d37808134050b074c362d066b7374621026204d8a4752									0.051	win	1	1	0
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	Cbar	1ab0c3f2a6d28e85b3872681d72317d91d104263160597250954033361496531606590250642790b4578									0.1866	win	0.754567	0.641716	0.112851
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	gaussian	F	bb7fec12b9500506b3686192095a99381c70d078040777231406617a75209893001847991d7532e58f1f1231									0.028067	win	1	1	0
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	gaussian	Fbar	7a72201c682022440c571416016593126579501007178c67015502791189c2257514c049239621d634033									0.128565	win	0.715251	0.727869	-0.012618
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	gaussian	C	9061679836214642c8515820168348349576c00202021346100660305e4112390915d702d597ee5c6a203									0.0168	win	1	1	0
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	gaussian	Cbar	97c3dbbe016d22d3347ad5081676104974a92054519338190382458585b718555676c5d3c752231cd8469									0.113	win	0.681499	0.701886	-0.020387
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	salt_peppe	F	0f0b3b123b611023757626927573295491040107780110547091109610470542046750cc475a59906f10d632664									0.016253	win	1	1	0
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	salt_peppe	Fbar	508083df6c231d156107f6d0b2240456a9d4675792354377b7b7d95095846591503014027423801573363									0.131828	win	0.784921	0.81188	-0.026959
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	salt_peppe	C	ca23ffd2ed0123c170701087641f333010a20723949107700149107770551c5147980f08a3b4892									0.0144	win	1	1	0
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	salt_peppe	Cbar	652d660d8616d179d1307f00441123998776707c10983130417af0a53415815750ad452207220a02218									0.1186	win	0.749883	0.780904	-0.031021
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	F	7cbfab2e1109530d8331027963c3928977011237f210c15701719ab7589939d1d21467d584180984d6b09829									0.036155	win	1	1	0
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	Fbar	f83a8d4139d6904983486c326385810616712600160193737303348805d50c1ffa275806789304062478									0.167328	win	0.923624	0.938065	-0.014441
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	C	2c16bafb670e9f27399285137936921551340616796030449615355296707a156915602fc1609256									0.0348	win	1	1	0
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	Cbar	e5d7dd3b9fd27652d7073baf0b33770e01940638207534606395e095925e6659d9930581739f0834202									0.1528	win	0.905152	0.928165	-0.023013
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	F	c2a210eeca02ed0c643475621150320c0150577606268803037f50c05049201870001737547287127881									0.044877	win	1	1	0
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	Fbar	a3da73cc8670708394340903d10135001200712071607102472a89505094f134296c07093752a18476701									0.200088	win	0.752193	0.67359	0.078603
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	C	c3dbeba6b14ba37879141570785923490206340270184385a72010640c296480627961022725a88062782									0.048	win	1	1	0
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	Cbar	f50be0a13455383e54570e227f3fap08c239b500075650121451371627264623491f582247c584516									0.1928	win	0.754567	0.675846	0.078721
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	gaussian	F	cd92f4063497b7f691ed301675725422767b00570103405427664427089785796781011221881282050b765274									0.026709	win	1	1	0

[illegible]

Table 112: ImageNet–ViT-B/16 results.

cell	dataset	model	setting	q	condition	metric	comparison id	outcome Q	NOISE G	NAIVE G	delta G	outcome G
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	NOISE-S	2	gaussian	F	0d64a1606814863fdb0e6d1134a23e2270a347e00f19980cwhb9954c936ca65d					
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	NOISE-S	2	gaussian	Fbar	567067e0d369f65be1f9e037809232527277603084f3cd3f2faacfc4482					
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	NOISE-S	2	gaussian	C	ed7a2d3bcd8f0eb533c4f0e26522336e306233d2542e3383b06af72dbbce9f2ddc					
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	NOISE-S	2	gaussian	Cbar	730f052db580ff83353c0208208103885e24c53269422487n3582f381ab50					
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	NOISE-S	2	salt_pepper	F	a6af76bec966fd82414859372289bf03581216478c5122820815f50fb8c9e6e54					
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	NOISE-S	2	salt_pepper	Fbar	2432e3c014d5da37b91b0e738546c7457f0660ca01322883b1dffe7818a03c9bf3					
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	NOISE-S	2	salt_pepper	C	1e016111cfaf60fa233a9f0c4f0970475e4463156a010246890e58dfb97b1a0b4					
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	NOISE-S	2	salt_pepper	Cbar	aeacbf7106a4267e9bc850f68328a09a66496fb96d320229bd4a5f819d73b2a2c					
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	NOISE-S	2	speckle	F	d866d4c4b209c7c1600fa97f7f88926a31b8d5b0103b51851e3a1fccc5807a60b45					
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	NOISE-S	2	speckle	Fbar	d20decc428846acf0060758707309c0c85f60992a071d02903d7a5fb459781de3					
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	NOISE-S	2	speckle	C	75d1874a8c65ad3a64830d381663a08367066fa932343229908fdcac32af333a					
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	NOISE-S	2	speckle	Cbar	dcc3cb61e78e0c4dd58a093a309acff9b68326889f4041425e9476ee54b7012099					
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	NOISE-S	2	adversarial	F	e874e200aeb5794fbd7d6b4230162f101379428e0002f56891130bbbe131c071767					
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	NOISE-S	2	adversarial	Fbar	ad8742b1f6165d47b152b7d86761f106d17436fe0359903169dd174fdaa6b77883					
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	NOISE-S	2	adversarial	C	9fb1d70c4211fa6c49a0b3791963410f200378c330312792ccmf380ae61f934					
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	NOISE-S	2	adversarial	Cbar	be0218609c73a538106791670946ded2591683e12e9932796bd6845b0c911acd3					
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	NOISE-S	2	gaussian	F	ad66b3d1339985ef92bf0d4247832d6127892305e2746d17230685568d191dbeaa					
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	NOISE-S	2	gaussian	Fbar	26bbf9dcea16nefb3ffa30b677072fe00b1021eb030587431364444227e634b3					
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	NOISE-S	2	gaussian	C	8442d18ad7facb87f1c361168498662a33909f01010970848926a407240c613c					
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	NOISE-S	2	gaussian	Cbar	6dda25c771e742d10438b6297c818e384983e0030833054660c7261b0aa726					
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	NOISE-S	2	salt_pepper	F	6c9946ad9061591a76390678640930c3633887e3739725f54005b345f3db3e2f					
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	NOISE-S	2	salt_pepper	Fbar	94b46973f9036dc80d1123719079406c39027352e284d740c346d1559e6f8ff0e2					
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	NOISE-S	2	salt_pepper	C	9dd488e021iae582fbb78569192139a330014684702707751548da05e7dc6e00d					
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	NOISE-S	2	salt_pepper	Cbar	a0b9715d14edc70a1062c6292837283733304fc4003967d15845cfbee789b517					

cell	dataset	model	setting	q	condition	metric	comparison id	outcome Q	NOISE G	NAIVE G	delta G	outcome G
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	F	3aeb2482c9d4777c16b1	0.4591348	0.4591348	0.4591348	0.4591348	0.4591348
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	Fbar	8b736fb4c06748fab2220	0.8275242161534672759	0.8275242161534672759	0.8275242161534672759	0.8275242161534672759	0.8275242161534672759
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	C	5e55bce288e91d7bba250	0.62075764654420059	0.62075764654420059	0.62075764654420059	0.62075764654420059	0.62075764654420059
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	Cbar	6e189510eak13ed9169b0	0.83367751402860233	0.83367751402860233	0.83367751402860233	0.83367751402860233	0.83367751402860233
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	F	3615630523df5b5edff6	0.643176185a0c354529f	0.643176185a0c354529f	0.643176185a0c354529f	0.643176185a0c354529f	0.643176185a0c354529f
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	Fbar	1192b3bc1af1d089a9f6	0.27029833085662827	0.27029833085662827	0.27029833085662827	0.27029833085662827	0.27029833085662827
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	C	ab9abce48f98f822f923	0.475264577878785694	0.475264577878785694	0.475264577878785694	0.475264577878785694	0.475264577878785694
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	Cbar	1ab0c3f2a6d20a8b218	0.64073141463042012	0.64073141463042012	0.64073141463042012	0.64073141463042012	0.64073141463042012
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	gaussian	F	bb7fec12bf959050da25	0.3842475355023902372	0.3842475355023902372	0.3842475355023902372	0.3842475355023902372	0.3842475355023902372
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	gaussian	Fbar	7a72201c68f6623d08c2	0.675052940266457955	0.675052940266457955	0.675052940266457955	0.675052940266457955	0.675052940266457955
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	gaussian	C	906167983631f42ce85e	0.46882894017505527	0.46882894017505527	0.46882894017505527	0.46882894017505527	0.46882894017505527
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	gaussian	Cbar	97c3dbbce0d648dd834d	0.62872875043737422	0.62872875043737422	0.62872875043737422	0.62872875043737422	0.62872875043737422
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	salt_peppe	F	0f0b3b1235b6a14557f62	0.1738820396292737628	0.1738820396292737628	0.1738820396292737628	0.1738820396292737628	0.1738820396292737628
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	salt_peppe	Fbar	508083df6d15fd3ebe56	0.27404629d07822775	0.27404629d07822775	0.27404629d07822775	0.27404629d07822775	0.27404629d07822775
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	salt_peppe	C	ca23ffd2ed01638a31f3	0.6156221b05824495a	0.6156221b05824495a	0.6156221b05824495a	0.6156221b05824495a	0.6156221b05824495a
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	salt_peppe	Cbar	652d660d8d48d72ecf4	0.7692493d16a933378a	0.7692493d16a933378a	0.7692493d16a933378a	0.7692493d16a933378a	0.7692493d16a933378a
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	F	7cbfab2e1f09b50db3ba	0.6337328b833008289	0.6337328b833008289	0.6337328b833008289	0.6337328b833008289	0.6337328b833008289
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	Fbar	f83a8d4139b6e049985e	0.6852439c861088277	0.6852439c861088277	0.6852439c861088277	0.6852439c861088277	0.6852439c861088277
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	C	2c16bafb6709cfe27f293c	0.8400044902554d12d	0.8400044902554d12d	0.8400044902554d12d	0.8400044902554d12d	0.8400044902554d12d
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	Cbar	e5d7dd3b901975226f27	0.80363770b756745798	0.80363770b756745798	0.80363770b756745798	0.80363770b756745798	0.80363770b756745798
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	F	c2a210eec5d4mc4cdc43	0.73919146901388528	0.73919146901388528	0.73919146901388528	0.73919146901388528	0.73919146901388528
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	Fbar	a3da73cc86w0508591a	0.28290835d1966763f	0.28290835d1966763f	0.28290835d1966763f	0.28290835d1966763f	0.28290835d1966763f
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	C	c3dbeba6b4ab3878e95d	0.7656090e09329327	0.7656090e09329327	0.7656090e09329327	0.7656090e09329327	0.7656090e09329327
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	Cbar	f50be0a1348645f83e6c5	0.608571ac50552469b	0.608571ac50552469b	0.608571ac50552469b	0.608571ac50552469b	0.608571ac50552469b
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	gaussian	F	cd92f4063449bef641c0	0.426324d387324057	0.426324d387324057	0.426324d387324057	0.426324d387324057	0.426324d387324057

cell	dataset	model	setting	q	condition	metric	comparison id	outcome Q	NOISE G	NAIVE G	delta G	outcome G
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	gaussian	Fbar	b392e7891e	ed8d9a3e1	0076057e	4091593ff	18a98083b	c86093fe99b3190
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	gaussian	C	241183fa4c	8ee140260d	63450990e	161503b0b	180f56562	15d512891ef34fd3
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	gaussian	Cbar	32649804fa	91a17c697c	d6689641c	981570156c	030f28868	7886ee0a3b1fb2dd
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	salt_peppe	F	c6eb78bd55	7765a04868	5039522d9	2a280368b	5d1d06235	06dd4b98996adffbee
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	salt_peppe	Fbar	fc1e8a2ea0	35a1b11235	20733635b	21693789d	9d0000000	91b0c765b73f2b58d
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	salt_peppe	C	5fdacce367	ed83d5f3e	5a450770e	891e3902c	015d02874	8af45625e21c63
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	salt_peppe	Cbar	24dd0278e	1b2ed79be8	417502a2a	5d571597a	5047163f8	9a5c5daae4605b3001
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	F	4ddf122822	ec35836fc4	f0a29121h	28d10037751	3a05d478607	1b8c19f8add3dbabb
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	Fbar	57b90356f3	h3daa75a5	5085729fd	63070670c	6a0a03538	9906ace48f27be39
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	C	14742fc522	fa3271b61a	090975922b	0329b1411	010380489	4b7a8862ca7a610e
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	Cbar	c7a33115d3	ce4b07bb7	7652343d9	105770876	700647d5c	85a0a79339abc9
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	F	c52495bb6	10e8b0e5b4	d94287f55	39a07151d	39a05015e	500dd055338387e8e1
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	Fbar	a0a415102	cb0dbc02c	501782441	1a0c572088c	139888577	7a996ae00d9e6b03
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	C	0f082cc5de	df93196b6	0f4701243	838200684	10c533238	a70c3ee223c4d116
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	Cbar	5b15c47cb	9094ef2d7e	0a692873d	0a5518322	600986087	7711272fee41d066
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	gaussian	F	d8b080773	43e48cefdd	0cd254733	00300577c	0f02338271	ca7738bfc164938a
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	gaussian	Fbar	589416698	890ea71655	70a737952	80322300d	000650649	805fb5975174fc7e
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	gaussian	C	edee03e668	41fe3c919e	8018f3426	5061509378	40317829c	01b1c240662e0d5
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	gaussian	Cbar	0b5050c1d	10d6d1dafc	9a6207045	610186868	103604208	4861cc4d61edd0e8
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	salt_peppe	F	489089855	1669cfdc29	4f1392543	ff01774708	08a278537	3071afda50e247a4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	salt_peppe	Fbar	c02f3943b1	1b5fe41689	f01763498	60d936323	10e950237	6a7fd1a9065dcbac
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	salt_peppe	C	28c9a94ef0	1d00100d9	70a507f09	704831572	1a00392481	1c6nc94cdf82576
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	salt_peppe	Cbar	04e771038a	1de740c799	717602933	516449585	5a7825337	298d3ebb0fb69e
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	F	40c1befb3b	b03a8a5aa	b3361085b	8df50d1792	691052857	015631172b1acf59c
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	Fbar	7db6a491b3	0ee0311689	0a3750143	399521h031	05074897c	888f1410c4b78cd6e

cell	dataset	model	setting	q	condition	metric	comparison id	outcome Q	NOISE G	NAIVE G	delta G	outcome G
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	C	6846c0ea59484a38c0a503410038089256683f103135e127751a60e0990d5f21	484a38c0a503410038089256683f103135e127751a60e0990d5f21	503410038089256683f103135e127751a60e0990d5f21	503410038089256683f103135e127751a60e0990d5f21	503410038089256683f103135e127751a60e0990d5f21	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	Cbar	d0ee4bd8e7869eba2dd4d088697677e7016d9332089645718364b214f92814142	869eba2dd4d088697677e7016d9332089645718364b214f92814142	d0ee4bd8e7869eba2dd4d088697677e7016d9332089645718364b214f92814142	d0ee4bd8e7869eba2dd4d088697677e7016d9332089645718364b214f92814142	d0ee4bd8e7869eba2dd4d088697677e7016d9332089645718364b214f92814142	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	F	56d5447ff179b1917ae7d305421d16a7e07480263182257958675eb367566a4f2d2	b1917ae7d305421d16a7e07480263182257958675eb367566a4f2d2	56d5447ff179b1917ae7d305421d16a7e07480263182257958675eb367566a4f2d2	56d5447ff179b1917ae7d305421d16a7e07480263182257958675eb367566a4f2d2	56d5447ff179b1917ae7d305421d16a7e07480263182257958675eb367566a4f2d2	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	Fbar	280ab8cc71whole9052860551296857250349685eb193919011bbdd92d20011ffbccc1	9052860551296857250349685eb193919011bbdd92d20011ffbccc1	280ab8cc71whole9052860551296857250349685eb193919011bbdd92d20011ffbccc1	280ab8cc71whole9052860551296857250349685eb193919011bbdd92d20011ffbccc1	280ab8cc71whole9052860551296857250349685eb193919011bbdd92d20011ffbccc1	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	C	b191b63bd6173861fdb998757050890f1856989962579a36253bd0006e6345efb	6173861fdb998757050890f1856989962579a36253bd0006e6345efb	b191b63bd6173861fdb998757050890f1856989962579a36253bd0006e6345efb	b191b63bd6173861fdb998757050890f1856989962579a36253bd0006e6345efb	b191b63bd6173861fdb998757050890f1856989962579a36253bd0006e6345efb	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	Cbar	4124c542b3e13a29475462579a36253bd0006e6345efb	13a29475462579a36253bd0006e6345efb	4124c542b3e13a29475462579a36253bd0006e6345efb	4124c542b3e13a29475462579a36253bd0006e6345efb	4124c542b3e13a29475462579a36253bd0006e6345efb	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	F	f6daed741e156274df75e120132f18f49063370900281435e054e3c53a78abaa	6274df75e120132f18f49063370900281435e054e3c53a78abaa	f6daed741e156274df75e120132f18f49063370900281435e054e3c53a78abaa	f6daed741e156274df75e120132f18f49063370900281435e054e3c53a78abaa	f6daed741e156274df75e120132f18f49063370900281435e054e3c53a78abaa	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	Fbar	f555b5a871e234140628f16603530284071246f502a36402315f9e245feb3521b	234140628f16603530284071246f502a36402315f9e245feb3521b	f555b5a871e234140628f16603530284071246f502a36402315f9e245feb3521b	f555b5a871e234140628f16603530284071246f502a36402315f9e245feb3521b	f555b5a871e234140628f16603530284071246f502a36402315f9e245feb3521b	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	C	f5436e4604a8a1f6806a1034572254a706a42219a31e60721b654d5e39bdd6b99e9	1f6806a1034572254a706a42219a31e60721b654d5e39bdd6b99e9	f5436e4604a8a1f6806a1034572254a706a42219a31e60721b654d5e39bdd6b99e9	f5436e4604a8a1f6806a1034572254a706a42219a31e60721b654d5e39bdd6b99e9	f5436e4604a8a1f6806a1034572254a706a42219a31e60721b654d5e39bdd6b99e9	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	Cbar	93fec70985e7mddedbc691e609053f8335958b25ca99142621e0d73457e773e1f	7mddedbc691e609053f8335958b25ca99142621e0d73457e773e1f	93fec70985e7mddedbc691e609053f8335958b25ca99142621e0d73457e773e1f	93fec70985e7mddedbc691e609053f8335958b25ca99142621e0d73457e773e1f	93fec70985e7mddedbc691e609053f8335958b25ca99142621e0d73457e773e1f	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_pepper	F	2d427318c7d198331e50064060573b03285b10617f90a244535a985e013acaf1809	198331e50064060573b03285b10617f90a244535a985e013acaf1809	2d427318c7d198331e50064060573b03285b10617f90a244535a985e013acaf1809	2d427318c7d198331e50064060573b03285b10617f90a244535a985e013acaf1809	2d427318c7d198331e50064060573b03285b10617f90a244535a985e013acaf1809	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_pepper	Fbar	e055fbcd0de4b0461d8702f34285f43b5806628690223778acd96cf8f9609aef5	4b0461d8702f34285f43b5806628690223778acd96cf8f9609aef5	e055fbcd0de4b0461d8702f34285f43b5806628690223778acd96cf8f9609aef5	e055fbcd0de4b0461d8702f34285f43b5806628690223778acd96cf8f9609aef5	e055fbcd0de4b0461d8702f34285f43b5806628690223778acd96cf8f9609aef5	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_pepper	C	cf357d434281d4f91184d034671852a29924033ef701d196348487d4799add30709	1d4f91184d034671852a29924033ef701d196348487d4799add30709	cf357d434281d4f91184d034671852a29924033ef701d196348487d4799add30709	cf357d434281d4f91184d034671852a29924033ef701d196348487d4799add30709	cf357d434281d4f91184d034671852a29924033ef701d196348487d4799add30709	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_pepper	Cbar	aa5487dd925m40bc61862675434041f0294661d4cd24d19870c505dee572361a2254	5487dd925m40bc61862675434041f0294661d4cd24d19870c505dee572361a2254	aa5487dd925m40bc61862675434041f0294661d4cd24d19870c505dee572361a2254	aa5487dd925m40bc61862675434041f0294661d4cd24d19870c505dee572361a2254	aa5487dd925m40bc61862675434041f0294661d4cd24d19870c505dee572361a2254	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	F	ff2303b7f51fde7c2fce670d085683e91994305cc079367796361m5b45719832	de7c2fce670d085683e91994305cc079367796361m5b45719832	ff2303b7f51fde7c2fce670d085683e91994305cc079367796361m5b45719832	ff2303b7f51fde7c2fce670d085683e91994305cc079367796361m5b45719832	ff2303b7f51fde7c2fce670d085683e91994305cc079367796361m5b45719832	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	Fbar	a03ef25d0e2386bcd281b5784070408344296e06023769ef56523ed3b28abbcc	3ef25d0e2386bcd281b5784070408344296e06023769ef56523ed3b28abbcc	a03ef25d0e2386bcd281b5784070408344296e06023769ef56523ed3b28abbcc	a03ef25d0e2386bcd281b5784070408344296e06023769ef56523ed3b28abbcc	a03ef25d0e2386bcd281b5784070408344296e06023769ef56523ed3b28abbcc	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	C	e377c1513128cea82c3371889972ed348675073e4102f90019a6763f9ff5e3884a	cea82c3371889972ed348675073e4102f90019a6763f9ff5e3884a	e377c1513128cea82c3371889972ed348675073e4102f90019a6763f9ff5e3884a	e377c1513128cea82c3371889972ed348675073e4102f90019a6763f9ff5e3884a	e377c1513128cea82c3371889972ed348675073e4102f90019a6763f9ff5e3884a	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	Cbar	498b82c0eed26500b34562b5d06070d34926389021304347b1bf931c324f07a2	6500b34562b5d06070d34926389021304347b1bf931c324f07a2	498b82c0eed26500b34562b5d06070d34926389021304347b1bf931c324f07a2	498b82c0eed26500b34562b5d06070d34926389021304347b1bf931c324f07a2	498b82c0eed26500b34562b5d06070d34926389021304347b1bf931c324f07a2	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversaria	F	d2052ba564d180d98d1ad14633325683282188990609870273en580431770c90e1	80d98d1ad14633325683282188990609870273en580431770c90e1	d2052ba564d180d98d1ad14633325683282188990609870273en580431770c90e1	d2052ba564d180d98d1ad14633325683282188990609870273en580431770c90e1	d2052ba564d180d98d1ad14633325683282188990609870273en580431770c90e1	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversaria	Fbar	75deeeef9b34m008ef46fb0717459b79061733252839275326902702a1b0131b	008ef46fb0717459b79061733252839275326902702a1b0131b	75deeeef9b34m008ef46fb0717459b79061733252839275326902702a1b0131b	75deeeef9b34m008ef46fb0717459b79061733252839275326902702a1b0131b	75deeeef9b34m008ef46fb0717459b79061733252839275326902702a1b0131b	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversaria	C	7e580a8787d49cd2365a8848106a1b00790625c20703447he354830d25167af68	49cd2365a8848106a1b00790625c20703447he354830d25167af68	7e580a8787d49cd2365a8848106a1b00790625c20703447he354830d25167af68	7e580a8787d49cd2365a8848106a1b00790625c20703447he354830d25167af68	7e580a8787d49cd2365a8848106a1b00790625c20703447he354830d25167af68	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversaria	Cbar	56f1c1deca5m460f914c3db79238fc3f70051889a421047165990d4d2a28b2669e	60f914c3db79238fc3f70051889a421047165990d4d2a28b2669e	56f1c1deca5m460f914c3db79238fc3f70051889a421047165990d4d2a28b2669e	56f1c1deca5m460f914c3db79238fc3f70051889a421047165990d4d2a28b2669e	56f1c1deca5m460f914c3db79238fc3f70051889a421047165990d4d2a28b2669e	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	F	603cd22898823e7b4cb204382804f904778223a6060594373d6a53dab89f92b	23e7b4cb204382804f904778223a6060594373d6a53dab89f92b	603cd22898823e7b4cb204382804f904778223a6060594373d6a53dab89f92b	603cd22898823e7b4cb204382804f904778223a6060594373d6a53dab89f92b	603cd22898823e7b4cb204382804f904778223a6060594373d6a53dab89f92b	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	Fbar	6186673cfc792867b4012a091e2971061492d3293f90348d0ne029bc2a83bb6	2867b4012a091e2971061492d3293f90348d0ne029bc2a83bb6	6186673cfc792867b4012a091e2971061492d3293f90348d0ne029bc2a83bb6	6186673cfc792867b4012a091e2971061492d3293f90348d0ne029bc2a83bb6	6186673cfc792867b4012a091e2971061492d3293f90348d0ne029bc2a83bb6	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	C	5789b44431a843b2ea3d16f192217409f43939a5d1187673c0x1a4d860eb67cb95	843b2ea3d16f192217409f43939a5d1187673c0x1a4d860eb67cb95	5789b44431a843b2ea3d16f192217409f43939a5d1187673c0x1a4d860eb67cb95	5789b44431a843b2ea3d16f192217409f43939a5d1187673c0x1a4d860eb67cb95	5789b44431a843b2ea3d16f192217409f43939a5d1187673c0x1a4d860eb67cb95	

cell	dataset	model	setting	q	condition	metric	comparison id	outcome Q	NOISE G	NAIVE G	delta G	outcome G
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	Cbar	081a31be0	1ce9d11d4a	0.7294593	0.6830835	250184167	ad7184153f26896c
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_pepper	F	0138a485b	49a14daac	7.359948	583613594	597004375	0a52343f1e7933b89
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_pepper	Fbar	6f93057525	09a87c2fb9	86921275	4a0c699213	91.0b04998b	32da797516ef73da
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_pepper	C	0a66c240a1	6aaaca30f8	5.8733577	0.24426934	ee5b0b71324	39aaba39d0bd5911f
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_pepper	Cbar	0284fc5885	66a7099f7f	7.0f666973	77d453901	d95d12d6dc	e989aa9cb97f0c1
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	F	d5e2f66fca	0a804c0c3d	0.02876349	280.2883396	66e43889d5	502e8557acaebac7
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	Fbar	a712d20c1	17a4fe2f0b5	d3.5658118	34b8148751	29f04d5455	68b3c3f634f94e7b
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	C	efc2b9c5d3	299dd3bf0d	1.552453521	1b4.74220574	1.027032159	9efb811f617360c85
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	Cbar	901470e0cc	792a2f77f8	80.8273873	940.19033370	f0460f152e	5bnd0ec2358f0dc
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversarial	F	dcf79a9985	92b4fde1d2	6.863943	8601364328	450d0434	36062ab8845b7cbb
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversarial	Fbar	b57bca32b5	6b95977c7c	0.7207285	786502683	50.79904678	1w7n0cf96a33c8744
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversarial	C	0212d0bf98	2930d060aa	0b4657834	1b3418769c	78047281f	076c6bf90c3776b791
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversarial	Cbar	1f93975dda	4b85246811	1.67705887	6d5.94283269	6164998	5b0dd952075183ea
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	F	b366224037	78a17a14c7	df0d48243	497.3260285	d177459049	at4d9938e7ca727d7
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	Fbar	a97db55722	039f83365a	0.37796031	1.4d611677b	870674954	32ff1ac3e08d32d9
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	C	39734a68d8	86dbb14cf2	c64767265	00b.5505951	95b090680	3d57eb2233918b3a8
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	Cbar	e562317b40	1eb64e3984	20.6304339	425573746f	95.7766622	7736d4f831ca9a012
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_pepper	F	85bece6a26	836d504e90	024034f55	89a.77757069	d7.0248870	fed3a0d13216869a5
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_pepper	Fbar	44dcdd215	1263cd809e	87b547329	272498077f	f0f0640993	fed3a0d13216869a5
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_pepper	C	ec75105138	2a7714a4b3	399863895	78243497d3	3b.0233251	66044ab063f277cb
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_pepper	Cbar	126aa89b83	936f1795e9	1869277022	d7.3f55335	383454474	678n9e83c0d84c86
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	F	58601e1867	eb9549f60	10.8552792	278.201378	7068023422	9b1b2ef2c55c19d
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	Fbar	7566538fb4	1d847d2d40	8a.81773149	cb0373832	66b098878	3ad2a69d288c3b1e
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	C	a24a07f01c	4dd8361d1a	01401037	5035f4711	50.4098828	9e46a5e1cffa612
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	Cbar	1a79ff143c	19e72a02f4	e03505624	558.5787d53	0a.7819484	30d473e0e928dab2

cell	dataset	model	setting	q	condition	metric	comparison id	outcome Q	NOISE G	NAIVE G	delta G	outcome G
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversaria	F	827f7bcb95	6e86ab37fa	9b124b92c0	012647285	0104867d0	7d1e253767b4a8b4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversaria	Fbar	0dbcd70c24	4a77449047	1750550803	893000000d	8917140491	6dca0647726d9466
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversaria	C	5f5bf4e63b	4fbaccdc3c	7a04883734a	003228270f	2e8569934ad7fcae30f5d85c	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversaria	Cbar	ac499ffe9f7	8c1fb39d288	4f2896825a	027224634e	093372242e09546381192f2	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	F	474d8ba361	46adeb0bd4	0505072529	55394055b1	206102874c61a147a26f6794f668	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	Fbar	8ef7df0323	82bb9390f8	8355023955	1771398fcd	230582694de15d2e08c7fa8d	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	C	2a47dbbc21	50ab1df362	2f24705489e	2735081990	03e138732c9d4466a33909dc8	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	Cbar	bf272e0731	8a746bce5e	656281f885	395777727ee	03457271Dbef5144fab67eb63	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_peppe	F	c54eba2cfa	d753e506ea	7069836355	28860788b	c480173a79f56266576734d3e5	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_peppe	Fbar	7ee5008537	0380c8fe1f7	0175665977	4169494fb	23662739c6f629d98966f28	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_peppe	C	bf6318fe5f	dd5b239dc4	4b15707d18	67435084d	08317387d559079254c7e07f87	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_peppe	Cbar	65617bf9eb	5526fad015	85700762e	7088f25b78a	010557833bed400b3d01adcc3	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	F	5a9f49ff1a	97edab9367e	0a37000f50	673353856cd	0389835a2c1b51d482c352	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	Fbar	f6a77349eb	2dda7aa0ba	0182705863	18000024e	06089429c17784e66484eec48	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	C	34aad590ba	4666778020	2385657c3	0c35044031	01822003421a7c3994cf1f3284	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	Cbar	2b7f648984	7f803794fe	07845692fc	f013718785c	7e07607747044dcce18525	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversaria	F	af745f9de8	tidc4a1621f	5043063722	0f38679193b	8f04b2723a7e1de1fb1061625a7	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversaria	Fbar	ad27e0fd5a	bba5f9dd33	3057820489	88957d095b	10d247253b17cd3f9dcb16633b4f1	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversaria	C	b252a8711a	4606d11f462	2074701763	6042246385c	006033b2b2008f20205a01ed	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversaria	Cbar	18b60476dc	be04633e5c	80c70021050	7958488549e	044087545691e0a6e5a4274f1	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	F	464cb331c6	db2805059d	240118431d	0739087604	8302170075be6f2393670c52492	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	Fbar	4cc040c13f	6830856b63	80088708b	6162753e30b	5d923c887e92b4d6eb6e1fd5b	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	C	af87b49216	1ebc66947b	07470319c	5013509497	1a5701922639d7798fddee44d18	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	Cbar	2fa6babe5f	657eb1c16c	f083124223	0086080873	32e07708dd41abbf5dea810941	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_peppe	F	a0f4ed23ae	31e83335b27	0730542018	7287970807	631200028fa82bb7c4787fe38fa	

cell	dataset	model	setting	q	condition	metric	comparison id	outcome Q	NOISE G	NAIVE G	delta G	outcome G
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_pepper	Fbar	b87d47fade	5a7676bdd	205808911	6d11228731	438337781	bf1f03d37c49222ce
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_pepper	C	60a7eb4529	9e083c3cb	9a2658312	d0022977c	930388708	37da2a8bd34c18c0
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_pepper	Cbar	beed4a191a	da8143df4f	036800e875	6769936df	40a470f2039d	085a7bb2eb5424d
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	F	62b17b6a81	660885292a	005301675a	0826247d55	028206cd014	dae8cdbdb1b0a
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	Fbar	cc5855d018	1d66209a21	6808795549	69c861d4039f	47f72133da4b	aaa390839606a
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	C	aa98c1d9d3	97e0dacede	0a38572209	d98546531d	030357470e	20f82d8558cecc
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	Cbar	05edeee87c	99d14d16fd	0a33572731	40a27f08038	610013961554	ac09ebdf8f9f1
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversarial	F	52dedb54b2	1ae19295c8	0c2491827d	10c96262fa	05d4880d76	ind29095afa108b
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversarial	Fbar	b5f50ad4e4	754e03fc50	999723727a	605563468670	c160833738d4	6d9520dbcb6f
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversarial	C	8250e22b9c	6dee5ffa38	704f70856a	5094185697a	0527337f6092	f12a6f38cb
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversarial	Cbar	436c980ef1	6048ff35c55	307060052a	50435073838c	001b36550362	1229afe4a403

Table 113: ImageNet-ViT-B/16 results.

cell	dataset	model	setting	q	condition	metric	endpoint id	source kind	geometry	geometry label	rule	methods	noise	clean quality raw	perturbed quality raw	A0 clean	A0 perturbed	normalized clean raw	normalized perturbed raw	Qnorm clean	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	gaussian	F	c7d7be919	NOISE3935	epic2169aa	NOISE8075	SalpTreeV3	2ref0e81A	4e690n	10.0832	hefe0T504	form0e9A36	ribu0.8836	0.093257	0.172476	0.093257	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	gaussian	Fbar	b2b877cc8	NOISEb2c	mp298e72f	NOISE147	7e24q1bb0g	3C2b23ad0	04921on	10.0968	hefe0T317	form0e9A36	ribu0.8836	0.894264	0.64124	0.894264	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	gaussian	C	a8188879d	NOISEFa88	phac50895	NOISEd822	4e591b06dp	6ca49e80A	50e61on	10.1322	hefe0T216	form0e9A36	ribu0.8836	0.132	0.2146	0.132	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	gaussian	Cbar	015448e5f5	NOISE1599	45df8a42	NOISE51579	ctnaple0e6g	67m61refc	9Agd1on	10.0464	hefe0T202	form0e9A36	ribu0.8836	0.8516	0.5798	0.8516	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	salt_peppe	F	71827748ae	NOISEd4a6	418bdad7f	NOISE4935	66f942b74g	049df680A	08e2on	10.0832	hefe0T154	form0e9A36	ribu0.886	0.093257	0.158014	0.093257	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	salt_peppe	Fbar	5b2763e35a	NOISEfe8c	476a87fc7	NOISE5276	6e9f1k9feg	2A30f1m1R	0e421on	10.0968	hefe0T267	form0e9A36	ribu0.886	0.894264	0.69842	0.894264	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	salt_peppe	C	ac8934f9ce	NOISE10f23	3a110f6407	NOISE35c3	3d4f12c3y3	03864155A	28566on	10.1322	hefe0T203	form0e9A36	ribu0.886	0.132	0.2034	0.132	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	salt_peppe	Cbar	f72413040e	NOISEFla4c	40e79hmc56	NOISE345557	efitplehwg	078455f5A	09d1on	10.0464	hefe0T267	form0e9A36	ribu0.886	0.8516	0.6324	0.8516	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	speckle	F	7351700f28	NOISE2a1d	p0d77cab16	NOISE1610	2f6p089j4	088a8984A	1a213on	10.0832	hefe0T108	form0e9A36	ribu0.9072	0.093257	0.119709	0.093257	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	speckle	Fbar	3a39dfe910	NOISE8988	0466939529	NOISE3297	5e61bmd4g	01250276A	10e193on	10.0968	hefe0T160	form0e9A36	ribu0.9072	0.894264	0.823413	0.894264	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	speckle	C	83ac9725a2	NOISE29678	9c590441	NOISE3600	17697e2v7	0C37d1ba8	14a56on	10.1322	hefe0T153	form0e9A36	ribu0.9072	0.132	0.1534	0.132	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	speckle	Cbar	0edb78b0f2	NOISE0876	4eacd0c2	NOISEB09d	fer60284v6	0C67d22f6	1A9d5on	10.0464	hefe0T202	form0e9A36	ribu0.9072	0.8516	0.7698	0.8516	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	adversaria	F	da6218elca	NOISEbab7	e09506f357	NOISE2c89	547ple48y3	0a2f008f4	1A21fion	10.0832	hefe0T160	form0e9A36	ribu0.9136	0.093257	0.177758	0.093257	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	adversaria	Fbar	09c76a75f7	NOISE7c24	017429993	NOISE4595	56f912cv9	0C6f919fc	1Aee3on	10.0968	hefe0T294	form0e9A36	ribu0.9136	0.894264	0.677539	0.894264	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	adversaria	C	4d9fa84127	NOISE3118	4p1d1a2e9	NOISE2855	1sh5944vg	0361d1c82	1A4e02a	1on	10.1322	hefe0T255	form0e9A36	ribu0.9136	0.132	0.2254	0.132
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	adversaria	Cbar	c6779e21ca	NOISEb247	7fde20982	NOISE5470	eh891eav7	0Ge680f76	0A5c106on	10.0464	hefe0T353	form0e9A36	ribu0.9136	0.8516	0.6464	0.8516	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	gaussian	F	3397272788	NOISEd0d3	3q1a3746b	NOISE5782	h0ddcf2755	03eed10cf2A	16f32on	10.0832	hefe0T154	form0e9A36	ribu0.8836	0.094571	0.180398	0.094571	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	gaussian	Fbar	b126fb6a84	NOISEf253	8p23c1d00	NOISE3c6f	091f4f3e62	0r1d45f4A	03ed1on	10.0923	hefe0T158	form0e9A36	ribu0.8836	0.898424	0.642598	0.898424	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	gaussian	C	5801c1d681	NOISE3d30	60af477edc	NOISE43ca	b4b5803a55	036821973	1A41fion	10.1322	hefe0T198	form0e9A36	ribu0.8836	0.1352	0.2198	0.1352	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	gaussian	Cbar	6352a8d233	NOISE93145	9e29611a3	NOISEB397	545dd13f0	0C7d71e130	0362b1b	1on	10.1464	hefe0T148	form0e9A36	ribu0.8836	0.854	0.582	0.854
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	salt_peppe	F	bcbdbfc282	NOISEee2f	80e957459	NOISEB08f4	6043319965	0C24d1e5A	1A973on	10.0832	hefe0T1408	form0e9A36	ribu0.886	0.094571	0.158916	0.094571	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	salt_peppe	Fbar	f9c7841750	NOISE78912	3e6a3ad1b	NOISE0815	45mcb489ad	0Cred498f3A	1A95dion	10.0923	hefe0T261	form0e9A36	ribu0.886	0.898424	0.705192	0.898424	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	salt_peppe	C	40156990b	NOISEf7f0	b6200a5c36	NOISE62a3	18dlae4312	0C7ad168a	1Aee3on	10.1322	hefe0T203	form0e9A36	ribu0.886	0.1352	0.2036	0.1352	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	salt_peppe	Cbar	5b97145b66	NOISEdccc	43f16ac37a	NOISESc	70d456766	0Crad35005	1A92435on	10.1464	hefe0T350	form0e9A36	ribu0.886	0.854	0.6404	0.854	

cell	dataset	model	setting	q	condition	metric	endpoint id	source kind	geometry	geometry label	rule	methods	noise	clean quality raw	perturbed quality raw	A0 clean	A0 perturbed	normalized clean raw	normalized perturbed raw	Qnorm clean
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	speckle	F	7318db326	NOISE1d97f69237608	NOISE1d97f69237608	NOISE1d97f69237608	1ec38604a3	15c03f4e44	7ed8	10nRol	10nRol	10nRol	10nRol	0.094571	0.126984	0.094571
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	speckle	Fbar	4ab126104	NOISE5ecb355umb307	NOISE5ecb355umb307	NOISE5ecb355umb307	18a1969791e	4c503e605c7	7ed8	10nRol	10nRol	10nRol	10nRol	0.094571	0.126984	0.094571
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	speckle	C	757180e73	NOISE2b5e4880764b3	NOISE2b5e4880764b3	NOISE2b5e4880764b3	12d0174e2a	3f533bmc5	7ed8	10nRol	10nRol	10nRol	10nRol	0.094571	0.126984	0.094571
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	speckle	Cbar	95007c2b9	NOISE376d49e8e57b2b	NOISE376d49e8e57b2b	NOISE376d49e8e57b2b	38d44e55a4	3eb735b7e	7ed8	10nRol	10nRol	10nRol	10nRol	0.094571	0.126984	0.094571
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	adversaria	F	1d0574c3a	NOISE9bb3324f62505m	NOISE9bb3324f62505m	NOISE9bb3324f62505m	1bd8465504	357d6d56A	7ed8	10nRol	10nRol	10nRol	10nRol	0.094571	0.126984	0.094571
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	adversaria	Fbar	7fd782cb69	NOISE8bde48e28600	NOISE8bde48e28600	NOISE8bde48e28600	3a385858a	6347b0f2A	7ed8	10nRol	10nRol	10nRol	10nRol	0.094571	0.126984	0.094571
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	adversaria	C	fc39f68525	NOISE722a8701c17ddc	NOISE722a8701c17ddc	NOISE722a8701c17ddc	37a5f0034ca	0b01b73A	7ed8	10nRol	10nRol	10nRol	10nRol	0.094571	0.126984	0.094571
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	adversaria	Cbar	22acd5bed	NOISE21dc28d01438	NOISE21dc28d01438	NOISE21dc28d01438	1b84d33c51	3c0036m0	7ed8	10nRol	10nRol	10nRol	10nRol	0.094571	0.126984	0.094571
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	gaussian	F	f500c956b1	NOISE5f2af47d41074b0	NOISE5f2af47d41074b0	NOISE5f2af47d41074b0	4c6ff67b9c20	378298d90	7ed8	10nRol	10nRol	10nRol	10nRol	0.094571	0.126984	0.094571
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	gaussian	Fbar	293cf4e0e5	NOISE6829184f783d0	NOISE6829184f783d0	NOISE6829184f783d0	236mce976c9	33a455fdA	7ed8	10nRol	10nRol	10nRol	10nRol	0.094571	0.126984	0.094571
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	gaussian	C	2b64b4a56	NOISE9e8549a09c3ne	NOISE9e8549a09c3ne	NOISE9e8549a09c3ne	10m603y258	4fcd800A	7ed8	10nRol	10nRol	10nRol	10nRol	0.094571	0.126984	0.094571
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	gaussian	Cbar	ac92ad147c	NOISEa60149a09c09	NOISEa60149a09c09	NOISEa60149a09c09	18b77f87e	3c83d76m0	7ed8	10nRol	10nRol	10nRol	10nRol	0.094571	0.126984	0.094571
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	salt_peppe	F	6e1029dc17	NOISE8e89ape9112a75	NOISE8e89ape9112a75	NOISE8e89ape9112a75	36e484092c63	3c55d1950A	7ed8	10nRol	10nRol	10nRol	10nRol	0.094571	0.126984	0.094571
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	salt_peppe	Fbar	e2510450b	NOISE2124ap610063e5	NOISE2124ap610063e5	NOISE2124ap610063e5	30m2995c2	33a455fdA	7ed8	10nRol	10nRol	10nRol	10nRol	0.094571	0.126984	0.094571
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	salt_peppe	C	862a2d5f03	NOISE1ba8ape9112a75	NOISE1ba8ape9112a75	NOISE1ba8ape9112a75	236mce976c9	33a455fdA	7ed8	10nRol	10nRol	10nRol	10nRol	0.094571	0.126984	0.094571
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	salt_peppe	Cbar	dfa4b9bb30	NOISE7b337e230cd7a	NOISE7b337e230cd7a	NOISE7b337e230cd7a	10m603y258	4fcd800A	7ed8	10nRol	10nRol	10nRol	10nRol	0.094571	0.126984	0.094571
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	speckle	F	27543c8330	NOISE286e8ep73c1135	NOISE286e8ep73c1135	NOISE286e8ep73c1135	2Nc027E534	18b77f87e	7ed8	10nRol	10nRol	10nRol	10nRol	0.094571	0.126984	0.094571
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	speckle	Fbar	d393c1a846	NOISE5caa2ep73c1135	NOISE5caa2ep73c1135	NOISE5caa2ep73c1135	2Nc027E534	18b77f87e	7ed8	10nRol	10nRol	10nRol	10nRol	0.094571	0.126984	0.094571
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	speckle	C	0c9a7b583f	NOISE492a28b1943d	NOISE492a28b1943d	NOISE492a28b1943d	1k2m0h335a	0f0d07adA	7ed8	10nRol	10nRol	10nRol	10nRol	0.094571	0.126984	0.094571
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	speckle	Cbar	c2268ed763	NOISE97ec719e048965	NOISE97ec719e048965	NOISE97ec719e048965	37510d59eb	60ad2d52A	7ed8	10nRol	10nRol	10nRol	10nRol	0.094571	0.126984	0.094571
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	adversaria	F	02ed0ee6f9	NOISE746239e0a5fnc	NOISE746239e0a5fnc	NOISE746239e0a5fnc	37013E4876	6c73c55f0e	7ed8	10nRol	10nRol	10nRol	10nRol	0.094571	0.126984	0.094571
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	adversaria	Fbar	7699239c34	NOISE5f5c28pa0c9f27e	NOISE5f5c28pa0c9f27e	NOISE5f5c28pa0c9f27e	2kcm885y613	03fa3b70A	7ed8	10nRol	10nRol	10nRol	10nRol	0.094571	0.126984	0.094571
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	adversaria	C	cbacc737b6	NOISE5421643c21d0	NOISE5421643c21d0	NOISE5421643c21d0	2B012E1E58	457009yde2	7ed8	10nRol	10nRol	10nRol	10nRol	0.094571	0.126984	0.094571
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	adversaria	Cbar	25796aab4b	NOISE90dfa399d2962	NOISE90dfa399d2962	NOISE90dfa399d2962	1k1m5b3768	472611a2A	7ed8	10nRol	10nRol	10nRol	10nRol	0.094571	0.126984	0.094571
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	gaussian	F	97b7b99e8f	NOISE1b2ap610063e5	NOISE1b2ap610063e5	NOISE1b2ap610063e5	10m603y258	4fcd800A	7ed8	10nRol	10nRol	10nRol	10nRol	0.094571	0.126984	0.094571

cell	dataset	model	setting	q	condition	metric	endpoint id	source kind	geometry	geometry label	rule	methods	noise	clean quality raw	perturbed quality raw	A0 clean	A0 perturbed	normalized clean raw	normalized perturbed raw	Qnorm clean
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	gaussian	Fbar	47cf503e9e7099d00f73ed01a6b3	NOISE-S57e9fd119c84285db60949208	NOISE-S57e9fd119c84285db60949208	NOISE-S57e9fd119c84285db60949208	NOISE-S57e9fd119c84285db60949208	NOISE-S57e9fd119c84285db60949208	NOISE-S57e9fd119c84285db60949208	10.0923	10.0923	10.0923	10.0923	0.899299	0.641693	0.899299
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	gaussian	C	5eb896bb880158eaba844f41a1b	NOISE-S0368ff3447d56c09877dd54025ff11	NOISE-S0368ff3447d56c09877dd54025ff11	NOISE-S0368ff3447d56c09877dd54025ff11	NOISE-S0368ff3447d56c09877dd54025ff11	NOISE-S0368ff3447d56c09877dd54025ff11	NOISE-S0368ff3447d56c09877dd54025ff11	10.0435	10.0435	10.0435	10.0435	0.1356	0.2218	0.1356
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	gaussian	Cbar	1a009f29d17015f179d864394f6d9	NOISE-S48e078d161e6cc430066240b583d11	NOISE-S48e078d161e6cc430066240b583d11	NOISE-S48e078d161e6cc430066240b583d11	NOISE-S48e078d161e6cc430066240b583d11	NOISE-S48e078d161e6cc430066240b583d11	NOISE-S48e078d161e6cc430066240b583d11	10.0442	10.0442	10.0442	10.0442	0.8558	0.5822	0.8558
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	salt_pepper	F	a9851a6fb5b015f2a803c2649287	NOISE-S90850fa5ebd8832ad1b00783ff8	NOISE-S90850fa5ebd8832ad1b00783ff8	NOISE-S90850fa5ebd8832ad1b00783ff8	NOISE-S90850fa5ebd8832ad1b00783ff8	NOISE-S90850fa5ebd8832ad1b00783ff8	NOISE-S90850fa5ebd8832ad1b00783ff8	10.0372	10.0372	10.0372	10.0372	0.095447	0.157788	0.095447
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	salt_pepper	Fbar	1d393ac36a572b5fed625ed58664b	NOISE-S193c3a69450046c76ed1e744a1461b	NOISE-S193c3a69450046c76ed1e744a1461b	NOISE-S193c3a69450046c76ed1e744a1461b	NOISE-S193c3a69450046c76ed1e744a1461b	NOISE-S193c3a69450046c76ed1e744a1461b	NOISE-S193c3a69450046c76ed1e744a1461b	10.0923	10.0923	10.0923	10.0923	0.899299	0.705192	0.899299
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	salt_pepper	C	e26d8d3c790655bcefb99e65a0ca	NOISE-S7830d00c432df67c3ad6d1b3d3e3	NOISE-S7830d00c432df67c3ad6d1b3d3e3	NOISE-S7830d00c432df67c3ad6d1b3d3e3	NOISE-S7830d00c432df67c3ad6d1b3d3e3	NOISE-S7830d00c432df67c3ad6d1b3d3e3	NOISE-S7830d00c432df67c3ad6d1b3d3e3	10.0435	10.0435	10.0435	10.0435	0.1356	0.2032	0.1356
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	salt_pepper	Cbar	0f41252ff77a068e282f67d5760d4	NOISE-S185a5a8f1084776c875064da1b	NOISE-S185a5a8f1084776c875064da1b	NOISE-S185a5a8f1084776c875064da1b	NOISE-S185a5a8f1084776c875064da1b	NOISE-S185a5a8f1084776c875064da1b	NOISE-S185a5a8f1084776c875064da1b	10.0442	10.0442	10.0442	10.0442	0.8558	0.6396	0.8558
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	speckle	F	c9140cf49d9015f1c17aped66600	NOISE-S90850fa5ebd8832ad1b00783ff8	NOISE-S90850fa5ebd8832ad1b00783ff8	NOISE-S90850fa5ebd8832ad1b00783ff8	NOISE-S90850fa5ebd8832ad1b00783ff8	NOISE-S90850fa5ebd8832ad1b00783ff8	NOISE-S90850fa5ebd8832ad1b00783ff8	10.0372	10.0372	10.0372	10.0372	0.095447	0.12478	0.095447
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	speckle	Fbar	63909013a38015f1d0456e43a6d1e	NOISE-S501888dd03d43a868228e0415m	NOISE-S501888dd03d43a868228e0415m	NOISE-S501888dd03d43a868228e0415m	NOISE-S501888dd03d43a868228e0415m	NOISE-S501888dd03d43a868228e0415m	NOISE-S501888dd03d43a868228e0415m	10.0923	10.0923	10.0923	10.0923	0.899299	0.827822	0.899299
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	speckle	C	fe22e9e44106124298af3e1c4b3a0	NOISE-S63fe35f8776b160ee19833a1548	NOISE-S63fe35f8776b160ee19833a1548	NOISE-S63fe35f8776b160ee19833a1548	NOISE-S63fe35f8776b160ee19833a1548	NOISE-S63fe35f8776b160ee19833a1548	NOISE-S63fe35f8776b160ee19833a1548	10.0435	10.0435	10.0435	10.0435	0.1356	0.158	0.1356
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	speckle	Cbar	6d5067486015f1a8092a4d91f0	NOISE-S3f37fc2a64071d471e9d1724d0	NOISE-S3f37fc2a64071d471e9d1724d0	NOISE-S3f37fc2a64071d471e9d1724d0	NOISE-S3f37fc2a64071d471e9d1724d0	NOISE-S3f37fc2a64071d471e9d1724d0	NOISE-S3f37fc2a64071d471e9d1724d0	10.0442	10.0442	10.0442	10.0442	0.8558	0.773	0.8558
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	adversarial	F	6fb4ef7bfc78015f121efeb1003e	NOISE-S50067f203422e0450b000140b3	NOISE-S50067f203422e0450b000140b3	NOISE-S50067f203422e0450b000140b3	NOISE-S50067f203422e0450b000140b3	NOISE-S50067f203422e0450b000140b3	NOISE-S50067f203422e0450b000140b3	10.0372	10.0372	10.0372	10.0372	0.095447	0.179072	0.095447
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	adversarial	Fbar	acf1fcec31c0375e04ped126da2	NOISE-S3b63fc888d34ab3750ba4576d11	NOISE-S3b63fc888d34ab3750ba4576d11	NOISE-S3b63fc888d34ab3750ba4576d11	NOISE-S3b63fc888d34ab3750ba4576d11	NOISE-S3b63fc888d34ab3750ba4576d11	NOISE-S3b63fc888d34ab3750ba4576d11	10.0923	10.0923	10.0923	10.0923	0.899299	0.676007	0.899299
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	adversarial	C	1746ab939ab015f1616ped22ad3e	NOISE-S408fc12321c5691d6603309d15n	NOISE-S408fc12321c5691d6603309d15n	NOISE-S408fc12321c5691d6603309d15n	NOISE-S408fc12321c5691d6603309d15n	NOISE-S408fc12321c5691d6603309d15n	NOISE-S408fc12321c5691d6603309d15n	10.0435	10.0435	10.0435	10.0435	0.1356	0.2258	0.1356
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	adversarial	Cbar	0c819a0229015f1504a4e01r1z5b	NOISE-S9987c4933d8c2c43a4674ba901	NOISE-S9987c4933d8c2c43a4674ba901	NOISE-S9987c4933d8c2c43a4674ba901	NOISE-S9987c4933d8c2c43a4674ba901	NOISE-S9987c4933d8c2c43a4674ba901	NOISE-S9987c4933d8c2c43a4674ba901	10.0442	10.0442	10.0442	10.0442	0.8558	0.6456	0.8558
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	gaussian	F	497e61291d015f13065b1d0d	NOISE-S2ca60160870f2c98a2192d4b020	NOISE-S2ca60160870f2c98a2192d4b020	NOISE-S2ca60160870f2c98a2192d4b020	NOISE-S2ca60160870f2c98a2192d4b020	NOISE-S2ca60160870f2c98a2192d4b020	NOISE-S2ca60160870f2c98a2192d4b020	10.0372	10.0372	10.0372	10.0372	0.094571	0.180398	0.094571
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	gaussian	Fbar	591f85f2eb87015f19b5b39296d23	NOISE-S22fdnd02871c0802ebf102e45	NOISE-S22fdnd02871c0802ebf102e45	NOISE-S22fdnd02871c0802ebf102e45	NOISE-S22fdnd02871c0802ebf102e45	NOISE-S22fdnd02871c0802ebf102e45	NOISE-S22fdnd02871c0802ebf102e45	10.0923	10.0923	10.0923	10.0923	0.898424	0.642598	0.898424
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	gaussian	C	10343dead2b015f172e0pt426bf42	NOISE-S9a9b0086fba0ad2eb45329b8n	NOISE-S9a9b0086fba0ad2eb45329b8n	NOISE-S9a9b0086fba0ad2eb45329b8n	NOISE-S9a9b0086fba0ad2eb45329b8n	NOISE-S9a9b0086fba0ad2eb45329b8n	NOISE-S9a9b0086fba0ad2eb45329b8n	10.0435	10.0435	10.0435	10.0435	0.1352	0.2198	0.1352
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	gaussian	Cbar	cc4fd84be00015f1395c75198nd68d	NOISE-S3f9cbb17abdcdd0c1b39710a9e4b8n	NOISE-S3f9cbb17abdcdd0c1b39710a9e4b8n	NOISE-S3f9cbb17abdcdd0c1b39710a9e4b8n	NOISE-S3f9cbb17abdcdd0c1b39710a9e4b8n	NOISE-S3f9cbb17abdcdd0c1b39710a9e4b8n	NOISE-S3f9cbb17abdcdd0c1b39710a9e4b8n	10.0435	10.0435	10.0435	10.0435	0.854	0.582	0.854
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	salt_pepper	F	dcb83cb627015f103d4p55m2609	NOISE-S192d50d057abeb1nf4302f3	NOISE-S192d50d057abeb1nf4302f3	NOISE-S192d50d057abeb1nf4302f3	NOISE-S192d50d057abeb1nf4302f3	NOISE-S192d50d057abeb1nf4302f3	NOISE-S192d50d057abeb1nf4302f3	10.0372	10.0372	10.0372	10.0372	0.094571	0.158916	0.094571
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	salt_pepper	Fbar	486ab259e28015f1b364ped20f7c	NOISE-S7bedb34e6c855cad4e2eb5n	NOISE-S7bedb34e6c855cad4e2eb5n	NOISE-S7bedb34e6c855cad4e2eb5n	NOISE-S7bedb34e6c855cad4e2eb5n	NOISE-S7bedb34e6c855cad4e2eb5n	NOISE-S7bedb34e6c855cad4e2eb5n	10.0923	10.0923	10.0923	10.0923	0.898424	0.705192	0.898424
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	salt_pepper	C	969e6654710015f12818q66f62e6b	NOISE-S487092ffdd034d228fd1nf5A86	NOISE-S487092ffdd034d228fd1nf5A86	NOISE-S487092ffdd034d228fd1nf5A86	NOISE-S487092ffdd034d228fd1nf5A86	NOISE-S487092ffdd034d228fd1nf5A86	NOISE-S487092ffdd034d228fd1nf5A86	10.0435	10.0435	10.0435	10.0435	0.1352	0.2036	0.1352
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	salt_pepper	Cbar	5e8c2d55960015f18263p1a1835d19	NOISE-S72235a345bd26ad1nf100pbb11n	NOISE-S72235a345bd26ad1nf100pbb11n	NOISE-S72235a345bd26ad1nf100pbb11n	NOISE-S72235a345bd26ad1nf100pbb11n	NOISE-S72235a345bd26ad1nf100pbb11n	NOISE-S72235a345bd26ad1nf100pbb11n	10.0435	10.0435	10.0435	10.0435	0.854	0.6404	0.854
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	speckle	F	50497160a35015f183E73b3p1a660ad	NOISE-Sa10fddbf31c75d1nf1A86	NOISE-Sa10fddbf31c75d1nf1A86	NOISE-Sa10fddbf31c75d1nf1A86	NOISE-Sa10fddbf31c75d1nf1A86	NOISE-Sa10fddbf31c75d1nf1A86	NOISE-Sa10fddbf31c75d1nf1A86	10.0372	10.0372	10.0372	10.0372	0.094571	0.126984	0.094571
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	speckle	Fbar	15c2527a5e0015f125b1d2602da	NOISE-S75fca1d33dbf30e0d1306a1654	NOISE-S75fca1d33dbf30e0d1306a1654	NOISE-S75fca1d33dbf30e0d1306a1654	NOISE-S75fca1d33dbf30e0d1306a1654	NOISE-S75fca1d33dbf30e0d1306a1654	NOISE-S75fca1d33dbf30e0d1306a1654	10.0923	10.0923	10.0923	10.0923	0.898424	0.829806	0.898424

cell	dataset	model	setting	q	condition	metric	endpoint id	source kind	geometry	geometry label	rule	methods	noise	clean quality raw	perturbed quality raw	A0 clean	A0 perturbed	normalized clean raw	normalized perturbed raw	Qnorm clean
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	speckle	C	cee5bb478	NOISE201d	9146457	NOISE535	aculib882d	Cad10eA7	be946nRo	10.01362	hefe0T604	form0e9A36	ibu0.9972	0.1352	0.1604	0.1352
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	speckle	Cbar	82dcf2c05b	NOISE777b	868e80cbe	NOISE637	5a3821e52fc7	Cad10eA7	be946nRo	10.01362	hefe0T604	form0e9A36	ibu0.9972	0.854	0.773	0.854
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	adversaria	F	6de25823ff	NOISE0ab9	934b580a3	NOISE625	8210142033	Cad10eA7	be946nRo	10.01362	hefe0T604	form0e9A36	ibu0.9136	0.094571	0.177758	0.094571
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	adversaria	Fbar	d6a3b07a24	NOISE1028d	401b1a1526	NOISE653	8ech1d0518b	Cad10eA7	be946nRo	10.01362	hefe0T604	form0e9A36	ibu0.9136	0.898424	0.675788	0.898424
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	adversaria	C	5c4a4391e7	NOISE5902	5fca7f1a4	NOISE54c3	95892fcaec	Cad10eA7	be946nRo	10.01362	hefe0T604	form0e9A36	ibu0.9136	0.1352	0.2262	0.1352
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	adversaria	Cbar	7f7eb04373	NOISE5b0b	29f7a18a0	NOISE18b6	8cd1b152672	Cad10eA7	be946nRo	10.01362	hefe0T604	form0e9A36	ibu0.9136	0.854	0.6444	0.854
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	gaussian	F	71d090623	NOISE82f7	4eb6b548975	NOISE458	9th36caug2	Cad10eA7	be946nRo	10.01362	hefe0T604	form0e9A36	ibu0.8830	0.1660342	0.176777	0.080342
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	gaussian	Fbar	39a42675cc	NOISE8f662	6eb4d01f2ed	NOISE426	6a01d8a39	Cad10eA7	be946nRo	10.01362	hefe0T604	form0e9A36	ibu0.8830	0.627433	0.893827	0.893827
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	gaussian	C	a459e32a7a	NOISE5a01	37ad189a4c	NOISE946	9ia776886	Cad10eA7	be946nRo	10.01362	hefe0T604	form0e9A36	ibu0.8830	0.2278	0.1198	0.1198
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	gaussian	Cbar	ff3e0c2993	NOISE5e23	1d55871f5cf	NOISE958d	461091e13gt	Cad10eA7	be946nRo	10.01362	hefe0T604	form0e9A36	ibu0.8830	0.5724	0.8522	0.8522
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	salt_peppe	F	4b232dd18	NOISE94b1	1eac5d586ba	NOISE4K5	1chapplehog	Cad10eA7	be946nRo	10.01362	hefe0T604	form0e9A36	ibu0.8830	0.160045	0.080342	0.080342
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	salt_peppe	Fbar	84a4fa9cb2	NOISE26cc	72747d689d	NOISE5K8	8d01f1a7gt	Cad10eA7	be946nRo	10.01362	hefe0T604	form0e9A36	ibu0.8830	0.694357	0.893827	0.893827
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	salt_peppe	C	5fe1950629	NOISE57bb	388d82fd56	NOISE2Ked	8id7b7885	Cad10eA7	be946nRo	10.01362	hefe0T604	form0e9A36	ibu0.8830	0.2134	0.1198	0.1198
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	salt_peppe	Cbar	1d5867bb4	NOISE1cc	9047hd1a7d	NOISE4K7	1d01p1ee33	Cad10eA7	be946nRo	10.01362	hefe0T604	form0e9A36	ibu0.8830	0.6322	0.8522	0.8522
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	speckle	F	cfcec80dde	NOISE1f1ce	1bed185e1	NOISE4K0	15a391e05	Cad10eA7	be946nRo	10.01362	hefe0T604	form0e9A36	ibu0.9972	0.114638	0.080342	0.080342
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	speckle	Fbar	70e9af10f1	NOISEb64	11a1d1d60	NOISE1Kc	601a1f36a9d	Cad10eA7	be946nRo	10.01362	hefe0T604	form0e9A36	ibu0.9972	0.830467	0.893827	0.893827
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	speckle	C	d7850a421	NOISE9b9c	40b891b25a	NOISE6K1	1a1021a7gt	Cad10eA7	be946nRo	10.01362	hefe0T604	form0e9A36	ibu0.9972	0.152	0.1198	0.1198
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	speckle	Cbar	3568fcc75	NOISE52c1	945d1d10e	NOISE5Kae	70391f6069	Cad10eA7	be946nRo	10.01362	hefe0T604	form0e9A36	ibu0.9972	0.776	0.8522	0.8522
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	adversaria	F	f70c08d3e2	NOISE3d0c	1e1eb15122	NOISE49c	7727dabv2	Cad10eA7	be946nRo	10.01362	hefe0T604	form0e9A36	ibu0.9136	0.162653	0.080342	0.080342
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	adversaria	Fbar	b2221aa19	NOISE0eaa	16f14b1456	NOISE2Kfe	6a1f1e4395	Cad10eA7	be946nRo	10.01362	hefe0T604	form0e9A36	ibu0.9136	0.675788	0.893827	0.893827
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	adversaria	C	99f6116f51	NOISE207ec	1eac1d1caed	NOISE7Kac	55659e4a3	Cad10eA7	be946nRo	10.01362	hefe0T604	form0e9A36	ibu0.9136	0.2126	0.1198	0.1198
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	adversaria	Cbar	926cb21b3	NOISE213e	706d3f1582	NOISE2K73	11006ae330	Cad10eA7	be946nRo	10.01362	hefe0T604	form0e9A36	ibu0.9136	0.6484	0.8522	0.8522
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	gaussian	F	236ddb41a	NOISE152d	446da16fcd	NOISE4K0	1832d6322d	Cad10eA7	be946nRo	10.01362	hefe0T604	form0e9A36	ibu0.8830	0.147352	0.055385	0.055385
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	gaussian	Fbar	debb1fd9f9	NOISE59e6	1cd1f12143	NOISE7Ka	9b6ddc56b9	Cad10eA7	be946nRo	10.01362	hefe0T604	form0e9A36	ibu0.8830	0.598234	0.887697	0.887697
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	gaussian	C	a9bdce7678	NOISE1f1a6	1eac1d1caed	NOISE7Kac	55659e4a3	Cad10eA7	be946nRo	10.01362	hefe0T604	form0e9A36	ibu0.8830	0.1978	0.0956	0.0956

cell	dataset	model	setting	q	condition	metric	endpoint id	source kind	geometry	geometry label	rule	methods	noise	clean quality raw	perturbed quality raw	A0 clean	A0 perturbed	normalized clean raw	normalized perturbed raw	Qnorm clean
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	adversaria	F	83683865b	NOISEdb74245d18083	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	10.09474	10.09474	10.09474	10.09474	0.695665	0.179947	0.095665
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	adversaria	Fbar	398d3c141e	NOISEb87c1e236d1594	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	10.09474	10.09474	10.09474	10.09474	0.696454	0.669877	0.896454
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	adversaria	C	165c4f22c5	NOISEb447804ad7764	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	10.09474	10.09474	10.09474	10.09474	0.691362	0.2288	0.1362
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	adversaria	Cbar	64734a3466	NOISEb779425d0fcb	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	10.09474	10.09474	10.09474	10.09474	0.691362	0.6372	0.8536
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	gaussian	F	93e19059d	NOISEb0841675a114ed	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	10.09474	10.09474	10.09474	10.09474	0.691362	0.174513	0.079466
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	gaussian	Fbar	a5aafeb6c8	NOISEb91d9edd1d3c3	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	10.09474	10.09474	10.09474	10.09474	0.691362	0.637845	0.894921
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	gaussian	C	0596c3b02	NOISEb9954d5f567ab5	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	10.09474	10.09474	10.09474	10.09474	0.691362	0.2258	0.123
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	gaussian	Cbar	ddc3b9af02	NOISEb7bfbd474b881	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	10.09474	10.09474	10.09474	10.09474	0.691362	0.5802	0.8532
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	salt_peppe	F	ec61d7e2ea	NOISEb27c35edd467b	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	10.09474	10.09474	10.09474	10.09474	0.691362	0.158691	0.079466
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	salt_peppe	Fbar	9f42a211bb	NOISEb2833d83d41b83	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	10.09474	10.09474	10.09474	10.09474	0.691362	0.715801	0.894921
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	salt_peppe	C	0628c6fe69	NOISEb1f4b3b08d4518	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	10.09474	10.09474	10.09474	10.09474	0.691362	0.2088	0.123
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	salt_peppe	Cbar	0c3f5df229	NOISEb533f50478f1aa6	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	10.09474	10.09474	10.09474	10.09474	0.691362	0.6482	0.8532
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	speckle	F	f0231a11d1	NOISEb2bd3ffcc011a9eb	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	10.09474	10.09474	10.09474	10.09474	0.691362	0.113977	0.079466
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	speckle	Fbar	f7fb31005d	NOISEb7f66d0514822	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	10.09474	10.09474	10.09474	10.09474	0.691362	0.839727	0.894921
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	speckle	C	6181820e18	NOISEb408a7ed32b691e	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	10.09474	10.09474	10.09474	10.09474	0.691362	0.151	0.123
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	speckle	Cbar	36291d92a2	NOISEb3ee530a2f4043d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	10.09474	10.09474	10.09474	10.09474	0.691362	0.7824	0.8532
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	adversaria	F	431f6eb709	NOISEb2fe12ed2a0b146	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	10.09474	10.09474	10.09474	10.09474	0.691362	0.173599	0.079466
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	adversaria	Fbar	8611675f13	NOISEb87a98dddb29c	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	10.09474	10.09474	10.09474	10.09474	0.691362	0.673599	0.894921
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	adversaria	C	9103ff371e	NOISEb16448d19f58f5	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	10.09474	10.09474	10.09474	10.09474	0.691362	0.2254	0.123
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	adversaria	Cbar	8ee35b42a0	NOISEb9fa4744eddefd2	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	10.09474	10.09474	10.09474	10.09474	0.691362	0.6468	0.8532
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	gaussian	F	6192d0b9ec	NOISEb372b1e1d11c5f8	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	10.09474	10.09474	10.09474	10.09474	0.691362	0.170439	0.083625
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	gaussian	Fbar	5ffbcd78c3	NOISEb5d75849d4f6f5	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	10.09474	10.09474	10.09474	10.09474	0.691362	0.622454	0.892951
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	gaussian	C	7d4f265acd	NOISEb560a289d5114ed	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	10.09474	10.09474	10.09474	10.09474	0.691362	0.2212	0.125
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	gaussian	Cbar	0c36baed43	NOISEb0943f5d96cd71	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	10.09474	10.09474	10.09474	10.09474	0.691362	0.5652	0.8516
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-K	3	salt_peppe	F	05a10bccce	NOISEb2dd7e7f5d4e57	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	NOISEbKa9Bem44576d	10.09474	10.09474	10.09474	10.09474	0.691362	0.156208	0.083625

[illegible]

cell	dataset	model	setting	q	condition	metric	endpoint id	source kind	geometry	geometry label	rule	methods	noise	clean quality raw	perturbed quality raw	A0 clean	A0 perturbed	normalized clean raw	normalized perturbed raw	Qnorm clean
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	adversaria	C	9c46513c8	NAIVE	0cac2be0c9e83fe92a9af60	adversaria	adversaria	39d1b746	39d1b746	0.0182	0.0182	0.96	0.96	0.9530	0.9530	0.82
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	adversaria	Cbar	047f6e7af1	NAIVE	25d432fb281cca087206ee462452	adversaria	adversaria	92a50c7b	92a50c7b	0.0174	0.0174	0.96	0.96	0.9530	0.9530	0.82
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	gaussian	F	d42b2feeb5	NAIVE	1e46e997910a59e5c12ef6fad	gaussian	gaussian	98c8e3d9	98c8e3d9	0.0178	0.0178	0.96	0.96	0.9530	0.9530	0.82
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	gaussian	Fbar	2dd483e94	NAIVE	06158d64cba8bdf6430b112b8e3ab4eb	gaussian	gaussian	94b5a6c9	94b5a6c9	0.0225	0.0225	0.96	0.96	0.9530	0.9530	0.82
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	gaussian	C	b99ac91a9	NAIVE	7dc5b2f003ea410455a70712b1cd579d62	gaussian	gaussian	5176554b	5176554b	0.0302	0.0302	0.96	0.96	0.9530	0.9530	0.82
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	gaussian	Cbar	1f2cf08042	NAIVE	729108fbbba35e7cfce7b525c0843B87e63	gaussian	gaussian	96b6f7c	96b6f7c	0.0236	0.0236	0.96	0.96	0.9530	0.9530	0.82
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	salt_peppe	F	c40f8f8198	NAIVE	3732baccef25dc2931014a65464	salt_peppe	salt_peppe	81fbd6b0	81fbd6b0	0.0178	0.0178	0.96	0.96	0.9530	0.9530	0.82
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	salt_peppe	Fbar	da413b071	NAIVE	5084da5a99aa069611942377	salt_peppe	salt_peppe	82b0d5b1	82b0d5b1	0.0225	0.0225	0.96	0.96	0.9530	0.9530	0.82
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	salt_peppe	C	a58339684	NAIVE	5b6e8e564d6d7350ba01be44767d7c3e1	salt_peppe	salt_peppe	0d8b136c	0d8b136c	0.0302	0.0302	0.96	0.96	0.9530	0.9530	0.82
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	salt_peppe	Cbar	c740aa548	NAIVE	303Bcd39e122f3e972353b5e5efb	salt_peppe	salt_peppe	34b31875	34b31875	0.0236	0.0236	0.96	0.96	0.9530	0.9530	0.82
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	speckle	F	027dcc6c06	NAIVE	41785b19985ba8fb12eddc6	speckle	speckle	41785b56	41785b56	0.0178	0.0178	0.96	0.96	0.9530	0.9530	0.82
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	speckle	Fbar	54f21c5eb4	NAIVE	7Eadd2a58750900257da013	speckle	speckle	082265	082265	0.0225	0.0225	0.96	0.96	0.9530	0.9530	0.82
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	speckle	C	4d7020cd9b	NAIVE	52573aef70aa435b0369499e	speckle	speckle	52b71eb	52b71eb	0.0302	0.0302	0.96	0.96	0.9530	0.9530	0.82
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	speckle	Cbar	d9757877b	NAIVE	081c870761552894a2b74d9	speckle	speckle	9169fca	9169fca	0.0236	0.0236	0.96	0.96	0.9530	0.9530	0.82
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	adversaria	F	93897af749	NAIVE	92efb44f90a12ceb2aac043db	adversaria	adversaria	17db676a	17db676a	0.0178	0.0178	0.96	0.96	0.9530	0.9530	0.82
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	adversaria	Fbar	05e16f2489	NAIVE	498a7c21c076951d70edeeda	adversaria	adversaria	30d6c0fd	30d6c0fd	0.0225	0.0225	0.96	0.96	0.9530	0.9530	0.82
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	adversaria	C	8558a029ce	NAIVE	aeef1f39a21380ef643aa7dc	adversaria	adversaria	30d6c0b74	30d6c0b74	0.0302	0.0302	0.96	0.96	0.9530	0.9530	0.82
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	adversaria	Cbar	248b2958c5	NAIVE	02ce0d67f011e296301ec3c19	adversaria	adversaria	5d4c066	5d4c066	0.0236	0.0236	0.96	0.96	0.9530	0.9530	0.82
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	gaussian	F	60b0394fd4	NAIVE	200c3bb07a771c4be0abc6e9	gaussian	gaussian	899d147b	899d147b	0.0182	0.0182	0.96	0.96	0.9530	0.9530	0.82
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	gaussian	Fbar	71bcc31d5	NAIVE	0a0ab49927be7f1c5f935fd9	gaussian	gaussian	82590ea9	82590ea9	0.0258	0.0258	0.96	0.96	0.9530	0.9530	0.82
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	gaussian	C	746fb9f34e	NAIVE	1360c0d547b9d05ac16f9c	gaussian	gaussian	82c2893ac5	82c2893ac5	0.0356	0.0356	0.96	0.96	0.9530	0.9530	0.82
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	gaussian	Cbar	10901975ba	NAIVE	2227c1e516e197e2c8d38bb	gaussian	gaussian	3f6f6c5c	3f6f6c5c	0.0318	0.0318	0.96	0.96	0.9530	0.9530	0.82
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	salt_peppe	F	d85773078	NAIVE	072d11a15479daf096714735	salt_peppe	salt_peppe	070e75ac4	070e75ac4	0.0182	0.0182	0.96	0.96	0.9530	0.9530	0.82
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	salt_peppe	Fbar	7cefba2be0	NAIVE	007e33325dcbdc55796ff6	salt_peppe	salt_peppe	2b7bcb9b93	2b7bcb9b93	0.0258	0.0258	0.96	0.96	0.9530	0.9530	0.82
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	salt_peppe	C	d3f6fcad83	NAIVE	ea97c942c9469f66c093c6d7	salt_peppe	salt_peppe	047e709a1d	047e709a1d	0.0356	0.0356	0.96	0.96	0.9530	0.9530	0.82

cell	dataset	model	setting	q	condition	metric	endpoint id	source kind	geometry	geometry label	rule	methods	noise	clean quality raw	perturbed quality raw	A0 clean	A0 perturbed	normalized clean raw	normalized perturbed raw	Qnorm clean	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	salt_pepper	Cbar	cba0e9d52b92807f5e932c42f17226b	18d9a6a4368155a40e341279f722b02X	Gradient	0.318	0.4762	0.9316	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	TransformerAttribution PartialLRP FullLRP
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	speckle	F	f77fabab25d8717b1fde813cd34ef17ba928dcb2748e178a19909d1b917X	Gradient	0.318	0.4762	0.9316	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	TransformerAttribution PartialLRP FullLRP
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	speckle	Fbar	88cac0cb1f7b1fde813cd34ef17ba928dcb2748e178a19909d1b917X	Gradient	0.318	0.4762	0.9316	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	TransformerAttribution PartialLRP FullLRP
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	speckle	C	927d77386b1f7b1fde813cd34ef17ba928dcb2748e178a19909d1b917X	Gradient	0.318	0.4762	0.9316	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	TransformerAttribution PartialLRP FullLRP
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	speckle	Cbar	baacc383c7b1f7b1fde813cd34ef17ba928dcb2748e178a19909d1b917X	Gradient	0.318	0.4762	0.9316	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	TransformerAttribution PartialLRP FullLRP
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	adversarial	F	8cedbaf598b1f7b1fde813cd34ef17ba928dcb2748e178a19909d1b917X	Gradient	0.318	0.4762	0.9316	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	TransformerAttribution PartialLRP FullLRP
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	adversarial	Fbar	39949fa6d4b1f7b1fde813cd34ef17ba928dcb2748e178a19909d1b917X	Gradient	0.318	0.4762	0.9316	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	TransformerAttribution PartialLRP FullLRP
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	adversarial	C	4660ee1f62b1f7b1fde813cd34ef17ba928dcb2748e178a19909d1b917X	Gradient	0.318	0.4762	0.9316	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	TransformerAttribution PartialLRP FullLRP
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	adversarial	Cbar	77fde21f3fe1f7b1fde813cd34ef17ba928dcb2748e178a19909d1b917X	Gradient	0.318	0.4762	0.9316	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	TransformerAttribution PartialLRP FullLRP
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	gaussian	F	0eb4b26a27b1f7b1fde813cd34ef17ba928dcb2748e178a19909d1b917X	Gradient	0.318	0.4762	0.9316	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	TransformerAttribution PartialLRP FullLRP
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	gaussian	Fbar	c4e63ef06c1f7b1fde813cd34ef17ba928dcb2748e178a19909d1b917X	Gradient	0.318	0.4762	0.9316	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	TransformerAttribution PartialLRP FullLRP
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	gaussian	C	bc2ba1773b1f7b1fde813cd34ef17ba928dcb2748e178a19909d1b917X	Gradient	0.318	0.4762	0.9316	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	TransformerAttribution PartialLRP FullLRP
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	gaussian	Cbar	e4b549a761b1f7b1fde813cd34ef17ba928dcb2748e178a19909d1b917X	Gradient	0.318	0.4762	0.9316	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	TransformerAttribution PartialLRP FullLRP
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	salt_pepper	F	ffaa0f96f4b1f7b1fde813cd34ef17ba928dcb2748e178a19909d1b917X	Gradient	0.318	0.4762	0.9316	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	TransformerAttribution PartialLRP FullLRP
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	salt_pepper	Fbar	f94e909f57b1f7b1fde813cd34ef17ba928dcb2748e178a19909d1b917X	Gradient	0.318	0.4762	0.9316	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	TransformerAttribution PartialLRP FullLRP
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	salt_pepper	C	bbf677ef48b1f7b1fde813cd34ef17ba928dcb2748e178a19909d1b917X	Gradient	0.318	0.4762	0.9316	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	TransformerAttribution PartialLRP FullLRP
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	salt_pepper	Cbar	de6a52734b1f7b1fde813cd34ef17ba928dcb2748e178a19909d1b917X	Gradient	0.318	0.4762	0.9316	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	TransformerAttribution PartialLRP FullLRP
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	speckle	F	370c34ac7db1f7b1fde813cd34ef17ba928dcb2748e178a19909d1b917X	Gradient	0.318	0.4762	0.9316	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	TransformerAttribution PartialLRP FullLRP
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	speckle	Fbar	50a6732e7db1f7b1fde813cd34ef17ba928dcb2748e178a19909d1b917X	Gradient	0.318	0.4762	0.9316	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	TransformerAttribution PartialLRP FullLRP
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	speckle	C	93ab0897b1f7b1fde813cd34ef17ba928dcb2748e178a19909d1b917X	Gradient	0.318	0.4762	0.9316	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	TransformerAttribution PartialLRP FullLRP
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	speckle	Cbar	fe4572d326b1f7b1fde813cd34ef17ba928dcb2748e178a19909d1b917X	Gradient	0.318	0.4762	0.9316	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	TransformerAttribution PartialLRP FullLRP
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	adversarial	F	54b56f674db1f7b1fde813cd34ef17ba928dcb2748e178a19909d1b917X	Gradient	0.318	0.4762	0.9316	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	TransformerAttribution PartialLRP FullLRP
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	adversarial	Fbar	55dcc2a2ecb1f7b1fde813cd34ef17ba928dcb2748e178a19909d1b917X	Gradient	0.318	0.4762	0.9316	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	TransformerAttribution PartialLRP FullLRP
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	adversarial	C	5afdc429fb1f7b1fde813cd34ef17ba928dcb2748e178a19909d1b917X	Gradient	0.318	0.4762	0.9316	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	TransformerAttribution PartialLRP FullLRP
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	adversarial	Cbar	cbd633a269b1f7b1fde813cd34ef17ba928dcb2748e178a19909d1b917X	Gradient	0.318	0.4762	0.9316	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	TransformerAttribution PartialLRP FullLRP

cell	dataset	model	setting	q	condition	metric	endpoint id	source kind	geometry	geometry label	rule	methods	noise	clean quality raw	perturbed quality raw	A0 clean	A0 perturbed	normalized clean raw	normalized perturbed raw	Qnorm clean	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	gaussian	F	effd3bace1	07418E9fc5	532cedd9e	8732e342c4	55b6d7e1fe	5d10045b3a	99XGradient	0.01488	0.0133	0.99136	0.9830	0.053455n	0.052783n	0.038445	TransformerAttribution PartialLRP FullLRP
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	gaussian	Fbar	3aae126b10	09210Bc37a	6be44fce1d	20643b752	2a156cbe25	5d10045b3a	99XGradient	0.02386	0.0406	0.99136	0.9830	0.0741208n	0.0511195n	0.038808	TransformerAttribution PartialLRP FullLRP
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	gaussian	C	65958bb02e	0e45E12c46	ee12e638908	7230ff73d837e24b	3889e02e1b	99XGradient	0.01348	0.0203	0.99136	0.9830	0.06848n	0.042034n	0.03848r	TransformerAttribution PartialLRP FullLRP	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	gaussian	Cbar	91c964f0d5	0e45E12c46	ee12e637f7e5	768757dfda2bfb	882340c8adbf60	99XGradient	0.02966	0.0507	0.99136	0.9830	0.07034on	0.049222Shap	0.03888r	TransformerAttribution PartialLRP FullLRP	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	salt_peppe	F	ca6a22bfac	0e45E12c55	d0ec8ff407908	8aef43855d42	825c9912091	99XGradient	0.01488	0.0420	0.99136	0.9830	0.053455n	0.049496Shap	0.038445	TransformerAttribution PartialLRP FullLRP	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	salt_peppe	Fbar	5658f3ba9d	0e45E12c29	186ad5f304bae	367b93e6bf83	898a9d189d	99XGradient	0.02386	0.0568	0.99136	0.9830	0.0741208n	0.049842Shap	0.038808	TransformerAttribution PartialLRP FullLRP	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	salt_peppe	C	58dd951a50	0e45E12c11	7b84bf994657	36af2fd25d971e	0c3d73715d485	99XGradient	0.01348	0.0406	0.99136	0.9830	0.06848n	0.041666Shap	0.03848r	TransformerAttribution PartialLRP FullLRP	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	salt_peppe	Cbar	097a74c675	0e45E12c600	1762dda0fb55	8b2237445f0a	00c69f332284	99XGradient	0.02966	0.0562	0.99136	0.9830	0.07034on	0.045448Shap	0.03888r	TransformerAttribution PartialLRP FullLRP	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	speckle	F	fb93df84d8	07418E9f25	7b82ef77c2ff	e91f67b8b28	0e0a38198b93	99XGradient	0.01488	0.0403	0.99136	0.9830	0.053455n	0.0499416Shap	0.038445	TransformerAttribution PartialLRP FullLRP	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	speckle	Fbar	a0e417f5ad	07418E9f25	7b3192f4895ed	6f9a7d7a7ab1	157714e9743	99XGradient	0.02386	0.0403	0.99136	0.9830	0.0741208n	0.049113Shap	0.038808	TransformerAttribution PartialLRP FullLRP	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	speckle	C	1a8b28cad8	0e45E12c5d	1db2daf2e7f8	43e681a23a	0e005a0381f6	99XGradient	0.01348	0.0426	0.99136	0.9830	0.06848n	0.041258Shap	0.03848r	TransformerAttribution PartialLRP FullLRP	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	speckle	Cbar	51b42a0a60	0e45E12c20	f4a6f8efebd6	7d750ecb11	0b671md8a3	99XGradient	0.02966	0.0502	0.99136	0.9830	0.07034on	0.046174Shap	0.03888r	TransformerAttribution PartialLRP FullLRP	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	adversaria	F	12b75fd2ab	0e45E12c1f	224de419b6f	4dd7e4b1f6	0e0bb644ebb6	99XGradient	0.01488	0.0420	0.99136	0.9830	0.053455n	0.043222Shap	0.038445	TransformerAttribution PartialLRP FullLRP	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	adversaria	Fbar	919e8c8a6e	07418E9f25	2acd1caec4c8	9f9d2d8173	edfhd0fb6e	99XGradient	0.02386	0.0406	0.99136	0.9830	0.0741208n	0.046620Shap	0.038808	TransformerAttribution PartialLRP FullLRP	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	adversaria	C	4df417d9dd	0e45E12c7d	9fcf865a580a	4dde272535	4c1f83f3c3	99XGradient	0.01348	0.0476	0.99136	0.9830	0.06848n	0.047552Shap	0.03848r	TransformerAttribution PartialLRP FullLRP	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NAIVE q=11	11	adversaria	Cbar	cc0f049bec	0e45E12c0d	29db31c9ec6a	004c0fae	0e04b7955	99XGradient	0.02966	0.0568	0.99136	0.9830	0.07034on	0.046116Shap	0.03888r	TransformerAttribution PartialLRP FullLRP	

Table 114: ImageNet–ViT-B/16 results.

cell	dataset	model	setting	q	condition	metric	Qnorm perturbed	A	Q	Q raw	G	clean clipped	perturbed clipped	retention capped	zero clean boundary
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	gaussian	F	0.172476	0.172476	1	1.849463	0.415303	False	False	True	False
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	gaussian	Fbar	0.64124	0.64124	0.717059	0.717059	0.678091	False	False	False	False
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	gaussian	C	0.2146	0.2146	1	1.625758	0.463249	False	False	True	False
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	gaussian	Cbar	0.5798	0.5798	0.680836	0.680836	0.62829	False	False	False	False
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	salt_pepper	F	0.158014	0.158014	1	1.69438	0.397509	False	False	True	False
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	salt_pepper	Fbar	0.69842	0.69842	0.780999	0.780999	0.738556	False	False	False	False
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	salt_pepper	C	0.2034	0.2034	1	1.540909	0.450999	False	False	True	False
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	salt_pepper	Cbar	0.6324	0.6324	0.742602	0.742602	0.685289	False	False	False	False
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	speckle	F	0.119709	0.119709	1	1.28364	0.34599	False	False	True	False
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	speckle	Fbar	0.823413	0.823413	0.920771	0.920771	0.870732	False	False	False	False
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	speckle	C	0.1534	0.1534	1	1.162121	0.391663	False	False	True	False
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	speckle	Cbar	0.7698	0.7698	0.903946	0.903946	0.834181	False	False	False	False
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	adversarial	F	0.177758	0.177758	1	1.906103	0.421614	False	False	True	False
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	adversarial	Fbar	0.677539	0.677539	0.75765	0.75765	0.716476	False	False	False	False
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	adversarial	C	0.2254	0.2254	1	1.707576	0.474763	False	False	True	False
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	adversarial	Cbar	0.6464	0.6464	0.759042	0.759042	0.70046	False	False	False	False
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	gaussian	F	0.180398	0.180398	1	1.907546	0.424733	False	False	True	False
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	gaussian	Fbar	0.642598	0.642598	0.715251	0.715251	0.677952	False	False	False	False
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	gaussian	C	0.2198	0.2198	1	1.62574	0.468828	False	False	True	False
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	gaussian	Cbar	0.582	0.582	0.681499	0.681499	0.629788	False	False	False	False
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	salt_pepper	F	0.158916	0.158916	1	1.680395	0.398643	False	False	True	False
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	salt_pepper	Fbar	0.705192	0.705192	0.784921	0.784921	0.743989	False	False	False	False
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	salt_pepper	C	0.2036	0.2036	1	1.505917	0.451221	False	False	True	False
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	salt_pepper	Cbar	0.6404	0.6404	0.749883	0.749883	0.692983	False	False	False	False
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	NOISE-S	2	speckle	F	0.126984	0.126984	1	1.34274	0.356348	False	False	True	False

cell	dataset	model	setting	q	condition	metric	Qnorm perturbed	A	Q	Q raw	G	clean clipped	perturbed clipped	retention capped	zero clean boundary
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	Fbar	0.829806	0.829806	0.923624	0.923624	0.875459	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	C	0.1604	0.1604	1	1.186391	0.4005	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	Cbar	0.773	0.773	0.905152	0.905152	0.83647	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	F	0.177758	0.177758	1	1.87963	0.421614	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	Fbar	0.675788	0.675788	0.752193	0.752193	0.712968	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	C	0.2262	0.2262	1	1.673077	0.475605	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	Cbar	0.6444	0.6444	0.754567	0.754567	0.697311	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	gaussian	F	0.180398	0.180398	1	1.907546	0.424733	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	gaussian	Fbar	0.642598	0.642598	0.715251	0.715251	0.677952	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	gaussian	C	0.2198	0.2198	1	1.62574	0.468828	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	gaussian	Cbar	0.582	0.582	0.681499	0.681499	0.629788	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	salt_peppe	F	0.158916	0.158916	1	1.680395	0.398643	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	salt_peppe	Fbar	0.705192	0.705192	0.784921	0.784921	0.743989	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	salt_peppe	C	0.2036	0.2036	1	1.505917	0.451221	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	salt_peppe	Cbar	0.6404	0.6404	0.749883	0.749883	0.692983	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	F	0.126984	0.126984	1	1.34274	0.356348	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	Fbar	0.829806	0.829806	0.923624	0.923624	0.875459	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	C	0.1604	0.1604	1	1.186391	0.4005	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	Cbar	0.773	0.773	0.905152	0.905152	0.83647	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	F	0.177758	0.177758	1	1.87963	0.421614	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	Fbar	0.675788	0.675788	0.752193	0.752193	0.712968	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	C	0.2262	0.2262	1	1.673077	0.475605	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	Cbar	0.6444	0.6444	0.754567	0.754567	0.697311	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	gaussian	F	0.181983	0.181983	1	1.906645	0.426594	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	gaussian	Fbar	0.641693	0.641693	0.713548	0.713548	0.676667	False	False	False	False

cell	dataset	model	setting	q	condition	metric	Qnorm perturbed	A	Q	Q raw	G	clean clipped	perturbed clipped	retention capped	zero clean boundary
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	gaussian	C	0.2218	0.2218	1	1.635693	0.470956	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	gaussian	Cbar	0.5822	0.5822	0.680299	0.680299	0.629341	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	salt_pepper	F	0.157788	0.157788	1	1.653153	0.397225	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	salt_pepper	Fbar	0.705192	0.705192	0.784157	0.784157	0.743627	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	salt_pepper	C	0.2032	0.2032	1	1.498525	0.450777	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	salt_pepper	Cbar	0.6396	0.6396	0.747371	0.747371	0.691389	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	F	0.12478	0.12478	1	1.307323	0.353241	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	Fbar	0.827822	0.827822	0.920519	0.920519	0.872941	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	C	0.158	0.158	1	1.165192	0.397492	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	Cbar	0.773	0.773	0.903248	0.903248	0.83559	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversarial	F	0.179072	0.179072	1	1.876147	0.423169	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversarial	Fbar	0.676007	0.676007	0.751704	0.751704	0.712851	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversarial	C	0.2258	0.2258	1	1.665192	0.475184	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversarial	Cbar	0.6456	0.6456	0.754382	0.754382	0.697875	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	gaussian	F	0.180398	0.180398	1	1.907546	0.424733	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	gaussian	Fbar	0.642598	0.642598	0.715251	0.715251	0.677952	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	gaussian	C	0.2198	0.2198	1	1.62574	0.468828	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	gaussian	Cbar	0.582	0.582	0.681499	0.681499	0.629788	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	salt_pepper	F	0.158916	0.158916	1	1.680395	0.398643	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	salt_pepper	Fbar	0.705192	0.705192	0.784921	0.784921	0.743989	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	salt_pepper	C	0.2036	0.2036	1	1.505917	0.451221	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	salt_pepper	Cbar	0.6404	0.6404	0.749883	0.749883	0.692983	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	F	0.126984	0.126984	1	1.34274	0.356348	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	Fbar	0.829806	0.829806	0.923624	0.923624	0.875459	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	C	0.1604	0.1604	1	1.186391	0.4005	False	False	True	False

cell	dataset	model	setting	q	condition	metric	Qnorm perturbed	A	Q	Q raw	G	clean clipped	perturbed clipped	retention capped	zero clean boundary
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	speckle	Cbar	0.773	0.773	0.905152	0.905152	0.83647	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	F	0.177758	0.177758	1	1.87963	0.421614	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	Fbar	0.675788	0.675788	0.752193	0.752193	0.712968	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	C	0.2262	0.2262	1	1.673077	0.475605	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	adversaria	Cbar	0.6444	0.6444	0.754567	0.754567	0.697311	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	F	0.176777	0.176777	1	2.200318	0.420448	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	Fbar	0.627433	0.627433	0.701963	0.701963	0.663653	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	C	0.2278	0.2278	1	1.901503	0.477284	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	Cbar	0.5724	0.5724	0.671673	0.671673	0.620053	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_peppe	F	0.160045	0.160045	1	1.992061	0.400056	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_peppe	Fbar	0.694357	0.694357	0.776836	0.776836	0.734439	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_peppe	C	0.2134	0.2134	1	1.781302	0.461952	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_peppe	Cbar	0.6322	0.6322	0.741845	0.741845	0.684831	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	F	0.114638	0.114638	1	1.426889	0.338583	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	Fbar	0.830467	0.830467	0.929115	0.929115	0.878407	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	C	0.152	0.152	1	1.268781	0.389872	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	Cbar	0.776	0.776	0.910584	0.910584	0.840603	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversaria	F	0.162653	0.162653	1	2.024523	0.403303	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversaria	Fbar	0.675788	0.675788	0.756062	0.756062	0.714799	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversaria	C	0.2126	0.2126	1	1.774624	0.461086	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversaria	Cbar	0.6484	0.6484	0.760854	0.760854	0.70238	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	F	0.147352	0.147352	1	2.660485	0.383864	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	Fbar	0.598234	0.598234	0.673917	0.673917	0.634949	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	C	0.1978	0.1978	1	2.069038	0.444747	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	Cbar	0.546	0.546	0.642958	0.642958	0.592499	False	False	False	False

cell	dataset	model	setting	q	condition	metric	Qnorm perturbed	A	Q	Q raw	G	clean clipped	perturbed clipped	retention capped	zero clean boundary
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_pepper	F	0.128894	0.128894	1	2.327223	0.359018	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_pepper	Fbar	0.672686	0.672686	0.757788	0.757788	0.71397	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_pepper	C	0.186	0.186	1	1.945607	0.431277	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_pepper	Cbar	0.6138	0.6138	0.722798	0.722798	0.666073	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	F	0.082011	0.082011	1	1.480729	0.286375	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	Fbar	0.813492	0.813492	0.916407	0.916407	0.863418	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	C	0.1192	0.1192	1	1.246862	0.345254	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	Cbar	0.7606	0.7606	0.895667	0.895667	0.825375	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversarial	F	0.16725	0.16725	1	3.019763	0.408963	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversarial	Fbar	0.679072	0.679072	0.764982	0.764982	0.720748	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversarial	C	0.217	0.217	1	2.269874	0.465833	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversarial	Cbar	0.6482	0.6482	0.763307	0.763307	0.703403	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	F	0.179946	0.179946	1	1.880988	0.4242	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	Fbar	0.643504	0.643504	0.717833	0.717833	0.679653	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	C	0.2268	0.2268	1	1.665198	0.476235	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	Cbar	0.5824	0.5824	0.682287	0.682287	0.630368	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_pepper	F	0.163657	0.163657	1	1.71072	0.404545	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_pepper	Fbar	0.703837	0.703837	0.785135	0.785135	0.743376	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_pepper	C	0.2152	0.2152	1	1.580029	0.463897	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_pepper	Cbar	0.64	0.64	0.749766	0.749766	0.692712	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	F	0.125882	0.125882	1	1.315854	0.354798	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	Fbar	0.830467	0.830467	0.926392	0.926392	0.877119	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	C	0.163	0.163	1	1.196769	0.403733	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	Cbar	0.7766	0.7766	0.909794	0.909794	0.840563	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversarial	F	0.179947	0.179947	1	1.881007	0.424202	False	False	True	False

cell	dataset	model	setting	q	condition	metric	Qnorm perturbed	A	Q	Q raw	G	clean clipped	perturbed clipped	retention capped	zero clean boundary
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversaria	Fbar	0.669877	0.669877	0.747253	0.747253	0.707508	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversaria	C	0.2288	0.2288	1	1.679883	0.47833	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversaria	Cbar	0.6372	0.6372	0.746485	0.746485	0.689681	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	F	0.174513	0.174513	1	2.19608	0.417748	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	Fbar	0.637845	0.637845	0.712739	0.712739	0.674253	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	C	0.2258	0.2258	1	1.835772	0.475184	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	Cbar	0.5802	0.5802	0.680028	0.680028	0.628134	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_peppe	F	0.158691	0.158691	1	1.996968	0.39836	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_peppe	Fbar	0.715801	0.715801	0.799848	0.799848	0.756659	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_peppe	C	0.2088	0.2088	1	1.697561	0.456946	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_peppe	Cbar	0.6482	0.6482	0.759728	0.759728	0.701752	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	F	0.113977	0.113977	1	1.43429	0.337605	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	Fbar	0.839727	0.839727	0.938325	0.938325	0.887658	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	C	0.151	0.151	1	1.227642	0.388587	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	Cbar	0.7824	0.7824	0.917018	0.917018	0.847039	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversaria	F	0.173599	0.173599	1	2.184573	0.416652	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversaria	Fbar	0.673599	0.673599	0.752691	0.752691	0.712048	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversaria	C	0.2254	0.2254	1	1.83252	0.474763	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversaria	Cbar	0.6468	0.6468	0.758087	0.758087	0.700236	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	F	0.170439	0.170439	1	2.038131	0.412843	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	Fbar	0.622454	0.622454	0.697075	0.697075	0.658708	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	C	0.2212	0.2212	1	1.7696	0.470319	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	gaussian	Cbar	0.5652	0.5652	0.663692	0.663692	0.612469	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_peppe	F	0.156208	0.156208	1	1.867949	0.395231	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_peppe	Fbar	0.692099	0.692099	0.77507	0.77507	0.732411	False	False	False	False

cell	dataset	model	setting	q	condition	metric	Qnorm perturbed	A	Q	Q raw	G	clean clipped	perturbed clipped	retention capped	zero clean boundary
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_pepper	C	0.2078	0.2078	1	1.6624	0.455851	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	salt_pepper	Cbar	0.6276	0.6276	0.736966	0.736966	0.680088	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	F	0.109347	0.109347	1	1.307589	0.330677	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	Fbar	0.824515	0.824515	0.92336	0.92336	0.872539	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	C	0.1484	0.1484	1	1.1872	0.385227	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	speckle	Cbar	0.7726	0.7726	0.907233	0.907233	0.837215	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversarial	F	0.170096	0.170096	1	2.034031	0.412427	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversarial	Fbar	0.683888	0.683888	0.765874	0.765874	0.723721	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversarial	C	0.2218	0.2218	1	1.7744	0.470956	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	adversarial	Cbar	0.6524	0.6524	0.766087	0.766087	0.706962	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	gaussian	F	0.160254	0.160254	1	2.280492	0.400317	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	gaussian	Fbar	0.585559	0.585559	0.6719	0.6719	0.627246	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	gaussian	C	0.2136	0.2136	1	2.069767	0.462169	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	gaussian	Cbar	0.535	0.535	0.648014	0.648014	0.588802	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	salt_pepper	F	0.148307	0.148307	1	2.110487	0.385106	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	salt_pepper	Fbar	0.663431	0.663431	0.761254	0.761254	0.710662	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	salt_pepper	C	0.1992	0.1992	1	1.930233	0.446318	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	salt_pepper	Cbar	0.6042	0.6042	0.731831	0.731831	0.664961	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	speckle	F	0.097222	0.097222	1	1.383524	0.311805	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	speckle	Fbar	0.79784	0.79784	0.915481	0.915481	0.854639	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	speckle	C	0.1354	0.1354	1	1.312016	0.367967	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	speckle	Cbar	0.7444	0.7444	0.901647	0.901647	0.81926	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	adversarial	F	0.139448	0.139448	1	1.984424	0.373428	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	adversarial	Fbar	0.576401	0.576401	0.661392	0.661392	0.617436	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	adversarial	C	0.182	0.182	1	1.763566	0.426615	False	False	True	False

cell	dataset	model	setting	q	condition	metric	Qnorm perturbed	A	Q	Q raw	G	clean clipped	perturbed clipped	retention capped	zero clean boundary
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	adversaria	Cbar	0.5408	0.5408	0.655039	0.655039	0.595185	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	gaussian	F	0.143051	0.143051	1	2.734133	0.378221	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	gaussian	Fbar	0.537347	0.537347	0.713547	0.713547	0.619211	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	gaussian	C	0.1928	0.1928	1	2.40399	0.43909	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	gaussian	Cbar	0.4908	0.4908	0.687973	0.687973	0.581083	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	salt_peppe	F	0.132054	0.132054	1	2.523948	0.363393	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	salt_peppe	Fbar	0.606772	0.606772	0.805737	0.805737	0.699213	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	salt_peppe	C	0.1816	0.1816	1	2.264339	0.426146	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	salt_peppe	Cbar	0.5518	0.5518	0.773479	0.773479	0.653304	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	speckle	F	0.082011	0.082011	1	1.567466	0.286375	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	speckle	Fbar	0.707231	0.707231	0.939137	0.939137	0.814977	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	speckle	C	0.117	0.117	1	1.458853	0.342053	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	speckle	Cbar	0.659	0.659	0.923745	0.923745	0.780223	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	adversaria	F	0.132881	0.132881	1	2.539749	0.364528	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	adversaria	Fbar	0.486208	0.486208	0.64564	0.64564	0.560282	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	adversaria	C	0.1752	0.1752	1	2.184539	0.418569	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	adversaria	Cbar	0.4578	0.4578	0.641716	0.641716	0.542012	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	gaussian	F	0.152331	0.152331	1	2.783399	0.390297	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	gaussian	Fbar	0.514033	0.514033	0.727869	0.727869	0.611677	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	gaussian	C	0.203	0.203	1	2.371495	0.450555	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	gaussian	Cbar	0.469	0.469	0.701886	0.701886	0.573746	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	salt_peppe	F	0.142664	0.142664	1	2.60675	0.377708	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	salt_peppe	Fbar	0.573363	0.573363	0.81188	0.81188	0.682277	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	salt_peppe	C	0.1892	0.1892	1	2.21028	0.434971	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	salt_peppe	Cbar	0.5218	0.5218	0.780904	0.780904	0.638338	False	False	False	False

cell	dataset	model	setting	q	condition	metric	Qnorm perturbed	A	Q	Q raw	G	clean clipped	perturbed clipped	retention capped	zero clean boundary
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	speckle	F	0.090829	0.090829	1	1.659626	0.301378	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	speckle	Fbar	0.662478	0.662478	0.938065	0.938065	0.78832	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	speckle	C	0.1256	0.1256	1	1.46729	0.354401	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	speckle	Cbar	0.6202	0.6202	0.928165	0.928165	0.758715	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	adversaria	F	0.132881	0.132881	1	2.428	0.364528	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	adversaria	Fbar	0.475701	0.475701	0.67359	0.67359	0.566063	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	adversaria	C	0.1782	0.1782	1	2.081776	0.422137	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	adversaria	Cbar	0.4516	0.4516	0.675846	0.675846	0.55246	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	gaussian	F	0.155274	0.155274	1	2.63677	0.394048	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	gaussian	Fbar	0.5378	0.5378	0.705534	0.705534	0.615984	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	gaussian	C	0.2074	0.2074	1	2.325112	0.455412	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	gaussian	Cbar	0.4898	0.4898	0.680089	0.680089	0.577155	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	salt_peppe	F	0.144695	0.144695	1	2.45713	0.380388	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	salt_peppe	Fbar	0.605869	0.605869	0.794833	0.794833	0.693949	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	salt_peppe	C	0.1928	0.1928	1	2.161435	0.43909	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	salt_peppe	Cbar	0.5482	0.5482	0.761177	0.761177	0.64597	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	speckle	F	0.093254	0.093254	1	1.583584	0.305375	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	speckle	Fbar	0.703704	0.703704	0.923182	0.923182	0.806006	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	speckle	C	0.1292	0.1292	1	1.44843	0.359444	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	speckle	Cbar	0.6542	0.6542	0.908359	0.908359	0.770875	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	adversaria	F	0.13507	0.13507	1	2.29368	0.367519	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	adversaria	Fbar	0.501751	0.501751	0.658242	0.658242	0.574695	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	adversaria	C	0.1778	0.1778	1	1.993274	0.421663	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	adversaria	Cbar	0.4768	0.4768	0.662038	0.662038	0.561836	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	gaussian	F	0.152784	0.152784	1	2.860318	0.390876	False	False	True	False

cell	dataset	model	setting	q	condition	metric	Qnorm perturbed	A	Q	Q raw	G	clean clipped	perturbed clipped	retention capped	zero clean boundary
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	gaussian	Fbar	0.541195	0.541195	0.727112	0.727112	0.627303	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	gaussian	C	0.2034	0.2034	1	2.398585	0.450999	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	gaussian	Cbar	0.4922	0.4922	0.699744	0.699744	0.586868	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	salt_peppe	F	0.140406	0.140406	1	2.62859	0.374708	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	salt_peppe	Fbar	0.59842	0.59842	0.803995	0.803995	0.693633	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	salt_peppe	C	0.1866	0.1866	1	2.200472	0.431972	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	salt_peppe	Cbar	0.5448	0.5448	0.774524	0.774524	0.649585	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	speckle	F	0.09149	0.09149	1	1.712818	0.302474	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	speckle	Fbar	0.691138	0.691138	0.928564	0.928564	0.801103	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	speckle	C	0.1258	0.1258	1	1.483491	0.354683	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	speckle	Cbar	0.6474	0.6474	0.920387	0.920387	0.771919	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	adversaria	F	0.132224	0.132224	1	2.47541	0.363626	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	adversaria	Fbar	0.486208	0.486208	0.653235	0.653235	0.563568	False	False	False	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	adversaria	C	0.1752	0.1752	1	2.066038	0.418569	False	False	True	False
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NAIVE q=11	11	adversaria	Cbar	0.4616	0.4616	0.656241	0.656241	0.550383	False	False	False	False

Table 115: ImageNet–ViT-B/16 results.

cell	dataset	model	setting	q	geometry	geometry label	rule	endpoint count	NOISE A mean	NAIVE A mean	delta A mean	A wins	A ties	A losses	NOISE Q mean	NAIVE Q mean	delta Q mean	Q wins	Q ties	Q losses
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	NOISE-K	3	kendall	NOISE-K	borda	16	0.411099	0.353347	0.057752	14	1	1	0.883614	0.883186	0.000428	2	8	6
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	NOISE-K	3	kendall	NOISE-K	kemeny	16	0.435445	0.34393	0.091515	16	0	0	0.891559	0.889888	0.001671	2	8	6
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	NOISE-K	3	kendall	NOISE-K	rrf	16	0.434772	0.359601	0.075171	16	0	0	0.894904	0.880841	0.014063	6	8	2
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	NOISE-K	3	kendall	NOISE-K	schulze	16	0.427878	0.354429	0.073449	16	0	0	0.88971	0.885238	0.004472	2	8	6
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	NOISE-K	3	kendall	NOISE-K	simpleavg	16	0.42981	0.395191	0.034619	16	0	0	0.890558	0.87166	0.018898	8	8	0
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	NOISE-S	2	spearman	NOISE-S	borda	16	0.434203	0.353347	0.080855	16	0	0	0.891693	0.883186	0.008507	3	8	5
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	NOISE-S	2	spearman	NOISE-S	kemeny	16	0.434203	0.34393	0.090273	16	0	0	0.891693	0.889888	0.001805	2	8	6
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	NOISE-S	2	spearman	NOISE-S	rrf	16	0.433971	0.359601	0.07437	16	0	0	0.890952	0.880841	0.010111	4	8	4
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	NOISE-S	2	spearman	NOISE-S	schulze	16	0.434203	0.354429	0.079773	16	0	0	0.891693	0.885238	0.006456	2	8	6
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	NOISE-S	2	spearman	NOISE-S	simpleavg	16	0.430861	0.395191	0.035669	16	0	0	0.891432	0.87166	0.019772	8	8	0

Table 116: ImageNet–ViT-B/16 results.

cell	dataset	model	setting	q	NOISE G mean	NAIVE G mean	delta G mean	G wins	G ties	G losses
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	0.55286	0.516792	0.036068	14	1	1
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	0.580683	0.516723	0.063959	16	0	0
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	0.579602	0.523088	0.056513	16	0	0
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	0.572353	0.520767	0.051586	16	0	0
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-K	3	0.574484	0.540745	0.03374	16	0	0
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	0.579026	0.516792	0.062233	16	0	0
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	0.579026	0.516723	0.062303	16	0	0
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	0.578433	0.523088	0.055344	16	0	0
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	0.579026	0.520767	0.058259	16	0	0
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	NOISE-S	2	0.575823	0.540745	0.035078	16	0	0

Table 117: ImageNet-ViT-B/16 results.

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	simpleavg	F	quality	0.0852	clean_select01088st	0.0888	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	simpleavg	Fbar	quality	0.0966	clean_select01096st	0.0966	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	simpleavg	C	quality	0.132	clean_select01138st	0.1386	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	simpleavg	Cbar	quality	0.1484	clean_select01148st	0.1466	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	F	simpleavg	R_F_g	robustness	0.0672	clean_select01078st	0.0782	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Fbar	simpleavg	R_Fbar_g	robustness	-0.2204	clean_select01225st	0.2254	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	C	simpleavg	R_C_g	robustness	0.0826	clean_select01082st	0.0826	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Cbar	simpleavg	R_Cbar_g	robustness	-0.2718	clean_select01281st	0.2818	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	F	simpleavg	R_F_p	robustness	0.0548	clean_select01054st	0.0566	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Fbar	simpleavg	R_Fbar_p	robustness	-0.1706	clean_select01171st	0.1716	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	C	simpleavg	R_C_p	robustness	0.0714	clean_select01064st	0.0644	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Cbar	simpleavg	R_Cbar_p	robustness	-0.2192	clean_select01219st	0.2192	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	F	simpleavg	R_F_s	robustness	0.0234	clean_select01023st	0.0268	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Fbar	simpleavg	R_Fbar_s	robustness	-0.0636	clean_select01050st	0.0506	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	C	simpleavg	R_C_s	robustness	0.0214	clean_select01018st	0.0186	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Cbar	simpleavg	R_Cbar_s	robustness	-0.0818	clean_select01075st	0.0752	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	F	simpleavg	R_F_a	robustness	0.0772	clean_select01078st	0.0782	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	Fbar	simpleavg	R_Fbar_a	robustness	-0.198	clean_select01238st	0.2388	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	C	simpleavg	R_C_a	robustness	0.0934	clean_select01098st	0.0982	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	Cbar	simpleavg	R_Cbar_a	robustness	-0.2052	clean_select01241st	0.2412	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	simpleavg	F	quality	0.0852	naive_q11	0.0642	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	simpleavg	Fbar	quality	0.0966	naive_q11	0.1174	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	simpleavg	C	quality	0.132	naive_q11	0.1032	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	simpleavg	Cbar	quality	0.1484	naive_q11	0.1744	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	F	simpleavg	R_F_g	robustness	0.0672	naive_q11	0.0774	max	worse

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	Fbar	simpleavg	R_Fbar_g	robustness	-0.2204	naive_q11	-0.2488	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	C	simpleavg	R_C_g	robustness	0.0826	naive_q11	0.1104	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	Cbar	simpleavg	R_Cbar_g	robustness	-0.2718	naive_q11	-0.2906	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	F	simpleavg	R_F_p	robustness	0.0548	naive_q11	0.0672	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	Fbar	simpleavg	R_Fbar_p	robustness	-0.1706	naive_q11	-0.1808	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	C	simpleavg	R_C_p	robustness	0.0714	naive_q11	0.096	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	Cbar	simpleavg	R_Cbar_p	robustness	-0.2192	naive_q11	-0.2214	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	F	simpleavg	R_F_s	robustness	0.0234	naive_q11	0.024	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	Fbar	simpleavg	R_Fbar_s	robustness	-0.0636	naive_q11	-0.066	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	C	simpleavg	R_C_s	robustness	0.0214	naive_q11	0.0322	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	Cbar	simpleavg	R_Cbar_s	robustness	-0.0818	naive_q11	-0.0812	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversarial	F	simpleavg	R_F_a	robustness	0.0772	naive_q11	0.0632	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversarial	Fbar	simpleavg	R_Fbar_a	robustness	-0.198	naive_q11	-0.2696	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversarial	C	simpleavg	R_C_a	robustness	0.0934	naive_q11	0.0788	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversarial	Cbar	simpleavg	R_Cbar_a	robustness	-0.2052	naive_q11	-0.2848	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	F	simpleavg	F	quality	0.0852	NOISE_spec	0.0642	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	Fbar	simpleavg	Fbar	quality	0.0966	NOISE_spec	0.1174	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	C	simpleavg	C	quality	0.132	NOISE_spec	0.1102	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	Cbar	simpleavg	Cbar	quality	0.1484	NOISE_spec	0.1744	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	F	simpleavg	R_F_g	robustness	0.0672	NOISE_spec	0.0774	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	Fbar	simpleavg	R_Fbar_g	robustness	-0.2204	NOISE_spec	-0.2488	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	C	simpleavg	R_C_g	robustness	0.0826	NOISE_spec	0.1104	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	Cbar	simpleavg	R_Cbar_g	robustness	-0.2718	NOISE_spec	-0.2906	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	F	simpleavg	R_F_p	robustness	0.0548	NOISE_spec	0.0672	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	Fbar	simpleavg	R_Fbar_p	robustness	-0.1706	NOISE_spec	-0.1808	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	C	simpleavg	R_C_p	robustness	0.0714	NOISE_spec	0.096	max	worse

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Cbar	simpleavg	R_Cbar_p	robustness	-0.2192	NOISE_spec	0.0214	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	F	simpleavg	R_F_s	robustness	0.0234	NOISE_spec	0.024	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Fbar	simpleavg	R_Fbar_s	robustness	-0.0636	NOISE_spec	0.066	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	C	simpleavg	R_C_s	robustness	0.0214	NOISE_spec	0.032	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Cbar	simpleavg	R_Cbar_s	robustness	-0.0818	NOISE_spec	0.0812	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	F	simpleavg	R_F_a	robustness	0.0772	NOISE_spec	0.0632	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	Fbar	simpleavg	R_Fbar_a	robustness	-0.198	NOISE_spec	0.0696	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	C	simpleavg	R_C_a	robustness	0.0934	NOISE_spec	0.0788	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	Cbar	simpleavg	R_Cbar_a	robustness	-0.2052	NOISE_spec	0.0848	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	simpleavg	F	quality	0.0852	NOISE_kend	0.0642	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	simpleavg	Fbar	quality	0.0966	NOISE_kend	0.1174	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	simpleavg	C	quality	0.132	NOISE_kend	0.1032	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	simpleavg	Cbar	quality	0.1484	NOISE_kend	0.1744	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	F	simpleavg	R_F_g	robustness	0.0672	NOISE_kend	0.0774	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Fbar	simpleavg	R_Fbar_g	robustness	-0.2204	NOISE_kend	0.1488	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	C	simpleavg	R_C_g	robustness	0.0826	NOISE_kend	0.1104	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Cbar	simpleavg	R_Cbar_g	robustness	-0.2718	NOISE_kend	0.1906	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	F	simpleavg	R_F_p	robustness	0.0548	NOISE_kend	0.0672	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Fbar	simpleavg	R_Fbar_p	robustness	-0.1706	NOISE_kend	0.11808	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	C	simpleavg	R_C_p	robustness	0.0714	NOISE_kend	0.1096	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Cbar	simpleavg	R_Cbar_p	robustness	-0.2192	NOISE_kend	0.1214	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	F	simpleavg	R_F_s	robustness	0.0234	NOISE_kend	0.024	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Fbar	simpleavg	R_Fbar_s	robustness	-0.0636	NOISE_kend	0.066	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	C	simpleavg	R_C_s	robustness	0.0214	NOISE_kend	0.032	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Cbar	simpleavg	R_Cbar_s	robustness	-0.0818	NOISE_kend	0.0812	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	F	simpleavg	R_F_a	robustness	0.0772	NOISE_kend	0.0632	max	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	Fbar	simpleavg	R_Fbar_s	robustness	-0.198	NOISE_kendall	0.1696	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	C	simpleavg	R_C_a	robustness	0.0934	NOISE_kendall	0.0788	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	Cbar	simpleavg	R_Cbar_s	robustness	-0.2052	NOISE_kendall	0.1848	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	borda	F	quality	0.0864	clean_select	0.0888	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	borda	Fbar	quality	0.0928	clean_select	0.0956	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	borda	C	quality	0.1352	clean_select	0.1386	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	borda	Cbar	quality	0.146	clean_select	0.1486	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	F	borda	R_F_g	robustness	0.073	clean_select	0.0782	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Fbar	borda	R_Fbar_g	robustness	-0.223	clean_select	0.2256	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	C	borda	R_C_g	robustness	0.0846	clean_select	0.0882	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Cbar	borda	R_Cbar_g	robustness	-0.272	clean_select	0.2856	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	F	borda	R_F_p	robustness	0.0544	clean_select	0.0546	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Fbar	borda	R_Fbar_p	robustness	-0.1684	clean_select	0.1746	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	C	borda	R_C_p	robustness	0.0684	clean_select	0.0684	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Cbar	borda	R_Cbar_p	robustness	-0.2136	clean_select	0.2244	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	F	borda	R_F_s	robustness	0.0288	clean_select	0.0282	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Fbar	borda	R_Fbar_s	robustness	-0.0616	clean_select	0.0506	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	C	borda	R_C_s	robustness	0.0252	clean_select	0.0186	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Cbar	borda	R_Cbar_s	robustness	-0.081	clean_select	0.0752	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	F	borda	R_F_a	robustness	0.076	clean_select	0.0792	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	Fbar	borda	R_Fbar_a	robustness	-0.2034	clean_select	0.2328	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	C	borda	R_C_a	robustness	0.091	clean_select	0.0982	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	Cbar	borda	R_Cbar_a	robustness	-0.2096	clean_select	0.2444	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	borda	F	quality	0.0864	naive_q11	0.0478	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	borda	Fbar	quality	0.0928	naive_q11	0.2256	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	borda	C	quality	0.1352	naive_q11	0.0802	max	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	borda	Cbar	quality	0.146	naive_q11	0.2866	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	F	borda	R_F_g	robustness	0.073	naive_q11	0.0786	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Fbar	borda	R_Fbar_g	robustness	-0.223	naive_q11	-0.1832	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	C	borda	R_C_g	robustness	0.0846	naive_q11	0.1126	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Cbar	borda	R_Cbar_g	robustness	-0.272	naive_q11	-0.2226	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	F	borda	R_F_p	robustness	0.0544	naive_q11	0.0692	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Fbar	borda	R_Fbar_p	robustness	-0.1684	naive_q11	-0.1228	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	C	borda	R_C_p	robustness	0.0684	naive_q11	0.1014	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Cbar	borda	R_Cbar_p	robustness	-0.2136	naive_q11	-0.1616	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	F	borda	R_F_s	robustness	0.0288	naive_q11	0.0266	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Fbar	borda	R_Fbar_s	robustness	-0.0616	naive_q11	-0.04	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	C	borda	R_C_s	robustness	0.0252	naive_q11	0.0368	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Cbar	borda	R_Cbar_s	robustness	-0.081	naive_q11	-0.0544	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	F	borda	R_F_a	robustness	0.076	naive_q11	0.0736	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	Fbar	borda	R_Fbar_a	robustness	-0.2034	naive_q11	-0.2438	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	C	borda	R_C_a	robustness	0.091	naive_q11	0.095	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	Cbar	borda	R_Cbar_a	robustness	-0.2096	naive_q11	-0.2556	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	borda	F	quality	0.0864	NOISE_spec	0.0478	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	borda	Fbar	quality	0.0928	NOISE_spec	0.2256	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	borda	C	quality	0.1352	NOISE_spec	0.0802	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	borda	Cbar	quality	0.146	NOISE_spec	0.2866	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	F	borda	R_F_g	robustness	0.073	NOISE_spec	0.0786	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Fbar	borda	R_Fbar_g	robustness	-0.223	NOISE_spec	-0.1832	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	C	borda	R_C_g	robustness	0.0846	NOISE_spec	0.1126	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Cbar	borda	R_Cbar_g	robustness	-0.272	NOISE_spec	-0.2226	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	F	borda	R_F_p	robustness	0.0544	NOISE_spec	0.0692	max	worse

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Fbar	borda	R_Fbar_p	robustness	-0.1684	NOISE_spear	0.1228	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	C	borda	R_C_p	robustness	0.0684	NOISE_spear	0.1014	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Cbar	borda	R_Cbar_p	robustness	-0.2136	NOISE_spear	0.1616	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	F	borda	R_F_s	robustness	0.0288	NOISE_spear	0.0266	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Fbar	borda	R_Fbar_s	robustness	-0.0616	NOISE_spear	0.104	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	C	borda	R_C_s	robustness	0.0252	NOISE_spear	0.0368	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Cbar	borda	R_Cbar_s	robustness	-0.081	NOISE_spear	0.1544	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	F	borda	R_F_a	robustness	0.076	NOISE_spear	0.0736	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	Fbar	borda	R_Fbar_a	robustness	-0.2034	NOISE_spear	0.1448	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	C	borda	R_C_a	robustness	0.091	NOISE_spear	0.095	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	Cbar	borda	R_Cbar_a	robustness	-0.2096	NOISE_spear	0.1556	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	borda	F	quality	0.0864	NOISE_kend	0.0478	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	borda	Fbar	quality	0.0928	NOISE_kend	0.2256	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	borda	C	quality	0.1352	NOISE_kend	0.0802	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	borda	Cbar	quality	0.146	NOISE_kend	0.2866	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	F	borda	R_F_g	robustness	0.073	NOISE_kend	0.0786	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Fbar	borda	R_Fbar_g	robustness	-0.223	NOISE_kend	0.11832	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	C	borda	R_C_g	robustness	0.0846	NOISE_kend	0.1126	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Cbar	borda	R_Cbar_g	robustness	-0.272	NOISE_kend	0.2226	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	F	borda	R_F_p	robustness	0.0544	NOISE_kend	0.0692	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Fbar	borda	R_Fbar_p	robustness	-0.1684	NOISE_kend	0.1228	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	C	borda	R_C_p	robustness	0.0684	NOISE_kend	0.1014	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Cbar	borda	R_Cbar_p	robustness	-0.2136	NOISE_kend	0.1616	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	F	borda	R_F_s	robustness	0.0288	NOISE_kend	0.0266	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Fbar	borda	R_Fbar_s	robustness	-0.0616	NOISE_kend	0.104	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	C	borda	R_C_s	robustness	0.0252	NOISE_kend	0.0368	max	worse

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Cbar	borda	R_Cbar_s	robustness	-0.081	NOISE_kendall	0.1544	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	F	borda	R_F_a	robustness	0.076	NOISE_kendall	0.0736	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	Fbar	borda	R_Fbar_a	robustness	-0.2034	NOISE_kendall	0.1438	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	C	borda	R_C_a	robustness	0.091	NOISE_kendall	0.1095	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	Cbar	borda	R_Cbar_a	robustness	-0.2096	NOISE_kendall	0.1556	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	kemeny	F	quality	0.0864	clean_select	0.0888	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	kemeny	Fbar	quality	0.0928	clean_select	0.0968	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	kemeny	C	quality	0.1352	clean_select	0.1386	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	kemeny	Cbar	quality	0.146	clean_select	0.1486	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	F	kemeny	R_F_g	robustness	0.073	clean_select	0.0782	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Fbar	kemeny	R_Fbar_g	robustness	-0.223	clean_select	0.2254	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	C	kemeny	R_C_g	robustness	0.0846	clean_select	0.0882	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Cbar	kemeny	R_Cbar_g	robustness	-0.272	clean_select	0.2848	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_peppe	F	kemeny	R_F_p	robustness	0.0544	clean_select	0.0566	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_peppe	Fbar	kemeny	R_Fbar_p	robustness	-0.1684	clean_select	0.1718	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_peppe	C	kemeny	R_C_p	robustness	0.0684	clean_select	0.0684	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_peppe	Cbar	kemeny	R_Cbar_p	robustness	-0.2136	clean_select	0.2234	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	F	kemeny	R_F_s	robustness	0.0288	clean_select	0.0282	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Fbar	kemeny	R_Fbar_s	robustness	-0.0616	clean_select	0.0506	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	C	kemeny	R_C_s	robustness	0.0252	clean_select	0.0186	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Cbar	kemeny	R_Cbar_s	robustness	-0.081	clean_select	0.0752	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	F	kemeny	R_F_a	robustness	0.076	clean_select	0.0782	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	Fbar	kemeny	R_Fbar_a	robustness	-0.2034	clean_select	0.2328	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	C	kemeny	R_C_a	robustness	0.091	clean_select	0.0982	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	Cbar	kemeny	R_Cbar_a	robustness	-0.2096	clean_select	0.2448	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	kemeny	F	quality	0.0864	naive_q11	0.05	max	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	kemeny	Fbar	quality	0.0928	naive_q11	0.2684	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	kemeny	C	quality	0.1352	naive_q11	0.0856	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	kemeny	Cbar	quality	0.146	naive_q11	0.3318	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	F	kemeny	R_F_g	robustness	0.073	naive_q11	0.0846	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Fbar	kemeny	R_Fbar_g	robustness	-0.223	naive_q11	-0.161	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	C	kemeny	R_C_g	robustness	0.0846	naive_q11	0.1174	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Cbar	kemeny	R_Cbar_g	robustness	-0.272	naive_q11	-0.1992	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	F	kemeny	R_F_p	robustness	0.0544	naive_q11	0.0764	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Fbar	kemeny	R_Fbar_p	robustness	-0.1684	naive_q11	-0.1096	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	C	kemeny	R_C_p	robustness	0.0684	naive_q11	0.1036	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Cbar	kemeny	R_Cbar_p	robustness	-0.2136	naive_q11	-0.1464	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	F	kemeny	R_F_s	robustness	0.0288	naive_q11	0.0324	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Fbar	kemeny	R_Fbar_s	robustness	-0.0616	naive_q11	-0.0378	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	C	kemeny	R_C_s	robustness	0.0252	naive_q11	0.04	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Cbar	kemeny	R_Cbar_s	robustness	-0.081	naive_q11	-0.048	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	F	kemeny	R_F_a	robustness	0.076	naive_q11	0.0714	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	Fbar	kemeny	R_Fbar_a	robustness	-0.2034	naive_q11	-0.2106	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	C	kemeny	R_C_a	robustness	0.091	naive_q11	0.0926	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	Cbar	kemeny	R_Cbar_a	robustness	-0.2096	naive_q11	-0.2166	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	kemeny	F	quality	0.0864	NOISE_spearman	0.05	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	kemeny	Fbar	quality	0.0928	NOISE_spearman	0.2684	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	kemeny	C	quality	0.1352	NOISE_spearman	0.0856	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	kemeny	Cbar	quality	0.146	NOISE_spearman	0.3318	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	F	kemeny	R_F_g	robustness	0.073	NOISE_spearman	0.0846	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Fbar	kemeny	R_Fbar_g	robustness	-0.223	NOISE_spearman	-0.161	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	C	kemeny	R_C_g	robustness	0.0846	NOISE_spearman	0.1174	max	worse

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	Cbar	kemeny	R_Cbar_g	robustness	-0.272	NOISE_spec	0.11992	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	F	kemeny	R_F_p	robustness	0.0544	NOISE_spec	0.0764	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	Fbar	kemeny	R_Fbar_p	robustness	-0.1684	NOISE_spec	0.11096	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	C	kemeny	R_C_p	robustness	0.0684	NOISE_spec	0.11036	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	Cbar	kemeny	R_Cbar_p	robustness	-0.2136	NOISE_spec	0.11464	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	F	kemeny	R_F_s	robustness	0.0288	NOISE_spec	0.0324	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	Fbar	kemeny	R_Fbar_s	robustness	-0.0616	NOISE_spec	0.03358	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	C	kemeny	R_C_s	robustness	0.0252	NOISE_spec	0.04	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	Cbar	kemeny	R_Cbar_s	robustness	-0.081	NOISE_spec	0.048	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversarial	F	kemeny	R_F_a	robustness	0.076	NOISE_spec	0.0714	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversarial	Fbar	kemeny	R_Fbar_a	robustness	-0.2034	NOISE_spec	0.11406	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversarial	C	kemeny	R_C_a	robustness	0.091	NOISE_spec	0.0926	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversarial	Cbar	kemeny	R_Cbar_a	robustness	-0.2096	NOISE_spec	0.11466	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	F	kemeny	F	quality	0.0864	NOISE_kend	0.105	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	Fbar	kemeny	Fbar	quality	0.0928	NOISE_kend	0.2684	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	C	kemeny	C	quality	0.1352	NOISE_kend	0.0856	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	Cbar	kemeny	Cbar	quality	0.146	NOISE_kend	0.3318	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	F	kemeny	R_F_g	robustness	0.073	NOISE_kend	0.0846	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	Fbar	kemeny	R_Fbar_g	robustness	-0.223	NOISE_kend	0.1161	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	C	kemeny	R_C_g	robustness	0.0846	NOISE_kend	0.1174	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	Cbar	kemeny	R_Cbar_g	robustness	-0.272	NOISE_kend	0.11992	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	F	kemeny	R_F_p	robustness	0.0544	NOISE_kend	0.0764	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	Fbar	kemeny	R_Fbar_p	robustness	-0.1684	NOISE_kend	0.11096	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	C	kemeny	R_C_p	robustness	0.0684	NOISE_kend	0.11036	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	Cbar	kemeny	R_Cbar_p	robustness	-0.2136	NOISE_kend	0.11464	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	F	kemeny	R_F_s	robustness	0.0288	NOISE_kend	0.0324	max	worse

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Fbar	kemeny	R_Fbar_s	robustness	-0.0616	NOISE_kendall	0.1378	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	C	kemeny	R_C_s	robustness	0.0252	NOISE_kendall	0.1104	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Cbar	kemeny	R_Cbar_s	robustness	-0.081	NOISE_kendall	0.1048	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	F	kemeny	R_F_a	robustness	0.076	NOISE_kendall	0.0714	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	Fbar	kemeny	R_Fbar_a	robustness	-0.2034	NOISE_kendall	0.1106	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	C	kemeny	R_C_a	robustness	0.091	NOISE_kendall	0.0926	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	Cbar	kemeny	R_Cbar_a	robustness	-0.2096	NOISE_kendall	0.1166	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	rrf	F	quality	0.0872	clean_select	0.0888	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	rrf	Fbar	quality	0.092	clean_select	0.0967	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	rrf	C	quality	0.1356	clean_select	0.1386	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	rrf	Cbar	quality	0.1442	clean_select	0.1486	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	F	rrf	R_F_g	robustness	0.0736	clean_select	0.0792	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Fbar	rrf	R_Fbar_g	robustness	-0.2246	clean_select	0.1256	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	C	rrf	R_C_g	robustness	0.0862	clean_select	0.0882	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Cbar	rrf	R_Cbar_g	robustness	-0.2736	clean_select	0.1284	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	F	rrf	R_F_p	robustness	0.0526	clean_select	0.0546	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Fbar	rrf	R_Fbar_p	robustness	-0.1692	clean_select	0.1748	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	C	rrf	R_C_p	robustness	0.0676	clean_select	0.0684	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Cbar	rrf	R_Cbar_p	robustness	-0.2162	clean_select	0.1234	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	F	rrf	R_F_s	robustness	0.026	clean_select	0.0282	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Fbar	rrf	R_Fbar_s	robustness	-0.0642	clean_select	0.1066	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	C	rrf	R_C_s	robustness	0.0224	clean_select	0.0186	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Cbar	rrf	R_Cbar_s	robustness	-0.0828	clean_select	0.1072	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	F	rrf	R_F_a	robustness	0.0764	clean_select	0.0792	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	Fbar	rrf	R_Fbar_a	robustness	-0.204	clean_select	0.1238	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	C	rrf	R_C_a	robustness	0.0902	clean_select	0.0932	min	worse

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	Cbar	rrf	R_Cbar_s	robustness	-0.2102	clean_select	0.2444	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	rrf	F	quality	0.0872	naive_q11	0.0538	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	rrf	Fbar	quality	0.092	naive_q11	0.2172	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	rrf	C	quality	0.1356	naive_q11	0.0892	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	rrf	Cbar	quality	0.1442	naive_q11	0.2798	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	F	rrf	R_F_g	robustness	0.0736	naive_q11	0.0834	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Fbar	rrf	R_Fbar_g	robustness	-0.2246	naive_q11	-0.1912	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	C	rrf	R_C_g	robustness	0.0862	naive_q11	0.1182	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Cbar	rrf	R_Cbar_g	robustness	-0.2736	naive_q11	-0.2304	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	F	rrf	R_F_p	robustness	0.0526	naive_q11	0.0744	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Fbar	rrf	R_Fbar_p	robustness	-0.1692	naive_q11	-0.132	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	C	rrf	R_C_p	robustness	0.0676	naive_q11	0.1036	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Cbar	rrf	R_Cbar_p	robustness	-0.2162	naive_q11	-0.172	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	F	rrf	R_F_s	robustness	0.026	naive_q11	0.0308	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Fbar	rrf	R_Fbar_s	robustness	-0.0642	naive_q11	-0.0516	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	C	rrf	R_C_s	robustness	0.0224	naive_q11	0.04	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Cbar	rrf	R_Cbar_s	robustness	-0.0828	naive_q11	-0.066	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	F	rrf	R_F_a	robustness	0.0764	naive_q11	0.0696	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	Fbar	rrf	R_Fbar_a	robustness	-0.204	naive_q11	-0.238	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	C	rrf	R_C_a	robustness	0.0902	naive_q11	0.0886	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	Cbar	rrf	R_Cbar_a	robustness	-0.2102	naive_q11	-0.2434	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	rrf	F	quality	0.0872	NOISE_spec	0.0538	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	rrf	Fbar	quality	0.092	NOISE_spec	0.2172	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	rrf	C	quality	0.1356	NOISE_spec	0.0892	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	rrf	Cbar	quality	0.1442	NOISE_spec	0.2798	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	F	rrf	R_F_g	robustness	0.0736	NOISE_spec	0.0834	max	worse

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	Fbar	rrf	R_Fbar_g	robustness	-0.2246	NOISE_spea	0.1992	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	C	rrf	R_C_g	robustness	0.0862	NOISE_spea	0.1182	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	Cbar	rrf	R_Cbar_g	robustness	-0.2736	NOISE_spea	0.1304	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_peppe	F	rrf	R_F_p	robustness	0.0526	NOISE_spea	0.0744	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_peppe	Fbar	rrf	R_Fbar_p	robustness	-0.1692	NOISE_spea	0.1132	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_peppe	C	rrf	R_C_p	robustness	0.0676	NOISE_spea	0.1036	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_peppe	Cbar	rrf	R_Cbar_p	robustness	-0.2162	NOISE_spea	0.1172	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	F	rrf	R_F_s	robustness	0.026	NOISE_spea	0.0308	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	Fbar	rrf	R_Fbar_s	robustness	-0.0642	NOISE_spea	0.0516	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	C	rrf	R_C_s	robustness	0.0224	NOISE_spea	0.04	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	Cbar	rrf	R_Cbar_s	robustness	-0.0828	NOISE_spea	0.066	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversaria	F	rrf	R_F_a	robustness	0.0764	NOISE_spea	0.0696	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversaria	Fbar	rrf	R_Fbar_a	robustness	-0.204	NOISE_spea	0.1238	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversaria	C	rrf	R_C_a	robustness	0.0902	NOISE_spea	0.0886	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversaria	Cbar	rrf	R_Cbar_a	robustness	-0.2102	NOISE_spea	0.1444	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	F	rrf	F	quality	0.0872	NOISE_kend	0.0538	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	Fbar	rrf	Fbar	quality	0.092	NOISE_kend	0.1172	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	C	rrf	C	quality	0.1356	NOISE_kend	0.0892	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	Cbar	rrf	Cbar	quality	0.1442	NOISE_kend	0.2798	min	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	F	rrf	R_F_g	robustness	0.0736	NOISE_kend	0.0834	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	Fbar	rrf	R_Fbar_g	robustness	-0.2246	NOISE_kend	0.1192	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	C	rrf	R_C_g	robustness	0.0862	NOISE_kend	0.1182	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian	Cbar	rrf	R_Cbar_g	robustness	-0.2736	NOISE_kend	0.1304	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_peppe	F	rrf	R_F_p	robustness	0.0526	NOISE_kend	0.0744	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_peppe	Fbar	rrf	R_Fbar_p	robustness	-0.1692	NOISE_kend	0.1132	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_peppe	C	rrf	R_C_p	robustness	0.0676	NOISE_kend	0.1036	max	worse

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Cbar	rrf	R_Cbar_p	robustness	-0.2162	NOISE_kendall	0.1172	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	F	rrf	R_F_s	robustness	0.026	NOISE_kendall	0.0308	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Fbar	rrf	R_Fbar_s	robustness	-0.0642	NOISE_kendall	0.0516	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	C	rrf	R_C_s	robustness	0.0224	NOISE_kendall	0.0104	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Cbar	rrf	R_Cbar_s	robustness	-0.0828	NOISE_kendall	0.0166	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	F	rrf	R_F_a	robustness	0.0764	NOISE_kendall	0.0396	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	Fbar	rrf	R_Fbar_a	robustness	-0.204	NOISE_kendall	0.01238	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	C	rrf	R_C_a	robustness	0.0902	NOISE_kendall	0.00886	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	Cbar	rrf	R_Cbar_a	robustness	-0.2102	NOISE_kendall	0.01434	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	schulze	F	quality	0.0864	clean_select	0.0388	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	schulze	Fbar	quality	0.0928	clean_select	0.0195	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	schulze	C	quality	0.1352	clean_select	0.0138	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	schulze	Cbar	quality	0.146	clean_select	0.0148	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	F	schulze	R_F_g	robustness	0.073	clean_select	0.0178	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Fbar	schulze	R_Fbar_g	robustness	-0.223	clean_select	0.0235	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	C	schulze	R_C_g	robustness	0.0846	clean_select	0.0188	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Cbar	schulze	R_Cbar_g	robustness	-0.272	clean_select	0.028	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	F	schulze	R_F_p	robustness	0.0544	clean_select	0.0154	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Fbar	schulze	R_Fbar_p	robustness	-0.1684	clean_select	0.0174	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	C	schulze	R_C_p	robustness	0.0684	clean_select	0.0164	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Cbar	schulze	R_Cbar_p	robustness	-0.2136	clean_select	0.0223	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	F	schulze	R_F_s	robustness	0.0288	clean_select	0.0126	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Fbar	schulze	R_Fbar_s	robustness	-0.0616	clean_select	0.0156	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	C	schulze	R_C_s	robustness	0.0252	clean_select	0.0186	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Cbar	schulze	R_Cbar_s	robustness	-0.081	clean_select	0.0172	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	F	schulze	R_F_a	robustness	0.076	clean_select	0.0178	individual	worse

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	Fbar	schulze	R_Fbar_s	robustness	-0.2034	clean_select	0.2336	max	individual better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	C	schulze	R_C_a	robustness	0.091	clean_select	0.0904	max	individual worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	Cbar	schulze	R_Cbar_s	robustness	-0.2096	clean_select	0.2418	max	individual better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	schulze	F	quality	0.0864	naive_q11	0.0488	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	schulze	Fbar	quality	0.0928	naive_q11	0.2336	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	schulze	C	quality	0.1352	naive_q11	0.0848	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	schulze	Cbar	quality	0.146	naive_q11	0.2966	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	F	schulze	R_F_g	robustness	0.073	naive_q11	0.0862	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Fbar	schulze	R_Fbar_g	robustness	-0.223	naive_q11	-0.1718	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	C	schulze	R_C_g	robustness	0.0846	naive_q11	0.1186	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Cbar	schulze	R_Cbar_g	robustness	-0.272	naive_q11	-0.2112	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_peppe	F	schulze	R_F_p	robustness	0.0544	naive_q11	0.0756	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_peppe	Fbar	schulze	R_Fbar_p	robustness	-0.1684	naive_q11	-0.1222	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_peppe	C	schulze	R_C_p	robustness	0.0684	naive_q11	0.1018	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_peppe	Cbar	schulze	R_Cbar_p	robustness	-0.2136	naive_q11	-0.1586	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	F	schulze	R_F_s	robustness	0.0288	naive_q11	0.0342	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Fbar	schulze	R_Fbar_s	robustness	-0.0616	naive_q11	-0.0466	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	C	schulze	R_C_s	robustness	0.0252	naive_q11	0.041	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Cbar	schulze	R_Cbar_s	robustness	-0.081	naive_q11	-0.056	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	F	schulze	R_F_a	robustness	0.076	naive_q11	0.072	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	Fbar	schulze	R_Fbar_a	robustness	-0.2034	naive_q11	-0.2358	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	C	schulze	R_C_a	robustness	0.091	naive_q11	0.0904	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversaria	Cbar	schulze	R_Cbar_s	robustness	-0.2096	naive_q11	-0.2418	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	schulze	F	quality	0.0864	NOISE_spec	0.0488	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	schulze	Fbar	quality	0.0928	NOISE_spec	0.2336	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	schulze	C	quality	0.1352	NOISE_spec	0.0848	max	better

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	schulze	Cbar	quality	0.146	NOISE_spec	0.2966	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	F	schulze	R_F_g	robustness	0.073	NOISE_spec	0.0862	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Fbar	schulze	R_Fbar_g	robustness	-0.223	NOISE_spec	0.11718	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	C	schulze	R_C_g	robustness	0.0846	NOISE_spec	0.1186	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Cbar	schulze	R_Cbar_g	robustness	-0.272	NOISE_spec	0.1112	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	F	schulze	R_F_p	robustness	0.0544	NOISE_spec	0.0756	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Fbar	schulze	R_Fbar_p	robustness	-0.1684	NOISE_spec	0.11222	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	C	schulze	R_C_p	robustness	0.0684	NOISE_spec	0.11018	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	Cbar	schulze	R_Cbar_p	robustness	-0.2136	NOISE_spec	0.11586	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	F	schulze	R_F_s	robustness	0.0288	NOISE_spec	0.0342	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Fbar	schulze	R_Fbar_s	robustness	-0.0616	NOISE_spec	0.10466	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	C	schulze	R_C_s	robustness	0.0252	NOISE_spec	0.041	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle	Cbar	schulze	R_Cbar_s	robustness	-0.081	NOISE_spec	0.1056	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	F	schulze	R_F_a	robustness	0.076	NOISE_spec	0.072	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	Fbar	schulze	R_Fbar_a	robustness	-0.2034	NOISE_spec	0.1358	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	C	schulze	R_C_a	robustness	0.091	NOISE_spec	0.0901	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	Cbar	schulze	R_Cbar_a	robustness	-0.2096	NOISE_spec	0.1448	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	schulze	F	quality	0.0864	NOISE_kend	0.0488	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	schulze	Fbar	quality	0.0928	NOISE_kend	0.2336	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	schulze	C	quality	0.1352	NOISE_kend	0.0848	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	schulze	Cbar	quality	0.146	NOISE_kend	0.2966	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	F	schulze	R_F_g	robustness	0.073	NOISE_kend	0.0862	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Fbar	schulze	R_Fbar_g	robustness	-0.223	NOISE_kend	0.11718	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	C	schulze	R_C_g	robustness	0.0846	NOISE_kend	0.1186	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian	Cbar	schulze	R_Cbar_g	robustness	-0.272	NOISE_kend	0.1112	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	salt_pepper	F	schulze	R_F_p	robustness	0.0544	NOISE_kend	0.0756	max	worse

cell	dataset	model	q	condition	metric	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	Fbar	schulze	R_Fbar_p	robustness	-0.1684	NOISE_kendall	0.1222	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	C	schulze	R_C_p	robustness	0.0684	NOISE_kendall	0.1018	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	salt_pepper	Cbar	schulze	R_Cbar_p	robustness	-0.2136	NOISE_kendall	0.11586	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	F	schulze	R_F_s	robustness	0.0288	NOISE_kendall	0.0342	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	Fbar	schulze	R_Fbar_s	robustness	-0.0616	NOISE_kendall	0.1466	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	C	schulze	R_C_s	robustness	0.0252	NOISE_kendall	0.1041	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	speckle	Cbar	schulze	R_Cbar_s	robustness	-0.081	NOISE_kendall	0.1056	max	worse
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversarial	F	schulze	R_F_a	robustness	0.076	NOISE_kendall	0.1072	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversarial	Fbar	schulze	R_Fbar_a	robustness	-0.2034	NOISE_kendall	0.1358	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversarial	C	schulze	R_C_a	robustness	0.091	NOISE_kendall	0.0904	max	better
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	adversarial	Cbar	schulze	R_Cbar_a	robustness	-0.2096	NOISE_kendall	0.1418	max	better

Table 118: ImageNet–ViT-B/16 results.

cell	dataset	model	geometry	selected q	NOISE q	q error	absolute q error	exact	within one	selected is NOISE tied	selected fidelity	NOISE fidelity	fidelity regret	NOISE tied q	tie policy
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	borda	2	2	0	0	True	True	True	0.0864	0.0864	0	[2]	smallest_c_within_absolute_1e-12
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	kemeny	2	3	-1	1	False	True	False	0.0864	0.0874	0.001	[3]	smallest_c_within_absolute_1e-12

Table 119: ImageNet–ViT-B/16 results.

cell	dataset	model	method	setting	q	methods	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	simpleavg	dual_geom	2	Gradient	0.0852	0.0966	0.132	0.144	0.0672	0.072	0.22	0.0826	-0.2718	0.0548	-0.1706	0.0714	-0.2192	0.0234	-0.0636
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	borda	dual_geom	2	Gradient	0.0864	0.0928	0.1362	0.148	0.0736	0.078	0.23	0.0846	-0.272	0.0544	-0.1684	0.0684	-0.2136	0.0288	-0.0616
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	kemeny	dual_geom	2	Gradient	0.0864	0.0928	0.1362	0.148	0.0736	0.078	0.23	0.0846	-0.272	0.0544	-0.1684	0.0684	-0.2136	0.0288	-0.0616
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	rrf	dual_geom	2	Gradient	0.0872	0.0912	0.136	0.142	0.0736	0.076	0.23	0.0862	-0.2736	0.0526	-0.1692	0.0676	-0.2162	0.026	-0.0642
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	schulze	dual_geom	2	Gradient	0.0864	0.0928	0.1362	0.148	0.0736	0.078	0.23	0.0846	-0.272	0.0544	-0.1684	0.0684	-0.2136	0.0288	-0.0616

Table 120: ImageNet–ViT-B/16 results.

cell	dataset	model	method	setting	q	R C s	R Cbar s	R F a	R Fbar a	R C a	R Cbar a	F perturbed g	Fbar perturbed g	C perturbed g	Cbar perturbed g	F perturbed p	Fbar perturbed p	C perturbed p	Cbar perturbed p	F perturbed s
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	simpleavg	dual_geom	2	0.2115	-0.0818	0.0772	-0.198	0.0934	-0.2052	0.1524	0.317	0.2146	0.4202	0.14	0.2672	0.2034	0.3676	0.1086
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	borda	dual_geom	2	0.2115	-0.081	0.076	-0.2034	0.091	-0.2096	0.1594	0.3158	0.2198	0.418	0.1408	0.2612	0.2036	0.3596	0.1152
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	kemeny	dual_geom	2	0.2115	-0.081	0.076	-0.2034	0.091	-0.2096	0.1594	0.3158	0.2198	0.418	0.1408	0.2612	0.2036	0.3596	0.1152
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	rrf	dual_geom	2	0.2115	-0.0828	0.0764	-0.204	0.0902	-0.2102	0.1608	0.3166	0.2218	0.4178	0.1398	0.2612	0.2032	0.3604	0.1132
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	schulze	dual_geom	2	0.2115	-0.081	0.076	-0.2034	0.091	-0.2096	0.1594	0.3158	0.2198	0.418	0.1408	0.2612	0.2036	0.3596	0.1152

Table 121: ImageNet–ViT-B/16 results.

cell	dataset	model	method	setting	q	$\bar{F}$ perturbed s	C perturbed s	$\bar{C}$ perturbed s	$\bar{F}$ perturbed a	$\bar{F}$ perturbed a	C perturbed a	$\bar{C}$ perturbed a
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	simpleavg	dual_geom	2try0.1544	0.1602	0.1534	0.2302	0.1624	0.2946	0.2254	0.3536
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	borda	dual_geom	2try0.1544	0.1544	0.1604	0.227	0.1624	0.2962	0.2262	0.3556
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	kemeny	dual_geom	2try0.1544	0.1544	0.1604	0.227	0.1624	0.2962	0.2262	0.3556
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	rrf	dual_geom	2try0.1544	0.1544	0.158	0.227	0.1636	0.296	0.2258	0.3544
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	schulze	dual_geom	2try0.1544	0.1544	0.1604	0.227	0.1624	0.2962	0.2262	0.3556

Table 122: ImageNet-ViT-B/16 results.

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	spearman	NOISE-S	borda	simpleavg	F	quality	0.0852	clean_select	0.0886	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	spearman	NOISE-S	borda	simpleavg	Fbar	quality	0.0966	clean_select	0.0956	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	spearman	NOISE-S	borda	simpleavg	C	quality	0.132	clean_select	0.1366	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	spearman	NOISE-S	borda	simpleavg	Cbar	quality	0.1484	clean_select	0.1466	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	F	spearman	NOISE-S	borda	simpleavg	R_F_g	robustness	0.0672	clean_select	0.0702	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Fbar	spearman	NOISE-S	borda	simpleavg	R_Fbar_g	robustness	-0.2204	clean_select	0.2274	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	C	spearman	NOISE-S	borda	simpleavg	R_C_g	robustness	0.0826	clean_select	0.0802	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Cbar	spearman	NOISE-S	borda	simpleavg	R_Cbar_g	robustness	-0.2718	clean_select	0.2818	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	F	spearman	NOISE-S	borda	simpleavg	R_F_p	robustness	0.0548	clean_select	0.0546	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Fbar	spearman	NOISE-S	borda	simpleavg	R_Fbar_p	robustness	-0.1706	clean_select	0.1746	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	C	spearman	NOISE-S	borda	simpleavg	R_C_p	robustness	0.0714	clean_select	0.0664	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Cbar	spearman	NOISE-S	borda	simpleavg	R_Cbar_p	robustness	-0.2192	clean_select	0.2292	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	F	spearman	NOISE-S	borda	simpleavg	R_F_s	robustness	0.0234	clean_select	0.0262	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Fbar	spearman	NOISE-S	borda	simpleavg	R_Fbar_s	robustness	-0.0636	clean_select	0.0506	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	C	spearman	NOISE-S	borda	simpleavg	R_C_s	robustness	0.0214	clean_select	0.0186	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Cbar	spearman	NOISE-S	borda	simpleavg	R_Cbar_s	robustness	-0.0818	clean_select	0.0792	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	F	spearman	NOISE-S	borda	simpleavg	R_F_a	robustness	0.0772	clean_select	0.0702	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Fbar	spearman	NOISE-S	borda	simpleavg	R_Fbar_a	robustness	-0.198	clean_select	0.2398	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	C	spearman	NOISE-S	borda	simpleavg	R_C_a	robustness	0.0934	clean_select	0.0982	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Cbar	spearman	NOISE-S	borda	simpleavg	R_Cbar_a	robustness	-0.2052	clean_select	0.2412	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	spearman	NOISE-S	borda	simpleavg	F	quality	0.0852	naive_q11	0.0642	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	spearman	NOISE-S	borda	simpleavg	Fbar	quality	0.0966	naive_q11	0.1174	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	spearman	NOISE-S	borda	simpleavg	C	quality	0.132	naive_q11	0.1032	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	spearman	NOISE-S	borda	simpleavg	Cbar	quality	0.1484	naive_q11	0.1744	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	F	spearman	NOISE-S	borda	simpleavg	R_F_g	robustness	0.0672	naive_q11	0.0774	max	worse

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Fbar	spearman	NOISE-S	borda	simpleavg	R_Fbar_g	robustness	-0.2204	naive_q11	-0.2488	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	C	spearman	NOISE-S	borda	simpleavg	R_C_g	robustness	0.0826	naive_q11	0.1104	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Cbar	spearman	NOISE-S	borda	simpleavg	R_Cbar_g	robustness	-0.2718	naive_q11	-0.2906	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	F	spearman	NOISE-S	borda	simpleavg	R_F_p	robustness	0.0548	naive_q11	0.0672	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Fbar	spearman	NOISE-S	borda	simpleavg	R_Fbar_p	robustness	-0.1706	naive_q11	-0.1808	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	C	spearman	NOISE-S	borda	simpleavg	R_C_p	robustness	0.0714	naive_q11	0.096	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Cbar	spearman	NOISE-S	borda	simpleavg	R_Cbar_p	robustness	-0.2192	naive_q11	-0.2214	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	F	spearman	NOISE-S	borda	simpleavg	R_F_s	robustness	0.0234	naive_q11	0.024	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Fbar	spearman	NOISE-S	borda	simpleavg	R_Fbar_s	robustness	-0.0636	naive_q11	-0.066	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	C	spearman	NOISE-S	borda	simpleavg	R_C_s	robustness	0.0214	naive_q11	0.0322	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Cbar	spearman	NOISE-S	borda	simpleavg	R_Cbar_s	robustness	-0.0818	naive_q11	-0.0812	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	F	spearman	NOISE-S	borda	simpleavg	R_F_a	robustness	0.0772	naive_q11	0.0632	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Fbar	spearman	NOISE-S	borda	simpleavg	R_Fbar_a	robustness	-0.198	naive_q11	-0.2696	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	C	spearman	NOISE-S	borda	simpleavg	R_C_a	robustness	0.0934	naive_q11	0.0788	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Cbar	spearman	NOISE-S	borda	simpleavg	R_Cbar_a	robustness	-0.2052	naive_q11	-0.2848	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	spearman	NOISE-S	borda	simpleavg	F	quality	0.0852	NOISE_same0.0842	0.0842	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	spearman	NOISE-S	borda	simpleavg	Fbar	quality	0.0966	NOISE_same0.1076	0.1076	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	spearman	NOISE-S	borda	simpleavg	C	quality	0.132	NOISE_same0.1332	0.1332	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	spearman	NOISE-S	borda	simpleavg	Cbar	quality	0.1484	NOISE_same0.1544	0.1544	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	F	spearman	NOISE-S	borda	simpleavg	R_F_g	robustness	0.0672	NOISE_same0.0754	0.0754	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Fbar	spearman	NOISE-S	borda	simpleavg	R_Fbar_g	robustness	-0.2204	NOISE_same0.2488	0.2488	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	C	spearman	NOISE-S	borda	simpleavg	R_C_g	robustness	0.0826	NOISE_same0.1104	0.1104	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Cbar	spearman	NOISE-S	borda	simpleavg	R_Cbar_g	robustness	-0.2718	NOISE_same0.2906	0.2906	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	F	spearman	NOISE-S	borda	simpleavg	R_F_p	robustness	0.0548	NOISE_same0.0672	0.0672	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Fbar	spearman	NOISE-S	borda	simpleavg	R_Fbar_p	robustness	-0.1706	NOISE_same0.1808	0.1808	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	C	spearman	NOISE-S	borda	simpleavg	R_C_p	robustness	0.0714	NOISE_same0.096	0.096	min	worse

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Cbar	spearman	NOISE-S	borda	simpleavg	R_Cbar_p	robustness	-0.2192	NOISE_sam0.2934	0.2934	metrxx	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	F	spearman	NOISE-S	borda	simpleavg	R_F_s	robustness	0.0234	NOISE_sam0.0234	0.0234	metrxx	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Fbar	spearman	NOISE-S	borda	simpleavg	R_Fbar_s	robustness	-0.0636	NOISE_sam0.0666	0.0666	metrxx	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	C	spearman	NOISE-S	borda	simpleavg	R_C_s	robustness	0.0214	NOISE_sam0.0822	0.0822	metrxx	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Cbar	spearman	NOISE-S	borda	simpleavg	R_Cbar_s	robustness	-0.0818	NOISE_sam0.0814	0.0814	metrxx	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	F	spearman	NOISE-S	borda	simpleavg	R_F_a	robustness	0.0772	NOISE_sam0.0682	0.0682	metrxx	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Fbar	spearman	NOISE-S	borda	simpleavg	R_Fbar_a	robustness	-0.198	NOISE_sam0.2696	0.2696	metrxx	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	C	spearman	NOISE-S	borda	simpleavg	R_C_a	robustness	0.0934	NOISE_sam0.0768	0.0768	metrxx	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Cbar	spearman	NOISE-S	borda	simpleavg	R_Cbar_a	robustness	-0.2052	NOISE_sam0.2846	0.2846	metrxx	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	spearman	NOISE-S	borda	simpleavg	F	quality	0.0852	dual_geometry0.0852	0.0852	metrxx	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	spearman	NOISE-S	borda	simpleavg	Fbar	quality	0.0966	dual_geometry0.0966	0.0966	metrxx	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	spearman	NOISE-S	borda	simpleavg	C	quality	0.132	dual_geometry0.132	0.132	metrxx	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	spearman	NOISE-S	borda	simpleavg	Cbar	quality	0.1484	dual_geometry0.1484	0.1484	metrxx	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	F	spearman	NOISE-S	borda	simpleavg	R_F_g	robustness	0.0672	dual_geometry0.0672	0.0672	metrxx	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Fbar	spearman	NOISE-S	borda	simpleavg	R_Fbar_g	robustness	-0.2204	dual_geometry0.2204	0.2204	metrxx	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	C	spearman	NOISE-S	borda	simpleavg	R_C_g	robustness	0.0826	dual_geometry0.0826	0.0826	metrxx	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Cbar	spearman	NOISE-S	borda	simpleavg	R_Cbar_g	robustness	-0.2718	dual_geometry0.2718	0.2718	metrxx	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	F	spearman	NOISE-S	borda	simpleavg	R_F_p	robustness	0.0548	dual_geometry0.0548	0.0548	metrxx	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Fbar	spearman	NOISE-S	borda	simpleavg	R_Fbar_p	robustness	-0.1706	dual_geometry0.1706	0.1706	metrxx	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	C	spearman	NOISE-S	borda	simpleavg	R_C_p	robustness	0.0714	dual_geometry0.0714	0.0714	metrxx	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Cbar	spearman	NOISE-S	borda	simpleavg	R_Cbar_p	robustness	-0.2192	dual_geometry0.2192	0.2192	metrxx	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	F	spearman	NOISE-S	borda	simpleavg	R_F_s	robustness	0.0234	dual_geometry0.0234	0.0234	metrxx	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Fbar	spearman	NOISE-S	borda	simpleavg	R_Fbar_s	robustness	-0.0636	dual_geometry0.0636	0.0636	metrxx	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	C	spearman	NOISE-S	borda	simpleavg	R_C_s	robustness	0.0214	dual_geometry0.0214	0.0214	metrxx	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Cbar	spearman	NOISE-S	borda	simpleavg	R_Cbar_s	robustness	-0.0818	dual_geometry0.0818	0.0818	metrxx	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	F	spearman	NOISE-S	borda	simpleavg	R_F_a	robustness	0.0772	dual_geometry0.0772	0.0772	metrxx	equal

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Fbar	spearman	NOISE-S	borda	simpleavg	R_Fbar_a	robustness	-0.198	dual_geometry	0.198	max	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	C	spearman	NOISE-S	borda	simpleavg	R_C_a	robustness	0.0934	dual_geometry	0.0934	max	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Cbar	spearman	NOISE-S	borda	simpleavg	R_Cbar_a	robustness	-0.2052	dual_geometry	0.2052	max	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	spearman	NOISE-S	borda	borda	F	quality	0.0864	clean_selected	0.0864	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	spearman	NOISE-S	borda	borda	Fbar	quality	0.0928	clean_selected	0.0928	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	spearman	NOISE-S	borda	borda	C	quality	0.1352	clean_selected	0.1352	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	spearman	NOISE-S	borda	borda	Cbar	quality	0.146	clean_selected	0.146	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	F	spearman	NOISE-S	borda	borda	R_F_g	robustness	0.073	clean_selected	0.073	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Fbar	spearman	NOISE-S	borda	borda	R_Fbar_g	robustness	-0.223	clean_selected	0.223	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	C	spearman	NOISE-S	borda	borda	R_C_g	robustness	0.0846	clean_selected	0.0846	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Cbar	spearman	NOISE-S	borda	borda	R_Cbar_g	robustness	-0.272	clean_selected	0.272	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	F	spearman	NOISE-S	borda	borda	R_F_p	robustness	0.0544	clean_selected	0.0544	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Fbar	spearman	NOISE-S	borda	borda	R_Fbar_p	robustness	-0.1684	clean_selected	0.1684	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	C	spearman	NOISE-S	borda	borda	R_C_p	robustness	0.0684	clean_selected	0.0684	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Cbar	spearman	NOISE-S	borda	borda	R_Cbar_p	robustness	-0.2136	clean_selected	0.2136	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	F	spearman	NOISE-S	borda	borda	R_F_s	robustness	0.0288	clean_selected	0.0288	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Fbar	spearman	NOISE-S	borda	borda	R_Fbar_s	robustness	-0.0616	clean_selected	0.0616	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	C	spearman	NOISE-S	borda	borda	R_C_s	robustness	0.0252	clean_selected	0.0252	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Cbar	spearman	NOISE-S	borda	borda	R_Cbar_s	robustness	-0.081	clean_selected	0.077	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	F	spearman	NOISE-S	borda	borda	R_F_a	robustness	0.076	clean_selected	0.076	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Fbar	spearman	NOISE-S	borda	borda	R_Fbar_a	robustness	-0.2034	clean_selected	0.2034	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	C	spearman	NOISE-S	borda	borda	R_C_a	robustness	0.091	clean_selected	0.091	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Cbar	spearman	NOISE-S	borda	borda	R_Cbar_a	robustness	-0.2096	clean_selected	0.2096	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	spearman	NOISE-S	borda	borda	F	quality	0.0864	naive_q11	0.0478	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	spearman	NOISE-S	borda	borda	Fbar	quality	0.0928	naive_q11	0.2256	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	spearman	NOISE-S	borda	borda	C	quality	0.1352	naive_q11	0.0802	max	better

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	spearman	NOISE-S	borda	borda	Cbar	quality	0.146	naive_q11	0.2866	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	F	spearman	NOISE-S	borda	borda	R_F_g	robustness	0.073	naive_q11	0.0786	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Fbar	spearman	NOISE-S	borda	borda	R_Fbar_g	robustness	-0.223	naive_q11	-0.1832	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	C	spearman	NOISE-S	borda	borda	R_C_g	robustness	0.0846	naive_q11	0.1126	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Cbar	spearman	NOISE-S	borda	borda	R_Cbar_g	robustness	-0.272	naive_q11	-0.2226	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	F	spearman	NOISE-S	borda	borda	R_F_p	robustness	0.0544	naive_q11	0.0692	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Fbar	spearman	NOISE-S	borda	borda	R_Fbar_p	robustness	-0.1684	naive_q11	-0.1228	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	C	spearman	NOISE-S	borda	borda	R_C_p	robustness	0.0684	naive_q11	0.1014	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Cbar	spearman	NOISE-S	borda	borda	R_Cbar_p	robustness	-0.2136	naive_q11	-0.1616	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	F	spearman	NOISE-S	borda	borda	R_F_s	robustness	0.0288	naive_q11	0.0266	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Fbar	spearman	NOISE-S	borda	borda	R_Fbar_s	robustness	-0.0616	naive_q11	-0.04	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	C	spearman	NOISE-S	borda	borda	R_C_s	robustness	0.0252	naive_q11	0.0368	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Cbar	spearman	NOISE-S	borda	borda	R_Cbar_s	robustness	-0.081	naive_q11	-0.0544	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	F	spearman	NOISE-S	borda	borda	R_F_a	robustness	0.076	naive_q11	0.0736	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Fbar	spearman	NOISE-S	borda	borda	R_Fbar_a	robustness	-0.2034	naive_q11	-0.2438	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	C	spearman	NOISE-S	borda	borda	R_C_a	robustness	0.091	naive_q11	0.095	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Cbar	spearman	NOISE-S	borda	borda	R_Cbar_a	robustness	-0.2096	naive_q11	-0.2556	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	spearman	NOISE-S	borda	borda	F	quality	0.0864	NOISE_sam0.0476	0.0476	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	spearman	NOISE-S	borda	borda	Fbar	quality	0.0928	NOISE_sam0.2256	0.2256	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	spearman	NOISE-S	borda	borda	C	quality	0.1352	NOISE_sam0.0802	0.0802	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	spearman	NOISE-S	borda	borda	Cbar	quality	0.146	NOISE_sam0.2866	0.2866	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	F	spearman	NOISE-S	borda	borda	R_F_g	robustness	0.073	NOISE_sam0.0786	0.0786	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Fbar	spearman	NOISE-S	borda	borda	R_Fbar_g	robustness	-0.223	NOISE_sam0.1832	0.1832	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	C	spearman	NOISE-S	borda	borda	R_C_g	robustness	0.0846	NOISE_sam0.1126	0.1126	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Cbar	spearman	NOISE-S	borda	borda	R_Cbar_g	robustness	-0.272	NOISE_sam0.2226	0.2226	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	F	spearman	NOISE-S	borda	borda	R_F_p	robustness	0.0544	NOISE_sam0.0692	0.0692	max	worse

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Fbar	spearman	NOISE-S	borda	borda	R_Fbar_p	robustness	-0.1684	NOISE_same	0.1928	worse	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	C	spearman	NOISE-S	borda	borda	R_C_p	robustness	0.0684	NOISE_same	0.1944	worse	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Cbar	spearman	NOISE-S	borda	borda	R_Cbar_p	robustness	-0.2136	NOISE_same	0.1916	worse	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	F	spearman	NOISE-S	borda	borda	R_F_s	robustness	0.0288	NOISE_same	0.0866	better	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Fbar	spearman	NOISE-S	borda	borda	R_Fbar_s	robustness	-0.0616	NOISE_same	0.0946	worse	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	C	spearman	NOISE-S	borda	borda	R_C_s	robustness	0.0252	NOISE_same	0.0866	worse	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Cbar	spearman	NOISE-S	borda	borda	R_Cbar_s	robustness	-0.081	NOISE_same	0.0946	worse	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	F	spearman	NOISE-S	borda	borda	R_F_a	robustness	0.076	NOISE_same	0.0766	better	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Fbar	spearman	NOISE-S	borda	borda	R_Fbar_a	robustness	-0.2034	NOISE_same	0.2486	better	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	C	spearman	NOISE-S	borda	borda	R_C_a	robustness	0.091	NOISE_same	0.0956	worse	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Cbar	spearman	NOISE-S	borda	borda	R_Cbar_a	robustness	-0.2096	NOISE_same	0.2566	better	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	spearman	NOISE-S	borda	borda	F	quality	0.0864	dual_geometry	0.0864	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	spearman	NOISE-S	borda	borda	Fbar	quality	0.0928	dual_geometry	0.0928	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	spearman	NOISE-S	borda	borda	C	quality	0.1352	dual_geometry	0.1352	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	spearman	NOISE-S	borda	borda	Cbar	quality	0.146	dual_geometry	0.146	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	F	spearman	NOISE-S	borda	borda	R_F_g	robustness	0.073	dual_geometry	0.073	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Fbar	spearman	NOISE-S	borda	borda	R_Fbar_g	robustness	-0.223	dual_geometry	0.223	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	C	spearman	NOISE-S	borda	borda	R_C_g	robustness	0.0846	dual_geometry	0.0846	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Cbar	spearman	NOISE-S	borda	borda	R_Cbar_g	robustness	-0.272	dual_geometry	0.272	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	F	spearman	NOISE-S	borda	borda	R_F_p	robustness	0.0544	dual_geometry	0.0544	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Fbar	spearman	NOISE-S	borda	borda	R_Fbar_p	robustness	-0.1684	dual_geometry	0.1684	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	C	spearman	NOISE-S	borda	borda	R_C_p	robustness	0.0684	dual_geometry	0.0684	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Cbar	spearman	NOISE-S	borda	borda	R_Cbar_p	robustness	-0.2136	dual_geometry	0.2136	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	F	spearman	NOISE-S	borda	borda	R_F_s	robustness	0.0288	dual_geometry	0.0288	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Fbar	spearman	NOISE-S	borda	borda	R_Fbar_s	robustness	-0.0616	dual_geometry	0.0616	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	C	spearman	NOISE-S	borda	borda	R_C_s	robustness	0.0252	dual_geometry	0.0252	equal	equal

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Cbar	spearman	NOISE-S	borda	borda	R_Cbar_s	robustness	-0.081	dual_geometry0.081	0.081	share	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	F	spearman	NOISE-S	borda	borda	R_F_a	robustness	0.076	dual_geometry0.076	0.076	share	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Fbar	spearman	NOISE-S	borda	borda	R_Fbar_a	robustness	-0.2034	dual_geometry0.2034	0.2034	share	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	C	spearman	NOISE-S	borda	borda	R_C_a	robustness	0.091	dual_geometry0.091	0.091	share	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Cbar	spearman	NOISE-S	borda	borda	R_Cbar_a	robustness	-0.2096	dual_geometry0.2096	0.2096	share	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	spearman	NOISE-S	borda	kemeny	F	quality	0.0864	clean_selected0.0864	0.0864	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	spearman	NOISE-S	borda	kemeny	Fbar	quality	0.0928	clean_selected0.0928	0.0928	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	spearman	NOISE-S	borda	kemeny	C	quality	0.1352	clean_selected0.1352	0.1352	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	spearman	NOISE-S	borda	kemeny	Cbar	quality	0.146	clean_selected0.146	0.146	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	F	spearman	NOISE-S	borda	kemeny	R_F_g	robustness	0.073	clean_selected0.073	0.073	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Fbar	spearman	NOISE-S	borda	kemeny	R_Fbar_g	robustness	-0.223	clean_selected0.223	0.223	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	C	spearman	NOISE-S	borda	kemeny	R_C_g	robustness	0.0846	clean_selected0.0846	0.0846	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Cbar	spearman	NOISE-S	borda	kemeny	R_Cbar_g	robustness	-0.272	clean_selected0.272	0.272	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	F	spearman	NOISE-S	borda	kemeny	R_F_p	robustness	0.0544	clean_selected0.0544	0.0544	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Fbar	spearman	NOISE-S	borda	kemeny	R_Fbar_p	robustness	-0.1684	clean_selected0.1684	0.1684	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	C	spearman	NOISE-S	borda	kemeny	R_C_p	robustness	0.0684	clean_selected0.0684	0.0684	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Cbar	spearman	NOISE-S	borda	kemeny	R_Cbar_p	robustness	-0.2136	clean_selected0.2136	0.2136	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	F	spearman	NOISE-S	borda	kemeny	R_F_s	robustness	0.0288	clean_selected0.0288	0.0288	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Fbar	spearman	NOISE-S	borda	kemeny	R_Fbar_s	robustness	-0.0616	clean_selected0.0616	0.0616	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	C	spearman	NOISE-S	borda	kemeny	R_C_s	robustness	0.0252	clean_selected0.0252	0.0252	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Cbar	spearman	NOISE-S	borda	kemeny	R_Cbar_s	robustness	-0.081	clean_selected0.081	0.081	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	F	spearman	NOISE-S	borda	kemeny	R_F_a	robustness	0.076	clean_selected0.076	0.076	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Fbar	spearman	NOISE-S	borda	kemeny	R_Fbar_a	robustness	-0.2034	clean_selected0.2034	0.2034	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	C	spearman	NOISE-S	borda	kemeny	R_C_a	robustness	0.091	clean_selected0.091	0.091	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Cbar	spearman	NOISE-S	borda	kemeny	R_Cbar_a	robustness	-0.2096	clean_selected0.2096	0.2096	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	spearman	NOISE-S	borda	kemeny	F	quality	0.0864	naive_q11	0.05	max	better

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	spearman	NOISE-S	borda	kemeny	Fbar	quality	0.0928	naive_q11	0.2684	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	spearman	NOISE-S	borda	kemeny	C	quality	0.1352	naive_q11	0.0856	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	spearman	NOISE-S	borda	kemeny	Cbar	quality	0.146	naive_q11	0.3318	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	F	spearman	NOISE-S	borda	kemeny	R_F_g	robustness	0.073	naive_q11	0.0846	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Fbar	spearman	NOISE-S	borda	kemeny	R_Fbar_g	robustness	-0.223	naive_q11	-0.161	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	C	spearman	NOISE-S	borda	kemeny	R_C_g	robustness	0.0846	naive_q11	0.1174	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Cbar	spearman	NOISE-S	borda	kemeny	R_Cbar_g	robustness	-0.272	naive_q11	-0.1992	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	F	spearman	NOISE-S	borda	kemeny	R_F_p	robustness	0.0544	naive_q11	0.0764	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Fbar	spearman	NOISE-S	borda	kemeny	R_Fbar_p	robustness	-0.1684	naive_q11	-0.1096	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	C	spearman	NOISE-S	borda	kemeny	R_C_p	robustness	0.0684	naive_q11	0.1036	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Cbar	spearman	NOISE-S	borda	kemeny	R_Cbar_p	robustness	-0.2136	naive_q11	-0.1464	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	F	spearman	NOISE-S	borda	kemeny	R_F_s	robustness	0.0288	naive_q11	0.0324	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Fbar	spearman	NOISE-S	borda	kemeny	R_Fbar_s	robustness	-0.0616	naive_q11	-0.0378	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	C	spearman	NOISE-S	borda	kemeny	R_C_s	robustness	0.0252	naive_q11	0.04	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Cbar	spearman	NOISE-S	borda	kemeny	R_Cbar_s	robustness	-0.081	naive_q11	-0.048	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	F	spearman	NOISE-S	borda	kemeny	R_F_a	robustness	0.076	naive_q11	0.0714	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Fbar	spearman	NOISE-S	borda	kemeny	R_Fbar_a	robustness	-0.2034	naive_q11	-0.2106	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	C	spearman	NOISE-S	borda	kemeny	R_C_a	robustness	0.091	naive_q11	0.0926	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Cbar	spearman	NOISE-S	borda	kemeny	R_Cbar_a	robustness	-0.2096	naive_q11	-0.2166	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	spearman	NOISE-S	borda	kemeny	F	quality	0.0864	NOISE_same0.050m	0.050m	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	spearman	NOISE-S	borda	kemeny	Fbar	quality	0.0928	NOISE_same0.268m	0.268m	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	spearman	NOISE-S	borda	kemeny	C	quality	0.1352	NOISE_same0.085m	0.085m	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	spearman	NOISE-S	borda	kemeny	Cbar	quality	0.146	NOISE_same0.331m	0.331m	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	F	spearman	NOISE-S	borda	kemeny	R_F_g	robustness	0.073	NOISE_same0.084m	0.084m	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Fbar	spearman	NOISE-S	borda	kemeny	R_Fbar_g	robustness	-0.223	NOISE_same0.161m	0.161m	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	C	spearman	NOISE-S	borda	kemeny	R_C_g	robustness	0.0846	NOISE_same0.117m	0.117m	max	worse

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Cbar	spearman	NOISE-S	borda	kemeny	R_Cbar_g	robustness	-0.272	NOISE_same0.1999	0.1999	worse	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	F	spearman	NOISE-S	borda	kemeny	R_F_p	robustness	0.0544	NOISE_same0.0764	0.0764	worse	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Fbar	spearman	NOISE-S	borda	kemeny	R_Fbar_p	robustness	-0.1684	NOISE_same0.1496	0.1496	worse	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	C	spearman	NOISE-S	borda	kemeny	R_C_p	robustness	0.0684	NOISE_same0.1684	0.1684	worse	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Cbar	spearman	NOISE-S	borda	kemeny	R_Cbar_p	robustness	-0.2136	NOISE_same0.1464	0.1464	worse	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	F	spearman	NOISE-S	borda	kemeny	R_F_s	robustness	0.0288	NOISE_same0.0924	0.0924	worse	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Fbar	spearman	NOISE-S	borda	kemeny	R_Fbar_s	robustness	-0.0616	NOISE_same0.0976	0.0976	worse	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	C	spearman	NOISE-S	borda	kemeny	R_C_s	robustness	0.0252	NOISE_same0.0404	0.0404	worse	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Cbar	spearman	NOISE-S	borda	kemeny	R_Cbar_s	robustness	-0.081	NOISE_same0.0484	0.0484	worse	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	F	spearman	NOISE-S	borda	kemeny	R_F_a	robustness	0.076	NOISE_same0.0744	0.0744	better	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Fbar	spearman	NOISE-S	borda	kemeny	R_Fbar_a	robustness	-0.2034	NOISE_same0.2406	0.2406	better	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	C	spearman	NOISE-S	borda	kemeny	R_C_a	robustness	0.091	NOISE_same0.0924	0.0924	worse	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Cbar	spearman	NOISE-S	borda	kemeny	R_Cbar_a	robustness	-0.2096	NOISE_same0.2466	0.2466	better	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	spearman	NOISE-S	borda	kemeny	F	quality	0.0864	dual_geometry0.0864	0.0864	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	spearman	NOISE-S	borda	kemeny	Fbar	quality	0.0928	dual_geometry0.0928	0.0928	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	spearman	NOISE-S	borda	kemeny	C	quality	0.1352	dual_geometry0.1352	0.1352	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	spearman	NOISE-S	borda	kemeny	Cbar	quality	0.146	dual_geometry0.146	0.146	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	F	spearman	NOISE-S	borda	kemeny	R_F_g	robustness	0.073	dual_geometry0.073	0.073	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Fbar	spearman	NOISE-S	borda	kemeny	R_Fbar_g	robustness	-0.223	dual_geometry0.223	0.223	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	C	spearman	NOISE-S	borda	kemeny	R_C_g	robustness	0.0846	dual_geometry0.0846	0.0846	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Cbar	spearman	NOISE-S	borda	kemeny	R_Cbar_g	robustness	-0.272	dual_geometry0.272	0.272	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	F	spearman	NOISE-S	borda	kemeny	R_F_p	robustness	0.0544	dual_geometry0.0544	0.0544	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Fbar	spearman	NOISE-S	borda	kemeny	R_Fbar_p	robustness	-0.1684	dual_geometry0.1684	0.1684	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	C	spearman	NOISE-S	borda	kemeny	R_C_p	robustness	0.0684	dual_geometry0.0684	0.0684	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Cbar	spearman	NOISE-S	borda	kemeny	R_Cbar_p	robustness	-0.2136	dual_geometry0.2136	0.2136	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	F	spearman	NOISE-S	borda	kemeny	R_F_s	robustness	0.0288	dual_geometry0.0288	0.0288	equal	equal

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Fbar	spearman	NOISE-S	borda	kemeny	R_Fbar_s	robustness	-0.0616	dual_geometry	0.0616	robustness	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	C	spearman	NOISE-S	borda	kemeny	R_C_s	robustness	0.0252	dual_geometry	0.0252	robustness	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Cbar	spearman	NOISE-S	borda	kemeny	R_Cbar_s	robustness	-0.081	dual_geometry	0.081	robustness	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	F	spearman	NOISE-S	borda	kemeny	R_F_a	robustness	0.076	dual_geometry	0.076	robustness	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Fbar	spearman	NOISE-S	borda	kemeny	R_Fbar_a	robustness	-0.2034	dual_geometry	0.2034	robustness	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	C	spearman	NOISE-S	borda	kemeny	R_C_a	robustness	0.091	dual_geometry	0.091	robustness	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Cbar	spearman	NOISE-S	borda	kemeny	R_Cbar_a	robustness	-0.2096	dual_geometry	0.2096	robustness	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	spearman	NOISE-S	borda	rrf	F	quality	0.0872	clean_select	0.0886	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	spearman	NOISE-S	borda	rrf	Fbar	quality	0.092	clean_select	0.095	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	spearman	NOISE-S	borda	rrf	C	quality	0.1356	clean_select	0.1386	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	spearman	NOISE-S	borda	rrf	Cbar	quality	0.1442	clean_select	0.146	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	F	spearman	NOISE-S	borda	rrf	R_F_g	robustness	0.0736	clean_select	0.0782	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Fbar	spearman	NOISE-S	borda	rrf	R_Fbar_g	robustness	-0.2246	clean_select	0.2276	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	C	spearman	NOISE-S	borda	rrf	R_C_g	robustness	0.0862	clean_select	0.0892	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Cbar	spearman	NOISE-S	borda	rrf	R_Cbar_g	robustness	-0.2736	clean_select	0.281	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	F	spearman	NOISE-S	borda	rrf	R_F_p	robustness	0.0526	clean_select	0.0546	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Fbar	spearman	NOISE-S	borda	rrf	R_Fbar_p	robustness	-0.1692	clean_select	0.1718	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	C	spearman	NOISE-S	borda	rrf	R_C_p	robustness	0.0676	clean_select	0.0684	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Cbar	spearman	NOISE-S	borda	rrf	R_Cbar_p	robustness	-0.2162	clean_select	0.2234	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	F	spearman	NOISE-S	borda	rrf	R_F_s	robustness	0.026	clean_select	0.0262	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Fbar	spearman	NOISE-S	borda	rrf	R_Fbar_s	robustness	-0.0642	clean_select	0.0596	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	C	spearman	NOISE-S	borda	rrf	R_C_s	robustness	0.0224	clean_select	0.0186	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Cbar	spearman	NOISE-S	borda	rrf	R_Cbar_s	robustness	-0.0828	clean_select	0.0792	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	F	spearman	NOISE-S	borda	rrf	R_F_a	robustness	0.0764	clean_select	0.0792	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Fbar	spearman	NOISE-S	borda	rrf	R_Fbar_a	robustness	-0.204	clean_select	0.2392	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	C	spearman	NOISE-S	borda	rrf	R_C_a	robustness	0.0902	clean_select	0.0982	individual	worse

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Cbar	spearman	NOISE-S	borda	rrf	R_Cbar_a	robustness	-0.2102	clean_select	-0.2144	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	spearman	NOISE-S	borda	rrf	F	quality	0.0872	naive_q11	0.0538	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	spearman	NOISE-S	borda	rrf	Fbar	quality	0.092	naive_q11	0.2172	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	spearman	NOISE-S	borda	rrf	C	quality	0.1356	naive_q11	0.0892	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	spearman	NOISE-S	borda	rrf	Cbar	quality	0.1442	naive_q11	0.2798	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	F	spearman	NOISE-S	borda	rrf	R_F_g	robustness	0.0736	naive_q11	0.0834	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Fbar	spearman	NOISE-S	borda	rrf	R_Fbar_g	robustness	-0.2246	naive_q11	-0.1912	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	C	spearman	NOISE-S	borda	rrf	R_C_g	robustness	0.0862	naive_q11	0.1182	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Cbar	spearman	NOISE-S	borda	rrf	R_Cbar_g	robustness	-0.2736	naive_q11	-0.2304	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	F	spearman	NOISE-S	borda	rrf	R_F_p	robustness	0.0526	naive_q11	0.0744	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Fbar	spearman	NOISE-S	borda	rrf	R_Fbar_p	robustness	-0.1692	naive_q11	-0.132	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	C	spearman	NOISE-S	borda	rrf	R_C_p	robustness	0.0676	naive_q11	0.1036	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Cbar	spearman	NOISE-S	borda	rrf	R_Cbar_p	robustness	-0.2162	naive_q11	-0.172	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	F	spearman	NOISE-S	borda	rrf	R_F_s	robustness	0.026	naive_q11	0.0308	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Fbar	spearman	NOISE-S	borda	rrf	R_Fbar_s	robustness	-0.0642	naive_q11	-0.0516	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	C	spearman	NOISE-S	borda	rrf	R_C_s	robustness	0.0224	naive_q11	0.04	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Cbar	spearman	NOISE-S	borda	rrf	R_Cbar_s	robustness	-0.0828	naive_q11	-0.066	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	F	spearman	NOISE-S	borda	rrf	R_F_a	robustness	0.0764	naive_q11	0.0696	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Fbar	spearman	NOISE-S	borda	rrf	R_Fbar_a	robustness	-0.204	naive_q11	-0.238	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	C	spearman	NOISE-S	borda	rrf	R_C_a	robustness	0.0902	naive_q11	0.0886	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Cbar	spearman	NOISE-S	borda	rrf	R_Cbar_a	robustness	-0.2102	naive_q11	-0.2434	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	spearman	NOISE-S	borda	rrf	F	quality	0.0872	NOISE_sam0.0538	0.0538	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	spearman	NOISE-S	borda	rrf	Fbar	quality	0.092	NOISE_sam0.2172	0.2172	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	spearman	NOISE-S	borda	rrf	C	quality	0.1356	NOISE_sam0.0892	0.0892	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	spearman	NOISE-S	borda	rrf	Cbar	quality	0.1442	NOISE_sam0.2798	0.2798	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	F	spearman	NOISE-S	borda	rrf	R_F_g	robustness	0.0736	NOISE_sam0.0834	0.0834	max	worse

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Fbar	spearman	NOISE-S	borda	rrf	R_Fbar_g	robustness	-0.2246	NOISE_same	0.1949	worse	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	C	spearman	NOISE-S	borda	rrf	R_C_g	robustness	0.0862	NOISE_same	0.1822	worse	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Cbar	spearman	NOISE-S	borda	rrf	R_Cbar_g	robustness	-0.2736	NOISE_same	0.2604	worse	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	F	spearman	NOISE-S	borda	rrf	R_F_p	robustness	0.0526	NOISE_same	0.0744	worse	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Fbar	spearman	NOISE-S	borda	rrf	R_Fbar_p	robustness	-0.1692	NOISE_same	0.1832	worse	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	C	spearman	NOISE-S	borda	rrf	R_C_p	robustness	0.0676	NOISE_same	0.1986	worse	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Cbar	spearman	NOISE-S	borda	rrf	R_Cbar_p	robustness	-0.2162	NOISE_same	0.1779	worse	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	F	spearman	NOISE-S	borda	rrf	R_F_s	robustness	0.026	NOISE_same	0.0808	worse	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Fbar	spearman	NOISE-S	borda	rrf	R_Fbar_s	robustness	-0.0642	NOISE_same	0.0516	worse	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	C	spearman	NOISE-S	borda	rrf	R_C_s	robustness	0.0224	NOISE_same	0.0405	worse	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Cbar	spearman	NOISE-S	borda	rrf	R_Cbar_s	robustness	-0.0828	NOISE_same	0.0662	worse	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	F	spearman	NOISE-S	borda	rrf	R_F_a	robustness	0.0764	NOISE_same	0.0606	better	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Fbar	spearman	NOISE-S	borda	rrf	R_Fbar_a	robustness	-0.204	NOISE_same	0.2682	better	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	C	spearman	NOISE-S	borda	rrf	R_C_a	robustness	0.0902	NOISE_same	0.0886	better	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Cbar	spearman	NOISE-S	borda	rrf	R_Cbar_a	robustness	-0.2102	NOISE_same	0.2404	better	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	spearman	NOISE-S	borda	rrf	F	quality	0.0872	dual_geometry	0.0872	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	spearman	NOISE-S	borda	rrf	Fbar	quality	0.092	dual_geometry	0.092	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	spearman	NOISE-S	borda	rrf	C	quality	0.1356	dual_geometry	0.1356	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	spearman	NOISE-S	borda	rrf	Cbar	quality	0.1442	dual_geometry	0.1442	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	F	spearman	NOISE-S	borda	rrf	R_F_g	robustness	0.0736	dual_geometry	0.0736	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Fbar	spearman	NOISE-S	borda	rrf	R_Fbar_g	robustness	-0.2246	dual_geometry	0.2246	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	C	spearman	NOISE-S	borda	rrf	R_C_g	robustness	0.0862	dual_geometry	0.0862	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Cbar	spearman	NOISE-S	borda	rrf	R_Cbar_g	robustness	-0.2736	dual_geometry	0.2736	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	F	spearman	NOISE-S	borda	rrf	R_F_p	robustness	0.0526	dual_geometry	0.0526	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Fbar	spearman	NOISE-S	borda	rrf	R_Fbar_p	robustness	-0.1692	dual_geometry	0.1692	equal	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	C	spearman	NOISE-S	borda	rrf	R_C_p	robustness	0.0676	dual_geometry	0.0676	equal	equal

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Cbar	spearman	NOISE-S	borda	rrf	R_Cbar_p	robustness	-0.2162	dual_geometry	0.2162	robustness	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	F	spearman	NOISE-S	borda	rrf	R_F_s	robustness	0.026	dual_geometry	0.026	robustness	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Fbar	spearman	NOISE-S	borda	rrf	R_Fbar_s	robustness	-0.0642	dual_geometry	0.0642	robustness	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	C	spearman	NOISE-S	borda	rrf	R_C_s	robustness	0.0224	dual_geometry	0.0224	robustness	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Cbar	spearman	NOISE-S	borda	rrf	R_Cbar_s	robustness	-0.0828	dual_geometry	0.0828	robustness	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	F	spearman	NOISE-S	borda	rrf	R_F_a	robustness	0.0764	dual_geometry	0.0764	robustness	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Fbar	spearman	NOISE-S	borda	rrf	R_Fbar_a	robustness	-0.204	dual_geometry	0.204	robustness	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	C	spearman	NOISE-S	borda	rrf	R_C_a	robustness	0.0902	dual_geometry	0.0902	robustness	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Cbar	spearman	NOISE-S	borda	rrf	R_Cbar_a	robustness	-0.2102	dual_geometry	0.2102	robustness	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	spearman	NOISE-S	borda	schulze	F	quality	0.0864	clean_select	0.0864	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	spearman	NOISE-S	borda	schulze	Fbar	quality	0.0928	clean_select	0.0928	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	spearman	NOISE-S	borda	schulze	C	quality	0.1352	clean_select	0.1352	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	spearman	NOISE-S	borda	schulze	Cbar	quality	0.146	clean_select	0.146	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	F	spearman	NOISE-S	borda	schulze	R_F_g	robustness	0.073	clean_select	0.073	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Fbar	spearman	NOISE-S	borda	schulze	R_Fbar_g	robustness	-0.223	clean_select	0.223	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	C	spearman	NOISE-S	borda	schulze	R_C_g	robustness	0.0846	clean_select	0.0846	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Cbar	spearman	NOISE-S	borda	schulze	R_Cbar_g	robustness	-0.272	clean_select	0.272	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	F	spearman	NOISE-S	borda	schulze	R_F_p	robustness	0.0544	clean_select	0.0544	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Fbar	spearman	NOISE-S	borda	schulze	R_Fbar_p	robustness	-0.1684	clean_select	0.1684	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	C	spearman	NOISE-S	borda	schulze	R_C_p	robustness	0.0684	clean_select	0.0684	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Cbar	spearman	NOISE-S	borda	schulze	R_Cbar_p	robustness	-0.2136	clean_select	0.2136	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	F	spearman	NOISE-S	borda	schulze	R_F_s	robustness	0.0288	clean_select	0.0288	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Fbar	spearman	NOISE-S	borda	schulze	R_Fbar_s	robustness	-0.0616	clean_select	0.0616	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	C	spearman	NOISE-S	borda	schulze	R_C_s	robustness	0.0252	clean_select	0.0252	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Cbar	spearman	NOISE-S	borda	schulze	R_Cbar_s	robustness	-0.081	clean_select	0.081	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	F	spearman	NOISE-S	borda	schulze	R_F_a	robustness	0.076	clean_select	0.076	individual	worse

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Fbar	spearman	NOISE-S	borda	schulze	R_Fbar_a	robustness	-0.2034	clean_select	-0.2338	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	C	spearman	NOISE-S	borda	schulze	R_C_a	robustness	0.091	clean_select	-0.0982	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Cbar	spearman	NOISE-S	borda	schulze	R_Cbar_a	robustness	-0.2096	clean_select	-0.2411	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	spearman	NOISE-S	borda	schulze	F	quality	0.0864	naive_q11	0.0488	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	spearman	NOISE-S	borda	schulze	Fbar	quality	0.0928	naive_q11	0.2336	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	spearman	NOISE-S	borda	schulze	C	quality	0.1352	naive_q11	0.0848	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	spearman	NOISE-S	borda	schulze	Cbar	quality	0.146	naive_q11	0.2966	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	F	spearman	NOISE-S	borda	schulze	R_F_g	robustness	0.073	naive_q11	0.0862	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Fbar	spearman	NOISE-S	borda	schulze	R_Fbar_g	robustness	-0.223	naive_q11	-0.1718	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	C	spearman	NOISE-S	borda	schulze	R_C_g	robustness	0.0846	naive_q11	0.1186	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Cbar	spearman	NOISE-S	borda	schulze	R_Cbar_g	robustness	-0.272	naive_q11	-0.2112	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	F	spearman	NOISE-S	borda	schulze	R_F_p	robustness	0.0544	naive_q11	0.0756	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Fbar	spearman	NOISE-S	borda	schulze	R_Fbar_p	robustness	-0.1684	naive_q11	-0.1222	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	C	spearman	NOISE-S	borda	schulze	R_C_p	robustness	0.0684	naive_q11	0.1018	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Cbar	spearman	NOISE-S	borda	schulze	R_Cbar_p	robustness	-0.2136	naive_q11	-0.1586	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	F	spearman	NOISE-S	borda	schulze	R_F_s	robustness	0.0288	naive_q11	0.0342	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Fbar	spearman	NOISE-S	borda	schulze	R_Fbar_s	robustness	-0.0616	naive_q11	-0.0466	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	C	spearman	NOISE-S	borda	schulze	R_C_s	robustness	0.0252	naive_q11	0.041	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Cbar	spearman	NOISE-S	borda	schulze	R_Cbar_s	robustness	-0.081	naive_q11	-0.056	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	F	spearman	NOISE-S	borda	schulze	R_F_a	robustness	0.076	naive_q11	0.072	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Fbar	spearman	NOISE-S	borda	schulze	R_Fbar_a	robustness	-0.2034	naive_q11	-0.2358	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	C	spearman	NOISE-S	borda	schulze	R_C_a	robustness	0.091	naive_q11	0.0904	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Cbar	spearman	NOISE-S	borda	schulze	R_Cbar_a	robustness	-0.2096	naive_q11	-0.2418	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	spearman	NOISE-S	borda	schulze	F	quality	0.0864	NOISE_same	0.0488	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	spearman	NOISE-S	borda	schulze	Fbar	quality	0.0928	NOISE_same	0.2336	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	spearman	NOISE-S	borda	schulze	C	quality	0.1352	NOISE_same	0.0848	max	better

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	spearman	NOISE-S	borda	schulze	Cbar	quality	0.146	NOISE_same	0.2966	win	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	F	spearman	NOISE-S	borda	schulze	R_F_g	robustness	0.073	NOISE_same	0.0862	loss	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Fbar	spearman	NOISE-S	borda	schulze	R_Fbar_g	robustness	-0.223	NOISE_same	0.1716	loss	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	C	spearman	NOISE-S	borda	schulze	R_C_g	robustness	0.0846	NOISE_same	0.1386	loss	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Cbar	spearman	NOISE-S	borda	schulze	R_Cbar_g	robustness	-0.272	NOISE_same	0.2419	loss	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	F	spearman	NOISE-S	borda	schulze	R_F_p	robustness	0.0544	NOISE_same	0.0756	loss	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Fbar	spearman	NOISE-S	borda	schulze	R_Fbar_p	robustness	-0.1684	NOISE_same	0.1922	loss	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	C	spearman	NOISE-S	borda	schulze	R_C_p	robustness	0.0684	NOISE_same	0.1046	loss	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Cbar	spearman	NOISE-S	borda	schulze	R_Cbar_p	robustness	-0.2136	NOISE_same	0.1586	loss	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	F	spearman	NOISE-S	borda	schulze	R_F_s	robustness	0.0288	NOISE_same	0.0842	loss	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Fbar	spearman	NOISE-S	borda	schulze	R_Fbar_s	robustness	-0.0616	NOISE_same	0.0466	loss	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	C	spearman	NOISE-S	borda	schulze	R_C_s	robustness	0.0252	NOISE_same	0.0616	loss	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Cbar	spearman	NOISE-S	borda	schulze	R_Cbar_s	robustness	-0.081	NOISE_same	0.0566	loss	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	F	spearman	NOISE-S	borda	schulze	R_F_a	robustness	0.076	NOISE_same	0.072	win	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Fbar	spearman	NOISE-S	borda	schulze	R_Fbar_a	robustness	-0.2034	NOISE_same	0.2956	loss	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	C	spearman	NOISE-S	borda	schulze	R_C_a	robustness	0.091	NOISE_same	0.0904	win	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Cbar	spearman	NOISE-S	borda	schulze	R_Cbar_a	robustness	-0.2096	NOISE_same	0.2416	loss	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	F	spearman	NOISE-S	borda	schulze	F	quality	0.0864	dual_geometry	0.0864	win	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Fbar	spearman	NOISE-S	borda	schulze	Fbar	quality	0.0928	dual_geometry	0.0928	win	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	C	spearman	NOISE-S	borda	schulze	C	quality	0.1352	dual_geometry	0.1352	win	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	clean	Cbar	spearman	NOISE-S	borda	schulze	Cbar	quality	0.146	dual_geometry	0.146	win	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	F	spearman	NOISE-S	borda	schulze	R_F_g	robustness	0.073	dual_geometry	0.073	win	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Fbar	spearman	NOISE-S	borda	schulze	R_Fbar_g	robustness	-0.223	dual_geometry	0.223	win	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	C	spearman	NOISE-S	borda	schulze	R_C_g	robustness	0.0846	dual_geometry	0.0846	win	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Cbar	spearman	NOISE-S	borda	schulze	R_Cbar_g	robustness	-0.272	dual_geometry	0.272	win	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	F	spearman	NOISE-S	borda	schulze	R_F_p	robustness	0.0544	dual_geometry	0.0544	win	equal

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Fbar	spearman	NOISE-S	borda	schulze	R_Fbar_p	robustness	-0.1684	dual_geometry	0.1684	robustness	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	C	spearman	NOISE-S	borda	schulze	R_C_p	robustness	0.0684	dual_geometry	0.0684	robustness	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Cbar	spearman	NOISE-S	borda	schulze	R_Cbar_p	robustness	-0.2136	dual_geometry	0.2136	robustness	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	F	spearman	NOISE-S	borda	schulze	R_F_s	robustness	0.0288	dual_geometry	0.0288	robustness	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Fbar	spearman	NOISE-S	borda	schulze	R_Fbar_s	robustness	-0.0616	dual_geometry	0.0616	robustness	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	C	spearman	NOISE-S	borda	schulze	R_C_s	robustness	0.0252	dual_geometry	0.0252	robustness	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Cbar	spearman	NOISE-S	borda	schulze	R_Cbar_s	robustness	-0.081	dual_geometry	0.081	robustness	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	F	spearman	NOISE-S	borda	schulze	R_F_a	robustness	0.076	dual_geometry	0.076	robustness	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Fbar	spearman	NOISE-S	borda	schulze	R_Fbar_a	robustness	-0.2034	dual_geometry	0.2034	robustness	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	C	spearman	NOISE-S	borda	schulze	R_C_a	robustness	0.091	dual_geometry	0.091	robustness	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Cbar	spearman	NOISE-S	borda	schulze	R_Cbar_a	robustness	-0.2096	dual_geometry	0.2096	robustness	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	F	kendall	NOISE-K	kemeny	simpleavg	F	quality	0.0734	clean_selected	0.0886	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Fbar	kendall	NOISE-K	kemeny	simpleavg	Fbar	quality	0.097	clean_selected	0.095	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	C	kendall	NOISE-K	kemeny	simpleavg	C	quality	0.1198	clean_selected	0.136	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Cbar	kendall	NOISE-K	kemeny	simpleavg	Cbar	quality	0.1478	clean_selected	0.146	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	F	kendall	NOISE-K	kemeny	simpleavg	R_F_g	robustness	0.0828	clean_selected	0.0782	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Fbar	kendall	NOISE-K	kemeny	simpleavg	R_Fbar_g	robustness	-0.2322	clean_selected	0.2276	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	C	kendall	NOISE-K	kemeny	simpleavg	R_C_g	robustness	0.108	clean_selected	0.0882	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Cbar	kendall	NOISE-K	kemeny	simpleavg	R_Cbar_g	robustness	-0.2798	clean_selected	0.281	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	F	kendall	NOISE-K	kemeny	simpleavg	R_F_p	robustness	0.0684	clean_selected	0.0546	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Fbar	kendall	NOISE-K	kemeny	simpleavg	R_Fbar_p	robustness	-0.1738	clean_selected	0.171	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	C	kendall	NOISE-K	kemeny	simpleavg	R_C_p	robustness	0.0936	clean_selected	0.0664	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Cbar	kendall	NOISE-K	kemeny	simpleavg	R_Cbar_p	robustness	-0.22	clean_selected	0.224	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	F	kendall	NOISE-K	kemeny	simpleavg	R_F_s	robustness	0.0306	clean_selected	0.0262	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Fbar	kendall	NOISE-K	kemeny	simpleavg	R_Fbar_s	robustness	-0.0568	clean_selected	0.0506	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	C	kendall	NOISE-K	kemeny	simpleavg	R_C_s	robustness	0.0322	clean_selected	0.0186	individual	better

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Cbar	kendall	NOISE-K	kemeny	simpleavg	R_Cbar_s	robustness	-0.0762	clean_select	0.0752	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	F	kendall	NOISE-K	kemeny	simpleavg	R_F_a	robustness	0.0752	clean_select	0.0752	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Fbar	kendall	NOISE-K	kemeny	simpleavg	R_Fbar_a	robustness	-0.1992	clean_select	0.1232	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	C	kendall	NOISE-K	kemeny	simpleavg	R_C_a	robustness	0.0928	clean_select	0.0932	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Cbar	kendall	NOISE-K	kemeny	simpleavg	R_Cbar_a	robustness	-0.2038	clean_select	0.1242	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	F	kendall	NOISE-K	kemeny	simpleavg	F	quality	0.0734	naive_q11	0.0642	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Fbar	kendall	NOISE-K	kemeny	simpleavg	Fbar	quality	0.097	naive_q11	0.1174	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	C	kendall	NOISE-K	kemeny	simpleavg	C	quality	0.1198	naive_q11	0.1032	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Cbar	kendall	NOISE-K	kemeny	simpleavg	Cbar	quality	0.1478	naive_q11	0.1744	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	F	kendall	NOISE-K	kemeny	simpleavg	R_F_g	robustness	0.0828	naive_q11	0.0774	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Fbar	kendall	NOISE-K	kemeny	simpleavg	R_Fbar_g	robustness	-0.2322	naive_q11	-0.2488	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	C	kendall	NOISE-K	kemeny	simpleavg	R_C_g	robustness	0.108	naive_q11	0.1104	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Cbar	kendall	NOISE-K	kemeny	simpleavg	R_Cbar_g	robustness	-0.2798	naive_q11	-0.2906	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	F	kendall	NOISE-K	kemeny	simpleavg	R_F_p	robustness	0.0684	naive_q11	0.0672	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Fbar	kendall	NOISE-K	kemeny	simpleavg	R_Fbar_p	robustness	-0.1738	naive_q11	-0.1808	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	C	kendall	NOISE-K	kemeny	simpleavg	R_C_p	robustness	0.0936	naive_q11	0.096	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Cbar	kendall	NOISE-K	kemeny	simpleavg	R_Cbar_p	robustness	-0.22	naive_q11	-0.2214	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	F	kendall	NOISE-K	kemeny	simpleavg	R_F_s	robustness	0.0306	naive_q11	0.024	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Fbar	kendall	NOISE-K	kemeny	simpleavg	R_Fbar_s	robustness	-0.0568	naive_q11	-0.066	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	C	kendall	NOISE-K	kemeny	simpleavg	R_C_s	robustness	0.0322	naive_q11	0.0322	max	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Cbar	kendall	NOISE-K	kemeny	simpleavg	R_Cbar_s	robustness	-0.0762	naive_q11	-0.0812	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	F	kendall	NOISE-K	kemeny	simpleavg	R_F_a	robustness	0.0752	naive_q11	0.0632	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Fbar	kendall	NOISE-K	kemeny	simpleavg	R_Fbar_a	robustness	-0.1992	naive_q11	-0.2696	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	C	kendall	NOISE-K	kemeny	simpleavg	R_C_a	robustness	0.0928	naive_q11	0.0788	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Cbar	kendall	NOISE-K	kemeny	simpleavg	R_Cbar_a	robustness	-0.2038	naive_q11	-0.2848	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	F	kendall	NOISE-K	kemeny	simpleavg	F	quality	0.0734	NOISE_same	0.0642	max	better

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Fbar	kendall	NOISE-K	kemeny	simpleavg	Fbar	quality	0.097	NOISE_sam0.1374	0.1374	metrix	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	C	kendall	NOISE-K	kemeny	simpleavg	C	quality	0.1198	NOISE_sam0.1982	0.1982	metrix	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Cbar	kendall	NOISE-K	kemeny	simpleavg	Cbar	quality	0.1478	NOISE_sam0.1744	0.1744	metrix	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	F	kendall	NOISE-K	kemeny	simpleavg	R_F_g	robustness	0.0828	NOISE_sam0.0774	0.0774	metrix	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Fbar	kendall	NOISE-K	kemeny	simpleavg	R_Fbar_g	robustness	-0.2322	NOISE_sam0.2488	0.2488	metrix	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	C	kendall	NOISE-K	kemeny	simpleavg	R_C_g	robustness	0.108	NOISE_sam0.1304	0.1304	metrix	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Cbar	kendall	NOISE-K	kemeny	simpleavg	R_Cbar_g	robustness	-0.2798	NOISE_sam0.2906	0.2906	metrix	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	F	kendall	NOISE-K	kemeny	simpleavg	R_F_p	robustness	0.0684	NOISE_sam0.0672	0.0672	metrix	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Fbar	kendall	NOISE-K	kemeny	simpleavg	R_Fbar_p	robustness	-0.1738	NOISE_sam0.1806	0.1806	metrix	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	C	kendall	NOISE-K	kemeny	simpleavg	R_C_p	robustness	0.0936	NOISE_sam0.0946	0.0946	metrix	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Cbar	kendall	NOISE-K	kemeny	simpleavg	R_Cbar_p	robustness	-0.22	NOISE_sam0.2214	0.2214	metrix	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	F	kendall	NOISE-K	kemeny	simpleavg	R_F_s	robustness	0.0306	NOISE_sam0.0246	0.0246	metrix	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Fbar	kendall	NOISE-K	kemeny	simpleavg	R_Fbar_s	robustness	-0.0568	NOISE_sam0.0666	0.0666	metrix	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	C	kendall	NOISE-K	kemeny	simpleavg	R_C_s	robustness	0.0322	NOISE_sam0.0822	0.0822	metrix	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Cbar	kendall	NOISE-K	kemeny	simpleavg	R_Cbar_s	robustness	-0.0762	NOISE_sam0.0812	0.0812	metrix	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	F	kendall	NOISE-K	kemeny	simpleavg	R_F_a	robustness	0.0752	NOISE_sam0.0682	0.0682	metrix	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Fbar	kendall	NOISE-K	kemeny	simpleavg	R_Fbar_a	robustness	-0.1992	NOISE_sam0.2096	0.2096	metrix	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	C	kendall	NOISE-K	kemeny	simpleavg	R_C_a	robustness	0.0928	NOISE_sam0.0788	0.0788	metrix	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Cbar	kendall	NOISE-K	kemeny	simpleavg	R_Cbar_a	robustness	-0.2038	NOISE_sam0.2048	0.2048	metrix	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	F	kendall	NOISE-K	kemeny	simpleavg	F	quality	0.0734	dual_geome0.0852	0.0852	metrix	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Fbar	kendall	NOISE-K	kemeny	simpleavg	Fbar	quality	0.097	dual_geome0.0966	0.0966	metrix	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	C	kendall	NOISE-K	kemeny	simpleavg	C	quality	0.1198	dual_geometty1.32	1.32	metrix	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Cbar	kendall	NOISE-K	kemeny	simpleavg	Cbar	quality	0.1478	dual_geometty1.48	1.48	metrix	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	F	kendall	NOISE-K	kemeny	simpleavg	R_F_g	robustness	0.0828	dual_geometty0.0672	0.0672	metrix	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Fbar	kendall	NOISE-K	kemeny	simpleavg	R_Fbar_g	robustness	-0.2322	dual_geometty0.2204	0.2204	metrix	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	C	kendall	NOISE-K	kemeny	simpleavg	R_C_g	robustness	0.108	dual_geometty0.0826	0.0826	metrix	better

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Cbar	kendall	NOISE-K	kemeny	simpleavg	R_Cbar_g	robustness	-0.2798	dual_geometry	0.2748	robustness	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	F	kendall	NOISE-K	kemeny	simpleavg	R_F_p	robustness	0.0684	dual_geometry	0.0548	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Fbar	kendall	NOISE-K	kemeny	simpleavg	R_Fbar_p	robustness	-0.1738	dual_geometry	0.1706	robustness	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	C	kendall	NOISE-K	kemeny	simpleavg	R_C_p	robustness	0.0936	dual_geometry	0.0714	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Cbar	kendall	NOISE-K	kemeny	simpleavg	R_Cbar_p	robustness	-0.22	dual_geometry	0.2192	robustness	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	F	kendall	NOISE-K	kemeny	simpleavg	R_F_s	robustness	0.0306	dual_geometry	0.0234	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Fbar	kendall	NOISE-K	kemeny	simpleavg	R_Fbar_s	robustness	-0.0568	dual_geometry	0.0636	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	C	kendall	NOISE-K	kemeny	simpleavg	R_C_s	robustness	0.0322	dual_geometry	0.0214	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Cbar	kendall	NOISE-K	kemeny	simpleavg	R_Cbar_s	robustness	-0.0762	dual_geometry	0.0848	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	F	kendall	NOISE-K	kemeny	simpleavg	R_F_a	robustness	0.0752	dual_geometry	0.0772	robustness	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Fbar	kendall	NOISE-K	kemeny	simpleavg	R_Fbar_a	robustness	-0.1992	dual_geometry	0.1984	robustness	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	C	kendall	NOISE-K	kemeny	simpleavg	R_C_a	robustness	0.0928	dual_geometry	0.0934	robustness	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Cbar	kendall	NOISE-K	kemeny	simpleavg	R_Cbar_a	robustness	-0.2038	dual_geometry	0.2052	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	F	kendall	NOISE-K	kemeny	borda	F	quality	0.0506	clean_selected	0.0886	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Fbar	kendall	NOISE-K	kemeny	borda	Fbar	quality	0.1026	clean_selected	0.0956	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	C	kendall	NOISE-K	kemeny	borda	C	quality	0.0956	clean_selected	0.1386	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Cbar	kendall	NOISE-K	kemeny	borda	Cbar	quality	0.1508	clean_selected	0.1486	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	F	kendall	NOISE-K	kemeny	borda	R_F_g	robustness	0.0796	clean_selected	0.0782	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Fbar	kendall	NOISE-K	kemeny	borda	R_Fbar_g	robustness	-0.2524	clean_selected	0.2274	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	C	kendall	NOISE-K	kemeny	borda	R_C_g	robustness	0.1022	clean_selected	0.0892	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Cbar	kendall	NOISE-K	kemeny	borda	R_Cbar_g	robustness	-0.3032	clean_selected	0.2842	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	F	kendall	NOISE-K	kemeny	borda	R_F_p	robustness	0.0636	clean_selected	0.0546	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Fbar	kendall	NOISE-K	kemeny	borda	R_Fbar_p	robustness	-0.1874	clean_selected	0.1768	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	C	kendall	NOISE-K	kemeny	borda	R_C_p	robustness	0.0904	clean_selected	0.0664	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Cbar	kendall	NOISE-K	kemeny	borda	R_Cbar_p	robustness	-0.2354	clean_selected	0.2294	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	F	kendall	NOISE-K	kemeny	borda	R_F_s	robustness	0.0238	clean_selected	0.0262	individual	worse

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Fbar	kendall	NOISE-K	kemeny	borda	R_Fbar_s	robustness	-0.0666	clean_select	0.0596	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	C	kendall	NOISE-K	kemeny	borda	R_C_s	robustness	0.0236	clean_select	0.0186	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Cbar	kendall	NOISE-K	kemeny	borda	R_Cbar_s	robustness	-0.0886	clean_select	0.0792	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	F	kendall	NOISE-K	kemeny	borda	R_F_a	robustness	0.1022	clean_select	0.0792	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Fbar	kendall	NOISE-K	kemeny	borda	R_Fbar_a	robustness	-0.1906	clean_select	0.2398	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	C	kendall	NOISE-K	kemeny	borda	R_C_a	robustness	0.1214	clean_select	0.0982	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Cbar	kendall	NOISE-K	kemeny	borda	R_Cbar_a	robustness	-0.201	clean_select	0.2414	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	F	kendall	NOISE-K	kemeny	borda	F	quality	0.0506	naive_q11	0.0478	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Fbar	kendall	NOISE-K	kemeny	borda	Fbar	quality	0.1026	naive_q11	0.2256	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	C	kendall	NOISE-K	kemeny	borda	C	quality	0.0956	naive_q11	0.0802	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Cbar	kendall	NOISE-K	kemeny	borda	Cbar	quality	0.1508	naive_q11	0.2866	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	F	kendall	NOISE-K	kemeny	borda	R_F_g	robustness	0.0796	naive_q11	0.0786	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Fbar	kendall	NOISE-K	kemeny	borda	R_Fbar_g	robustness	-0.2524	naive_q11	-0.1832	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	C	kendall	NOISE-K	kemeny	borda	R_C_g	robustness	0.1022	naive_q11	0.1126	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Cbar	kendall	NOISE-K	kemeny	borda	R_Cbar_g	robustness	-0.3032	naive_q11	-0.2226	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	F	kendall	NOISE-K	kemeny	borda	R_F_p	robustness	0.0636	naive_q11	0.0692	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Fbar	kendall	NOISE-K	kemeny	borda	R_Fbar_p	robustness	-0.1874	naive_q11	-0.1228	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	C	kendall	NOISE-K	kemeny	borda	R_C_p	robustness	0.0904	naive_q11	0.1014	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Cbar	kendall	NOISE-K	kemeny	borda	R_Cbar_p	robustness	-0.2354	naive_q11	-0.1616	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	F	kendall	NOISE-K	kemeny	borda	R_F_s	robustness	0.0238	naive_q11	0.0266	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Fbar	kendall	NOISE-K	kemeny	borda	R_Fbar_s	robustness	-0.0666	naive_q11	-0.04	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	C	kendall	NOISE-K	kemeny	borda	R_C_s	robustness	0.0236	naive_q11	0.0368	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Cbar	kendall	NOISE-K	kemeny	borda	R_Cbar_s	robustness	-0.0886	naive_q11	-0.0544	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	F	kendall	NOISE-K	kemeny	borda	R_F_a	robustness	0.1022	naive_q11	0.0736	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Fbar	kendall	NOISE-K	kemeny	borda	R_Fbar_a	robustness	-0.1906	naive_q11	-0.2438	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	C	kendall	NOISE-K	kemeny	borda	R_C_a	robustness	0.1214	naive_q11	0.095	max	better

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Cbar	kendall	NOISE-K	kemeny	borda	R_Cbar_a	robustness	-0.201	naive_q11	-0.2556	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	F	kendall	NOISE-K	kemeny	borda	F	quality	0.0506	NOISE_same0.0470	max	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Fbar	kendall	NOISE-K	kemeny	borda	Fbar	quality	0.1026	NOISE_same0.2256	min	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	C	kendall	NOISE-K	kemeny	borda	C	quality	0.0956	NOISE_same0.0862	max	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Cbar	kendall	NOISE-K	kemeny	borda	Cbar	quality	0.1508	NOISE_same0.2866	min	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	F	kendall	NOISE-K	kemeny	borda	R_F_g	robustness	0.0796	NOISE_same0.0786	max	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Fbar	kendall	NOISE-K	kemeny	borda	R_Fbar_g	robustness	-0.2524	NOISE_same0.1542	max	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	C	kendall	NOISE-K	kemeny	borda	R_C_g	robustness	0.1022	NOISE_same0.1426	max	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Cbar	kendall	NOISE-K	kemeny	borda	R_Cbar_g	robustness	-0.3032	NOISE_same0.2926	max	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	F	kendall	NOISE-K	kemeny	borda	R_F_p	robustness	0.0636	NOISE_same0.0602	max	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Fbar	kendall	NOISE-K	kemeny	borda	R_Fbar_p	robustness	-0.1874	NOISE_same0.1928	max	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	C	kendall	NOISE-K	kemeny	borda	R_C_p	robustness	0.0904	NOISE_same0.1946	max	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Cbar	kendall	NOISE-K	kemeny	borda	R_Cbar_p	robustness	-0.2354	NOISE_same0.1616	max	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	F	kendall	NOISE-K	kemeny	borda	R_F_s	robustness	0.0238	NOISE_same0.0266	max	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Fbar	kendall	NOISE-K	kemeny	borda	R_Fbar_s	robustness	-0.0666	NOISE_same0.0404	max	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	C	kendall	NOISE-K	kemeny	borda	R_C_s	robustness	0.0236	NOISE_same0.0266	max	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Cbar	kendall	NOISE-K	kemeny	borda	R_Cbar_s	robustness	-0.0886	NOISE_same0.0544	max	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	F	kendall	NOISE-K	kemeny	borda	R_F_a	robustness	0.1022	NOISE_same0.0766	max	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Fbar	kendall	NOISE-K	kemeny	borda	R_Fbar_a	robustness	-0.1906	NOISE_same0.2488	max	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	C	kendall	NOISE-K	kemeny	borda	R_C_a	robustness	0.1214	NOISE_same0.0956	max	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Cbar	kendall	NOISE-K	kemeny	borda	R_Cbar_a	robustness	-0.201	NOISE_same0.2556	max	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	F	kendall	NOISE-K	kemeny	borda	F	quality	0.0506	dual_geometry0.0884	max	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Fbar	kendall	NOISE-K	kemeny	borda	Fbar	quality	0.1026	dual_geometry0.0928	max	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	C	kendall	NOISE-K	kemeny	borda	C	quality	0.0956	dual_geometry0.1352	max	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Cbar	kendall	NOISE-K	kemeny	borda	Cbar	quality	0.1508	dual_geometry0.1404	max	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	F	kendall	NOISE-K	kemeny	borda	R_F_g	robustness	0.0796	dual_geometry0.0734	max	max	better

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Fbar	kendall	NOISE-K	kemeny	borda	R_Fbar_g	robustness	-0.2524	dual_geometry	0.223	robustness	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	C	kendall	NOISE-K	kemeny	borda	R_C_g	robustness	0.1022	dual_geometry	0.0846	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Cbar	kendall	NOISE-K	kemeny	borda	R_Cbar_g	robustness	-0.3032	dual_geometry	0.272	robustness	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	F	kendall	NOISE-K	kemeny	borda	R_F_p	robustness	0.0636	dual_geometry	0.0544	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Fbar	kendall	NOISE-K	kemeny	borda	R_Fbar_p	robustness	-0.1874	dual_geometry	0.1684	robustness	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	C	kendall	NOISE-K	kemeny	borda	R_C_p	robustness	0.0904	dual_geometry	0.0684	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Cbar	kendall	NOISE-K	kemeny	borda	R_Cbar_p	robustness	-0.2354	dual_geometry	0.2186	robustness	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	F	kendall	NOISE-K	kemeny	borda	R_F_s	robustness	0.0238	dual_geometry	0.0284	robustness	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Fbar	kendall	NOISE-K	kemeny	borda	R_Fbar_s	robustness	-0.0666	dual_geometry	0.0646	robustness	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	C	kendall	NOISE-K	kemeny	borda	R_C_s	robustness	0.0236	dual_geometry	0.0252	robustness	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Cbar	kendall	NOISE-K	kemeny	borda	R_Cbar_s	robustness	-0.0886	dual_geometry	0.0814	robustness	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	F	kendall	NOISE-K	kemeny	borda	R_F_a	robustness	0.1022	dual_geometry	0.0764	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Fbar	kendall	NOISE-K	kemeny	borda	R_Fbar_a	robustness	-0.1906	dual_geometry	0.2084	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	C	kendall	NOISE-K	kemeny	borda	R_C_a	robustness	0.1214	dual_geometry	0.0944	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Cbar	kendall	NOISE-K	kemeny	borda	R_Cbar_a	robustness	-0.201	dual_geometry	0.2096	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	F	kendall	NOISE-K	kemeny	kemeny	F	quality	0.0874	clean_select	0.0886	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Fbar	kendall	NOISE-K	kemeny	kemeny	Fbar	quality	0.0946	clean_select	0.0956	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	C	kendall	NOISE-K	kemeny	kemeny	C	quality	0.1362	clean_select	0.1386	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Cbar	kendall	NOISE-K	kemeny	kemeny	Cbar	quality	0.1464	clean_select	0.1466	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	F	kendall	NOISE-K	kemeny	kemeny	R_F_g	robustness	0.0716	clean_select	0.0702	individual	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Fbar	kendall	NOISE-K	kemeny	kemeny	R_Fbar_g	robustness	-0.2204	clean_select	0.2276	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	C	kendall	NOISE-K	kemeny	kemeny	R_C_g	robustness	0.0906	clean_select	0.0886	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Cbar	kendall	NOISE-K	kemeny	kemeny	R_Cbar_g	robustness	-0.2712	clean_select	0.284	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	F	kendall	NOISE-K	kemeny	kemeny	R_F_p	robustness	0.0576	clean_select	0.0546	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Fbar	kendall	NOISE-K	kemeny	kemeny	R_Fbar_p	robustness	-0.1678	clean_select	0.1746	individual	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	C	kendall	NOISE-K	kemeny	kemeny	R_C_p	robustness	0.079	clean_select	0.0664	individual	better

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Cbar	kendall	NOISE-K	kemeny	kemeny	R_Cbar_p	robustness	-0.2136	clean_select	0.2234	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	F	kendall	NOISE-K	kemeny	kemeny	R_F_s	robustness	0.0268	clean_select	0.0262	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Fbar	kendall	NOISE-K	kemeny	kemeny	R_Fbar_s	robustness	-0.0592	clean_select	0.0506	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	C	kendall	NOISE-K	kemeny	kemeny	R_C_s	robustness	0.0268	clean_select	0.0186	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Cbar	kendall	NOISE-K	kemeny	kemeny	R_Cbar_s	robustness	-0.077	clean_select	0.0752	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	F	kendall	NOISE-K	kemeny	kemeny	R_F_a	robustness	0.077	clean_select	0.0792	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Fbar	kendall	NOISE-K	kemeny	kemeny	R_Fbar_a	robustness	-0.207	clean_select	0.2328	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	C	kendall	NOISE-K	kemeny	kemeny	R_C_a	robustness	0.0926	clean_select	0.0982	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Cbar	kendall	NOISE-K	kemeny	kemeny	R_Cbar_a	robustness	-0.2164	clean_select	0.2464	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	F	kendall	NOISE-K	kemeny	kemeny	F	quality	0.0874	naive_q11	0.05	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Fbar	kendall	NOISE-K	kemeny	kemeny	Fbar	quality	0.0946	naive_q11	0.2684	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	C	kendall	NOISE-K	kemeny	kemeny	C	quality	0.1362	naive_q11	0.0856	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Cbar	kendall	NOISE-K	kemeny	kemeny	Cbar	quality	0.1464	naive_q11	0.3318	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	F	kendall	NOISE-K	kemeny	kemeny	R_F_g	robustness	0.0716	naive_q11	0.0846	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Fbar	kendall	NOISE-K	kemeny	kemeny	R_Fbar_g	robustness	-0.2204	naive_q11	-0.161	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	C	kendall	NOISE-K	kemeny	kemeny	R_C_g	robustness	0.0906	naive_q11	0.1174	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Cbar	kendall	NOISE-K	kemeny	kemeny	R_Cbar_g	robustness	-0.2712	naive_q11	-0.1992	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	F	kendall	NOISE-K	kemeny	kemeny	R_F_p	robustness	0.0576	naive_q11	0.0764	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Fbar	kendall	NOISE-K	kemeny	kemeny	R_Fbar_p	robustness	-0.1678	naive_q11	-0.1096	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	C	kendall	NOISE-K	kemeny	kemeny	R_C_p	robustness	0.079	naive_q11	0.1036	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Cbar	kendall	NOISE-K	kemeny	kemeny	R_Cbar_p	robustness	-0.2136	naive_q11	-0.1464	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	F	kendall	NOISE-K	kemeny	kemeny	R_F_s	robustness	0.0268	naive_q11	0.0324	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Fbar	kendall	NOISE-K	kemeny	kemeny	R_Fbar_s	robustness	-0.0592	naive_q11	-0.0378	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	C	kendall	NOISE-K	kemeny	kemeny	R_C_s	robustness	0.0268	naive_q11	0.04	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Cbar	kendall	NOISE-K	kemeny	kemeny	R_Cbar_s	robustness	-0.077	naive_q11	-0.048	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	F	kendall	NOISE-K	kemeny	kemeny	R_F_a	robustness	0.077	naive_q11	0.0714	max	better

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Fbar	kendall	NOISE-K	kemeny	kemeny	R_Fbar_a	robustness	-0.207	naive_q11	-0.2106	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	C	kendall	NOISE-K	kemeny	kemeny	R_C_a	robustness	0.0926	naive_q11	0.0926	max	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Cbar	kendall	NOISE-K	kemeny	kemeny	R_Cbar_a	robustness	-0.2164	naive_q11	-0.2166	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	F	kendall	NOISE-K	kemeny	kemeny	F	quality	0.0874	NOISE_same0.0506	0.0506	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Fbar	kendall	NOISE-K	kemeny	kemeny	Fbar	quality	0.0946	NOISE_same0.2684	0.2684	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	C	kendall	NOISE-K	kemeny	kemeny	C	quality	0.1362	NOISE_same0.0856	0.0856	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Cbar	kendall	NOISE-K	kemeny	kemeny	Cbar	quality	0.1464	NOISE_same0.3840	0.3840	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	F	kendall	NOISE-K	kemeny	kemeny	R_F_g	robustness	0.0716	NOISE_same0.0846	0.0846	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Fbar	kendall	NOISE-K	kemeny	kemeny	R_Fbar_g	robustness	-0.2204	NOISE_same0.1641	0.1641	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	C	kendall	NOISE-K	kemeny	kemeny	R_C_g	robustness	0.0906	NOISE_same0.1374	0.1374	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Cbar	kendall	NOISE-K	kemeny	kemeny	R_Cbar_g	robustness	-0.2712	NOISE_same0.1990	0.1990	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	F	kendall	NOISE-K	kemeny	kemeny	R_F_p	robustness	0.0576	NOISE_same0.0764	0.0764	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Fbar	kendall	NOISE-K	kemeny	kemeny	R_Fbar_p	robustness	-0.1678	NOISE_same0.1496	0.1496	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	C	kendall	NOISE-K	kemeny	kemeny	R_C_p	robustness	0.079	NOISE_same0.1636	0.1636	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Cbar	kendall	NOISE-K	kemeny	kemeny	R_Cbar_p	robustness	-0.2136	NOISE_same0.1464	0.1464	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	F	kendall	NOISE-K	kemeny	kemeny	R_F_s	robustness	0.0268	NOISE_same0.0824	0.0824	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Fbar	kendall	NOISE-K	kemeny	kemeny	R_Fbar_s	robustness	-0.0592	NOISE_same0.0976	0.0976	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	C	kendall	NOISE-K	kemeny	kemeny	R_C_s	robustness	0.0268	NOISE_same0.0404	0.0404	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Cbar	kendall	NOISE-K	kemeny	kemeny	R_Cbar_s	robustness	-0.077	NOISE_same0.0464	0.0464	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	F	kendall	NOISE-K	kemeny	kemeny	R_F_a	robustness	0.077	NOISE_same0.0744	0.0744	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Fbar	kendall	NOISE-K	kemeny	kemeny	R_Fbar_a	robustness	-0.207	NOISE_same0.2406	0.2406	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	C	kendall	NOISE-K	kemeny	kemeny	R_C_a	robustness	0.0926	NOISE_same0.0926	0.0926	max	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Cbar	kendall	NOISE-K	kemeny	kemeny	R_Cbar_a	robustness	-0.2164	NOISE_same0.2406	0.2406	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	F	kendall	NOISE-K	kemeny	kemeny	F	quality	0.0874	dual_geometry0.0864	0.0864	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Fbar	kendall	NOISE-K	kemeny	kemeny	Fbar	quality	0.0946	dual_geometry0.0928	0.0928	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	C	kendall	NOISE-K	kemeny	kemeny	C	quality	0.1362	dual_geometry0.1352	0.1352	max	better

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Cbar	kendall	NOISE-K	kemeny	kemeny	Cbar	quality	0.1464	dual_geometry	0.1464	robustness	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	F	kendall	NOISE-K	kemeny	kemeny	R_F_g	robustness	0.0716	dual_geometry	0.0734	robustness	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Fbar	kendall	NOISE-K	kemeny	kemeny	R_Fbar_g	robustness	-0.2204	dual_geometry	-0.2234	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	C	kendall	NOISE-K	kemeny	kemeny	R_C_g	robustness	0.0906	dual_geometry	0.0846	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Cbar	kendall	NOISE-K	kemeny	kemeny	R_Cbar_g	robustness	-0.2712	dual_geometry	-0.2724	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	F	kendall	NOISE-K	kemeny	kemeny	R_F_p	robustness	0.0576	dual_geometry	0.0544	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Fbar	kendall	NOISE-K	kemeny	kemeny	R_Fbar_p	robustness	-0.1678	dual_geometry	-0.1684	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	C	kendall	NOISE-K	kemeny	kemeny	R_C_p	robustness	0.079	dual_geometry	0.0684	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Cbar	kendall	NOISE-K	kemeny	kemeny	R_Cbar_p	robustness	-0.2136	dual_geometry	-0.2136	robustness	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	F	kendall	NOISE-K	kemeny	kemeny	R_F_s	robustness	0.0268	dual_geometry	0.0288	robustness	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Fbar	kendall	NOISE-K	kemeny	kemeny	R_Fbar_s	robustness	-0.0592	dual_geometry	-0.0646	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	C	kendall	NOISE-K	kemeny	kemeny	R_C_s	robustness	0.0268	dual_geometry	0.0254	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Cbar	kendall	NOISE-K	kemeny	kemeny	R_Cbar_s	robustness	-0.077	dual_geometry	-0.0814	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	F	kendall	NOISE-K	kemeny	kemeny	R_F_a	robustness	0.077	dual_geometry	0.0764	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Fbar	kendall	NOISE-K	kemeny	kemeny	R_Fbar_a	robustness	-0.207	dual_geometry	-0.2084	robustness	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	C	kendall	NOISE-K	kemeny	kemeny	R_C_a	robustness	0.0926	dual_geometry	0.0944	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Cbar	kendall	NOISE-K	kemeny	kemeny	R_Cbar_a	robustness	-0.2164	dual_geometry	-0.2096	robustness	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	F	kendall	NOISE-K	kemeny	rrf	F	quality	0.0726	clean_selected	0.0886	robustness	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Fbar	kendall	NOISE-K	kemeny	rrf	Fbar	quality	0.096	clean_selected	0.0956	robustness	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	C	kendall	NOISE-K	kemeny	rrf	C	quality	0.123	clean_selected	0.1386	robustness	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Cbar	kendall	NOISE-K	kemeny	rrf	Cbar	quality	0.1468	clean_selected	0.1496	robustness	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	F	kendall	NOISE-K	kemeny	rrf	R_F_g	robustness	0.0816	clean_selected	0.0786	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Fbar	kendall	NOISE-K	kemeny	rrf	R_Fbar_g	robustness	-0.224	clean_selected	-0.2276	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	C	kendall	NOISE-K	kemeny	rrf	R_C_g	robustness	0.1028	clean_selected	0.0886	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Cbar	kendall	NOISE-K	kemeny	rrf	R_Cbar_g	robustness	-0.273	clean_selected	-0.2816	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	F	kendall	NOISE-K	kemeny	rrf	R_F_p	robustness	0.068	clean_selected	0.0546	robustness	better

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Fbar	kendall	NOISE-K	kemeny	rrf	R_Fbar_p	robustness	-0.1558	clean_select	0.1174	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	C	kendall	NOISE-K	kemeny	rrf	R_C_p	robustness	0.0858	clean_select	0.0654	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Cbar	kendall	NOISE-K	kemeny	rrf	R_Cbar_p	robustness	-0.205	clean_select	0.1224	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	F	kendall	NOISE-K	kemeny	rrf	R_F_s	robustness	0.0308	clean_select	0.0262	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Fbar	kendall	NOISE-K	kemeny	rrf	R_Fbar_s	robustness	-0.0494	clean_select	0.0506	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	C	kendall	NOISE-K	kemeny	rrf	R_C_s	robustness	0.028	clean_select	0.0186	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Cbar	kendall	NOISE-K	kemeny	rrf	R_Cbar_s	robustness	-0.0708	clean_select	0.0772	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	F	kendall	NOISE-K	kemeny	rrf	R_F_a	robustness	0.086	clean_select	0.0792	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Fbar	kendall	NOISE-K	kemeny	rrf	R_Fbar_a	robustness	-0.2022	clean_select	0.1234	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	C	kendall	NOISE-K	kemeny	rrf	R_C_a	robustness	0.1024	clean_select	0.0982	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Cbar	kendall	NOISE-K	kemeny	rrf	R_Cbar_a	robustness	-0.2064	clean_select	0.1244	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	F	kendall	NOISE-K	kemeny	rrf	F	quality	0.0726	naive_q11	0.0538	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Fbar	kendall	NOISE-K	kemeny	rrf	Fbar	quality	0.096	naive_q11	0.2172	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	C	kendall	NOISE-K	kemeny	rrf	C	quality	0.123	naive_q11	0.0892	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Cbar	kendall	NOISE-K	kemeny	rrf	Cbar	quality	0.1468	naive_q11	0.2798	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	F	kendall	NOISE-K	kemeny	rrf	R_F_g	robustness	0.0816	naive_q11	0.0834	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Fbar	kendall	NOISE-K	kemeny	rrf	R_Fbar_g	robustness	-0.224	naive_q11	-0.1912	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	C	kendall	NOISE-K	kemeny	rrf	R_C_g	robustness	0.1028	naive_q11	0.1182	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Cbar	kendall	NOISE-K	kemeny	rrf	R_Cbar_g	robustness	-0.273	naive_q11	-0.2304	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	F	kendall	NOISE-K	kemeny	rrf	R_F_p	robustness	0.068	naive_q11	0.0744	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Fbar	kendall	NOISE-K	kemeny	rrf	R_Fbar_p	robustness	-0.1558	naive_q11	-0.132	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	C	kendall	NOISE-K	kemeny	rrf	R_C_p	robustness	0.0858	naive_q11	0.1036	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Cbar	kendall	NOISE-K	kemeny	rrf	R_Cbar_p	robustness	-0.205	naive_q11	-0.172	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	F	kendall	NOISE-K	kemeny	rrf	R_F_s	robustness	0.0308	naive_q11	0.0308	max	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Fbar	kendall	NOISE-K	kemeny	rrf	R_Fbar_s	robustness	-0.0494	naive_q11	-0.0516	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	C	kendall	NOISE-K	kemeny	rrf	R_C_s	robustness	0.028	naive_q11	0.04	max	worse

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Cbar	kendall	NOISE-K	kemeny	rrf	R_Cbar_s	robustness	-0.0708	naive_q11	-0.066	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	F	kendall	NOISE-K	kemeny	rrf	R_F_a	robustness	0.086	naive_q11	0.0696	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Fbar	kendall	NOISE-K	kemeny	rrf	R_Fbar_a	robustness	-0.2022	naive_q11	-0.238	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	C	kendall	NOISE-K	kemeny	rrf	R_C_a	robustness	0.1024	naive_q11	0.0886	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Cbar	kendall	NOISE-K	kemeny	rrf	R_Cbar_a	robustness	-0.2064	naive_q11	-0.2434	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	F	kendall	NOISE-K	kemeny	rrf	F	quality	0.0726	NOISE_same0.0585	0.0585	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Fbar	kendall	NOISE-K	kemeny	rrf	Fbar	quality	0.096	NOISE_same0.2472	0.2472	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	C	kendall	NOISE-K	kemeny	rrf	C	quality	0.123	NOISE_same0.0892	0.0892	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Cbar	kendall	NOISE-K	kemeny	rrf	Cbar	quality	0.1468	NOISE_same0.2768	0.2768	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	F	kendall	NOISE-K	kemeny	rrf	R_F_g	robustness	0.0816	NOISE_same0.0834	0.0834	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Fbar	kendall	NOISE-K	kemeny	rrf	R_Fbar_g	robustness	-0.224	NOISE_same0.1910	0.1910	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	C	kendall	NOISE-K	kemeny	rrf	R_C_g	robustness	0.1028	NOISE_same0.1482	0.1482	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Cbar	kendall	NOISE-K	kemeny	rrf	R_Cbar_g	robustness	-0.273	NOISE_same0.2404	0.2404	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	F	kendall	NOISE-K	kemeny	rrf	R_F_p	robustness	0.068	NOISE_same0.0744	0.0744	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Fbar	kendall	NOISE-K	kemeny	rrf	R_Fbar_p	robustness	-0.1558	NOISE_same0.1832	0.1832	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	C	kendall	NOISE-K	kemeny	rrf	R_C_p	robustness	0.0858	NOISE_same0.1936	0.1936	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Cbar	kendall	NOISE-K	kemeny	rrf	R_Cbar_p	robustness	-0.205	NOISE_same0.1792	0.1792	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	F	kendall	NOISE-K	kemeny	rrf	R_F_s	robustness	0.0308	NOISE_same0.0308	0.0308	max	equal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Fbar	kendall	NOISE-K	kemeny	rrf	R_Fbar_s	robustness	-0.0494	NOISE_same0.0516	0.0516	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	C	kendall	NOISE-K	kemeny	rrf	R_C_s	robustness	0.028	NOISE_same0.04	0.04	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Cbar	kendall	NOISE-K	kemeny	rrf	R_Cbar_s	robustness	-0.0708	NOISE_same0.066	0.066	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	F	kendall	NOISE-K	kemeny	rrf	R_F_a	robustness	0.086	NOISE_same0.0696	0.0696	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Fbar	kendall	NOISE-K	kemeny	rrf	R_Fbar_a	robustness	-0.2022	NOISE_same0.238	0.238	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	C	kendall	NOISE-K	kemeny	rrf	R_C_a	robustness	0.1024	NOISE_same0.0886	0.0886	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Cbar	kendall	NOISE-K	kemeny	rrf	R_Cbar_a	robustness	-0.2064	NOISE_same0.2434	0.2434	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	F	kendall	NOISE-K	kemeny	rrf	F	quality	0.0726	dual_geometry0.0872	0.0872	max	worse

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	reference direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Fbar	kendall	NOISE-K	kemeny	rrf	Fbar	quality	0.096	dual_geometry0.093	0.093	bar	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	C	kendall	NOISE-K	kemeny	rrf	C	quality	0.123	dual_geometry0.135	0.135	bar	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Cbar	kendall	NOISE-K	kemeny	rrf	Cbar	quality	0.1468	dual_geometry0.144	0.144	bar	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	F	kendall	NOISE-K	kemeny	rrf	R_F_g	robustness	0.0816	dual_geometry0.073	0.073	bar	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Fbar	kendall	NOISE-K	kemeny	rrf	R_Fbar_g	robustness	-0.224	dual_geometry0.224	0.224	bar	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	C	kendall	NOISE-K	kemeny	rrf	R_C_g	robustness	0.1028	dual_geometry0.086	0.086	bar	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Cbar	kendall	NOISE-K	kemeny	rrf	R_Cbar_g	robustness	-0.273	dual_geometry0.273	0.273	bar	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	F	kendall	NOISE-K	kemeny	rrf	R_F_p	robustness	0.068	dual_geometry0.052	0.052	bar	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Fbar	kendall	NOISE-K	kemeny	rrf	R_Fbar_p	robustness	-0.1558	dual_geometry0.169	0.169	bar	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	C	kendall	NOISE-K	kemeny	rrf	R_C_p	robustness	0.0858	dual_geometry0.067	0.067	bar	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Cbar	kendall	NOISE-K	kemeny	rrf	R_Cbar_p	robustness	-0.205	dual_geometry0.216	0.216	bar	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	F	kendall	NOISE-K	kemeny	rrf	R_F_s	robustness	0.0308	dual_geometry0.026	0.026	bar	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Fbar	kendall	NOISE-K	kemeny	rrf	R_Fbar_s	robustness	-0.0494	dual_geometry0.064	0.064	bar	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	C	kendall	NOISE-K	kemeny	rrf	R_C_s	robustness	0.028	dual_geometry0.023	0.023	bar	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Cbar	kendall	NOISE-K	kemeny	rrf	R_Cbar_s	robustness	-0.0708	dual_geometry0.082	0.082	bar	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	F	kendall	NOISE-K	kemeny	rrf	R_F_a	robustness	0.086	dual_geometry0.076	0.076	bar	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Fbar	kendall	NOISE-K	kemeny	rrf	R_Fbar_a	robustness	-0.2022	dual_geometry0.204	0.204	bar	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	C	kendall	NOISE-K	kemeny	rrf	R_C_a	robustness	0.1024	dual_geometry0.096	0.096	bar	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Cbar	kendall	NOISE-K	kemeny	rrf	R_Cbar_a	robustness	-0.2064	dual_geometry0.216	0.216	bar	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	F	kendall	NOISE-K	kemeny	schulze	F	quality	0.0764	clean_select0.088	0.088	est	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Fbar	kendall	NOISE-K	kemeny	schulze	Fbar	quality	0.0978	clean_select0.095	0.095	est	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	C	kendall	NOISE-K	kemeny	schulze	C	quality	0.125	clean_select0.138	0.138	est	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Cbar	kendall	NOISE-K	kemeny	schulze	Cbar	quality	0.1484	clean_select0.142	0.142	est	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	F	kendall	NOISE-K	kemeny	schulze	R_F_g	robustness	0.0742	clean_select0.072	0.072	est	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Fbar	kendall	NOISE-K	kemeny	schulze	R_Fbar_g	robustness	-0.2358	clean_select0.227	0.227	est	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	C	kendall	NOISE-K	kemeny	schulze	R_C_g	robustness	0.0962	clean_select0.082	0.082	est	better

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Cbar	kendall	NOISE-K	kemeny	schulze	R_Cbar_g	robustness	-0.2864	clean_selected	-0.2864	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	F	kendall	NOISE-K	kemeny	schulze	R_F_p	robustness	0.062	clean_selected	0.0546	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Fbar	kendall	NOISE-K	kemeny	schulze	R_Fbar_p	robustness	-0.175	clean_selected	-0.1718	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	C	kendall	NOISE-K	kemeny	schulze	R_C_p	robustness	0.0828	clean_selected	0.0654	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Cbar	kendall	NOISE-K	kemeny	schulze	R_Cbar_p	robustness	-0.224	clean_selected	-0.2234	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	F	kendall	NOISE-K	kemeny	schulze	R_F_s	robustness	0.0228	clean_selected	0.0262	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Fbar	kendall	NOISE-K	kemeny	schulze	R_Fbar_s	robustness	-0.0614	clean_selected	-0.0506	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	C	kendall	NOISE-K	kemeny	schulze	R_C_s	robustness	0.0234	clean_selected	0.0186	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Cbar	kendall	NOISE-K	kemeny	schulze	R_Cbar_s	robustness	-0.079	clean_selected	-0.0752	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	F	kendall	NOISE-K	kemeny	schulze	R_F_a	robustness	0.079	clean_selected	0.0702	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Fbar	kendall	NOISE-K	kemeny	schulze	R_Fbar_a	robustness	-0.191	clean_selected	-0.2328	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	C	kendall	NOISE-K	kemeny	schulze	R_C_a	robustness	0.0968	clean_selected	0.0982	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Cbar	kendall	NOISE-K	kemeny	schulze	R_Cbar_a	robustness	-0.1992	clean_selected	-0.2412	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	F	kendall	NOISE-K	kemeny	schulze	F	quality	0.0764	naive_q11	0.0488	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Fbar	kendall	NOISE-K	kemeny	schulze	Fbar	quality	0.0978	naive_q11	0.2336	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	C	kendall	NOISE-K	kemeny	schulze	C	quality	0.125	naive_q11	0.0848	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Cbar	kendall	NOISE-K	kemeny	schulze	Cbar	quality	0.1484	naive_q11	0.2966	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	F	kendall	NOISE-K	kemeny	schulze	R_F_g	robustness	0.0742	naive_q11	0.0862	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Fbar	kendall	NOISE-K	kemeny	schulze	R_Fbar_g	robustness	-0.2358	naive_q11	-0.1718	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	C	kendall	NOISE-K	kemeny	schulze	R_C_g	robustness	0.0962	naive_q11	0.1186	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Cbar	kendall	NOISE-K	kemeny	schulze	R_Cbar_g	robustness	-0.2864	naive_q11	-0.2112	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	F	kendall	NOISE-K	kemeny	schulze	R_F_p	robustness	0.062	naive_q11	0.0756	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Fbar	kendall	NOISE-K	kemeny	schulze	R_Fbar_p	robustness	-0.175	naive_q11	-0.1222	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	C	kendall	NOISE-K	kemeny	schulze	R_C_p	robustness	0.0828	naive_q11	0.1018	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Cbar	kendall	NOISE-K	kemeny	schulze	R_Cbar_p	robustness	-0.224	naive_q11	-0.1586	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	F	kendall	NOISE-K	kemeny	schulze	R_F_s	robustness	0.0228	naive_q11	0.0342	max	worse

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Fbar	kendall	NOISE-K	kemeny	schulze	R_Fbar_s	robustness	-0.0614	naive_q11	-0.0466	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	C	kendall	NOISE-K	kemeny	schulze	R_C_s	robustness	0.0234	naive_q11	0.041	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Cbar	kendall	NOISE-K	kemeny	schulze	R_Cbar_s	robustness	-0.079	naive_q11	-0.056	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	F	kendall	NOISE-K	kemeny	schulze	R_F_a	robustness	0.079	naive_q11	0.072	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Fbar	kendall	NOISE-K	kemeny	schulze	R_Fbar_a	robustness	-0.191	naive_q11	-0.2358	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	C	kendall	NOISE-K	kemeny	schulze	R_C_a	robustness	0.0968	naive_q11	0.0904	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Cbar	kendall	NOISE-K	kemeny	schulze	R_Cbar_a	robustness	-0.1992	naive_q11	-0.2418	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	F	kendall	NOISE-K	kemeny	schulze	F	quality	0.0764	NOISE_same0.0483	0.0507	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Fbar	kendall	NOISE-K	kemeny	schulze	Fbar	quality	0.0978	NOISE_same0.2336	0.2361	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	C	kendall	NOISE-K	kemeny	schulze	C	quality	0.125	NOISE_same0.0843	0.0857	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Cbar	kendall	NOISE-K	kemeny	schulze	Cbar	quality	0.1484	NOISE_same0.2266	0.2271	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	F	kendall	NOISE-K	kemeny	schulze	R_F_g	robustness	0.0742	NOISE_same0.0862	0.0871	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Fbar	kendall	NOISE-K	kemeny	schulze	R_Fbar_g	robustness	-0.2358	NOISE_same0.1716	0.1716	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	C	kendall	NOISE-K	kemeny	schulze	R_C_g	robustness	0.0962	NOISE_same0.1386	0.1386	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Cbar	kendall	NOISE-K	kemeny	schulze	R_Cbar_g	robustness	-0.2864	NOISE_same0.2312	0.2312	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	F	kendall	NOISE-K	kemeny	schulze	R_F_p	robustness	0.062	NOISE_same0.0756	0.0756	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Fbar	kendall	NOISE-K	kemeny	schulze	R_Fbar_p	robustness	-0.175	NOISE_same0.1222	0.1222	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	C	kendall	NOISE-K	kemeny	schulze	R_C_p	robustness	0.0828	NOISE_same0.1618	0.1618	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Cbar	kendall	NOISE-K	kemeny	schulze	R_Cbar_p	robustness	-0.224	NOISE_same0.1586	0.1586	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	F	kendall	NOISE-K	kemeny	schulze	R_F_s	robustness	0.0228	NOISE_same0.0342	0.0342	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Fbar	kendall	NOISE-K	kemeny	schulze	R_Fbar_s	robustness	-0.0614	NOISE_same0.0366	0.0366	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	C	kendall	NOISE-K	kemeny	schulze	R_C_s	robustness	0.0234	NOISE_same0.041	0.041	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Cbar	kendall	NOISE-K	kemeny	schulze	R_Cbar_s	robustness	-0.079	NOISE_same0.056	0.056	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	F	kendall	NOISE-K	kemeny	schulze	R_F_a	robustness	0.079	NOISE_same0.072	0.072	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Fbar	kendall	NOISE-K	kemeny	schulze	R_Fbar_a	robustness	-0.191	NOISE_same0.2358	0.2358	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	C	kendall	NOISE-K	kemeny	schulze	R_C_a	robustness	0.0968	NOISE_same0.0904	0.0904	max	better

cell	dataset	model	q	condition	metric	geometry	geometry label	center rule	rule	column	endpoint group	value	reference	reference value	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Cbar	kendall	NOISE-K	kemeny	schulze	R_Cbar_a	robustness	-0.1992	NOISE_same	0.2416	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	F	kendall	NOISE-K	kemeny	schulze	F	quality	0.0764	dual_geometry	0.0864	quality	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Fbar	kendall	NOISE-K	kemeny	schulze	Fbar	quality	0.0978	dual_geometry	0.0928	quality	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	C	kendall	NOISE-K	kemeny	schulze	C	quality	0.125	dual_geometry	0.1352	quality	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	clean	Cbar	kendall	NOISE-K	kemeny	schulze	Cbar	quality	0.1484	dual_geometry	0.1464	quality	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	F	kendall	NOISE-K	kemeny	schulze	R_F_g	robustness	0.0742	dual_geometry	0.0754	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Fbar	kendall	NOISE-K	kemeny	schulze	R_Fbar_g	robustness	-0.2358	dual_geometry	0.2234	robustness	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	C	kendall	NOISE-K	kemeny	schulze	R_C_g	robustness	0.0962	dual_geometry	0.0846	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Cbar	kendall	NOISE-K	kemeny	schulze	R_Cbar_g	robustness	-0.2864	dual_geometry	0.2724	robustness	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	F	kendall	NOISE-K	kemeny	schulze	R_F_p	robustness	0.062	dual_geometry	0.0544	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Fbar	kendall	NOISE-K	kemeny	schulze	R_Fbar_p	robustness	-0.175	dual_geometry	0.1684	robustness	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	C	kendall	NOISE-K	kemeny	schulze	R_C_p	robustness	0.0828	dual_geometry	0.0684	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Cbar	kendall	NOISE-K	kemeny	schulze	R_Cbar_p	robustness	-0.224	dual_geometry	0.2136	robustness	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	F	kendall	NOISE-K	kemeny	schulze	R_F_s	robustness	0.0228	dual_geometry	0.0288	robustness	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Fbar	kendall	NOISE-K	kemeny	schulze	R_Fbar_s	robustness	-0.0614	dual_geometry	0.0646	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	C	kendall	NOISE-K	kemeny	schulze	R_C_s	robustness	0.0234	dual_geometry	0.0252	robustness	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Cbar	kendall	NOISE-K	kemeny	schulze	R_Cbar_s	robustness	-0.079	dual_geometry	0.0814	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	F	kendall	NOISE-K	kemeny	schulze	R_F_a	robustness	0.079	dual_geometry	0.0764	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Fbar	kendall	NOISE-K	kemeny	schulze	R_Fbar_a	robustness	-0.191	dual_geometry	0.2084	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	C	kendall	NOISE-K	kemeny	schulze	R_C_a	robustness	0.0968	dual_geometry	0.0934	robustness	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Cbar	kendall	NOISE-K	kemeny	schulze	R_Cbar_a	robustness	-0.1992	dual_geometry	0.2096	robustness	better

Table 123: ImageNet–ViT-B/16 results.

cell	dataset	model	geometry	center rule	selected q	NOISE q	q error	absolute q error	exact	within one	selected is NOISE tied	selected fidelity	NOISE fidelity	fidelity regret	NOISE tied q	tie policy
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	spearman	borda	2	2	0	0	True	True	True	0.0864	0.0864	0	[2]	smallest_q_within_absolute_1e-12
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	kendall	kemeny	3	3	0	0	True	True	True	0.0874	0.0874	0	[3]	smallest_q_within_absolute_1e-12

Table 124: ImageNet–ViT-B/16 results.

cell	dataset	model	method	setting	q	geometry	geometry label	center rule	methods	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	simpleavg	NOISE-S	2	spearman	NOISE-S	borda	["Gradient	0.0852	0.0966	0.132	0.1434	0.0672	0.072	0.0826	-0.2718	0.0548	-0.1706	0.0714
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	borda	NOISE-S	2	spearman	NOISE-S	borda	["Gradient	0.0864	0.0928	0.1352	0.146	0.073	0.078	0.0846	-0.272	0.0544	-0.1684	0.0684
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	kemeny	NOISE-S	2	spearman	NOISE-S	borda	["Gradient	0.0864	0.0928	0.1352	0.146	0.073	0.078	0.0846	-0.272	0.0544	-0.1684	0.0684
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	rrf	NOISE-S	2	spearman	NOISE-S	borda	["Gradient	0.0872	0.0912	0.1356	0.142	0.0736	0.0746	0.0862	-0.2736	0.0526	-0.1692	0.0676
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	schulze	NOISE-S	2	spearman	NOISE-S	borda	["Gradient	0.0864	0.0928	0.1352	0.146	0.073	0.078	0.0846	-0.272	0.0544	-0.1684	0.0684
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	simpleavg	NOISE-K	3	kendall	NOISE-K	kemeny	["Gradient	0.0724	0.0917	0.1108	0.1478	0.0828	0.0922	0.103	-0.1279	0.0684	-0.1738	0.0936
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	borda	NOISE-K	3	kendall	NOISE-K	kemeny	["Gradient	0.0506	0.0926	0.0956	0.1598	0.0796	0.0752	0.1022	-0.1203	0.0636	-0.1874	0.0904
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	kemeny	NOISE-K	3	kendall	NOISE-K	kemeny	["Gradient	0.0874	0.0946	0.1362	0.1494	0.0716	0.0724	0.0906	-0.1271	0.0576	-0.1678	0.079
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	rrf	NOISE-K	3	kendall	NOISE-K	kemeny	["Gradient	0.0726	0.0916	0.113	0.1468	0.0846	0.094	0.1028	-0.1273	0.068	-0.1558	0.0858
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	schulze	NOISE-K	3	kendall	NOISE-K	kemeny	["Gradient	0.0764	0.0978	0.1138	0.1484	0.0742	0.0758	0.0962	-0.1285	0.062	-0.175	0.0828

Table 125: ImageNet-ViT-B/16 results.

cell	dataset	model	method	setting	q	R Cbar p	R F s	R Fbar s	R C s	R Cbar s	R F a	R Fbar a	R C a	R Cbar a	F perturbed g	Fbar perturbed g	C perturbed g	Cbar perturbed g	F perturbed p	Fbar perturbed p
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	NOISE-S	2	-0.2192	0.0234	-0.0636	0.0214	-0.0818	0.0772	-0.198	0.0934	-0.2052	0.1524	0.317	0.2146	0.4202	0.14	0.2672
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	borda	NOISE-S	2	-0.2136	0.0288	-0.0616	0.0252	-0.081	0.076	-0.2034	0.091	-0.2096	0.1594	0.3158	0.2198	0.418	0.1408	0.2612
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kemeny	NOISE-S	2	-0.2136	0.0288	-0.0616	0.0252	-0.081	0.076	-0.2034	0.091	-0.2096	0.1594	0.3158	0.2198	0.418	0.1408	0.2612
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	rrf	NOISE-S	2	-0.2162	0.026	-0.0642	0.0224	-0.0828	0.0764	-0.204	0.0902	-0.2102	0.1608	0.3166	0.2218	0.4178	0.1398	0.2612
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	schulze	NOISE-S	2	-0.2136	0.0288	-0.0616	0.0252	-0.081	0.076	-0.2034	0.091	-0.2096	0.1594	0.3158	0.2198	0.418	0.1408	0.2612
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	NOISE-K	3	-0.22	0.0306	-0.0568	0.0322	-0.0762	0.0752	-0.1992	0.0928	-0.2038	0.1562	0.3292	0.2278	0.4276	0.1418	0.2708
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	borda	NOISE-K	3	-0.2354	0.0238	-0.0666	0.0236	-0.0886	0.1022	-0.1906	0.1214	-0.201	0.1302	0.355	0.1978	0.454	0.1142	0.29
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kemeny	NOISE-K	3	-0.2136	0.0268	-0.0592	0.0268	-0.077	0.077	-0.207	0.0926	-0.2164	0.159	0.315	0.2268	0.4176	0.145	0.2624
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	rrf	NOISE-K	3	-0.205	0.0308	-0.0494	0.028	-0.0708	0.086	-0.2022	0.1024	-0.2064	0.1542	0.32	0.2258	0.4198	0.1406	0.2518
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	schulze	NOISE-K	3	-0.224	0.0228	-0.0614	0.0234	-0.079	0.079	-0.191	0.0968	-0.1992	0.1506	0.3336	0.2212	0.4348	0.1384	0.2728

Table 126: ImageNet–ViT-B/16 results.

cell	dataset	model	method	setting	q	C perturbed p	Cbar perturbed p	F perturbed s	Fbar perturbed s	C perturbed s	Cbar perturbed s	F perturbed a	Fbar perturbed a	C perturbed a	Cbar perturbed a
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	simpleavg	NOISE-S	2	0.2034	0.3676	0.1086	0.1602	0.1534	0.2302	0.1624	0.2946	0.2254	0.3536
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	borda	NOISE-S	2	0.2036	0.3596	0.1152	0.1544	0.1604	0.227	0.1624	0.2962	0.2262	0.3556
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	kemeny	NOISE-S	2	0.2036	0.3596	0.1152	0.1544	0.1604	0.227	0.1624	0.2962	0.2262	0.3556
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	rrf	NOISE-S	2	0.2032	0.3604	0.1132	0.1562	0.158	0.227	0.1636	0.296	0.2258	0.3544
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	schulze	NOISE-S	2	0.2036	0.3596	0.1152	0.1544	0.1604	0.227	0.1624	0.2962	0.2262	0.3556
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	simpleavg	NOISE-K	3	0.2134	0.3678	0.104	0.1538	0.152	0.224	0.1486	0.2962	0.2126	0.3516
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	borda	NOISE-K	3	0.186	0.3862	0.0744	0.1692	0.1192	0.2394	0.1528	0.2932	0.217	0.3518
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	kemeny	NOISE-K	3	0.2152	0.36	0.1142	0.1538	0.163	0.2234	0.1644	0.3016	0.2288	0.3628
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	rrf	NOISE-K	3	0.2088	0.3518	0.1034	0.1454	0.151	0.2176	0.1586	0.2982	0.2254	0.3532
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	schulze	NOISE-K	3	0.2078	0.3724	0.0992	0.1592	0.1484	0.2274	0.1554	0.2888	0.2218	0.3476

423

[illegible]

cell	dataset	model	distance model	q	aggregation	mean distance	n distances	fit model	fit statistic	fit P value	fit theta	selected q	selected by noise	forced fallback	methods	selection task id	selection task digest	gof json	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	borda	4.3612e+05	20000	spearman	0.412366	0.002	0.660434	_importance	False	binned	Symmetric	10-problem	AttentionR-ImageNet-ImageNet-vit-b16-spearman-80045daad3	80045d1683fe87499f877667a7754d086070fb3762445137466e6081c91e276da	10-problem-importance_bin
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	borda	4.5228e+05	25000	spearman	0.412366	0.002	0.660434	_importance	False	binned	Symmetric	10-problem	AttentionR-ImageNet-ImageNet-vit-b16-spearman-80045daad3	80045d1683fe87499f877667a7754d086070fb3762445137466e6081c91e276da	10-problem-importance_bin
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	borda	4.8013e+05	30000	spearman	0.412366	0.002	0.660434	_importance	False	binned	Symmetric	10-problem	AttentionR-ImageNet-ImageNet-vit-b16-spearman-80045daad3	80045d1683fe87499f877667a7754d086070fb3762445137466e6081c91e276da	10-problem-importance_bin
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	borda	4.8111e+05	35000	spearman	0.412366	0.002	0.660434	_importance	False	binned	Symmetric	10-problem	AttentionR-ImageNet-ImageNet-vit-b16-spearman-80045daad3	80045d1683fe87499f877667a7754d086070fb3762445137466e6081c91e276da	10-problem-importance_bin
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	borda	5.4566e+05	40000	spearman	0.412366	0.002	0.660434	_importance	False	binned	Symmetric	10-problem	AttentionR-ImageNet-ImageNet-vit-b16-spearman-80045daad3	80045d1683fe87499f877667a7754d086070fb3762445137466e6081c91e276da	10-problem-importance_bin
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	borda	5.6729e+05	45000	spearman	0.412366	0.002	0.660434	_importance	False	binned	Symmetric	10-problem	AttentionR-ImageNet-ImageNet-vit-b16-spearman-80045daad3	80045d1683fe87499f877667a7754d086070fb3762445137466e6081c91e276da	10-problem-importance_bin
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	borda	5.606e+05	50000	spearman	0.412366	0.002	0.660434	_importance	False	binned	Symmetric	10-problem	AttentionR-ImageNet-ImageNet-vit-b16-spearman-80045daad3	80045d1683fe87499f877667a7754d086070fb3762445137466e6081c91e276da	10-problem-importance_bin
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	borda	6.1235e+05	55000	spearman	0.412366	0.002	0.660434	_importance	False	binned	Symmetric	10-problem	AttentionR-ImageNet-ImageNet-vit-b16-spearman-80045daad3	80045d1683fe87499f877667a7754d086070fb3762445137466e6081c91e276da	10-problem-importance_bin

Table 128: ImageNet–ViT-B/16 results.

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	clean	C	borda	quality	max	2	0.1352	[2]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	clean	Cbar	borda	quality	min	2	0.146	[2]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	clean	F	borda	quality	max	2	0.0864	[2]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	clean	Fbar	borda	quality	min	2	0.0928	[2]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	adversarial-sara-2-255	C	borda	robustness	max	3	0.1214	[3]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	adversarial-sara-2-255	Cbar	borda	robustness	max	3	-0.201	[3]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	adversarial-sara-2-255	F	borda	robustness	max	3	0.1022	[3]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	adversarial-sara-2-255	Fbar	borda	robustness	max	3	-0.1906	[3]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	gaussian-0.15	C	borda	robustness	max	10	0.119	[10]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	gaussian-0.15	Cbar	borda	robustness	max	11	-0.2226	[11]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	gaussian-0.15	F	borda	robustness	max	4	0.0838	[4]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	gaussian-0.15	Fbar	borda	robustness	max	11	-0.1832	[11]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	salt-pepper-0.05	C	borda	robustness	max	10	0.1044	[10]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	salt-pepper-0.05	Cbar	borda	robustness	max	11	-0.1616	[11]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	salt-pepper-0.05	F	borda	robustness	max	6	0.0752	[6]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	salt-pepper-0.05	Fbar	borda	robustness	max	11	-0.1228	[11]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	speckle-0.15	C	borda	robustness	max	11	0.0368	[11]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	speckle-0.15	Cbar	borda	robustness	max	11	-0.0544	[11]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	speckle-0.15	F	borda	robustness	max	6	0.033	[6]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	speckle-0.15	Fbar	borda	robustness	max	11	-0.04	[11]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	clean	C	kemeny	quality	max	3	0.1362	[3,4]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	clean	Cbar	kemeny	quality	min	4	0.1458	[4]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	clean	F	kemeny	quality	max	3	0.0874	[3]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	clean	Fbar	kemeny	quality	min	4	0.0922	[4]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	C	kemeny	robustness	max	3	0.0926	[3,11]	smallest_q_12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	Cbar	kemeny	robustness	max	2	-0.2096	[2]	smallest_q_12	["GradientAscent", "Rollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	F	kemeny	robustness	max	3	0.077	[3]	smallest_q_12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	Fbar	kemeny	robustness	max	2	-0.2034	[2]	smallest_q_12	["GradientAscent", "Rollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	gaussian- 0.15	C	kemeny	robustness	max	10	0.119	[10]	smallest_q_12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	gaussian- 0.15	Cbar	kemeny	robustness	max	11	-0.1992	[11]	smallest_q_12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	gaussian- 0.15	F	kemeny	robustness	max	10	0.0866	[10]	smallest_q_12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	gaussian- 0.15	Fbar	kemeny	robustness	max	11	-0.161	[11]	smallest_q_12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	salt- pepper- 0.05	C	kemeny	robustness	max	10	0.1054	[10]	smallest_q_12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	salt- pepper- 0.05	Cbar	kemeny	robustness	max	10	-0.1414	[10]	smallest_q_12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	salt- pepper- 0.05	F	kemeny	robustness	max	10	0.079	[10]	smallest_q_12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	salt- pepper- 0.05	Fbar	kemeny	robustness	max	10	-0.1042	[10]	smallest_q_12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	speckle- 0.15	C	kemeny	robustness	max	9	0.042	[9]	smallest_q_12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	speckle- 0.15	Cbar	kemeny	robustness	max	11	-0.048	[11]	smallest_q_12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	speckle- 0.15	F	kemeny	robustness	max	9	0.035	[9]	smallest_q_12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	speckle- 0.15	Fbar	kemeny	robustness	max	11	-0.0378	[11]	smallest_q_12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	clean	C	rrf	quality	max	2	0.1356	[2]	smallest_q_12	["GradientAscent", "Rollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	clean	Cbar	rrf	quality	min	2	0.1442	[2]	smallest_q_12	["GradientAscent", "Rollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	clean	F	rrf	quality	max	2	0.0872	[2]	smallest_q_12	["GradientAscent", "Rollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	clean	Fbar	rrf	quality	min	2	0.092	[2]	smallest_q_12	["GradientAscent", "Rollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	C	rrf	robustness	max	3	0.1024	[3]	smallest_q_12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	Cbar	rrf	robustness	max	3	-0.2064	[3]	smallest_q_12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	F	rrf	robustness	max	3	0.086	[3]	smallest_q_12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	Fbar	rrf	robustness	max	3	-0.2022	[3]	smallest_q_12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	gaussian- 0.15	C	rrf	robustness	max	11	0.1182	[11]	smallest_q_12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	salt-pepper-0.05	F	schulze	robustness	max	11	0.0756	[11]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	salt-pepper-0.05	Fbar	schulze	robustness	max	10	-0.1122	[10]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	speckle-0.15	C	schulze	robustness	max	11	0.041	[11]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	speckle-0.15	Cbar	schulze	robustness	max	11	-0.056	[11]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	speckle-0.15	F	schulze	robustness	max	11	0.0342	[11]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	speckle-0.15	Fbar	schulze	robustness	max	10	-0.044	[10]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	clean	C	simpleavg	quality	max	2	0.132	[2]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	clean	Cbar	simpleavg	quality	min	4	0.147	[4]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	clean	F	simpleavg	quality	max	2	0.0852	[2]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	clean	Fbar	simpleavg	quality	min	4	0.0956	[4]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	adversarial-sara-2-255	C	simpleavg	robustness	max	2	0.0934	[2]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	adversarial-sara-2-255	Cbar	simpleavg	robustness	max	3	-0.2038	[3]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "Occlusion"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	adversarial-sara-2-255	F	simpleavg	robustness	max	2	0.0772	[2]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	adversarial-sara-2-255	Fbar	simpleavg	robustness	max	2	-0.198	[2]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	gaussian-0.15	C	simpleavg	robustness	max	9	0.1136	[9]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	gaussian-0.15	Cbar	simpleavg	robustness	max	2	-0.2718	[2]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	gaussian-0.15	F	simpleavg	robustness	max	4	0.0834	[4]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	gaussian-0.15	Fbar	simpleavg	robustness	max	2	-0.2204	[2]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	salt-pepper-0.05	C	simpleavg	robustness	max	9	0.0986	[9]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	salt-pepper-0.05	Cbar	simpleavg	robustness	max	4	-0.2168	[4]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	salt-pepper-0.05	F	simpleavg	robustness	max	6	0.0758	[6]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	salt-pepper-0.05	Fbar	simpleavg	robustness	max	2	-0.1706	[2]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	speckle-0.15	C	simpleavg	robustness	max	5	0.0352	[5]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	speckle-0.15	Cbar	simpleavg	robustness	max	3	-0.0762	[3]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "Occlusion"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	speckle-0.15	F	simpleavg	robustness	max	6	0.0348	[6]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap"]

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	speckle- 0.15	Fbar	simpleavg	robustness	max	3	-0.0568	[3]	smallest_ 12	["GradientAscent", "GradientDescent", "GradientDescentRollout", "CheferTransformerAttribution", "Occlusion"]

Table 129: ImageNet–ViT-B/16 results.

cell	dataset	model	q	rule	q11 reference	method prefix	F clean	Fbar clean	C clean	Cbar clean	F perturbed gaussian-0.15	Fbar perturbed gaussian-0.15	C perturbed gaussian-0.15	Cbar perturbed gaussian-0.15	F perturbed salt-pepper-0.05	Fbar perturbed salt-pepper-0.05	C perturbed salt-pepper-0.05	Cbar perturbed salt-pepper-0.05	F perturbed speckle-0.15	Fbar perturbed speckle-0.15
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	simpleavg	False	["GradientA010833onR011005", "C010833Trans011005Attrib011005"]	0.317	0.317	0.2146	0.2146	0.317	0.317	0.2146	0.2146	0.14	0.2672	0.2034	0.3676	0.1086	0.1602
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	borda	False	["GradientA010833onR011005", "C010833Trans011005Attrib011005"]	0.3158	0.3158	0.2198	0.2198	0.3158	0.3158	0.2198	0.2198	0.1408	0.2612	0.2036	0.3596	0.1152	0.1544
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	rrf	False	["GradientA010833onR011005", "C010833Trans011005Attrib011005"]	0.3166	0.3166	0.2218	0.2218	0.3166	0.3166	0.2218	0.2218	0.1398	0.2612	0.2032	0.3604	0.1132	0.1562
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	kemeny	False	["GradientA010833onR011005", "C010833Trans011005Attrib011005"]	0.3158	0.3158	0.2198	0.2198	0.3158	0.3158	0.2198	0.2198	0.1408	0.2612	0.2036	0.3596	0.1152	0.1544
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	schulze	False	["GradientA010833onR011005", "C010833Trans011005Attrib011005"]	0.3158	0.3158	0.2198	0.2198	0.3158	0.3158	0.2198	0.2198	0.1408	0.2612	0.2036	0.3596	0.1152	0.1544
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	simpleavg	False	["GradientA010733onR011007", "C010733Trans011007Attrib011007"]	0.3292	0.3292	0.2278	0.2278	0.3292	0.3292	0.2278	0.2278	0.1418	0.2708	0.2134	0.3678	0.104	0.1538
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	borda	False	["GradientA010506onR011025", "C010506Trans011025Attrib011025"]	0.35	0.35	0.1978	0.1978	0.35	0.35	0.1978	0.1978	0.1142	0.29	0.186	0.3862	0.0744	0.1692
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	rrf	False	["GradientA010726onR011006", "C010726Trans011006Attrib011006"]	0.32	0.32	0.2258	0.2258	0.32	0.32	0.2258	0.2258	0.1406	0.2518	0.2088	0.3518	0.1034	0.1454
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	kemeny	False	["GradientA010833onR011005", "C010833Trans011005Attrib011005"]	0.3158	0.3158	0.2198	0.2198	0.3158	0.3158	0.2198	0.2198	0.1408	0.2612	0.2036	0.3596	0.1152	0.1544
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	schulze	False	["GradientA010733onR011007", "C010733Trans011007Attrib011007"]	0.3292	0.3292	0.2278	0.2278	0.3292	0.3292	0.2278	0.2278	0.1418	0.2708	0.2134	0.3678	0.104	0.1538
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	simpleavg	False	["GradientA010748onR011005", "C010748Trans011005Attrib011005"]	0.426	0.426	0.2672	0.2672	0.426	0.426	0.2672	0.2672	0.1454	0.2672	0.2164	0.3638	0.1062	0.1572
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	borda	False	["GradientA010572onR011076", "C010572Trans011076Attrib011076"]	0.241	0.241	0.1994	0.1994	0.241	0.241	0.1994	0.1994	0.126	0.2766	0.1994	0.3716	0.0884	0.1618
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	rrf	False	["GradientA010504onR011006", "C010504Trans011006Attrib011006"]	0.405	0.405	0.2222	0.2222	0.405	0.405	0.2222	0.2222	0.1492	0.2466	0.2222	0.3422	0.1094	0.146
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	kemeny	False	["GradientA010833onR011005", "C010833Trans011005Attrib011005"]	0.3158	0.3158	0.2198	0.2198	0.3158	0.3158	0.2198	0.2198	0.1408	0.2612	0.2036	0.3596	0.1152	0.1544
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	schulze	False	["GradientA010833onR011005", "C010833Trans011005Attrib011005"]	0.3158	0.3158	0.2198	0.2198	0.3158	0.3158	0.2198	0.2198	0.1408	0.2612	0.2036	0.3596	0.1152	0.1544
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	simpleavg	False	["GradientA010686onR011002", "C010686Trans011002Attrib011002"]	0.434	0.434	0.2122	0.2122	0.434	0.434	0.2122	0.2122	0.1434	0.284	0.2122	0.3792	0.1026	0.1664
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	borda	False	["GradientA010634onR011004", "C010634Trans011004Attrib011004"]	0.396	0.396	0.2008	0.2008	0.396	0.396	0.2008	0.2008	0.1322	0.2862	0.2008	0.3844	0.0908	0.1692
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	rrf	False	["GradientA010769onR011005", "C010769Trans011005Attrib011005"]	0.432	0.432	0.2126	0.2126	0.432	0.432	0.2126	0.2126	0.1458	0.2716	0.2126	0.3654	0.1018	0.1606
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	kemeny	False	["GradientA010796onR011004", "C010796Trans011004Attrib011004"]	0.434	0.434	0.2126	0.2126	0.434	0.434	0.2126	0.2126	0.1426	0.2872	0.2074	0.3818	0.1088	0.1766
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	schulze	False	["GradientA010743onR011009", "C010743Trans011009Attrib011009"]	0.404	0.404	0.2054	0.2054	0.404	0.404	0.2054	0.2054	0.1404	0.2778	0.2054	0.3726	0.1054	0.1674
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	6	simpleavg	False	["GradientA010692onR011005", "C010692Trans011005Attrib011005"]	0.446	0.446	0.2142	0.2142	0.446	0.446	0.2142	0.2142	0.1281	0.2818	0.2142	0.3788	0.104	0.1622
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	6	borda	False	["GradientA010604onR011005", "C010604Trans011005Attrib011005"]	0.439	0.439	0.2156	0.2156	0.439	0.439	0.2156	0.2156	0.1289	0.2838	0.1996	0.3808	0.0934	0.189
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	6	rrf	False	["GradientA010738onR011005", "C010738Trans011005Attrib011005"]	0.437	0.437	0.2146	0.2146	0.437	0.437	0.2146	0.2146	0.1276	0.2776	0.2114	0.3752	0.1018	0.1894
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	6	kemeny	False	["GradientA010728onR011004", "C010728Trans011004Attrib011004"]	0.437	0.437	0.2146	0.2146	0.437	0.437	0.2146	0.2146	0.1276	0.2776	0.2114	0.3752	0.1018	0.1894

cell	dataset	model	q	rule	q11 reference	method prefix	F clean	Fbar clean	C clean	Cbar clean	F perturbed gaussian-0.15	Fbar perturbed gaussian-0.15	C perturbed gaussian-0.15	Cbar perturbed gaussian-0.15	F perturbed salt-pepper-0.05	Fbar perturbed salt-pepper-0.05	C perturbed salt-pepper-0.05	Cbar perturbed salt-pepper-0.05	F perturbed speckle-0.15	Fbar perturbed speckle-0.15
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	schulze	True	["Gradient	0.9438	0.9123	0.9386	0.9348	0.9266	0.9135	0.9054	0.9035	0.9124	0.9355	0.9366	0.9352	0.9316	0.9021

Table 130: ImageNet-ViT-B/16 results.

cell	dataset	model	q	C perturbed speckle-0.15	Cbar perturbed speckle-0.15	F perturbed adversarial-sara-2-255	Fbar perturbed adversarial-sara-2-255	C perturbed adversarial-sara-2-255	Cbar perturbed adversarial-sara-2-255	R F gaussian-0.15	R Fbar gaussian-0.15	R C gaussian-0.15	R Cbar gaussian-0.15	R F salt-pepper-0.05	R Fbar salt-pepper-0.05	R C salt-pepper-0.05
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	0.1534	0.2302	0.1624	0.2946	0.2254	0.3536	0.0672	-0.2204	0.0826	-0.2718	0.0548	-0.1706	0.0714
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	0.1604	0.227	0.1624	0.2962	0.2262	0.3556	0.073	-0.223	0.0846	-0.272	0.0544	-0.1684	0.0684
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	0.158	0.227	0.1636	0.296	0.2258	0.3544	0.0736	-0.2246	0.0862	-0.2736	0.0526	-0.1692	0.0676
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	0.1604	0.227	0.1624	0.2962	0.2262	0.3556	0.073	-0.223	0.0846	-0.272	0.0544	-0.1684	0.0684
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	0.1604	0.227	0.1624	0.2962	0.2262	0.3556	0.073	-0.223	0.0846	-0.272	0.0544	-0.1684	0.0684
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	0.152	0.224	0.1486	0.2962	0.2126	0.3516	0.0828	-0.2322	0.108	-0.2798	0.0684	-0.1738	0.0936
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	0.1192	0.2394	0.1528	0.2932	0.217	0.3518	0.0796	-0.2524	0.1022	-0.3032	0.0636	-0.1874	0.0904
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	0.151	0.2176	0.1586	0.2982	0.2254	0.3532	0.0816	-0.224	0.1028	-0.273	0.068	-0.1558	0.0858
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	0.163	0.2234	0.1644	0.3016	0.2288	0.3628	0.0716	-0.2204	0.0906	-0.2712	0.0576	-0.1678	0.079
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	0.1484	0.2274	0.1554	0.2888	0.2218	0.3476	0.0742	-0.2358	0.0962	-0.2864	0.062	-0.175	0.0828
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	0.1554	0.2266	0.1424	0.309	0.2046	0.3674	0.0834	-0.2312	0.1106	-0.279	0.0706	-0.1716	0.0948
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	0.136	0.2312	0.1474	0.3318	0.2076	0.393	0.0838	-0.2212	0.1066	-0.27	0.0688	-0.169	0.096
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	0.1574	0.2126	0.1538	0.3222	0.2192	0.3834	0.0812	-0.2104	0.1046	-0.2588	0.0688	-0.1506	0.0946
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	0.1648	0.2128	0.1636	0.3266	0.2278	0.3848	0.079	-0.2088	0.0984	-0.2536	0.0652	-0.1622	0.0854
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	0.1646	0.219	0.158	0.3202	0.2202	0.3782	0.085	-0.2116	0.1046	-0.2594	0.0668	-0.1582	0.0876
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	0.1498	0.236	0.1374	0.3446	0.1982	0.4056	0.077	-0.2478	0.1064	-0.292	0.0748	-0.1838	0.0976
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	0.1392	0.2416	0.1416	0.3594	0.203	0.4204	0.0762	-0.2288	0.1024	-0.278	0.0688	-0.1748	0.094
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	0.1494	0.2318	0.144	0.3596	0.206	0.4252	0.0754	-0.2274	0.1008	-0.276	0.0696	-0.1666	0.093
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	0.1556	0.2492	0.1484	0.357	0.2104	0.4212	0.0748	-0.2326	0.0962	-0.277	0.063	-0.1718	0.084
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	0.1534	0.2378	0.1486	0.3576	0.2094	0.421	0.0766	-0.2256	0.101	-0.2744	0.0662	-0.1688	0.0872
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	6	0.1496	0.232	0.134	0.3504	0.1938	0.4152	0.0784	-0.2418	0.108	-0.2868	0.0758	-0.182	0.0984
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	6	0.1398	0.2614	0.1382	0.3886	0.1964	0.4516	0.0786	-0.213	0.1052	-0.2582	0.0752	-0.1512	0.0952
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	6	0.15	0.2602	0.14	0.3772	0.1998	0.4448	0.0816	-0.2132	0.1096	-0.2604	0.0672	-0.153	0.095
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	6	0.1496	0.2684	0.14	0.385	0.1998	0.4514	0.0842	-0.2006	0.111	-0.2466	0.0722	-0.1454	0.0964

cell	dataset	model	q	C perturbed speckle-0.15	Cbar perturbed speckle-0.15	F perturbed adversarial-sara-2-255	Fbar perturbed adversarial-sara-2-255	C perturbed adversarial-sara-2-255	Cbar perturbed adversarial-sara-2-255	R F gaussian-0.15	R Fbar gaussian-0.15	R C gaussian-0.15	R Cbar gaussian-0.15	R F salt-pepper-0.05	R Fbar salt-pepper-0.05	R C salt-pepper-0.05
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	6	0.146	0.2594	0.1396	0.3872	0.1982	0.4556	0.0826	-0.2084	0.1136	-0.252	0.0712	-0.1506	0.0958
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	0.1452	0.2456	0.1342	0.365	0.1954	0.4298	0.0742	-0.2496	0.0994	-0.294	0.067	-0.1876	0.0884
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	0.1346	0.269	0.1386	0.3872	0.1954	0.455	0.0722	-0.2164	0.0982	-0.2622	0.063	-0.1562	0.087
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	0.1446	0.2714	0.1402	0.3782	0.2	0.4466	0.0766	-0.2264	0.1044	-0.2706	0.0636	-0.1616	0.0906
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	0.1476	0.278	0.1404	0.3802	0.201	0.4488	0.0822	-0.215	0.1052	-0.2566	0.0664	-0.1602	0.0902
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	0.1462	0.2704	0.1376	0.3814	0.1956	0.4502	0.0786	-0.2172	0.0978	-0.266	0.0682	-0.171	0.0932
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	0.1394	0.2514	0.1334	0.3626	0.1878	0.4282	0.0762	-0.2428	0.1098	-0.2862	0.0688	-0.1786	0.0956
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	0.1278	0.2674	0.139	0.382	0.1954	0.452	0.075	-0.22	0.1064	-0.2684	0.0656	-0.158	0.0958
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	0.1404	0.276	0.1338	0.3728	0.194	0.4426	0.0814	-0.2196	0.1142	-0.2622	0.0666	-0.1652	0.093
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	0.1448	0.279	0.136	0.3786	0.1944	0.4496	0.082	-0.2158	0.1076	-0.2588	0.063	-0.1646	0.0896
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	0.1414	0.2748	0.1376	0.3796	0.1938	0.4506	0.0784	-0.2206	0.109	-0.2628	0.0622	-0.1696	0.0956
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	0.1376	0.2512	0.132	0.3776	0.1874	0.446	0.0792	-0.2444	0.1136	-0.2884	0.0692	-0.1818	0.0986
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	0.1244	0.295	0.127	0.4204	0.1836	0.4888	0.0758	-0.1984	0.11	-0.2422	0.0698	-0.138	0.1006
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	0.1402	0.3092	0.1294	0.4168	0.1876	0.4872	0.0822	-0.2016	0.1166	-0.2428	0.0704	-0.1444	0.0998
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	0.1414	0.3164	0.1262	0.4316	0.1844	0.5004	0.0848	-0.1886	0.1174	-0.2306	0.0744	-0.1324	0.103
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	0.1362	0.3022	0.1256	0.4182	0.1832	0.489	0.0848	-0.193	0.1158	-0.2388	0.0708	-0.1286	0.0998
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	0.137	0.2546	0.129	0.3874	0.183	0.4578	0.0784	-0.2488	0.112	-0.292	0.069	-0.1798	0.0976
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	0.119	0.3262	0.1212	0.4552	0.1778	0.5254	0.0834	-0.1898	0.119	-0.2304	0.074	-0.1326	0.1044
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	0.1324	0.3392	0.124	0.4512	0.1792	0.5202	0.0794	-0.1936	0.1136	-0.2338	0.072	-0.1296	0.1014
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	0.1288	0.3714	0.1196	0.4808	0.1752	0.551	0.0866	-0.1636	0.119	-0.2028	0.079	-0.1042	0.1054
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	0.1296	0.3518	0.1204	0.47	0.1764	0.5396	0.084	-0.1678	0.1166	-0.209	0.0708	-0.1122	0.0984
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	0.1354	0.2556	0.1274	0.387	0.182	0.4592	0.0774	-0.2488	0.1104	-0.2906	0.0672	-0.1808	0.096
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	0.117	0.341	0.1214	0.4694	0.1752	0.5422	0.0786	-0.1832	0.1126	-0.2226	0.0692	-0.1228	0.1014
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	0.1292	0.3458	0.1234	0.4552	0.1778	0.5232	0.0834	-0.1912	0.1182	-0.2304	0.0744	-0.132	0.1036
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	0.1256	0.3798	0.1214	0.479	0.1782	0.5484	0.0846	-0.161	0.1174	-0.1992	0.0764	-0.1096	0.1036

cell	dataset	model	q	C perturbed speckle-0.15	Cbar perturbed speckle-0.15	F perturbed adversarial-sara-2-255	Fbar perturbed adversarial-sara-2-255	C perturbed adversarial-sara-2-255	Cbar perturbed adversarial-sara-2-255	R F gaussian-0.15	R Fbar gaussian-0.15	R C gaussian-0.15	R Cbar gaussian-0.15	R F salt-pepper-0.05	R Fbar salt-pepper-0.05	R C salt-pepper-0.05
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	0.1258	0.3526	0.1208	0.4694	0.1752	0.5384	0.0862	-0.1718	0.1186	-0.2112	0.0756	-0.1222	0.1018

Table 131: ImageNet–ViT-B/16 results.

cell	dataset	model	q	R Cbar speckle-0.15	R F adversarial-sara-2-255	R Fbar adversarial-sara-2-255	R C adversarial-sara-2-255	R Cbar adversarial-sara-2-255
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	-0.0818	0.0772	-0.198	0.0934	-0.2052
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	-0.081	0.076	-0.2034	0.091	-0.2096
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	-0.0828	0.0764	-0.204	0.0902	-0.2102
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	-0.081	0.076	-0.2034	0.091	-0.2096
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	-0.081	0.076	-0.2034	0.091	-0.2096
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	-0.0762	0.0752	-0.1992	0.0928	-0.2038
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	-0.0886	0.1022	-0.1906	0.1214	-0.201
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	-0.0708	0.086	-0.2022	0.1024	-0.2064
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	-0.077	0.077	-0.207	0.0926	-0.2164
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	-0.079	0.079	-0.191	0.0968	-0.1992
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	4	-0.0796	0.0676	-0.2134	0.083	-0.2204
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	4	-0.074	0.0902	-0.2242	0.1042	-0.2358
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	4	-0.0664	0.0734	-0.2262	0.0916	-0.2372
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	4	-0.067	0.0766	-0.2344	0.0916	-0.239
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	4	-0.0732	0.0706	-0.225	0.0834	-0.2324
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	5	-0.0836	0.0688	-0.2444	0.0836	-0.2532
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	5	-0.0784	0.0782	-0.248	0.0962	-0.2572
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	5	-0.0746	0.0678	-0.2546	0.0864	-0.268
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	5	-0.0778	0.0688	-0.2416	0.087	-0.2498
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	5	-0.0742	0.0744	-0.2486	0.0912	-0.2574
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	6	-0.0788	0.0648	-0.2506	0.078	-0.262
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	6	-0.0738	0.0778	-0.256	0.092	-0.264
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	6	-0.082	0.0662	-0.2526	0.0834	-0.2666
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	6	-0.0656	0.0672	-0.2386	0.0856	-0.2486

cell	dataset	model	q	R Cbar speckle-0.15	R F adversarial-sara-2-255	R Fbar adversarial-sara-2-255	R C adversarial-sara-2-255	R Cbar adversarial-sara-2-255
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	6	-0.0708	0.0698	-0.2534	0.0856	-0.267
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	-0.088	0.0646	-0.2612	0.0782	-0.2722
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	-0.0826	0.0726	-0.2546	0.0886	-0.2686
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	-0.0862	0.0672	-0.2504	0.0876	-0.2614
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	-0.0668	0.0688	-0.2282	0.0876	-0.2376
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	-0.0874	0.065	-0.2512	0.0804	-0.2672
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	-0.0808	0.0672	-0.2474	0.0822	-0.2576
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	-0.0808	0.0808	-0.2486	0.0998	-0.2654
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	-0.0906	0.065	-0.2458	0.0866	-0.2572
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	-0.078	0.0622	-0.2356	0.0808	-0.2486
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	-0.0858	0.0692	-0.2494	0.0892	-0.2616
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	-0.079	0.0672	-0.2612	0.0842	-0.2738
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	-0.0726	0.0718	-0.257	0.0924	-0.2664
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	-0.0856	0.066	-0.2544	0.0862	-0.2636
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	-0.062	0.0638	-0.2382	0.085	-0.246
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	-0.0728	0.0642	-0.2456	0.083	-0.2596
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	-0.0808	0.065	-0.2698	0.08	-0.284
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	-0.0634	0.0718	-0.254	0.0934	-0.2626
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	-0.0692	0.0666	-0.2426	0.0846	-0.2502
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	-0.0544	0.0654	-0.2262	0.084	-0.234
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	-0.0562	0.0652	-0.2358	0.0852	-0.244
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	-0.0812	0.0632	-0.2696	0.0788	-0.2848
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	-0.0544	0.0736	-0.2438	0.095	-0.2556
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	-0.066	0.0696	-0.238	0.0886	-0.2434
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	-0.048	0.0714	-0.2106	0.0926	-0.2166

cell	dataset	model		R Cbar speckle-0.15	R F adversarial-sara-2-255	R Fbar adversarial-sara-2-255	R C adversarial-sara-2-255	R Cbar adversarial-sara-2-255
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	-0.056	0.072	-0.2358	0.0904	-0.2418

Table 132: ImageNet–ViT-B/16 results.

cell	q	rule	predicted score	theta	mean distance	actual F	predicted q	NOISE q	actual regret	actual near optimal 95	dual geometry score	dual geometry predicted q	dual geometry actual regret	dual geometry actual near optimal 95
ImageNet–ImageNet-vit-b16	2	borda	0.082297	6.116131	2.3547	0.0864	2	2	0	True	0.082297	2	0	True
ImageNet–ImageNet-vit-b16	3	borda	0.073751	2.816856	9.873	0.0506	2	2	0	False	0.078613	2	0	True
ImageNet–ImageNet-vit-b16	4	borda	0.077982	2.425138	11.1934	0.0572	2	2	0	False	0.080726	2	0	True
ImageNet–ImageNet-vit-b16	5	borda	0.080881	2.35586	11.42964	0.0634	2	2	0	False	0.081225	2	0	True
ImageNet–ImageNet-vit-b16	6	borda	0.07856	2.238705	11.829467	0.0604	2	2	0	False	0.078312	2	0	True
ImageNet–ImageNet-vit-b16	7	borda	0.078346	2.255003	11.773857	0.066	2	2	0	False	0.078816	2	0	True
ImageNet–ImageNet-vit-b16	8	borda	0.07437	2.114551	12.2524	0.0582	2	2	0	False	0.07611	2	0	True
ImageNet–ImageNet-vit-b16	9	borda	0.0719	2.059727	12.438511	0.0552	2	2	0	False	0.072813	2	0	True
ImageNet–ImageNet-vit-b16	10	borda	0.065706	2.072664	12.39464	0.0494	2	2	0	False	0.063368	2	0	True
ImageNet–ImageNet-vit-b16	11	borda	0.063329	1.922194	12.902491	0.0478	2	2	0	False	0.059964	2	0	True
ImageNet–ImageNet-vit-b16	2	kemeny	0.082297	6.116131	2.3547	0.0864	3	3	0	True	0.082297	2	0.001	True
ImageNet–ImageNet-vit-b16	3	kemeny	0.083476	3.813524	6.8206	0.0874	3	3	0	True	0.078613	2	0.001	True
ImageNet–ImageNet-vit-b16	4	kemeny	0.083469	2.974566	9.35465	0.087	3	3	0	True	0.080726	2	0.001	True
ImageNet–ImageNet-vit-b16	5	kemeny	0.081569	2.749214	10.09816	0.0796	3	3	0	False	0.081225	2	0.001	True
ImageNet–ImageNet-vit-b16	6	kemeny	0.078064	2.51624	10.883467	0.0728	3	3	0	False	0.078312	2	0.001	True
ImageNet–ImageNet-vit-b16	7	kemeny	0.079286	2.568394	10.7066	0.0716	3	3	0	False	0.078816	2	0.001	True
ImageNet–ImageNet-vit-b16	8	kemeny	0.077849	2.390244	11.31235	0.0738	3	3	0	False	0.07611	2	0.001	True
ImageNet–ImageNet-vit-b16	9	kemeny	0.073725	2.304354	11.605422	0.0624	3	3	0	False	0.072813	2	0.001	True
ImageNet–ImageNet-vit-b16	10	kemeny	0.06103	2.313267	11.575	0.0542	3	3	0	False	0.063368	2	0.001	True
ImageNet–ImageNet-vit-b16	11	kemeny	0.056599	2.15098	12.128473	0.05	3	3	0	False	0.059964	2	0.001	True

Table 133: ImageNet–ViT-B/16 results.

dataset	model	architecture	replit	metric	sample count	noise	condition id	robustness	selected method
ImageNet	ImageNet-vit-b16	vit	test	R_F	5000	gaussian	gaussian-0.15	0.0106	FullLRP
ImageNet	ImageNet-vit-b16	vit	test	R_Fbar	5000	gaussian	gaussian-0.15	0.1072	Saliency
ImageNet	ImageNet-vit-b16	vit	test	R_C	5000	gaussian	gaussian-0.15	0.0264	FullLRP
ImageNet	ImageNet-vit-b16	vit	test	R_Cbar	5000	gaussian	gaussian-0.15	0.133	Saliency
ImageNet	ImageNet-vit-b16	vit	test	R_F	5000	salt_pepper	salt-pepper-0.05	0.0058	FullLRP
ImageNet	ImageNet-vit-b16	vit	test	R_Fbar	5000	salt_pepper	salt-pepper-0.05	0.0742	Saliency
ImageNet	ImageNet-vit-b16	vit	test	R_C	5000	salt_pepper	salt-pepper-0.05	0.0232	FullLRP
ImageNet	ImageNet-vit-b16	vit	test	R_Cbar	5000	salt_pepper	salt-pepper-0.05	0.104	Saliency
ImageNet	ImageNet-vit-b16	vit	test	R_F	5000	speckle	speckle-0.15	0.002	FullLRP
ImageNet	ImageNet-vit-b16	vit	test	R_Fbar	5000	speckle	speckle-0.15	0.013	InputXGradient
ImageNet	ImageNet-vit-b16	vit	test	R_C	5000	speckle	speckle-0.15	0.0078	AttentionGradCAM
ImageNet	ImageNet-vit-b16	vit	test	R_Cbar	5000	speckle	speckle-0.15	0.0198	InputXGradient
ImageNet	ImageNet-vit-b16	vit	test	R_F	5000	adversarial	adversarial-sara-2-255	0.0224	FullLRP
ImageNet	ImageNet-vit-b16	vit	test	R_Fbar	5000	adversarial	adversarial-sara-2-255	0.0758	Saliency
ImageNet	ImageNet-vit-b16	vit	test	R_C	5000	adversarial	adversarial-sara-2-255	0.0334	FullLRP
ImageNet	ImageNet-vit-b16	vit	test	R_Cbar	5000	adversarial	adversarial-sara-2-255	0.0766	Saliency

Table 134: ImageNet-ViT-B/16 results.

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Best Individual	best-individual		1	g	F	71c08f05cda520960b09c161da1ee66ead58fa2ad2b70c6bhecca85a6d83716f62	520960	b09c161da1ee66ead58fa2ad2b70c6bhecca85a6d83716f62			0.018	0.0426	0.018	0.0426		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Best Individual	best-individual		1	g	Fbar	71c08f05cda520960b09c161da1ee66ead58fa2ad2b70c6bhecca85a6d83716f62	520960	b09c161da1ee66ead58fa2ad2b70c6bhecca85a6d83716f62			0.239933	0.509333	-0.239933	-0.509333		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Best Individual	best-individual		1	g	C	71c08f05cda520960b09c161da1ee66ead58fa2ad2b70c6bhecca85a6d83716f62	520960	b09c161da1ee66ead58fa2ad2b70c6bhecca85a6d83716f62			0.038467	0.078267	0.038467	0.078267		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Best Individual	best-individual		1	g	Cbar	71c08f05cda520960b09c161da1ee66ead58fa2ad2b70c6bhecca85a6d83716f62	520960	b09c161da1ee66ead58fa2ad2b70c6bhecca85a6d83716f62			0.3076	0.6156	-0.3076	-0.6156		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Best Individual	best-individual		1	p	F	71c08f05cda520960b09c161da1ee66ead58fa2ad2b70c6bhecca85a6d83716f62	520960	b09c161da1ee66ead58fa2ad2b70c6bhecca85a6d83716f62			0.018	0.032733	0.018	0.032733		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Best Individual	best-individual		1	p	Fbar	71c08f05cda520960b09c161da1ee66ead58fa2ad2b70c6bhecca85a6d83716f62	520960	b09c161da1ee66ead58fa2ad2b70c6bhecca85a6d83716f62			0.239933	0.472067	-0.239933	-0.472067		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Best Individual	best-individual		1	p	C	71c08f05cda520960b09c161da1ee66ead58fa2ad2b70c6bhecca85a6d83716f62	520960	b09c161da1ee66ead58fa2ad2b70c6bhecca85a6d83716f62			0.038467	0.072867	0.038467	0.072867		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Best Individual	best-individual		1	p	Cbar	71c08f05cda520960b09c161da1ee66ead58fa2ad2b70c6bhecca85a6d83716f62	520960	b09c161da1ee66ead58fa2ad2b70c6bhecca85a6d83716f62			0.3076	0.574733	-0.3076	-0.574733		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Best Individual	best-individual		1	s	F	71c08f05cda520960b09c161da1ee66ead58fa2ad2b70c6bhecca85a6d83716f62	520960	b09c161da1ee66ead58fa2ad2b70c6bhecca85a6d83716f62			0.018	0.025933	0.018	0.025933		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Best Individual	best-individual		1	s	Fbar	71c08f05cda520960b09c161da1ee66ead58fa2ad2b70c6bhecca85a6d83716f62	520960	b09c161da1ee66ead58fa2ad2b70c6bhecca85a6d83716f62			0.239933	0.338867	-0.239933	-0.338867		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Best Individual	best-individual		1	s	C	71c08f05cda520960b09c161da1ee66ead58fa2ad2b70c6bhecca85a6d83716f62	520960	b09c161da1ee66ead58fa2ad2b70c6bhecca85a6d83716f62			0.038467	0.050867	0.038467	0.050867		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Best Individual	best-individual		1	s	Cbar	71c08f05cda520960b09c161da1ee66ead58fa2ad2b70c6bhecca85a6d83716f62	520960	b09c161da1ee66ead58fa2ad2b70c6bhecca85a6d83716f62			0.3076	0.4148	-0.3076	-0.4148		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Best Individual	best-individual		1	a	F	71c08f05cda520960b09c161da1ee66ead58fa2ad2b70c6bhecca85a6d83716f62	520960	b09c161da1ee66ead58fa2ad2b70c6bhecca85a6d83716f62			0.018	0.061933	0.018	0.061933		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Best Individual	best-individual		1	a	Fbar	71c08f05cda520960b09c161da1ee66ead58fa2ad2b70c6bhecca85a6d83716f62	520960	b09c161da1ee66ead58fa2ad2b70c6bhecca85a6d83716f62			0.239933	0.343933	-0.239933	-0.343933		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Best Individual	best-individual		1	a	C	71c08f05cda520960b09c161da1ee66ead58fa2ad2b70c6bhecca85a6d83716f62	520960	b09c161da1ee66ead58fa2ad2b70c6bhecca85a6d83716f62			0.038467	0.092733	0.038467	0.092733		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Best Individual	best-individual		1	a	Cbar	71c08f05cda520960b09c161da1ee66ead58fa2ad2b70c6bhecca85a6d83716f62	520960	b09c161da1ee66ead58fa2ad2b70c6bhecca85a6d83716f62			0.3076	0.4154	-0.3076	-0.4154		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	SimpleAvg	NAIVE		11	g	F	53959d11fa060080e7338759c76b381bdfa29da7cc0b59an318be7fb50a465225	060080	e7338759c76b381bdfa29da7cc0b59an318be7fb50a465225			0.011733	0.031733	0.011733	0.031733		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	SimpleAvg	NAIVE		11	g	Fbar	53959d11fa060080e7338759c76b381bdfa29da7cc0b59an318be7fb50a465225	060080	e7338759c76b381bdfa29da7cc0b59an318be7fb50a465225			0.290133	0.587933	-0.290133	-0.587933		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	SimpleAvg	NAIVE		11	g	C	53959d11fa060080e7338759c76b381bdfa29da7cc0b59an318be7fb50a465225	060080	e7338759c76b381bdfa29da7cc0b59an318be7fb50a465225			0.0286	0.070067	0.0286	0.070067		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	SimpleAvg	NAIVE		11	g	Cbar	53959d11fa060080e7338759c76b381bdfa29da7cc0b59an318be7fb50a465225	060080	e7338759c76b381bdfa29da7cc0b59an318be7fb50a465225			0.359	0.694533	-0.359	-0.694533		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	SimpleAvg	NAIVE		11	p	F	53959d11fa060080e7338759c76b381bdfa29da7cc0b59an318be7fb50a465225	060080	e7338759c76b381bdfa29da7cc0b59an318be7fb50a465225			0.011733	0.020267	0.011733	0.020267		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	SimpleAvg	NAIVE		11	p	Fbar	53959d11fa060080e7338759c76b381bdfa29da7cc0b59an318be7fb50a465225	060080	e7338759c76b381bdfa29da7cc0b59an318be7fb50a465225			0.290133	0.546467	-0.290133	-0.546467		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	SimpleAvg	NAIVE		11	p	C	53959d11fa060080e7338759c76b381bdfa29da7cc0b59an318be7fb50a465225	060080	e7338759c76b381bdfa29da7cc0b59an318be7fb50a465225			0.0286	0.059467	0.0286	0.059467		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	SimpleAvg	NAIVE		11	p	Cbar	53959d11fa060080e7338759c76b381bdfa29da7cc0b59an318be7fb50a465225	060080	e7338759c76b381bdfa29da7cc0b59an318be7fb50a465225			0.359	0.652333	-0.359	-0.652333		

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Borda	ind		11	s	C	8cfd67ab1b30001dc388b5e54090b56f10e4106d94121312cd079b63a721233	30001	cc388b5e54090b56f10e4106d94121312cd079b63a721233				0.0382	0.0518	0.0382	0.0518	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Borda	ind		11	s	Cbar	8cfd67ab1b30001dc388b5e54090b56f10e4106d94121312cd079b63a721233	30001	cc388b5e54090b56f10e4106d94121312cd079b63a721233				0.3494	0.4586	-0.3494	-0.4586	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Borda	ind		11	a	F	8cfd67ab1b30001dc388b5e54090b56f10e4106d94121312cd079b63a721233	30001	cc388b5e54090b56f10e4106d94121312cd079b63a721233				0.0168	0.0614	0.0168	0.0614	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Borda	ind		11	a	Fbar	8cfd67ab1b30001dc388b5e54090b56f10e4106d94121312cd079b63a721233	30001	cc388b5e54090b56f10e4106d94121312cd079b63a721233				0.2804	0.3838	-0.2804	-0.3838	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Borda	ind		11	a	C	8cfd67ab1b30001dc388b5e54090b56f10e4106d94121312cd079b63a721233	30001	cc388b5e54090b56f10e4106d94121312cd079b63a721233				0.0382	0.0916	0.0382	0.0916	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Borda	ind		11	a	Cbar	8cfd67ab1b30001dc388b5e54090b56f10e4106d94121312cd079b63a721233	30001	cc388b5e54090b56f10e4106d94121312cd079b63a721233				0.3494	0.46	-0.3494	-0.46	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	RRF	NAIVE		11	g	F	7c52b5df6a650005fcc05270a8b781f822359bd1b2dc91fda16b817a27c009732	650005	fcc05270a8b781f822359bd1b2dc91fda16b817a27c009732				0.016867	0.042667	0.016867	0.042667	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	RRF	NAIVE		11	g	Fbar	7c52b5df6a650005fcc05270a8b781f822359bd1b2dc91fda16b817a27c009732	650005	fcc05270a8b781f822359bd1b2dc91fda16b817a27c009732				0.255467	0.540667	-0.255467	-0.540667	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	RRF	NAIVE		11	g	C	7c52b5df6a650005fcc05270a8b781f822359bd1b2dc91fda16b817a27c009732	650005	fcc05270a8b781f822359bd1b2dc91fda16b817a27c009732				0.035133	0.0828	0.035133	0.0828	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	RRF	NAIVE		11	g	Cbar	7c52b5df6a650005fcc05270a8b781f822359bd1b2dc91fda16b817a27c009732	650005	fcc05270a8b781f822359bd1b2dc91fda16b817a27c009732				0.322067	0.648	-0.322067	-0.648	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	RRF	NAIVE		11	p	F	7c52b5df6a650005fcc05270a8b781f822359bd1b2dc91fda16b817a27c009732	650005	fcc05270a8b781f822359bd1b2dc91fda16b817a27c009732				0.016867	0.031533	0.016867	0.031533	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	RRF	NAIVE		11	p	Fbar	7c52b5df6a650005fcc05270a8b781f822359bd1b2dc91fda16b817a27c009732	650005	fcc05270a8b781f822359bd1b2dc91fda16b817a27c009732				0.255467	0.498733	-0.255467	-0.498733	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	RRF	NAIVE		11	p	C	7c52b5df6a650005fcc05270a8b781f822359bd1b2dc91fda16b817a27c009732	650005	fcc05270a8b781f822359bd1b2dc91fda16b817a27c009732				0.035133	0.074467	0.035133	0.074467	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	RRF	NAIVE		11	p	Cbar	7c52b5df6a650005fcc05270a8b781f822359bd1b2dc91fda16b817a27c009732	650005	fcc05270a8b781f822359bd1b2dc91fda16b817a27c009732				0.322067	0.605267	-0.322067	-0.605267	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	RRF	NAIVE		11	s	F	7c52b5df6a650005fcc05270a8b781f822359bd1b2dc91fda16b817a27c009732	650005	fcc05270a8b781f822359bd1b2dc91fda16b817a27c009732				0.016867	0.026	0.016867	0.026	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	RRF	NAIVE		11	s	Fbar	7c52b5df6a650005fcc05270a8b781f822359bd1b2dc91fda16b817a27c009732	650005	fcc05270a8b781f822359bd1b2dc91fda16b817a27c009732				0.255467	0.360333	-0.255467	-0.360333	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	RRF	NAIVE		11	s	C	7c52b5df6a650005fcc05270a8b781f822359bd1b2dc91fda16b817a27c009732	650005	fcc05270a8b781f822359bd1b2dc91fda16b817a27c009732				0.035133	0.054333	0.035133	0.054333	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	RRF	NAIVE		11	s	Cbar	7c52b5df6a650005fcc05270a8b781f822359bd1b2dc91fda16b817a27c009732	650005	fcc05270a8b781f822359bd1b2dc91fda16b817a27c009732				0.322067	0.437333	-0.322067	-0.437333	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	RRF	NAIVE		11	a	F	7c52b5df6a650005fcc05270a8b781f822359bd1b2dc91fda16b817a27c009732	650005	fcc05270a8b781f822359bd1b2dc91fda16b817a27c009732				0.016867	0.061333	0.016867	0.061333	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	RRF	NAIVE		11	a	Fbar	7c52b5df6a650005fcc05270a8b781f822359bd1b2dc91fda16b817a27c009732	650005	fcc05270a8b781f822359bd1b2dc91fda16b817a27c009732				0.255467	0.3534	-0.255467	-0.3534	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	RRF	NAIVE		11	a	C	7c52b5df6a650005fcc05270a8b781f822359bd1b2dc91fda16b817a27c009732	650005	fcc05270a8b781f822359bd1b2dc91fda16b817a27c009732				0.035133	0.092333	0.035133	0.092333	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	RRF	NAIVE		11	a	Cbar	7c52b5df6a650005fcc05270a8b781f822359bd1b2dc91fda16b817a27c009732	650005	fcc05270a8b781f822359bd1b2dc91fda16b817a27c009732				0.322067	0.4268	-0.322067	-0.4268	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	RRF	ind		11	g	F	7cf5de916757600f32f3354d3452549561b1a1fda89740dca15ab7e5315a2229917	7600f32	f3354d3452549561b1a1fda89740dca15ab7e5315a2229917				0.0176	0.0444	0.0176	0.0444	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	RRF	ind		11	g	Fbar	7cf5de916757600f32f3354d3452549561b1a1fda89740dca15ab7e5315a2229917	7600f32	f3354d3452549561b1a1fda89740dca15ab7e5315a2229917				0.272	0.5612	-0.272	-0.5612	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	RRF	ind		11	g	C	7cf5de916757600f32f3354d3452549561b1a1fda89740dca15ab7e5315a2229917	7600f32	f3354d3452549561b1a1fda89740dca15ab7e5315a2229917				0.0374	0.0898	0.0374	0.0898	

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	NAIVE		11	a	F	f4b40892c69380054609c7786f8fb5a29ff49447a56964958278ed853b00048803	69380054	609c7786f8fb5a29ff49447a56964958278ed853b00048803		68278ed853b00048803	0.018267	0.018267	0.062533	0.018267	0.062533	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	NAIVE		11	a	Fbar	f4b40892c69380054609c7786f8fb5a29ff49447a56964958278ed853b00048803	69380054	609c7786f8fb5a29ff49447a56964958278ed853b00048803		68278ed853b00048803	0.252733	0.3498	-0.252733	-0.3498		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	NAIVE		11	a	C	f4b40892c69380054609c7786f8fb5a29ff49447a56964958278ed853b00048803	69380054	609c7786f8fb5a29ff49447a56964958278ed853b00048803		68278ed853b00048803	0.037733	0.094133	0.037733	0.094133		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	NAIVE		11	a	Cbar	f4b40892c69380054609c7786f8fb5a29ff49447a56964958278ed853b00048803	69380054	609c7786f8fb5a29ff49447a56964958278ed853b00048803		68278ed853b00048803	0.320067	0.420933	-0.320067	-0.420933		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	ind		11	g	F	c636cc50325000a57700892e94a33bb8abf81a8250dc4f55b4be9167ca20040622	5000a57	700892e94a33bb8abf81a8250dc4f55b4be9167ca20040622		5b4be9167ca20040622	0.0188	0.0458	0.0188	0.0458		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	ind		11	g	Fbar	c636cc50325000a57700892e94a33bb8abf81a8250dc4f55b4be9167ca20040622	5000a57	700892e94a33bb8abf81a8250dc4f55b4be9167ca20040622		5b4be9167ca20040622	0.2692	0.5522	-0.2692	-0.5522		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	ind		11	g	C	c636cc50325000a57700892e94a33bb8abf81a8250dc4f55b4be9167ca20040622	5000a57	700892e94a33bb8abf81a8250dc4f55b4be9167ca20040622		5b4be9167ca20040622	0.0386	0.0894	0.0386	0.0894		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	ind		11	g	Cbar	c636cc50325000a57700892e94a33bb8abf81a8250dc4f55b4be9167ca20040622	5000a57	700892e94a33bb8abf81a8250dc4f55b4be9167ca20040622		5b4be9167ca20040622	0.3404	0.6594	-0.3404	-0.6594		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	ind		11	p	F	c636cc50325000a57700892e94a33bb8abf81a8250dc4f55b4be9167ca20040622	5000a57	700892e94a33bb8abf81a8250dc4f55b4be9167ca20040622		5b4be9167ca20040622	0.0188	0.0332	0.0188	0.0332		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	ind		11	p	Fbar	c636cc50325000a57700892e94a33bb8abf81a8250dc4f55b4be9167ca20040622	5000a57	700892e94a33bb8abf81a8250dc4f55b4be9167ca20040622		5b4be9167ca20040622	0.2692	0.5166	-0.2692	-0.5166		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	ind		11	p	C	c636cc50325000a57700892e94a33bb8abf81a8250dc4f55b4be9167ca20040622	5000a57	700892e94a33bb8abf81a8250dc4f55b4be9167ca20040622		5b4be9167ca20040622	0.0386	0.0774	0.0386	0.0774		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	ind		11	p	Cbar	c636cc50325000a57700892e94a33bb8abf81a8250dc4f55b4be9167ca20040622	5000a57	700892e94a33bb8abf81a8250dc4f55b4be9167ca20040622		5b4be9167ca20040622	0.3404	0.6248	-0.3404	-0.6248		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	ind		11	s	F	c636cc50325000a57700892e94a33bb8abf81a8250dc4f55b4be9167ca20040622	5000a57	700892e94a33bb8abf81a8250dc4f55b4be9167ca20040622		5b4be9167ca20040622	0.0188	0.03	0.0188	0.03		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	ind		11	s	Fbar	c636cc50325000a57700892e94a33bb8abf81a8250dc4f55b4be9167ca20040622	5000a57	700892e94a33bb8abf81a8250dc4f55b4be9167ca20040622		5b4be9167ca20040622	0.2692	0.3688	-0.2692	-0.3688		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	ind		11	s	C	c636cc50325000a57700892e94a33bb8abf81a8250dc4f55b4be9167ca20040622	5000a57	700892e94a33bb8abf81a8250dc4f55b4be9167ca20040622		5b4be9167ca20040622	0.0386	0.0576	0.0386	0.0576		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	ind		11	s	Cbar	c636cc50325000a57700892e94a33bb8abf81a8250dc4f55b4be9167ca20040622	5000a57	700892e94a33bb8abf81a8250dc4f55b4be9167ca20040622		5b4be9167ca20040622	0.3404	0.4436	-0.3404	-0.4436		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	ind		11	a	F	c636cc50325000a57700892e94a33bb8abf81a8250dc4f55b4be9167ca20040622	5000a57	700892e94a33bb8abf81a8250dc4f55b4be9167ca20040622		5b4be9167ca20040622	0.0188	0.0654	0.0188	0.0654		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	ind		11	a	Fbar	c636cc50325000a57700892e94a33bb8abf81a8250dc4f55b4be9167ca20040622	5000a57	700892e94a33bb8abf81a8250dc4f55b4be9167ca20040622		5b4be9167ca20040622	0.2692	0.3696	-0.2692	-0.3696		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	ind		11	a	C	c636cc50325000a57700892e94a33bb8abf81a8250dc4f55b4be9167ca20040622	5000a57	700892e94a33bb8abf81a8250dc4f55b4be9167ca20040622		5b4be9167ca20040622	0.0386	0.0982	0.0386	0.0982		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	ind		11	a	Cbar	c636cc50325000a57700892e94a33bb8abf81a8250dc4f55b4be9167ca20040622	5000a57	700892e94a33bb8abf81a8250dc4f55b4be9167ca20040622		5b4be9167ca20040622	0.3404	0.4462	-0.3404	-0.4462		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	NAIVE		11	g	F	81c76e8c426500479533711cd734d5d2cb9afd522badd756ae5238e445c0224815	65004795	33711cd734d5d2cb9afd522badd756ae5238e445c0224815		56ae5238e445c0224815	0.0188	0.041267	0.0188	0.041267		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	NAIVE		11	g	Fbar	81c76e8c426500479533711cd734d5d2cb9afd522badd756ae5238e445c0224815	65004795	33711cd734d5d2cb9afd522badd756ae5238e445c0224815		56ae5238e445c0224815	0.255533	0.540133	-0.255533	-0.540133		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	NAIVE		11	g	C	81c76e8c426500479533711cd734d5d2cb9afd522badd756ae5238e445c0224815	65004795	33711cd734d5d2cb9afd522badd756ae5238e445c0224815		56ae5238e445c0224815	0.0364	0.0822	0.0364	0.0822		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	NAIVE		11	g	Cbar	81c76e8c426500479533711cd734d5d2cb9afd522badd756ae5238e445c0224815	65004795	33711cd734d5d2cb9afd522badd756ae5238e445c0224815		56ae5238e445c0224815	0.322667	0.647467	-0.322667	-0.647467		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	NAIVE		11	p	F	81c76e8c426500479533711cd734d5d2cb9afd522badd756ae5238e445c0224815	65004795	33711cd734d5d2cb9afd522badd756ae5238e445c0224815		56ae5238e445c0224815	0.0188	0.029667	0.0188	0.029667		

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Schulze	NAIVE		11	p	Fbar	81c76e8c42650079533711cd734d5d2cb9afd522badd756a55238e445c057498	400722633	0.255533	0.503	-0.255533	-0.503					
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Schulze	NAIVE		11	p	C	81c76e8c42650079533711cd734d5d2cb9afd522badd756a55238e445c057498	400722633	0.0364	0.074533	0.0364	0.074533					
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Schulze	NAIVE		11	p	Cbar	81c76e8c42650079533711cd734d5d2cb9afd522badd756a55238e445c057498	400722633	0.322667	0.6086	-0.322667	-0.6086					
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Schulze	NAIVE		11	s	F	81c76e8c42650079533711cd734d5d2cb9afd522badd756a55238e445c057498	400722633	0.0188	0.027	0.0188	0.027					
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Schulze	NAIVE		11	s	Fbar	81c76e8c42650079533711cd734d5d2cb9afd522badd756a55238e445c057498	400722633	0.255533	0.359467	-0.255533	-0.359467					
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Schulze	NAIVE		11	s	C	81c76e8c42650079533711cd734d5d2cb9afd522badd756a55238e445c057498	400722633	0.0364	0.0546	0.0364	0.0546					
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Schulze	NAIVE		11	s	Cbar	81c76e8c42650079533711cd734d5d2cb9afd522badd756a55238e445c057498	400722633	0.322667	0.436667	-0.322667	-0.436667					
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Schulze	NAIVE		11	a	F	81c76e8c42650079533711cd734d5d2cb9afd522badd756a55238e445c057498	400722633	0.0188	0.060933	0.0188	0.060933					
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Schulze	NAIVE		11	a	Fbar	81c76e8c42650079533711cd734d5d2cb9afd522badd756a55238e445c057498	400722633	0.255533	0.3514	-0.255533	-0.3514					
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Schulze	NAIVE		11	a	C	81c76e8c42650079533711cd734d5d2cb9afd522badd756a55238e445c057498	400722633	0.0364	0.091467	0.0364	0.091467					
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Schulze	NAIVE		11	a	Cbar	81c76e8c42650079533711cd734d5d2cb9afd522badd756a55238e445c057498	400722633	0.322667	0.423867	-0.322667	-0.423867					
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Schulze	ind		11	g	F	28f69ab4d4096201241edb7bdec7cb59ec81dd79826f6b62db9315a400722633	400722633	0.0176	0.0426	0.0176	0.0426					
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Schulze	ind		11	g	Fbar	28f69ab4d4096201241edb7bdec7cb59ec81dd79826f6b62db9315a400722633	400722633	0.273	0.5638	-0.273	-0.5638					
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Schulze	ind		11	g	C	28f69ab4d4096201241edb7bdec7cb59ec81dd79826f6b62db9315a400722633	400722633	0.0358	0.0832	0.0358	0.0832					
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Schulze	ind		11	g	Cbar	28f69ab4d4096201241edb7bdec7cb59ec81dd79826f6b62db9315a400722633	400722633	0.3416	0.671	-0.3416	-0.671					
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Schulze	ind		11	p	F	28f69ab4d4096201241edb7bdec7cb59ec81dd79826f6b62db9315a400722633	400722633	0.0176	0.033	0.0176	0.033					
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Schulze	ind		11	p	Fbar	28f69ab4d4096201241edb7bdec7cb59ec81dd79826f6b62db9315a400722633	400722633	0.273	0.5232	-0.273	-0.5232					
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Schulze	ind		11	p	C	28f69ab4d4096201241edb7bdec7cb59ec81dd79826f6b62db9315a400722633	400722633	0.0358	0.0776	0.0358	0.0776					
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Schulze	ind		11	p	Cbar	28f69ab4d4096201241edb7bdec7cb59ec81dd79826f6b62db9315a400722633	400722633	0.3416	0.6304	-0.3416	-0.6304					
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Schulze	ind		11	s	F	28f69ab4d4096201241edb7bdec7cb59ec81dd79826f6b62db9315a400722633	400722633	0.0176	0.0296	0.0176	0.0296					
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Schulze	ind		11	s	Fbar	28f69ab4d4096201241edb7bdec7cb59ec81dd79826f6b62db9315a400722633	400722633	0.273	0.3718	-0.273	-0.3718					
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Schulze	ind		11	s	C	28f69ab4d4096201241edb7bdec7cb59ec81dd79826f6b62db9315a400722633	400722633	0.0358	0.0548	0.0358	0.0548					
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Schulze	ind		11	s	Cbar	28f69ab4d4096201241edb7bdec7cb59ec81dd79826f6b62db9315a400722633	400722633	0.3416	0.4502	-0.3416	-0.4502					
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Schulze	ind		11	a	F	28f69ab4d4096201241edb7bdec7cb59ec81dd79826f6b62db9315a400722633	400722633	0.0176	0.0636	0.0176	0.0636					
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Schulze	ind		11	a	Fbar	28f69ab4d4096201241edb7bdec7cb59ec81dd79826f6b62db9315a400722633	400722633	0.273	0.3764	-0.273	-0.3764					

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	ind		11	a	C	28f69ab4d4096201241ed	4096201241ed	b7bdc7cb59ec8dd79826f6b62db9315a4007c84d	dc7cb59ec8dd79826f6b62db9315a4007c84d	52db9315a4007c84d	4007c84d	0.0358	0.0922	0.0358	0.0922	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	ind		11	a	Cbar	28f69ab4d4096201241ed	4096201241ed	b7bdc7cb59ec8dd79826f6b62db9315a4007c84d	dc7cb59ec8dd79826f6b62db9315a4007c84d	52db9315a4007c84d	4007c84d	0.3416	0.4504	-0.3416	-0.4504	

Table 135: ImageNet-ViT-B/16 results.

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Best Indi- vidual	best- individual		1	g	F	0.06338	6e36077790	11ba0b0e25	11ba0b0e25	11ba0b0e25
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Best Indi- vidual	best- individual		1	g	Fbar	-0.498731	ed794fcc68	1e9db1b1b1	0f88495190	0f88495190
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Best Indi- vidual	best- individual		1	g	C	0.113254	e17701c256	160bce8861	01e6e0514d	01e6e0514d
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Best Indi- vidual	best- individual		1	g	Cbar	-0.607345	98f866d840	1e6bd6730f	070218a14f	070218a14f
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Best Indi- vidual	best- individual		1	p	F	0.054275	57576a840	11432ced40	00062a5704	00062a5704
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Best Indi- vidual	best- individual		1	p	Fbar	-0.447894	eba644a7b6	00448a1781	012001a14d	012001a14d
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Best Indi- vidual	best- individual		1	p	C	0.10324	deb4fef567	38b5739a00	01e6e0514d	01e6e0514d
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Best Indi- vidual	best- individual		1	p	Cbar	-0.554524	83f9ce294b	30a3e162ad	01a77c1b14	01a77c1b14
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Best Indi- vidual	best- individual		1	s	F	0.032618	f40a2d4d9	17833e781e	07a62e015d	07a62e015d
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Best Indi- vidual	best- individual		1	s	Fbar	-0.328292	3891e121fd	15a4dc9nda	02a3563104	02a3563104
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Best Indi- vidual	best- individual		1	s	C	0.063368	e4b7aded1	1441de47d4	071e3b0386	071e3b0386
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Best Indi- vidual	best- individual		1	s	Cbar	-0.408548	1ba424655	890915c15e	02a3563104	02a3563104
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Best Indi- vidual	best- individual		1	a	F	0.072396	d3b763caa	14316bf140	0597c99aa0	0597c99aa0
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Best Indi- vidual	best- individual		1	a	Fbar	-0.383994	06cb9fc8eb	7eaa87261b	070a1b1a0e	070a1b1a0e
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Best Indi- vidual	best- individual		1	a	C	0.105276	e48a13770	8e3c9c650a	021b05503a	021b05503a
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Best Indi- vidual	best- individual		1	a	Cbar	-0.455262	9cf3e64087	9cd0a325b7	02a3563104	02a3563104
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	SimpleAvg	NAIVE		11	g	F	0.055692	32aadaa12	1dd1cd810f	0592f02834	0592f02834
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	SimpleAvg	NAIVE		11	g	Fbar	-0.52195	71870e37c	82e52267e4	056091ef91	056091ef91
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	SimpleAvg	NAIVE		11	g	C	0.101621	ca0f8e136d	46f1154a01	02e126125b	02e126125b
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	SimpleAvg	NAIVE		11	g	Cbar	-0.630919	8b7e3d0d3	1f8321b2a9	0592f02834	0592f02834
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	SimpleAvg	NAIVE		11	p	F	0.04779	10d6906cd	7b38fd6146	1f6992eb10	1f6992eb10
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	SimpleAvg	NAIVE		11	p	Fbar	-0.473404	caca1e14db	070990a104	011441f3e5	011441f3e5
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	SimpleAvg	NAIVE		11	p	C	0.092253	9a811fbcb	71b050a108	0c207bd89d	0c207bd89d
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	SimpleAvg	NAIVE		11	p	Cbar	-0.580914	309e2d79b	56d1caab5e	06909d79b2	06909d79b2

										expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
cell	dataset	model	split	method	setting	distance model	q	condition	metric					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	SimpleAvg	NAIVE		11	s	F	0.026169	39839bb66fhd09dab85c47eg773d5B3272	ab445b18a1303edfb75285ea1550b4		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	SimpleAvg	NAIVE		11	s	Fbar	-0.362214	7d4b88b02806fb76216285hg744qndf0032d11	15412d337809b3c0cfce5f25df		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	SimpleAvg	NAIVE		11	s	C	0.05348	0597e52db86df02d40b006fng941c56B55395e17	2468625684417b85369ab1d9c		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	SimpleAvg	NAIVE		11	s	Cbar	-0.44475	5a59f1542235d129a85d17dcg5f25dcB3298682c2	2222b5a652f6f05e2028ba9efa		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	SimpleAvg	NAIVE		11	a	F	0.062938	18440113e87d966557846g9H8cg5a7f10fed8517	702d4f5991329e37c59af1ea6		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	SimpleAvg	NAIVE		11	a	Fbar	-0.435233	0479bd94d56hb77712343b89cfghd4F5248b2954e	7ab81c7bfc656373cc838cb4		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	SimpleAvg	NAIVE		11	a	C	0.091784	e005ed93916ef7590f05fc63dH6dhp9aB6347dc1f0e	2805ff0632b86b8e7822357		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	SimpleAvg	NAIVE		11	a	Cbar	-0.507595	e2b95c2158f0fb47b8462ddhg7d7704F206f1307c	d4453969a71056318550d631		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	SimpleAvg	ind		11	g	F	0.061376	32aadaa12fdd1bd81ierF5252f028947hd991b2618	seaa18b804a4a42458ef43b6c		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	SimpleAvg	ind		11	g	Fbar	-0.532112	71870e37ce8e522607d45a60gk4regio47hb378adcd	01114bf002cdf9014af3e5c1		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	SimpleAvg	ind		11	g	C	0.111131	ca0f8e136d46ff1540e849e2eio26d425hcdF3107e0ce9a	13cdc68fcaf6c6cf509dfc8		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	SimpleAvg	ind		11	g	Cbar	-0.639342	8b7e3d0d31f8321b2a95a9cogt0ff5d4B393aa6f77	757676995c85104a31aa1a3cf		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	SimpleAvg	ind		11	p	F	0.052986	10d6906cd7038fda61d61669g2ebh0cB49453728a	7d8c2309470aaef4eed2f7a		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	SimpleAvg	ind		11	p	Fbar	-0.484102	caca1e14db07099a36401h4gdl1cc503Dda7e3b1ef	054fce6c129e60ad10cd5ce3		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	SimpleAvg	ind		11	p	C	0.101167	9a811f1bc87fb50amio83e207hd80d4B11929e5b2603	ceb65f2ff5f7ea3824850		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	SimpleAvg	ind		11	p	Cbar	-0.589835	309e2d79b56d1taab5m696hg079b294f2ef71ad4e	6ca1506ef04eb6c989dcb7e		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	SimpleAvg	ind		11	s	F	0.030701	39839bb66fhd09dab85c47eg773d5B3272	ab445b18a1303edfb75285ea1550b4		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	SimpleAvg	ind		11	s	Fbar	-0.3743	7d4b88b02806fb76216285hg744qndf0032d11	15412d337809b3c0cfce5f25df		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	SimpleAvg	ind		11	s	C	0.061291	0597e52db86df02d40b006fng941c56B55395e17	2468625684417b85369ab1d9c		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	SimpleAvg	ind		11	s	Cbar	-0.454923	5a59f1542235d129a85d17dcg5f25dcB3298682c2	2222b5a652f6f05e2028ba9efa		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	SimpleAvg	ind		11	a	F	0.068678	18440113e87d966557846g9H8cg5a7f10fed8517	702d4f5991329e37c59af1ea6		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	SimpleAvg	ind		11	a	Fbar	-0.445396	0479bd94d56hb77712343b89cfghd4F5248b2954e	7ab81c7bfc656373cc838cb4		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	SimpleAvg	ind		11	a	C	0.102806	e005ed93916ef7590f05fc63dH6dhp9aB6347dc1f0e	2805ff0632b86b8e7822357		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	SimpleAvg	ind		11	a	Cbar	-0.516343	e2b95c2158f0fb47b8462ddhg7d7704F206f1307c	d4453969a71056318550d631		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Borda	NAIVE		11	g	F	0.061769	32aadaa12fdd1bd81ierF5252f028947hd991b2618	seaa18b804a4a42458ef43b6c		

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Borda	NAIVE		11	g	Fbar	-0.501526	71870e37c82e5226545a66gkfcgic95b478adcd01114bf002cdf9014af3e5c1			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Borda	NAIVE		11	g	C	0.107555	ca0f8e136d46f1f54a0819e2e1026125ba43107e0ce9a13cdc68caf6c6cf509dfc8			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Borda	NAIVE		11	g	Cbar	-0.609049	8b7e3d0d33f8321b102a95a90d10f54f89e3aa6f7757676995c85104a31aa1a3cf			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Borda	NAIVE		11	p	F	0.053344	10d6906cd7b3f8f0a1461f6992ebbb0a449453728fa7d8c2309470aaef4eed2f7a			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Borda	NAIVE		11	p	Fbar	-0.4519	caca1e14db0f07099a3040114gltcc503fda7e3b1ef054fce6c129e60ad10cd5ce3			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Borda	NAIVE		11	p	C	0.097815	9a811f1bc87b060a1083e267f1d894b1a929e5b2603ceb65f2ff5f7ea3824850			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Borda	NAIVE		11	p	Cbar	-0.557749	309e2d79b56d1caab5a6961079b09412ef71ad4e6ca1506ef04eb6c989dcb7e			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Borda	NAIVE		11	s	F	0.031013	39839bb66fhd09damb6e47eg773p5c832ab445b18a1303edfb75285ea1550b4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Borda	NAIVE		11	s	Fbar	-0.33792	7d4b88b02800fb7621c6285f714qiaf7b03232d115412d337809b3c0cfce5f25df			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Borda	NAIVE		11	s	C	0.058353	0597e52db76af02d40b018fng41p60855495e172468625684417b85369ab1d9c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Borda	NAIVE		11	s	Cbar	-0.418335	5a59f1542235129a08d174c6f525fcd8328682c2222b5a652f6f05e2028ba9efa			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Borda	NAIVE		11	a	F	0.069074	18440113e856966555784f9318cc5a7f10fed851702d4f5991329e37c59af1ea6			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Borda	NAIVE		11	a	Fbar	-0.414805	0479b494d55b677312342b89cfqiaf5243b2954e7ab81c7bfc656373cc838cb4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Borda	NAIVE		11	a	C	0.098661	e005ed9391ee7599f05fcd8016d1b9a85847dc1f0e2805ff0632b86b8e7822357			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Borda	NAIVE		11	a	Cbar	-0.484882	e2b95c2158f0fb4710462ddh7d7704f200f1307cd4453969a71056318550d631			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Borda	ind		11	g	F	0.063141	32aadaa12fda1b4811c85282f0289407b4901b2618eaa18b804a4a42458ef43b6c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Borda	ind		11	g	Fbar	-0.514496	71870e37c82e5226545a66gkfcgic95b478adcd01114bf002cdf9014af3e5c1			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Borda	ind		11	g	C	0.113326	ca0f8e136d46f1f54a0819e2e1026125ba43107e0ce9a13cdc68caf6c6cf509dfc8			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Borda	ind		11	g	Cbar	-0.623826	8b7e3d0d33f8321b102a95a90d10f54f89e3aa6f7757676995c85104a31aa1a3cf			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Borda	ind		11	p	F	0.054598	10d6906cd7b3f8f0a1461f6992ebbb0a449453728fa7d8c2309470aaef4eed2f7a			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Borda	ind		11	p	Fbar	-0.465555	caca1e14db0f07099a3040114gltcc503fda7e3b1ef054fce6c129e60ad10cd5ce3			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Borda	ind		11	p	C	0.103225	9a811f1bc87b060a1083e267f1d894b1a929e5b2603ceb65f2ff5f7ea3824850			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Borda	ind		11	p	Cbar	-0.573401	309e2d79b56d1caab5a6961079b09412ef71ad4e6ca1506ef04eb6c989dcb7e			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Borda	ind		11	s	F	0.032107	39839bb66fhd09damb6e47eg773p5c832ab445b18a1303edfb75285ea1550b4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Borda	ind		11	s	Fbar	-0.353347	7d4b88b02800fb7621c6285f714qiaf7b03232d115412d337809b3c0cfce5f25df			

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Borda	ind		11	s	C	0.063093	0597e52dbb6a1f024d0b06f1540c841c56855395e172468625684417b85369ab1d9c	0597e52dbb6a1f024d0b06f1540c841c56855395e172468625684417b85369ab1d9c	0597e52dbb6a1f024d0b06f1540c841c56855395e172468625684417b85369ab1d9c	0597e52dbb6a1f024d0b06f1540c841c56855395e172468625684417b85369ab1d9c
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Borda	ind		11	s	Cbar	-0.436183	5a59f15422351129m19d174c6f5254c453298682c2222b5a652f6f05e2028ba9efa	5a59f15422351129m19d174c6f5254c453298682c2222b5a652f6f05e2028ba9efa	5a59f15422351129m19d174c6f5254c453298682c2222b5a652f6f05e2028ba9efa	5a59f15422351129m19d174c6f5254c453298682c2222b5a652f6f05e2028ba9efa
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Borda	ind		11	a	F	0.07046	18440113e8f0966557846938c95a7f10fed851702d4f5991329e37c59af1ea6	18440113e8f0966557846938c95a7f10fed851702d4f5991329e37c59af1ea6	18440113e8f0966557846938c95a7f10fed851702d4f5991329e37c59af1ea6	18440113e8f0966557846938c95a7f10fed851702d4f5991329e37c59af1ea6
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Borda	ind		11	a	Fbar	-0.427777	0479bd94cd55b6777a2342b89cfgh4f5243b2954e7ab81c7bfc656373cc838cb4	0479bd94cd55b6777a2342b89cfgh4f5243b2954e7ab81c7bfc656373cc838cb4	0479bd94cd55b6777a2342b89cfgh4f5243b2954e7ab81c7bfc656373cc838cb4	0479bd94cd55b6777a2342b89cfgh4f5243b2954e7ab81c7bfc656373cc838cb4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Borda	ind		11	a	C	0.10535	e005ed93916e7590f05cd60316d19a76847dc1f0e2805ff0632b86b8e7822357	e005ed93916e7590f05cd60316d19a76847dc1f0e2805ff0632b86b8e7822357	e005ed93916e7590f05cd60316d19a76847dc1f0e2805ff0632b86b8e7822357	e005ed93916e7590f05cd60316d19a76847dc1f0e2805ff0632b86b8e7822357
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Borda	ind		11	a	Cbar	-0.500229	e2b95c2158f0f147b1b462ddbf5177d4f200f1307cd4453969a71056318550d631	e2b95c2158f0f147b1b462ddbf5177d4f200f1307cd4453969a71056318550d631	e2b95c2158f0f147b1b462ddbf5177d4f200f1307cd4453969a71056318550d631	e2b95c2158f0f147b1b462ddbf5177d4f200f1307cd4453969a71056318550d631
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	RRF	NAIVE		11	g	F	0.063239	32aadaa12f1a1bd81e7f5262f428947bd991b2618eaa18b804a4a42458ef43b6c	32aadaa12f1a1bd81e7f5262f428947bd991b2618eaa18b804a4a42458ef43b6c	32aadaa12f1a1bd81e7f5262f428947bd991b2618eaa18b804a4a42458ef43b6c	32aadaa12f1a1bd81e7f5262f428947bd991b2618eaa18b804a4a42458ef43b6c
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	RRF	NAIVE		11	g	Fbar	-0.495399	71870e37c82e5226745a608f4eq1637b1d478adcd01114bf002cdf9014af3e5c1	71870e37c82e5226745a608f4eq1637b1d478adcd01114bf002cdf9014af3e5c1	71870e37c82e5226745a608f4eq1637b1d478adcd01114bf002cdf9014af3e5c1	71870e37c82e5226745a608f4eq1637b1d478adcd01114bf002cdf9014af3e5c1
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	RRF	NAIVE		11	g	C	0.109587	ca0f8e136cd6f11540c840e2e1261425ba43107e0ce9a13cdc68caf6c6cf509dfc8	ca0f8e136cd6f11540c840e2e1261425ba43107e0ce9a13cdc68caf6c6cf509dfc8	ca0f8e136cd6f11540c840e2e1261425ba43107e0ce9a13cdc68caf6c6cf509dfc8	ca0f8e136cd6f11540c840e2e1261425ba43107e0ce9a13cdc68caf6c6cf509dfc8
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	RRF	NAIVE		11	g	Cbar	-0.60363	8b7e3d0d3b38321bd2a35a0cd40f154393aa6f7757676995c85104a31aa1a3cf	8b7e3d0d3b38321bd2a35a0cd40f154393aa6f7757676995c85104a31aa1a3cf	8b7e3d0d3b38321bd2a35a0cd40f154393aa6f7757676995c85104a31aa1a3cf	8b7e3d0d3b38321bd2a35a0cd40f154393aa6f7757676995c85104a31aa1a3cf
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	RRF	NAIVE		11	p	F	0.054688	10d6906cd7b38f361461f6992cbbf0a4f49453728fa7d8c2309470aaef4eed2f7a	10d6906cd7b38f361461f6992cbbf0a4f49453728fa7d8c2309470aaef4eed2f7a	10d6906cd7b38f361461f6992cbbf0a4f49453728fa7d8c2309470aaef4eed2f7a	10d6906cd7b38f361461f6992cbbf0a4f49453728fa7d8c2309470aaef4eed2f7a
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	RRF	NAIVE		11	p	Fbar	-0.445448	caca1e14dbf700990a3d1144d1bce53f3da7e3b1ef054fce6c129e60ad10cd5ce3	caca1e14dbf700990a3d1144d1bce53f3da7e3b1ef054fce6c129e60ad10cd5ce3	caca1e14dbf700990a3d1144d1bce53f3da7e3b1ef054fce6c129e60ad10cd5ce3	caca1e14dbf700990a3d1144d1bce53f3da7e3b1ef054fce6c129e60ad10cd5ce3
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	RRF	NAIVE		11	p	C	0.09972	9a811f1bc8f7b00a1a083e2671b18940b118929e5b2603ceb65f2ff5f7ea3824850	9a811f1bc8f7b00a1a083e2671b18940b118929e5b2603ceb65f2ff5f7ea3824850	9a811f1bc8f7b00a1a083e2671b18940b118929e5b2603ceb65f2ff5f7ea3824850	9a811f1bc8f7b00a1a083e2671b18940b118929e5b2603ceb65f2ff5f7ea3824850
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	RRF	NAIVE		11	p	Cbar	-0.55201	309e2d79b5611caab59c6961d079b2941f2ef71ad4e6ca1506ef04eb6c989dcb7e	309e2d79b5611caab59c6961d079b2941f2ef71ad4e6ca1506ef04eb6c989dcb7e	309e2d79b5611caab59c6961d079b2941f2ef71ad4e6ca1506ef04eb6c989dcb7e	309e2d79b5611caab59c6961d079b2941f2ef71ad4e6ca1506ef04eb6c989dcb7e
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	RRF	NAIVE		11	s	F	0.032185	39839bb66fdd009dabb8c47e9d773d545322ab445b18a1303edfb75285ea1550b4	39839bb66fdd009dabb8c47e9d773d545322ab445b18a1303edfb75285ea1550b4	39839bb66fdd009dabb8c47e9d773d545322ab445b18a1303edfb75285ea1550b4	39839bb66fdd009dabb8c47e9d773d545322ab445b18a1303edfb75285ea1550b4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	RRF	NAIVE		11	s	Fbar	-0.330633	7d4b88b02806fb76216285b71491a7b03232d115412d337809b3c0cfce5f25df	7d4b88b02806fb76216285b71491a7b03232d115412d337809b3c0cfce5f25df	7d4b88b02806fb76216285b71491a7b03232d115412d337809b3c0cfce5f25df	7d4b88b02806fb76216285b71491a7b03232d115412d337809b3c0cfce5f25df
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	RRF	NAIVE		11	s	C	0.060022	0597e52dbb6a1f024d0b06f1540c841c56855395e172468625684417b85369ab1d9c	0597e52dbb6a1f024d0b06f1540c841c56855395e172468625684417b85369ab1d9c	0597e52dbb6a1f024d0b06f1540c841c56855395e172468625684417b85369ab1d9c	0597e52dbb6a1f024d0b06f1540c841c56855395e172468625684417b85369ab1d9c
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	RRF	NAIVE		11	s	Cbar	-0.411791	5a59f15422351129m19d174c6f5254c453298682c2222b5a652f6f05e2028ba9efa	5a59f15422351129m19d174c6f5254c453298682c2222b5a652f6f05e2028ba9efa	5a59f15422351129m19d174c6f5254c453298682c2222b5a652f6f05e2028ba9efa	5a59f15422351129m19d174c6f5254c453298682c2222b5a652f6f05e2028ba9efa
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	RRF	NAIVE		11	a	F	0.070558	18440113e8f0966557846938c95a7f10fed851702d4f5991329e37c59af1ea6	18440113e8f0966557846938c95a7f10fed851702d4f5991329e37c59af1ea6	18440113e8f0966557846938c95a7f10fed851702d4f5991329e37c59af1ea6	18440113e8f0966557846938c95a7f10fed851702d4f5991329e37c59af1ea6
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	RRF	NAIVE		11	a	Fbar	-0.408677	0479bd94cd55b6777a2342b89cfgh4f5243b2954e7ab81c7bfc656373cc838cb4	0479bd94cd55b6777a2342b89cfgh4f5243b2954e7ab81c7bfc656373cc838cb4	0479bd94cd55b6777a2342b89cfgh4f5243b2954e7ab81c7bfc656373cc838cb4	0479bd94cd55b6777a2342b89cfgh4f5243b2954e7ab81c7bfc656373cc838cb4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	RRF	NAIVE		11	a	C	0.101016	e005ed93916e7590f05cd60316d19a76847dc1f0e2805ff0632b86b8e7822357	e005ed93916e7590f05cd60316d19a76847dc1f0e2805ff0632b86b8e7822357	e005ed93916e7590f05cd60316d19a76847dc1f0e2805ff0632b86b8e7822357	e005ed93916e7590f05cd60316d19a76847dc1f0e2805ff0632b86b8e7822357
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	RRF	NAIVE		11	a	Cbar	-0.479255	e2b95c2158f0f147b1b462ddbf5177d4f200f1307cd4453969a71056318550d631	e2b95c2158f0f147b1b462ddbf5177d4f200f1307cd4453969a71056318550d631	e2b95c2158f0f147b1b462ddbf5177d4f200f1307cd4453969a71056318550d631	e2b95c2158f0f147b1b462ddbf5177d4f200f1307cd4453969a71056318550d631
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	RRF	ind		11	g	F	0.064317	32aadaa12f1a1bd81e7f5262f428947bd991b2618eaa18b804a4a42458ef43b6c	32aadaa12f1a1bd81e7f5262f428947bd991b2618eaa18b804a4a42458ef43b6c	32aadaa12f1a1bd81e7f5262f428947bd991b2618eaa18b804a4a42458ef43b6c	32aadaa12f1a1bd81e7f5262f428947bd991b2618eaa18b804a4a42458ef43b6c
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	RRF	ind		11	g	Fbar	-0.508062	71870e37c82e5226745a608f4eq1637b1d478adcd01114bf002cdf9014af3e5c1	71870e37c82e5226745a608f4eq1637b1d478adcd01114bf002cdf9014af3e5c1	71870e37c82e5226745a608f4eq1637b1d478adcd01114bf002cdf9014af3e5c1	71870e37c82e5226745a608f4eq1637b1d478adcd01114bf002cdf9014af3e5c1
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	RRF	ind		11	g	C	0.112351	ca0f8e136cd6f11540c840e2e1261425ba43107e0ce9a13cdc68caf6c6cf509dfc8	ca0f8e136cd6f11540c840e2e1261425ba43107e0ce9a13cdc68caf6c6cf509dfc8	ca0f8e136cd6f11540c840e2e1261425ba43107e0ce9a13cdc68caf6c6cf509dfc8	ca0f8e136cd6f11540c840e2e1261425ba43107e0ce9a13cdc68caf6c6cf509dfc8

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	RRF	ind		11	g	Cbar	-0.615403	8b7e3d0d3f8321b42a95a9c4e0ff54839a3aa6f7757676995c85104a31aa1a3cf			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	RRF	ind		11	p	F	0.055673	10d6906cd7b38fd661d61f6992eb10c849453728fa7d8c2309470aaef4eed2f7a			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	RRF	ind		11	p	Fbar	-0.458781	caca1e14dbb070990a3d40144d1bce543bda7e3b1ef054fce6c129e60ad10cd5ce3			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	RRF	ind		11	p	C	0.10231	9a811f1bc87b60a4a088e267bd89d4519929e5b2603ceb65f2ff5f7ea3824850			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	RRF	ind		11	p	Cbar	-0.564479	309e2d79b56d1caab5a69619279b2954f3ef71ad4e6ca1506ef04eb6c989dc7e			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	RRF	ind		11	s	F	0.033044	39839bb66fbd09dab66e47eg773d5c83272ab445b18a1303edfb75285ea1550b4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	RRF	ind		11	s	Fbar	-0.345694	7d4b88b02806fb76216285f1744qiafb08232d115412d337809b3c0cfce5f25df			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	RRF	ind		11	s	C	0.062292	0597e52db76af0240b006f5a941c56855495e172468625684417b85369ab1d9c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	RRF	ind		11	s	Cbar	-0.42601	5a59f1542235129a08d17dc6525fcd8328682c2222b5a652f6f05e2028ba9efa			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	RRF	ind		11	a	F	0.071647	18440113e87d9665578469318ca5a7f0ed851702d4f5991329e37c59af1ea6			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	RRF	ind		11	a	Fbar	-0.421342	0479bd94d55b6777d2343b8dcf9b485248b2954e7ab81c7bfc656373cc838cb4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	RRF	ind		11	a	C	0.104219	e005ed93916e7590f05cd6316d1b0c8347dc1f0e2805f0632b86b8e7822357			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	RRF	ind		11	a	Cbar	-0.491481	e2b95c2158f0fb47b8462ddbf5175d45290f1307cd4453969a71056318550d631			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	NAIVE		11	g	F	0.065297	32aadaa12fdd1cd81e785252f828347bd901b2618eaa18b804a4a42458ef43b6c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	NAIVE		11	g	Fbar	-0.493305	71870e37c82e52267d45a60gkfcg1657alkd78adcd01114bf002cdf9014af3e5c1			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	NAIVE		11	g	C	0.112757	ca0f8e136df6ff154e8492e126125ba43107e0ce5a13cdc68caf6c6cf509dfc8			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	NAIVE		11	g	Cbar	-0.602153	8b7e3d0d3f8321b42a95a9c4e0ff54839a3aa6f7757676995c85104a31aa1a3cf			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	NAIVE		11	p	F	0.055659	10d6906cd7b38fd661d61f6992eb10c849453728fa7d8c2309470aaef4eed2f7a			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	NAIVE		11	p	Fbar	-0.443244	caca1e14dbb070990a3d40144d1bce543bda7e3b1ef054fce6c129e60ad10cd5ce3			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	NAIVE		11	p	C	0.102691	9a811f1bc87b60a4a088e267bd89d4519929e5b2603ceb65f2ff5f7ea3824850			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	NAIVE		11	p	Cbar	-0.550445	309e2d79b56d1caab5a69619279b2954f3ef71ad4e6ca1506ef04eb6c989dc7e			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	NAIVE		11	s	F	0.033826	39839bb66fbd09dab66e47eg773d5c83272ab445b18a1303edfb75285ea1550b4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	NAIVE		11	s	Fbar	-0.328142	7d4b88b02806fb76216285f1744qiafb08232d115412d337809b3c0cfce5f25df			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	NAIVE		11	s	C	0.062626	0597e52db76af0240b006f5a941c56855495e172468625684417b85369ab1d9c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	NAIVE		11	s	Cbar	-0.410006	5a59f1542235129a08d17dc6525fcd8328682c2222b5a652f6f05e2028ba9efa			

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	NAIVE		11	a	F	0.072637	18440113e8f0966557846938cc5a7f10fed851702d4f5991329e37c59af1ea6	5616777d2342b89cf9ba85248b2954e7ab81c7bfc656373cc838cb4	16e7599f05fcd6916d1b9c8347dc1f0e2805ff0632b86b8e7822357	702d4f5991329e37c59af1ea6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	NAIVE		11	a	Fbar	-0.406583	0479bd9d4c5616777d2342b89cf9ba85248b2954e7ab81c7bfc656373cc838cb4	5616777d2342b89cf9ba85248b2954e7ab81c7bfc656373cc838cb4	16e7599f05fcd6916d1b9c8347dc1f0e2805ff0632b86b8e7822357	702d4f5991329e37c59af1ea6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	NAIVE		11	a	C	0.10469	e005ed93916e7599f05fcd6916d1b9c8347dc1f0e2805ff0632b86b8e7822357	16e7599f05fcd6916d1b9c8347dc1f0e2805ff0632b86b8e7822357	702d4f5991329e37c59af1ea6	702d4f5991329e37c59af1ea6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	NAIVE		11	a	Cbar	-0.47772	e2b95c2158f09147ab8462cddbf75d4f209ef1307cd4453969a71056318550d631	5616777d2342b89cf9ba85248b2954e7ab81c7bfc656373cc838cb4	16e7599f05fcd6916d1b9c8347dc1f0e2805ff0632b86b8e7822357	702d4f5991329e37c59af1ea6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	ind		11	g	F	0.066081	32aadaa12f1a1bd81e1f5262f428947bd4901b2618eaa18b804a4a42458ef43b6c	16e7599f05fcd6916d1b9c8347dc1f0e2805ff0632b86b8e7822357	702d4f5991329e37c59af1ea6	702d4f5991329e37c59af1ea6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	ind		11	g	Fbar	-0.505917	71870e37c82e52262745a6698f9e163f1b478adcd01114bf002cdf9014af3e5c1	5616777d2342b89cf9ba85248b2954e7ab81c7bfc656373cc838cb4	16e7599f05fcd6916d1b9c8347dc1f0e2805ff0632b86b8e7822357	702d4f5991329e37c59af1ea6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	ind		11	g	C	0.113814	ca0f8e136dc6f1154ca81492e126125ba43107e0ce9a13cdc68fc6cf509dfc8	5616777d2342b89cf9ba85248b2954e7ab81c7bfc656373cc838cb4	16e7599f05fcd6916d1b9c8347dc1f0e2805ff0632b86b8e7822357	702d4f5991329e37c59af1ea6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	ind		11	g	Cbar	-0.617176	8b7e3d0d3f8321bd2a35a9c0e10f524839e3aa6f7757676995c85104a31aa1a3cf	5616777d2342b89cf9ba85248b2954e7ab81c7bfc656373cc838cb4	16e7599f05fcd6916d1b9c8347dc1f0e2805ff0632b86b8e7822357	702d4f5991329e37c59af1ea6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	ind		11	p	F	0.057285	10d6906cd7b38fda1461f6992eb1b0c849453728fa7d8c2309470aaef4eed2f7a	5616777d2342b89cf9ba85248b2954e7ab81c7bfc656373cc838cb4	16e7599f05fcd6916d1b9c8347dc1f0e2805ff0632b86b8e7822357	702d4f5991329e37c59af1ea6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	ind		11	p	Fbar	-0.456523	caca1e14db07099aa3401e1a1d1cc503d0da7e3b1ef054fce6c129e60ad10cd5ce3	5616777d2342b89cf9ba85248b2954e7ab81c7bfc656373cc838cb4	16e7599f05fcd6916d1b9c8347dc1f0e2805ff0632b86b8e7822357	702d4f5991329e37c59af1ea6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	ind		11	p	C	0.103682	9a811f1bc87b060ab1083e267bd8940f510929e5b2603ceb65f2ff57ea3824850	5616777d2342b89cf9ba85248b2954e7ab81c7bfc656373cc838cb4	16e7599f05fcd6916d1b9c8347dc1f0e2805ff0632b86b8e7822357	702d4f5991329e37c59af1ea6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	ind		11	p	Cbar	-0.566357	309e2d79b56d1a1ab5a6961d079b2954f3ef71ad4e6ca1506ef04eb6c989dcb7e	5616777d2342b89cf9ba85248b2954e7ab81c7bfc656373cc838cb4	16e7599f05fcd6916d1b9c8347dc1f0e2805ff0632b86b8e7822357	702d4f5991329e37c59af1ea6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	ind		11	s	F	0.034451	39839bb66f1d09a1ab85c47ed77315d8252ab445b18a1303edfb75285ea1550b4	5616777d2342b89cf9ba85248b2954e7ab81c7bfc656373cc838cb4	16e7599f05fcd6916d1b9c8347dc1f0e2805ff0632b86b8e7822357	702d4f5991329e37c59af1ea6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	ind		11	s	Fbar	-0.343144	7d4b88b02806f1b621c285f1e41e1a1d1cc503d0da7e3b1ef054fce6c129e60ad10cd5ce3	5616777d2342b89cf9ba85248b2954e7ab81c7bfc656373cc838cb4	16e7599f05fcd6916d1b9c8347dc1f0e2805ff0632b86b8e7822357	702d4f5991329e37c59af1ea6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	ind		11	s	C	0.063494	0597e52db76d1f0240b016f5a941c6855495e172468625684417b85369ab1d9c	5616777d2342b89cf9ba85248b2954e7ab81c7bfc656373cc838cb4	16e7599f05fcd6916d1b9c8347dc1f0e2805ff0632b86b8e7822357	702d4f5991329e37c59af1ea6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	ind		11	s	Cbar	-0.428152	5a59f1542235129a09d17dc6f525fcd85298682c2222b5a652f6f05e2028ba9efa	5616777d2342b89cf9ba85248b2954e7ab81c7bfc656373cc838cb4	16e7599f05fcd6916d1b9c8347dc1f0e2805ff0632b86b8e7822357	702d4f5991329e37c59af1ea6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	ind		11	a	F	0.073428	18440113e8f0966557846938cc5a7f10fed851702d4f5991329e37c59af1ea6	5616777d2342b89cf9ba85248b2954e7ab81c7bfc656373cc838cb4	16e7599f05fcd6916d1b9c8347dc1f0e2805ff0632b86b8e7822357	702d4f5991329e37c59af1ea6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	ind		11	a	Fbar	-0.419197	0479bd9d4c5616777d2342b89cf9ba85248b2954e7ab81c7bfc656373cc838cb4	5616777d2342b89cf9ba85248b2954e7ab81c7bfc656373cc838cb4	16e7599f05fcd6916d1b9c8347dc1f0e2805ff0632b86b8e7822357	702d4f5991329e37c59af1ea6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	ind		11	a	C	0.105915	e005ed93916e7599f05fcd6916d1b9c8347dc1f0e2805ff0632b86b8e7822357	16e7599f05fcd6916d1b9c8347dc1f0e2805ff0632b86b8e7822357	702d4f5991329e37c59af1ea6	702d4f5991329e37c59af1ea6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	ind		11	a	Cbar	-0.493323	e2b95c2158f09147ab8462cddbf75d4f209ef1307cd4453969a71056318550d631	5616777d2342b89cf9ba85248b2954e7ab81c7bfc656373cc838cb4	16e7599f05fcd6916d1b9c8347dc1f0e2805ff0632b86b8e7822357	702d4f5991329e37c59af1ea6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	NAIVE		11	g	F	0.066081	32aadaa12f1a1bd81e1f5262f428947bd4901b2618eaa18b804a4a42458ef43b6c	16e7599f05fcd6916d1b9c8347dc1f0e2805ff0632b86b8e7822357	702d4f5991329e37c59af1ea6	702d4f5991329e37c59af1ea6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	NAIVE		11	g	Fbar	-0.49545	71870e37c82e52262745a6698f9e163f1b478adcd01114bf002cdf9014af3e5c1	5616777d2342b89cf9ba85248b2954e7ab81c7bfc656373cc838cb4	16e7599f05fcd6916d1b9c8347dc1f0e2805ff0632b86b8e7822357	702d4f5991329e37c59af1ea6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	NAIVE		11	g	C	0.111131	ca0f8e136dc6f1154ca81492e126125ba43107e0ce9a13cdc68fc6cf509dfc8	5616777d2342b89cf9ba85248b2954e7ab81c7bfc656373cc838cb4	16e7599f05fcd6916d1b9c8347dc1f0e2805ff0632b86b8e7822357	702d4f5991329e37c59af1ea6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	NAIVE		11	g	Cbar	-0.604074	8b7e3d0d3f8321bd2a35a9c0e10f524839e3aa6f7757676995c85104a31aa1a3cf	5616777d2342b89cf9ba85248b2954e7ab81c7bfc656373cc838cb4	16e7599f05fcd6916d1b9c8347dc1f0e2805ff0632b86b8e7822357	702d4f5991329e37c59af1ea6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	NAIVE		11	p	F	0.057285	10d6906cd7b38fda1461f6992eb1b0c849453728fa7d8c2309470aaef4eed2f7a	5616777d2342b89cf9ba85248b2954e7ab81c7bfc656373cc838cb4	16e7599f05fcd6916d1b9c8347dc1f0e2805ff0632b86b8e7822357	702d4f5991329e37c59af1ea6

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	NAIVE		11	p	Fbar	-0.445502	cacae14dbb070990a3401144d1bce533fda7e3b1ef054fce6c129e60ad10cd5ce3	cacae14dbb070990a3401144d1bce533fda7e3b1ef054fce6c129e60ad10cd5ce3	cacae14dbb070990a3401144d1bce533fda7e3b1ef054fce6c129e60ad10cd5ce3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	NAIVE		11	p	C	0.101167	9a811f1bc87b050aui088e207hd189d4b119929e5b2603ceb65f2ff57ea3824850	9a811f1bc87b050aui088e207hd189d4b119929e5b2603ceb65f2ff57ea3824850	9a811f1bc87b050aui088e207hd189d4b119929e5b2603ceb65f2ff57ea3824850	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	NAIVE		11	p	Cbar	-0.55248	309e2d79b75d1caab5e6961g079b29512ef71ad4e6ca1506ef04eb6c989dcb7e	309e2d79b75d1caab5e6961g079b29512ef71ad4e6ca1506ef04eb6c989dcb7e	309e2d79b75d1caab5e6961g079b29512ef71ad4e6ca1506ef04eb6c989dcb7e	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	NAIVE		11	s	F	0.034451	39839bb66fhd09daab65e47eg773p5c83252ab445b18a1303edfb75285ea1550b4	39839bb66fhd09daab65e47eg773p5c83252ab445b18a1303edfb75285ea1550b4	39839bb66fhd09daab65e47eg773p5c83252ab445b18a1303edfb75285ea1550b4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	NAIVE		11	s	Fbar	-0.330693	7d4b88b02f06fb7621c62851g714qia0b03232d115412d337809b3c0cfce5f25df	7d4b88b02f06fb7621c62851g714qia0b03232d115412d337809b3c0cfce5f25df	7d4b88b02f06fb7621c62851g714qia0b03232d115412d337809b3c0cfce5f25df	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	NAIVE		11	s	C	0.061291	0597e52db76af02d40b016f5g941p56855395e172468625684417b85369ab1d9c	0597e52db76af02d40b016f5g941p56855395e172468625684417b85369ab1d9c	0597e52db76af02d40b016f5g941p56855395e172468625684417b85369ab1d9c	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	NAIVE		11	s	Cbar	-0.412326	5a59f15422351429m08d17dcg5t254c8328682c222b5a652f6f05e2028ba9efa	5a59f15422351429m08d17dcg5t254c8328682c222b5a652f6f05e2028ba9efa	5a59f15422351429m08d17dcg5t254c8328682c222b5a652f6f05e2028ba9efa	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	NAIVE		11	a	F	0.073428	18440113e87d96655784f9318ca5a7f10fed851702d4f5991329e37c59af1ea6	18440113e87d96655784f9318ca5a7f10fed851702d4f5991329e37c59af1ea6	18440113e87d96655784f9318ca5a7f10fed851702d4f5991329e37c59af1ea6	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	NAIVE		11	a	Fbar	-0.408728	0479bd94cd55b677712343b8d9cfgh4f5248b2954e7ab81c7bfc656373cc838cb4	0479bd94cd55b677712343b8d9cfgh4f5248b2954e7ab81c7bfc656373cc838cb4	0479bd94cd55b677712343b8d9cfgh4f5248b2954e7ab81c7bfc656373cc838cb4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	NAIVE		11	a	C	0.102806	e005ed9391ee7590f05fc60316dhp0a8347dc1f0e2805ff0632b86b8e7822357	e005ed9391ee7590f05fc60316dhp0a8347dc1f0e2805ff0632b86b8e7822357	e005ed9391ee7590f05fc60316dhp0a8347dc1f0e2805ff0632b86b8e7822357	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	NAIVE		11	a	Cbar	-0.479715	e2b95c2158f0f147b0462ddh7d775d4f5206f1307cd4453969a71056318550d631	e2b95c2158f0f147b0462ddh7d775d4f5206f1307cd4453969a71056318550d631	e2b95c2158f0f147b0462ddh7d775d4f5206f1307cd4453969a71056318550d631	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	ind		11	g	F	0.064317	32aadaa12fda1db8ierf5295g0289d4b1991b2618eaa18b804a4a42458ef43b6c	32aadaa12fda1db8ierf5295g0289d4b1991b2618eaa18b804a4a42458ef43b6c	32aadaa12fda1db8ierf5295g0289d4b1991b2618eaa18b804a4a42458ef43b6c	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	ind		11	g	Fbar	-0.508828	71870e37ce2e5226745a60g4freg163fbb178adcd01114bf002cdf9014af3e5c1	71870e37ce2e5226745a60g4freg163fbb178adcd01114bf002cdf9014af3e5c1	71870e37ce2e5226745a60g4freg163fbb178adcd01114bf002cdf9014af3e5c1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	ind		11	g	C	0.1104	ca0f8e136d6f1154cs1492e126t25ba43167e0ce9a13cdc68fcaf6c6cf509dfc8	ca0f8e136d6f1154cs1492e126t25ba43167e0ce9a13cdc68fcaf6c6cf509dfc8	ca0f8e136d6f1154cs1492e126t25ba43167e0ce9a13cdc68fcaf6c6cf509dfc8	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	ind		11	g	Cbar	-0.618063	8b7e3d0d3f8321bd2a95a90c16f54839e3aa6f7757676995c85104a31aa1a3cf	8b7e3d0d3f8321bd2a95a90c16f54839e3aa6f7757676995c85104a31aa1a3cf	8b7e3d0d3f8321bd2a95a90c16f54839e3aa6f7757676995c85104a31aa1a3cf	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	ind		11	p	F	0.055673	10d6906cd7b38fda1461f69g2cbb0c849453728fa7d8c2309470aaef4eed2f7a	10d6906cd7b38fda1461f69g2cbb0c849453728fa7d8c2309470aaef4eed2f7a	10d6906cd7b38fda1461f69g2cbb0c849453728fa7d8c2309470aaef4eed2f7a	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	ind		11	p	Fbar	-0.459587	cacae14dbb070990a3401144d1bce533fda7e3b1ef054fce6c129e60ad10cd5ce3	cacae14dbb070990a3401144d1bce533fda7e3b1ef054fce6c129e60ad10cd5ce3	cacae14dbb070990a3401144d1bce533fda7e3b1ef054fce6c129e60ad10cd5ce3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	ind		11	p	C	0.100482	9a811f1bc87b050aui088e207hd189d4b119929e5b2603ceb65f2ff57ea3824850	9a811f1bc87b050aui088e207hd189d4b119929e5b2603ceb65f2ff57ea3824850	9a811f1bc87b050aui088e207hd189d4b119929e5b2603ceb65f2ff57ea3824850	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	ind		11	p	Cbar	-0.567297	309e2d79b75d1caab5e6961g079b29512ef71ad4e6ca1506ef04eb6c989dcb7e	309e2d79b75d1caab5e6961g079b29512ef71ad4e6ca1506ef04eb6c989dcb7e	309e2d79b75d1caab5e6961g079b29512ef71ad4e6ca1506ef04eb6c989dcb7e	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	ind		11	s	F	0.033044	39839bb66fhd09daab65e47eg773p5c83252ab445b18a1303edfb75285ea1550b4	39839bb66fhd09daab65e47eg773p5c83252ab445b18a1303edfb75285ea1550b4	39839bb66fhd09daab65e47eg773p5c83252ab445b18a1303edfb75285ea1550b4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	ind		11	s	Fbar	-0.346605	7d4b88b02f06fb7621c62851g714qia0b03232d115412d337809b3c0cfce5f25df	7d4b88b02f06fb7621c62851g714qia0b03232d115412d337809b3c0cfce5f25df	7d4b88b02f06fb7621c62851g714qia0b03232d115412d337809b3c0cfce5f25df	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	ind		11	s	C	0.06069	0597e52db76af02d40b016f5g941p56855395e172468625684417b85369ab1d9c	0597e52db76af02d40b016f5g941p56855395e172468625684417b85369ab1d9c	0597e52db76af02d40b016f5g941p56855395e172468625684417b85369ab1d9c	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	ind		11	s	Cbar	-0.429222	5a59f15422351429m08d17dcg5t254c8328682c222b5a652f6f05e2028ba9efa	5a59f15422351429m08d17dcg5t254c8328682c222b5a652f6f05e2028ba9efa	5a59f15422351429m08d17dcg5t254c8328682c222b5a652f6f05e2028ba9efa	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	ind		11	a	F	0.071647	18440113e87d96655784f9318ca5a7f10fed851702d4f5991329e37c59af1ea6	18440113e87d96655784f9318ca5a7f10fed851702d4f5991329e37c59af1ea6	18440113e87d96655784f9318ca5a7f10fed851702d4f5991329e37c59af1ea6	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	ind		11	a	Fbar	-0.422108	0479bd94cd55b677712343b8d9cfgh4f5248b2954e7ab81c7bfc656373cc838cb4	0479bd94cd55b677712343b8d9cfgh4f5248b2954e7ab81c7bfc656373cc838cb4	0479bd94cd55b677712343b8d9cfgh4f5248b2954e7ab81c7bfc656373cc838cb4	

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Schulze	ind		11	a	C	0.101958	e005ed939	1e7599f354	56336d99	4e6347
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	Schulze	ind		11	a	Cbar	-0.494244	e2b95c215	8f01b47b846	2dd87544	4f200f1307

ed2805ff0632b86b8e7822357
cd4453969a71056318550d631

Table 136: ImageNet-ViT-B/16 results.

cell	dataset	model	split	method	setting	distance model	q	candidate id	sample count	geometry	geometry label	source id	methods	selected individual	ER F g	ER Fbar g	ER C g	ER Cbar g	ER F p	ER Fbar p
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Best Individual	best-individual		1	71c08f05cda520960b09c161da1ee66ead58fa2ad2b70c6ebcca85a4d67b1e	520960	b09c161da1ee66ead58fa2ad2b70c6ebcca85a4d67b1e				'CheferTransformersAttribution', 'Cbar': 'GradientAttentionRollout', 'F': 'IntegratedGradients', 'Fbar': 'GradientAttentionRollout'}	-0.02078	-0.010602	-0.034987	-0.008255	-0.021542	-0.024173
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	SimpleAvg	NAIVE		11	53959d11f4060080e7338759c76b381bdfa29da7cc0b59ac318be7fb51a4662a	60080	e7338759c76b381bdfa29da7cc0b59ac318be7fb51a4662a					-0.023958	-0.065983	-0.031555	-0.063614	-0.027524	-0.073063
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	SimpleAvg	ind		11	c7e5daf417f50095e3b2bf79f463d4d5784247176c97343309b6891b107d5ee	50095	e3b2bf79f463d4d5784247176c97343309b6891b107d5ee					-0.026976	-0.064888	-0.039731	-0.063058	-0.028186	-0.069698
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Borda	NAIVE		11	50f9cc693f52008a011e8371f9da8fbde8b9c27cab877f46e28d06aa24dc01d8	2008a	011e8371f9da8fbde8b9c27cab877f46e28d06aa24dc01d8					-0.025369	-0.051341	-0.032288	-0.050085	-0.025611	-0.0611
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Borda	ind		11	8cdfdf67ab1b30001dc388b5e54090b56f10e4106d94121312c1d079b63a72ab3	30001	dc388b5e54090b56f10e4106d94121312c1d079b63a72ab3					-0.024141	-0.050704	-0.033926	-0.049174	-0.024598	-0.063645
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	RRF	NAIVE		11	7c52b5df6a650005fcc05270a8b781f822359bbd1b2dc91fb316b817a27cd0973	50005	fcc05270a8b781f822359bbd1b2dc91fb316b817a27cd0973					-0.020572	-0.045268	-0.026787	-0.04437	-0.023154	-0.053285
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	RRF	ind		11	7cf5de91675700f32f3354d3452549561b1a1fda89740da15db7e5315a229c4	700f3	2f3354d3452549561b1a1fda89740da15db7e5315a229c4					-0.019917	-0.053138	-0.022551	-0.053397	-0.020273	-0.057419
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	NAIVE		11	f4b40892c69380054609c7786f8fb5a29ff49a47a56964968278ed853b004689	38005	4609c7786f8fb5a29ff49a47a56964968278ed853b004689					-0.02343	-0.042161	-0.027824	-0.039981	-0.026702	-0.053089
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Kemeny	ind		11	c636cc50325000a57700892e94a33bb8abf81a8250dc4f5b4be9167ca20bd062	5000a	57700892e94a33bb8abf81a8250dc4f5b4be9167ca20bd062					-0.020281	-0.046283	-0.024414	-0.042224	-0.024085	-0.060077
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	NAIVE		11	81c76e8c426500179533711cd734d5d2cb9afd522bad756ef5238e445c2fe1e	65001	79533711cd734d5d2cb9afd522bad756ef5238e445c2fe1e					-0.024815	-0.044684	-0.028931	-0.043393	-0.027619	-0.057498
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	Schulze	ind		11	28f69ab4d4090201241edb7bdec7cb59ec84dd79826f6bf2db9315a4907cbe6	90201	241edb7bdec7cb59ec84dd79826f6bf2db9315a4907cbe6					-0.021717	-0.054972	-0.0272	-0.052937	-0.022673	-0.063613

Table 137: ImageNet–ViT-B/16 results.

cell	dataset	model	split	method	setting	distance model	q	ER C p	ER Cbar p	ER F s	ER Fbar s	ER C s	ER Cbar s	ER F a	ER Fbar a	ER C a	ER Cbar a
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	Best Indi- vidual	best- individual		1	-0.030373	-0.020209	-0.006685	-0.010575	-0.012501	-0.006252	-0.010462	0.040061	-0.012542	0.039862
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	SimpleAvg	NAIVE		11	-0.032786	-0.07142	-0.007236	-0.04312	-0.00948	-0.04005	-0.009605	0.043566	-0.008717	0.041728
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	SimpleAvg	ind		11	-0.037767	-0.071165	-0.008301	-0.0295	-0.012891	-0.031077	-0.011678	0.041796	-0.015206	0.038743
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	Borda	NAIVE		11	-0.030548	-0.061651	-0.007013	-0.03328	-0.007753	-0.032531	-0.011607	0.054005	-0.010861	0.051082
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	Borda	ind		11	-0.028625	-0.063199	-0.006307	-0.027453	-0.011293	-0.022417	-0.00906	0.043977	-0.01375	0.040229
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	RRF	NAIVE		11	-0.025253	-0.053257	-0.006185	-0.029701	-0.005689	-0.025542	-0.009225	0.055277	-0.008683	0.052455
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	RRF	ind		11	-0.02371	-0.057721	-0.002844	-0.026506	-0.005292	-0.02199	-0.006247	0.044742	-0.008619	0.041281
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	Kemeny	NAIVE		11	-0.028225	-0.052489	-0.007559	-0.028458	-0.008159	-0.024327	-0.010103	0.056783	-0.010557	0.056787
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	Kemeny	ind		11	-0.026282	-0.058443	-0.004451	-0.025656	-0.005894	-0.015448	-0.008028	0.049597	-0.007715	0.047123
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	Schulze	NAIVE		11	-0.026634	-0.05612	-0.007451	-0.028773	-0.006691	-0.02434	-0.012495	0.057328	-0.01134	0.055849
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	Schulze	ind		11	-0.022882	-0.063103	-0.003444	-0.025195	-0.00589	-0.020978	-0.008047	0.045708	-0.009758	0.043844

Table 138: ImageNet-ViT-B/16 results.

cell	condition	metric	curve id	excluded method	reference count	fit model	slope	unconstrained slope	slope was constrained	intercept	residual sum squares	residual standard deviation	r squared	clean min	clean max	perturbed min	perturbed max	reference methods
ImageNet-ImageNet-vit-b16	a	Fbar	0479b494d55b6777d2342b58cfefb265244b209479099571f065700746c8c34d9		265244b209479099571f065700746c8c34d9	0.008273	0.008273	0.008273	0.008273	-0.212978	0.011511	0.035763	0.932338	-0.601	-0.095	-0.6768	-0.2932	Attention; GradCAM; CheferTransformerAttribution; FeatureAblation
ImageNet-ImageNet-vit-b16	s	C	0597e52db66af0240b006f51941c56855395e1b210089273e3d1109933769at149		0597e52db66af0240b006f51941c56855395e1b210089273e3d1109933769at149	0.008273	0.008273	0.008273	0.008273	0.024841	0.001407	0.012505	0.907251	0.0132	0.1336	0.0218	0.1534	Attention; GradCAM; CheferTransformerAttribution; FeatureAblation
ImageNet-ImageNet-vit-b16	a	Fbar	06cb9fc8eb7c1672f1147640b129088a830c0a0093404f30680493840c43		06cb9fc8eb7c1672f1147640b129088a830c0a0093404f30680493840c43	0.008273	0.008273	0.008273	0.008273	-0.185531	0.008833	0.033228	0.938289	-0.601	-0.1014	-0.6768	-0.2932	Attention; GradCAM; CheferTransformerAttribution; FeatureAblation
ImageNet-ImageNet-vit-b16	p	F	10d6906cd7b38fd614f1f69d1cbb0a3494537D8fa74862309d10349574ed2f1		10d6906cd7b38fd614f1f69d1cbb0a3494537D8fa74862309d10349574ed2f1	0.008273	0.008273	0.008273	0.008273	0.032025	0.002577	0.016921	0.826658	0.0008	0.0838	0.0066	0.1386	Attention; GradCAM; CheferTransformerAttribution; FeatureAblation
ImageNet-ImageNet-vit-b16	a	F	18440113e8769665f5784f9318ca7a310fcd8517028443991320497453afte56		18440113e8769665f5784f9318ca7a310fcd8517028443991320497453afte56	0.008273	0.008273	0.008273	0.008273	0.045521	0.003508	0.019744	0.810454	0.0008	0.0838	0.0232	0.163	Attention; GradCAM; CheferTransformerAttribution; FeatureAblation
ImageNet-ImageNet-vit-b16	s	Cbar	1ba424655899d15c15a10c11451f01b1a16a129a520346746152a102471108c65		1ba424655899d15c15a10c11451f01b1a16a129a520346746152a102471108c65	0.008273	0.008273	0.008273	0.008273	-0.147979	0.016425	0.045312	0.904425	-0.6802	-0.1534	-0.7142	-0.2438	Attention; GradCAM; CheferTransformerAttribution; FeatureAblation
ImageNet-ImageNet-vit-b16	p	Cbar	309e2d79b58dca1ab5a696b1079120d62ef111bd170365806d005805980dc35		309e2d79b58dca1ab5a696b1079120d62ef111bd170365806d005805980dc35	0.008273	0.008273	0.008273	0.008273	-0.299965	0.046077	0.071552	0.801055	-0.6802	-0.1426	-0.8032	-0.366	Attention; GradCAM; CheferTransformerAttribution; FeatureAblation
ImageNet-ImageNet-vit-b16	g	F	32aadaa12ddabd8bcbf852f2f8282470a0912061843083950d41447023b0cf13		32aadaa12ddabd8bcbf852f2f8282470a0912061843083950d41447023b0cf13	0.008273	0.008273	0.008273	0.008273	0.038441	0.003515	0.019761	0.807202	0.0008	0.0838	0.0114	0.156	Attention; GradCAM; CheferTransformerAttribution; FeatureAblation
ImageNet-ImageNet-vit-b16	s	Fbar	3891e121fd01d1c1a10c105f324f00b0c10070830523b0c3430389f149		3891e121fd01d1c1a10c105f324f00b0c10070830523b0c3430389f149	0.008273	0.008273	0.008273	0.008273	-0.123261	0.016471	0.045374	0.896935	-0.601	-0.1014	-0.6238	-0.173	Attention; GradCAM; CheferTransformerAttribution; FeatureAblation
ImageNet-ImageNet-vit-b16	s	F	39839bb66f1409dab85e47e1d773d51d6252a14511335803d11677288b1550a		39839bb66f1409dab85e47e1d773d51d6252a14511335803d11677288b1550a	0.008273	0.008273	0.008273	0.008273	0.012419	0.000719	0.008936	0.928616	0.0008	0.0838	0.0028	0.11	Attention; GradCAM; CheferTransformerAttribution; FeatureAblation
ImageNet-ImageNet-vit-b16	p	F	57576a8401102ged60460909d070a70ed0511000203817052034759456d1a		57576a8401102ged60460909d070a70ed0511000203817052034759456d1a	0.008273	0.008273	0.008273	0.008273	0.030032	0.002187	0.016533	0.849534	0.0008	0.0838	0.0066	0.1386	Attention; GradCAM; CheferTransformerAttribution; FeatureAblation
ImageNet-ImageNet-vit-b16	s	Cbar	5a59f1542235429a98dd7dc05254cd6086982c02303090520663922078b0		5a59f1542235429a98dd7dc05254cd6086982c02303090520663922078b0	0.008273	0.008273	0.008273	0.008273	-0.12438	0.017985	0.044702	0.930624	-0.6802	-0.1426	-0.7142	-0.2198	Attention; GradCAM; CheferTransformerAttribution; FeatureAblation
ImageNet-ImageNet-vit-b16	g	F	6e3607790411102ged60460909d070a70ed0511000203817052034759456d1a		6e3607790411102ged60460909d070a70ed0511000203817052034759456d1a	0.008273	0.008273	0.008273	0.008273	0.03687	0.003272	0.020225	0.818562	0.0008	0.0838	0.0114	0.156	Attention; GradCAM; CheferTransformerAttribution; FeatureAblation
ImageNet-ImageNet-vit-b16	g	Fbar	71870e37c82e52267a45a60b1feel650b173ad4d0705046000005991643e7a		71870e37c82e52267a45a60b1feel650b173ad4d0705046000005991643e7a	0.008273	0.008273	0.008273	0.008273	-0.299733	0.039445	0.066203	0.800786	-0.601	-0.095	-0.7268	-0.3224	Attention; GradCAM; CheferTransformerAttribution; FeatureAblation
ImageNet-ImageNet-vit-b16	s	Fbar	7d4b88b02806fb76216285H114ed06002324d954009957800b30906e5f256		7d4b88b02806fb76216285H114ed06002324d954009957800b30906e5f256	0.008273	0.008273	0.008273	0.008273	-0.097903	0.018756	0.045651	0.922836	-0.601	-0.095	-0.6238	-0.1456	Attention; GradCAM; CheferTransformerAttribution; FeatureAblation
ImageNet-ImageNet-vit-b16	p	Cbar	83f9ce294b10021162A1a1170a1710a8bb500603155012c0d0215f0665032		83f9ce294b10021162A1a1170a1710a8bb500603155012c0d0215f0665032	0.008273	0.008273	0.008273	0.008273	-0.333739	0.042884	0.073215	0.722395	-0.6802	-0.1534	-0.8032	-0.3814	Attention; GradCAM; CheferTransformerAttribution; FeatureAblation
ImageNet-ImageNet-vit-b16	g	Cbar	8b7e3d0d3b832bb2a95a9cd10fb538809gute0707576862955361098601a		8b7e3d0d3b832bb2a95a9cd10fb538809gute0707576862955361098601a	0.008273	0.008273	0.008273	0.008273	-0.365668	0.040854	0.067375	0.801901	-0.6802	-0.1426	-0.8402	-0.4236	Attention; GradCAM; CheferTransformerAttribution; FeatureAblation
ImageNet-ImageNet-vit-b16	g	Cbar	98f866d8407b16780f376203d10b8608821b203740895557040503859f02		98f866d8407b16780f376203d10b8608821b203740895557040503859f02	0.008273	0.008273	0.008273	0.008273	-0.400826	0.037394	0.068368	0.723073	-0.6802	-0.1534	-0.8402	-0.436	Attention; GradCAM; CheferTransformerAttribution; FeatureAblation
ImageNet-ImageNet-vit-b16	p	C	9a811fbcb87b60a1a083e297Hd804b618920a55280911b5025479e148295		9a811fbcb87b60a1a083e297Hd804b618920a55280911b5025479e148295	0.008273	0.008273	0.008273	0.008273	0.059565	0.00459	0.022582	0.796213	0.0132	0.1336	0.0364	0.2	Attention; GradCAM; CheferTransformerAttribution; FeatureAblation
ImageNet-ImageNet-vit-b16	a	Cbar	9cf3e64087326a325b1a16900c030100d836c10e307522c31002773240c10		9cf3e64087326a325b1a16900c030100d836c10e307522c31002773240c10	0.008273	0.008273	0.008273	0.008273	-0.200651	0.009739	0.034891	0.938416	-0.6802	-0.1534	-0.7568	-0.3522	Attention; GradCAM; CheferTransformerAttribution; FeatureAblation
ImageNet-ImageNet-vit-b16	g	C	ca0f8e136de5f154c8192ea20125b144311700ce0a1303203f1621629230dcf5		ca0f8e136de5f154c8192ea20125b144311700ce0a1303203f1621629230dcf5	0.008273	0.008273	0.008273	0.008273	0.066751	0.007369	0.028614	0.734704	0.0132	0.1336	0.0396	0.2158	Attention; GradCAM; CheferTransformerAttribution; FeatureAblation
ImageNet-ImageNet-vit-b16	p	Fbar	cacale14db070990a34014411ce5100da70310f00412c120e8064112cd35		cacale14db070990a34014411ce5100da70310f00412c120e8064112cd35	0.008273	0.008273	0.008273	0.008273	-0.239437	0.044239	0.070111	0.798919	-0.601	-0.095	-0.6902	-0.2668	Attention; GradCAM; CheferTransformerAttribution; FeatureAblation
ImageNet-ImageNet-vit-b16	a	F	d3b763caa11816b11403705297a46107061034033166452114801704b157		d3b763caa11816b11403705297a46107061034033166452114801704b157	0.008273	0.008273	0.008273	0.008273	0.045681	0.003506	0.020934	0.810483	0.0008	0.0838	0.0232	0.163	Attention; GradCAM; CheferTransformerAttribution; FeatureAblation
ImageNet-ImageNet-vit-b16	p	C	deb4fef56739b57370a35fd6eA8a1f107229386090542e797028f8054		deb4fef56739b57370a35fd6eA8a1f107229386090542e797028f8054	0.008273	0.008273	0.008273	0.008273	0.057166	0.00451	0.023744	0.741714	0.0132	0.1336	0.0364	0.2	Attention; GradCAM; FeatureAblation; FullLRP; GradientAttentionR

cell	condition	metric	curve id	excluded method	reference count	fit model	slope	unconstrained slope	slope was constrained	intercept	residual sum squares	residual standard deviation	r squared	clean min	clean max	perturbed min	perturbed max	reference methods
ImageNet-ImageNet-vit-b16	a	C	e005ed9391ee7599f95fcd63116db9e8847341f0e2895606331b8193147522357		6	non-negative	0.2895606331b8193147522357	0.2895606331b8193147522357	yes	0.051369	0.003844	0.020666	0.87702	0.0132	0.1336	0.0466	0.2268	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet-ImageNet-vit-b16	g	C	e17701c256004f837a1efc05b41f911551f2d19845884c9710296550f75		6	non-negative	0.0045884c9710296550f75	0.0045884c9710296550f75	yes	0.063456	0.007219	0.03004	0.676983	0.0132	0.1336	0.0396	0.2158	AttentionGradCAM;FeatureAblation;FullLRP;GradientAttentionR
ImageNet-ImageNet-vit-b16	a	Cbar	e2b95c2158f9fb47b9462dd1b7d7714720ef1807074453204c710567338550f694		6	non-negative	0.00567338550f694	0.00567338550f694	yes	-0.232123	0.012512	0.037286	0.93445	-0.6802	-0.1426	-0.7568	-0.3522	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet-ImageNet-vit-b16	a	C	e48a13770f81e2e979a25f01b5c83b072039d13f0c4065621c0f14095518769		6	non-negative	0.0065621c0f14095518769	0.0065621c0f14095518769	yes	0.047632	0.003651	0.021364	0.847386	0.0132	0.1336	0.0466	0.2268	AttentionGradCAM;FeatureAblation;FullLRP;GradientAttentionR
ImageNet-ImageNet-vit-b16	s	C	e4b7aded1f314f117487ad1093260e631020809227dd0999032850f3		6	non-negative	0.00999032850f3	0.00999032850f3	yes	0.024904	0.001407	0.013263	0.865131	0.0132	0.1336	0.0218	0.1522	AttentionGradCAM;FeatureAblation;FullLRP;GradientAttentionR
ImageNet-ImageNet-vit-b16	p	Fbar	eba644a7b8c948ad751e12401a1b05e136366751483294550453739850f26		6	non-negative	0.00550453739850f26	0.00550453739850f26	yes	-0.271582	0.040566	0.071209	0.723212	-0.601	-0.1014	-0.6902	-0.2814	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet-ImageNet-vit-b16	g	Fbar	ed794fcc6849d11141ef14958310df60d80804057634069210603c25		6	non-negative	0.0080804057634069210603c25	0.0080804057634069210603c25	yes	-0.332432	0.035644	0.06675	0.725692	-0.601	-0.1014	-0.7268	-0.3328	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet-ImageNet-vit-b16	s	F	f40a2d4d9d783e78e487ad229b8772b1e2175dd1b8307238d109933d0cf0		6	non-negative	0.007238d109933d0cf0	0.007238d109933d0cf0	yes	0.011498	0.000635	0.008911	0.936517	0.0008	0.0838	0.0028	0.11	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation

461

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_individual	best_individual	spearman	g	F	F	8e8c7aa187e59909f	bad1640b793667f94d68cdcee03f77260883e712e013235	0.0838	0.156	0.0838	0.156					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_individual	best_individual	spearman	g	Fbar	Fbar	8e8c7aa187e59909f	bad1640b793667f94d68cdcee03f77260883e712e013235	0.095	0.3224	-0.095	-0.3224					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_individual	best_individual	spearman	g	C	C	8e8c7aa187e59909f	bad1640b793667f94d68cdcee03f77260883e712e013235	0.1336	0.2158	0.1336	0.2158					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_individual	best_individual	spearman	g	Cbar	Cbar	8e8c7aa187e59909f	bad1640b793667f94d68cdcee03f77260883e712e013235	0.1426	0.4236	-0.1426	-0.4236					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_individual	best_individual	spearman	p	F	F	8e8c7aa187e59909f	bad1640b793667f94d68cdcee03f77260883e712e013235	0.0838	0.1384	0.0838	0.1384					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_individual	best_individual	spearman	p	Fbar	Fbar	8e8c7aa187e59909f	bad1640b793667f94d68cdcee03f77260883e712e013235	0.095	0.2668	-0.095	-0.2668					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_individual	best_individual	spearman	p	C	C	8e8c7aa187e59909f	bad1640b793667f94d68cdcee03f77260883e712e013235	0.1336	0.2	0.1336	0.2					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_individual	best_individual	spearman	p	Cbar	Cbar	8e8c7aa187e59909f	bad1640b793667f94d68cdcee03f77260883e712e013235	0.1426	0.366	-0.1426	-0.366					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_individual	best_individual	spearman	s	F	F	8e8c7aa187e59909f	bad1640b793667f94d68cdcee03f77260883e712e013235	0.0838	0.11	0.0838	0.11					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_individual	best_individual	spearman	s	Fbar	Fbar	8e8c7aa187e59909f	bad1640b793667f94d68cdcee03f77260883e712e013235	0.095	0.1456	-0.095	-0.1456					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_individual	best_individual	spearman	s	C	C	8e8c7aa187e59909f	bad1640b793667f94d68cdcee03f77260883e712e013235	0.1336	0.1522	0.1336	0.1522					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_individual	best_individual	spearman	s	Cbar	Cbar	8e8c7aa187e59909f	bad1640b793667f94d68cdcee03f77260883e712e013235	0.1426	0.2198	-0.1426	-0.2198					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_individual	best_individual	spearman	a	F	F	8e8c7aa187e59909f	bad1640b793667f94d68cdcee03f77260883e712e013235	0.0838	0.163	0.0838	0.163					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_individual	best_individual	spearman	a	Fbar	Fbar	8e8c7aa187e59909f	bad1640b793667f94d68cdcee03f77260883e712e013235	0.095	0.3278	-0.095	-0.3278					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_individual	best_individual	spearman	a	C	C	8e8c7aa187e59909f	bad1640b793667f94d68cdcee03f77260883e712e013235	0.1336	0.2268	0.1336	0.2268					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_individual	best_individual	spearman	a	Cbar	Cbar	8e8c7aa187e59909f	bad1640b793667f94d68cdcee03f77260883e712e013235	0.1426	0.384	-0.1426	-0.384					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	spearman	g	F	F	c5deb39505f5a00d6	029471469e8a9cc12064e40f4b85474acdb84ea27c0941d	0.0642	0.1416	0.0642	0.1416					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	spearman	g	Fbar	Fbar	c5deb39505f5a00d6	029471469e8a9cc12064e40f4b85474acdb84ea27c0941d	0.1174	0.3662	-0.1174	-0.3662					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	spearman	g	C	C	c5deb39505f5a00d6	029471469e8a9cc12064e40f4b85474acdb84ea27c0941d	0.1032	0.2136	0.1032	0.2136					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	spearman	g	Cbar	Cbar	c5deb39505f5a00d6	029471469e8a9cc12064e40f4b85474acdb84ea27c0941d	0.1744	0.465	-0.1744	-0.465					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	spearman	p	F	F	c5deb39505f5a00d6	029471469e8a9cc12064e40f4b85474acdb84ea27c0941d	0.0642	0.1314	0.0642	0.1314					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	spearman	p	Fbar	Fbar	c5deb39505f5a00d6	029471469e8a9cc12064e40f4b85474acdb84ea27c0941d	0.1174	0.2982	-0.1174	-0.2982					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	spearman	p	C	C	c5deb39505f5a00d6	029471469e8a9cc12064e40f4b85474acdb84ea27c0941d	0.1032	0.1992	0.1032	0.1992					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	spearman	p	Cbar	Cbar	c5deb39505f5a00d6	029471469e8a9cc12064e40f4b85474acdb84ea27c0941d	0.1744	0.3958	-0.1744	-0.3958					

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	spearman		g	Fbar	95bfe0f53575006d94b2a5449ced1110aad	490321cb31f12c16ddec78c257923	0.2256	0.4088	-0.2256	-0.4088					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	spearman		g	C	95bfe0f53575006d94b2a5449ced1110aad	490321cb31f12c16ddec78c257923	0.0802	0.1928	0.0802	0.1928					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	spearman		g	Cbar	95bfe0f53575006d94b2a5449ced1110aad	490321cb31f12c16ddec78c257923	0.2866	0.5092	-0.2866	-0.5092					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	spearman		p	F	95bfe0f53575006d94b2a5449ced1110aad	490321cb31f12c16ddec78c257923	0.0478	0.117	0.0478	0.117					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	spearman		p	Fbar	95bfe0f53575006d94b2a5449ced1110aad	490321cb31f12c16ddec78c257923	0.2256	0.3484	-0.2256	-0.3484					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	spearman		p	C	95bfe0f53575006d94b2a5449ced1110aad	490321cb31f12c16ddec78c257923	0.0802	0.1816	0.0802	0.1816					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	spearman		p	Cbar	95bfe0f53575006d94b2a5449ced1110aad	490321cb31f12c16ddec78c257923	0.2866	0.4482	-0.2866	-0.4482					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	spearman		s	F	95bfe0f53575006d94b2a5449ced1110aad	490321cb31f12c16ddec78c257923	0.0478	0.0744	0.0478	0.0744					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	spearman		s	Fbar	95bfe0f53575006d94b2a5449ced1110aad	490321cb31f12c16ddec78c257923	0.2256	0.2656	-0.2256	-0.2656					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	spearman		s	C	95bfe0f53575006d94b2a5449ced1110aad	490321cb31f12c16ddec78c257923	0.0802	0.117	0.0802	0.117					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	spearman		s	Cbar	95bfe0f53575006d94b2a5449ced1110aad	490321cb31f12c16ddec78c257923	0.2866	0.341	-0.2866	-0.341					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	spearman		a	F	95bfe0f53575006d94b2a5449ced1110aad	490321cb31f12c16ddec78c257923	0.0478	0.1214	0.0478	0.1214					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	spearman		a	Fbar	95bfe0f53575006d94b2a5449ced1110aad	490321cb31f12c16ddec78c257923	0.2256	0.4694	-0.2256	-0.4694					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	spearman		a	C	95bfe0f53575006d94b2a5449ced1110aad	490321cb31f12c16ddec78c257923	0.0802	0.1752	0.0802	0.1752					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	spearman		a	Cbar	95bfe0f53575006d94b2a5449ced1110aad	490321cb31f12c16ddec78c257923	0.2866	0.5422	-0.2866	-0.5422					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	spearman		g	F	b8034ad7875006bae4961874f63375a69ea79fe7fb170c54820542e9290397824	290397824	0.0478	0.1264	0.0478	0.1264					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	spearman		g	Fbar	b8034ad7875006bae4961874f63375a69ea79fe7fb170c54820542e9290397824	290397824	0.2256	0.4088	-0.2256	-0.4088					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	spearman		g	C	b8034ad7875006bae4961874f63375a69ea79fe7fb170c54820542e9290397824	290397824	0.0802	0.1928	0.0802	0.1928					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	spearman		g	Cbar	b8034ad7875006bae4961874f63375a69ea79fe7fb170c54820542e9290397824	290397824	0.2866	0.5092	-0.2866	-0.5092					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	spearman		p	F	b8034ad7875006bae4961874f63375a69ea79fe7fb170c54820542e9290397824	290397824	0.0478	0.117	0.0478	0.117					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	spearman		p	Fbar	b8034ad7875006bae4961874f63375a69ea79fe7fb170c54820542e9290397824	290397824	0.2256	0.3484	-0.2256	-0.3484					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	spearman		p	C	b8034ad7875006bae4961874f63375a69ea79fe7fb170c54820542e9290397824	290397824	0.0802	0.1816	0.0802	0.1816					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	spearman		p	Cbar	b8034ad7875006bae4961874f63375a69ea79fe7fb170c54820542e9290397824	290397824	0.2866	0.4482	-0.2866	-0.4482					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	spearman		s	F	b8034ad7875006bae4961874f63375a69ea79fe7fb170c54820542e9290397824	290397824	0.0478	0.0744	0.0478	0.0744					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	spearman		s	Fbar	b8034ad7875006bae4961874f63375a69ea79fe7fb170c54820542e9290397824	290397824	0.2256	0.2656	-0.2256	-0.2656					

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	spearman		g	Cbar	36d031ec65a5f0086e89d6dbc5fe453c4a352236617b34b	50086	e89d6dbc5fe453c4a352236617b34b	naive	18809281015522	0.075522	0.3318	0.531	-0.3318	-0.531	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	spearman		p	F	36d031ec65a5f0086e89d6dbc5fe453c4a352236617b34b	50086	e89d6dbc5fe453c4a352236617b34b	naive	18809281025123	0.025123	0.05	0.1264	0.05	0.1264	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	spearman		p	Fbar	36d031ec65a5f0086e89d6dbc5fe453c4a352236617b34b	50086	e89d6dbc5fe453c4a352236617b34b	naive	18809281015578	0.015578	0.2684	0.378	-0.2684	-0.378	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	spearman		p	C	36d031ec65a5f0086e89d6dbc5fe453c4a352236617b34b	50086	e89d6dbc5fe453c4a352236617b34b	naive	18809281031501	0.031501	0.0856	0.1892	0.0856	0.1892	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	spearman		p	Cbar	36d031ec65a5f0086e89d6dbc5fe453c4a352236617b34b	50086	e89d6dbc5fe453c4a352236617b34b	naive	18809281081427	0.081427	0.3318	0.4782	-0.3318	-0.4782	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	spearman		s	F	36d031ec65a5f0086e89d6dbc5fe453c4a352236617b34b	50086	e89d6dbc5fe453c4a352236617b34b	naive	18809281011304	0.011304	0.05	0.0824	0.05	0.0824	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	spearman		s	Fbar	36d031ec65a5f0086e89d6dbc5fe453c4a352236617b34b	50086	e89d6dbc5fe453c4a352236617b34b	naive	18809281035213	0.035213	0.2684	0.3062	-0.2684	-0.3062	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	spearman		s	C	36d031ec65a5f0086e89d6dbc5fe453c4a352236617b34b	50086	e89d6dbc5fe453c4a352236617b34b	naive	18809281015041	0.015041	0.0856	0.1256	0.0856	0.1256	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	spearman		s	Cbar	36d031ec65a5f0086e89d6dbc5fe453c4a352236617b34b	50086	e89d6dbc5fe453c4a352236617b34b	naive	18809281040677	0.040677	0.3318	0.3798	-0.3318	-0.3798	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	spearman		a	F	36d031ec65a5f0086e89d6dbc5fe453c4a352236617b34b	50086	e89d6dbc5fe453c4a352236617b34b	naive	18809281001657	0.001657	0.05	0.1214	0.05	0.1214	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	spearman		a	Fbar	36d031ec65a5f0086e89d6dbc5fe453c4a352236617b34b	50086	e89d6dbc5fe453c4a352236617b34b	naive	18809281020044	0.020044	0.2684	0.479	-0.2684	-0.479	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	spearman		a	C	36d031ec65a5f0086e89d6dbc5fe453c4a352236617b34b	50086	e89d6dbc5fe453c4a352236617b34b	naive	18809281005809	0.005809	0.0856	0.1782	0.0856	0.1782	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	spearman		a	Cbar	36d031ec65a5f0086e89d6dbc5fe453c4a352236617b34b	50086	e89d6dbc5fe453c4a352236617b34b	naive	18809281020157	0.020157	0.3318	0.5484	-0.3318	-0.5484	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	spearman		g	F	19cdec8ca4957f6612f276a475eb380b2893eda7a808a8aen0598aa50e3309006	50086	e89d6dbc5fe453c4a352236617b34b	naive	18809281030906	0.030906	0.0538	0.1372	0.0538	0.1372	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	spearman		g	Fbar	19cdec8ca4957f6612f276a475eb380b2893eda7a808a8aen0598aa50e3309009	50086	e89d6dbc5fe453c4a352236617b34b	naive	18809281030909	0.030909	0.2172	0.4084	-0.2172	-0.4084	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	spearman		g	C	19cdec8ca4957f6612f276a475eb380b2893eda7a808a8aen0598aa50e3309093	50086	e89d6dbc5fe453c4a352236617b34b	naive	188092810309093	0.0309093	0.0892	0.2074	0.0892	0.2074	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	spearman		g	Cbar	19cdec8ca4957f6612f276a475eb380b2893eda7a808a8aen0598aa50e3309001	50086	e89d6dbc5fe453c4a352236617b34b	naive	188092810309001	0.0309001	0.2798	0.5102	-0.2798	-0.5102	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	spearman		p	F	19cdec8ca4957f6612f276a475eb380b2893eda7a808a8aen0598aa50e3309088	50086	e89d6dbc5fe453c4a352236617b34b	naive	188092810309088	0.0309088	0.0538	0.1282	0.0538	0.1282	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	spearman		p	Fbar	19cdec8ca4957f6612f276a475eb380b2893eda7a808a8aen0598aa50e3309039	50086	e89d6dbc5fe453c4a352236617b34b	naive	188092810309039	0.0309039	0.2172	0.3492	-0.2172	-0.3492	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	spearman		p	C	19cdec8ca4957f6612f276a475eb380b2893eda7a808a8aen0598aa50e3309087	50086	e89d6dbc5fe453c4a352236617b34b	naive	188092810309087	0.0309087	0.0892	0.1928	0.0892	0.1928	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	spearman		p	Cbar	19cdec8ca4957f6612f276a475eb380b2893eda7a808a8aen0598aa50e3309033	50086	e89d6dbc5fe453c4a352236617b34b	naive	188092810309033	0.0309033	0.2798	0.4518	-0.2798	-0.4518	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	spearman		s	F	19cdec8ca4957f6612f276a475eb380b2893eda7a808a8aen0598aa50e33090633	50086	e89d6dbc5fe453c4a352236617b34b	naive	1880928103090633	0.03090633	0.0538	0.0846	0.0538	0.0846	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	spearman		s	Fbar	19cdec8ca4957f6612f276a475eb380b2893eda7a808a8aen0598aa50e33090072	50086	e89d6dbc5fe453c4a352236617b34b	naive	1880928103090072	0.03090072	0.2172	0.2688	-0.2172	-0.2688	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	spearman		s	C	19cdec8ca4957f6612f276a475eb380b2893eda7a808a8aen0598aa50e33090036	50086	e89d6dbc5fe453c4a352236617b34b	naive	1880928103090036	0.03090036	0.0892	0.1292	0.0892	0.1292	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	spearman		s	Cbar	19cdec8ca4957f6612f276a475eb380b2893eda7a808a8aen0598aa50e33090072	50086	e89d6dbc5fe453c4a352236617b34b	naive	1880928103090072	0.03090072	0.2798	0.3458	-0.2798	-0.3458	

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE	spearman		a	C	46bb8e332af56005214cb47b0fe94637e56547a63a718de01ce83f53b012613909	500027	8049188f96358764eddf2f1722ebb2a9c042dcb128712403	128712403	0.0848	0.1752	0.0848	0.1752			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE	spearman		a	Cbar	46bb8e332af56005214cb47b0fe94637e56547a63a718de01ce83f53b012613909	500027	8049188f96358764eddf2f1722ebb2a9c042dcb128712403	128712403	0.2966	0.5384	-0.2966	-0.5384			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	naive	kendall		g	F	6f71280ab763600278049188f96358764eddf2f1722ebb2a9c042dcb128712403	500027	8049188f96358764eddf2f1722ebb2a9c042dcb128712403	128712403	0.0838	0.156	0.0838	0.156			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	naive	kendall		g	Fbar	6f71280ab763600278049188f96358764eddf2f1722ebb2a9c042dcb128712403	500027	8049188f96358764eddf2f1722ebb2a9c042dcb128712403	128712403	0.095	0.3224	-0.095	-0.3224			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	naive	kendall		g	C	6f71280ab763600278049188f96358764eddf2f1722ebb2a9c042dcb128712403	500027	8049188f96358764eddf2f1722ebb2a9c042dcb128712403	128712403	0.1336	0.2158	0.1336	0.2158			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	naive	kendall		g	Cbar	6f71280ab763600278049188f96358764eddf2f1722ebb2a9c042dcb128712403	500027	8049188f96358764eddf2f1722ebb2a9c042dcb128712403	128712403	0.1426	0.4236	-0.1426	-0.4236			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	naive	kendall		p	F	6f71280ab763600278049188f96358764eddf2f1722ebb2a9c042dcb128712403	500027	8049188f96358764eddf2f1722ebb2a9c042dcb128712403	128712403	0.0838	0.1384	0.0838	0.1384			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	naive	kendall		p	Fbar	6f71280ab763600278049188f96358764eddf2f1722ebb2a9c042dcb128712403	500027	8049188f96358764eddf2f1722ebb2a9c042dcb128712403	128712403	0.095	0.2668	-0.095	-0.2668			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	naive	kendall		p	C	6f71280ab763600278049188f96358764eddf2f1722ebb2a9c042dcb128712403	500027	8049188f96358764eddf2f1722ebb2a9c042dcb128712403	128712403	0.1336	0.2	0.1336	0.2			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	naive	kendall		p	Cbar	6f71280ab763600278049188f96358764eddf2f1722ebb2a9c042dcb128712403	500027	8049188f96358764eddf2f1722ebb2a9c042dcb128712403	128712403	0.1426	0.366	-0.1426	-0.366			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	naive	kendall		s	F	6f71280ab763600278049188f96358764eddf2f1722ebb2a9c042dcb128712403	500027	8049188f96358764eddf2f1722ebb2a9c042dcb128712403	128712403	0.0838	0.11	0.0838	0.11			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	naive	kendall		s	Fbar	6f71280ab763600278049188f96358764eddf2f1722ebb2a9c042dcb128712403	500027	8049188f96358764eddf2f1722ebb2a9c042dcb128712403	128712403	0.095	0.1456	-0.095	-0.1456			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	naive	kendall		s	C	6f71280ab763600278049188f96358764eddf2f1722ebb2a9c042dcb128712403	500027	8049188f96358764eddf2f1722ebb2a9c042dcb128712403	128712403	0.1336	0.1522	0.1336	0.1522			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	naive	kendall		s	Cbar	6f71280ab763600278049188f96358764eddf2f1722ebb2a9c042dcb128712403	500027	8049188f96358764eddf2f1722ebb2a9c042dcb128712403	128712403	0.1426	0.2198	-0.1426	-0.2198			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	naive	kendall		a	F	6f71280ab763600278049188f96358764eddf2f1722ebb2a9c042dcb128712403	500027	8049188f96358764eddf2f1722ebb2a9c042dcb128712403	128712403	0.0838	0.163	0.0838	0.163			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	naive	kendall		a	Fbar	6f71280ab763600278049188f96358764eddf2f1722ebb2a9c042dcb128712403	500027	8049188f96358764eddf2f1722ebb2a9c042dcb128712403	128712403	0.095	0.3278	-0.095	-0.3278			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	naive	kendall		a	C	6f71280ab763600278049188f96358764eddf2f1722ebb2a9c042dcb128712403	500027	8049188f96358764eddf2f1722ebb2a9c042dcb128712403	128712403	0.1336	0.2268	0.1336	0.2268			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	naive	kendall		a	Cbar	6f71280ab763600278049188f96358764eddf2f1722ebb2a9c042dcb128712403	500027	8049188f96358764eddf2f1722ebb2a9c042dcb128712403	128712403	0.1426	0.384	-0.1426	-0.384			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	kendall		g	F	b00d5b9efe59008967428ccd370b13944f482810c56a8ba7f1fa1f223b93070731	5000896	7428ccd370b13944f482810c56a8ba7f1fa1f223b93070731	93070731	0.0642	0.1416	0.0642	0.1416			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	kendall		g	Fbar	b00d5b9efe59008967428ccd370b13944f482810c56a8ba7f1fa1f223b93070731	5000896	7428ccd370b13944f482810c56a8ba7f1fa1f223b93070731	93070731	0.1174	0.3662	-0.1174	-0.3662			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	kendall		g	C	b00d5b9efe59008967428ccd370b13944f482810c56a8ba7f1fa1f223b93070731	5000896	7428ccd370b13944f482810c56a8ba7f1fa1f223b93070731	93070731	0.1032	0.2136	0.1032	0.2136			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	kendall		g	Cbar	b00d5b9efe59008967428ccd370b13944f482810c56a8ba7f1fa1f223b93070731	5000896	7428ccd370b13944f482810c56a8ba7f1fa1f223b93070731	93070731	0.1744	0.465	-0.1744	-0.465			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	kendall		p	F	b00d5b9efe59008967428ccd370b13944f482810c56a8ba7f1fa1f223b93070731	5000896	7428ccd370b13944f482810c56a8ba7f1fa1f223b93070731	93070731	0.0642	0.1314	0.0642	0.1314			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	kendall		p	Fbar	b00d5b9efe59008967428ccd370b13944f482810c56a8ba7f1fa1f223b93070731	5000896	7428ccd370b13944f482810c56a8ba7f1fa1f223b93070731	93070731	0.1174	0.2982	-0.1174	-0.2982			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	kendall		p	C	b00d5b9efe59008967428ccd370b13944f482810c56a8ba7f1fa1f223b93070731	5000896	7428ccd370b13944f482810c56a8ba7f1fa1f223b93070731	93070731	0.1032	0.1992	0.1032	0.1992			

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	kendall		p	Cbar	b00d5b9ef59008967428ccd370b13944f482810c56a8ba7f1a1f223b93070738	59008967428ccd370b13944f482810c56a8ba7f1a1f223b93070738					0.1744	0.3958	-0.1744	-0.3958	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	kendall		s	F	b00d5b9ef59008967428ccd370b13944f482810c56a8ba7f1a1f223b93070736	59008967428ccd370b13944f482810c56a8ba7f1a1f223b93070736					0.0642	0.0882	0.0642	0.0882	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	kendall		s	Fbar	b00d5b9ef59008967428ccd370b13944f482810c56a8ba7f1a1f223b93070734	59008967428ccd370b13944f482810c56a8ba7f1a1f223b93070734					0.1174	0.1834	-0.1174	-0.1834	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	kendall		s	C	b00d5b9ef59008967428ccd370b13944f482810c56a8ba7f1a1f223b93070727	59008967428ccd370b13944f482810c56a8ba7f1a1f223b93070727					0.1032	0.1354	0.1032	0.1354	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	kendall		s	Cbar	b00d5b9ef59008967428ccd370b13944f482810c56a8ba7f1a1f223b93070734	59008967428ccd370b13944f482810c56a8ba7f1a1f223b93070734					0.1744	0.2556	-0.1744	-0.2556	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	kendall		a	F	b00d5b9ef59008967428ccd370b13944f482810c56a8ba7f1a1f223b93070732	59008967428ccd370b13944f482810c56a8ba7f1a1f223b93070732					0.0642	0.1274	0.0642	0.1274	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	kendall		a	Fbar	b00d5b9ef59008967428ccd370b13944f482810c56a8ba7f1a1f223b93070738	59008967428ccd370b13944f482810c56a8ba7f1a1f223b93070738					0.1174	0.387	-0.1174	-0.387	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	kendall		a	C	b00d5b9ef59008967428ccd370b13944f482810c56a8ba7f1a1f223b93070722	59008967428ccd370b13944f482810c56a8ba7f1a1f223b93070722					0.1032	0.182	0.1032	0.182	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	kendall		a	Cbar	b00d5b9ef59008967428ccd370b13944f482810c56a8ba7f1a1f223b93070734	59008967428ccd370b13944f482810c56a8ba7f1a1f223b93070734					0.1744	0.4592	-0.1744	-0.4592	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE	kendall		g	F	6e210511bef5000f39b79ced6b4efc98337c70ef5b30f4db6550e1512522023857	5000f39b79ced6b4efc98337c70ef5b30f4db6550e1512522023857					0.0642	0.1416	0.0642	0.1416	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE	kendall		g	Fbar	6e210511bef5000f39b79ced6b4efc98337c70ef5b30f4db6550e1512522023851	5000f39b79ced6b4efc98337c70ef5b30f4db6550e1512522023851					0.1174	0.3662	-0.1174	-0.3662	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE	kendall		g	C	6e210511bef5000f39b79ced6b4efc98337c70ef5b30f4db6550e1512522023803	5000f39b79ced6b4efc98337c70ef5b30f4db6550e1512522023803					0.1032	0.2136	0.1032	0.2136	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE	kendall		g	Cbar	6e210511bef5000f39b79ced6b4efc98337c70ef5b30f4db6550e1512522023825	5000f39b79ced6b4efc98337c70ef5b30f4db6550e1512522023825					0.1744	0.465	-0.1744	-0.465	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE	kendall		p	F	6e210511bef5000f39b79ced6b4efc98337c70ef5b30f4db6550e1512522023814	5000f39b79ced6b4efc98337c70ef5b30f4db6550e1512522023814					0.0642	0.1314	0.0642	0.1314	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE	kendall		p	Fbar	6e210511bef5000f39b79ced6b4efc98337c70ef5b30f4db6550e1512522023501	5000f39b79ced6b4efc98337c70ef5b30f4db6550e1512522023501					0.1174	0.2982	-0.1174	-0.2982	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE	kendall		p	C	6e210511bef5000f39b79ced6b4efc98337c70ef5b30f4db6550e151252202386	5000f39b79ced6b4efc98337c70ef5b30f4db6550e151252202386					0.1032	0.1992	0.1032	0.1992	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE	kendall		p	Cbar	6e210511bef5000f39b79ced6b4efc98337c70ef5b30f4db6550e1512522023848	5000f39b79ced6b4efc98337c70ef5b30f4db6550e1512522023848					0.1744	0.3958	-0.1744	-0.3958	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE	kendall		s	F	6e210511bef5000f39b79ced6b4efc98337c70ef5b30f4db6550e1512522023846	5000f39b79ced6b4efc98337c70ef5b30f4db6550e1512522023846					0.0642	0.0882	0.0642	0.0882	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE	kendall		s	Fbar	6e210511bef5000f39b79ced6b4efc98337c70ef5b30f4db6550e1512522023854	5000f39b79ced6b4efc98337c70ef5b30f4db6550e1512522023854					0.1174	0.1834	-0.1174	-0.1834	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE	kendall		s	C	6e210511bef5000f39b79ced6b4efc98337c70ef5b30f4db6550e1512522023817	5000f39b79ced6b4efc98337c70ef5b30f4db6550e1512522023817					0.1032	0.1354	0.1032	0.1354	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE	kendall		s	Cbar	6e210511bef5000f39b79ced6b4efc98337c70ef5b30f4db6550e1512522023814	5000f39b79ced6b4efc98337c70ef5b30f4db6550e1512522023814					0.1744	0.2556	-0.1744	-0.2556	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE	kendall		a	F	6e210511bef5000f39b79ced6b4efc98337c70ef5b30f4db6550e1512522023822	5000f39b79ced6b4efc98337c70ef5b30f4db6550e1512522023822					0.0642	0.1274	0.0642	0.1274	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE	kendall		a	Fbar	6e210511bef5000f39b79ced6b4efc98337c70ef5b30f4db6550e1512522023808	5000f39b79ced6b4efc98337c70ef5b30f4db6550e1512522023808					0.1174	0.387	-0.1174	-0.387	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE	kendall		a	C	6e210511bef5000f39b79ced6b4efc98337c70ef5b30f4db6550e1512522023802	5000f39b79ced6b4efc98337c70ef5b30f4db6550e1512522023802					0.1032	0.182	0.1032	0.182	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE	kendall		a	Cbar	6e210511bef5000f39b79ced6b4efc98337c70ef5b30f4db6550e1512522023854	5000f39b79ced6b4efc98337c70ef5b30f4db6550e1512522023854					0.1744	0.4592	-0.1744	-0.4592	

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	kendall		g	F	652aefdb39058609214041ab812ffa1a4493700836d0be032b839906990617682	058609214041ab812ffa1a4493700836d0be032b839906990617682					0.0478	0.1264	0.0478	0.1264	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	kendall		g	Fbar	652aefdb39058609214041ab812ffa1a4493700836d0be032b839906990617682	058609214041ab812ffa1a4493700836d0be032b839906990617682					0.2256	0.4088	-0.2256	-0.4088	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	kendall		g	C	652aefdb39058609214041ab812ffa1a4493700836d0be032b839906990617682	058609214041ab812ffa1a4493700836d0be032b839906990617682					0.0802	0.1928	0.0802	0.1928	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	kendall		g	Cbar	652aefdb39058609214041ab812ffa1a4493700836d0be032b839906990617682	058609214041ab812ffa1a4493700836d0be032b839906990617682					0.2866	0.5092	-0.2866	-0.5092	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	kendall		p	F	652aefdb39058609214041ab812ffa1a4493700836d0be032b839906990617682	058609214041ab812ffa1a4493700836d0be032b839906990617682					0.0478	0.117	0.0478	0.117	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	kendall		p	Fbar	652aefdb39058609214041ab812ffa1a4493700836d0be032b839906990617682	058609214041ab812ffa1a4493700836d0be032b839906990617682					0.2256	0.3484	-0.2256	-0.3484	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	kendall		p	C	652aefdb39058609214041ab812ffa1a4493700836d0be032b839906990617682	058609214041ab812ffa1a4493700836d0be032b839906990617682					0.0802	0.1816	0.0802	0.1816	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	kendall		p	Cbar	652aefdb39058609214041ab812ffa1a4493700836d0be032b839906990617682	058609214041ab812ffa1a4493700836d0be032b839906990617682					0.2866	0.4482	-0.2866	-0.4482	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	kendall		s	F	652aefdb39058609214041ab812ffa1a4493700836d0be032b839906990617682	058609214041ab812ffa1a4493700836d0be032b839906990617682					0.0478	0.0744	0.0478	0.0744	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	kendall		s	Fbar	652aefdb39058609214041ab812ffa1a4493700836d0be032b839906990617682	058609214041ab812ffa1a4493700836d0be032b839906990617682					0.2256	0.2656	-0.2256	-0.2656	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	kendall		s	C	652aefdb39058609214041ab812ffa1a4493700836d0be032b839906990617682	058609214041ab812ffa1a4493700836d0be032b839906990617682					0.0802	0.117	0.0802	0.117	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	kendall		s	Cbar	652aefdb39058609214041ab812ffa1a4493700836d0be032b839906990617682	058609214041ab812ffa1a4493700836d0be032b839906990617682					0.2866	0.341	-0.2866	-0.341	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	kendall		a	F	652aefdb39058609214041ab812ffa1a4493700836d0be032b839906990617682	058609214041ab812ffa1a4493700836d0be032b839906990617682					0.0478	0.1214	0.0478	0.1214	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	kendall		a	Fbar	652aefdb39058609214041ab812ffa1a4493700836d0be032b839906990617682	058609214041ab812ffa1a4493700836d0be032b839906990617682					0.2256	0.4694	-0.2256	-0.4694	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	kendall		a	C	652aefdb39058609214041ab812ffa1a4493700836d0be032b839906990617682	058609214041ab812ffa1a4493700836d0be032b839906990617682					0.0802	0.1752	0.0802	0.1752	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	kendall		a	Cbar	652aefdb39058609214041ab812ffa1a4493700836d0be032b839906990617682	058609214041ab812ffa1a4493700836d0be032b839906990617682					0.2866	0.5422	-0.2866	-0.5422	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	kendall		g	F	6d518a18be050075aeab90620d29e14772974d4bc6af54b5695596114e870839145	050075aeab90620d29e14772974d4bc6af54b5695596114e870839145					0.0478	0.1264	0.0478	0.1264	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	kendall		g	Fbar	6d518a18be050075aeab90620d29e14772974d4bc6af54b5695596114e870839145	050075aeab90620d29e14772974d4bc6af54b5695596114e870839145					0.2256	0.4088	-0.2256	-0.4088	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	kendall		g	C	6d518a18be050075aeab90620d29e14772974d4bc6af54b5695596114e870839145	050075aeab90620d29e14772974d4bc6af54b5695596114e870839145					0.0802	0.1928	0.0802	0.1928	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	kendall		g	Cbar	6d518a18be050075aeab90620d29e14772974d4bc6af54b5695596114e870839145	050075aeab90620d29e14772974d4bc6af54b5695596114e870839145					0.2866	0.5092	-0.2866	-0.5092	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	kendall		p	F	6d518a18be050075aeab90620d29e14772974d4bc6af54b5695596114e870839145	050075aeab90620d29e14772974d4bc6af54b5695596114e870839145					0.0478	0.117	0.0478	0.117	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	kendall		p	Fbar	6d518a18be050075aeab90620d29e14772974d4bc6af54b5695596114e870839145	050075aeab90620d29e14772974d4bc6af54b5695596114e870839145					0.2256	0.3484	-0.2256	-0.3484	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	kendall		p	C	6d518a18be050075aeab90620d29e14772974d4bc6af54b5695596114e870839145	050075aeab90620d29e14772974d4bc6af54b5695596114e870839145					0.0802	0.1816	0.0802	0.1816	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	kendall		p	Cbar	6d518a18be050075aeab90620d29e14772974d4bc6af54b5695596114e870839145	050075aeab90620d29e14772974d4bc6af54b5695596114e870839145					0.2866	0.4482	-0.2866	-0.4482	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	kendall		s	F	6d518a18be050075aeab90620d29e14772974d4bc6af54b5695596114e870839145	050075aeab90620d29e14772974d4bc6af54b5695596114e870839145					0.0478	0.0744	0.0478	0.0744	

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	kendall		s	Fbar	6d518a18be050075a	ab90620d29e14772974d4bc6af54b595596114e870838145						0.2256	0.2656	-0.2256	-0.2656
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	kendall		s	C	6d518a18be050075a	ab90620d29e14772974d4bc6af54b595596114e870838145						0.0802	0.117	0.0802	0.117
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	kendall		s	Cbar	6d518a18be050075a	ab90620d29e14772974d4bc6af54b595596114e870838145						0.2866	0.341	-0.2866	-0.341
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	kendall		a	F	6d518a18be050075a	ab90620d29e14772974d4bc6af54b595596114e870838145						0.0478	0.1214	0.0478	0.1214
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	kendall		a	Fbar	6d518a18be050075a	ab90620d29e14772974d4bc6af54b595596114e870838145						0.2256	0.4694	-0.2256	-0.4694
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	kendall		a	C	6d518a18be050075a	ab90620d29e14772974d4bc6af54b595596114e870838145						0.0802	0.1752	0.0802	0.1752
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	kendall		a	Cbar	6d518a18be050075a	ab90620d29e14772974d4bc6af54b595596114e870838145						0.2866	0.5422	-0.2866	-0.5422
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	kendall		g	F	6b0f2bc4725600078	58e0b2e6eb72df3c79139842e79e450fa2e746fc602022347						0.05	0.1346	0.05	0.1346
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	kendall		g	Fbar	6b0f2bc4725600078	58e0b2e6eb72df3c79139842e79e450fa2e746fc602022347						0.2684	0.4294	-0.2684	-0.4294
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	kendall		g	C	6b0f2bc4725600078	58e0b2e6eb72df3c79139842e79e450fa2e746fc602022382						0.0856	0.203	0.0856	0.203
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	kendall		g	Cbar	6b0f2bc4725600078	58e0b2e6eb72df3c79139842e79e450fa2e746fc602022382						0.3318	0.531	-0.3318	-0.531
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	kendall		p	F	6b0f2bc4725600078	58e0b2e6eb72df3c79139842e79e450fa2e746fc602022347						0.05	0.1264	0.05	0.1264
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	kendall		p	Fbar	6b0f2bc4725600078	58e0b2e6eb72df3c79139842e79e450fa2e746fc602022387						0.2684	0.378	-0.2684	-0.378
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	kendall		p	C	6b0f2bc4725600078	58e0b2e6eb72df3c79139842e79e450fa2e746fc602022381						0.0856	0.1892	0.0856	0.1892
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	kendall		p	Cbar	6b0f2bc4725600078	58e0b2e6eb72df3c79139842e79e450fa2e746fc602022347						0.3318	0.4782	-0.3318	-0.4782
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	kendall		s	F	6b0f2bc4725600078	58e0b2e6eb72df3c79139842e79e450fa2e746fc602022386						0.05	0.0824	0.05	0.0824
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	kendall		s	Fbar	6b0f2bc4725600078	58e0b2e6eb72df3c79139842e79e450fa2e746fc602022325						0.2684	0.3062	-0.2684	-0.3062
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	kendall		s	C	6b0f2bc4725600078	58e0b2e6eb72df3c79139842e79e450fa2e746fc602022341						0.0856	0.1256	0.0856	0.1256
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	kendall		s	Cbar	6b0f2bc4725600078	58e0b2e6eb72df3c79139842e79e450fa2e746fc602022377						0.3318	0.3798	-0.3318	-0.3798
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	kendall		a	F	6b0f2bc4725600078	58e0b2e6eb72df3c79139842e79e450fa2e746fc602022357						0.05	0.1214	0.05	0.1214
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	kendall		a	Fbar	6b0f2bc4725600078	58e0b2e6eb72df3c79139842e79e450fa2e746fc6020223416						0.2684	0.479	-0.2684	-0.479
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	kendall		a	C	6b0f2bc4725600078	58e0b2e6eb72df3c79139842e79e450fa2e746fc602022369						0.0856	0.1782	0.0856	0.1782
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	kendall		a	Cbar	6b0f2bc4725600078	58e0b2e6eb72df3c79139842e79e450fa2e746fc6020223476						0.3318	0.5484	-0.3318	-0.5484
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	kendall		g	F	e03011dac3650008d	911f8b8401c779410c5a6a9f3e964a281d43fla1f03972205						0.05	0.1346	0.05	0.1346
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	kendall		g	Fbar	e03011dac3650008d	911f8b8401c779410c5a6a9f3e964a281d43fla1f03972205						0.2684	0.4294	-0.2684	-0.4294

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	kendall		s	Cbar	a3681472a0750078	0850c4b50d9c27b5d3dea376f24cbf6d5e12d0e5f40802272	104071984	0.2798	0.3458	-0.2798	-0.3458				
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	kendall		a	F	a3681472a0750078	0850c4b50d9c27b5d3dea376f24cbf6d5e12d0e5f40801984	0.0538	0.1234	0.0538	0.1234					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	kendall		a	Fbar	a3681472a0750078	0850c4b50d9c27b5d3dea376f24cbf6d5e12d0e5f408075837	0.2172	0.4552	-0.2172	-0.4552					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	kendall		a	C	a3681472a0750078	0850c4b50d9c27b5d3dea376f24cbf6d5e12d0e5f40800382	0.0892	0.1778	0.0892	0.1778					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	kendall		a	Cbar	a3681472a0750078	0850c4b50d9c27b5d3dea376f24cbf6d5e12d0e5f408076838	0.2798	0.5232	-0.2798	-0.5232					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	kendall		g	F	c25bf7afae840002d	50cb0a9116bc94e877daa9469b607400591837c104071046	0.0538	0.1372	0.0538	0.1372					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	kendall		g	Fbar	c25bf7afae840002d	50cb0a9116bc94e877daa9469b607400591837c104075740	0.2172	0.4084	-0.2172	-0.4084					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	kendall		g	C	c25bf7afae840002d	50cb0a9116bc94e877daa9469b607400591837c104073182	0.0892	0.2074	0.0892	0.2074					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	kendall		g	Cbar	c25bf7afae840002d	50cb0a9116bc94e877daa9469b607400591837c1040732201	0.2798	0.5102	-0.2798	-0.5102					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	kendall		p	F	c25bf7afae840002d	50cb0a9116bc94e877daa9469b607400591837c104072388	0.0538	0.1282	0.0538	0.1282					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	kendall		p	Fbar	c25bf7afae840002d	50cb0a9116bc94e877daa9469b607400591837c104076540	0.2172	0.3492	-0.2172	-0.3492					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	kendall		p	C	c25bf7afae840002d	50cb0a9116bc94e877daa9469b607400591837c1040731267	0.0892	0.1928	0.0892	0.1928					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	kendall		p	Cbar	c25bf7afae840002d	50cb0a9116bc94e877daa9469b607400591837c104073743	0.2798	0.4518	-0.2798	-0.4518					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	kendall		s	F	c25bf7afae840002d	50cb0a9116bc94e877daa9469b607400591837c104070443	0.0538	0.0846	0.0538	0.0846					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	kendall		s	Fbar	c25bf7afae840002d	50cb0a9116bc94e877daa9469b607400591837c1040726972	0.2172	0.2688	-0.2172	-0.2688					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	kendall		s	C	c25bf7afae840002d	50cb0a9116bc94e877daa9469b607400591837c1040715035	0.0892	0.1292	0.0892	0.1292					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	kendall		s	Cbar	c25bf7afae840002d	50cb0a9116bc94e877daa9469b607400591837c1040728272	0.2798	0.3458	-0.2798	-0.3458					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	kendall		a	F	c25bf7afae840002d	50cb0a9116bc94e877daa9469b607400591837c104071984	0.0538	0.1234	0.0538	0.1234					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	kendall		a	Fbar	c25bf7afae840002d	50cb0a9116bc94e877daa9469b607400591837c104075837	0.2172	0.4552	-0.2172	-0.4552					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	kendall		a	C	c25bf7afae840002d	50cb0a9116bc94e877daa9469b607400591837c10400382	0.0892	0.1778	0.0892	0.1778					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	kendall		a	Cbar	c25bf7afae840002d	50cb0a9116bc94e877daa9469b607400591837c104076338	0.2798	0.5232	-0.2798	-0.5232					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive	kendall		g	F	add2f28e3e45000b	6f87f0134236a5cd32e50a835f89501d66576f91c07330512	0.0488	0.135	0.0488	0.135					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive	kendall		g	Fbar	add2f28e3e45000b	6f87f0134236a5cd32e50a835f89501d66576f91c07330251	0.2336	0.4054	-0.2336	-0.4054					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive	kendall		g	C	add2f28e3e45000b	6f87f0134236a5cd32e50a835f89501d66576f91c07330257	0.0848	0.2034	0.0848	0.2034					
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive	kendall		g	Cbar	add2f28e3e45000b	6f87f0134236a5cd32e50a835f89501d66576f91c07330514	0.2966	0.5078	-0.2966	-0.5078					

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE	kendall		a	Fbar	84a29d8aeb5100ea770a9840c9ea3a65796047ddad06ff380b695a219c0077474	5000	770a9840c9ea3a65796047ddad06ff380b695a219c0077474	ea3a65796047ddad06ff380b695a219c0077474	47ddad06ff380b695a219c0077474	380b695a219c0077474	0.2336	0.4694	-0.2336	-0.4694	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE	kendall		a	C	84a29d8aeb5100ea770a9840c9ea3a65796047ddad06ff380b695a219c0077474	5000	770a9840c9ea3a65796047ddad06ff380b695a219c0077474	ea3a65796047ddad06ff380b695a219c0077474	47ddad06ff380b695a219c0077474	380b695a219c0077474	0.0848	0.1752	0.0848	0.1752	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE	kendall		a	Cbar	84a29d8aeb5100ea770a9840c9ea3a65796047ddad06ff380b695a219c0077474	5000	770a9840c9ea3a65796047ddad06ff380b695a219c0077474	ea3a65796047ddad06ff380b695a219c0077474	47ddad06ff380b695a219c0077474	380b695a219c0077474	0.2966	0.5384	-0.2966	-0.5384	

Table 140: ImageNet-ViT-B/16 results.

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	best	spearman		g	F	0.16635	20f8c53a40	reference	clean	0.127bcff6ec360eed078a
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	best	spearman		g	Fbar	-0.398277	ed794fcc68	reference	clean	dce5635a652ab603c6a1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	best	spearman		g	C	0.241229	21fb4b9e9	reference	clean	09c60df18a37db8718a54b
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	best	spearman		g	Cbar	-0.496566	98f866d840	reference	clean	0a95757496d0869f92d9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	best	spearman		p	F	0.149803	aae516c6d	reference	clean	6e1550c49addb243bf210
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	best	spearman		p	Fbar	-0.341392	eba644a7b	reference	clean	d62445f54c87404fe0906c
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	best	spearman		p	C	0.222521	c661ee4fc1	reference	clean	7cc153f45803437541dd7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	best	spearman		p	Cbar	-0.436092	83f9ce294b	reference	clean	421c4f395ed8f5032f6c
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	best	spearman		s	F	0.111143	e13faf2f1e	reference	clean	92e3b4444ca135595879
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	best	spearman		s	Fbar	-0.204442	3891e121fd	reference	clean	696dcbbcb8e89d93089f498
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	best	spearman		s	C	0.164003	fb59caaa9	reference	clean	d217468ec03ba61b22c199
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	best	spearman		s	Cbar	-0.268776	1ba424655	reference	clean	1a52abf9cf0ad82c66c
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	best	spearman		a	F	0.175677	83e2949bd	reference	clean	5ea5683a4fb2f4f1ce5
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	best	spearman		a	Fbar	-0.264111	06cb9fc8eb	reference	clean	03c40f3958a488d594c12
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	best	spearman		a	C	0.251344	d0c93e01d	reference	clean	10a2b28b69e5ee7b7e42d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	best	spearman		a	Cbar	-0.318686	9cf3e64087	reference	clean	e55ee3b46ced3a50f610e
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	spearman		g	F	0.13283	32aadaa12	reference	clean	18b804a4a42458ef43b6c
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	spearman		g	Fbar	-0.389651	71870e37c8	reference	clean	d01114bf002cdf9014af3e5c1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	spearman		g	C	0.192577	ca0f8e136c	reference	clean	a13cdc68caf6c6cf509dfc8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	spearman		g	Cbar	-0.494525	8b7e3d0d3	reference	clean	7757676995c85104a31aa1a3cf
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	spearman		p	F	0.118286	10d6906cd	reference	clean	7a7d8c2309470aaef4eed2f7a
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	spearman		p	Fbar	-0.33411	cacae14db	reference	clean	ef054fce6c129e60ad10cd5ce3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	spearman		p	C	0.177514	9a811fbcs	reference	clean	2603ceb65f2ff57ea3824850
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	spearman		p	Cbar	-0.436448	309e2d79b	reference	clean	4e6ca1506ef04eb6c989dcb7e

|--|

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	spearman		g	Fbar	-0.472523	71870e37c82e52267a45a60gkfcg16301378adcd01114bf002cdf9014af3e5c1	ca0f8e136cd65f15408162e126425ba43107	8b7e3d0d31a321bd2a95a90gkfcg16301378adcd01114bf002cdf9014af3e5c1	10d6906cd7m38fd61d61f69g2ebh0m349453728fa7d8c2309470aaef4eed2f7a
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	spearman		g	C	0.164534	ca0f8e136cd65f15408162e126425ba43107	8b7e3d0d31a321bd2a95a90gkfcg16301378adcd01114bf002cdf9014af3e5c1	10d6906cd7m38fd61d61f69g2ebh0m349453728fa7d8c2309470aaef4eed2f7a	ca0f8e136cd65f15408162e126425ba43107
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	spearman		g	Cbar	-0.577426	8b7e3d0d31a321bd2a95a90gkfcg16301378adcd01114bf002cdf9014af3e5c1	10d6906cd7m38fd61d61f69g2ebh0m349453728fa7d8c2309470aaef4eed2f7a	ca0f8e136cd65f15408162e126425ba43107	10d6906cd7m38fd61d61f69g2ebh0m349453728fa7d8c2309470aaef4eed2f7a
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	spearman		p	F	0.096251	10d6906cd7m38fd61d61f69g2ebh0m349453728fa7d8c2309470aaef4eed2f7a	ca0f8e136cd65f15408162e126425ba43107	8b7e3d0d31a321bd2a95a90gkfcg16301378adcd01114bf002cdf9014af3e5c1	ca0f8e136cd65f15408162e126425ba43107
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	spearman		p	Fbar	-0.421363	cacale14dbf070990a3d01144gltcc5030da7e3b1ef054fce6c129e60ad10cd5ce3	ca0f8e136cd65f15408162e126425ba43107	8b7e3d0d31a321bd2a95a90gkfcg16301378adcd01114bf002cdf9014af3e5c1	ca0f8e136cd65f15408162e126425ba43107
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	spearman		p	C	0.151227	9a811fb1bc87m50ani088e207gh189449a18929e5b2603ceb65f2ff57ea3824850	ca0f8e136cd65f15408162e126425ba43107	8b7e3d0d31a321bd2a95a90gkfcg16301378adcd01114bf002cdf9014af3e5c1	ca0f8e136cd65f15408162e126425ba43107
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	spearman		p	Cbar	-0.524254	309e2d79b78d1a1ab5a690gh079b29b12ef71ad4e6ca1506ef04eb6c989dcb7e	ca0f8e136cd65f15408162e126425ba43107	8b7e3d0d31a321bd2a95a90gkfcg16301378adcd01114bf002cdf9014af3e5c1	ca0f8e136cd65f15408162e126425ba43107
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	spearman		s	F	0.068435	39839bb66fmd09dab85e47eg17734543272ab445b18a1303edfb75285ea1550b4	ca0f8e136cd65f15408162e126425ba43107	8b7e3d0d31a321bd2a95a90gkfcg16301378adcd01114bf002cdf9014af3e5c1	ca0f8e136cd65f15408162e126425ba43107
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	spearman		s	Fbar	-0.303424	7d4b88b02806fb56216285hg744qndm03232d115412d337809b3c0cfce5f25df	ca0f8e136cd65f15408162e126425ba43107	8b7e3d0d31a321bd2a95a90gkfcg16301378adcd01114bf002cdf9014af3e5c1	ca0f8e136cd65f15408162e126425ba43107
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	spearman		s	C	0.105151	0597e52db76df0240b006f5g41c50355295e172468625684417b85369ab1d9c	ca0f8e136cd65f15408162e126425ba43107	8b7e3d0d31a321bd2a95a90gkfcg16301378adcd01114bf002cdf9014af3e5c1	ca0f8e136cd65f15408162e126425ba43107
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	spearman		s	Cbar	-0.380141	5a59f1542235129md8cd74c6525fcd3a268682c2222b5a652f6f05e2028ba9efa	ca0f8e136cd65f15408162e126425ba43107	8b7e3d0d31a321bd2a95a90gkfcg16301378adcd01114bf002cdf9014af3e5c1	ca0f8e136cd65f15408162e126425ba43107
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	spearman		a	F	0.116477	18440113e5f09665578496316cga7a7f0fed851702d4f5991329e37c59af1ea6	ca0f8e136cd65f15408162e126425ba43107	8b7e3d0d31a321bd2a95a90gkfcg16301378adcd01114bf002cdf9014af3e5c1	ca0f8e136cd65f15408162e126425ba43107
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	spearman		a	Fbar	-0.385798	4079bd94d55b6775742342b8cfcgh05243b2954e7ab81c7bfc656373cc838cb4	ca0f8e136cd65f15408162e126425ba43107	8b7e3d0d31a321bd2a95a90gkfcg16301378adcd01114bf002cdf9014af3e5c1	ca0f8e136cd65f15408162e126425ba43107
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	spearman		a	C	0.1647	e005ed9391e77590f05fd6316d1h0m38347dc1f0e2805ff0632b86b8e7822357	ca0f8e136cd65f15408162e126425ba43107	8b7e3d0d31a321bd2a95a90gkfcg16301378adcd01114bf002cdf9014af3e5c1	ca0f8e136cd65f15408162e126425ba43107
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	spearman		a	Cbar	-0.45204	e2b95c2158f0b147b0462ddh5d770472090f1307cd4453969a71056318550d631	ca0f8e136cd65f15408162e126425ba43107	8b7e3d0d31a321bd2a95a90gkfcg16301378adcd01114bf002cdf9014af3e5c1	ca0f8e136cd65f15408162e126425ba43107
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	spearman		g	F	0.108718	32aadaa12fdd1d8ticf852f2f028940b4901b2618eaa18b804a4a42458ef43b6c	ca0f8e136cd65f15408162e126425ba43107	8b7e3d0d31a321bd2a95a90gkfcg16301378adcd01114bf002cdf9014af3e5c1	ca0f8e136cd65f15408162e126425ba43107
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	spearman		g	Fbar	-0.472523	71870e37c82e52267a45a60gkfcg16301378adcd01114bf002cdf9014af3e5c1	ca0f8e136cd65f15408162e126425ba43107	8b7e3d0d31a321bd2a95a90gkfcg16301378adcd01114bf002cdf9014af3e5c1	ca0f8e136cd65f15408162e126425ba43107
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	spearman		g	C	0.164534	ca0f8e136cd65f15408162e126425ba43107	8b7e3d0d31a321bd2a95a90gkfcg16301378adcd01114bf002cdf9014af3e5c1	10d6906cd7m38fd61d61f69g2ebh0m349453728fa7d8c2309470aaef4eed2f7a	ca0f8e136cd65f15408162e126425ba43107
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	spearman		g	Cbar	-0.577426	8b7e3d0d31a321bd2a95a90gkfcg16301378adcd01114bf002cdf9014af3e5c1	10d6906cd7m38fd61d61f69g2ebh0m349453728fa7d8c2309470aaef4eed2f7a	ca0f8e136cd65f15408162e126425ba43107	10d6906cd7m38fd61d61f69g2ebh0m349453728fa7d8c2309470aaef4eed2f7a
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	spearman		p	F	0.096251	10d6906cd7m38fd61d61f69g2ebh0m349453728fa7d8c2309470aaef4eed2f7a	ca0f8e136cd65f15408162e126425ba43107	8b7e3d0d31a321bd2a95a90gkfcg16301378adcd01114bf002cdf9014af3e5c1	ca0f8e136cd65f15408162e126425ba43107
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	spearman		p	Fbar	-0.421363	cacale14dbf070990a3d01144gltcc5030da7e3b1ef054fce6c129e60ad10cd5ce3	ca0f8e136cd65f15408162e126425ba43107	8b7e3d0d31a321bd2a95a90gkfcg16301378adcd01114bf002cdf9014af3e5c1	ca0f8e136cd65f15408162e126425ba43107
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	spearman		p	C	0.151227	9a811fb1bc87m50ani088e207gh189449a18929e5b2603ceb65f2ff57ea3824850	ca0f8e136cd65f15408162e126425ba43107	8b7e3d0d31a321bd2a95a90gkfcg16301378adcd01114bf002cdf9014af3e5c1	ca0f8e136cd65f15408162e126425ba43107
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	spearman		p	Cbar	-0.524254	309e2d79b78d1a1ab5a690gh079b29b12ef71ad4e6ca1506ef04eb6c989dcb7e	ca0f8e136cd65f15408162e126425ba43107	8b7e3d0d31a321bd2a95a90gkfcg16301378adcd01114bf002cdf9014af3e5c1	ca0f8e136cd65f15408162e126425ba43107
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	spearman		s	F	0.068435	39839bb66fmd09dab85e47eg17734543272ab445b18a1303edfb75285ea1550b4	ca0f8e136cd65f15408162e126425ba43107	8b7e3d0d31a321bd2a95a90gkfcg16301378adcd01114bf002cdf9014af3e5c1	ca0f8e136cd65f15408162e126425ba43107
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	spearman		s	Fbar	-0.303424	7d4b88b02806fb56216285hg744qndm03232d115412d337809b3c0cfce5f25df	ca0f8e136cd65f15408162e126425ba43107	8b7e3d0d31a321bd2a95a90gkfcg16301378adcd01114bf002cdf9014af3e5c1	ca0f8e136cd65f15408162e126425ba43107

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	spearman		s	C	0.105151	0597e52db6d1f0240b606f5a9d1c56855395e172468625684417b85369ab1d9c	5a59f15422354129m9sd174c6525dc4b298682c2222b5a652f6f05e2028ba9efa	5a59f15422354129m9sd174c6525dc4b298682c2222b5a652f6f05e2028ba9efa	5a59f15422354129m9sd174c6525dc4b298682c2222b5a652f6f05e2028ba9efa
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	spearman		s	Cbar	-0.380141	5a59f15422354129m9sd174c6525dc4b298682c2222b5a652f6f05e2028ba9efa	5a59f15422354129m9sd174c6525dc4b298682c2222b5a652f6f05e2028ba9efa	5a59f15422354129m9sd174c6525dc4b298682c2222b5a652f6f05e2028ba9efa	5a59f15422354129m9sd174c6525dc4b298682c2222b5a652f6f05e2028ba9efa
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	spearman		a	F	0.116477	18440113ee5f096655784f998c7c7f10fed851702d4f5991329e37c59af1ea6	18440113ee5f096655784f998c7c7f10fed851702d4f5991329e37c59af1ea6	18440113ee5f096655784f998c7c7f10fed851702d4f5991329e37c59af1ea6	18440113ee5f096655784f998c7c7f10fed851702d4f5991329e37c59af1ea6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	spearman		a	Fbar	-0.385798	0479bd94d55b677512342b89cfcgh455243b2954e7ab81c7bfc656373cc838cb4	0479bd94d55b677512342b89cfcgh455243b2954e7ab81c7bfc656373cc838cb4	0479bd94d55b677512342b89cfcgh455243b2954e7ab81c7bfc656373cc838cb4	0479bd94d55b677512342b89cfcgh455243b2954e7ab81c7bfc656373cc838cb4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	spearman		a	C	0.1647	e005ed9391e7599f05c463b6d1b9c8347dc1f0e2805ff0632b86b8e7822357	e005ed9391e7599f05c463b6d1b9c8347dc1f0e2805ff0632b86b8e7822357	e005ed9391e7599f05c463b6d1b9c8347dc1f0e2805ff0632b86b8e7822357	e005ed9391e7599f05c463b6d1b9c8347dc1f0e2805ff0632b86b8e7822357
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	spearman		a	Cbar	-0.45204	e2b95c2158f9b147b0462ddbf77544709ef1307cd4453969a71056318550d631	e2b95c2158f9b147b0462ddbf77544709ef1307cd4453969a71056318550d631	e2b95c2158f9b147b0462ddbf77544709ef1307cd4453969a71056318550d631	e2b95c2158f9b147b0462ddbf77544709ef1307cd4453969a71056318550d631
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	spearman		g	F	0.111953	32aadaa12f441c81ef85252f428947b4991b2618eaa18b804a4a42458ef43b6c	32aadaa12f441c81ef85252f428947b4991b2618eaa18b804a4a42458ef43b6c	32aadaa12f441c81ef85252f428947b4991b2618eaa18b804a4a42458ef43b6c	32aadaa12f441c81ef85252f428947b4991b2618eaa18b804a4a42458ef43b6c
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	spearman		g	Fbar	-0.505305	71870e37c82e52265745a60g4fcg16501d378adcd01114bf002cdf9014af3e5c1	71870e37c82e52265745a60g4fcg16501d378adcd01114bf002cdf9014af3e5c1	71870e37c82e52265745a60g4fcg16501d378adcd01114bf002cdf9014af3e5c1	71870e37c82e52265745a60g4fcg16501d378adcd01114bf002cdf9014af3e5c1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	spearman		g	C	0.171118	ca0f8e136cd65f154e8162e2a26425ba43167e0ce9a13cdc68caf6c6cf509dfc8	ca0f8e136cd65f154e8162e2a26425ba43167e0ce9a13cdc68caf6c6cf509dfc8	ca0f8e136cd65f154e8162e2a26425ba43167e0ce9a13cdc68caf6c6cf509dfc8	ca0f8e136cd65f154e8162e2a26425ba43167e0ce9a13cdc68caf6c6cf509dfc8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	spearman		g	Cbar	-0.610822	8b7e3d0d31a321bd29590cd6f754839cd3aa6f7757676995c85104a31aa1a3cf	8b7e3d0d31a321bd29590cd6f754839cd3aa6f7757676995c85104a31aa1a3cf	8b7e3d0d31a321bd29590cd6f754839cd3aa6f7757676995c85104a31aa1a3cf	8b7e3d0d31a321bd29590cd6f754839cd3aa6f7757676995c85104a31aa1a3cf
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	spearman		p	F	0.099207	10d6906cd7a38f661d61f69g2eb1b04f49453728fa7d8c2309470aaef4eed2f7a	10d6906cd7a38f661d61f69g2eb1b04f49453728fa7d8c2309470aaef4eed2f7a	10d6906cd7a38f661d61f69g2eb1b04f49453728fa7d8c2309470aaef4eed2f7a	10d6906cd7a38f661d61f69g2eb1b04f49453728fa7d8c2309470aaef4eed2f7a
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	spearman		p	Fbar	-0.455878	caca1e14dbf0099a3d40144gttcc504f0da7e3b1ef054fce6c129e60ad10cd5ce3	caca1e14dbf0099a3d40144gttcc504f0da7e3b1ef054fce6c129e60ad10cd5ce3	caca1e14dbf0099a3d40144gttcc504f0da7e3b1ef054fce6c129e60ad10cd5ce3	caca1e14dbf0099a3d40144gttcc504f0da7e3b1ef054fce6c129e60ad10cd5ce3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	spearman		p	C	0.157399	9a811fb1bc7f160a1083c207d18947b18929e5b2603ceb65f2ff57ea3824850	9a811fb1bc7f160a1083c207d18947b18929e5b2603ceb65f2ff57ea3824850	9a811fb1bc7f160a1083c207d18947b18929e5b2603ceb65f2ff57ea3824850	9a811fb1bc7f160a1083c207d18947b18929e5b2603ceb65f2ff57ea3824850
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	spearman		p	Cbar	-0.559627	309e2d79b75d1a1ab5c690g479b29312ef71ad4e6ca1506ef04eb6c989dcb7e	309e2d79b75d1a1ab5c690g479b29312ef71ad4e6ca1506ef04eb6c989dcb7e	309e2d79b75d1a1ab5c690g479b29312ef71ad4e6ca1506ef04eb6c989dcb7e	309e2d79b75d1a1ab5c690g479b29312ef71ad4e6ca1506ef04eb6c989dcb7e
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	spearman		s	F	0.071014	39839bb66f1d09dab85e47eg77345d3272ab445b18a1303edfb75285ea1550b4	39839bb66f1d09dab85e47eg77345d3272ab445b18a1303edfb75285ea1550b4	39839bb66f1d09dab85e47eg77345d3272ab445b18a1303edfb75285ea1550b4	39839bb66f1d09dab85e47eg77345d3272ab445b18a1303edfb75285ea1550b4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	spearman		s	Fbar	-0.342415	7d4b88b02506f156216285iy144qin45b093232d115412d337809b3c0cfce5f25df	7d4b88b02506f156216285iy144qin45b093232d115412d337809b3c0cfce5f25df	7d4b88b02506f156216285iy144qin45b093232d115412d337809b3c0cfce5f25df	7d4b88b02506f156216285iy144qin45b093232d115412d337809b3c0cfce5f25df
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	spearman		s	C	0.110559	0597e52db6d1f0240b606f5a9d1c56855395e172468625684417b85369ab1d9c	0597e52db6d1f0240b606f5a9d1c56855395e172468625684417b85369ab1d9c	0597e52db6d1f0240b606f5a9d1c56855395e172468625684417b85369ab1d9c	0597e52db6d1f0240b606f5a9d1c56855395e172468625684417b85369ab1d9c
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	spearman		s	Cbar	-0.420477	5a59f15422354129m9sd174c6525dc4b298682c2222b5a652f6f05e2028ba9efa	5a59f15422354129m9sd174c6525dc4b298682c2222b5a652f6f05e2028ba9efa	5a59f15422354129m9sd174c6525dc4b298682c2222b5a652f6f05e2028ba9efa	5a59f15422354129m9sd174c6525dc4b298682c2222b5a652f6f05e2028ba9efa
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	spearman		a	F	0.119743	18440113ee5f096655784f998c7c7f10fed851702d4f5991329e37c59af1ea6	18440113ee5f096655784f998c7c7f10fed851702d4f5991329e37c59af1ea6	18440113ee5f096655784f998c7c7f10fed851702d4f5991329e37c59af1ea6	18440113ee5f096655784f998c7c7f10fed851702d4f5991329e37c59af1ea6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	spearman		a	Fbar	-0.418584	0479bd94d55b677512342b89cfcgh455243b2954e7ab81c7bfc656373cc838cb4	0479bd94d55b677512342b89cfcgh455243b2954e7ab81c7bfc656373cc838cb4	0479bd94d55b677512342b89cfcgh455243b2954e7ab81c7bfc656373cc838cb4	0479bd94d55b677512342b89cfcgh455243b2954e7ab81c7bfc656373cc838cb4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	spearman		a	C	0.172331	e005ed9391e7599f05c463b6d1b9c8347dc1f0e2805ff0632b86b8e7822357	e005ed9391e7599f05c463b6d1b9c8347dc1f0e2805ff0632b86b8e7822357	e005ed9391e7599f05c463b6d1b9c8347dc1f0e2805ff0632b86b8e7822357	e005ed9391e7599f05c463b6d1b9c8347dc1f0e2805ff0632b86b8e7822357
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	spearman		a	Cbar	-0.486724	e2b95c2158f9b147b0462ddbf77544709ef1307cd4453969a71056318550d631	e2b95c2158f9b147b0462ddbf77544709ef1307cd4453969a71056318550d631	e2b95c2158f9b147b0462ddbf77544709ef1307cd4453969a71056318550d631	e2b95c2158f9b147b0462ddbf77544709ef1307cd4453969a71056318550d631
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	spearman		g	F	0.111953	32aadaa12f441c81ef85252f428947b4991b2618eaa18b804a4a42458ef43b6c	32aadaa12f441c81ef85252f428947b4991b2618eaa18b804a4a42458ef43b6c	32aadaa12f441c81ef85252f428947b4991b2618eaa18b804a4a42458ef43b6c	32aadaa12f441c81ef85252f428947b4991b2618eaa18b804a4a42458ef43b6c
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	spearman		g	Fbar	-0.505305	71870e37c82e52265745a60g4fcg16501d378adcd01114bf002cdf9014af3e5c1	71870e37c82e52265745a60g4fcg16501d378adcd01114bf002cdf9014af3e5c1	71870e37c82e52265745a60g4fcg16501d378adcd01114bf002cdf9014af3e5c1	71870e37c82e52265745a60g4fcg16501d378adcd01114bf002cdf9014af3e5c1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	spearman		g	C	0.171118	ca0f8e136cd65f154e8162e2a26425ba43167e0ce9a13cdc68caf6c6cf509dfc8	ca0f8e136cd65f154e8162e2a26425ba43167e0ce9a13cdc68caf6c6cf509dfc8	ca0f8e136cd65f154e8162e2a26425ba43167e0ce9a13cdc68caf6c6cf509dfc8	ca0f8e136cd65f154e8162e2a26425ba43167e0ce9a13cdc68caf6c6cf509dfc8

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	spearman		g	Cbar	-0.610822	8b7e3d0d3f8321b0a95a9cgt6fh54839c	8b7e3d0d3f8321b0a95a9cgt6fh54839c	8b7e3d0d3f8321b0a95a9cgt6fh54839c	7757676995c85104a31aa1a3cf
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	spearman		p	F	0.099207	10d6906cd7m38fd61d61f69g2ebhp0a49453728fa	10d6906cd7m38fd61d61f69g2ebhp0a49453728fa	10d6906cd7m38fd61d61f69g2ebhp0a49453728fa	7d8c2309470aaef4eed2f7a
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	spearman		p	Fbar	-0.455878	cacale14db0f0099a1340114gltcc5030da7e3b1ef	cacale14db0f0099a1340114gltcc5030da7e3b1ef	cacale14db0f0099a1340114gltcc5030da7e3b1ef	f054fce6c129e60ad10cd5ce3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	spearman		p	C	0.157399	9a811f1bc87m60ana088e297h18949a18929e5b	9a811f1bc87m60ana088e297h18949a18929e5b	9a811f1bc87m60ana088e297h18949a18929e5b	2603ceb65f2ff5f7ea3824850
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	spearman		p	Cbar	-0.559627	309e2d79b75d1a1ab5a696ig079b29a19ef71ad	309e2d79b75d1a1ab5a696ig079b29a19ef71ad	309e2d79b75d1a1ab5a696ig079b29a19ef71ad	4e6ca1506ef04eb6c989dcb7e
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	spearman		s	F	0.071014	39839bb66fm409da185e47eg77345d3272ab445b	39839bb66fm409da185e47eg77345d3272ab445b	39839bb66fm409da185e47eg77345d3272ab445b	18a1303edfb75285ea1550b4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	spearman		s	Fbar	-0.342415	7d4b88b02506fb76216285hg7e4qia0b03232d11	7d4b88b02506fb76216285hg7e4qia0b03232d11	7d4b88b02506fb76216285hg7e4qia0b03232d11	15412d337809b3c0cfce5f25df
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	spearman		s	C	0.110559	0597e52db7m10240b006f5ga41c5d855395e17	0597e52db7m10240b006f5ga41c5d855395e17	0597e52db7m10240b006f5ga41c5d855395e17	2468625684417b85369ab1d9c
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	spearman		s	Cbar	-0.420477	5a59f1542235129m18sd17acg5254cd32a8682c	5a59f1542235129m18sd17acg5254cd32a8682c	5a59f1542235129m18sd17acg5254cd32a8682c	2222b5a652f6f05e2028ba9efa
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	spearman		a	F	0.119743	18440113e87m096655784f9q16ca7a710fed85170	18440113e87m096655784f9q16ca7a710fed85170	18440113e87m096655784f9q16ca7a710fed85170	2d4f5991329e37c59af1ea6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	spearman		a	Fbar	-0.418584	0479bd94d55b677512342b89cfgh385243b2954e	0479bd94d55b677512342b89cfgh385243b2954e	0479bd94d55b677512342b89cfgh385243b2954e	7ab81c7bfc656373cc838cb4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	spearman		a	C	0.172331	e005ed9391fe7599f05cd463h61b0a8347dc1f0e	e005ed9391fe7599f05cd463h61b0a8347dc1f0e	e005ed9391fe7599f05cd463h61b0a8347dc1f0e	2805ff0632b86b8e7822357
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	spearman		a	Cbar	-0.486724	e2b95c2158f0b47b1462xid3r1775447299f1307	e2b95c2158f0b47b1462xid3r1775447299f1307	e2b95c2158f0b47b1462xid3r1775447299f1307	cd4453969a71056318550d631
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	spearman		g	F	0.11754	32aadaa12fda1d81c1f85202g428947b1d991b261	32aadaa12fda1d81c1f85202g428947b1d991b261	32aadaa12fda1d81c1f85202g428947b1d991b261	8eaa18b804a4a42458ef43b6c
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	spearman		g	Fbar	-0.46609	71870e37c82e5226545a60gk1eq16301k78adcd	71870e37c82e5226545a60gk1eq16301k78adcd	71870e37c82e5226545a60gk1eq16301k78adcd	01114bf002cdf9014af3e5c1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	spearman		g	C	0.175507	ca0f8e136cf5f154c8162ei26h425ba431197e0ce	ca0f8e136cf5f154c8162ei26h425ba431197e0ce	ca0f8e136cf5f154c8162ei26h425ba431197e0ce	9a13cdc68fcacf6c6f509dfc8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	spearman		g	Cbar	-0.572401	8b7e3d0d3f8321b0a95a9cgt6fh54839c	8b7e3d0d3f8321b0a95a9cgt6fh54839c	8b7e3d0d3f8321b0a95a9cgt6fh54839c	7757676995c85104a31aa1a3cf
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	spearman		p	F	0.104312	10d6906cd7m38fd61d61f69g2ebhp0a49453728fa	10d6906cd7m38fd61d61f69g2ebhp0a49453728fa	10d6906cd7m38fd61d61f69g2ebhp0a49453728fa	7d8c2309470aaef4eed2f7a
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	spearman		p	Fbar	-0.41459	cacale14db0f0099a1340114gltcc5030da7e3b1ef	cacale14db0f0099a1340114gltcc5030da7e3b1ef	cacale14db0f0099a1340114gltcc5030da7e3b1ef	f054fce6c129e60ad10cd5ce3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	spearman		p	C	0.161513	9a811f1bc87m60ana088e297h18949a18929e5b	9a811f1bc87m60ana088e297h18949a18929e5b	9a811f1bc87m60ana088e297h18949a18929e5b	2603ceb65f2ff5f7ea3824850
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	spearman		p	Cbar	-0.518933	309e2d79b75d1a1ab5a696ig079b29a19ef71ad	309e2d79b75d1a1ab5a696ig079b29a19ef71ad	309e2d79b75d1a1ab5a696ig079b29a19ef71ad	4e6ca1506ef04eb6c989dcb7e
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	spearman		s	F	0.075467	39839bb66fm409da185e47eg77345d3272ab445b	39839bb66fm409da185e47eg77345d3272ab445b	39839bb66fm409da185e47eg77345d3272ab445b	18a1303edfb75285ea1550b4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	spearman		s	Fbar	-0.295772	7d4b88b02506fb76216285hg7e4qia0b03232d11	7d4b88b02506fb76216285hg7e4qia0b03232d11	7d4b88b02506fb76216285hg7e4qia0b03232d11	15412d337809b3c0cfce5f25df
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	spearman		s	C	0.114164	0597e52db7m10240b006f5ga41c5d855395e17	0597e52db7m10240b006f5ga41c5d855395e17	0597e52db7m10240b006f5ga41c5d855395e17	2468625684417b85369ab1d9c
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	spearman		s	Cbar	-0.374072	5a59f1542235129m18sd17acg5254cd32a8682c	5a59f1542235129m18sd17acg5254cd32a8682c	5a59f1542235129m18sd17acg5254cd32a8682c	2222b5a652f6f05e2028ba9efa

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	spearman		a	F	0.125384	18440113e85f096655784f98318c57c7f10fed851702d4f5991329e37c59af1ea6			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	spearman		a	Fbar	-0.379363	0479bd94d55b6775742342b89cfe9a4f5243b2954e7ab81c7bfc656373cc838cb4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	spearman		a	C	0.177418	e005ed9391fe7590f05cd63161b0c86847dc1f0e2805ff0632b86b8e7822357			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	spearman		a	Cbar	-0.446822	e2b95c2158f9fb47ab9462ddbf77504f296f1307cd4453969a71056318550d631			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	spearman		g	F	0.11754	32aadaa12fda1bd81cf85262f428947b4901b2618eaa18b804a4a42458ef43b6c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	spearman		g	Fbar	-0.46609	71870e37c82e5226745a60gkfeg16301b378adcd01114bf002cdf9014af3e5c1			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	spearman		g	C	0.175507	ca0f8e136cd65f154c8162e126125ba43107e0ce9a13cdc68caf6c6cf509dfc8			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	spearman		g	Cbar	-0.572401	8b7e3d0d3f8321bd2a95a9cd40f54839c3aa6f7757676995c85104a31aa1a3cf			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	spearman		p	F	0.104312	10d6906cd7b38fd61d61f69g2ebhp0c7f49453728fa7d8c2309470aaef4eed2f7a			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	spearman		p	Fbar	-0.41459	cacale14db0700990a1d401b4d1bce50701a7e3b1ef054fce6c129e60ad10cd5ce3			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	spearman		p	C	0.161513	9a811f1bc87b060a1088c267f4d8944b18929e5b2603ceb65f2ff5f7ea3824850			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	spearman		p	Cbar	-0.518933	309e2d79b5511a1ab5a6961079b29513ef71ad4e6ca1506ef04eb6c989dcb7e			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	spearman		s	F	0.075467	39839bb66f1d09dab85c47eg773454b252ab445b18a1303edfb75285ea1550b4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	spearman		s	Fbar	-0.295772	7d4b88b02f06fb56216285fig741qin5b03d232d115412d337809b3c0cfce5f25df			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	spearman		s	C	0.114164	0597e52db7dd10240b006f5ag41c56855295e172468625684417b85369ab1d9c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	spearman		s	Cbar	-0.374072	5a59f15422351229m08cd74c6525cd43298682c2222b5a652f6f05e2028ba9efa			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	spearman		a	F	0.125384	18440113e85f096655784f98318c57c7f10fed851702d4f5991329e37c59af1ea6			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	spearman		a	Fbar	-0.379363	0479bd94d55b6775742342b89cfe9a4f5243b2954e7ab81c7bfc656373cc838cb4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	spearman		a	C	0.177418	e005ed9391fe7590f05cd63161b0c86847dc1f0e2805ff0632b86b8e7822357			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	spearman		a	Cbar	-0.446822	e2b95c2158f9fb47ab9462ddbf77504f296f1307cd4453969a71056318550d631			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive	spearman		g	F	0.110188	32aadaa12fda1bd81cf85262f428947b4901b2618eaa18b804a4a42458ef43b6c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive	spearman		g	Fbar	-0.478651	71870e37c82e5226745a60gkfeg16301b378adcd01114bf002cdf9014af3e5c1			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive	spearman		g	C	0.170143	ca0f8e136cd65f154c8162e126125ba43107e0ce9a13cdc68caf6c6cf509dfc8			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive	spearman		g	Cbar	-0.584814	8b7e3d0d3f8321bd2a95a9cd40f54839c3aa6f7757676995c85104a31aa1a3cf			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive	spearman		p	F	0.097594	10d6906cd7b38fd61d61f69g2ebhp0c7f49453728fa7d8c2309470aaef4eed2f7a			

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	naive	spearman		p	Fbar	-0.427815	cacale14dbf0f099a340144gltcc53ff0da7	0.156484	0.156484	ef054fce6c129e60ad10cd5ce3
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	naive	spearman		p	C	0.156484	9a811f1bc87f060ani088c297hd8944b18929e5b	0.156484	0.156484	2603ceb65f2ff5f7ea3824850
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	naive	spearman		p	Cbar	-0.53208	309e2d79b75d1aab5696h079b29f12ef71ad	0.156484	0.156484	4e6ca1506ef04eb6c989dcb7e
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	naive	spearman		s	F	0.069607	39839bb66fnd09da1b85e47ed773d5b252ab445b	0.069607	0.069607	18a1303edfb75285ea1550b4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	naive	spearman		s	Fbar	-0.310712	7d4b88b02506fb76216285igt44qia4b03232d11	0.310712	0.310712	15412d337809b3c0cfce5f25df
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	naive	spearman		s	C	0.109758	0597e52db7adf0240b006f5ga41c5b855295e17	0.109758	0.109758	2468625684417b85369ab1d9c
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	naive	spearman		s	Cbar	-0.389065	5a59f1542255429mdsd17drg5254c4b298682c	0.389065	0.389065	222b5a652f6f05e2028ba9efa
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	naive	spearman		a	F	0.117961	18440113e87d96655784f9938c7a7f10fed8517	0.117961	0.117961	02d4f5991329e37c59af1ea6
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	naive	spearman		a	Fbar	-0.391926	0479bd94d55b677512342b89fcgh485243b2954	0.391926	0.391926	e7ab81c7bfc656373cc838cb4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	naive	spearman		a	C	0.171201	e005ed9391e7590f05cd63161b0a80847dc1f0	0.171201	0.171201	e2805f0632b86b8e7822357
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	naive	spearman		a	Cbar	-0.459714	e2b95c2158f0fb47b0462ddh5d77047f006f1307	0.459714	0.459714	cd4453969a71056318550d631
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE	spearman		g	F	0.110188	32aadaa12fda1d81e7f5252f82894fb4901b2618	0.110188	0.110188	8eaa18b804a4a42458ef43b6c
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE	spearman		g	Fbar	-0.478651	71870e37c82e522674d5560gfcq163b1478adcd	0.478651	0.478651	01114bf002cdf9014af3e5c1
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE	spearman		g	C	0.170143	ca0f8e136c65f154c8162e126125ba431167e0	0.170143	0.170143	ce9a13cdc68fcacf6c6cf509dfc8
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE	spearman		g	Cbar	-0.584814	8b7e3d0d318321bd245590og40fh54839c3aa6f	0.584814	0.584814	7757676995c85104a31aa1a3cf
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE	spearman		p	F	0.097594	10d6906cd7m38fd61461f69g2ebh0a4f49453728	0.097594	0.097594	fa7d8c2309470aaef4eed2f7a
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE	spearman		p	Fbar	-0.427815	cacale14dbf0f099a340144gltcc53ff0da7	0.156484	0.156484	ef054fce6c129e60ad10cd5ce3
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE	spearman		p	C	0.156484	9a811f1bc87f060ani088c297hd8944b18929e5b	0.156484	0.156484	2603ceb65f2ff5f7ea3824850
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE	spearman		p	Cbar	-0.53208	309e2d79b75d1aab5696h079b29f12ef71ad	0.156484	0.156484	4e6ca1506ef04eb6c989dcb7e
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE	spearman		s	F	0.069607	39839bb66fnd09da1b85e47ed773d5b252ab445b	0.069607	0.069607	18a1303edfb75285ea1550b4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE	spearman		s	Fbar	-0.310712	7d4b88b02506fb76216285igt44qia4b03232d11	0.310712	0.310712	15412d337809b3c0cfce5f25df
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE	spearman		s	C	0.109758	0597e52db7adf0240b006f5ga41c5b855295e17	0.109758	0.109758	2468625684417b85369ab1d9c
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE	spearman		s	Cbar	-0.389065	5a59f1542255429mdsd17drg5254c4b298682c	0.389065	0.389065	222b5a652f6f05e2028ba9efa
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE	spearman		a	F	0.117961	18440113e87d96655784f9938c7a7f10fed8517	0.117961	0.117961	02d4f5991329e37c59af1ea6
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE	spearman		a	Fbar	-0.391926	0479bd94d55b677512342b89fcgh485243b2954	0.391926	0.391926	e7ab81c7bfc656373cc838cb4

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE	spearman		a	C	0.171201	e005ed93916e7590ff56c663d61d908347dc1f0e2805ff0632b586b8e7822357			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE	spearman		a	Cbar	-0.459714	e2b95c215850ff47b0462dd57d75045209ff1307cd4453969a71056318550d631			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	naive	kendall		g	F	0.16635	20f8c53a40980bf87rec65b0980A55555357fbb12f7bcff6ec360eed078a			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	naive	kendall		g	Fbar	-0.398277	ed794fcc681e94e1b14b67c8d9191967c7f93074dce5635a652ab603c6a1			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	naive	kendall		g	C	0.241229	21ffb4b9e91e2a63f5dd50ad5f0d44550b678cd3a09c60df18a37db8718a54b			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	naive	kendall		g	Cbar	-0.496566	98f866d8407e3ed16730f5702186045f9982e66248fd0a95757496d0869f92d9			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	naive	kendall		p	F	0.149803	aae516c6dc7ed4b0a6e201d33dd1961220b7e3cd82d16e1550c49addb243bf210			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	naive	kendall		p	Fbar	-0.341392	eba644a7b36948a1381c32c0b1a504e7e99373bbddcd62445f54c87404fe0906c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	naive	kendall		p	C	0.222521	c661ee4fc17806f20edc642a3d17e15709d18504ba7cc153f45803437541dd7			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	naive	kendall		p	Cbar	-0.436092	83f9ce294b30a3e162a261ba77dd1f100b5e30d3119d421c4f395ed8f5032f6c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	naive	kendall		s	F	0.111143	e13faf2f1e10d61a8969c654b1b1c201f709178013ed492e3b444ca135595879			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	naive	kendall		s	Fbar	-0.204442	3891e121fd54ad1c9ndc0ac156319c1519d10e76696dcbbcc8e9d93089f498			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	naive	kendall		s	C	0.164003	f1b59caaa91eabbc6e0c40c15e1a72495e38180dd217468ec03ba61b22c199			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	naive	kendall		s	Cbar	-0.268776	1ba424655869e45c0f0c1a15d16a71099e332180c1a152abf9c0fad82c66c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	naive	kendall		a	F	0.175677	83c2949bd1dd248445ec69011ead2480999c117334df58ea5683a4fb2f4f1ce5			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	naive	kendall		a	Fbar	-0.264111	06cb9fc8eb7eab8726a1b3670c5b0a3057090c70b30f903c40f3958a488d594c12			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	naive	kendall		a	C	0.251344	d0c93e01dc441430dfff6333b1ab47f099183d80cd10a2b28b69e5ec7b7e42d			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_indiv	naive	kendall		a	Cbar	-0.318686	9cf3e64087946e325b7a60a70c109147091b2618eaa18b804a4a42458ef43b6c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	kendall		g	F	0.13283	32aadaa12f441c810f85202f428947b4991b2618eaa18b804a4a42458ef43b6c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	kendall		g	Fbar	-0.389651	71870e37c82e5226745560g4fec165d3c78adcd01114bf002cdf9014af3e5c1			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	kendall		g	C	0.192577	ca0f8e136dc5ff154a8162e261d25ba43167e0ce9a13cdc68caf6c6cf509dfc8			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	kendall		g	Cbar	-0.494525	8b7e3d0d316321b2a95a90d10f54589e3aa6f7757676995c85104a31aa1a3cf			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	kendall		p	F	0.118286	10d6906cd7b38fd61461f69c2eb1b0849453728fa7d8c2309470aaef4eed2f7a			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	kendall		p	Fbar	-0.33411	caca1e14db070990a340144gltcc5030da7e3b1ef054fce6c129e6ad10cd5ce3			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	kendall		p	C	0.177514	9a811f1bc87b60a3a088c297fcd8944b1929e5b2603ceb65f2ff5f7ca3824850			

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	kendall		p	Cbar	-0.436448	309e2d79b5d1a1ab5a696b979b295f2ef71ad4e6ca1506ef04eb6c989dcb7e	5d1a1ab5a696b979b295f2ef71ad4e6ca1506ef04eb6c989dcb7e		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	kendall		s	F	0.087654	39839bb66f1d09da1b85e47ed773d54b272ab445b18a1303edfb75285ea1550b4	5d1a1ab5a696b979b295f2ef71ad4e6ca1506ef04eb6c989dcb7e		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	kendall		s	Fbar	-0.204854	7d4b88b02506fb56216285b7149b0b03232d115412d337809b3c0cfce5f25df	5d1a1ab5a696b979b295f2ef71ad4e6ca1506ef04eb6c989dcb7e		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	kendall		s	C	0.128183	0597e52db76df0240b006f59d1c56b55295e172468625684417b85369ab1d9c	5d1a1ab5a696b979b295f2ef71ad4e6ca1506ef04eb6c989dcb7e		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	kendall		s	Cbar	-0.280014	5a59f1542255429ad8ed74c65254c4b298682c2222b5a652f6f05e2028ba9efa	5d1a1ab5a696b979b295f2ef71ad4e6ca1506ef04eb6c989dcb7e		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	kendall		a	F	0.140822	18440113e87d96655784f93b8ca7c7f10fed851702d4f5991329e37c59af1ea6	5d1a1ab5a696b979b295f2ef71ad4e6ca1506ef04eb6c989dcb7e		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	kendall		a	Fbar	-0.302912	0479bd94c55b6775742342b89cfgh4f5243b2954e7ab81c7bfc656373cc838cb4	5d1a1ab5a696b979b295f2ef71ad4e6ca1506ef04eb6c989dcb7e		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	kendall		a	C	0.197202	e005ed93916e7590ff5fcdf63161b0a8347dc1f0e2805ff0632b86b8e7822357	5d1a1ab5a696b979b295f2ef71ad4e6ca1506ef04eb6c989dcb7e		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	kendall		a	Cbar	-0.365946	e2b95c2158f9b477b3462ddbf75447296f1307cd4453969a71056318550d631	5d1a1ab5a696b979b295f2ef71ad4e6ca1506ef04eb6c989dcb7e		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE	kendall		g	F	0.13283	32aadaa12fda1d81ef85202d428947b1991b2618eaa18b804a4a42458ef43b6c	5d1a1ab5a696b979b295f2ef71ad4e6ca1506ef04eb6c989dcb7e		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE	kendall		g	Fbar	-0.389651	71870e37c82e5226745a60g4fec1631b478adcd01114bf002cdf9014af3e5c1	5d1a1ab5a696b979b295f2ef71ad4e6ca1506ef04eb6c989dcb7e		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE	kendall		g	C	0.192577	ca0f8e136cd5f1154c8162ea261d25ba43167e0ce9a13cdc68caf6c6cf509dfc8	5d1a1ab5a696b979b295f2ef71ad4e6ca1506ef04eb6c989dcb7e		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE	kendall		g	Cbar	-0.494525	8b7e3d0d316321bd2a95a90g0e7b54839e3aa6f7757676995c85104a31aa1a3cf	5d1a1ab5a696b979b295f2ef71ad4e6ca1506ef04eb6c989dcb7e		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE	kendall		p	F	0.118286	10d6906cd7138fd61d61f69g2ebh0c849453728fa7d8c2309470aaef4eed2f7a	5d1a1ab5a696b979b295f2ef71ad4e6ca1506ef04eb6c989dcb7e		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE	kendall		p	Fbar	-0.33411	caca1e14db07099aa340144gltbce5d07da7e3b1ef054fce6c129e60ad10cd5ce3	5d1a1ab5a696b979b295f2ef71ad4e6ca1506ef04eb6c989dcb7e		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE	kendall		p	C	0.177514	9a811f1bc871b60a81088c297f1d8944b18929e5b2603ceb65f2ff57ea3824850	5d1a1ab5a696b979b295f2ef71ad4e6ca1506ef04eb6c989dcb7e		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE	kendall		p	Cbar	-0.436448	309e2d79b5d1a1ab5a696b979b295f2ef71ad4e6ca1506ef04eb6c989dcb7e	5d1a1ab5a696b979b295f2ef71ad4e6ca1506ef04eb6c989dcb7e		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE	kendall		s	F	0.087654	39839bb66f1d09da1b85e47ed773d54b272ab445b18a1303edfb75285ea1550b4	5d1a1ab5a696b979b295f2ef71ad4e6ca1506ef04eb6c989dcb7e		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE	kendall		s	Fbar	-0.204854	7d4b88b02506fb56216285b7149b0b03232d115412d337809b3c0cfce5f25df	5d1a1ab5a696b979b295f2ef71ad4e6ca1506ef04eb6c989dcb7e		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE	kendall		s	C	0.128183	0597e52db76df0240b006f59d1c56b55295e172468625684417b85369ab1d9c	5d1a1ab5a696b979b295f2ef71ad4e6ca1506ef04eb6c989dcb7e		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE	kendall		s	Cbar	-0.280014	5a59f1542255429ad8ed74c65254c4b298682c2222b5a652f6f05e2028ba9efa	5d1a1ab5a696b979b295f2ef71ad4e6ca1506ef04eb6c989dcb7e		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE	kendall		a	F	0.140822	18440113e87d96655784f93b8ca7c7f10fed851702d4f5991329e37c59af1ea6	5d1a1ab5a696b979b295f2ef71ad4e6ca1506ef04eb6c989dcb7e		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE	kendall		a	Fbar	-0.302912	0479bd94c55b6775742342b89cfgh4f5243b2954e7ab81c7bfc656373cc838cb4	5d1a1ab5a696b979b295f2ef71ad4e6ca1506ef04eb6c989dcb7e		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE	kendall		a	C	0.197202	e005ed93916e7590ff5fcdf63161b0a8347dc1f0e2805ff0632b86b8e7822357	5d1a1ab5a696b979b295f2ef71ad4e6ca1506ef04eb6c989dcb7e		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE	kendall		a	Cbar	-0.365946	e2b95c2158f9b477b3462ddbf75447296f1307cd4453969a71056318550d631	5d1a1ab5a696b979b295f2ef71ad4e6ca1506ef04eb6c989dcb7e		

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	kendall		g	F	0.108718	32aadaa12	Fall, d81c1f8	5252f428947b4901b2618	8eaa18b804a4a42458ef43b6c
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	kendall		g	Fbar	-0.472523	71870e37c8	2e52265745a60g1feg1e501b3	78adcd01114bf002cdf9014af3e5c1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	kendall		g	C	0.164534	ca0f8e136c	45f154e8162e1261425ba43167	e0ce9a13cdc68caf6c6cf509dfc8	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	kendall		g	Cbar	-0.577426	8b7e3d0d3	78321b2a95a90g1e1f5289a	3aa6f7757676995c85104a31aa1a3cf	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	kendall		p	F	0.096251	10d6906cd	7b38fd61461f69g2ebh0a44945	3728fa7d8c2309470aaef4eed2f7a	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	kendall		p	Fbar	-0.421363	cacale14db	07099a1840144g11cc540da7	e3b1ef054fce6c129e60ad10cd5ce3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	kendall		p	C	0.151227	9a811f1bc8	7b60nhi088c207hd8944b189	29e5b2603ceb65f2ff5f7ea3824850	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	kendall		p	Cbar	-0.524254	309e2d79b	75d1a1ab569b1g79b29f1f2ef	71ad4e6ca1506ef04eb6c989dcb7e	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	kendall		s	F	0.068435	39839bb66	7bd09dab85e47eg17734543252	ab445b18a1303edfb75285ea1550b4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	kendall		s	Fbar	-0.303424	7d4b88b02	806f7562162851g141g1b032	32d115412d337809b3c0cfce5f25df	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	kendall		s	C	0.105151	0597e52db	76df0240b6016f5g141c6855	295e172468625684417b85369ab1d9c	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	kendall		s	Cbar	-0.380141	5a59f15422	55429ad8ed74c6f525cd43298	682c2222b5a652f6f05e2028ba9efa	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	kendall		a	F	0.116477	18440113e8	570966557584f0918ca771f0f	ed851702d4f5991329e37c59aflea6	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	kendall		a	Fbar	-0.385798	0479bd94d	55b6775142342bg8fgh485243	b2954e7ab81c7bfc656373cc838cb4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	kendall		a	C	0.1647	e005ed939	1e7590f05cd03161d10a80347	dc1f0e2805f0632b86b8e7822357	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	kendall		a	Cbar	-0.45204	e2b95c2158	8f0b47b0462ddh1d75447296f	1307cd4453969a71056318550d631	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	kendall		g	F	0.108718	32aadaa12	Fall, d81c1f8	5252f428947b4901b2618	8eaa18b804a4a42458ef43b6c
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	kendall		g	Fbar	-0.472523	71870e37c8	2e52265745a60g1feg1e501b3	78adcd01114bf002cdf9014af3e5c1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	kendall		g	C	0.164534	ca0f8e136c	45f154e8162e1261425ba43167	e0ce9a13cdc68caf6c6cf509dfc8	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	kendall		g	Cbar	-0.577426	8b7e3d0d3	78321b2a95a90g1e1f5289a	3aa6f7757676995c85104a31aa1a3cf	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	kendall		p	F	0.096251	10d6906cd	7b38fd61461f69g2ebh0a44945	3728fa7d8c2309470aaef4eed2f7a	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	kendall		p	Fbar	-0.421363	cacale14db	07099a1840144g11cc540da7	e3b1ef054fce6c129e60ad10cd5ce3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	kendall		p	C	0.151227	9a811f1bc8	7b60nhi088c207hd8944b189	29e5b2603ceb65f2ff5f7ea3824850	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	kendall		p	Cbar	-0.524254	309e2d79b	75d1a1ab569b1g79b29f1f2ef	71ad4e6ca1506ef04eb6c989dcb7e	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	kendall		s	F	0.068435	39839bb66	7bd09dab85e47eg17734543252	ab445b18a1303edfb75285ea1550b4	

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	kendall		s	Fbar	-0.303424	7d4b88b02506fb56216285f7149149b03232d115412d337809b3c0cfce5f25df	7d4b88b02506fb56216285f7149149b03232d115412d337809b3c0cfce5f25df	7d4b88b02506fb56216285f7149149b03232d115412d337809b3c0cfce5f25df	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	kendall		s	C	0.105151	0597e52db7a1f0240b06f5a941c56b55495e172468625684417b85369ab1d9c	7a1f0240b06f5a941c56b55495e172468625684417b85369ab1d9c	7a1f0240b06f5a941c56b55495e172468625684417b85369ab1d9c	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	kendall		s	Cbar	-0.380141	5a59f15422255129m8sd174c6f5254cd3298682c2222b5a652f6f05e2028ba9efa	5a59f15422255129m8sd174c6f5254cd3298682c2222b5a652f6f05e2028ba9efa	5a59f15422255129m8sd174c6f5254cd3298682c2222b5a652f6f05e2028ba9efa	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	kendall		a	F	0.116477	18440113e87096655784f99b8ca7a7f0fed851702d4f5991329e37c59af1ea6	57096655784f99b8ca7a7f0fed851702d4f5991329e37c59af1ea6	57096655784f99b8ca7a7f0fed851702d4f5991329e37c59af1ea6	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	kendall		a	Fbar	-0.385798	0479bd94cd55b677512342b8c8efgh45243b2954e7ab81c7bfc656373cc838cb4	55b677512342b8c8efgh45243b2954e7ab81c7bfc656373cc838cb4	55b677512342b8c8efgh45243b2954e7ab81c7bfc656373cc838cb4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	kendall		a	C	0.1647	e005ed93916e7590f05c4f63161b0e8847dc1f0e2805f0632b86b8e7822357	16e7590f05c4f63161b0e8847dc1f0e2805f0632b86b8e7822357	16e7590f05c4f63161b0e8847dc1f0e2805f0632b86b8e7822357	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	kendall		a	Cbar	-0.45204	e2b95c2158f0b47b0462ddbf77047209f1307cd4453969a71056318550d631	8f0b47b0462ddbf77047209f1307cd4453969a71056318550d631	8f0b47b0462ddbf77047209f1307cd4453969a71056318550d631	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	kendall		g	F	0.111953	32aadaa12f111d81e1f85252f28947b1d991b2618eaa18b804a4a42458ef43b6c	111d81e1f85252f28947b1d991b2618eaa18b804a4a42458ef43b6c	111d81e1f85252f28947b1d991b2618eaa18b804a4a42458ef43b6c	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	kendall		g	Fbar	-0.505305	71870e37c82e522657x45a60gk4fec16501b378adcd01114bf002cdf9014af3e5c1	2e522657x45a60gk4fec16501b378adcd01114bf002cdf9014af3e5c1	2e522657x45a60gk4fec16501b378adcd01114bf002cdf9014af3e5c1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	kendall		g	C	0.171118	ca0f8e136cd5f154e3162e1261425ba43107e0ce9a13cdc68fcacf6c6cf509dfc8	5f154e3162e1261425ba43107e0ce9a13cdc68fcacf6c6cf509dfc8	5f154e3162e1261425ba43107e0ce9a13cdc68fcacf6c6cf509dfc8	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	kendall		g	Cbar	-0.610822	8b7e3d0d3f8321b02a95a90gk40f1b3839c3aa6f7757676995c85104a31aa1a3cf	8321b02a95a90gk40f1b3839c3aa6f7757676995c85104a31aa1a3cf	8321b02a95a90gk40f1b3839c3aa6f7757676995c85104a31aa1a3cf	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	kendall		p	F	0.099207	10d6906cd7a38fd61461f69g2ebh0a4a5453728fa7d8c2309470aaef4eed2f7a	38fd61461f69g2ebh0a4a5453728fa7d8c2309470aaef4eed2f7a	38fd61461f69g2ebh0a4a5453728fa7d8c2309470aaef4eed2f7a	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	kendall		p	Fbar	-0.455878	acacae14db0f099a34d144g11cc5430da7fe3b1ef054fce6c129e60ad10cd5ce3	0f099a34d144g11cc5430da7fe3b1ef054fce6c129e60ad10cd5ce3	0f099a34d144g11cc5430da7fe3b1ef054fce6c129e60ad10cd5ce3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	kendall		p	C	0.157399	9a811f1bc87a60a1088c207f1d8049b13929e5b2603ceb65f2ff5f7ea3824850	60a1088c207f1d8049b13929e5b2603ceb65f2ff5f7ea3824850	60a1088c207f1d8049b13929e5b2603ceb65f2ff5f7ea3824850	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	kendall		p	Cbar	-0.559627	309e2d79b75d11a1ab56691g079b2391f2ef71ad4e6ca1506ef04eb6c989dcb7e	11a1ab56691g079b2391f2ef71ad4e6ca1506ef04eb6c989dcb7e	11a1ab56691g079b2391f2ef71ad4e6ca1506ef04eb6c989dcb7e	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	kendall		s	F	0.071014	39839bb66f1d09da1b85e47ed773d54b252ab445b18a1303edfb75285ea1550b4	d09da1b85e47ed773d54b252ab445b18a1303edfb75285ea1550b4	d09da1b85e47ed773d54b252ab445b18a1303edfb75285ea1550b4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	kendall		s	Fbar	-0.342415	7d4b88b02506fb56216285f7149149b03232d115412d337809b3c0cfce5f25df	7d4b88b02506fb56216285f7149149b03232d115412d337809b3c0cfce5f25df	7d4b88b02506fb56216285f7149149b03232d115412d337809b3c0cfce5f25df	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	kendall		s	C	0.110559	0597e52db7a1f0240b06f5a941c56b55495e172468625684417b85369ab1d9c	7a1f0240b06f5a941c56b55495e172468625684417b85369ab1d9c	7a1f0240b06f5a941c56b55495e172468625684417b85369ab1d9c	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	kendall		s	Cbar	-0.420477	5a59f15422255129m8sd174c6f5254cd3298682c2222b5a652f6f05e2028ba9efa	5a59f15422255129m8sd174c6f5254cd3298682c2222b5a652f6f05e2028ba9efa	5a59f15422255129m8sd174c6f5254cd3298682c2222b5a652f6f05e2028ba9efa	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	kendall		a	F	0.119743	18440113e87096655784f99b8ca7a7f0fed851702d4f5991329e37c59af1ea6	57096655784f99b8ca7a7f0fed851702d4f5991329e37c59af1ea6	57096655784f99b8ca7a7f0fed851702d4f5991329e37c59af1ea6	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	kendall		a	Fbar	-0.418584	0479bd94cd55b677512342b8c8efgh45243b2954e7ab81c7bfc656373cc838cb4	55b677512342b8c8efgh45243b2954e7ab81c7bfc656373cc838cb4	55b677512342b8c8efgh45243b2954e7ab81c7bfc656373cc838cb4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	kendall		a	C	0.172331	e005ed93916e7590f05c4f63161b0e8847dc1f0e2805f0632b86b8e7822357	16e7590f05c4f63161b0e8847dc1f0e2805f0632b86b8e7822357	16e7590f05c4f63161b0e8847dc1f0e2805f0632b86b8e7822357	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	kendall		a	Cbar	-0.486724	e2b95c2158f0b47b0462ddbf77047209f1307cd4453969a71056318550d631	8f0b47b0462ddbf77047209f1307cd4453969a71056318550d631	8f0b47b0462ddbf77047209f1307cd4453969a71056318550d631	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	kendall		g	F	0.111953	32aadaa12f111d81e1f85252f28947b1d991b2618eaa18b804a4a42458ef43b6c	111d81e1f85252f28947b1d991b2618eaa18b804a4a42458ef43b6c	111d81e1f85252f28947b1d991b2618eaa18b804a4a42458ef43b6c	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	kendall		g	Fbar	-0.505305	71870e37c82e522657x45a60gk4fec16501b378adcd01114bf002cdf9014af3e5c1	2e522657x45a60gk4fec16501b378adcd01114bf002cdf9014af3e5c1	2e522657x45a60gk4fec16501b378adcd01114bf002cdf9014af3e5c1	

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	kendall		g	C	0.171118	ca0f8e136d45f154a8162e126125ba43167	ca0f8e136d45f154a8162e126125ba43167	ca0f8e136d45f154a8162e126125ba43167	ca0f8e136d45f154a8162e126125ba43167
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	kendall		g	Cbar	-0.610822	8b7e3d0d318321b02a95a90d40f154839e3	8b7e3d0d318321b02a95a90d40f154839e3	8b7e3d0d318321b02a95a90d40f154839e3	8b7e3d0d318321b02a95a90d40f154839e3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	kendall		p	F	0.099207	10d6906cd71038fd61d61f6902eb10c44945	10d6906cd71038fd61d61f6902eb10c44945	10d6906cd71038fd61d61f6902eb10c44945	10d6906cd71038fd61d61f6902eb10c44945
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	kendall		p	Fbar	-0.455878	cacale14db070990a340114d1bce5400da7	cacale14db070990a340114d1bce5400da7	cacale14db070990a340114d1bce5400da7	cacale14db070990a340114d1bce5400da7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	kendall		p	C	0.157399	9a811f1bc871060a1a088e297hd18940b199	9a811f1bc871060a1a088e297hd18940b199	9a811f1bc871060a1a088e297hd18940b199	9a811f1bc871060a1a088e297hd18940b199
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	kendall		p	Cbar	-0.559627	309e2d79b7511a1ab5a69019b29b1f2ef71ad	309e2d79b7511a1ab5a69019b29b1f2ef71ad	309e2d79b7511a1ab5a69019b29b1f2ef71ad	309e2d79b7511a1ab5a69019b29b1f2ef71ad
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	kendall		s	F	0.071014	39839bb66f1d009da1b85e47eg773d54b272	39839bb66f1d009da1b85e47eg773d54b272	39839bb66f1d009da1b85e47eg773d54b272	39839bb66f1d009da1b85e47eg773d54b272
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	kendall		s	Fbar	-0.342415	7d4b88b02506fb562162851g741q1d10323d1	7d4b88b02506fb562162851g741q1d10323d1	7d4b88b02506fb562162851g741q1d10323d1	7d4b88b02506fb562162851g741q1d10323d1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	kendall		s	C	0.110559	0597e52db76df0240b006f5g941c5685529	0597e52db76df0240b006f5g941c5685529	0597e52db76df0240b006f5g941c5685529	0597e52db76df0240b006f5g941c5685529
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	kendall		s	Cbar	-0.420477	5a59f1542235129d18d17dc652540b298	5a59f1542235129d18d17dc652540b298	5a59f1542235129d18d17dc652540b298	5a59f1542235129d18d17dc652540b298
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	kendall		a	F	0.119743	18440113e87096655784f6b18c37a7f10fc	18440113e87096655784f6b18c37a7f10fc	18440113e87096655784f6b18c37a7f10fc	18440113e87096655784f6b18c37a7f10fc
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	kendall		a	Fbar	-0.418584	0479bd94d551677512342b8cfcgh455243b	0479bd94d551677512342b8cfcgh455243b	0479bd94d551677512342b8cfcgh455243b	0479bd94d551677512342b8cfcgh455243b
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	kendall		a	C	0.172331	e005ed9391fe7590f35c4f03161d10c48847	e005ed9391fe7590f35c4f03161d10c48847	e005ed9391fe7590f35c4f03161d10c48847	e005ed9391fe7590f35c4f03161d10c48847
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	kendall		a	Cbar	-0.486724	e2b95c2158f9fb47b1462d1d5f75447290f	e2b95c2158f9fb47b1462d1d5f75447290f	e2b95c2158f9fb47b1462d1d5f75447290f	e2b95c2158f9fb47b1462d1d5f75447290f
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	kendall		g	F	0.11754	32aadaa121d11d81ef8520f24289407d190	32aadaa121d11d81ef8520f24289407d190	32aadaa121d11d81ef8520f24289407d190	32aadaa121d11d81ef8520f24289407d190
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	kendall		g	Fbar	-0.46609	71870e37c80e52265745a60g4fec16501d4	71870e37c80e52265745a60g4fec16501d4	71870e37c80e52265745a60g4fec16501d4	71870e37c80e52265745a60g4fec16501d4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	kendall		g	C	0.175507	ca0f8e136d45f154a8162e126125ba43167	ca0f8e136d45f154a8162e126125ba43167	ca0f8e136d45f154a8162e126125ba43167	ca0f8e136d45f154a8162e126125ba43167
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	kendall		g	Cbar	-0.572401	8b7e3d0d318321b02a95a90d40f154839e3	8b7e3d0d318321b02a95a90d40f154839e3	8b7e3d0d318321b02a95a90d40f154839e3	8b7e3d0d318321b02a95a90d40f154839e3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	kendall		p	F	0.104312	10d6906cd71038fd61d61f6902eb10c44945	10d6906cd71038fd61d61f6902eb10c44945	10d6906cd71038fd61d61f6902eb10c44945	10d6906cd71038fd61d61f6902eb10c44945
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	kendall		p	Fbar	-0.41459	cacale14db070990a340114d1bce5400da7	cacale14db070990a340114d1bce5400da7	cacale14db070990a340114d1bce5400da7	cacale14db070990a340114d1bce5400da7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	kendall		p	C	0.161513	9a811f1bc871060a1a088e297hd18940b199	9a811f1bc871060a1a088e297hd18940b199	9a811f1bc871060a1a088e297hd18940b199	9a811f1bc871060a1a088e297hd18940b199
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	kendall		p	Cbar	-0.518933	309e2d79b7511a1ab5a69019b29b1f2ef71ad	309e2d79b7511a1ab5a69019b29b1f2ef71ad	309e2d79b7511a1ab5a69019b29b1f2ef71ad	309e2d79b7511a1ab5a69019b29b1f2ef71ad
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	kendall		s	F	0.075467	39839bb66f1d009da1b85e47eg773d54b272	39839bb66f1d009da1b85e47eg773d54b272	39839bb66f1d009da1b85e47eg773d54b272	39839bb66f1d009da1b85e47eg773d54b272
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	kendall		s	Fbar	-0.295772	7d4b88b02506fb562162851g741q1d10323d1	7d4b88b02506fb562162851g741q1d10323d1	7d4b88b02506fb562162851g741q1d10323d1	7d4b88b02506fb562162851g741q1d10323d1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	kendall		s	C	0.114164	0597e52db76df0240b006f5g941c5685529	0597e52db76df0240b006f5g941c5685529	0597e52db76df0240b006f5g941c5685529	0597e52db76df0240b006f5g941c5685529

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	kendall		s	Cbar	-0.374072	5a59f1542235429m08d174c6f5254d43298682c2222b5a652f6f05e2028ba9efa			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	kendall		a	F	0.125384	18440113e87096655784f938ca77f10fed851702d4f5991329e37c59af1ea6			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	kendall		a	Fbar	-0.379363	0479bd94d55b677512342b80cfgh285243b2954e7ab81c7bfc656373cc838cb4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	kendall		a	C	0.177418	e005ed93916e7599f05fcd6326d19e80847dc1f0e2805ff0632b86b8e7822357			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	kendall		a	Cbar	-0.446822	e2b95c2158f9fb47b3462ddbf75047206ff1307cd4453969a71056318550d631			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	kendall		g	F	0.11754	32aadaa12f441d81ef85262f028947b1901b2618eaa18b804a4a42458ef43b6c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	kendall		g	Fbar	-0.46609	71870e37c89e52265a45a60gkfeg1650b1478adcd01114bf002cdf9014af3e5c1			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	kendall		g	C	0.175507	ca0f8e136cd65f154e8162e126425ba43107e0ce9a13cdc68fafc6cf509dfc8			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	kendall		g	Cbar	-0.572401	8b7e3d0d3f8321bd2a95a9ogt0fh54899e3aa6f7757676995c85104a31aa1a3cf			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	kendall		p	F	0.104312	10d6906cd7038fd61d61f69g2elbhu349453728fa7d8c2309470aaef4eed2f7a			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	kendall		p	Fbar	-0.41459	cacale14db0f00990a3d0144gltcc5030da7e3b1ef054fce6c129e6ad10cd5ce3			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	kendall		p	C	0.161513	9a811f1bc8f1660aba088c297hd8946b18929e5b2603ceb65f2ff5f7ea3824850			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	kendall		p	Cbar	-0.518933	309e2d79b7511a1ab56691g79b295f2ef71ad4e6ca1506ef04eb6c989dcb7e			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	kendall		s	F	0.075467	39839bb66f1d092da1b85e47eg773450b272ab445b18a1303edfb75285ea1550b4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	kendall		s	Fbar	-0.295772	7d4b88b02806fb562162851gt14gnd0b03232d115412d337809b3c0cfce5f25df			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	kendall		s	C	0.114164	0597e52db76a1f0240b006f5ag41c64855295e172468625684417b85369ab1d9c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	kendall		s	Cbar	-0.374072	5a59f1542235429m08d174c6f5254d43298682c2222b5a652f6f05e2028ba9efa			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	kendall		a	F	0.125384	18440113e87096655784f938ca77f10fed851702d4f5991329e37c59af1ea6			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	kendall		a	Fbar	-0.379363	0479bd94d55b677512342b80cfgh285243b2954e7ab81c7bfc656373cc838cb4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	kendall		a	C	0.177418	e005ed93916e7599f05fcd6326d19e80847dc1f0e2805ff0632b86b8e7822357			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	kendall		a	Cbar	-0.446822	e2b95c2158f9fb47b3462ddbf75047206ff1307cd4453969a71056318550d631			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive	kendall		g	F	0.110188	32aadaa12f441d81ef85262f028947b1901b2618eaa18b804a4a42458ef43b6c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive	kendall		g	Fbar	-0.478651	71870e37c89e52265a45a60gkfeg1650b1478adcd01114bf002cdf9014af3e5c1			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive	kendall		g	C	0.170143	ca0f8e136cd65f154e8162e126425ba43107e0ce9a13cdc68fafc6cf509dfc8			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive	kendall		g	Cbar	-0.584814	8b7e3d0d3f8321bd2a95a9ogt0fh54899e3aa6f7757676995c85104a31aa1a3cf			

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive	kendall		p	F	0.097594	10d6906cd7b38fd61d61f6992ebbb049453728fa7d8c2309470aaef4eed2f7a	cacale14db070990a3d0144d1cc540da7e3b1ef054fce6c129e60ad10cd5ce3		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive	kendall		p	Fbar	-0.427815	cacale14db070990a3d0144d1cc540da7e3b1ef054fce6c129e60ad10cd5ce3			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive	kendall		p	C	0.156484	9a811f1bc87b60a088e207hd1894b18929e5b2603ceb65f2ff5f7ea3824850			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive	kendall		p	Cbar	-0.53208	309e2d79b75d1a1ab5a6991d079b29413ef71ad4e6ca1506ef04eb6c989dcb7e			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive	kendall		s	F	0.069607	39839bb66fhd09dab85e47ed773d5db252ab445b18a1303edfb75285ea1550b4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive	kendall		s	Fbar	-0.310712	7d4b88b02806f1b762162851g744qhd03232d115412d337809b3c0cfce5f25df			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive	kendall		s	C	0.109758	0597e52db76d1f0240b006f5g9d1c56855495e172468625684417b85369ab1d9c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive	kendall		s	Cbar	-0.389065	5a59f1542235429ad8ed7dcg5254cd03298682c2222b5a652f6f05e2028ba9efa			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive	kendall		a	F	0.117961	18440113e87096655784f968ca7c7f10fed851702d4f5991329c37c59af1ea6			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive	kendall		a	Fbar	-0.391926	0479bd94d75b6775142342b80cfghd5248b2954e7ab81c7bfc656373cc838cb4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive	kendall		a	C	0.171201	e005ed93916e7590f05fd6316d1b0e8347dc1f0e2805f0632b86b8e7822357			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive	kendall		a	Cbar	-0.459714	e2b95c2158f0fb47b3462ddgh7d75d47206f1307cd4453969a71056318550d631			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE	kendall		g	F	0.110188	32aadaa127a1b1d81f85292d428947b4991b2618eaa18b804a4a42458ef43b6c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE	kendall		g	Fbar	-0.478651	71870e37c82e32265745a560g1reg1050b3k78adcd01114bf002cdf9014af3e5c1			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE	kendall		g	C	0.170143	ca0f8e136cd5f154d81492e126425b4d3107e0ce9a13cdc68fcacf6c6f509dfc8			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE	kendall		g	Cbar	-0.584814	8b7e3d0d3f8321b02a93a90g40fh54859c3aa6f7757676995c85104a31aa1a3cf			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE	kendall		p	F	0.097594	10d6906cd7b38fd61d61f6992ebbb049453728fa7d8c2309470aaef4eed2f7a			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE	kendall		p	Fbar	-0.427815	cacale14db070990a3d0144d1cc540da7e3b1ef054fce6c129e60ad10cd5ce3			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE	kendall		p	C	0.156484	9a811f1bc87b60a088e207hd1894b18929e5b2603ceb65f2ff5f7ea3824850			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE	kendall		p	Cbar	-0.53208	309e2d79b75d1a1ab5a6991d079b29413ef71ad4e6ca1506ef04eb6c989dcb7e			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE	kendall		s	F	0.069607	39839bb66fhd09dab85e47ed773d5db252ab445b18a1303edfb75285ea1550b4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE	kendall		s	Fbar	-0.310712	7d4b88b02806f1b762162851g744qhd03232d115412d337809b3c0cfce5f25df			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE	kendall		s	C	0.109758	0597e52db76d1f0240b006f5g9d1c56855495e172468625684417b85369ab1d9c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE	kendall		s	Cbar	-0.389065	5a59f1542235429ad8ed7dcg5254cd03298682c2222b5a652f6f05e2028ba9efa			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE	kendall		a	F	0.117961	18440113e87096655784f968ca7c7f10fed851702d4f5991329c37c59af1ea6			

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE	kendall		a	Fbar	-0.391926	0479bd94d55b677514342b89cfeba85243b2954e7ab81c7bfc656373cc838cb4			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE	kendall		a	C	0.171201	e005ed93916e7599f05cd6316d19e8847dc1f0e2805ff0632b86b8e7822357			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE	kendall		a	Cbar	-0.459714	e2b95c2158f0b47bb462dddb7d7504f200f1307cd4453969a71056318550d631			

Table 141: ImageNet–ViT-B/16 results.

cell	dataset	model	split	method	setting	distance model	q	candidate id	sample count	geometry	geometry label	source id	methods	selected individual	ER F g	ER Fbar g	ER C g	ER Cbar g	ER F p	ER Fbar p
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_individual	best_individual	spearman		8e8c7aa187e599009	50000	fbad1640b793667f94d68cdcee03f77260883e7d2eef32					-0.01035	0.075877	-0.025429	0.072966	-0.011403	0.074592
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	spearman		c5deb39505f5a00d6	6029471469e8a9cc12064e40f4b85474cddb84ea27c6944d						0.00877	0.023451	0.021023	0.029525	0.013114	0.03591
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE	spearman		9d43349d8a5f0013fa	57ede5f5c8691cecc0b0bf0e0ec31a5dd81a2eca06854c						0.00877	0.023451	0.021023	0.029525	0.013114	0.03591
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	spearman		95bfe0f53576006d	494b2a5449ced1110aad490321cb31f12c16ddec78c25743						0.017682	0.063723	0.028266	0.068226	0.020749	0.072963
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	spearman		b8034ad787e500f0bae	4961874f63375a69ea79fe7fb170c54820542e929f5994						0.017682	0.063723	0.028266	0.068226	0.020749	0.072963
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	spearman		e70f5e8f6d450082	598ac533121c897d0704717661e330b75061b0b7bae2a8bc						0.022647	0.075905	0.031882	0.079822	0.027193	0.077878
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	spearman		36d031ec65a50086	e89d6dbc5f8453c4a352236617b34ba4ae188092812abbe4						0.022647	0.075905	0.031882	0.079822	0.027193	0.077878
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	spearman		19cdcec8ca4957061	2f276a475eb380b2893eda7a808a8aea9798aa50e53c9f61						0.01966	0.05769	0.031893	0.062201	0.023888	0.06539
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	spearman		5ac90e31bd420040	5dc83e4dc76f40f908ac7e0eef63cc119c58d7d0a8ae2a9c						0.01966	0.05769	0.031893	0.062201	0.023888	0.06539
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive	spearman		d9f315a708e60099	155bffb3512d270fdef8e1cb4bf29406adcc231ae5154a3						0.024812	0.073251	0.033257	0.077014	0.026806	0.072015
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE	spearman		46bb8e332a180052	14cb47b0fe94637e56547a63a718dec1ce83f53b01261d6						0.024812	0.073251	0.033257	0.077014	0.026806	0.072015
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	best_individual	best_individual	kendall		6f71280ab76500027	8049188f96358764eddfe2f1722ebb2ace042dcb128712a						-0.01035	0.075877	-0.025429	0.072966	-0.011403	0.074592
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	naive	kendall		b00d5b9efe5900896	7428ccd3770b13944f482810c56a8ba7f1a1f223b59317073						0.00877	0.023451	0.021023	0.029525	0.013114	0.03591
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE	kendall		6e210511bef5006f39b	79ced6b4efc98337c70ef5b30f4b8570e1512522123b						0.00877	0.023451	0.021023	0.029525	0.013114	0.03591
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	naive	kendall		652aefdb390800921	14041ab812ffa1a4493700836d0be032b83990699ceba93						0.017682	0.063723	0.028266	0.068226	0.020749	0.072963
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE	kendall		6d518a18be00075	aeab90620d29e14772974d4bc6af54b595596114e87d83dd5						0.017682	0.063723	0.028266	0.068226	0.020749	0.072963
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive	kendall		6b0f2bc4725600678	58e0b2e6eb72df3c79139842e79e450fc2e746fc6c20224						0.022647	0.075905	0.031882	0.079822	0.027193	0.077878
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE	kendall		e03011dac36500a8d	911f8b8401c779410c5a6a9f3e964a281d43f1afb6902a						0.022647	0.075905	0.031882	0.079822	0.027193	0.077878
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive	kendall		a3681472a0750078	0850c4b50d9c27b5d3dea376f24cb6d5e12d0e5f48ac16a						0.01966	0.05769	0.031893	0.062201	0.023888	0.06539
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE	kendall		c25bf7afae850082	d50cb0a9116bc94e877daa9469b607400591837c1e471c4d						0.01966	0.05769	0.031893	0.062201	0.023888	0.06539
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive	kendall		add2f28e3e45008b	6f87f0134236a5cd32e50a835f89501d66576f91c175305						0.024812	0.073251	0.033257	0.077014	0.026806	0.072015
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE	kendall		84a29d8aeb45008a	770a9840c9ea3a65796047ddad06ff380b695a219ce0c17a						0.024812	0.073251	0.033257	0.077014	0.026806	0.072015

Table 142: ImageNet-ViT-B/16 results.

cell	dataset	model	split	method	setting	distance model	q	ER C p	ER Cbar p	ER F s	ER Fbar s	ER C s	ER Cbar s	ER F a	ER Fbar a	ER C a	ER Cbar a
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	best_indiv	best individual	spearman		-0.022521	0.070092	-0.001143	0.058842	-0.011803	0.048976	-0.012677	-0.063689	-0.024544	-0.065314
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	simpleavg	naive	spearman		0.021686	0.040648	0.000546	0.021454	0.007217	0.024414	-0.013422	-0.084088	-0.015202	-0.093254
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	simpleavg	NOISE	spearman		0.021686	0.040648	0.000546	0.021454	0.007217	0.024414	-0.013422	-0.084088	-0.015202	-0.093254
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	borda	naive	spearman		0.030373	0.076054	0.005965	0.037824	0.011849	0.039141	0.004923	-0.083602	0.0105	-0.09016
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	borda	NOISE	spearman		0.030373	0.076054	0.005965	0.037824	0.011849	0.039141	0.004923	-0.083602	0.0105	-0.09016
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	kemeny	naive	spearman		0.031801	0.081427	0.011386	0.036215	0.015041	0.040677	0.001657	-0.060416	0.005869	-0.061676
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	kemeny	NOISE	spearman		0.031801	0.081427	0.011386	0.036215	0.015041	0.040677	0.001657	-0.060416	0.005869	-0.061676
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	naive	spearman		0.031287	0.067133	0.009133	0.026972	0.015036	0.028272	-0.001984	-0.075837	0.000382	-0.076378
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	NOISE	spearman		0.031287	0.067133	0.009133	0.026972	0.015036	0.028272	-0.001984	-0.075837	0.000382	-0.076378
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	naive	spearman		0.030116	0.07688	0.013393	0.030512	0.016042	0.036465	0.002839	-0.077474	0.003999	-0.078686
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE	spearman		0.030116	0.07688	0.013393	0.030512	0.016042	0.036465	0.002839	-0.077474	0.003999	-0.078686
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	best_indiv	best individual	kendall		-0.022521	0.070092	-0.001143	0.058842	-0.011803	0.048976	-0.012677	-0.063689	-0.024544	-0.065314
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	simpleavg	naive	kendall		0.021686	0.040648	0.000546	0.021454	0.007217	0.024414	-0.013422	-0.084088	-0.015202	-0.093254
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	simpleavg	NOISE	kendall		0.021686	0.040648	0.000546	0.021454	0.007217	0.024414	-0.013422	-0.084088	-0.015202	-0.093254
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	borda	naive	kendall		0.030373	0.076054	0.005965	0.037824	0.011849	0.039141	0.004923	-0.083602	0.0105	-0.09016
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	borda	NOISE	kendall		0.030373	0.076054	0.005965	0.037824	0.011849	0.039141	0.004923	-0.083602	0.0105	-0.09016
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	kemeny	naive	kendall		0.031801	0.081427	0.011386	0.036215	0.015041	0.040677	0.001657	-0.060416	0.005869	-0.061676
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	kemeny	NOISE	kendall		0.031801	0.081427	0.011386	0.036215	0.015041	0.040677	0.001657	-0.060416	0.005869	-0.061676
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	naive	kendall		0.031287	0.067133	0.009133	0.026972	0.015036	0.028272	-0.001984	-0.075837	0.000382	-0.076378
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	NOISE	kendall		0.031287	0.067133	0.009133	0.026972	0.015036	0.028272	-0.001984	-0.075837	0.000382	-0.076378
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	naive	kendall		0.030116	0.07688	0.013393	0.030512	0.016042	0.036465	0.002839	-0.077474	0.003999	-0.078686
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE	kendall		0.030116	0.07688	0.013393	0.030512	0.016042	0.036465	0.002839	-0.077474	0.003999	-0.078686

Table 143: ImageNet-ViT-B/16 results.

cell	condition	metric	curve id	excluded method	reference count	fit model	slope	unconstrained slope	slope was constrained	intercept	residual sum squares	residual standard deviation	r squared	clean min	clean max	perturbed min	perturbed max	reference methods
ImageNet-ImageNet-vit-b16	a	Fbar	0479bd94d55b6777d2342b58cfefb365244b209477009471f06560746c8c34d9		42b58cfefb365244b209477009471f06560746c8c34d9	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.0000000000000000	-0.212978	0.011511	0.035763	0.932338	-0.601	-0.095	-0.6768	-0.2932	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet-ImageNet-vit-b16	s	C	0597e52bd66af0240b006f51941c56855395e1b2100892763d1109933769at149		06f51941c56855395e1b2100892763d1109933769at149	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.024841	0.001407	0.012505	0.907251	0.0132	0.1336	0.0218	0.1534	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet-ImageNet-vit-b16	a	Fbar	06cb9fc8eb7c1672f11a7640bd2908a83g0ct00050934040f30680493840c43		06cb9fc8eb7c1672f11a7640bd2908a83g0ct00050934040f30680493840c43	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.0000000000000000	-0.185531	0.008833	0.033228	0.938289	-0.601	-0.1014	-0.6768	-0.2932	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet-ImageNet-vit-b16	p	F	10d6906cd7b38fd614f1f69d12cbb0a3494537D8fa74862309470349574ed2f		0a3494537D8fa74862309470349574ed2f	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.032025	0.002577	0.016921	0.826658	0.0008	0.0838	0.0066	0.1386	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet-ImageNet-vit-b16	a	F	18440113e8769665f5784f9318ca7a310fcd8517028443991320497458afte56		0a3494537D8fa74862309470349574ed2f	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.045521	0.003508	0.019744	0.810454	0.0008	0.0838	0.0232	0.163	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet-ImageNet-vit-b16	s	Cbar	1ba424655899d15c15a70c11451F0c1b1a1261a1261a1261a1261a1261a1261a		0a3494537D8fa74862309470349574ed2f	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.0000000000000000	-0.147979	0.016425	0.045312	0.904425	-0.6802	-0.1534	-0.7142	-0.2438	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet-ImageNet-vit-b16	g	F	20f8c53a400801b67c4a661900f9a05c1125f4c1d7075356d1350e73d4078		0a3494537D8fa74862309470349574ed2f	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.036806	0.003456	0.020785	0.738546	0.0008	0.0824	0.0114	0.153	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet-ImageNet-vit-b16	g	C	21fb4b9e90c003f1a7801f5d3d065e25354843003035184335103787a54		0a3494537D8fa74862309470349574ed2f	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.060826	0.007017	0.029616	0.681111	0.0132	0.1282	0.0396	0.2136	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet-ImageNet-vit-b16	p	Cbar	309e2d79b58dca1ab5a696b1079120102ef711d175058060004505969d15		0a3494537D8fa74862309470349574ed2f	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.0000000000000000	-0.299965	0.046077	0.071552	0.801055	-0.6802	-0.1426	-0.8032	-0.366	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet-ImageNet-vit-b16	g	F	32aadaa12ddabdb8bcf852f2f12824714991120434303350414470228ef93		0a3494537D8fa74862309470349574ed2f	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.038441	0.003515	0.019761	0.807202	0.0008	0.0838	0.0114	0.156	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet-ImageNet-vit-b16	s	Fbar	3891e121fd63d1e1a1a2c195f3d40fbc1006083052330e30e30530309f198		0a3494537D8fa74862309470349574ed2f	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.0000000000000000	-0.123261	0.016471	0.045374	0.896935	-0.601	-0.1014	-0.6238	-0.173	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet-ImageNet-vit-b16	s	F	39839bb66f1409dab85e47e4773d5c62022a145115058030d1072881a1550		0a3494537D8fa74862309470349574ed2f	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.012419	0.000719	0.008936	0.928616	0.0008	0.0838	0.0028	0.11	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet-ImageNet-vit-b16	s	Cbar	5a59f1542235429a98dd7dc05254d1d6008682c0280000520003992278		0a3494537D8fa74862309470349574ed2f	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.0000000000000000	-0.12438	0.017985	0.044702	0.930624	-0.6802	-0.1426	-0.7142	-0.2198	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet-ImageNet-vit-b16	g	Fbar	71870e37c82e52267a45a60b1feel650b173ad40705046000600009991643e		0a3494537D8fa74862309470349574ed2f	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.0000000000000000	-0.299733	0.039445	0.066203	0.800786	-0.601	-0.095	-0.7268	-0.3224	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet-ImageNet-vit-b16	s	Fbar	7d4b88b02806fb76216285b114edc0b002324d99400957800b30906e5725		0a3494537D8fa74862309470349574ed2f	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.0000000000000000	-0.097903	0.018756	0.045651	0.922836	-0.601	-0.095	-0.6238	-0.1456	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet-ImageNet-vit-b16	a	F	83e2949bd1d248445c1a960106f02901f633ff735470f69568b50727481c5		0a3494537D8fa74862309470349574ed2f	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.043519	0.003421	0.020678	0.748146	0.0008	0.0824	0.0232	0.1578	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet-ImageNet-vit-b16	p	Cbar	83f9ce294b10a21621a3117d1b71085b55006321500204009177665082		0a3494537D8fa74862309470349574ed2f	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.0000000000000000	-0.333739	0.042884	0.073215	0.722395	-0.6802	-0.1534	-0.8032	-0.3814	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet-ImageNet-vit-b16	g	Cbar	8b7e3d0d3b832bb2a95a9cd410fb538808gnt67737666295c05709801a143		0a3494537D8fa74862309470349574ed2f	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.0000000000000000	-0.365668	0.040854	0.067375	0.801901	-0.6802	-0.1426	-0.8402	-0.4236	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet-ImageNet-vit-b16	g	Cbar	98f866d84071b67803376203410b6018821b025740095757000000000000		0a3494537D8fa74862309470349574ed2f	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.0000000000000000	-0.400826	0.037394	0.068368	0.723073	-0.6802	-0.1534	-0.8402	-0.436	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet-ImageNet-vit-b16	p	C	9a811fb1bc87b60a1a088e297fd8040a10182055290211050257291483e35		0a3494537D8fa74862309470349574ed2f	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.059565	0.00459	0.022582	0.796213	0.0132	0.1336	0.0364	0.2	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet-ImageNet-vit-b16	a	Cbar	9cf3e64087400325b1a1b00		0a3494537D8fa74862309470349574ed2f	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.0000000000000000	-0.200651	0.009739	0.034891	0.938416	-0.6802	-0.1534	-0.7568	-0.3522	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet-ImageNet-vit-b16	p	F	aae516c6dc71b1c6210a3117d1b71085b55006321500204009177665082		0a3494537D8fa74862309470349574ed2f	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.030224	0.002506	0.017699	0.768484	0.0008	0.0824	0.0066	0.1386	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet-ImageNet-vit-b16	p	C	c661ee4fc10706d12ndA4224b1b873657821b025740095757000000000000		0a3494537D8fa74862309470349574ed2f	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.054318	0.004314	0.023221	0.751271	0.0132	0.1282	0.0364	0.1992	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet-ImageNet-vit-b16	g	C	ca0f8e136de5f154c8192ea21125b443107gnt67737666295c05709801a143		0a3494537D8fa74862309470349574ed2f	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.0000000000000000	0.066751	0.007369	0.028614	0.734704	0.0132	0.1336	0.0396	0.2158	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation

cell	condition	metric	curve id	excluded method	reference count	fit model	slope	unconstrained slope	slope was constrained	intercept	residual sum squares	residual standard deviation	r squared	clean min	clean max	perturbed min	perturbed max	reference methods
ImageNet-ImageNet-vit-b16	p	Fbar	cacae14db070990a34014411ce5120da75985fe806412		11	Robust	0.000000	0.000000	False	-0.239437	0.044239	0.070111	0.798919	-0.601	-0.095	-0.6902	-0.2668	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet-ImageNet-vit-b16	a	C	d0c93e01dc014436d7f628120170af2c98b465d0925b885559e76751		11	Robust	0.000000	0.000000	False	0.04565	0.003516	0.020964	0.84713	0.0132	0.1282	0.0466	0.2218	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet-ImageNet-vit-b16	a	C	e005ed9391ee7599f95fcd63116db9e86847a1c10e280560583218019c1672357		11	Robust	0.000000	0.000000	False	0.051369	0.003844	0.020666	0.87702	0.0132	0.1336	0.0466	0.2268	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet-ImageNet-vit-b16	s	F	e13faf2f1e1094b8909af75d10e110478930918409275d4d14e91237593879		11	Robust	0.000000	0.000000	False	0.012239	0.000718	0.009473	0.887974	0.0008	0.0824	0.0028	0.1068	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet-ImageNet-vit-b16	a	Cbar	e2b95c2158f9fb47b9462ddb7d771a7206f18070744332949cd015673185501634		11	Robust	0.000000	0.000000	False	-0.232123	0.012512	0.037286	0.93445	-0.6802	-0.1426	-0.7568	-0.3522	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet-ImageNet-vit-b16	p	Fbar	eba644a7b8c948ad751eb240e1010b05e0a36467514829455454373985e0126		11	Robust	0.000000	0.000000	False	-0.271582	0.040566	0.071209	0.723212	-0.601	-0.1014	-0.6902	-0.2814	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet-ImageNet-vit-b16	g	Fbar	ed794fcc6849d11141e1f149583510ffag0a80884057635069210603c154		11	Robust	0.000000	0.000000	False	-0.332432	0.035644	0.06675	0.725692	-0.601	-0.1014	-0.7268	-0.3328	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet-ImageNet-vit-b16	s	C	flb59caaa90c4b6da7c644001000c07868cd9080274684d00592b32150a		11	Robust	0.000000	0.000000	False	0.022091	0.001331	0.012901	0.87446	0.0132	0.1282	0.0218	0.1534	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation

Table 144: ImageNet-ViT-B/16 results.

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	best_indiv	naive			g	F	e247146c47e600614bbbee900a94d952b114e556d37d70c85b7cd84093403	600614	bbbee900a94d952b114e556d37d70c85b7cd84093403				0.0838	0.156	0.0838	0.156	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	best_indiv	naive			g	Fbar	e247146c47e600614bbbee900a94d952b114e556d37d70c85b7cd84093403	600614	bbbee900a94d952b114e556d37d70c85b7cd84093403				0.095	0.3224	-0.095	-0.3224	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	best_indiv	naive			g	C	e247146c47e600614bbbee900a94d952b114e556d37d70c85b7cd84093403	600614	bbbee900a94d952b114e556d37d70c85b7cd84093403				0.1336	0.2158	0.1336	0.2158	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	best_indiv	naive			g	Cbar	e247146c47e600614bbbee900a94d952b114e556d37d70c85b7cd84093403	600614	bbbee900a94d952b114e556d37d70c85b7cd84093403				0.1426	0.4236	-0.1426	-0.4236	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	best_indiv	naive			p	F	e247146c47e600614bbbee900a94d952b114e556d37d70c85b7cd84093403	600614	bbbee900a94d952b114e556d37d70c85b7cd84093403				0.0838	0.1384	0.0838	0.1384	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	best_indiv	naive			p	Fbar	e247146c47e600614bbbee900a94d952b114e556d37d70c85b7cd84093403	600614	bbbee900a94d952b114e556d37d70c85b7cd84093403				0.095	0.2668	-0.095	-0.2668	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	best_indiv	naive			p	C	e247146c47e600614bbbee900a94d952b114e556d37d70c85b7cd84093403	600614	bbbee900a94d952b114e556d37d70c85b7cd84093403				0.1336	0.2	0.1336	0.2	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	best_indiv	naive			p	Cbar	e247146c47e600614bbbee900a94d952b114e556d37d70c85b7cd84093403	600614	bbbee900a94d952b114e556d37d70c85b7cd84093403				0.1426	0.366	-0.1426	-0.366	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	best_indiv	naive			s	F	e247146c47e600614bbbee900a94d952b114e556d37d70c85b7cd84093403	600614	bbbee900a94d952b114e556d37d70c85b7cd84093403				0.0838	0.11	0.0838	0.11	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	best_indiv	naive			s	Fbar	e247146c47e600614bbbee900a94d952b114e556d37d70c85b7cd84093403	600614	bbbee900a94d952b114e556d37d70c85b7cd84093403				0.095	0.1456	-0.095	-0.1456	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	best_indiv	naive			s	C	e247146c47e600614bbbee900a94d952b114e556d37d70c85b7cd84093403	600614	bbbee900a94d952b114e556d37d70c85b7cd84093403				0.1336	0.1522	0.1336	0.1522	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	best_indiv	naive			s	Cbar	e247146c47e600614bbbee900a94d952b114e556d37d70c85b7cd84093403	600614	bbbee900a94d952b114e556d37d70c85b7cd84093403				0.1426	0.2198	-0.1426	-0.2198	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	best_indiv	naive			a	F	e247146c47e600614bbbee900a94d952b114e556d37d70c85b7cd84093403	600614	bbbee900a94d952b114e556d37d70c85b7cd84093403				0.0838	0.163	0.0838	0.163	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	best_indiv	naive			a	Fbar	e247146c47e600614bbbee900a94d952b114e556d37d70c85b7cd84093403	600614	bbbee900a94d952b114e556d37d70c85b7cd84093403				0.095	0.3278	-0.095	-0.3278	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	best_indiv	naive			a	C	e247146c47e600614bbbee900a94d952b114e556d37d70c85b7cd84093403	600614	bbbee900a94d952b114e556d37d70c85b7cd84093403				0.1336	0.2268	0.1336	0.2268	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	best_indiv	naive			a	Cbar	e247146c47e600614bbbee900a94d952b114e556d37d70c85b7cd84093403	600614	bbbee900a94d952b114e556d37d70c85b7cd84093403				0.1426	0.384	-0.1426	-0.384	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	simpleavg	naive			g	F	c0db6195a523039e5b7347eb7a92678e87d61145c76ab601a1b3a02363227023	23039e	5b7347eb7a92678e87d61145c76ab601a1b3a02363227023				0.0642	0.1416	0.0642	0.1416	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	simpleavg	naive			g	Fbar	c0db6195a523039e5b7347eb7a92678e87d61145c76ab601a1b3a02363227023	23039e	5b7347eb7a92678e87d61145c76ab601a1b3a02363227023				0.1174	0.3662	-0.1174	-0.3662	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	simpleavg	naive			g	C	c0db6195a523039e5b7347eb7a92678e87d61145c76ab601a1b3a02363227023	23039e	5b7347eb7a92678e87d61145c76ab601a1b3a02363227023				0.1032	0.2136	0.1032	0.2136	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	simpleavg	naive			g	Cbar	c0db6195a523039e5b7347eb7a92678e87d61145c76ab601a1b3a02363227023	23039e	5b7347eb7a92678e87d61145c76ab601a1b3a02363227023				0.1744	0.465	-0.1744	-0.465	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	simpleavg	naive			p	F	c0db6195a523039e5b7347eb7a92678e87d61145c76ab601a1b3a02363227023	23039e	5b7347eb7a92678e87d61145c76ab601a1b3a02363227023				0.0642	0.1314	0.0642	0.1314	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	simpleavg	naive			p	Fbar	c0db6195a523039e5b7347eb7a92678e87d61145c76ab601a1b3a02363227023	23039e	5b7347eb7a92678e87d61145c76ab601a1b3a02363227023				0.1174	0.2982	-0.1174	-0.2982	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	simpleavg	naive			p	C	c0db6195a523039e5b7347eb7a92678e87d61145c76ab601a1b3a02363227023	23039e	5b7347eb7a92678e87d61145c76ab601a1b3a02363227023				0.1032	0.1992	0.1032	0.1992	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	simpleavg	naive			p	Cbar	c0db6195a523039e5b7347eb7a92678e87d61145c76ab601a1b3a02363227023	23039e	5b7347eb7a92678e87d61145c76ab601a1b3a02363227023				0.1744	0.3958	-0.1744	-0.3958	

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive			g	Fbar	ac097f5436d4000ef21edd2761f8642d87d58fe927b24f544a38a55f520880705	4000	21edd2761f8642d87d58fe927b24f544a38a55f520880705				0.2684	0.4294	-0.2684	-0.4294	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive			g	C	ac097f5436d4000ef21edd2761f8642d87d58fe927b24f544a38a55f520880705	4000	21edd2761f8642d87d58fe927b24f544a38a55f520880705				0.0856	0.203	0.0856	0.203	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive			g	Cbar	ac097f5436d4000ef21edd2761f8642d87d58fe927b24f544a38a55f520880705	4000	21edd2761f8642d87d58fe927b24f544a38a55f520880705				0.3318	0.531	-0.3318	-0.531	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive			p	F	ac097f5436d4000ef21edd2761f8642d87d58fe927b24f544a38a55f520880705	4000	21edd2761f8642d87d58fe927b24f544a38a55f520880705				0.05	0.1264	0.05	0.1264	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive			p	Fbar	ac097f5436d4000ef21edd2761f8642d87d58fe927b24f544a38a55f520880705	4000	21edd2761f8642d87d58fe927b24f544a38a55f520880705				0.2684	0.378	-0.2684	-0.378	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive			p	C	ac097f5436d4000ef21edd2761f8642d87d58fe927b24f544a38a55f520880705	4000	21edd2761f8642d87d58fe927b24f544a38a55f520880705				0.0856	0.1892	0.0856	0.1892	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive			p	Cbar	ac097f5436d4000ef21edd2761f8642d87d58fe927b24f544a38a55f520880705	4000	21edd2761f8642d87d58fe927b24f544a38a55f520880705				0.3318	0.4782	-0.3318	-0.4782	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive			s	F	ac097f5436d4000ef21edd2761f8642d87d58fe927b24f544a38a55f520880705	4000	21edd2761f8642d87d58fe927b24f544a38a55f520880705				0.05	0.0824	0.05	0.0824	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive			s	Fbar	ac097f5436d4000ef21edd2761f8642d87d58fe927b24f544a38a55f520880705	4000	21edd2761f8642d87d58fe927b24f544a38a55f520880705				0.2684	0.3062	-0.2684	-0.3062	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive			s	C	ac097f5436d4000ef21edd2761f8642d87d58fe927b24f544a38a55f520880705	4000	21edd2761f8642d87d58fe927b24f544a38a55f520880705				0.0856	0.1256	0.0856	0.1256	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive			s	Cbar	ac097f5436d4000ef21edd2761f8642d87d58fe927b24f544a38a55f520880705	4000	21edd2761f8642d87d58fe927b24f544a38a55f520880705				0.3318	0.3798	-0.3318	-0.3798	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive			a	F	ac097f5436d4000ef21edd2761f8642d87d58fe927b24f544a38a55f520880705	4000	21edd2761f8642d87d58fe927b24f544a38a55f520880705				0.05	0.1214	0.05	0.1214	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive			a	Fbar	ac097f5436d4000ef21edd2761f8642d87d58fe927b24f544a38a55f520880705	4000	21edd2761f8642d87d58fe927b24f544a38a55f520880705				0.2684	0.479	-0.2684	-0.479	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive			a	C	ac097f5436d4000ef21edd2761f8642d87d58fe927b24f544a38a55f520880705	4000	21edd2761f8642d87d58fe927b24f544a38a55f520880705				0.0856	0.1782	0.0856	0.1782	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive			a	Cbar	ac097f5436d4000ef21edd2761f8642d87d58fe927b24f544a38a55f520880705	4000	21edd2761f8642d87d58fe927b24f544a38a55f520880705				0.3318	0.5484	-0.3318	-0.5484	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive			g	F	aeb5f3e1df35020b787ecd646a26ebf2d768c93bdbc24e0da0a1da070006176	35020	787ecd646a26ebf2d768c93bdbc24e0da0a1da070006176				0.0538	0.1372	0.0538	0.1372	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive			g	Fbar	aeb5f3e1df35020b787ecd646a26ebf2d768c93bdbc24e0da0a1da070006176	35020	787ecd646a26ebf2d768c93bdbc24e0da0a1da070006176				0.2172	0.4084	-0.2172	-0.4084	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive			g	C	aeb5f3e1df35020b787ecd646a26ebf2d768c93bdbc24e0da0a1da070006176	35020	787ecd646a26ebf2d768c93bdbc24e0da0a1da070006176				0.0892	0.2074	0.0892	0.2074	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive			g	Cbar	aeb5f3e1df35020b787ecd646a26ebf2d768c93bdbc24e0da0a1da070006176	35020	787ecd646a26ebf2d768c93bdbc24e0da0a1da070006176				0.2798	0.5102	-0.2798	-0.5102	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive			p	F	aeb5f3e1df35020b787ecd646a26ebf2d768c93bdbc24e0da0a1da070006176	35020	787ecd646a26ebf2d768c93bdbc24e0da0a1da070006176				0.0538	0.1282	0.0538	0.1282	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive			p	Fbar	aeb5f3e1df35020b787ecd646a26ebf2d768c93bdbc24e0da0a1da070006176	35020	787ecd646a26ebf2d768c93bdbc24e0da0a1da070006176				0.2172	0.3492	-0.2172	-0.3492	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive			p	C	aeb5f3e1df35020b787ecd646a26ebf2d768c93bdbc24e0da0a1da070006176	35020	787ecd646a26ebf2d768c93bdbc24e0da0a1da070006176				0.0892	0.1928	0.0892	0.1928	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive			p	Cbar	aeb5f3e1df35020b787ecd646a26ebf2d768c93bdbc24e0da0a1da070006176	35020	787ecd646a26ebf2d768c93bdbc24e0da0a1da070006176				0.2798	0.4518	-0.2798	-0.4518	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive			s	F	aeb5f3e1df35020b787ecd646a26ebf2d768c93bdbc24e0da0a1da070006176	35020	787ecd646a26ebf2d768c93bdbc24e0da0a1da070006176				0.0538	0.0846	0.0538	0.0846	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive			s	Fbar	aeb5f3e1df35020b787ecd646a26ebf2d768c93bdbc24e0da0a1da070006176	35020	787ecd646a26ebf2d768c93bdbc24e0da0a1da070006176				0.2172	0.2688	-0.2172	-0.2688	

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive			s	C	aeb5f3e1df35020b787ecd646a26ebf2d768c93bdbc24e0da0a1da070006426	35020b787ecd646a26ebf2d768c93bdbc24e0da0a1da070006426	787ecd646a26ebf2d768c93bdbc24e0da0a1da070006426	26ebf2d768c93bdbc24e0da0a1da070006426	93bdbc24e0da0a1da070006426	0da0a1da070006426	70006426	0.0892	0.1292	0.0892	0.1292
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive			s	Cbar	aeb5f3e1df35020b787ecd646a26ebf2d768c93bdbc24e0da0a1da070006427	35020b787ecd646a26ebf2d768c93bdbc24e0da0a1da070006427	787ecd646a26ebf2d768c93bdbc24e0da0a1da070006427	26ebf2d768c93bdbc24e0da0a1da070006427	93bdbc24e0da0a1da070006427	0da0a1da070006427	70006427	0.2798	0.3458	-0.2798	-0.3458
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive			a	F	aeb5f3e1df35020b787ecd646a26ebf2d768c93bdbc24e0da0a1da070000435	35020b787ecd646a26ebf2d768c93bdbc24e0da0a1da070000435	787ecd646a26ebf2d768c93bdbc24e0da0a1da070000435	26ebf2d768c93bdbc24e0da0a1da070000435	93bdbc24e0da0a1da070000435	0da0a1da070000435	70000435	0.0538	0.1234	0.0538	0.1234
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive			a	Fbar	aeb5f3e1df35020b787ecd646a26ebf2d768c93bdbc24e0da0a1da070005583	35020b787ecd646a26ebf2d768c93bdbc24e0da0a1da070005583	787ecd646a26ebf2d768c93bdbc24e0da0a1da070005583	26ebf2d768c93bdbc24e0da0a1da070005583	93bdbc24e0da0a1da070005583	0da0a1da070005583	70005583	0.2172	0.4552	-0.2172	-0.4552
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive			a	C	aeb5f3e1df35020b787ecd646a26ebf2d768c93bdbc24e0da0a1da070000382	35020b787ecd646a26ebf2d768c93bdbc24e0da0a1da070000382	787ecd646a26ebf2d768c93bdbc24e0da0a1da070000382	26ebf2d768c93bdbc24e0da0a1da070000382	93bdbc24e0da0a1da070000382	0da0a1da070000382	70000382	0.0892	0.1778	0.0892	0.1778
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive			a	Cbar	aeb5f3e1df35020b787ecd646a26ebf2d768c93bdbc24e0da0a1da070006657	35020b787ecd646a26ebf2d768c93bdbc24e0da0a1da070006657	787ecd646a26ebf2d768c93bdbc24e0da0a1da070006657	26ebf2d768c93bdbc24e0da0a1da070006657	93bdbc24e0da0a1da070006657	0da0a1da070006657	70006657	0.2798	0.5232	-0.2798	-0.5232
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive			g	F	c4c26b616445000019e900985ad1d32480fefa6431244007da8e088836333202	45000019e900985ad1d32480fefa6431244007da8e088836333202	19e900985ad1d32480fefa6431244007da8e088836333202	1d32480fefa6431244007da8e088836333202	07da8e088836333202	07da8e088836333202	36333202	0.0488	0.135	0.0488	0.135
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive			g	Fbar	c4c26b616445000019e900985ad1d32480fefa6431244007da8e0888363332251	45000019e900985ad1d32480fefa6431244007da8e0888363332251	19e900985ad1d32480fefa6431244007da8e0888363332251	1d32480fefa6431244007da8e0888363332251	07da8e0888363332251	07da8e0888363332251	363332251	0.2336	0.4054	-0.2336	-0.4054
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive			g	C	c4c26b616445000019e900985ad1d32480fefa6431244007da8e0888363333257	45000019e900985ad1d32480fefa6431244007da8e0888363333257	19e900985ad1d32480fefa6431244007da8e0888363333257	1d32480fefa6431244007da8e0888363333257	07da8e0888363333257	07da8e0888363333257	363333257	0.0848	0.2034	0.0848	0.2034
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive			g	Cbar	c4c26b616445000019e900985ad1d32480fefa6431244007da8e0888363333024	45000019e900985ad1d32480fefa6431244007da8e0888363333024	19e900985ad1d32480fefa6431244007da8e0888363333024	1d32480fefa6431244007da8e0888363333024	07da8e0888363333024	07da8e0888363333024	363333024	0.2966	0.5078	-0.2966	-0.5078
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive			p	F	c4c26b616445000019e900985ad1d32480fefa6431244007da8e0888363332696	45000019e900985ad1d32480fefa6431244007da8e0888363332696	19e900985ad1d32480fefa6431244007da8e0888363332696	1d32480fefa6431244007da8e0888363332696	07da8e0888363332696	07da8e0888363332696	363332696	0.0488	0.1244	0.0488	0.1244
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive			p	Fbar	c4c26b616445000019e900985ad1d32480fefa6431244007da8e0888363332025	45000019e900985ad1d32480fefa6431244007da8e0888363332025	19e900985ad1d32480fefa6431244007da8e0888363332025	1d32480fefa6431244007da8e0888363332025	07da8e0888363332025	07da8e0888363332025	363332025	0.2336	0.3558	-0.2336	-0.3558
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive			p	C	c4c26b616445000019e900985ad1d32480fefa6431244007da8e0888363330216	45000019e900985ad1d32480fefa6431244007da8e0888363330216	19e900985ad1d32480fefa6431244007da8e0888363330216	1d32480fefa6431244007da8e0888363330216	07da8e0888363330216	07da8e0888363330216	363330216	0.0848	0.1866	0.0848	0.1866
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive			p	Cbar	c4c26b616445000019e900985ad1d32480fefa6431244007da8e0888363333028	45000019e900985ad1d32480fefa6431244007da8e0888363333028	19e900985ad1d32480fefa6431244007da8e0888363333028	1d32480fefa6431244007da8e0888363333028	07da8e0888363333028	07da8e0888363333028	363333028	0.2966	0.4552	-0.2966	-0.4552
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive			s	F	c4c26b616445000019e900985ad1d32480fefa6431244007da8e0888363333023	45000019e900985ad1d32480fefa6431244007da8e0888363333023	19e900985ad1d32480fefa6431244007da8e0888363333023	1d32480fefa6431244007da8e0888363333023	07da8e0888363333023	07da8e0888363333023	363333023	0.0488	0.083	0.0488	0.083
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive			s	Fbar	c4c26b616445000019e900985ad1d32480fefa6431244007da8e0888363333022	45000019e900985ad1d32480fefa6431244007da8e0888363333022	19e900985ad1d32480fefa6431244007da8e0888363333022	1d32480fefa6431244007da8e0888363333022	07da8e0888363333022	07da8e0888363333022	363333022	0.2336	0.2802	-0.2336	-0.2802
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive			s	C	c4c26b616445000019e900985ad1d32480fefa6431244007da8e0888363333024	45000019e900985ad1d32480fefa6431244007da8e0888363333024	19e900985ad1d32480fefa6431244007da8e0888363333024	1d32480fefa6431244007da8e0888363333024	07da8e0888363333024	07da8e0888363333024	363333024	0.0848	0.1258	0.0848	0.1258
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive			s	Cbar	c4c26b616445000019e900985ad1d32480fefa6431244007da8e0888363333025	45000019e900985ad1d32480fefa6431244007da8e0888363333025	19e900985ad1d32480fefa6431244007da8e0888363333025	1d32480fefa6431244007da8e0888363333025	07da8e0888363333025	07da8e0888363333025	363333025	0.2966	0.3526	-0.2966	-0.3526
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive			a	F	c4c26b616445000019e900985ad1d32480fefa6431244007da8e0888363333029	45000019e900985ad1d32480fefa6431244007da8e0888363333029	19e900985ad1d32480fefa6431244007da8e0888363333029	1d32480fefa6431244007da8e0888363333029	07da8e0888363333029	07da8e0888363333029	363333029	0.0488	0.1208	0.0488	0.1208
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive			a	Fbar	c4c26b616445000019e900985ad1d32480fefa6431244007da8e0888363333027	45000019e900985ad1d32480fefa6431244007da8e0888363333027	19e900985ad1d32480fefa6431244007da8e0888363333027	1d32480fefa6431244007da8e0888363333027	07da8e0888363333027	07da8e0888363333027	363333027	0.2336	0.4694	-0.2336	-0.4694
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive			a	C	c4c26b616445000019e900985ad1d32480fefa6431244007da8e0888363333029	45000019e900985ad1d32480fefa6431244007da8e0888363333029	19e900985ad1d32480fefa6431244007da8e0888363333029	1d32480fefa6431244007da8e0888363333029	07da8e0888363333029	07da8e0888363333029	363333029	0.0848	0.1752	0.0848	0.1752
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	naive			a	Cbar	c4c26b616445000019e900985ad1d32480fefa6431244007da8e0888363333028	45000019e900985ad1d32480fefa6431244007da8e0888363333028	19e900985ad1d32480fefa6431244007da8e0888363333028	1d32480fefa6431244007da8e0888363333028	07da8e0888363333028	07da8e0888363333028	363333028	0.2966	0.5384	-0.2966	-0.5384

Table 145: ImageNet-ViT-B/16 results.

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	best_indiv	naive			g	F	0.16635	20f8c53a40950m3rcc	66a6f6689a7f69532f0d	66a6f6689a7f69532f0d	12f7bcff6ec360eed078a
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	best_indiv	naive			g	Fbar	-0.398277	ed794fcc681e94b1b4b	0f83f951967c449c83074	0f83f951967c449c83074	dce5635a652ab603c6a1
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	best_indiv	naive			g	C	0.241229	21fb4b9e9de2e63fnd	89ad550b4a7589b6783	89ad550b4a7589b6783	09c60df18a37db8718a54b
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	best_indiv	naive			g	Cbar	-0.496566	98f866d8407e4ed6730	576c2160c4a191932a6	576c2160c4a191932a6	0a95757496d0869f92d9
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	best_indiv	naive			p	F	0.149803	aae516c6d7ed4b0c6e	20bd3fnn1961227b5ec	20bd3fnn1961227b5ec	d6e1550c49addb243bf210
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	best_indiv	naive			p	Fbar	-0.341392	eba644a7b369448a1381	02c0bb46461e4963fbb	02c0bb46461e4963fbb	d62445f54c87404fe0906c
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	best_indiv	naive			p	C	0.222521	c661ee4fc1070vfa2nde	4349a3nn17675759d125	4349a3nn17675759d125	04ha7cc153f45803437541dd7
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	best_indiv	naive			p	Cbar	-0.436092	83f9ce294b36mde162ad	67ba77nn17675759d125	67ba77nn17675759d125	03b1h9d421c4f395ed8f5032f6c
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	best_indiv	naive			s	F	0.111143	e13fa2f2f1e10d91a8999	67d4b274f0709d78018e	67d4b274f0709d78018e	092e3b4444ca135595879
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	best_indiv	naive			s	Fbar	-0.204442	3891e121fd51a4c1c0nd	67d4b274f0709d78018e	67d4b274f0709d78018e	0696dcbbcb8e89d93089f498
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	best_indiv	naive			s	C	0.164003	f1b59caaa91eabbe6nd	67d4b274f0709d78018e	67d4b274f0709d78018e	00d217468ec03ba61b22c199
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	best_indiv	naive			s	Cbar	-0.268776	1ba424655899e5c3f5a	67d4b274f0709d78018e	67d4b274f0709d78018e	01c1a152abf9c0fad82c66c
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	best_indiv	naive			a	F	0.175677	83e2949bd3d2e8445ec	67d4b274f0709d78018e	67d4b274f0709d78018e	058ea5683a4fb2f4f1ce5
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	best_indiv	naive			a	Fbar	-0.264111	06cb9fc8eb7eaa872fnd	67d4b274f0709d78018e	67d4b274f0709d78018e	003c40f3958a488d594c12
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	best_indiv	naive			a	C	0.251344	d0c93e01d3441430nff	67d4b274f0709d78018e	67d4b274f0709d78018e	00a2b28b69e5ee7b7e42d
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	best_indiv	naive			a	Cbar	-0.318686	9cf3e640879d6e825b7a	67d4b274f0709d78018e	67d4b274f0709d78018e	055ee3b46ced3a50f610e
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	simpleavg	naive			g	F	0.13283	32aadaa12f441430nff	67d4b274f0709d78018e	67d4b274f0709d78018e	01b2618eaa18b804a4a42458ef43b6c
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	simpleavg	naive			g	Fbar	-0.389651	71870e37c82e52265nd	67d4b274f0709d78018e	67d4b274f0709d78018e	01114bf002cdf9014af3e5c1
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	simpleavg	naive			g	C	0.192577	ca0f8e136c45f154e84e	26a26425ba43197	26a26425ba43197	e0ce9a13cdc68fcaf6c6cf509dfc8
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	simpleavg	naive			g	Cbar	-0.494525	8b7e3d0d3f8321b2a93a	90g4e0f954854	90g4e0f954854	3aa6f7757676995c85104a31aa1a3cf
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	simpleavg	naive			p	F	0.118286	10d6906cd7038fd61d6	169ng2ebh00f49453728	169ng2ebh00f49453728	fa7d8c2309470aaef4eed2f7a
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	simpleavg	naive			p	Fbar	-0.33411	cacae1e4db070990a3d0	144d1cc5430da7	144d1cc5430da7	7e3b1ef054fce6c129e60ad10cd5ce3
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	simpleavg	naive			p	C	0.177514	9a811f1bc87060ann08	8e207hd80449139	8e207hd80449139	29e5b2603ceb65f2ff57ea3824850
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	simpleavg	naive			p	Cbar	-0.436448	309e2d79b75d11a1ab5	6961g79b2931f2e71ad	6961g79b2931f2e71ad	4e6ca1506ef04eb6c989dcb7e

|--|

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive			g	Fbar	-0.505305	71870e37c82e522657a45a60gkfcg16301378adcd01114bf002cdf9014af3e5c1			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive			g	C	0.171118	ca0f8e136cd65f154a08162e1c261425ba431a7e0ce9a13cdc68fcacf6c6cf509dfc8			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive			g	Cbar	-0.610822	8b7e3d0d31a321b1d2a95a90gkfcg16301378adcd01114bf002cdf9014af3e5c1			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive			p	F	0.099207	10d6906cd7m38fcd61461f69g2ebh0n7d4953728fa7d8c2309470aaef4eed2f7a			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive			p	Fbar	-0.455878	cacale14dbbf00990a3d0114gltcc5030da7e3b1ef054fce6c129e60ad10cd5ce3			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive			p	C	0.157399	9a811fbcb87m50ani088c207h189449a18929e5b2603ceb65f2ff57ea3824850			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive			p	Cbar	-0.559627	309e2d79b78d1a1ab5a690gkfcg16301378adcd01114bf002cdf9014af3e5c1			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive			s	F	0.071014	39839bb66fmd09dab85e47eg17734543252ab445b18a1303edfb75285ea1550b4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive			s	Fbar	-0.342415	7d4b88b02806fb56216285hg744gndb03232d115412d337809b3c0cfce5f25df			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive			s	C	0.110559	0597e52db7mdf0240b006f5gkfc1c50355295e172468625684417b85369ab1d9c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive			s	Cbar	-0.420477	5a59f1542235129md8cd74c6525cd3a28682c2222b5a652f6f05e2028ba9efa			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive			a	F	0.119743	18440113e5fmd96655784f6316cga7a7f0fed851702d4f5991329e37c59af1ea6			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive			a	Fbar	-0.418584	0479bd94d55b6775742342b8cfcgh785243b2954e7ab81c7bfc656373cc838cb4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive			a	C	0.172331	e005ed9391fe7590f05cd63g16dh0n86847dc1f0e2805f0632b86b8e7822357			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	naive			a	Cbar	-0.486724	e2b95c2158f0b47b0462ddhg7d47d090f1307cd4453969a71056318550d631			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive			g	F	0.11754	32aadaa12fmd11d8ticf85252f028940b4901b2618eaa18b804a4a42458ef43b6c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive			g	Fbar	-0.46609	71870e37c82e522657a45a60gkfcg16301378adcd01114bf002cdf9014af3e5c1			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive			g	C	0.175507	ca0f8e136cd65f154a08162e1c261425ba431a7e0ce9a13cdc68fcacf6c6cf509dfc8			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive			g	Cbar	-0.572401	8b7e3d0d31a321b1d2a95a90gkfcg16301378adcd01114bf002cdf9014af3e5c1			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive			p	F	0.104312	10d6906cd7m38fcd61461f69g2ebh0n7d4953728fa7d8c2309470aaef4eed2f7a			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive			p	Fbar	-0.41459	cacale14dbbf00990a3d0114gltcc5030da7e3b1ef054fce6c129e60ad10cd5ce3			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive			p	C	0.161513	9a811fbcb87m50ani088c207h189449a18929e5b2603ceb65f2ff57ea3824850			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive			p	Cbar	-0.518933	309e2d79b78d1a1ab5a690gkfcg16301378adcd01114bf002cdf9014af3e5c1			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive			s	F	0.075467	39839bb66fmd09dab85e47eg17734543252ab445b18a1303edfb75285ea1550b4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	naive			s	Fbar	-0.295772	7d4b88b02806fb56216285hg744gndb03232d115412d337809b3c0cfce5f25df			

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	naive			s	C	0.114164	0597e52db6d1f0240b606f5a9d1c56B55295e172468625684417b85369ab1d9c	5a59f1542285429ad98d174c65254c4B298682c2222b5a652f6f05e2028ba9efa	5a59f1542285429ad98d174c65254c4B298682c2222b5a652f6f05e2028ba9efa	5a59f1542285429ad98d174c65254c4B298682c2222b5a652f6f05e2028ba9efa
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	naive			s	Cbar	-0.374072	5a59f1542285429ad98d174c65254c4B298682c2222b5a652f6f05e2028ba9efa	5a59f1542285429ad98d174c65254c4B298682c2222b5a652f6f05e2028ba9efa	5a59f1542285429ad98d174c65254c4B298682c2222b5a652f6f05e2028ba9efa	5a59f1542285429ad98d174c65254c4B298682c2222b5a652f6f05e2028ba9efa
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	naive			a	F	0.125384	18440113e8f096655f784f9938c97f10fed851702d4f5991329e37c59af1ea6	18440113e8f096655f784f9938c97f10fed851702d4f5991329e37c59af1ea6	18440113e8f096655f784f9938c97f10fed851702d4f5991329e37c59af1ea6	18440113e8f096655f784f9938c97f10fed851702d4f5991329e37c59af1ea6
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	naive			a	Fbar	-0.379363	0479bd94d55b6775712342b89cfcghaB5243b2954e7ab81c7bfc656373cc838cb4	0479bd94d55b6775712342b89cfcghaB5243b2954e7ab81c7bfc656373cc838cb4	0479bd94d55b6775712342b89cfcghaB5243b2954e7ab81c7bfc656373cc838cb4	0479bd94d55b6775712342b89cfcghaB5243b2954e7ab81c7bfc656373cc838cb4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	naive			a	C	0.177418	e005ed9391fe7599ff56c463b6d1b9aB847dc1f0e2805ff0632b86b8e7822357	e005ed9391fe7599ff56c463b6d1b9aB847dc1f0e2805ff0632b86b8e7822357	e005ed9391fe7599ff56c463b6d1b9aB847dc1f0e2805ff0632b86b8e7822357	e005ed9391fe7599ff56c463b6d1b9aB847dc1f0e2805ff0632b86b8e7822357
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	naive			a	Cbar	-0.446822	e2b95c2158f9b47b0462ddbf77547209ef1307cd4453969a71056318550d631	e2b95c2158f9b47b0462ddbf77547209ef1307cd4453969a71056318550d631	e2b95c2158f9b47b0462ddbf77547209ef1307cd4453969a71056318550d631	e2b95c2158f9b47b0462ddbf77547209ef1307cd4453969a71056318550d631
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	naive			g	F	0.110188	32aadaa12f41bd81ef8525f428947b4901b2618eaa18b804a4a42458ef43b6c	32aadaa12f41bd81ef8525f428947b4901b2618eaa18b804a4a42458ef43b6c	32aadaa12f41bd81ef8525f428947b4901b2618eaa18b804a4a42458ef43b6c	32aadaa12f41bd81ef8525f428947b4901b2618eaa18b804a4a42458ef43b6c
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	naive			g	Fbar	-0.478651	71870e37c89e52267a45a608fc916301d478adcd01114bf002cdf9014af3e5c1	71870e37c89e52267a45a608fc916301d478adcd01114bf002cdf9014af3e5c1	71870e37c89e52267a45a608fc916301d478adcd01114bf002cdf9014af3e5c1	71870e37c89e52267a45a608fc916301d478adcd01114bf002cdf9014af3e5c1
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	naive			g	C	0.170143	ca0f8e136c45f154e8162ea26425baB3197e0ce9a13cdc68fc6c6cf509dfc8	ca0f8e136c45f154e8162ea26425baB3197e0ce9a13cdc68fc6c6cf509dfc8	ca0f8e136c45f154e8162ea26425baB3197e0ce9a13cdc68fc6c6cf509dfc8	ca0f8e136c45f154e8162ea26425baB3197e0ce9a13cdc68fc6c6cf509dfc8
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	naive			g	Cbar	-0.584814	8b7e3d0d31a321bd2a59a0c06f95aB399e3aa6ff7757676995c85104a31aa1a3cf	8b7e3d0d31a321bd2a59a0c06f95aB399e3aa6ff7757676995c85104a31aa1a3cf	8b7e3d0d31a321bd2a59a0c06f95aB399e3aa6ff7757676995c85104a31aa1a3cf	8b7e3d0d31a321bd2a59a0c06f95aB399e3aa6ff7757676995c85104a31aa1a3cf
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	naive			p	F	0.097594	10d6906cd7a38fd61d41f6992eb1b0B49453728fa7d8c2309470aaef4eed2f7a	10d6906cd7a38fd61d41f6992eb1b0B49453728fa7d8c2309470aaef4eed2f7a	10d6906cd7a38fd61d41f6992eb1b0B49453728fa7d8c2309470aaef4eed2f7a	10d6906cd7a38fd61d41f6992eb1b0B49453728fa7d8c2309470aaef4eed2f7a
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	naive			p	Fbar	-0.427815	caca1e14dbf00990a3d0144d1cc50B0da7e3b1ef054fce6c129e60ad10cd5ce3	caca1e14dbf00990a3d0144d1cc50B0da7e3b1ef054fce6c129e60ad10cd5ce3	caca1e14dbf00990a3d0144d1cc50B0da7e3b1ef054fce6c129e60ad10cd5ce3	caca1e14dbf00990a3d0144d1cc50B0da7e3b1ef054fce6c129e60ad10cd5ce3
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	naive			p	C	0.156484	9a811f1bc87a60a1a088c207d1894B518929e5b2603ceb65f2ff57ea3824850	9a811f1bc87a60a1a088c207d1894B518929e5b2603ceb65f2ff57ea3824850	9a811f1bc87a60a1a088c207d1894B518929e5b2603ceb65f2ff57ea3824850	9a811f1bc87a60a1a088c207d1894B518929e5b2603ceb65f2ff57ea3824850
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	naive			p	Cbar	-0.53208	309e2d79b5d1ca1ab5a6909d79b29B12ef71ad4e6ca1506ef04eb6c989dcb7e	309e2d79b5d1ca1ab5a6909d79b29B12ef71ad4e6ca1506ef04eb6c989dcb7e	309e2d79b5d1ca1ab5a6909d79b29B12ef71ad4e6ca1506ef04eb6c989dcb7e	309e2d79b5d1ca1ab5a6909d79b29B12ef71ad4e6ca1506ef04eb6c989dcb7e
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	naive			s	F	0.069607	39839bb66f1d09dab85e47e9d77345B3272ab445b18a1303edfb75285ea1550b4	39839bb66f1d09dab85e47e9d77345B3272ab445b18a1303edfb75285ea1550b4	39839bb66f1d09dab85e47e9d77345B3272ab445b18a1303edfb75285ea1550b4	39839bb66f1d09dab85e47e9d77345B3272ab445b18a1303edfb75285ea1550b4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	naive			s	Fbar	-0.310712	7d4b88b02806f156216285b2144qinB093232d115412d337809b3c0cfce5f25df	7d4b88b02806f156216285b2144qinB093232d115412d337809b3c0cfce5f25df	7d4b88b02806f156216285b2144qinB093232d115412d337809b3c0cfce5f25df	7d4b88b02806f156216285b2144qinB093232d115412d337809b3c0cfce5f25df
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	naive			s	C	0.109758	0597e52db6d1f0240b606f5a9d1c56B55295e172468625684417b85369ab1d9c	0597e52db6d1f0240b606f5a9d1c56B55295e172468625684417b85369ab1d9c	0597e52db6d1f0240b606f5a9d1c56B55295e172468625684417b85369ab1d9c	0597e52db6d1f0240b606f5a9d1c56B55295e172468625684417b85369ab1d9c
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	naive			s	Cbar	-0.389065	5a59f1542285429ad98d174c65254c4B298682c2222b5a652f6f05e2028ba9efa	5a59f1542285429ad98d174c65254c4B298682c2222b5a652f6f05e2028ba9efa	5a59f1542285429ad98d174c65254c4B298682c2222b5a652f6f05e2028ba9efa	5a59f1542285429ad98d174c65254c4B298682c2222b5a652f6f05e2028ba9efa
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	naive			a	F	0.117961	18440113e8f096655f784f9938c97f10fed851702d4f5991329e37c59af1ea6	18440113e8f096655f784f9938c97f10fed851702d4f5991329e37c59af1ea6	18440113e8f096655f784f9938c97f10fed851702d4f5991329e37c59af1ea6	18440113e8f096655f784f9938c97f10fed851702d4f5991329e37c59af1ea6
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	naive			a	Fbar	-0.391926	0479bd94d55b6775712342b89cfcghaB5243b2954e7ab81c7bfc656373cc838cb4	0479bd94d55b6775712342b89cfcghaB5243b2954e7ab81c7bfc656373cc838cb4	0479bd94d55b6775712342b89cfcghaB5243b2954e7ab81c7bfc656373cc838cb4	0479bd94d55b6775712342b89cfcghaB5243b2954e7ab81c7bfc656373cc838cb4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	naive			a	C	0.171201	e005ed9391fe7599ff56c463b6d1b9aB847dc1f0e2805ff0632b86b8e7822357	e005ed9391fe7599ff56c463b6d1b9aB847dc1f0e2805ff0632b86b8e7822357	e005ed9391fe7599ff56c463b6d1b9aB847dc1f0e2805ff0632b86b8e7822357	e005ed9391fe7599ff56c463b6d1b9aB847dc1f0e2805ff0632b86b8e7822357
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	naive			a	Cbar	-0.459714	e2b95c2158f9b47b0462ddbf77547209ef1307cd4453969a71056318550d631	e2b95c2158f9b47b0462ddbf77547209ef1307cd4453969a71056318550d631	e2b95c2158f9b47b0462ddbf77547209ef1307cd4453969a71056318550d631	e2b95c2158f9b47b0462ddbf77547209ef1307cd4453969a71056318550d631

Table 146: ImageNet–ViT-B/16 results.

cell	dataset	model	split	method	setting	distance model	q	candidate id	sample count	geometry	geometry label	source id	methods	selected individual	ER F g	ER Fbar g	ER C g	ER Cbar g	ER F p	ER Fbar p
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	best_indiv	naive			e247146c47e600614bb	ee900a94d952b114e556d37d70ed8a85b7cd84693c64						-0.01035	0.075877	-0.025429	0.072966	-0.011403	0.074592
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	simpleavg	naive			c0db6195a529339e5b7347eb7a92678e87d61145c76ab601a1b3a023e32c7134							0.00877	0.023451	0.021023	0.029525	0.013114	0.03591
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	borda	naive			808f40d5edc50075cb9807d0e79132808a2050223fc33e4615d428f4879de842							0.017682	0.063723	0.028266	0.068226	0.020749	0.072963
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	kemeny	naive			ac097f5436d4000ef21edd2761f8642d87d58fe927b24f542a88a55f52f8806c							0.022647	0.075905	0.031882	0.079822	0.027193	0.077878
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	rrf	naive			aeb5f3e1df350040b787ecd646a26ebf2d768c93bdbc24e0dc0a1da070006d7							0.01966	0.05769	0.031893	0.062201	0.023888	0.06539
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	schulze	naive			c4c26b616445000019e900985ad1d32480fefea6431244007d8e08883638302a							0.024812	0.073251	0.033257	0.077014	0.026806	0.072015

Table 147: ImageNet–ViT-B/16 results.

cell	dataset	model	split	method	setting	distance model	q	ER C p	ER Cbar p	ER F s	ER Fbar s	ER C s	ER Cbar s	ER F a	ER Fbar a	ER C a	ER Cbar a
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	best_indiv	naive			-0.022521	0.070092	-0.001143	0.058842	-0.011803	0.048976	-0.012677	-0.063689	-0.024544	-0.065314
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	simpleavg	naive			0.021686	0.040648	0.000546	0.021454	0.007217	0.024414	-0.013422	-0.084088	-0.015202	-0.093254
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	borda	naive			0.030373	0.076054	0.005965	0.037824	0.011849	0.039141	0.004923	-0.083602	0.0105	-0.09016
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	kemeny	naive			0.031801	0.081427	0.011386	0.036215	0.015041	0.040677	0.001657	-0.060416	0.005869	-0.061676
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	rrf	naive			0.031287	0.067133	0.009133	0.026972	0.015036	0.028272	-0.001984	-0.075837	0.000382	-0.076378
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	schulze	naive			0.030116	0.07688	0.013393	0.030512	0.016042	0.036465	0.002839	-0.077474	0.003999	-0.078686

Table 148: ImageNet-ViT-B/16 results.

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	dual_geometry_noise		2	g	F	a1e1c32d1e3508016290aafd637541d2444869d0cc69ae1ae66630527e4002701	350801	6290aafd637541d2444869d0cc69ae1ae66630527e4002701				0.0852	0.1524	0.0852	0.1524	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	dual_geometry_noise		2	g	Fbar	a1e1c32d1e3508016290aafd637541d2444869d0cc69ae1ae66630527e4002701	350801	6290aafd637541d2444869d0cc69ae1ae66630527e4002701				0.0966	0.317	-0.0966	-0.317	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	dual_geometry_noise		2	g	C	a1e1c32d1e3508016290aafd637541d2444869d0cc69ae1ae66630527e4002701	350801	6290aafd637541d2444869d0cc69ae1ae66630527e4002701				0.132	0.2146	0.132	0.2146	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	dual_geometry_noise		2	g	Cbar	a1e1c32d1e3508016290aafd637541d2444869d0cc69ae1ae66630527e4002701	350801	6290aafd637541d2444869d0cc69ae1ae66630527e4002701				0.1484	0.4202	-0.1484	-0.4202	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	dual_geometry_noise		2	p	F	a1e1c32d1e3508016290aafd637541d2444869d0cc69ae1ae66630527e4002701	350801	6290aafd637541d2444869d0cc69ae1ae66630527e4002701				0.0852	0.14	0.0852	0.14	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	dual_geometry_noise		2	p	Fbar	a1e1c32d1e3508016290aafd637541d2444869d0cc69ae1ae66630527e4002701	350801	6290aafd637541d2444869d0cc69ae1ae66630527e4002701				0.0966	0.2672	-0.0966	-0.2672	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	dual_geometry_noise		2	p	C	a1e1c32d1e3508016290aafd637541d2444869d0cc69ae1ae66630527e4002701	350801	6290aafd637541d2444869d0cc69ae1ae66630527e4002701				0.132	0.2034	0.132	0.2034	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	dual_geometry_noise		2	p	Cbar	a1e1c32d1e3508016290aafd637541d2444869d0cc69ae1ae66630527e4002701	350801	6290aafd637541d2444869d0cc69ae1ae66630527e4002701				0.1484	0.3676	-0.1484	-0.3676	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	dual_geometry_noise		2	s	F	a1e1c32d1e3508016290aafd637541d2444869d0cc69ae1ae66630527e4002701	350801	6290aafd637541d2444869d0cc69ae1ae66630527e4002701				0.0852	0.1086	0.0852	0.1086	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	dual_geometry_noise		2	s	Fbar	a1e1c32d1e3508016290aafd637541d2444869d0cc69ae1ae66630527e4002701	350801	6290aafd637541d2444869d0cc69ae1ae66630527e4002701				0.0966	0.1602	-0.0966	-0.1602	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	dual_geometry_noise		2	s	C	a1e1c32d1e3508016290aafd637541d2444869d0cc69ae1ae66630527e4002701	350801	6290aafd637541d2444869d0cc69ae1ae66630527e4002701				0.132	0.1534	0.132	0.1534	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	dual_geometry_noise		2	s	Cbar	a1e1c32d1e3508016290aafd637541d2444869d0cc69ae1ae66630527e4002701	350801	6290aafd637541d2444869d0cc69ae1ae66630527e4002701				0.1484	0.2302	-0.1484	-0.2302	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	dual_geometry_noise		2	a	F	a1e1c32d1e3508016290aafd637541d2444869d0cc69ae1ae66630527e4002701	350801	6290aafd637541d2444869d0cc69ae1ae66630527e4002701				0.0852	0.1624	0.0852	0.1624	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	dual_geometry_noise		2	a	Fbar	a1e1c32d1e3508016290aafd637541d2444869d0cc69ae1ae66630527e4002701	350801	6290aafd637541d2444869d0cc69ae1ae66630527e4002701				0.0966	0.2946	-0.0966	-0.2946	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	dual_geometry_noise		2	a	C	a1e1c32d1e3508016290aafd637541d2444869d0cc69ae1ae66630527e4002701	350801	6290aafd637541d2444869d0cc69ae1ae66630527e4002701				0.132	0.2254	0.132	0.2254	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	dual_geometry_noise		2	a	Cbar	a1e1c32d1e3508016290aafd637541d2444869d0cc69ae1ae66630527e4002701	350801	6290aafd637541d2444869d0cc69ae1ae66630527e4002701				0.1484	0.3536	-0.1484	-0.3536	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	dual_geometry_noise		2	g	F	3ab12bec1eb501028a74bd6e2d892110ec4987706722f50f8a67c2550985304860	301028	a74bd6e2d892110ec4987706722f50f8a67c2550985304860				0.0864	0.1594	0.0864	0.1594	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	dual_geometry_noise		2	g	Fbar	3ab12bec1eb501028a74bd6e2d892110ec4987706722f50f8a67c2550985304860	301028	a74bd6e2d892110ec4987706722f50f8a67c2550985304860				0.0928	0.3158	-0.0928	-0.3158	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	dual_geometry_noise		2	g	C	3ab12bec1eb501028a74bd6e2d892110ec4987706722f50f8a67c2550985304860	301028	a74bd6e2d892110ec4987706722f50f8a67c2550985304860				0.1352	0.2198	0.1352	0.2198	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	dual_geometry_noise		2	g	Cbar	3ab12bec1eb501028a74bd6e2d892110ec4987706722f50f8a67c2550985304860	301028	a74bd6e2d892110ec4987706722f50f8a67c2550985304860				0.146	0.418	-0.146	-0.418	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	dual_geometry_noise		2	p	F	3ab12bec1eb501028a74bd6e2d892110ec4987706722f50f8a67c2550985304860	301028	a74bd6e2d892110ec4987706722f50f8a67c2550985304860				0.0864	0.1408	0.0864	0.1408	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	dual_geometry_noise		2	p	Fbar	3ab12bec1eb501028a74bd6e2d892110ec4987706722f50f8a67c2550985304860	301028	a74bd6e2d892110ec4987706722f50f8a67c2550985304860				0.0928	0.2612	-0.0928	-0.2612	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	dual_geometry_noise		2	p	C	3ab12bec1eb501028a74bd6e2d892110ec4987706722f50f8a67c2550985304860	301028	a74bd6e2d892110ec4987706722f50f8a67c2550985304860				0.1352	0.2036	0.1352	0.2036	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	dual_geometry_noise		2	p	Cbar	3ab12bec1eb501028a74bd6e2d892110ec4987706722f50f8a67c2550985304860	301028	a74bd6e2d892110ec4987706722f50f8a67c2550985304860				0.146	0.3596	-0.146	-0.3596	

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	dual_geometry_noise		2	g	Fbar	f269f68578e4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b07056397	5000	ec4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b07056397				0.092	0.3166	-0.092	-0.3166	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	dual_geometry_noise		2	g	C	f269f68578e4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b0706008	5000	ec4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b0706008				0.1356	0.2218	0.1356	0.2218	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	dual_geometry_noise		2	g	Cbar	f269f68578e4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b07056402	5000	ec4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b07056402				0.1442	0.4178	-0.1442	-0.4178	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	dual_geometry_noise		2	p	F	f269f68578e4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b0706389	5000	ec4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b0706389				0.0872	0.1398	0.0872	0.1398	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	dual_geometry_noise		2	p	Fbar	f269f68578e4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b07056407	5000	ec4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b07056407				0.092	0.2612	-0.092	-0.2612	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	dual_geometry_noise		2	p	C	f269f68578e4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b0706364	5000	ec4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b0706364				0.1356	0.2032	0.1356	0.2032	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	dual_geometry_noise		2	p	Cbar	f269f68578e4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b07056404	5000	ec4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b07056404				0.1442	0.3604	-0.1442	-0.3604	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	dual_geometry_noise		2	s	F	f269f68578e4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b0706308	5000	ec4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b0706308				0.0872	0.1132	0.0872	0.1132	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	dual_geometry_noise		2	s	Fbar	f269f68578e4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b07056365	5000	ec4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b07056365				0.092	0.1562	-0.092	-0.1562	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	dual_geometry_noise		2	s	C	f269f68578e4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b0706307	5000	ec4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b0706307				0.1356	0.158	0.1356	0.158	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	dual_geometry_noise		2	s	Cbar	f269f68578e4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b0706363	5000	ec4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b0706363				0.1442	0.227	-0.1442	-0.227	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	dual_geometry_noise		2	a	F	f269f68578e4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b07063364	5000	ec4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b07063364				0.0872	0.1636	0.0872	0.1636	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	dual_geometry_noise		2	a	Fbar	f269f68578e4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b0706336	5000	ec4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b0706336				0.092	0.296	-0.092	-0.296	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	dual_geometry_noise		2	a	C	f269f68578e4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b0706336	5000	ec4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b0706336				0.1356	0.2258	0.1356	0.2258	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	dual_geometry_noise		2	a	Cbar	f269f68578e4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b0706308	5000	ec4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b0706308				0.1442	0.3544	-0.1442	-0.3544	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	dual_geometry_noise		2	g	F	6fa4f7668fba50706507a18c53da7e8122eb2a51102fc4b9a223e232a204906869	5000	ba50706507a18c53da7e8122eb2a51102fc4b9a223e232a204906869				0.0864	0.1594	0.0864	0.1594	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	dual_geometry_noise		2	g	Fbar	6fa4f7668fba50706507a18c53da7e8122eb2a51102fc4b9a223e232a204905581	5000	ba50706507a18c53da7e8122eb2a51102fc4b9a223e232a204905581				0.0928	0.3158	-0.0928	-0.3158	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	dual_geometry_noise		2	g	C	6fa4f7668fba50706507a18c53da7e8122eb2a51102fc4b9a223e232a204916592	5000	ba50706507a18c53da7e8122eb2a51102fc4b9a223e232a204916592				0.1352	0.2198	0.1352	0.2198	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	dual_geometry_noise		2	g	Cbar	6fa4f7668fba50706507a18c53da7e8122eb2a51102fc4b9a223e232a204905582	5000	ba50706507a18c53da7e8122eb2a51102fc4b9a223e232a204905582				0.146	0.418	-0.146	-0.418	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	dual_geometry_noise		2	p	F	6fa4f7668fba50706507a18c53da7e8122eb2a51102fc4b9a223e232a204906584	5000	ba50706507a18c53da7e8122eb2a51102fc4b9a223e232a204906584				0.0864	0.1408	0.0864	0.1408	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	dual_geometry_noise		2	p	Fbar	6fa4f7668fba50706507a18c53da7e8122eb2a51102fc4b9a223e232a204903872	5000	ba50706507a18c53da7e8122eb2a51102fc4b9a223e232a204903872				0.0928	0.2612	-0.0928	-0.2612	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	dual_geometry_noise		2	p	C	6fa4f7668fba50706507a18c53da7e8122eb2a51102fc4b9a223e232a204916887	5000	ba50706507a18c53da7e8122eb2a51102fc4b9a223e232a204916887				0.1352	0.2036	0.1352	0.2036	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	dual_geometry_noise		2	p	Cbar	6fa4f7668fba50706507a18c53da7e8122eb2a51102fc4b9a223e232a204904892	5000	ba50706507a18c53da7e8122eb2a51102fc4b9a223e232a204904892				0.146	0.3596	-0.146	-0.3596	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	dual_geometry_noise		2	s	F	6fa4f7668fba50706507a18c53da7e8122eb2a51102fc4b9a223e232a204906583	5000	ba50706507a18c53da7e8122eb2a51102fc4b9a223e232a204906583				0.0864	0.1152	0.0864	0.1152	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	dual_geometry_noise		2	s	Fbar	6fa4f7668fba50706507a18c53da7e8122eb2a51102fc4b9a223e232a204905884	5000	ba50706507a18c53da7e8122eb2a51102fc4b9a223e232a204905884				0.0928	0.1544	-0.0928	-0.1544	

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	dual_geometry_noise		2	s	C	6fa4f7668fba5170c507a18c53da7e8122eb2a51102fc4b9aa233e232a2f491b837	5170c507a18c53da7e8122eb2a51102fc4b9aa233e232a2f491b837	7a18c53da7e8122eb2a51102fc4b9aa233e232a2f491b837	7e8122eb2a51102fc4b9aa233e232a2f491b837	51102fc4b9aa233e232a2f491b837	aa233e232a2f491b837	0.1352	0.1604	0.1352	0.1604	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	dual_geometry_noise		2	s	Cbar	6fa4f7668fba5170c507a18c53da7e8122eb2a51102fc4b9aa233e232a2f491b837	5170c507a18c53da7e8122eb2a51102fc4b9aa233e232a2f491b837	7a18c53da7e8122eb2a51102fc4b9aa233e232a2f491b837	7e8122eb2a51102fc4b9aa233e232a2f491b837	51102fc4b9aa233e232a2f491b837	aa233e232a2f491b837	0.146	0.227	-0.146	-0.227	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	dual_geometry_noise		2	a	F	6fa4f7668fba5170c507a18c53da7e8122eb2a51102fc4b9aa233e232a2f491b837	5170c507a18c53da7e8122eb2a51102fc4b9aa233e232a2f491b837	7a18c53da7e8122eb2a51102fc4b9aa233e232a2f491b837	7e8122eb2a51102fc4b9aa233e232a2f491b837	51102fc4b9aa233e232a2f491b837	aa233e232a2f491b837	0.0864	0.1624	0.0864	0.1624	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	dual_geometry_noise		2	a	Fbar	6fa4f7668fba5170c507a18c53da7e8122eb2a51102fc4b9aa233e232a2f491b837	5170c507a18c53da7e8122eb2a51102fc4b9aa233e232a2f491b837	7a18c53da7e8122eb2a51102fc4b9aa233e232a2f491b837	7e8122eb2a51102fc4b9aa233e232a2f491b837	51102fc4b9aa233e232a2f491b837	aa233e232a2f491b837	0.0928	0.2962	-0.0928	-0.2962	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	dual_geometry_noise		2	a	C	6fa4f7668fba5170c507a18c53da7e8122eb2a51102fc4b9aa233e232a2f491b837	5170c507a18c53da7e8122eb2a51102fc4b9aa233e232a2f491b837	7a18c53da7e8122eb2a51102fc4b9aa233e232a2f491b837	7e8122eb2a51102fc4b9aa233e232a2f491b837	51102fc4b9aa233e232a2f491b837	aa233e232a2f491b837	0.1352	0.2262	0.1352	0.2262	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	dual_geometry_noise		2	a	Cbar	6fa4f7668fba5170c507a18c53da7e8122eb2a51102fc4b9aa233e232a2f491b837	5170c507a18c53da7e8122eb2a51102fc4b9aa233e232a2f491b837	7a18c53da7e8122eb2a51102fc4b9aa233e232a2f491b837	7e8122eb2a51102fc4b9aa233e232a2f491b837	51102fc4b9aa233e232a2f491b837	aa233e232a2f491b837	0.146	0.3556	-0.146	-0.3556	

Table 149: ImageNet-ViT-B/16 results.

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	dual_geometry_noise		2	g	F	0.163705	32aadaa12f1a1b181e1f556f289471a991b2618eaa18b804a4a42458ef43b6c	Full	Full	Full
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	dual_geometry_noise		2	g	Fbar	-0.37372	71870e37c8De122657a45a60g1fec16371e78adcd01114bf002cdf9014af3e5c1	Full	Full	Full
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	dual_geometry_noise		2	g	C	0.227691	ca0f8e136cd5f1154e81e2ea261425ba431e7e0ce9a13cdc68fcaf6c6cf509dfc8	Full	Full	Full
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	dual_geometry_noise		2	g	Cbar	-0.475315	8b7e3d0d3f8321b2a95a9cd6ff53289e3aa6f7757676995c85104a31aa1a3cf	Full	Full	Full
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	dual_geometry_noise		2	p	F	0.146502	10d6906cd7a38fda1461f69g2ebhp044453728fa7d8c2309470aaef4eed2f7a	Full	Full	Full
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	dual_geometry_noise		2	p	Fbar	-0.317336	caca1e14db07099a1d4014dgl1cc543Dnd7e3b1ef054fce6c129e60ad10cd5ce3	Full	Full	Full
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	dual_geometry_noise		2	p	C	0.21043	9a811f1bc87a60a1a088e20771d18945f13929e5b2603ceb65f2ff5f7ea3824850	Full	Full	Full
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	dual_geometry_noise		2	p	Cbar	-0.416101	309e2d79b5d1ca1ab5e6901g1e79b2951f2ef71ad4e6ca1506ef04eb6c989dcb7e	Full	Full	Full
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	dual_geometry_noise		2	s	F	0.112264	39839bb66fdd09dab65e47neg173p5d57272ab445b18a1303edfb75285ea1550b4	Full	Full	Full
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	dual_geometry_noise		2	s	Fbar	-0.185906	7d4b88b028f0f17621e2851744qnd1b03232d115412d337809b3c0cfce5f25df	Full	Full	Full
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	dual_geometry_noise		2	s	C	0.157023	0597e52db3ad0240b006f5g341c56B55395e172468625684417b85369ab1d9c	Full	Full	Full
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	dual_geometry_noise		2	s	Cbar	-0.256811	5a59f1542285429cd8ed17dng1725d435298682c2222b5a652f6f05e2028ba9efa	Full	Full	Full
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	dual_geometry_noise		2	a	F	0.171995	18440113e8f0966a5f78449318c95a270fcd851702d4f5991329e37c59af1ea6	Full	Full	Full
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	dual_geometry_noise		2	a	Fbar	-0.286978	0479bd94cd511677712344b80c1qnd485248b2954e7ab81c7bfc656373cc838cb4	Full	Full	Full
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	dual_geometry_noise		2	a	C	0.237899	e005ed9391fec7590f5fcd62116dhp0486847dc1f0e2805ff0632b86b8e7822357	Full	Full	Full
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	dual_geometry_noise		2	a	Cbar	-0.345995	e2b95c2158f0b147ab442ddh57447500ef1307cd4453969a71056318550d631	Full	Full	Full
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	dual_geometry_noise		2	g	F	0.165469	32aadaa12f1a1b181e1f556f289471a991b2618eaa18b804a4a42458ef43b6c	Full	Full	Full
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	dual_geometry_noise		2	g	Fbar	-0.37081	71870e37c8De122657a45a60g1fec16371e78adcd01114bf002cdf9014af3e5c1	Full	Full	Full
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	dual_geometry_noise		2	g	C	0.231592	ca0f8e136cd5f1154e81e2ea261425ba431e7e0ce9a13cdc68fcaf6c6cf509dfc8	Full	Full	Full
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	dual_geometry_noise		2	g	Cbar	-0.473542	8b7e3d0d3f8321b2a95a9cd6ff53289e3aa6f7757676995c85104a31aa1a3cf	Full	Full	Full
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	dual_geometry_noise		2	p	F	0.148114	10d6906cd7a38fda1461f69g2ebhp044453728fa7d8c2309470aaef4eed2f7a	Full	Full	Full
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	dual_geometry_noise		2	p	Fbar	-0.314272	caca1e14db07099a1d4014dgl1cc543Dnd7e3b1ef054fce6c129e60ad10cd5ce3	Full	Full	Full
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	dual_geometry_noise		2	p	C	0.214087	9a811f1bc87a60a1a088e20771d18945f13929e5b2603ceb65f2ff5f7ea3824850	Full	Full	Full
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	dual_geometry_noise		2	p	Cbar	-0.414222	309e2d79b5d1ca1ab5e6901g1e79b2951f2ef71ad4e6ca1506ef04eb6c989dcb7e	Full	Full	Full

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	dual_geometry_noise		2	s	F	0.11367	39839bb66ff4d09daab85e47e9d773p54f272ab445b18a1303edfb75285ea1550b4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	dual_geometry_noise		2	s	Fbar	-0.182444	7d4b88b028f0cfb7621e2851e744qndb702232d115412d337809b3c0cfce5f25df			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	dual_geometry_noise		2	s	C	0.160227	0597e52db36af02dd0b606ff5a41c567556895e172468625684417b85369ab1d9c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	dual_geometry_noise		2	s	Cbar	-0.25467	5a59f1542285429a98e17dc6525pdc3298682c2222b5a652f6f05e2028ba9efa			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	dual_geometry_noise		2	a	F	0.173776	18440113e8f0966557848938c954210fcd851702d4f5991329e37c59af1ea6			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	dual_geometry_noise		2	a	Fbar	-0.284067	0479bd94d351b677712342b89cfgh40543b2954e7ab81c7bfc656373cc838cb4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	dual_geometry_noise		2	a	C	0.242421	e005ed9391fec7599f05fcd62b16dhp9847dc1f0e2805ff0632b86b8e7822357			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	dual_geometry_noise		2	a	Cbar	-0.344153	e2b95c2158f0b47ab042dd37d7544529ef1307cd4453969a71056318550d631			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	dual_geometry_noise		2	g	F	0.165469	32aadaa12fda1d81e78525f028947e1991b2618eaa18b804a4a42458ef43b6c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	dual_geometry_noise		2	g	Fbar	-0.37081	71870e37c82e32267e45a60gufeq1450ul78adcd01114bf002cdf9014af3e5c1			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	dual_geometry_noise		2	g	C	0.231592	ca0f8e136cf51f154e8162e1261425p4431e7e0ce9a13cdc68caf6c6cf509dfc8			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	dual_geometry_noise		2	g	Cbar	-0.473542	8b7e3d0d3f832bb2a05a90c6ef154889e3aa6f7757676995c85104a31aa1a3cf			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	dual_geometry_noise		2	p	F	0.148114	10d6906cd7a38fda1461f692cbbhp719453728fa7d8c2309470aaef4eed2f7a			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	dual_geometry_noise		2	p	Fbar	-0.314272	caca1e14db07099a184011ad1cc50420dne7e3b1ef054fce6c129e60ad10cd5ce3			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	dual_geometry_noise		2	p	C	0.214087	9a811f1bc8fbb0a1088e2071d8945f13929e5b2603ceb65f2ff5f7ea3824850			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	dual_geometry_noise		2	p	Cbar	-0.414222	309e2d79b75d1c1ab5e69617979b4943ef71ad4e6ca1506ef04eb6c989dcb7e			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	dual_geometry_noise		2	s	F	0.11367	39839bb66ff4d09daab85e47e9d773p54f272ab445b18a1303edfb75285ea1550b4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	dual_geometry_noise		2	s	Fbar	-0.182444	7d4b88b028f0cfb7621e2851e744qndb702232d115412d337809b3c0cfce5f25df			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	dual_geometry_noise		2	s	C	0.160227	0597e52db36af02dd0b606ff5a41c567556895e172468625684417b85369ab1d9c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	dual_geometry_noise		2	s	Cbar	-0.25467	5a59f1542285429a98e17dc6525pdc3298682c2222b5a652f6f05e2028ba9efa			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	dual_geometry_noise		2	a	F	0.173776	18440113e8f0966557848938c954210fcd851702d4f5991329e37c59af1ea6			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	dual_geometry_noise		2	a	Fbar	-0.284067	0479bd94d351b677712342b89cfgh40543b2954e7ab81c7bfc656373cc838cb4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	dual_geometry_noise		2	a	C	0.242421	e005ed9391fec7599f05fcd62b16dhp9847dc1f0e2805ff0632b86b8e7822357			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	dual_geometry_noise		2	a	Cbar	-0.344153	e2b95c2158f0b47ab042dd37d7544529ef1307cd4453969a71056318550d631			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	dual_geometry_noise		2	g	F	0.166646	32aadaa12fda1d81e78525f028947e1991b2618eaa18b804a4a42458ef43b6c			

|--|

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	dual_geometry_noise		2	s	C	0.160227	0597e52dbb36af0240b906f5a4156b155895e172468625684417b85369ab1d9c	36af0240b906f5a4156b155895e172468625684417b85369ab1d9c		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	dual_geometry_noise		2	s	Cbar	-0.25467	5a59f1542255429a08e174c6525dc85298682c2222b5a652f6f05e2028ba9efa	5a59f1542255429a08e174c6525dc85298682c2222b5a652f6f05e2028ba9efa		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	dual_geometry_noise		2	a	F	0.173776	18440113e8f09665578469938c5210fcd851702d4f5991329e37c59af1ea6	18440113e8f09665578469938c5210fcd851702d4f5991329e37c59af1ea6		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	dual_geometry_noise		2	a	Fbar	-0.284067	0479bd94d35b677572242b89cf9a0524e7ab81c7bfc656373cc838cb4	0479bd94d35b677572242b89cf9a0524e7ab81c7bfc656373cc838cb4		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	dual_geometry_noise		2	a	C	0.242421	e005ed9391fe7599f05cd63d16d19a20847dc1f0e2805ff0632b86b8e7822357	e005ed9391fe7599f05cd63d16d19a20847dc1f0e2805ff0632b86b8e7822357		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	dual_geometry_noise		2	a	Cbar	-0.344153	e2b95c2158f0b47b3442ddbf7d7744529ef1307cd4453969a71056318550d631	e2b95c2158f0b47b3442ddbf7d7744529ef1307cd4453969a71056318550d631		

Table 150: ImageNet–ViT-B/16 results.

cell	dataset	model	split	method	setting	distance model	q	candidate id	sample count	geometry	geometry label	source id	methods	selected individual	ER F g	ER Fbar g	ER C g	ER Cbar g	ER F p	ER Fbar p
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	simpleavg	dual_geometry_noise		2	a1e1c32d1e3728016290aafd637541d2444869d0cc69ae13e66620527e4d0d7B	3500	6290aafd637541d2444869d0cc69ae13e66620527e4d0d7B	Rollout	0.006009	0.05561Att	0.01013091	0.055115	-0.006502	0.050136			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	borda	dual_geometry_noise		2	3ab12bec1eb50028a74bd6e2d892110ec4987706722f50f3a67e25509253128R	3500	a74bd6e2d892110ec4987706722f50f3a67e25509253128R	Rollout	0.006009	0.05561Att	0.01013092	0.055542	-0.007314	0.053072			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	kemeny	dual_geometry_noise		2	64983b4f12f0776caa110e4af12e69235c984d1db26a6d7c7a0806aAf552808R	3500	caa110e4af12e69235c984d1db26a6d7c7a0806aAf552808R	Rollout	0.006009	0.05561Att	0.01013092	0.055542	-0.007314	0.053072			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	dual_geometry_noise		2	f269f68578e4f03f0ec4f3ebaf5b099194d37486b2ed6c6e747d482cd361971636R	3500	ec4f3ebaf5b099194d37486b2ed6c6e747d482cd361971636R	Rollout	0.005876	0.0556597Att	0.0101028	0.054412	-0.009389	0.052427			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	dual_geometry_noise		2	6fa4f7668fba518c507a18c53da7e8122eb2a51102fc4b94a231e232a2f49188R	3500	518c507a18c53da7e8122eb2a51102fc4b94a231e232a2f49188R	Rollout	0.006009	0.05561Att	0.01013092	0.055542	-0.007314	0.053072			

Table 151: ImageNet–ViT-B/16 results.

cell	dataset	model	split	method	setting	distance model	q	ER C p	ER Cbar p	ER F s	ER Fbar s	ER C s	ER Cbar s	ER F a	ER Fbar a	ER C a	ER Cbar a
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	simpleavg	dual_geometry_noise		2	-0.00703	0.048501	-0.003664	0.025706	-0.003623	0.026611	-0.009595	-0.007622	-0.012499	-0.007605
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	borda	dual_geometry_noise		2	-0.010487	0.054622	0.00153	0.028044	0.000173	0.02767	-0.011376	-0.012133	-0.016221	-0.011447
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	kemeny	dual_geometry_noise		2	-0.010487	0.054622	0.00153	0.028044	0.000173	0.02767	-0.011376	-0.012133	-0.016221	-0.011447
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	rrf	dual_geometry_noise		2	-0.011344	0.052414	-0.001408	0.025515	-0.002627	0.026063	-0.011364	-0.012546	-0.017186	-0.011628
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	schulze	dual_geometry_noise		2	-0.010487	0.054622	0.00153	0.028044	0.000173	0.02767	-0.011376	-0.012133	-0.016221	-0.011447

Table 152: ImageNet–ViT-B/16 results.

cell	condition	metric	curve id	excluded method	reference count	fit model	slope	unconstrained slope	slope was constrained	intercept	residual sum squares	residual standard deviation	r squared	clean min	clean max	perturbed min	perturbed max	reference methods
ImageNet–ImageNet-vit-b16	a	Fbar	0479bd94d55b6777d2342b59cfefb265242bb1094770d99571f06769746c8f54d9e8f		265242bb1094770d99571f06769746c8f54d9e8f	265242bb1094770d99571f06769746c8f54d9e8f	0.000000	0.000000	0.000000	-0.212978	0.011511	0.035763	0.932338	-0.601	-0.095	-0.6768	-0.2932	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet–ImageNet-vit-b16	s	C	0597e52db66af0240b006f51941c56855395e16200892763d1170933769a1f949e		56855395e16200892763d1170933769a1f949e	56855395e16200892763d1170933769a1f949e	0.000000	0.000000	0.000000	0.024841	0.001407	0.012505	0.907251	0.0132	0.1336	0.0218	0.1534	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet–ImageNet-vit-b16	p	F	10d6906cd7b38fd614f1f69d12cbb0a349453728fa74892309476349524ed27f		10d6906cd7b38fd614f1f69d12cbb0a349453728fa74892309476349524ed27f	10d6906cd7b38fd614f1f69d12cbb0a349453728fa74892309476349524ed27f	0.000000	0.000000	0.000000	0.032025	0.002577	0.016921	0.826658	0.0008	0.0838	0.0066	0.1386	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet–ImageNet-vit-b16	a	F	18440113e8769665f5784f9318ca7a310fc685740294453951204437459af56		7a310fc685740294453951204437459af56	7a310fc685740294453951204437459af56	0.000000	0.000000	0.000000	0.045521	0.003508	0.019744	0.810454	0.0008	0.0838	0.0232	0.163	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet–ImageNet-vit-b16	p	Cbar	309e2d79b58dca1ab5a696b11079b294f2ef711d1678395606405585989d15		294f2ef711d1678395606405585989d15	294f2ef711d1678395606405585989d15	0.000000	0.000000	0.000000	-0.299965	0.046077	0.071552	0.801055	-0.6802	-0.1426	-0.8032	-0.366	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet–ImageNet-vit-b16	g	F	32aadaa12ddabd8bcf852f2f128247c4694120434038590414470238f35		47c4694120434038590414470238f35	47c4694120434038590414470238f35	0.000000	0.000000	0.000000	0.038441	0.003515	0.019761	0.807202	0.0008	0.0838	0.0114	0.156	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet–ImageNet-vit-b16	s	F	39839bb66f1409dab85e47e4773d5163222a14511486883d11b77288f155		5163222a14511486883d11b77288f155	5163222a14511486883d11b77288f155	0.000000	0.000000	0.000000	0.012419	0.000719	0.008936	0.928616	0.0008	0.0838	0.0028	0.11	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet–ImageNet-vit-b16	s	Cbar	5a59f1542235429a98dd7dc65254d66d08682e029d397552665922978		66d08682e029d397552665922978	66d08682e029d397552665922978	0.000000	0.000000	0.000000	-0.12438	0.017985	0.044702	0.930624	-0.6802	-0.1426	-0.7142	-0.2198	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet–ImageNet-vit-b16	g	Fbar	71870e37c82e52267a45a60b1fe1650b173ad64705d46060070991643e74		650b173ad64705d46060070991643e74	650b173ad64705d46060070991643e74	0.000000	0.000000	0.000000	-0.299733	0.039445	0.066203	0.800786	-0.601	-0.095	-0.7268	-0.3224	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet–ImageNet-vit-b16	s	Fbar	7d4b88b02806fb76216285b114ec6b03232d495410945780bb19096e5f275		6b03232d495410945780bb19096e5f275	6b03232d495410945780bb19096e5f275	0.000000	0.000000	0.000000	-0.097903	0.018756	0.045651	0.922836	-0.601	-0.095	-0.6238	-0.1456	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet–ImageNet-vit-b16	g	Cbar	8b7e3d0d3b832bb2a95a9cd110fb53889e3ut676757656295c0619801ast43		3889e3ut676757656295c0619801ast43	3889e3ut676757656295c0619801ast43	0.000000	0.000000	0.000000	-0.365668	0.040854	0.067375	0.801901	-0.6802	-0.1426	-0.8402	-0.4236	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet–ImageNet-vit-b16	p	C	9a811fbcb87b60a1a088e2977d804f6d189205582612e1b5025579d1483435		4f6d189205582612e1b5025579d1483435	4f6d189205582612e1b5025579d1483435	0.000000	0.000000	0.000000	0.059565	0.00459	0.022582	0.796213	0.0132	0.1336	0.0364	0.2	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet–ImageNet-vit-b16	g	C	ca0f8e136de5f154c8192ea2f125b44310790c6a213032953f162f9239adcf		44310790c6a213032953f162f9239adcf	44310790c6a213032953f162f9239adcf	0.000000	0.000000	0.000000	0.066751	0.007369	0.028614	0.734704	0.0132	0.1336	0.0396	0.2158	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet–ImageNet-vit-b16	p	Fbar	caca1e14db070990a34014411ce5100d79c85f6306642e120806412cd5f3		5100d79c85f6306642e120806412cd5f3	5100d79c85f6306642e120806412cd5f3	0.000000	0.000000	0.000000	-0.239437	0.044239	0.070111	0.798919	-0.601	-0.095	-0.6902	-0.2668	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet–ImageNet-vit-b16	a	C	e005ed9391ee7599f95fcd63116db9e8847ad10e2895606821819c47522357		9e8847ad10e2895606821819c47522357	9e8847ad10e2895606821819c47522357	0.000000	0.000000	0.000000	0.051369	0.003844	0.020666	0.877702	0.0132	0.1336	0.0466	0.2268	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation
ImageNet–ImageNet-vit-b16	a	Cbar	e2b95c2158f9fb47b9462ddbf7d7714720ef1807674432203c01559338550169		14720ef1807674432203c01559338550169	14720ef1807674432203c01559338550169	0.000000	0.000000	0.000000	-0.232123	0.012512	0.037286	0.93445	-0.6802	-0.1426	-0.7568	-0.3522	AttentionGradCAM;CheferTransformerAttribution;FeatureAblation

Table 153: ImageNet–ViT-B/16 results.

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-S		2	g	F	be1d1979e75520b5bc18e21d6a36fc72eef75e6	75520b5bc18e21d6a36fc72eef75e6	be1d1979e75520b5bc18e21d6a36fc72eef75e6	8044010a4fe8a1cf25be89843409672	0.0852	0.1524	0.0852	0.1524			
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-S		2	g	Fbar	be1d1979e75520b5bc18e21d6a36fc72eef75e6	75520b5bc18e21d6a36fc72eef75e6	be1d1979e75520b5bc18e21d6a36fc72eef75e6	8044010a4fe8a1cf25be89843409672	0.0966	0.317	-0.0966	-0.317			
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-S		2	g	C	be1d1979e75520b5bc18e21d6a36fc72eef75e6	75520b5bc18e21d6a36fc72eef75e6	be1d1979e75520b5bc18e21d6a36fc72eef75e6	8044010a4fe8a1cf25be89843409091	0.132	0.2146	0.132	0.2146			
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-S		2	g	Cbar	be1d1979e75520b5bc18e21d6a36fc72eef75e6	75520b5bc18e21d6a36fc72eef75e6	be1d1979e75520b5bc18e21d6a36fc72eef75e6	8044010a4fe8a1cf25be89843409115	0.1484	0.4202	-0.1484	-0.4202			
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-S		2	p	F	be1d1979e75520b5bc18e21d6a36fc72eef75e6	75520b5bc18e21d6a36fc72eef75e6	be1d1979e75520b5bc18e21d6a36fc72eef75e6	8044010a4fe8a1cf25be89843409502	0.0852	0.14	0.0852	0.14			
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-S		2	p	Fbar	be1d1979e75520b5bc18e21d6a36fc72eef75e6	75520b5bc18e21d6a36fc72eef75e6	be1d1979e75520b5bc18e21d6a36fc72eef75e6	8044010a4fe8a1cf25be89843409136	0.0966	0.2672	-0.0966	-0.2672			
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-S		2	p	C	be1d1979e75520b5bc18e21d6a36fc72eef75e6	75520b5bc18e21d6a36fc72eef75e6	be1d1979e75520b5bc18e21d6a36fc72eef75e6	8044010a4fe8a1cf25be89843409703	0.132	0.2034	0.132	0.2034			
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-S		2	p	Cbar	be1d1979e75520b5bc18e21d6a36fc72eef75e6	75520b5bc18e21d6a36fc72eef75e6	be1d1979e75520b5bc18e21d6a36fc72eef75e6	8044010a4fe8a1cf25be89843409501	0.1484	0.3676	-0.1484	-0.3676			
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-S		2	s	F	be1d1979e75520b5bc18e21d6a36fc72eef75e6	75520b5bc18e21d6a36fc72eef75e6	be1d1979e75520b5bc18e21d6a36fc72eef75e6	8044010a4fe8a1cf25be89843409664	0.0852	0.1086	0.0852	0.1086			
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-S		2	s	Fbar	be1d1979e75520b5bc18e21d6a36fc72eef75e6	75520b5bc18e21d6a36fc72eef75e6	be1d1979e75520b5bc18e21d6a36fc72eef75e6	8044010a4fe8a1cf25be89843409706	0.0966	0.1602	-0.0966	-0.1602			
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-S		2	s	C	be1d1979e75520b5bc18e21d6a36fc72eef75e6	75520b5bc18e21d6a36fc72eef75e6	be1d1979e75520b5bc18e21d6a36fc72eef75e6	8044010a4fe8a1cf25be89843409623	0.132	0.1534	0.132	0.1534			
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-S		2	s	Cbar	be1d1979e75520b5bc18e21d6a36fc72eef75e6	75520b5bc18e21d6a36fc72eef75e6	be1d1979e75520b5bc18e21d6a36fc72eef75e6	8044010a4fe8a1cf25be89843409611	0.1484	0.2302	-0.1484	-0.2302			
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-S		2	a	F	be1d1979e75520b5bc18e21d6a36fc72eef75e6	75520b5bc18e21d6a36fc72eef75e6	be1d1979e75520b5bc18e21d6a36fc72eef75e6	8044010a4fe8a1cf25be89843409595	0.0852	0.1624	0.0852	0.1624			
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-S		2	a	Fbar	be1d1979e75520b5bc18e21d6a36fc72eef75e6	75520b5bc18e21d6a36fc72eef75e6	be1d1979e75520b5bc18e21d6a36fc72eef75e6	8044010a4fe8a1cf25be89843409622	0.0966	0.2946	-0.0966	-0.2946			
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-S		2	a	C	be1d1979e75520b5bc18e21d6a36fc72eef75e6	75520b5bc18e21d6a36fc72eef75e6	be1d1979e75520b5bc18e21d6a36fc72eef75e6	8044010a4fe8a1cf25be89843409499	0.132	0.2254	0.132	0.2254			
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-S		2	a	Cbar	be1d1979e75520b5bc18e21d6a36fc72eef75e6	75520b5bc18e21d6a36fc72eef75e6	be1d1979e75520b5bc18e21d6a36fc72eef75e6	8044010a4fe8a1cf25be89843409605	0.1484	0.3536	-0.1484	-0.3536			
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-S		2	g	F	b54b8513e47900b869ae0554c7876c15428fa	47900b869ae0554c7876c15428fa	b54b8513e47900b869ae0554c7876c15428fa	058087fb039d1d1904890170390969	0.0864	0.1594	0.0864	0.1594			
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-S		2	g	Fbar	b54b8513e47900b869ae0554c7876c15428fa	47900b869ae0554c7876c15428fa	b54b8513e47900b869ae0554c7876c15428fa	058087fb039d1d1904890170390969	0.0928	0.3158	-0.0928	-0.3158			
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-S		2	g	C	b54b8513e47900b869ae0554c7876c15428fa	47900b869ae0554c7876c15428fa	b54b8513e47900b869ae0554c7876c15428fa	058087fb039d1d1904890170390972	0.1352	0.2198	0.1352	0.2198			
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-S		2	g	Cbar	b54b8513e47900b869ae0554c7876c15428fa	47900b869ae0554c7876c15428fa	b54b8513e47900b869ae0554c7876c15428fa	058087fb039d1d1904890170390982	0.146	0.418	-0.146	-0.418			
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-S		2	p	F	b54b8513e47900b869ae0554c7876c15428fa	47900b869ae0554c7876c15428fa	b54b8513e47900b869ae0554c7876c15428fa	058087fb039d1d1904890170390984	0.0864	0.1408	0.0864	0.1408			
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-S		2	p	Fbar	b54b8513e47900b869ae0554c7876c15428fa	47900b869ae0554c7876c15428fa	b54b8513e47900b869ae0554c7876c15428fa	058087fb039d1d1904890170390982	0.0928	0.2612	-0.0928	-0.2612			
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-S		2	p	C	b54b8513e47900b869ae0554c7876c15428fa	47900b869ae0554c7876c15428fa	b54b8513e47900b869ae0554c7876c15428fa	058087fb039d1d1904890170390987	0.1352	0.2036	0.1352	0.2036			
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-S		2	p	Cbar	b54b8513e47900b869ae0554c7876c15428fa	47900b869ae0554c7876c15428fa	b54b8513e47900b869ae0554c7876c15428fa	058087fb039d1d1904890170390982	0.146	0.3596	-0.146	-0.3596			

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	NOISE-S		2	g	Fbar	436e38ef68e3000a76647n1291	160815964	6647n1291	160815964	ee1d758b34853e54c4ef293889017	0.092	0.3166	-0.092	-0.3166		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	NOISE-S		2	g	C	436e38ef68e3000a76647n1291	160815964	6647n1291	160815964	ee1d758b34853e54c4ef293889028	0.1356	0.2218	0.1356	0.2218		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	NOISE-S		2	g	Cbar	436e38ef68e3000a76647n1291	160815964	6647n1291	160815964	ee1d758b34853e54c4ef293889012	0.1442	0.4178	-0.1442	-0.4178		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	NOISE-S		2	p	F	436e38ef68e3000a76647n1291	160815964	6647n1291	160815964	ee1d758b34853e54c4ef2938890389	0.0872	0.1398	0.0872	0.1398		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	NOISE-S		2	p	Fbar	436e38ef68e3000a76647n1291	160815964	6647n1291	160815964	ee1d758b34853e54c4ef293889027	0.092	0.2612	-0.092	-0.2612		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	NOISE-S		2	p	C	436e38ef68e3000a76647n1291	160815964	6647n1291	160815964	ee1d758b34853e54c4ef2938890344	0.1356	0.2032	0.1356	0.2032		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	NOISE-S		2	p	Cbar	436e38ef68e3000a76647n1291	160815964	6647n1291	160815964	ee1d758b34853e54c4ef293889014	0.1442	0.3604	-0.1442	-0.3604		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	NOISE-S		2	s	F	436e38ef68e3000a76647n1291	160815964	6647n1291	160815964	ee1d758b34853e54c4ef2938890408	0.0872	0.1132	0.0872	0.1132		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	NOISE-S		2	s	Fbar	436e38ef68e3000a76647n1291	160815964	6647n1291	160815964	ee1d758b34853e54c4ef2938890315	0.092	0.1562	-0.092	-0.1562		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	NOISE-S		2	s	C	436e38ef68e3000a76647n1291	160815964	6647n1291	160815964	ee1d758b34853e54c4ef2938890327	0.1356	0.158	0.1356	0.158		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	NOISE-S		2	s	Cbar	436e38ef68e3000a76647n1291	160815964	6647n1291	160815964	ee1d758b34853e54c4ef2938890363	0.1442	0.227	-0.1442	-0.227		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	NOISE-S		2	a	F	436e38ef68e3000a76647n1291	160815964	6647n1291	160815964	ee1d758b34853e54c4ef2938890364	0.0872	0.1636	0.0872	0.1636		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	NOISE-S		2	a	Fbar	436e38ef68e3000a76647n1291	160815964	6647n1291	160815964	ee1d758b34853e54c4ef2938890346	0.092	0.296	-0.092	-0.296		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	NOISE-S		2	a	C	436e38ef68e3000a76647n1291	160815964	6647n1291	160815964	ee1d758b34853e54c4ef2938890386	0.1356	0.2258	0.1356	0.2258		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	NOISE-S		2	a	Cbar	436e38ef68e3000a76647n1291	160815964	6647n1291	160815964	ee1d758b34853e54c4ef2938890328	0.1442	0.3544	-0.1442	-0.3544		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE-S		2	g	F	9bd043f476f930045b51ef2hca06	8401815620	6647n1291	8401815620	b9223782fe3a9462e5d700211668069	0.0864	0.1594	0.0864	0.1594		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE-S		2	g	Fbar	9bd043f476f930045b51ef2hca06	8401815620	6647n1291	8401815620	b9223782fe3a9462e5d70021055901	0.0928	0.3158	-0.0928	-0.3158		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE-S		2	g	C	9bd043f476f930045b51ef2hca06	8401815620	6647n1291	8401815620	b9223782fe3a9462e5d700211d592	0.1352	0.2198	0.1352	0.2198		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE-S		2	g	Cbar	9bd043f476f930045b51ef2hca06	8401815620	6647n1291	8401815620	b9223782fe3a9462e5d7002055542	0.146	0.418	-0.146	-0.418		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE-S		2	p	F	9bd043f476f930045b51ef2hca06	8401815620	6647n1291	8401815620	b9223782fe3a9462e5d70021167814	0.0864	0.1408	0.0864	0.1408		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE-S		2	p	Fbar	9bd043f476f930045b51ef2hca06	8401815620	6647n1291	8401815620	b9223782fe3a9462e5d7002055872	0.0928	0.2612	-0.0928	-0.2612		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE-S		2	p	C	9bd043f476f930045b51ef2hca06	8401815620	6647n1291	8401815620	b9223782fe3a9462e5d7002116847	0.1352	0.2036	0.1352	0.2036		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE-S		2	p	Cbar	9bd043f476f930045b51ef2hca06	8401815620	6647n1291	8401815620	b9223782fe3a9462e5d7002054822	0.146	0.3596	-0.146	-0.3596		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE-S		2	s	F	9bd043f476f930045b51ef2hca06	8401815620	6647n1291	8401815620	b9223782fe3a9462e5d7002106853	0.0864	0.1152	0.0864	0.1152		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE-S		2	s	Fbar	9bd043f476f930045b51ef2hca06	8401815620	6647n1291	8401815620	b9223782fe3a9462e5d7002088844	0.0928	0.1544	-0.0928	-0.1544		

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	borda	NOISE-K		3	g	Cbar	33e4fb51ac616040324c0c1d11c0e3948589517f1fa2c769e07a103f4be703523088							0.1508	0.454	-0.1508	-0.454
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	borda	NOISE-K		3	p	F	33e4fb51ac616040324c0c1d11c0e3948589517f1fa2c769e07a103f4be703523088							0.0506	0.1142	0.0506	0.1142
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	borda	NOISE-K		3	p	Fbar	33e4fb51ac616040324c0c1d11c0e3948589517f1fa2c769e07a103f4be703523088							0.1026	0.29	-0.1026	-0.29
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	borda	NOISE-K		3	p	C	33e4fb51ac616040324c0c1d11c0e3948589517f1fa2c769e07a103f4be703523088							0.0956	0.186	0.0956	0.186
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	borda	NOISE-K		3	p	Cbar	33e4fb51ac616040324c0c1d11c0e3948589517f1fa2c769e07a103f4be703523088							0.1508	0.3862	-0.1508	-0.3862
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	borda	NOISE-K		3	s	F	33e4fb51ac616040324c0c1d11c0e3948589517f1fa2c769e07a103f4be703523088							0.0506	0.0744	0.0506	0.0744
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	borda	NOISE-K		3	s	Fbar	33e4fb51ac616040324c0c1d11c0e3948589517f1fa2c769e07a103f4be703523088							0.1026	0.1692	-0.1026	-0.1692
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	borda	NOISE-K		3	s	C	33e4fb51ac616040324c0c1d11c0e3948589517f1fa2c769e07a103f4be703523088							0.0956	0.1192	0.0956	0.1192
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	borda	NOISE-K		3	s	Cbar	33e4fb51ac616040324c0c1d11c0e3948589517f1fa2c769e07a103f4be703523088							0.1508	0.2394	-0.1508	-0.2394
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	borda	NOISE-K		3	a	F	33e4fb51ac616040324c0c1d11c0e3948589517f1fa2c769e07a103f4be703523088							0.0506	0.1528	0.0506	0.1528
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	borda	NOISE-K		3	a	Fbar	33e4fb51ac616040324c0c1d11c0e3948589517f1fa2c769e07a103f4be703523088							0.1026	0.2932	-0.1026	-0.2932
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	borda	NOISE-K		3	a	C	33e4fb51ac616040324c0c1d11c0e3948589517f1fa2c769e07a103f4be703523088							0.0956	0.217	0.0956	0.217
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	borda	NOISE-K		3	a	Cbar	33e4fb51ac616040324c0c1d11c0e3948589517f1fa2c769e07a103f4be703523088							0.1508	0.3518	-0.1508	-0.3518
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	kemeny	NOISE-K		3	g	F	038fb812ca862406847e2a275f6c23015b14869bcd0109e6d7da094f46b0a0304458							0.0874	0.159	0.0874	0.159
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	kemeny	NOISE-K		3	g	Fbar	038fb812ca862406847e2a275f6c23015b14869bcd0109e6d7da094f46b0a0304458							0.0946	0.315	-0.0946	-0.315
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	kemeny	NOISE-K		3	g	C	038fb812ca862406847e2a275f6c23015b14869bcd0109e6d7da094f46b0a0304458							0.1362	0.2268	0.1362	0.2268
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	kemeny	NOISE-K		3	g	Cbar	038fb812ca862406847e2a275f6c23015b14869bcd0109e6d7da094f46b0a0304458							0.1464	0.4176	-0.1464	-0.4176
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	kemeny	NOISE-K		3	p	F	038fb812ca862406847e2a275f6c23015b14869bcd0109e6d7da094f46b0a0304458							0.0874	0.145	0.0874	0.145
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	kemeny	NOISE-K		3	p	Fbar	038fb812ca862406847e2a275f6c23015b14869bcd0109e6d7da094f46b0a0304458							0.0946	0.2624	-0.0946	-0.2624
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	kemeny	NOISE-K		3	p	C	038fb812ca862406847e2a275f6c23015b14869bcd0109e6d7da094f46b0a0304458							0.1362	0.2152	0.1362	0.2152
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	kemeny	NOISE-K		3	p	Cbar	038fb812ca862406847e2a275f6c23015b14869bcd0109e6d7da094f46b0a0304458							0.1464	0.36	-0.1464	-0.36
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	kemeny	NOISE-K		3	s	F	038fb812ca862406847e2a275f6c23015b14869bcd0109e6d7da094f46b0a0304458							0.0874	0.1142	0.0874	0.1142
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	kemeny	NOISE-K		3	s	Fbar	038fb812ca862406847e2a275f6c23015b14869bcd0109e6d7da094f46b0a0304458							0.0946	0.1538	-0.0946	-0.1538
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	kemeny	NOISE-K		3	s	C	038fb812ca862406847e2a275f6c23015b14869bcd0109e6d7da094f46b0a0304458							0.1362	0.163	0.1362	0.163
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	kemeny	NOISE-K		3	s	Cbar	038fb812ca862406847e2a275f6c23015b14869bcd0109e6d7da094f46b0a0304458							0.1464	0.2234	-0.1464	-0.2234

cell	dataset	model	split	method	setting	distance model	q	condition	metric	candidate id	sample count	geometry	geometry label	source id	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE-K		3	p	Fbar	91ea6f68caf30287f3e68f3b1e028b70f52f510	30287	3e68f3b1e028b70f52f510	eb3c5efeea661n9b49456a5f045504	661n9b49456a5f045504	0.0978	0.2728	-0.0978	-0.2728		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE-K		3	p	C	91ea6f68caf30287f3e68f3b1e028b70f52f510	30287	3e68f3b1e028b70f52f510	eb3c5efeea661n9b49456a5f045537	661n9b49456a5f045537	0.125	0.2078	0.125	0.2078		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE-K		3	p	Cbar	91ea6f68caf30287f3e68f3b1e028b70f52f510	30287	3e68f3b1e028b70f52f510	eb3c5efeea661n9b49456a5f043701	661n9b49456a5f043701	0.1484	0.3724	-0.1484	-0.3724		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE-K		3	s	F	91ea6f68caf30287f3e68f3b1e028b70f52f510	30287	3e68f3b1e028b70f52f510	eb3c5efeea661n9b49456a5f042751	661n9b49456a5f042751	0.0764	0.0992	0.0764	0.0992		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE-K		3	s	Fbar	91ea6f68caf30287f3e68f3b1e028b70f52f510	30287	3e68f3b1e028b70f52f510	eb3c5efeea661n9b49456a5f027799	661n9b49456a5f027799	0.0978	0.1592	-0.0978	-0.1592		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE-K		3	s	C	91ea6f68caf30287f3e68f3b1e028b70f52f510	30287	3e68f3b1e028b70f52f510	eb3c5efeea661n9b49456a5f041613	661n9b49456a5f041613	0.125	0.1484	0.125	0.1484		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE-K		3	s	Cbar	91ea6f68caf30287f3e68f3b1e028b70f52f510	30287	3e68f3b1e028b70f52f510	eb3c5efeea661n9b49456a5f020411	661n9b49456a5f020411	0.1484	0.2274	-0.1484	-0.2274		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE-K		3	a	F	91ea6f68caf30287f3e68f3b1e028b70f52f510	30287	3e68f3b1e028b70f52f510	eb3c5efeea661n9b49456a5f043532	661n9b49456a5f043532	0.0764	0.1554	0.0764	0.1554		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE-K		3	a	Fbar	91ea6f68caf30287f3e68f3b1e028b70f52f510	30287	3e68f3b1e028b70f52f510	eb3c5efeea661n9b49456a5f040903	661n9b49456a5f040903	0.0978	0.2888	-0.0978	-0.2888		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE-K		3	a	C	91ea6f68caf30287f3e68f3b1e028b70f52f510	30287	3e68f3b1e028b70f52f510	eb3c5efeea661n9b49456a5f046207	661n9b49456a5f046207	0.125	0.2218	0.125	0.2218		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE-K		3	a	Cbar	91ea6f68caf30287f3e68f3b1e028b70f52f510	30287	3e68f3b1e028b70f52f510	eb3c5efeea661n9b49456a5f041605	661n9b49456a5f041605	0.1484	0.3476	-0.1484	-0.3476		

Table 154: ImageNet–ViT-B/16 results.

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-S		2	g	F	0.163705	32aadaa12f1a1b181e1f556f2d289471a991b2618eaa18b804a4a42458ef43b6c	Full	Full	Full
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-S		2	g	Fbar	-0.37372	71870e37c8De12267a45a60g1fec16571e78adcd01114bf002cdf9014af3e5c1	Full	Full	Full
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-S		2	g	C	0.227691	ca0f8e136cd5f1154e81e2ea261e25ba431e7e0ce9a13cdc68fcaf6c6cf509dfc8	Full	Full	Full
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-S		2	g	Cbar	-0.475315	8b7e3d0d3f5a321b2a95a9cd6ef153289e3aa6f7757676995c85104a31aa1a3cf	Full	Full	Full
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-S		2	p	F	0.146502	10d6906cd71a38fda1461f69g2eb1b074453728fa7d8c2309470aaef4eed2f7a	Full	Full	Full
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-S		2	p	Fbar	-0.317336	caca1e14db07099a1d4014dgl1cc543Dda7e3b1ef054fce6c129e60ad10cd5ce3	Full	Full	Full
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-S		2	p	C	0.21043	9a811f1bc871a50a1a088e20771d18945f13929e5b2603ceb65f2ff5f7ea3824850	Full	Full	Full
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-S		2	p	Cbar	-0.416101	309e2d79b5d1ca1ab5e6901g1e79b2931f2ef71ad4e6ca1506ef04eb6c989dcb7e	Full	Full	Full
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-S		2	s	F	0.112264	39839bb66f1d09dab65e47neg1e73p5d722ab445b18a1303edfb75285ea1550b4	Full	Full	Full
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-S		2	s	Fbar	-0.185906	7d4b88b028f0f17621e22851744q1a1b03232d115412d337809b3c0cfce5f25df	Full	Full	Full
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-S		2	s	C	0.157023	0597e52db36af0240b006f5g341c56B5595e172468625684417b85369ab1d9c	Full	Full	Full
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-S		2	s	Cbar	-0.256811	5a59f1542255429cd8e17dng1e25d435298682c2222b5a652ff6f05e2028ba9efa	Full	Full	Full
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-S		2	a	F	0.171995	18440113e8f0966a5f784f9318c95a270fcd851702d4f5991329e37c59af1ea6	Full	Full	Full
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-S		2	a	Fbar	-0.286978	0479bd94cd511677712344b80cf1b485248b2954e7ab81c7bfc656373cc838cb4	Full	Full	Full
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-S		2	a	C	0.237899	e005ed9391fec7590f5fcd62116d1p486847dc1f0e2805ff0632b86b8e7822357	Full	Full	Full
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-S		2	a	Cbar	-0.345995	e2b95c2158f0b147ab442ddh5e177447500ef1307cd4453969a71056318550d631	Full	Full	Full
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-S		2	g	F	0.165469	32aadaa12f1a1b181e1f556f2d289471a991b2618eaa18b804a4a42458ef43b6c	Full	Full	Full
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-S		2	g	Fbar	-0.37081	71870e37c8De12267a45a60g1fec16571e78adcd01114bf002cdf9014af3e5c1	Full	Full	Full
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-S		2	g	C	0.231592	ca0f8e136cd5f1154e81e2ea261e25ba431e7e0ce9a13cdc68fcaf6c6cf509dfc8	Full	Full	Full
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-S		2	g	Cbar	-0.473542	8b7e3d0d3f5a321b2a95a9cd6ef153289e3aa6f7757676995c85104a31aa1a3cf	Full	Full	Full
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-S		2	p	F	0.148114	10d6906cd71a38fda1461f69g2eb1b074453728fa7d8c2309470aaef4eed2f7a	Full	Full	Full
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-S		2	p	Fbar	-0.314272	caca1e14db07099a1d4014dgl1cc543Dda7e3b1ef054fce6c129e60ad10cd5ce3	Full	Full	Full
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-S		2	p	C	0.214087	9a811f1bc871a50a1a088e20771d18945f13929e5b2603ceb65f2ff5f7ea3824850	Full	Full	Full
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-S		2	p	Cbar	-0.414222	309e2d79b5d1ca1ab5e6901g1e79b2931f2ef71ad4e6ca1506ef04eb6c989dcb7e	Full	Full	Full

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-S		2	s	F	0.11367	39839bb66ffad09daab85e47e9d773p54f272ab445b18a1303edfb75285ea1550b4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-S		2	s	Fbar	-0.182444	7d4b88b028f0cfb7621e2851b744qmdh02232d115412d337809b3c0cfce5f25df			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-S		2	s	C	0.160227	0597e52db36af02dd0b606f5a941c567556895e172468625684417b85369ab1d9c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-S		2	s	Cbar	-0.25467	5a59f1542285429ad8ed17dc6525pdc03298682c2222b5a652f6f05e2028ba9efa			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-S		2	a	F	0.173776	18440113e8f06655784893b8c954210fcd851702d4f5991329e37c59af1ea6			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-S		2	a	Fbar	-0.284067	0479bd94d351b677712342b8d9c9b405243b2954e7ab81c7bfc656373cc838cb4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-S		2	a	C	0.242421	e005ed9391fec7599f05fcd62b16dhp049847dc1f0e2805ff0632b86b8e7822357			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-S		2	a	Cbar	-0.344153	e2b95c2158f0b47ab04d2ddh57544520ef1307cd4453969a71056318550d631			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE-S		2	g	F	0.165469	32aadaa12fdd1d81eef85252f028947e1991b2618eaa18b804a4a42458ef43b6c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE-S		2	g	Fbar	-0.37081	71870e37c82e32267e45a60gufeq1450ul78adcd01114bf002cdf9014af3e5c1			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE-S		2	g	C	0.231592	ca0f8e136cf5f1154a8362e1a261425p443107e0ce9a13cdc68caf6c6cf509dfc8			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE-S		2	g	Cbar	-0.473542	8b7e3d0d3f832bb2a05a90c6f154889e3aa6f7757676995c85104a31aa1a3cf			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE-S		2	p	F	0.148114	10d6906cd7b38fda1461f692ebhh0749453728fa7d8c2309470aaef4eed2f7a			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE-S		2	p	Fbar	-0.314272	caca1e14db07099a184013aglfcc5030drne7e3b1ef054fce6c129e60ad10cd5ce3			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE-S		2	p	C	0.214087	9a811f1bc87bb0ak108Se207hd18945f13929e5b2603ceb65f2ff5f7ea3824850			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE-S		2	p	Cbar	-0.414222	309e2d79b75d1c1ab5e69612f79b295432ef71ad4e6ca1506ef04eb6c989dcb7e			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE-S		2	s	F	0.11367	39839bb66ffad09daab85e47e9d773p54f272ab445b18a1303edfb75285ea1550b4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE-S		2	s	Fbar	-0.182444	7d4b88b028f0cfb7621e2851b744qmdh02232d115412d337809b3c0cfce5f25df			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE-S		2	s	C	0.160227	0597e52db36af02dd0b606f5a941c567556895e172468625684417b85369ab1d9c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE-S		2	s	Cbar	-0.25467	5a59f1542285429ad8ed17dc6525pdc03298682c2222b5a652f6f05e2028ba9efa			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE-S		2	a	F	0.173776	18440113e8f06655784893b8c954210fcd851702d4f5991329e37c59af1ea6			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE-S		2	a	Fbar	-0.284067	0479bd94d351b677712342b8d9c9b405243b2954e7ab81c7bfc656373cc838cb4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE-S		2	a	C	0.242421	e005ed9391fec7599f05fcd62b16dhp049847dc1f0e2805ff0632b86b8e7822357			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE-S		2	a	Cbar	-0.344153	e2b95c2158f0b47ab04d2ddh57544520ef1307cd4453969a71056318550d631			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE-S		2	g	F	0.166646	32aadaa12fdd1d81eef85252f028947e1991b2618eaa18b804a4a42458ef43b6c			

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE-S		2	g	Fbar	-0.370197	71870e37c8De32265a45a60g1fec1650ha178adcd	001114bf002cdf9014af3e5c1		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE-S		2	g	C	0.23208	ca0f8e136cd6f1154a34e2e2a26125ba431a7e0ce9a13cdc68caf6c6cf509dfc8			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE-S		2	g	Cbar	-0.472212	8b7e3d0d3f8321ba2a9a0cd6f152489e3aa6f7757676995c85104a31aa1a3cf			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE-S		2	p	F	0.149189	10d6906cd7a38fda1461f692ebhba49453728fa7d8c2309470aaef4eed2f7a			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE-S		2	p	Fbar	-0.313627	caca1e14dbf07099a3a4014dgl1cc543Dne7e3b1ef054fce6c129e60ad10cd5ce3			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE-S		2	p	C	0.214544	9a811f1bc87a60ana088e2671d18946f1a3929e5b2603ceb65f2ff5f7ea3824850			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE-S		2	p	Cbar	-0.412814	309e2d79b76dca1ab5e6961d079b29512ef71ad4e6ca1506ef04eb6c989dcb7e			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE-S		2	s	F	0.114608	39839bb66ffad09daab85e47neg173p154F272ab445b18a1303edfb75285ea1550b4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE-S		2	s	Fbar	-0.181715	7d4b88b028f0fb7621e2851744qna0f02232d115412d337809b3c0cfce5f25df			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE-S		2	s	C	0.160627	0597e52db3aaf02ad0b06f5a41c560556895e172468625684417b85369ab1d9c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE-S		2	s	Cbar	-0.253063	5a59f1542285129ad8ed17dce525p1c45298682c2222b5a652f6f05e2028ba9efa			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE-S		2	a	F	0.174964	18440113e8f06655784493b8ca5a211fcd851702d4f5991329e37c59af1ea6			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE-S		2	a	Fbar	-0.283454	0479bd94d551677572342b89cfgha05943b2954e7ab81c7bfc656373cc838cb4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE-S		2	a	C	0.242986	e005ed9391fec7599f05fcd6a216dhp049847dc1f0e2805ff0632b86b8e7822357			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE-S		2	a	Cbar	-0.342772	e2b95c2158f0fb47ab04d2ddh57d754450ef1307cd4453969a71056318550d631			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE-S		2	g	F	0.165469	32aadaa12fdd1d81e68556f28947f4991b2618eaa18b804a4a42458ef43b6c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE-S		2	g	Fbar	-0.37081	71870e37c8De32265a45a60g1fec1650ha178adcd	001114bf002cdf9014af3e5c1		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE-S		2	g	C	0.231592	ca0f8e136cd6f1154a34e2e2a26125ba431a7e0ce9a13cdc68caf6c6cf509dfc8			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE-S		2	g	Cbar	-0.473542	8b7e3d0d3f8321ba2a9a0cd6f152489e3aa6f7757676995c85104a31aa1a3cf			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE-S		2	p	F	0.148114	10d6906cd7a38fda1461f692ebhba49453728fa7d8c2309470aaef4eed2f7a			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE-S		2	p	Fbar	-0.314272	caca1e14dbf07099a3a4014dgl1cc543Dne7e3b1ef054fce6c129e60ad10cd5ce3			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE-S		2	p	C	0.214087	9a811f1bc87a60ana088e2671d18946f1a3929e5b2603ceb65f2ff5f7ea3824850			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE-S		2	p	Cbar	-0.414222	309e2d79b76dca1ab5e6961d079b29512ef71ad4e6ca1506ef04eb6c989dcb7e			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE-S		2	s	F	0.11367	39839bb66ffad09daab85e47neg173p154F272ab445b18a1303edfb75285ea1550b4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE-S		2	s	Fbar	-0.182444	7d4b88b028f0fb7621e2851744qna0f02232d115412d337809b3c0cfce5f25df			

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE-S		2	s	C	0.160227	0597e52db36af0240b606ffag941c56B55395e172468625684417b85369ab1d9c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE-S		2	s	Cbar	-0.25467	5a59f1542255429m08d17dc6525dc85298682c2222b5a652f6f05e2028ba9efa			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE-S		2	a	F	0.173776	18440113e8f096655784f9098c95a2710fcd851702d4f5991329e37c59af1ea6			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE-S		2	a	Fbar	-0.284067	0479bd94cd55b677572342b89cfgha85243b2954e7ab81c7bfc656373cc838cb4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE-S		2	a	C	0.242421	e005ed9391fe7590fb5fcd60316d1h9e46847dc1f0e2805ff0632b86b8e7822357			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE-S		2	a	Cbar	-0.344153	e2b95c2158f0fb47bb462ddbb757445290f1307cd4453969a71056318550d631			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-K		3	g	F	0.146356	32aadaa12fda1b181e7852620289407b4991b2618eaa18b804a4a42458ef43b6c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-K		3	g	Fbar	-0.374027	71870e37c82e32267545a60gufeg1635b1ad78adc401114bf002cdf9014af3e5c1			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-K		3	g	C	0.212816	ca0f8e136cd6f115408162ea261425ba43167e0ce9a13cdc68caf6c6cf509dfc8			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-K		3	g	Cbar	-0.474872	8b7e3d0d3f8321h0259a90d16f54889e3aa6f7757676995c85104a31aa1a3cf			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-K		3	p	F	0.130647	10d6906cd7ba381da1461f6092cbh0a349453728fa7d8c2309470aaef4eed2f7a			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-K		3	p	Fbar	-0.317659	caca1e14dbf07099a3401b4dgl1cc5433da7e3b1ef054fce6c129e60ad10cd5ce3			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-K		3	p	C	0.196486	9a811f1bc87bb0a0a088e29771d18045b13929e5b2603ceb65f2ff57ea3824850			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-K		3	p	Cbar	-0.415631	309e2d79b75d1ca1ab5e6901g1079b03613ef71ad4e6ca1506ef04eb6c989dcb7e			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-K		3	s	F	0.098436	39839bb66ff4d091ab65c47eg1773pdc83272ab445b18a1303edfb75285ea1550b4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-K		3	s	Fbar	-0.18627	7d4b88b028f0fb7621622851b744qmdh03232d115412d337809b3c0cfce5f25df			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-K		3	s	C	0.144806	0597e52db36af0240b606ffag941c56B55395e172468625684417b85369ab1d9c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-K		3	s	Cbar	-0.256276	5a59f1542255429m08d17dc6525dc85298682c2222b5a652f6f05e2028ba9efa			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-K		3	a	F	0.154478	18440113e8f096655784f9098c95a2710fcd851702d4f5991329e37c59af1ea6			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-K		3	a	Fbar	-0.287284	0479bd94cd55b677572342b89cfgha85243b2954e7ab81c7bfc656373cc838cb4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-K		3	a	C	0.220659	e005ed9391fe7590fb5fcd60316d1h9e46847dc1f0e2805ff0632b86b8e7822357			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-K		3	a	Cbar	-0.345535	e2b95c2158f0fb47bb462ddbb757445290f1307cd4453969a71056318550d631			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-K		3	g	F	0.112835	32aadaa12fda1b181e7852620289407b4991b2618eaa18b804a4a42458ef43b6c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-K		3	g	Fbar	-0.378316	71870e37c82e32267545a60gufeg1635b1ad78adc401114bf002cdf9014af3e5c1			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-K		3	g	C	0.18331	ca0f8e136cd6f115408162ea261425ba43167e0ce9a13cdc68caf6c6cf509dfc8			

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-K		3	g	Cbar	-0.477088	8b7e3d0d3f832ba2a93d0c6f54889e3aa6f7757676995c85104a31aa1a3cf			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-K		3	p	F	0.100013	10d6906cd7ba3fda1d6f692eb90a449453728fa7d8c2309470aaef4eed2f7a			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-K		3	p	Fbar	-0.322175	caca1e14db07099a3d401d4d1cc54320da7e3b1ef054fce6c129e60ad10cd5ce3			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-K		3	p	C	0.168828	9a811f1bc87ba60aa088e297d18946f1a929e5b2603ceb65f2ff5f7ea3824850			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-K		3	p	Cbar	-0.417979	309e2d79b5dca1ab5e69019e79b29a1fe771ad4e6ca1506ef04eb6c989dcb7e			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-K		3	s	F	0.071717	39839bb66f1d09da1b5e47e9d773p54f22ab445b18a1303edfb75285ea1550b4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-K		3	s	Fbar	-0.191372	7d4b88b028f0cf7621e285f744qna0b0232d115412d337809b3c0cfce5f25df			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-K		3	s	C	0.120572	0597e52db3a1f024db096f5a41c56f55895e172468625684417b85369ab1d9c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-K		3	s	Cbar	-0.258953	5a59f15422554129a88e17dc6525pdc3298682c2222b5a652f6f05e2028ba9efa			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-K		3	a	F	0.120633	18440113c87096a55784603b8c3a710fed851702d4f5991329e37c59af1ea6			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-K		3	a	Fbar	-0.291574	0479bd94cd5f1b77312342b89c7qb485248b2954e7ab81c7bfc656373cc838cb4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-K		3	a	C	0.186462	e005ed9391fe759fb5fced6a316d19e46847dc1f0e2805ff0632b86b8e7822357			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-K		3	a	Cbar	-0.347837	e2b95c2158f0b47b3442dd57d17744549ef1307cd4453969a71056318550d631			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE-K		3	g	F	0.16694	32aadaa12fda1b81c785260428947f1a991b2618eaa18b804a4a42458ef43b6c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE-K		3	g	Fbar	-0.372188	71870e37c8e2e12657a45a60g4feg1457ba178adcd01114bf002cdf9014af3e5c1			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE-K		3	g	C	0.232811	ca0f8e136cf5f154a8362e1a261425ba43107e0ce9a13cdc68caf6c6cf509dfc8			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE-K		3	g	Cbar	-0.473837	8b7e3d0d3f832ba2a93d0c6f54889e3aa6f7757676995c85104a31aa1a3cf			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE-K		3	p	F	0.149458	10d6906cd7ba3fda1d6f692eb90a449453728fa7d8c2309470aaef4eed2f7a			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE-K		3	p	Fbar	-0.315724	caca1e14db07099a3d401d4d1cc54320da7e3b1ef054fce6c129e60ad10cd5ce3			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE-K		3	p	C	0.21523	9a811f1bc87ba60aa088e297d18946f1a929e5b2603ceb65f2ff5f7ea3824850			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE-K		3	p	Cbar	-0.414535	309e2d79b5dca1ab5e69019e79b29a1fe771ad4e6ca1506ef04eb6c989dcb7e			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE-K		3	s	F	0.114842	39839bb66f1d09da1b5e47e9d773p54f22ab445b18a1303edfb75285ea1550b4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE-K		3	s	Fbar	-0.184084	7d4b88b028f0cf7621e285f744qna0b0232d115412d337809b3c0cfce5f25df			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE-K		3	s	C	0.161228	0597e52db3a1f024db096f5a41c56f55895e172468625684417b85369ab1d9c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE-K		3	s	Cbar	-0.255027	5a59f15422554129a88e17dc6525pdc3298682c2222b5a652f6f05e2028ba9efa			

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	kemeny	NOISE-K		3	a	F	0.17526	18440113e8f096655784f938c95a710fcd851702d4f5991329e37c59af1ea6			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	kemeny	NOISE-K		3	a	Fbar	-0.285446	0479bd94cd51b677752342b89cfgh05243b2954e7ab81c7bfc656373cc838cb4			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	kemeny	NOISE-K		3	a	C	0.243834	e005ed9391fe7599f05fcd63b16dhp00847dc1f0e2805ff0632b86b8e7822357			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	kemeny	NOISE-K		3	a	Cbar	-0.34446	e2b95c2158f0b47b3442ddh7704f5d9ef1307cd4453969a71056318550d631			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	NOISE-K		3	g	F	0.14518	32aadaa12f0alb18ticf556f028p47f4991b2618eaa18b804a4a42458ef43b6c			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	NOISE-K		3	g	Fbar	-0.373261	71870e37c82e12267a45a60gufeg163bba78adcd01114bf002cdf9014af3e5c1			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	NOISE-K		3	g	C	0.216717	ca0f8e136cd6f1f54a3842e2e261425ba43167e0ce9a13cdc68fc6c6cf509dfc8			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	NOISE-K		3	g	Cbar	-0.474133	8b7e3d0d3f8321a2c95a90g16f154389e3aa6f7757676995c85104a31aa1a3cf			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	NOISE-K		3	p	F	0.129572	10d6906cd7a38fda14616992ebhp0449453728fa7d8c2309470aaef4eed2f7a			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	NOISE-K		3	p	Fbar	-0.316853	caca1e14db07099a3d401iagltcc503bda7e3b1ef054fce6c129e60ad10cd5ce3			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	NOISE-K		3	p	C	0.200144	9a811f1bc87b60a3d088e2971d394d513929e5b2603ceb65f2ff5f7ea3824850			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	NOISE-K		3	p	Cbar	-0.414848	309e2d79b5d1ca1ab5e6901g179b29313ef71ad4e6ca1506ef04eb6c989dcb7e			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	NOISE-K		3	s	F	0.097498	39839bb66f4d09dab85e47ed773p5B3252ab445b18a1303edfb75285ea1550b4			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	NOISE-K		3	s	Fbar	-0.185359	7d4b88b02806b76216285f1744quidb03232d115412d337809b3c0cfce5f25df			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	NOISE-K		3	s	C	0.14801	0597e52db36af02d0b016f5g41p06B5595e172468625684417b85369ab1d9c			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	NOISE-K		3	s	Cbar	-0.255383	5a59f15422551429d8ed17drg525p0435298682c2222b5a652f6f05e2028ba9efa			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	NOISE-K		3	a	F	0.153291	18440113e8f096655784f938c95a710fcd851702d4f5991329e37c59af1ea6			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	NOISE-K		3	a	Fbar	-0.286518	0479bd94cd51b677752342b89cfgh05243b2954e7ab81c7bfc656373cc838cb4			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	NOISE-K		3	a	C	0.225181	e005ed9391fe7599f05fcd63b16dhp00847dc1f0e2805ff0632b86b8e7822357			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	rrf	NOISE-K		3	a	Cbar	-0.344767	e2b95c2158f0b47b3442ddh7704f5d9ef1307cd4453969a71056318550d631			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE-K		3	g	F	0.150767	32aadaa12f0alb18ticf556f028p47f4991b2618eaa18b804a4a42458ef43b6c			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE-K		3	g	Fbar	-0.374639	71870e37c82e12267a45a60gufeg163bba78adcd01114bf002cdf9014af3e5c1			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE-K		3	g	C	0.219156	ca0f8e136cd6f1f54a3842e2e261425ba43167e0ce9a13cdc68fc6c6cf509dfc8			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE-K		3	g	Cbar	-0.475315	8b7e3d0d3f8321a2c95a90g16f154389e3aa6f7757676995c85104a31aa1a3cf			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	test	schulze	NOISE-K		3	p	F	0.134678	10d6906cd7a38fda14616992ebhp0449453728fa7d8c2309470aaef4eed2f7a			

cell	dataset	model	split	method	setting	distance model	q	condition	metric	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality extrapolated
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE-K		3	p	Fbar	-0.318304	cacale14dbf07099a3440114d1c55330da7e3b1ef054fce6c129e60ad10cd5ce3			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE-K		3	p	C	0.20243	9a811f1bc87160a0a068c29774d89451329295b2603ceb65f2f5f7ea3824850			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE-K		3	p	Cbar	-0.416101	309e2d79b58d1ca1ab5c69019d079b0951f2ef71ad4e6ca1506ef04eb6c989dcb7e			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE-K		3	s	F	0.101951	39839bb6ff64d091ab65ce47c8d773dc653272ab445b18a1303edfb75285ea1550b4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE-K		3	s	Fbar	-0.186999	7d4b88b028f06b7621c2851744e16f5b03232d115412d337809b3c0cfe5f25df			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE-K		3	s	C	0.150013	0597e52db3a1f024b0606ff9341c5655395e172468625684417b85369ab1d9c			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE-K		3	s	Cbar	-0.256811	5a59f1542235129c08d17dc6525dc83298682c222b5a652f6f05e2028ba9efa			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE-K		3	a	F	0.158932	18440113e8f0d966557e349d93c5a2f10c851702d4f5991329e37c59af1ea6			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE-K		3	a	Fbar	-0.287897	0479bd94cd55b677572342b8b9cfab485243b2954e7ab81c7bfc656373cc838cb4			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE-K		3	a	C	0.228007	e005e9391fe7599f05ced6316d19a8647dc1f0e2805f0632b86b8e7822357			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE-K		3	a	Cbar	-0.345995	e2b95c2158f0b475b0462dd57d75443d90f1307cd4453969a71056318550d631			

Table 155: ImageNet-ViT-B/16 results.

cell	dataset	model	split	method	setting	distance model	q	candidate id	sample count	geometry	geometry label	source id	methods	selected individual	ER F g	ER Fbar g	ER C g	ER Cbar g	ER F p	ER Fbar p
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-S		2	be1d1979e75529b5b18e2126a305c72e775e6	75529b5b18e2126a305c72e775e6	NOISE-S	8044010a4f63e1d22b54984340a	Rollout	010f13073	0.055115	-0.006502	0.050136				
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-S		2	b54b8513e47700b88e3e40554c787615428fa	47700b88e3e40554c787615428fa	NOISE-S	058087fb0393fd004890d7949e498	Rollout	010f13073	0.055542	-0.007314	0.053072				
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE-S		2	566157ea61b50f04ab78a9a3444e1c12893051	566157ea61b50f04ab78a9a3444e1c12893051	NOISE-S	d676858eecc39cd3385a32406a7b	Rollout	010f13073	0.055542	-0.007314	0.053072				
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE-S		2	436e38ef68e3d00a766477b129136083f9964	436e38ef68e3d00a766477b129136083f9964	NOISE-S	dee1d758b34859e54e4f2938390	Rollout	010f13073	0.054412	-0.009389	0.052427				
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE-S		2	9bd043f476f50005b54e62bca1062d01838620	9bd043f476f50005b54e62bca1062d01838620	NOISE-S	b9223782fe339462e54f0021108	Rollout	010f13073	0.055542	-0.007314	0.053072				
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	simpleavg	NOISE-K		3	d1196f72e05190095986ad1db3c0135741	d1196f72e05190095986ad1db3c0135741	NOISE-K	1836f0652b992c472e61a47d1d458	Rollout	010f13073	0.044722	0.011153	0.046859				
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	borda	NOISE-K		3	33e4fb51ad6560432ce0cb1d1c0cd291848951	33e4fb51ad6560432ce0cb1d1c0cd291848951	NOISE-K	17f1fa2c769e07ad0064A47e85em	Rollout	010f13073	0.023088	0.014187	0.032175				
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	kemeny	NOISE-K		3	038fb812ca862006847e2e75f6c230159b488	038fb812ca862006847e2e75f6c230159b488	NOISE-K	99bcd0109e67dd094f46b003e	Rollout	010f13073	0.056237	-0.004458	0.053324				
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	rrf	NOISE-K		3	f0cdc5dfe605d00d84edf1e8f3d7561377475	f0cdc5dfe605d00d84edf1e8f3d7561377475	NOISE-K	47625fd0db63ad657500463d4e2	Rollout	010f13073	0.054233	0.011028	0.065053				
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	test	schulze	NOISE-K		3	91ea6f68caf3928751e68f3b1e02870322b150	91ea6f68caf3928751e68f3b1e02870322b150	NOISE-K	0eb3c5efeeca01ed1e445025014	Rollout	010f13073	0.040515	0.003722	0.045504				

Table 156: ImageNet–ViT-B/16 results.

cell	dataset	model	split	method	setting	distance model	q	ER C p	ER Cbar p	ER F s	ER Fbar s	ER C s	ER Cbar s	ER F a	ER Fbar a	ER C a	ER Cbar a
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	simpleavg	NOISE-S		2	-0.00703	0.048501	-0.003664	0.025706	-0.003623	0.026611	-0.009595	-0.007622	-0.012499	-0.007605
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	borda	NOISE-S		2	-0.010487	0.054622	0.00153	0.028044	0.000173	0.02767	-0.011376	-0.012133	-0.016221	-0.011447
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	kemeny	NOISE-S		2	-0.010487	0.054622	0.00153	0.028044	0.000173	0.02767	-0.011376	-0.012133	-0.016221	-0.011447
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	rrf	NOISE-S		2	-0.011344	0.052414	-0.001408	0.025515	-0.002627	0.026063	-0.011364	-0.012546	-0.017186	-0.011628
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	schulze	NOISE-S		2	-0.010487	0.054622	0.00153	0.028044	0.000173	0.02767	-0.011376	-0.012133	-0.016221	-0.011447
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	simpleavg	NOISE-K		3	0.016914	0.047831	0.005564	0.03247	0.007194	0.032276	-0.005878	-0.008916	-0.008059	-0.006065
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	borda	NOISE-K		3	0.017172	0.031779	0.002683	0.022172	-0.001372	0.019553	0.032167	-0.001626	0.030538	-0.003963
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	kemeny	NOISE-K		3	-3.0163e-05	0.054535	-0.000642	0.030284	0.001772	0.031627	-0.01086	-0.016154	-0.015034	-0.01834
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	rrf	NOISE-K		3	0.008656	0.063048	0.005902	0.039959	0.00299	0.037783	0.005309	-0.011682	0.000219	-0.008433
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	test	schulze	NOISE-K		3	0.00537	0.043701	-0.002751	0.027799	-0.001613	0.029411	-0.003532	-0.000903	-0.006207	-0.001605

Table 157: ImageNet-ViT-B/16 results.

cell	dataset	model	q	condition	metric	comparison id	sample count	geometry	geometry label	rule	condition label	naive er	noise er	gain	standard error	ci low	ci high	confidence	one sided positive gain p value	holm adjusted p value
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	F	4ff74e67fa6a5006e96b6050d477b6c381285e190918ad2c48bb6cd3541f5a090877	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	0.011305	-0.011305	-0.020075	0.005904	-0.03132	-0.008297	0.95	0.99995	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Fbar	dbc30b656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	0.05672	0.033269	0.006997	0.019675	0.047058	0.95	5e-05	0.032	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	C	401aa700876308ee665c9d1120176c015355654bb497cd473401bb0ec5201029005	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	-0.013091	-0.034114	0.005788	-0.045399	-0.022589	0.95	1	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Cbar	f526d2f42a350058d86697adbb19015355654bb497cd473401bb0ec5201029005	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	0.055115	0.02559	0.007029	0.011939	0.039595	0.95	0.0001	0.0615	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	F	accafb218225006b42pe11f525f7801309534a29pbcd127f1a90999e718014	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	-0.006502	-0.019616	0.005425	-0.029987	-0.008692	0.95	0.99985	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Fbar	d1472d67907008b686ef26dd0816c015355654bb497cd473401bb0ec5201029005	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	0.050136	0.014227	0.007086	0.000375	0.028159	0.95	0.02235	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	C	1aac44519251007f86pe11f525f7801309534a29pbcd127f1a90999e718014	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	-0.007703	-0.028716	0.00528	-0.038916	-0.018285	0.95	1	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Cbar	71d7bb878b50070cd24000cf27bd25f69e5a0b3cd0036m254793p701488335	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	0.048501	0.007853	0.007174	-0.006263	0.021826	0.95	0.1389	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	F	75514837341200009pe11f525f7801309534a29pbcd127f1a90999e718014	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	-0.003664	-0.00421	0.004615	-0.012994	0.005169	0.95	0.8278	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Fbar	2e7785259555006b42pe11f525f7801309534a29pbcd127f1a90999e718014	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	0.025706	0.004251	0.006887	-0.009236	0.017799	0.95	0.26875	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	C	ec824db68d5500979f0250d4b47001529c4459eip1607b5f9e8131610d87257	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	-0.003623	-0.01084	0.004592	-0.019666	-0.001825	0.95	0.9922	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Cbar	e6b1dcd47f85005f06658876d550058d86697adbb19015355654bb497cd473401bb0ec5201029005	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	0.026611	0.002198	0.006975	-0.011471	0.015775	0.95	0.37995	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	F	551ffa96462f30075346877d1a1c380159423dc2b91e87e9bb92688de07015242	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	-0.009595	0.003827	0.005501	-0.006508	0.014824	0.95	0.2548	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Fbar	877b38e31c750067fepd96nfaf981000945d2f9c7f53p5044b2e38de402647088	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	-0.007622	0.076466	0.007745	0.061197	0.091783	0.95	5e-05	0.032	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	C	b0290488a45000459b57c163d370c015355654bb497cd473401bb0ec5201029005	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	-0.012499	0.002703	0.005667	-0.008297	0.013986	0.95	0.32455	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Cbar	b17ff3d678b500057590e8d129815423521f50ap3053p34f57cd489de00307254	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	-0.007605	0.085649	0.007916	0.07011	0.101173	0.95	5e-05	0.032	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	F	fe15ae0fc15d5000b1b306nf0b470015355654bb497cd473401bb0ec5201029005	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	-0.006069	-0.023751	0.005947	-0.035076	-0.011747	0.95	0.99995	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Fbar	696c727a3317006c9p16nf0b470015355654bb497cd473401bb0ec5201029005	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	0.05501	-0.008714	0.007359	-0.022878	0.005792	0.95	0.88555	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	C	22b4883f5b6700069pe11f525f7801309534a29pbcd127f1a90999e718014	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	-0.011792	-0.040058	0.005716	-0.050907	-0.028535	0.95	1	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Cbar	d2065fca19f5c001b306nf0b470015355654bb497cd473401bb0ec5201029005	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	0.055542	-0.012684	0.007375	-0.026866	0.001877	0.95	0.95995	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	F	caacdae8f4b500821b306nf0b470015355654bb497cd473401bb0ec5201029005	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	-0.007314	-0.028064	0.005612	-0.038796	-0.016799	0.95	1	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Fbar	133332c4fd7006cb1p02b23572f50145f3cd2frc500c0938d55985p601029763	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	0.053072	-0.019891	0.007803	-0.035249	-0.004601	0.95	0.99455	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	C	4cd655e3649792d79020b1b306nf0b470015355654bb497cd473401bb0ec5201029005	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	1000	656b5009da60404598100d463e4b992669de8a9b25b6a2569b8c023430	-0.010487	-0.04086	0.005458	-0.051373	-0.029999	0.95	1	1	

cell	dataset	model	q	condition	metric	comparison id	sample count	geometry	geometry label	rule	condition label	naive er	noise er	gain	standard error	ci low	ci high	confidence	one sided positive gain p value	holm adjusted p value
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Cbar	5a5dcd8351d30004	388437373	N618324a08dd19c36ae71652fbb877056038					0.054622	-0.021432	0.007855	-0.036794	-0.00596	0.95	0.99685	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	F	fbe18064ad1f5000a	6598124444	7075822576bd1d43bb667551a49c37005005					0.00153	-0.004435	0.004595	-0.013127	0.004879	0.95	0.846	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Fbar	9b7a140373f5000b	97948270c9f80555e8ba58c5f1b59320d122ec80e877824						0.028044	-0.00978	0.007605	-0.02456	0.004954	0.95	0.90485	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	C	6928a341b9150010	3a302a64c7d01955577b57e83e0desip880ad1d0c0312849						0.000173	-0.011676	0.004587	-0.020517	-0.002481	0.95	0.9948	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Cbar	eb527987ab150012	2fpe8468dd85c07535e9313bce5556b7c147141200937b						0.02767	-0.011471	0.007722	-0.026551	0.003772	0.95	0.9341	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	F	bb994a29a2870030	69d43b9a17001156a5eb996ad464eatb6056cda7f0000122						-0.011376	-0.016299	0.005508	-0.026722	-0.005218	0.95	0.99935	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Fbar	86bcb17954150010	3b53f3f59m680016004371lled01le477f1edf34fuc53140263602						-0.012133	0.071469	0.007867	0.05622	0.087034	0.95	5e-05	0.032
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	C	8b49eec48b150007	cd958m53b000162f4329b4460940c8000dno06b7563d357						-0.016221	-0.026721	0.005582	-0.037415	-0.015566	0.95	1	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Cbar	0219353d9a550008	d9e56033dc230d187e91a5b654fc2367b0f8d67f20109016						-0.011447	0.078713	0.008059	0.063178	0.094617	0.95	5e-05	0.032
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	F	7aed27c20de5000f	cep25b77da250159958eefbd431a5b386e800a10600202d						-0.005846	-0.025506	0.005695	-0.036484	-0.014125	0.95	1	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Fbar	63c2d3b1aa300015	5a9b00011790763e231f1727cc479f0e35260bnd518e05780						0.053597	-0.004093	0.00742	-0.018604	0.010502	0.95	0.7112	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	C	cb745cd0af6f5007a	35a29e82ade06023598c0bf801d363f8a9833b5e805301835						-0.01028	-0.042173	0.005447	-0.052703	-0.031219	0.95	1	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Cbar	c41003c1cb150002	24b50a23c82029E43fa6828b05b572a56dd408506062200						0.054412	-0.00779	0.007466	-0.02255	0.006887	0.95	0.85485	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	F	77526897a9050014	4e85f5a0a2201454565f1f1f5a690ac160b090e41829888						-0.009389	-0.033277	0.005332	-0.043503	-0.022584	0.95	1	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Fbar	b6c9c9582195009c	5490ca33fc800584358a576083e9fcafc1p220bfe900539						0.052427	-0.012963	0.007578	-0.027815	0.002229	0.95	0.9588	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	C	bafb75e8a3e5000d	735b14c0a5230998E73446ff6c9e824321dc0934810350237						-0.011344	-0.042631	0.005261	-0.052795	-0.032125	0.95	1	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Cbar	1d59aead64e50002	08a900f70885c0f8038d6d7d6005161d1199b4f400057123						0.052414	-0.014719	0.007698	-0.0298	0.000739	0.95	0.9726	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	F	3b26c95930450008	1549008380100189a8f7494ae5bf546afcd30813404000133						-0.001408	-0.010541	0.004518	-0.019218	-0.001438	0.95	0.9913	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Fbar	392aef5ac5750088	43e1087mf134095f43e4434f8ad4728971e0c4fa20926372						0.025515	-0.001457	0.00734	-0.015833	0.012808	0.95	0.5863	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	C	cd1bbde3bb5000c9	534a15c2320797Ea31b3cf24c3f1bced5c7fa5aa4b095036						-0.002627	-0.017664	0.004538	-0.02646	-0.008637	0.95	0.99995	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Cbar	934e9eef34a50015	75600014f900387c96fndbef2ddbbs5me2d1e0c3104008722						0.026063	-0.002209	0.007485	-0.016796	0.012611	0.95	0.62605	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	F	8facc2f11c350701	699ab500ac040185a5cfbdf45f321462464r1b0f65000984						-0.011364	-0.00938	0.005266	-0.019471	0.001267	0.95	0.96785	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Fbar	c2d7ced9b062009b	3774ab3040043E386e0f07eb80dfca8ba050f5030070837						-0.012546	0.063291	0.00776	0.048209	0.078657	0.95	5e-05	0.032
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	C	05a9f998d4560083	7ped9005m05c018575bb0af83629a84ad043f84970000982						-0.017186	-0.017568	0.005357	-0.027843	-0.006863	0.95	0.9997	1

cell	dataset	model	q	condition	metric	comparison id	sample count	geometry	geometry label	rule	condition label	naive er	noise er	gain	standard error	ci low	ci high	confidence	one sided positive gain p value	holm adjusted p value
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Cbar	d85a44c3fe3400b91e1e686d5fa479058557a65ffe483da3d337c9a0246f239438	35000	ep686d5fa479058557a65ffe483da3d337c9a0246f239438	79058557a65ffe483da3d337c9a0246f239438	483da3d337c9a0246f239438	naive er	-0.011628	0.06475	0.007974	0.049165	0.080395	0.95	5e-05	0.032	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	F	2c9b06891b500007ef635f414b1e763d123528b4b0b194af66486dab86f00502747	35000	ep635f414b1e763d123528b4b0b194af66486dab86f00502747	635f414b1e763d123528b4b0b194af66486dab86f00502747	414b1e763d123528b4b0b194af66486dab86f00502747	naive er	-0.006069	-0.028717	0.005638	-0.039551	-0.017365	0.95	1	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Fbar	90d5fbc04aa500a2f36c0f115b7f2615355cd163245a02c9a456607a3a500005	50000	ep36c0f115b7f2615355cd163245a02c9a456607a3a500005	5355cd163245a02c9a456607a3a500005	02c9a456607a3a500005	naive er	0.05501	-0.020895	0.007572	-0.035651	-0.005852	0.95	0.9963	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	C	cd8478eb4a65003bf828da26877613585ec1616b9c8e34b6e6927b369032882	50000	ep828da26877613585ec1616b9c8e34b6e6927b369032882	13585ec1616b9c8e34b6e6927b369032882	034b6e6927b369032882	naive er	-0.011792	-0.043674	0.005304	-0.053851	-0.032978	0.95	1	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Cbar	3eeaa737933870033ep47117fhec180355e5442b757f16e28f5552bb171379322	35000	ep47117fhec180355e5442b757f16e28f5552bb171379322	55e5442b757f16e28f5552bb171379322	16e28f5552bb171379322	naive er	0.055542	-0.024281	0.00756	-0.039104	-0.009223	0.95	0.9994	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	F	974587cad745000c3ep6759a52b2c01236039d6nb228688d180p6f4500027498	45000	ep6759a52b2c01236039d6nb228688d180p6f4500027498	1236039d6nb228688d180p6f4500027498	039d6nb228688d180p6f4500027498	naive er	-0.007314	-0.034508	0.005427	-0.044952	-0.023602	0.95	1	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Fbar	9a067e88b38500d15fdd3af0f0N31331540560e29d2bd611c5797a42007878	38500	ep5fdd3af0f0N31331540560e29d2bd611c5797a42007878	1331540560e29d2bd611c5797a42007878	0560e29d2bd611c5797a42007878	naive er	0.053072	-0.024806	0.007783	-0.039925	-0.009612	0.95	0.99895	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	C	2d0c107da48500165e9042b65eb5b013539a35c22d4743763ac64461803378429	48500	ep042b65eb5b013539a35c22d4743763ac64461803378429	13539a35c22d4743763ac64461803378429	035c22d4743763ac64461803378429	naive er	-0.010487	-0.042289	0.005208	-0.052336	-0.031884	0.95	1	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Cbar	8db5d1acd750005ab9873408f320d18f738e32d0d7caa655d242b15003814271	75000	ep873408f320d18f738e32d0d7caa655d242b15003814271	18f738e32d0d7caa655d242b15003814271	0d7caa655d242b15003814271	naive er	0.054622	-0.026805	0.007813	-0.042086	-0.01164	0.95	0.99955	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	F	2d99c7498f000862396a8mla2eN0159515b7a6a40f6f528680da250011886	10000	ep96a8mla2eN0159515b7a6a40f6f528680da250011886	159515b7a6a40f6f528680da250011886	0f6f528680da250011886	naive er	0.00153	-0.009857	0.004478	-0.018343	-0.000799	0.95	0.9886	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Fbar	f04fd2defcd350002f64609a545N4748B32c757603yfedep920202f0830135215	35000	ep64609a545N4748B32c757603yfedep920202f0830135215	748B32c757603yfedep920202f0830135215	03yfedep920202f0830135215	naive er	0.028044	-0.008171	0.007738	-0.023368	0.007168	0.95	0.85765	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	C	0b196f0d3196000c3ap7d9d53b1N0043E75097d7765b1b098e17b0c010059024	19600	ep7d9d53b1N0043E75097d7765b1b098e17b0c010059024	43E75097d7765b1b098e17b0c010059024	097d7765b1b098e17b0c010059024	naive er	0.000173	-0.014868	0.004407	-0.023316	-0.006088	0.95	0.99965	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Cbar	06da50d579d700e5epf9000fnaN31337d5c345005919bc9702d8f21890040677	37000	epf9000fnaN31337d5c345005919bc9702d8f21890040677	1337d5c345005919bc9702d8f21890040677	05919bc9702d8f21890040677	naive er	0.02767	-0.013007	0.007869	-0.028286	0.002481	0.95	0.95315	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	F	48169f0a4d360005epd409d36b58063592fd361b7a93cf23165a6b6000027257	36000	epd409d36b58063592fd361b7a93cf23165a6b6000027257	063592fd361b7a93cf23165a6b6000027257	093cf23165a6b6000027257	naive er	-0.011376	-0.013033	0.005358	-0.023091	-0.002241	0.95	0.99335	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Fbar	976c728c2ba3000c3ap44760389M4016E5a12652e49da54cf49e983b73069436	30000	ep44760389M4016E5a12652e49da54cf49e983b73069436	016E5a12652e49da54cf49e983b73069436	049da54cf49e983b73069436	naive er	-0.012133	0.048282	0.007812	0.033059	0.06371	0.95	5e-05	0.032	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	C	170fd2e20215000818pf2f0e6f8fN01532cb4d6b7e4b6d6562a468b8f008869	50000	epf2f0e6f8fN01532cb4d6b7e4b6d6562a468b8f008869	1532cb4d6b7e4b6d6562a468b8f008869	0cb4d6b7e4b6d6562a468b8f008869	naive er	-0.016221	-0.02209	0.005429	-0.032492	-0.011159	0.95	1	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Cbar	298bcfe49f6c900a04pred78b2b38025053f9cd4f15bf85b80554d6a808363676	90000	epred78b2b38025053f9cd4f15bf85b80554d6a808363676	025053f9cd4f15bf85b80554d6a808363676	053f9cd4f15bf85b80554d6a808363676	naive er	-0.011447	0.05023	0.007969	0.034685	0.066165	0.95	5e-05	0.032	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	F	3b485fb16490005ep15c1a2b3320133572429a1d1e1038e21cda357870f0308188	164900	ep15c1a2b3320133572429a1d1e1038e21cda357870f0308188	133572429a1d1e1038e21cda357870f0308188	029a1d1e1038e21cda357870f0308188	naive er	-0.006069	-0.030881	0.005808	-0.041859	-0.019159	0.95	1	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Fbar	eeba420a89f500048p8af114882601355c80337f338fc6343b9157450079251	89f5000	ep8af114882601355c80337f338fc6343b9157450079251	1355c80337f338fc6343b9157450079251	0337f338fc6343b9157450079251	naive er	0.05501	-0.018241	0.007443	-0.032649	-0.003452	0.95	0.99315	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	C	f0fc12ed480a0080b3p3d70d28220601355c37558984d0a8927238da765083337	80000	ep3d70d28220601355c37558984d0a8927238da765083337	01355c37558984d0a8927238da765083337	037558984d0a8927238da765083337	naive er	-0.011792	-0.04505	0.005403	-0.055397	-0.034177	0.95	1	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Cbar	121fde8e35430001f7p66f1f184N0039B15a38ff02fd829buda52338d7072714	35000	ep66f1f184N0039B15a38ff02fd829buda52338d7072714	039B15a38ff02fd829buda52338d7072714	02fd829buda52338d7072714	naive er	0.055542	-0.021473	0.007519	-0.036076	-0.006674	0.95	0.998	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	F	2d741a42eb5500782ep657a033dN1003345152c1705c6b8e7d1685017000026806	55000	ep657a033dN1003345152c1705c6b8e7d1685017000026806	003345152c1705c6b8e7d1685017000026806	05152c1705c6b8e7d1685017000026806	naive er	-0.007314	-0.03412	0.005508	-0.044698	-0.023063	0.95	1	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Fbar	93f5e25ddb50000cap9c44b3dcd930453554144B32e9625a01d64db40072555	60000	ep9c44b3dcd930453554144B32e9625a01d64db40072555	0453554144B32e9625a01d64db40072555	032e9625a01d64db40072555	naive er	0.053072	-0.018943	0.00773	-0.033856	-0.003612	0.95	0.99365	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	C	9e5a8db978a500d2ef79d7f80b8N0057E23508cd07e7737e6122gebp99436f16	50000	ep79d7f80b8N0057E23508cd07e7737e6122gebp99436f16	057E23508cd07e7737e6122gebp99436f16	07e7737e6122gebp99436f16	naive er	-0.010487	-0.040603	0.005282	-0.050738	-0.030031	0.95	1	1	

cell	dataset	model	q	condition	metric	comparison id	sample count	geometry	geometry label	rule	condition label	naive er	noise er	gain	standard error	ci low	ci high	confidence	one sided positive gain p value	holm adjusted p value
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Cbar	4f1b7b64a275000273	40000	4a54436c4f1b7b64a275000273	4a54436c4f1b7b64a275000273	4a54436c4f1b7b64a275000273	4a54436c4f1b7b64a275000273	0.054622	0.054622	-0.022258	0.007744	-0.037261	-0.006938	0.95	0.99795	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	F	25d7b7b375d00045	40000	25d7b7b375d00045	25d7b7b375d00045	25d7b7b375d00045	25d7b7b375d00045	0.00153	0.00153	-0.011863	0.004581	-0.02067	-0.00259	0.95	0.9962	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Fbar	a0155fbf97f850031	40000	a0155fbf97f850031	a0155fbf97f850031	a0155fbf97f850031	a0155fbf97f850031	0.028044	0.028044	-0.002468	0.007608	-0.017227	0.012305	0.95	0.6308	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	C	f95fa55f664a500045	40000	f95fa55f664a500045	f95fa55f664a500045	f95fa55f664a500045	f95fa55f664a500045	0.000173	0.000173	-0.015869	0.004552	-0.024609	-0.00669	0.95	0.99975	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Cbar	bdc51dccb0300087	40000	bdc51dccb0300087	bdc51dccb0300087	bdc51dccb0300087	bdc51dccb0300087	0.02767	0.02767	-0.008795	0.007696	-0.023901	0.006145	0.95	0.87625	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	F	2d04baf4f3e50087	40000	2d04baf4f3e50087	2d04baf4f3e50087	2d04baf4f3e50087	2d04baf4f3e50087	-0.011376	-0.011376	-0.014215	0.005575	-0.024831	-0.002828	0.95	0.99625	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Fbar	adb4cadbb7950001	40000	adb4cadbb7950001	adb4cadbb7950001	adb4cadbb7950001	adb4cadbb7950001	-0.012133	-0.012133	0.065341	0.007842	0.04997	0.080693	0.95	5e-05	0.032
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	C	5d53b6bb5d500045	40000	5d53b6bb5d500045	5d53b6bb5d500045	5d53b6bb5d500045	5d53b6bb5d500045	-0.016221	-0.016221	-0.02022	0.005621	-0.030979	-0.008879	0.95	0.99995	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Cbar	7b96e8daed50007	40000	7b96e8daed50007	7b96e8daed50007	7b96e8daed50007	7b96e8daed50007	-0.011447	-0.011447	0.06724	0.007988	0.051523	0.083032	0.95	5e-05	0.032
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	F	629a356fe850003	40000	629a356fe850003	629a356fe850003	629a356fe850003	629a356fe850003	0.009844	0.009844	0.001074	0.005305	-0.009269	0.011435	0.95	0.41775	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Fbar	97f448b70ae50007	40000	97f448b70ae50007	97f448b70ae50007	97f448b70ae50007	97f448b70ae50007	0.044827	0.044827	0.021375	0.006422	0.008766	0.033874	0.95	0.00035	0.21455
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	C	a0b939965405000	40000	a0b939965405000	a0b939965405000	a0b939965405000	a0b939965405000	0.014984	0.014984	-0.006039	0.00512	-0.016052	0.004013	0.95	0.88165	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Cbar	54f031d600f50003	40000	54f031d600f50003	54f031d600f50003	54f031d600f50003	54f031d600f50003	0.047272	0.047272	0.017746	0.006487	0.005086	0.03039	0.95	0.00225	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	F	35f37b9d68050009	40000	35f37b9d68050009	35f37b9d68050009	35f37b9d68050009	35f37b9d68050009	0.011153	0.011153	-0.001961	0.004864	-0.011539	0.007471	0.95	0.66325	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Fbar	43f1c7a4f30e0007	40000	43f1c7a4f30e0007	43f1c7a4f30e0007	43f1c7a4f30e0007	43f1c7a4f30e0007	0.046859	0.046859	0.010949	0.006471	-0.001588	0.023722	0.95	0.04595	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	C	0eab41dd5650007	40000	0eab41dd5650007	0eab41dd5650007	0eab41dd5650007	0eab41dd5650007	0.016914	0.016914	-0.004772	0.004742	-0.014022	0.00464	0.95	0.8489	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Cbar	d82bc007c4750027	40000	d82bc007c4750027	d82bc007c4750027	d82bc007c4750027	d82bc007c4750027	0.047831	0.047831	0.007183	0.006554	-0.005543	0.020324	0.95	0.13735	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	F	ee410cc485c5000a	40000	ee410cc485c5000a	ee410cc485c5000a	ee410cc485c5000a	ee410cc485c5000a	0.005564	0.005564	0.005019	0.004473	-0.003846	0.013743	0.95	0.1293	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Fbar	4ddfdb425f30008f	40000	4ddfdb425f30008f	4ddfdb425f30008f	4ddfdb425f30008f	4ddfdb425f30008f	0.03247	0.03247	0.011016	0.00635	-0.001446	0.023462	0.95	0.04205	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	C	c2c2dd8ac6450003	40000	c2c2dd8ac6450003	c2c2dd8ac6450003	c2c2dd8ac6450003	c2c2dd8ac6450003	0.007194	0.007194	-2.2865e-05	0.004326	-0.008482	0.008409	0.95	0.5078	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Cbar	b5cedd43c775000a	40000	b5cedd43c775000a	b5cedd43c775000a	b5cedd43c775000a	b5cedd43c775000a	0.032276	0.032276	0.007862	0.006528	-0.004853	0.020769	0.95	0.11485	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	F	3cd40ecf5ff4f3000b	40000	3cd40ecf5ff4f3000b	3cd40ecf5ff4f3000b	3cd40ecf5ff4f3000b	3cd40ecf5ff4f3000b	-0.005878	-0.005878	0.007543	0.005428	-0.002937	0.01814	0.95	0.08205	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Fbar	c363f6e9ac215000b	40000	c363f6e9ac215000b	c363f6e9ac215000b	c363f6e9ac215000b	c363f6e9ac215000b	-0.008916	-0.008916	0.075173	0.0072	0.061068	0.08928	0.95	5e-05	0.032
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	C	9d13fdacbb800000	40000	9d13fdacbb800000	9d13fdacbb800000	9d13fdacbb800000	9d13fdacbb800000	-0.008059	-0.008059	0.007142	0.005482	-0.003513	0.017948	0.95	0.09415	1

cell	dataset	model	q	condition	metric	comparison id	sample count	geometry	geometry label	rule	condition label	naive er	noise er	gain	standard error	ci low	ci high	confidence	one sided positive gain p value	holm adjusted p value
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Cbar	98d6939265d00931366153c5c	50000	1366153c5c	1366153c5c	1366153c5c	1366153c5c	0.754254	-0.006065	0.087189	0.007379	0.072655	0.101739	0.95	5e-05	0.032
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	F	fe55f167444f300d1d39f388d1	50000	1d39f388d1	1d39f388d1	1d39f388d1	1d39f388d1	0.2917682	0.017365	-0.000317	0.00619	-0.012649	0.011714	0.95	0.51705	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Fbar	633d4b97c1e500f12b88d687ec	50000	12b88d687ec	12b88d687ec	12b88d687ec	12b88d687ec	0.0637723	0.023316	-0.040408	0.007924	-0.055894	-0.024897	0.95	1	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	C	11c8f6a3ff7428087944f4d667fd	50000	144f4d667fd	144f4d667fd	144f4d667fd	144f4d667fd	0.035266	0.01449	-0.013776	0.006064	-0.025747	-0.001984	0.95	0.98745	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Cbar	b7659fae30d00073264a3412edc	50000	1264a3412edc	1264a3412edc	1264a3412edc	1264a3412edc	0.063226	0.023088	-0.045137	0.008021	-0.060855	-0.02953	0.95	1	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	F	96c7ef0109b5000030c21d1c9a	50000	130c21d1c9a	130c21d1c9a	130c21d1c9a	130c21d1c9a	0.020789	0.014187	-0.006562	0.005788	-0.017883	0.0048	0.95	0.87305	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Fbar	fa397bc7ef0d0051b16f62a16727	50000	116f62a16727	116f62a16727	116f62a16727	116f62a16727	0.023903	0.032175	-0.040789	0.007956	-0.056652	-0.025406	0.95	1	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	C	bc9f964b138500702b34c7c1ae7	50000	1134c7c1ae7	1134c7c1ae7	1134c7c1ae7	1134c7c1ae7	0.033773	0.017172	-0.013201	0.00568	-0.024205	-0.002016	0.95	0.991	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Cbar	4d65d1109320000fb185d8b640	50000	1185d8b640	1185d8b640	1185d8b640	1185d8b640	0.038364	0.031779	-0.044275	0.007975	-0.060005	-0.028798	0.95	1	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	F	91507eccd80008d1d62b160f0	50000	11d62b160f0	11d62b160f0	11d62b160f0	11d62b160f0	0.070565	0.002683	-0.003281	0.00495	-0.013039	0.006361	0.95	0.74865	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Fbar	4633c96f809f000ab3d3ad8f7b	50000	113d3ad8f7b	113d3ad8f7b	113d3ad8f7b	113d3ad8f7b	0.037824	0.022172	-0.015653	0.008026	-0.031248	0.000231	0.95	0.97515	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	C	a41295089125000a35444b1bad4	50000	1135444b1bad4	1135444b1bad4	1135444b1bad4	1135444b1bad4	0.074849	-0.001372	-0.013221	0.00487	-0.022658	-0.003687	0.95	0.99635	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Cbar	39aab21014b5000264a97248b5d9	50000	110264a97248b5d9	110264a97248b5d9	110264a97248b5d9	110264a97248b5d9	0.050361	0.019553	-0.019588	0.008153	-0.035373	-0.003151	0.95	0.993	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	F	3fede71cefb5000ba3d2bd1168	50000	113d2bd1168	113d2bd1168	113d2bd1168	113d2bd1168	0.090403	0.032167	0.027244	0.005797	0.015876	0.038595	0.95	5e-05	0.032
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Fbar	40196ccdee43008553062ab1661	50000	113062ab1661	113062ab1661	113062ab1661	113062ab1661	0.080802	-0.001626	0.081976	0.008165	0.065959	0.098057	0.95	5e-05	0.032
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	C	62e365d419250040170c45757fa	50000	1170c45757fa	1170c45757fa	1170c45757fa	1170c45757fa	0.070765	0.030538	0.020038	0.00589	0.008569	0.031604	0.95	0.00045	0.2754
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Cbar	3f5135a805fd50009c3897a9d8bc	50000	113897a9d8bc	113897a9d8bc	113897a9d8bc	113897a9d8bc	0.052216	-0.003963	0.086196	0.008394	0.069777	0.102872	0.95	5e-05	0.032
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	F	544a932c87d50003c32a038b7af	50000	11038b7af	11038b7af	11038b7af	11038b7af	0.071966	0.00902	-0.01064	0.006068	-0.022518	0.001305	0.95	0.96125	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Fbar	027412ae2650004a1a6537c86	50000	1106537c86	1106537c86	1106537c86	1106537c86	0.05369	0.053261	-0.004429	0.007511	-0.019114	0.010318	0.95	0.7255	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	C	7d81d0a35250007512604d9f32	50000	1104d9f32	1104d9f32	1104d9f32	1104d9f32	0.071293	0.009083	-0.02281	0.005913	-0.0343	-0.011232	0.95	0.9999	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Cbar	802afba10e50000c52af7a1a8b	50000	112af7a1a8b	112af7a1a8b	112af7a1a8b	112af7a1a8b	0.0602201	0.054333	-0.007869	0.007515	-0.022412	0.006852	0.95	0.8539	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	F	169d7dd092d50004ed4b1c19d	50000	1104b1c19d	1104b1c19d	1104b1c19d	1104b1c19d	0.023882	0.011028	-0.01286	0.005829	-0.024216	-0.001451	0.95	0.98585	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Fbar	1df1d8705c500071cc8f72b94c	50000	1108f72b94c	1108f72b94c	1108f72b94c	1108f72b94c	0.060639	0.065053	-0.000337	0.007429	-0.014733	0.014266	0.95	0.52305	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	C	150ee45722790063154a27d43b	50000	11054a27d43b	11054a27d43b	11054a27d43b	11054a27d43b	0.0203287	0.008656	-0.022631	0.005766	-0.033821	-0.011515	0.95	0.9999	1

cell	dataset	model	q	condition	metric	comparison id	sample count	geometry	geometry label	rule	condition label	naive er	noise er	gain	standard error	ci low	ci high	confidence	one sided positive gain p value	holm adjusted p value
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Cbar	870023d365d70493	380000	83ec6122b578616343c27093a259ea2ad289c49100067238	83ec6122b578616343c27093a259ea2ad289c49100067238			0.063048	-0.004084	0.007538	-0.01862	0.01093	0.95	0.71265	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	F	847c98e0b8e30009	100000	187f934f33137033B8K0c1f1b08117d4cfe14d1ac0009033	187f934f33137033B8K0c1f1b08117d4cfe14d1ac0009033			0.005902	-0.003231	0.004876	-0.012713	0.006285	0.95	0.7524	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Fbar	9bb34e303a3300073	370000	37f8c541f66050455e8750ffbb38d1bf2862b30906269f2	37f8c541f66050455e8750ffbb38d1bf2862b30906269f2			0.039959	0.012987	0.007361	-0.001306	0.027577	0.95	0.03965	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	C	ef043ee2889500087	100000	187f934f33137033B8K0c1f1b08117d4cfe14d1ac0009033	187f934f33137033B8K0c1f1b08117d4cfe14d1ac0009033			0.00299	-0.012047	0.004811	-0.021385	-0.002679	0.95	0.9937	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Cbar	5a0abd3b0250006	220000	2261836H23034153B7926ff0984be7e9f194b4ff0802852	2261836H23034153B7926ff0984be7e9f194b4ff0802852			0.037783	0.009511	0.007533	-0.005134	0.024254	0.95	0.1064	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	F	5f0cbd29bc830003	610000	61954986aa30079348c72fcd8a57a75d468c0fca04083984	61954986aa30079348c72fcd8a57a75d468c0fca04083984			0.005309	0.007293	0.005599	-0.003503	0.018385	0.95	0.1005	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Fbar	5def189f5cc700015	700000	705cd01989b95043E4d03f143d9bb7cd0e573be480731837	705cd01989b95043E4d03f143d9bb7cd0e573be480731837			-0.011682	0.064155	0.007751	0.049229	0.079412	0.95	5e-05	0.032	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	C	82cd29dba0100003	230000	237c20497c860456a46d4ff69a83a4edc08e75fcd0000982	237c20497c860456a46d4ff69a83a4edc08e75fcd0000982			0.000219	-0.000163	0.005781	-0.01138	0.011224	0.95	0.51855	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Cbar	351bff54eb950006	150000	15banda1a005N635374K1c1f031cef02a3b6155a5000026378	15banda1a005N635374K1c1f031cef02a3b6155a5000026378			-0.008433	0.067945	0.007975	0.052457	0.083653	0.95	5e-05	0.032	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	F	e6753462d36500032	700000	705cd01989b95043E4d03f143d9bb7cd0e573be480731837	705cd01989b95043E4d03f143d9bb7cd0e573be480731837			-0.00794	-0.030587	0.005737	-0.041475	-0.018882	0.95	1	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Fbar	df5090f39cf350020	600000	60675d12bc2e0515440612b7f9c9bgo8Set7m710005905	60675d12bc2e0515440612b7f9c9bgo8Set7m710005905			0.057188	-0.018716	0.007562	-0.03329	-0.003701	0.95	0.99325	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	C	279f8397a0e5000d	900000	905c17653c4783D12E8K4567nm5f5c4901a363a2400000882	905c17653c4783D12E8K4567nm5f5c4901a363a2400000882			-0.006011	-0.037893	0.005474	-0.048428	-0.027087	0.95	1	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Cbar	9f4e004c04250003	230000	237c20497c860456a46d4ff69a83a4edc08e75fcd0000982	237c20497c860456a46d4ff69a83a4edc08e75fcd0000982			0.056237	-0.023585	0.007635	-0.03846	-0.008593	0.95	0.99905	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	F	3e6dda0a1ce0783e	900000	905c17653c4783D12E8K4567nm5f5c4901a363a2400000882	905c17653c4783D12E8K4567nm5f5c4901a363a2400000882			-0.004458	-0.031652	0.005437	-0.04201	-0.020819	0.95	1	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Fbar	3fbc60f2eb0500085	400000	409f82d113c1N6012E8K4567nm5f5c4901a363a2400000882	409f82d113c1N6012E8K4567nm5f5c4901a363a2400000882			0.053324	-0.024554	0.007667	-0.03951	-0.00948	0.95	0.999	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	C	039ee357e6150005	170000	1700154545842756f53cae910304152903015801	1700154545842756f53cae910304152903015801			-3.0163e-05	-0.031831	0.005292	-0.042054	-0.0212	0.95	1	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Cbar	38b79afabef750012	200000	2000154545842756f53cae910304152903015801	2000154545842756f53cae910304152903015801			0.054535	-0.026892	0.00771	-0.042028	-0.011767	0.95	0.99955	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	F	8b57cb84f445000b	100000	100b532b4b5K015E832570ee709cd49p62K3aes90070346	100b532b4b5K015E832570ee709cd49p62K3aes90070346			-0.000642	-0.012029	0.004446	-0.020468	-0.003086	0.95	0.9978	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Fbar	3cad6cbc08a570000	100000	100b532b4b5K015E832570ee709cd49p62K3aes90070346	100b532b4b5K015E832570ee709cd49p62K3aes90070346			0.030284	-0.005931	0.007691	-0.020838	0.009458	0.95	0.7834	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	C	8c3b85b823a00011	100000	100b532b4b5K015E832570ee709cd49p62K3aes90070346	100b532b4b5K015E832570ee709cd49p62K3aes90070346			0.001772	-0.01327	0.004411	-0.021841	-0.004369	0.95	0.99885	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Cbar	3a850a13c660005	100000	100b532b4b5K015E832570ee709cd49p62K3aes90070346	100b532b4b5K015E832570ee709cd49p62K3aes90070346			0.031627	-0.00905	0.007828	-0.024162	0.006407	0.95	0.8789	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	F	dd67176c615000c	100000	100b532b4b5K015E832570ee709cd49p62K3aes90070346	100b532b4b5K015E832570ee709cd49p62K3aes90070346			-0.01086	-0.012518	0.005414	-0.022913	-0.001586	0.95	0.9902	1	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Fbar	d9c8e469032000a	100000	100b532b4b5K015E832570ee709cd49p62K3aes90070346	100b532b4b5K015E832570ee709cd49p62K3aes90070346			-0.016154	0.044261	0.007837	0.029096	0.059863	0.95	5e-05	0.032	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	C	a9baf8add7a5000a	100000	100b532b4b5K015E832570ee709cd49p62K3aes90070346	100b532b4b5K015E832570ee709cd49p62K3aes90070346			-0.015034	-0.020903	0.005446	-0.031427	-0.010041	0.95	0.9999	1	

cell	dataset	model	q	condition	metric	comparison id	sample count	geometry	geometry label	rule	condition label	naive er	noise er	gain	standard error	ci low	ci high	confidence	one sided positive gain p value	holm adjusted p value
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Cbar	8ac6420b36a50076	841051587	28c99241a46465c27	ed1e22499	730814676	-0.01834	0.043337	0.007999	0.027921	0.059182	0.95	5e-05	0.032		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	F	e274c2065bc90007	8473115a6b3039437	53162b6805915c3d339	70008129	-0.000167	-0.024979	0.0063	-0.03707	-0.012567	0.95	0.99995	1			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Fbar	0a313cef938500085	8263d16478c7549466	bb63659c29a1607496	37075221	0.041039	-0.032211	0.007833	-0.047463	-0.016991	0.95	0.99995	1			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	C	b695a0db9450008b	84105170aa7c938778d	9e16035d4820a55a9d3	2b033277d	0.002044	-0.031213	0.006063	-0.04303	-0.019196	0.95	1	1			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Cbar	962902be2550004	845d11d6a250267965	82638b121466b6c1a11	1d8759074	0.040515	-0.036499	0.007918	-0.051991	-0.02107	0.95	1	1			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	F	a57d67b1e6f50006	8472d143f7c6159575	dcac8584a3b349c1bep5	90085806	0.003722	-0.023084	0.006103	-0.034921	-0.011077	0.95	1	1			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Fbar	d7f476ec5b35000b	82622417f9a531520K7	fedfdd6dc3dbbc46349	405072085	0.045504	-0.026511	0.007961	-0.041994	-0.01079	0.95	0.9992	1			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	C	09156cf7fd25000ff	8295d28d3a7c618250C3	ed28fb2805cad459f89p	004080916	0.00537	-0.024745	0.005889	-0.035981	-0.012829	0.95	1	1			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Cbar	51ac61aa704500090	8404872431c038575b	0499b9a3750d8f2529645	0106788	0.043701	-0.03318	0.007901	-0.048565	-0.017504	0.95	1	1			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	F	30523688ad050000	840a368e16a50590d69	1881b7c442dpcollc51a	00013332	-0.002751	-0.016144	0.005009	-0.02581	-0.006256	0.95	0.9995	1			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Fbar	3af436a8cf62000b9	8401d1h632870758dK4	ed57b2e44ba24154e549	0203062	0.027799	-0.002713	0.007975	-0.018539	0.012825	0.95	0.6359	1			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	C	86916bc3fd450042a	83b54c01fdcc447125b464	edch82d7a198e7fda355	07016042	-0.001613	-0.017655	0.004982	-0.027297	-0.007924	0.95	0.99995	1			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Cbar	27211ad851750002a	83ec4312d072734926K9	ed3adab6bc5ped27f43b1	0a036405	0.029411	-0.007053	0.008148	-0.023131	0.009035	0.95	0.81145	1			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	F	d919fabd9ec5000d1	845da8e6647c0185e45	526bf2e0517ed6c990ria	0f3002839	-0.003532	-0.00637	0.005763	-0.017667	0.005089	0.95	0.87435	1			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Fbar	b884eeac9fa400082	8401b0d00997086872c	027h82e745921e984852	07007474	-0.000903	0.076571	0.008	0.061006	0.092252	0.95	5e-05	0.032			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	C	ed543fa4d475000b5	84ed1d9d2f3904292138	ed0b61d8e99072d6c08a	25000909	-0.006207	-0.010207	0.005882	-0.021606	0.001451	0.95	0.9602	1			
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Cbar	18e6fdd591a500094	8406b35e69N72H5Fe40	ed3ad7ef7820d92f33nhd	00407886	-0.001605	0.077081	0.008215	0.061187	0.093259	0.95	5e-05	0.032			

Table 158: ImageNet–ViT-B/16 results.

cell	dataset	model	q	condition	metric	comparison id	holm reject positive gain null	bootstrap nonpositive probability	point outcome
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	2	g	F	4ff74e67fa512bcecd5b593c08975c330955e190918cd2c2bb6d3541f5af9f9f			
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	2	g	Fbar	dbc30b6565f6e9da1619450805b9f43c41b92666c8aa6a35b6a2569b8cacbc30			
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	2	g	C	401aa700875418aeec65c9d12010ce0d2b1eefcad5b62abf2a7e7be34719b5855			
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	2	g	Cbar	f526d2f42a39da68d8869702d002913b9b56941b497c41f3401b0eec52d32900c			
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	2	p	F	accacf21822f90a6b42cc7107259780f309734a29acbd1a27faa9d0e9c3e7e801			
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	2	p	Fbar	d1472d679f7098b68fcf264c0215aa15eb845bade66320d989852f3dde919aaa			
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	2	p	C	1aac445192541277ff8ead699b81f9534ed6b9402fe037e7ac075f57d9a88f965			
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	2	p	Cbar	71d7bb878f07ee70cd242c40f251b2b1d0ee0ea0b3d903c6a254738b7a4b8835			
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	2	s	F	755148373142f65080ce99436273a9dc8a166ec49ac4c2ecd65ab5ada57b98644			
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	2	s	Fbar	2e778525955136ad0fe13df226b2f322a958016a91ad0cec418e7ddb6043dec			
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	2	s	C	ec824db68f5d99979f1252d1990530ad09c4459e11f667b5f79e8d31610d87d55			
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	2	s	Cbar	e6b1dcd47f5b45f506678375355dd442096b5d9df63b4a2ea7c4fe4bbbad92			
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	2	a	F	551ffa9646243667534f8774b23283c70420c2b9d8c7ee1bc926886de76d524			
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	2	a	Fbar	877b38e31c7c55d7fe9d496c5ef60d5690010d2f9c7af3abf504b2c3ae04b2f17			
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	2	a	C	b0290488a4563ec459b7c4633417cb8cdd8ef2a126c9496de4578a2d5a1d7c			
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	2	a	Cbar	b17ff3d678f11c357790c81529854c35f024ff9ad305303ff854d439cce680f			
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	2	g	F	fe15ae0fc15f914ecb1b96abf999932682a25ef46d80ebba305eaa5529ae94374			
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	2	g	Fbar	696c727a33ff75bcbcb4add4b8707ae65207ac7f1a24a56b9b7f968bd46153b292			
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	2	g	C	22b4883ff5f6756006c0abe135c24153a0ff1edbf73a527c2dba2882badff90ce			
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	2	g	Cbar	d2065fca19fnd561ba8bb107352758a9e7ff5a78e0cc8b13d4bc8f176aada9813			
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	2	p	F	caacdae8f4f10c82110ab5b99a71a47006d67c5f51c3cced1390ff51d0d39ff1			
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	2	p	Fbar	133332c4fd794eebdbe2d203f9246b148f3c4d2cfc500c0968fc553985a618097			
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	2	p	C	4cd655e3619792ad79020bbcd459fda5cd3a5caa8808253a37f26c7f7c58e5de			
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	2	p	Cbar	5a5dcd835f246c4be88d573971581a024a08dd19c3c6ae70652fb1877a5ec38			

cell	dataset	model	q	condition	metric	comparison id	holm reject positive gain null	bootstrap nonpositive probability	point outcome
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	s	F	fbe18064ad1a6d035f77612a76de1443bbb667a5aa49c37257e08	Fade9a65981246d1035f77612a76de1443bbb667a5aa49c37257e08	1461035f77612a76de1443bbb667a5aa49c37257e08	612a76de1443bbb667a5aa49c37257e08
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	s	Fbar	9b7a14037f472cb97794c87895255bmc9baf8cc5fd1b93120d22ec80e87748	F472cb97794c87895255bmc9baf8cc5fd1b93120d22ec80e87748	87895255bmc9baf8cc5fd1b93120d22ec80e87748	472cb97794c87895255bmc9baf8cc5fd1b93120d22ec80e87748
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	s	C	6928a341b1f00103ea3c0a509d9ca95577bf7c83e0de81c2806d1dd2f4340e	F00103ea3c0a509d9ca95577bf7c83e0de81c2806d1dd2f4340e	00103ea3c0a509d9ca95577bf7c83e0de81c2806d1dd2f4340e	1f00103ea3c0a509d9ca95577bf7c83e0de81c2806d1dd2f4340e
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	s	Cbar	eb527987a1f02212fcc948c92857a754a4e48d3be88e5556b7e5471412460a37b	F02212fcc948c92857a754a4e48d3be88e5556b7e5471412460a37b	02212fcc948c92857a754a4e48d3be88e5556b7e5471412460a37b	eb527987a1f02212fcc948c92857a754a4e48d3be88e5556b7e5471412460a37b
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	a	F	bb994a29a28780d69c93b9977b204e6e8eb9996ad464ecb6056cc917f93fdd2	F780d69c93b9977b204e6e8eb9996ad464ecb6056cc917f93fdd2	780d69c93b9977b204e6e8eb9996ad464ecb6056cc917f93fdd2	28780d69c93b9977b204e6e8eb9996ad464ecb6056cc917f93fdd2
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	a	Fbar	86bcb17951f95e703b71f3dca05900a0b01d31cd2de4f7f1cef3bfec5314e2cc4	F95e703b71f3dca05900a0b01d31cd2de4f7f1cef3bfec5314e2cc4	95e703b71f3dca05900a0b01d31cd2de4f7f1cef3bfec5314e2cc4	1f95e703b71f3dca05900a0b01d31cd2de4f7f1cef3bfec5314e2cc4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	a	C	8b49eec48bbfa77cd958ed58bb086a024cd29a4450940c80b04ae96b75b8afad7	Fa77cd958ed58bb086a024cd29a4450940c80b04ae96b75b8afad7	77cd958ed58bb086a024cd29a4450940c80b04ae96b75b8afad7	bbfa77cd958ed58bb086a024cd29a4450940c80b04ae96b75b8afad7
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	a	Cbar	0219353d915d1e8de9e55623e023be1f7e0da8c05fetc236740f8de67ff24816	Fd1e8de9e55623e023be1f7e0da8c05fetc236740f8de67ff24816	1e8de9e55623e023be1f7e0da8c05fetc236740f8de67ff24816	5d1e8de9e55623e023be1f7e0da8c05fetc236740f8de67ff24816
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	g	F	7aed27c20e88d2cfdcd25bb7da25dba0099e8cebf4431a5b386c890a10bd9232d	F88d2cfdcd25bb7da25dba0099e8cebf4431a5b386c890a10bd9232d	88d2cfdcd25bb7da25dba0099e8cebf4431a5b386c890a10bd9232d	aed27c20e88d2cfdcd25bb7da25dba0099e8cebf4431a5b386c890a10bd9232d
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	g	Fbar	63c2d3b1a1305dd5fa4ba007d7797738e21fd727cc479f0e37291cd518ccf788	F05dd5fa4ba007d7797738e21fd727cc479f0e37291cd518ccf788	05dd5fa4ba007d7797738e21fd727cc479f0e37291cd518ccf788	1305dd5fa4ba007d7797738e21fd727cc479f0e37291cd518ccf788
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	g	C	cb745cd0a3fcd7a35429c82a1de0eb245f9de0e0801d363f8a9313b5e8b534a35	Fcd7a35429c82a1de0eb245f9de0e0801d363f8a9313b5e8b534a35	cd7a35429c82a1de0eb245f9de0e0801d363f8a9313b5e8b534a35	745cd0a3fcd7a35429c82a1de0eb245f9de0e0801d363f8a9313b5e8b534a35
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	g	Cbar	c41003c1cbfa59a224b50a02848952c23d41fa6328b05b572a56d42085cbb7190	Fa59a224b50a02848952c23d41fa6328b05b572a56d42085cbb7190	59a224b50a02848952c23d41fa6328b05b572a56d42085cbb7190	1cbfa59a224b50a02848952c23d41fa6328b05b572a56d42085cbb7190
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	p	F	77526897a1b91ae1413e85bcd62a2d4aaf565401f5a690acc160bf80e418199d	F91ae1413e85bcd62a2d4aaf565401f5a690acc160bf80e418199d	91ae1413e85bcd62a2d4aaf565401f5a690acc160bf80e418199d	77526897a1b91ae1413e85bcd62a2d4aaf565401f5a690acc160bf80e418199d
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	p	Fbar	b6c9c95821f4799c5490b63d34d09b3e94168a576083e9fcfcba220bffe9af5	F4799c5490b63d34d09b3e94168a576083e9fcfcba220bffe9af5	4799c5490b63d34d09b3e94168a576083e9fcfcba220bffe9af5	9c95821f4799c5490b63d34d09b3e94168a576083e9fcfcba220bffe9af5
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	p	C	bafb75e8a3fcd2d71f1c4cb05257898471e446fa6c9e82432ddde9a318bc591b	Fcd2d71f1c4cb05257898471e446fa6c9e82432ddde9a318bc591b	cd2d71f1c4cb05257898471e446fa6c9e82432ddde9a318bc591b	75e8a3fcd2d71f1c4cb05257898471e446fa6c9e82432ddde9a318bc591b
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	p	Cbar	1d59aead61f0b32208a90a079887c50f3032cd617d6005161fe169bdf4d6e3aa2	F0b32208a90a079887c50f3032cd617d6005161fe169bdf4d6e3aa2	0b32208a90a079887c50f3032cd617d6005161fe169bdf4d6e3aa2	ad61f0b32208a90a079887c50f3032cd617d6005161fe169bdf4d6e3aa2
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	s	F	3b26c95930f65481549a98a33871dd609e67404ae5bf546afb398134042bedb	F65481549a98a33871dd609e67404ae5bf546afb398134042bedb	65481549a98a33871dd609e67404ae5bf546afb398134042bedb	26c95930f65481549a98a33871dd609e67404ae5bf546afb398134042bedb
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	s	Fbar	392aef5ac57ade88ed3a103756894d98fde8e4434f8ad4728371a0c4fa209c63	Fade88ed3a103756894d98fde8e4434f8ad4728371a0c4fa209c63	ade88ed3a103756894d98fde8e4434f8ad4728371a0c4fa209c63	5ac57ade88ed3a103756894d98fde8e4434f8ad4728371a0c4fa209c63
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	s	C	cd1bbde3bbf0de8c69734a15c23b2e7c4a11eb3124c3f1bcd4e5f7a5aa4ba9b118	Fde8c69734a15c23b2e7c4a11eb3124c3f1bcd4e5f7a5aa4ba9b118	de8c69734a15c23b2e7c4a11eb3124c3f1bcd4e5f7a5aa4ba9b118	bbf0de8c69734a15c23b2e7c4a11eb3124c3f1bcd4e5f7a5aa4ba9b118
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	s	Cbar	934e9eef3429dd45378f4e0f09595086b7c965fdbef2ddbe7c42110e3114a872	Fdd45378f4e0f09595086b7c965fdbef2ddbe7c42110e3114a872	dd45378f4e0f09595086b7c965fdbef2ddbe7c42110e3114a872	9eef3429dd45378f4e0f09595086b7c965fdbef2ddbe7c42110e3114a872
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	a	F	8facc2f11c9b47e1c699eb5057d0b2405f9f6b4d5df3214f2c61d4b0fac5e50	F47e1c699eb5057d0b2405f9f6b4d5df3214f2c61d4b0fac5e50	47e1c699eb5057d0b2405f9f6b4d5df3214f2c61d4b0fac5e50	acc2f11c9b47e1c699eb5057d0b2405f9f6b4d5df3214f2c61d4b0fac5e50
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	a	Fbar	c2d7ced9b07f2a49bb27e4b5800599c4b386e0f07eb80dfc8da050fe503954daf	F2a49bb27e4b5800599c4b386e0f07eb80dfc8da050fe503954daf	2a49bb27e4b5800599c4b386e0f07eb80dfc8da050fe503954daf	ced9b07f2a49bb27e4b5800599c4b386e0f07eb80dfc8da050fe503954daf
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	a	C	05a9f998d45672837ba491059094e5e097eb04183629a84ed463f8d97c0e093c	F672837ba491059094e5e097eb04183629a84ed463f8d97c0e093c	672837ba491059094e5e097eb04183629a84ed463f8d97c0e093c	9f998d45672837ba491059094e5e097eb04183629a84ed463f8d97c0e093c
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	a	Cbar	d85a44c3fe314db914bd8615f073b58657aa65de483da3d837ca09c2bf23943	F14db914bd8615f073b58657aa65de483da3d837ca09c2bf23943	14db914bd8615f073b58657aa65de483da3d837ca09c2bf23943	44c3fe314db914bd8615f073b58657aa65de483da3d837ca09c2bf23943
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	g	F	2c9b06891256b4a7fe635f4b1e765fe2c628bdbcbb4c4afd96480db86f050ba71	F6b4a7fe635f4b1e765fe2c628bdbcbb4c4afd96480db86f050ba71	6b4a7fe635f4b1e765fe2c628bdbcbb4c4afd96480db86f050ba71	9b06891256b4a7fe635f4b1e765fe2c628bdbcbb4c4afd96480db86f050ba71

cell	dataset	model	q	condition	metric	comparison id	holm reject positive gain null	bootstrap nonpositive probability	point outcome
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	g	Fbar	90d5fbc044f5b5a2f38fcf40359722a156e1ef63945a802c0045f60c7a3e510b9			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	g	C	cd8478eb41f5b5a139d328da2f877fca318f8ecb516bce8e34b6e0927b3e9e328c			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	g	Cbar	3eeaa737935879733c4711f0992f8e5a9c4497b7df16e2e8f75e2bb1713c937			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	p	F	974587cad781a0cb2e773a52b2ec0206049c6c2b228688de80dfc170e614e8e			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	p	Fbar	9a067e88b3805a4d15ff81f039065f834d7540ff6cd20d2bd621cf707a1203ef			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	p	C	2d0c107da9b4db56c8042b658baaab59e35c23d47437f3ae644613037c7439			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	p	Cbar	8db5d1acd73d755ab087340899829c1d7588e82d047eaa5653d242b15492a147d			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	s	F	2d99c74980f025862306c3aDE325f5901ad7c6e40f6f52369804a250a44d99			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	s	Fbar	f04fd2defc1340f62f664699e5338545a0b82c777f08cfedcdc79202f083d217			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	s	C	0b196f0d31f6a12e3ac7d90539d5f0c4c71a097d7765b1b0086b7b0c019b89c2c			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	s	Cbar	06da50d575f175ee5cef190029493d3b471fe345907919bce702d8ff218feac0b			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	a	F	48169f0a405a155edb409d3391e5853502fd96197103cf2313516b6001e23250			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	a	Fbar	976c728c2b514e4ac4ac44763985140abef1a12653449da54cf49d983b731e9a8			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	a	C	170fd2e202f4a681d8c77fee0f8f00aa7041c1c6b74a6bdbb6563a9f68b8f95d0			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	a	Cbar	298bcfe49f69c6e6a04ea478e20552670e139cc4ff5b1f85b880854d61808c36			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	g	F	3b485fb1649fddbb05ab45da2b83d2b3a272429a44da1038c2bdd85787fb800a68			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	g	Fbar	eeba420a89f5bb024a8c8af019932567a075e8633f7338fc6343b91f74b15d9103			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	g	C	f0fc12ed48f8f84be3b376d23205f0c45a4795898110a89723f8da765dd8452			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	g	Cbar	121fde8e35f3d40dff7c96f318755d690a7a03bfbfc5fd829beda52338d7127b			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	p	F	2d741a42e95a5782e4657a633d2196028bd52c17b5cb8fc7d685017f0e9ba41d			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	p	Fbar	93f5e25ddc5e1ab0ca9c440b9923930e5761b41413f37c9625a01d64db4ad45b56			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	p	C	9e5a8db975aeb4d2ff79df780b8e93f723b68dc07ef7737e6226eb8c9e4436f			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	p	Cbar	4f1b76b4a2faben2714145d90785da740c1bdc1995b8aacc813f7ae84ffedc			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	s	F	25d7b7b377c1e804c7b0230997499ac0365c91f9830d5bc1aa88f5c6c46d6dc7a			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	s	Fbar	a0155fbf97f551e314efce70232205d669875545b27f3c6dd426d5cc4001677			

cell	dataset	model	q	condition	metric	comparison id	holm reject positive null gain	bootstrap nonpositive probability	point outcome
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	s	C	f95fa55f66f1a1b0451cda63980613d46782067ec2010514fe356fac66032cfe			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	s	Cbar	bdc51dccb1e635987efe4a5012521591527d1b6d70caa25cfb09a2e99ea1e9270c4			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	a	F	2d04baf4f345d487381811069834982eb327e99576a7e6a6dd932cd4f12f7748			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	a	Fbar	adb4cadb79595fd1615d0463e0796e2567b563bc5fde2692aaee2125d2142b96			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	a	C	5d53b6bb545d39dc394f32869925f9d0a0e2bd272b6706752212c5579afc73cf			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	a	Cbar	7b96e8dae41d49c71db5601b0d6e3983bd570d560918352e69be3762c5bab10			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	F	629a356fee39548f32d059a03d21b4267b632e23d1f15b428ae9463efe4a5170			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	Fbar	97f448b70a489e07eeffd00d09f4d3b693e05fb5b49e2b038a247ecf2ab5e00			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	C	a0b9399650ff1eeec9886bfe2787fcd33a06f9a68354e94d48267d9671509ce			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	Cbar	54f031d600f0d1e13dce161016022da490b513bd985dcf84a6a147b520ee2c4c			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	F	35f37b9d68890ce79f3c1da0814705758096e46ca3d15921764d337fda1fd40f3			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	Fbar	43f1c7a4f31e63e7c0c348e04f49912b1e11bb736205450ce7eeb992e459eaf2			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	C	0eab41dd50b06e172165b0c839851110b76833d92820cafc459104ae2a74dc			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	Cbar	d82bc007c075042711cdf8fa080384fa9a5097e8d959f70ab18618bf77b1f60b			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	F	ee410cc485f1de5fa6748a50344d91878282aabe9dfe4363cb64cc5f9c5e1934a			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	Fbar	4ddfdb425f37ee8fc74b109148952756c938bf1e8f7dc8e4ed210c9ece7980			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	C	c2c2dd8acc0771303ac5c310c09055cb3fd9b70ea6e23981d7c3061a3c71c4140			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	Cbar	b5cedd43cf7f17fefa57bfd33303750f767a1d48479ac41e503ab6a660807790c6			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	F	3cd40ec5f5ff29d4dbcc2af0a5987143ab5688a84ade38de5ed77ed54d10f37d8			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	Fbar	c363f6e9ac2f997cdeb053779005432768049b03835a3bd3371e0330ec51e2a4a			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	C	9d13fdacb380ba40390a0b0c0979ee9458cd90d5f445822f206af8cb508e01e34			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	Cbar	98d69392670a8930269535e509d24db92aa02d1607e5f71fec3e6fb3ca78a9c			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	F	fe55f167444fd1e4d1129f3856215e62a741675c4039c4b553a543bec82921b8			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	Fbar	633d4b97c1e1ebf12b8840e7de7cfd7944a2442ffa68df46d43172688eaeac5b			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	C	11c8f6a3ff7f28ba794fd4667883cc0015eb43b859ec6f3e99b3037bb3d57			

cell	dataset	model	q	condition	metric	comparison id	holm reject positive gain null	bootstrap nonpositive probability	point outcome
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	Cbar	b7659ffac3070ed732f4a9f12ddeceaf18799f6			933620bf9ddeef54a3daf1
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	F	96c7ef010954dd70d8a621f180607583095ec			345372705588cab107881e8
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	Fbar	fa397bc7ef1f1151b1ff6f2aa612774674b202			52220ba18ccfae87b6a15da2380
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	C	bcaf964b13f8a5fe2bb4e740188567b11ad27			2a8538e11325cc01eea429f7
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	Cbar	4d65d110932d54cfb185e0ea040d2d15675ef			54a3ca0b9470df731376e888e86
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	F	91507eccd8f00e8dfc462c060819560370f7f			1857af1d8037d7f383b24da704a
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	Fbar	4633c96f809f33abadba608772551caf0ddc			8865a76721c404c7e631205e04a
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	C	a4129508912b156da554a019960272ce8221			4c19537c05f6073ff1694ae7d89
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	Cbar	39aab21014fadb25ae97245b59080f148b94			2e1f5ba4a638cc4fa0aaed5c65
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	F	3fede71cef55704baaa2a645408576e30824			992ac1cb5bb2efc99555c9a5eb6
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	Fbar	40196ccdee439d8553982c56605337070e1			8fabf06f478bb4a56855886680d9
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	C	62e365d419261451799cf57370a452335968			09a8f3fd89271df4073d0e9717e
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	Cbar	3f5135a805b7169cd397e9581e310e018435			8ba96691f62f1a5e0211c735482d
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	F	544a932c87851a3ee32e0381350940c19558			3d63845d4b42f4398cefd48677ebd
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	Fbar	027412ae26fab314a4a857778085e7494969			d7f355c11d9b71141f411314c8b9
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	C	7d81d0a352fab275b760ca9f323d1c46b5fc			e2396beb1dee9c57bde030f5b2e6
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	Cbar	802afba1045484ec52a7a70a85322f61ac38			0376f350ecd2a8cf0d80b092f91f2
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	F	169d7dd092d11584eebae104285052a1b690			533db56124d60532d76b8bfe994b2
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	Fbar	1df1d87055fab9171cc8f72b591165043419			06c2ce182fbaac2ac40f1530640f4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	C	150ee45722f916c3d54a2739998536be15545			f0cfa86b4e313f56d1467e2b3de5
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	Cbar	870023d360f8e5e383cc670703595bb04862			7093a259ea2acc89a21d0c0012e4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	F	847c98e0b8f800091ffa7930173016795ad8			850ca51b08117dc51bad1ac6a0c70d
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	Fbar	9bb34e30313511e7337f8e541037005d4b6c			2759bfb3bb38d1ef2862b309ab3c7dc
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	C	ef043ee2889f0db87f940350029754e8f897			9f1754fd0e83cf8f9fb1d768dcd
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	Cbar	5a0abd3b02fabac6230480023985e4f50ab79			2610984be7ee8e191b4fd086358f

cell	dataset	model	q	condition	metric	comparison id	holm reject positive gain null	bootstrap nonpositive probability	point outcome
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	F	5f0cbdb29b5f55236195196093559739f46c72fcc8a57a754163c6fc0a4eb8eb			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	Fbar	5def189f5c7e5b15ff08ea59605054c1ef40c3a143d9bb7c6cec73beca8131			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	C	82cd29dba1d373e217c204507385d4a60e1ad40fb9a83a4ecc08d73fde4d12902			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	Cbar	351bff54eb9f04bf5baae5a905db3327ddc1031cef02a3b6155a950cee265			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	F	e6753462d38a1a3276ca9751bc5e5df671d13b47375acb3dd9bc22cc531f7c81			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	Fbar	df5090f39c351cd20a6c67f60c2927c35464b96b2b7ecac9bac88ec7e71061ec4			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	C	279f8397a0f1e9fd9ddc765344f33d02c8e4c567eed5fcf4e913362a24f60d1			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	Cbar	9f4e004c04f1a33cf21d18d1989a3bb9a3ef69a89c7dc480a6961bc8248c731			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	F	3e6dda0a1e7d283e900ed80a44b3a01677ce51f4013d98a975a3015240353a71			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	Fbar	3fbc60f2eb01d3c85e99fb2d939363f2eb112fa4ebecd92225d471b1ef7b5065			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	C	039ec357e6fa6565d7bbcdcb71bbf705bf8448d875ffc3ca6c9103d41f393245f0			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	Cbar	38b79afabef15d0121dea02099a5d9944c58aebb4425e9c2d39923fc6b3246c6			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	F	8b57cb84f4f1fcd10cb5c029458fc01fb8257be7799cd49e62fd3aea9cc97d4			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	Fbar	3cad6cbc08ba2ed400f076ed17350f1ae47e557711655d99554e863dc49f145dc2e			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	C	8c3b85b8223ad4e11e9b5f80409870c03a2c50bb7df86dc13491dbdf91baa1131a			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	Cbar	3a850a13c65612f55f5ea0fb26294c1a00537a71e4ff4a4e0a6aebd7ff3d4a7			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	F	dd67176c65d4737cf17696d4f89375e93724f93d245587373fa9b4a57cfd6ed8			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	Fbar	d9c8e469037d44affedbbc135305758d7257e98bd040790fa0d728cd622add272			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	C	a9baf8add7f66ee4afb205050929258d5561a82eb97f27838d3d8831565f13c7b5			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	Cbar	8acb420b3f5587f6c8d1957a803be919d21acd40f5cc27fc61a22499c7312149			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	F	e274c2065bf96ab7c61731b59953789dars37ff516cb68053b5c3d3397b909d29			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	Fbar	0a313cef933ad9285b26a3610978f55e40466dba63f59c02c9160749657da5d2			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	C	b695a0db94fd188bad108470aa7e33b772cd9d5035fd4820aea5c9d32bfb070d			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	Cbar	962902be2f342da9fc85a11d6ac5026700a5532638b1214e6b6ce1a11fd8b9d7			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	F	a57d67b1ef3a135613fd2e0c009955bf0976cdacc85534a3b39cb1cac78b08f7d			

cell	dataset	model	q	condition	metric	comparison id	holm reject positive gain null	bootstrap nonpositive probability	point outcome
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	Fbar	d7f476ec5b7f3adcb2be22401799355d4c09175e4fd0b6dc6debc453141c565cef			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	C	09156cf7fd2f1b1d1ff2c95a23d3a716ba02e668cf28fb0805ca4459f3010844e29			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	Cbar	51ac61aa70f81acc9084e4872939d449a7eb04f9b99a375093f252f63fa19ea2			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	F	30523688a1f4d1e00e10a366999405a9b0c69188b17c442dbca1a51a9490a3a12			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	Fbar	3af436a8cf92d47b991eb401c223727c91bdc2c7b2a44ba23154e549f2ae7962			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	C	86916bc3fd181d42a3b54c0c9f9285a7c2b4e4e1cb37d7a19837f1a3551279dc1			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	Cbar	27211ad851f51a62a07ecf312d074523a4c679da8aeb6be5c8d2743b10a65e19c			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	F	d919fabd9e4f923d18d5da0c8034dc30aeb529df2c0517c5a6990daf0f36c64			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	Fbar	b884eeac9431fa682970b6e669977e80b372e027a82ff74592fa934852b073015			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	C	ed543fa4d4f5732b5ec0c1043630142bd38e90b6108e99072d0cf084265103c			
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	Cbar	18e6fdd591311e4941906b35e09c72db61a0bd8c07ef7820a92f33ade015038c			

Table 159: ImageNet–ViT-B/16 results.

dataset	model	architecture	replit	method	sample count	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s
ImageNet	ImageNet- vit-b16	vit	test	best_individual	5000	0.0838	0.095	0.1336	0.1426	0.0722	-0.2274	0.0822	-0.281	0.0546	-0.1718	0.0664	-0.2234	0.0262	-0.0506	0.0186
ImageNet	ImageNet- vit-b16	vit	test	simpleavg	5000	0.0642	0.1174	0.1032	0.1744	0.0774	-0.2488	0.1104	-0.2906	0.0672	-0.1808	0.096	-0.2214	0.024	-0.066	0.0322
ImageNet	ImageNet- vit-b16	vit	test	borda	5000	0.0478	0.2256	0.0802	0.2866	0.0786	-0.1832	0.1126	-0.2226	0.0692	-0.1228	0.1014	-0.1616	0.0266	-0.04	0.0368
ImageNet	ImageNet- vit-b16	vit	test	kemeny	5000	0.05	0.2684	0.0856	0.3318	0.0846	-0.161	0.1174	-0.1992	0.0764	-0.1096	0.1036	-0.1464	0.0324	-0.0378	0.04
ImageNet	ImageNet- vit-b16	vit	test	rrf	5000	0.0538	0.2172	0.0892	0.2798	0.0834	-0.1912	0.1182	-0.2304	0.0744	-0.132	0.1036	-0.172	0.0308	-0.0516	0.04
ImageNet	ImageNet- vit-b16	vit	test	schulze	5000	0.0488	0.2336	0.0848	0.2966	0.0862	-0.1718	0.1186	-0.2112	0.0756	-0.1222	0.1018	-0.1586	0.0342	-0.0466	0.041

Table 160: ImageNet–ViT-B/16 results.

dataset	model	architecture	replit	method	R Cbar s	R F a	R Fbar a	R C a	R Cbar a	F perturbed g	Fbar perturbed g	C perturbed g	Cbar perturbed g	F perturbed p	Fbar perturbed p	C perturbed p	Cbar perturbed p	F perturbed s	Fbar perturbed s	C perturbed s
ImageNet	ImageNet-vit-b16	vit	test	best_individual	0.0772	0.0792	-0.2328	0.0932	-0.2414	0.156	0.3224	0.2158	0.4236	0.1384	0.2668	0.2	0.366	0.11	0.1456	0.1522
ImageNet	ImageNet-vit-b16	vit	test	simpleavg	-0.0812	0.0632	-0.2696	0.0788	-0.2848	0.1416	0.3662	0.2136	0.465	0.1314	0.2982	0.1992	0.3958	0.0882	0.1834	0.1354
ImageNet	ImageNet-vit-b16	vit	test	borda	-0.0544	0.0736	-0.2438	0.095	-0.2556	0.1264	0.4088	0.1928	0.5092	0.117	0.3484	0.1816	0.4482	0.0744	0.2656	0.117
ImageNet	ImageNet-vit-b16	vit	test	kemeny	-0.048	0.0714	-0.2106	0.0926	-0.2166	0.1346	0.4294	0.203	0.531	0.1264	0.378	0.1892	0.4782	0.0824	0.3062	0.1256
ImageNet	ImageNet-vit-b16	vit	test	rrf	-0.066	0.0696	-0.238	0.0886	-0.2434	0.1372	0.4084	0.2074	0.5102	0.1282	0.3492	0.1928	0.4518	0.0846	0.2688	0.1292
ImageNet	ImageNet-vit-b16	vit	test	schulze	-0.056	0.072	-0.2358	0.0904	-0.2418	0.135	0.4054	0.2034	0.5078	0.1244	0.3558	0.1866	0.4552	0.083	0.2802	0.1258

Table 161: ImageNet–ViT-B/16 results.

dataset	model	architecture	replit	method	Cbar perturbed s	F perturbed a	Fbar perturbed a	C perturbed a	Cbar perturbed a	selected sources
ImageNet	ImageNet- vit-b16	vit	test	best_individual	0.4198	0.163	0.3278	0.2268	0.384	81fbc3ad 271a7f8a ea403c4a 5cdafec0 a30f2fb3 0352af70 f8e0dbfb 2f0c46cc
ImageNet	ImageNet- vit-b16	vit	test	simpleavg	0.2556	0.1274	0.387	0.182	0.4592	
ImageNet	ImageNet- vit-b16	vit	test	borda	0.341	0.1214	0.4694	0.1752	0.5422	
ImageNet	ImageNet- vit-b16	vit	test	kemeny	0.3798	0.1214	0.479	0.1782	0.5484	
ImageNet	ImageNet- vit-b16	vit	test	rrf	0.3458	0.1234	0.4552	0.1778	0.5232	
ImageNet	ImageNet- vit-b16	vit	test	schulze	0.3526	0.1208	0.4694	0.1752	0.5384	

Table 162: ImageNet–ViT-B/16 results.

dataset	model	method	scope	group	comparison cells	wins	vs best better	vs best equal	vs best worse	vs simpleavg better	vs simpleavg equal	vs simpleavg worse
ImageNet	ImageNet- vit-b16	best_indiv	dataset_model	all	20	5						
ImageNet	ImageNet- vit-b16	simpleavg	dataset_model	all	20	0	6	0	14			
ImageNet	ImageNet- vit-b16	borda	dataset_model	all	20	1	13	0	7	16	0	4
ImageNet	ImageNet- vit-b16	kemeny	dataset_model	all	20	10	14	0	6	16	0	4
ImageNet	ImageNet- vit-b16	rrf	dataset_model	all	20	1	11	0	9	16	0	4
ImageNet	ImageNet- vit-b16	schulze	dataset_model	all	20	4	12	0	8	16	0	4
ImageNet	ImageNet- vit-b16	best_indiv	dataset_model	robustness	4	4						
ImageNet	ImageNet- vit-b16	simpleavg	dataset_model	robustness	4	0	0	0	4			
ImageNet	ImageNet- vit-b16	borda	dataset_model	robustness	4	0	0	0	4	0	0	4
ImageNet	ImageNet- vit-b16	kemeny	dataset_model	robustness	4	0	0	0	4	0	0	4
ImageNet	ImageNet- vit-b16	rrf	dataset_model	robustness	4	0	0	0	4	0	0	4
ImageNet	ImageNet- vit-b16	schulze	dataset_model	robustness	4	0	0	0	4	0	0	4
ImageNet	ImageNet- vit-b16	best_indiv	dataset_model	robustness_all	16	1						
ImageNet	ImageNet- vit-b16	simpleavg	dataset_model	robustness_all	16	0	6	0	10			
ImageNet	ImageNet- vit-b16	borda	dataset_model	robustness_all	16	1	13	0	3	16	0	0
ImageNet	ImageNet- vit-b16	kemeny	dataset_model	robustness_all	16	10	14	0	2	16	0	0
ImageNet	ImageNet- vit-b16	rrf	dataset_model	robustness_all	16	1	11	0	5	16	0	0
ImageNet	ImageNet- vit-b16	schulze	dataset_model	robustness_all	16	4	12	0	4	16	0	0
ImageNet	ImageNet- vit-b16	best_indiv	dataset_model	gaussian	4	0						
ImageNet	ImageNet- vit-b16	simpleavg	dataset_model	gaussian	4	0	2	0	2			
ImageNet	ImageNet- vit-b16	borda	dataset_model	gaussian	4	0	4	0	0	4	0	0
ImageNet	ImageNet- vit-b16	kemeny	dataset_model	gaussian	4	2	4	0	0	4	0	0
ImageNet	ImageNet- vit-b16	rrf	dataset_model	gaussian	4	0	4	0	0	4	0	0
ImageNet	ImageNet- vit-b16	schulze	dataset_model	gaussian	4	2	4	0	0	4	0	0
ImageNet	ImageNet- vit-b16	best_indiv	dataset_model	edit_pepper	4	0						
ImageNet	ImageNet- vit-b16	simpleavg	dataset_model	edit_pepper	4	0	3	0	1			
ImageNet	ImageNet- vit-b16	borda	dataset_model	edit_pepper	4	0	4	0	0	4	0	0
ImageNet	ImageNet- vit-b16	kemeny	dataset_model	edit_pepper	4	4	4	0	0	4	0	0
ImageNet	ImageNet- vit-b16	rrf	dataset_model	edit_pepper	4	1	4	0	0	4	0	0
ImageNet	ImageNet- vit-b16	schulze	dataset_model	edit_pepper	4	0	4	0	0	4	0	0
ImageNet	ImageNet- vit-b16	best_indiv	dataset_model	spetckle	4	0						
ImageNet	ImageNet- vit-b16	simpleavg	dataset_model	spetckle	4	0	1	0	3			
ImageNet	ImageNet- vit-b16	borda	dataset_model	spetckle	4	0	4	0	0	4	0	0
ImageNet	ImageNet- vit-b16	kemeny	dataset_model	spetckle	4	2	4	0	0	4	0	0
ImageNet	ImageNet- vit-b16	rrf	dataset_model	spetckle	4	0	3	0	1	4	0	0
ImageNet	ImageNet- vit-b16	schulze	dataset_model	spetckle	4	2	4	0	0	4	0	0

dataset	model	method	scope	group	comparison cells	vs wins	vs best better	vs best equal	vs best worse	vs simpleavg better	vs simpleavg equal	vs simpleavg worse
ImageNet	ImageNet- vit-b16	best_indiv	dataset_m	adversarial	4	1						
ImageNet	ImageNet- vit-b16	simpleavg	dataset_m	adversarial	4	0	0	0	4			
ImageNet	ImageNet- vit-b16	borda	dataset_m	adversarial	4	1	1	0	3	4	0	0
ImageNet	ImageNet- vit-b16	kemeny	dataset_m	adversarial	4	2	2	0	2	4	0	0
ImageNet	ImageNet- vit-b16	rrf	dataset_m	adversarial	4	0	0	0	4	4	0	0
ImageNet	ImageNet- vit-b16	schulze	dataset_m	adversarial	4	0	0	0	4	4	0	0
		best_indiv	overall	all	80	21						
		simpleavg	overall	all	80	12	34	1	45			
		borda	overall	all	80	14	46	2	32	52	3	25
		kemeny	overall	all	80	18	48	0	32	56	0	24
		rrf	overall	all	80	9	48	1	31	52	1	27
		schulze	overall	all	80	9	46	0	34	50	3	27
		best_indiv	quality	all	16	11						
		simpleavg	overall	quality	16	1	5	0	11			
		borda	overall	quality	16	1	4	0	12	5	1	10
		kemeny	overall	quality	16	0	4	0	12	7	0	9
		rrf	overall	quality	16	0	4	0	12	6	0	10
		schulze	overall	quality	16	3	4	0	12	7	1	8
		best_indiv	robustness_all	64	10							
		simpleavg	overall	robustness_all	64	11	29	1	34			
		borda	overall	robustness_all	64	13	42	2	20	47	2	15
		kemeny	overall	robustness_all	64	18	44	0	20	49	0	15
		rrf	overall	robustness_all	64	9	44	1	19	46	1	17
		schulze	overall	robustness_all	64	6	42	0	22	43	2	19
		best_indiv	gaussian	16	2							
		simpleavg	overall	gaussian	16	1	7	0	9			
		borda	overall	gaussian	16	4	12	0	4	13	1	2
		kemeny	overall	gaussian	16	6	12	0	4	15	0	1
		rrf	overall	gaussian	16	1	13	0	3	15	0	1
		schulze	overall	gaussian	16	2	12	0	4	14	1	1
		best_indiv	salt_pepper	16	2							
		simpleavg	overall	salt_pepper	16	0	5	1	10			
		borda	overall	salt_pepper	16	5	12	0	4	15	1	0
		kemeny	overall	salt_pepper	16	7	12	0	4	16	0	0
		rrf	overall	salt_pepper	16	3	12	1	3	14	1	1
		schulze	overall	salt_pepper	16	1	12	0	4	14	0	2
		best_indiv	speckle	16	2							
		simpleavg	overall	speckle	16	3	8	0	8			
		borda	overall	speckle	16	1	11	0	5	12	0	4
		kemeny	overall	speckle	16	2	12	0	4	13	0	3
		rrf	overall	speckle	16	5	11	0	5	13	0	3
		schulze	overall	speckle	16	3	12	0	4	10	1	5
		best_indiv	adversarial	16	4							
		simpleavg	overall	adversarial	16	7	9	0	7			
		borda	overall	adversarial	16	3	7	2	7	7	0	9
		kemeny	overall	adversarial	16	3	8	0	8	5	0	11
		rrf	overall	adversarial	16	0	8	0	8	4	0	12
		schulze	overall	adversarial	16	0	6	0	10	5	0	11

Table 163: ImageNet–ViT-B/16 results.

dataset	model	architecture	replit	method	sample count	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s
ImageNet	ImageNet- vit-b16	vit	test	best_individual	5000	0.0838	0.095	0.1336	0.1426	0.0106	0.1072	0.0264	0.133	0.0058	0.0742	0.0232	0.104	0.002	0.013	0.0078
ImageNet	ImageNet- vit-b16	vit	test	simpleavg	5000	0.0642	0.1174	0.1032	0.1744	0.0774	0.2488	0.1104	0.2906	0.0672	0.1808	0.096	0.2214	0.024	0.066	0.0322
ImageNet	ImageNet- vit-b16	vit	test	borda	5000	0.0478	0.2256	0.0802	0.2866	0.0786	0.1832	0.1126	0.2226	0.0692	0.1228	0.1014	0.1616	0.0266	0.04	0.0368
ImageNet	ImageNet- vit-b16	vit	test	kemeny	5000	0.05	0.2684	0.0856	0.3318	0.0846	0.161	0.1174	0.1992	0.0764	0.1096	0.1036	0.1464	0.0324	0.0378	0.04
ImageNet	ImageNet- vit-b16	vit	test	rrf	5000	0.0538	0.2172	0.0892	0.2798	0.0834	0.1912	0.1182	0.2304	0.0744	0.132	0.1036	0.172	0.0308	0.0516	0.04
ImageNet	ImageNet- vit-b16	vit	test	schulze	5000	0.0488	0.2336	0.0848	0.2966	0.0862	0.1718	0.1186	0.2112	0.0756	0.1222	0.1018	0.1586	0.0342	0.0466	0.041

Table 164: ImageNet–ViT-B/16 results.

dataset	model	architecture	split	method	R Cbar s	R F a	R Fbar a	R C a	R Cbar a	selected sources
ImageNet	ImageNet-vit-b16	vit	test	best_individual	0.0198	0.0224	0.0758	0.0334	0.0766	57bb1796 8a060f98 f694a0b5 6eb36b9c a69d9868 afa0a322 2bf4cffb 4ce56b7e
ImageNet	ImageNet-vit-b16	vit	test	simpleavg	0.0812	0.0632	0.2696	0.0788	0.2848	
ImageNet	ImageNet-vit-b16	vit	test	borda	0.0544	0.0736	0.2438	0.095	0.2556	
ImageNet	ImageNet-vit-b16	vit	test	kemeny	0.048	0.0714	0.2106	0.0926	0.2166	
ImageNet	ImageNet-vit-b16	vit	test	rrf	0.066	0.0696	0.238	0.0886	0.2434	
ImageNet	ImageNet-vit-b16	vit	test	schulze	0.056	0.072	0.2358	0.0904	0.2418	

Table 165: ImageNet–ViT-B/16 results.

dataset	model	method	scope	group	comparison cells	wins	vs best better	vs best equal	vs best worse	vs simpleavg better	vs simpleavg equal	vs simpleavg worse
ImageNet	ImageNet- vit-b16	best_indiv	dataset_model	all	20	20						
ImageNet	ImageNet- vit-b16	simpleavg	dataset_model	all	20	0	0	0	20			
ImageNet	ImageNet- vit-b16	borda	dataset_model	all	20	0	0	0	20	8	0	12
ImageNet	ImageNet- vit-b16	kemeny	dataset_model	all	20	0	0	0	20	8	0	12
ImageNet	ImageNet- vit-b16	rrf	dataset_model	all	20	0	0	0	20	8	0	12
ImageNet	ImageNet- vit-b16	schulze	dataset_model	all	20	0	0	0	20	8	0	12
ImageNet	ImageNet- vit-b16	best_indiv	dataset_model	robustness	4	4						
ImageNet	ImageNet- vit-b16	simpleavg	dataset_model	robustness	4	0	0	0	4			
ImageNet	ImageNet- vit-b16	borda	dataset_model	robustness	4	0	0	0	4	0	0	4
ImageNet	ImageNet- vit-b16	kemeny	dataset_model	robustness	4	0	0	0	4	0	0	4
ImageNet	ImageNet- vit-b16	rrf	dataset_model	robustness	4	0	0	0	4	0	0	4
ImageNet	ImageNet- vit-b16	schulze	dataset_model	robustness	4	0	0	0	4	0	0	4
ImageNet	ImageNet- vit-b16	best_indiv	dataset_model	robustness_all 16	16	16						
ImageNet	ImageNet- vit-b16	simpleavg	dataset_model	robustness_all 16	16	0	0	0	16			
ImageNet	ImageNet- vit-b16	borda	dataset_model	robustness_all 16	16	0	0	0	16	8	0	8
ImageNet	ImageNet- vit-b16	kemeny	dataset_model	robustness_all 16	16	0	0	0	16	8	0	8
ImageNet	ImageNet- vit-b16	rrf	dataset_model	robustness_all 16	16	0	0	0	16	8	0	8
ImageNet	ImageNet- vit-b16	schulze	dataset_model	robustness_all 16	16	0	0	0	16	8	0	8
ImageNet	ImageNet- vit-b16	best_indiv	dataset_model	gaussian	4	4						
ImageNet	ImageNet- vit-b16	simpleavg	dataset_model	gaussian	4	0	0	0	4			
ImageNet	ImageNet- vit-b16	borda	dataset_model	gaussian	4	0	0	0	4	2	0	2
ImageNet	ImageNet- vit-b16	kemeny	dataset_model	gaussian	4	0	0	0	4	2	0	2
ImageNet	ImageNet- vit-b16	rrf	dataset_model	gaussian	4	0	0	0	4	2	0	2
ImageNet	ImageNet- vit-b16	schulze	dataset_model	gaussian	4	0	0	0	4	2	0	2
ImageNet	ImageNet- vit-b16	best_indiv	dataset_model	edit_pepper	4	4						
ImageNet	ImageNet- vit-b16	simpleavg	dataset_model	edit_pepper	4	0	0	0	4			
ImageNet	ImageNet- vit-b16	borda	dataset_model	edit_pepper	4	0	0	0	4	2	0	2
ImageNet	ImageNet- vit-b16	kemeny	dataset_model	edit_pepper	4	0	0	0	4	2	0	2
ImageNet	ImageNet- vit-b16	rrf	dataset_model	edit_pepper	4	0	0	0	4	2	0	2
ImageNet	ImageNet- vit-b16	schulze	dataset_model	edit_pepper	4	0	0	0	4	2	0	2
ImageNet	ImageNet- vit-b16	best_indiv	dataset_model	spetckle	4	4						
ImageNet	ImageNet- vit-b16	simpleavg	dataset_model	spetckle	4	0	0	0	4			
ImageNet	ImageNet- vit-b16	borda	dataset_model	spetckle	4	0	0	0	4	2	0	2
ImageNet	ImageNet- vit-b16	kemeny	dataset_model	spetckle	4	0	0	0	4	2	0	2
ImageNet	ImageNet- vit-b16	rrf	dataset_model	spetckle	4	0	0	0	4	2	0	2
ImageNet	ImageNet- vit-b16	schulze	dataset_model	spetckle	4	0	0	0	4	2	0	2

dataset	model	method	scope	group	comparison cells	wins	vs best better	vs best equal	vs best worse	vs simpleavg better	vs simpleavg equal	vs simpleavg worse
ImageNet	ImageNet- vit-b16	best_indiv	dataset_m	adversarial	4	4						
ImageNet	ImageNet- vit-b16	simpleavg	dataset_m	adversarial	4	0	0	0	4			
ImageNet	ImageNet- vit-b16	borda	dataset_m	adversarial	4	0	0	0	4	2	0	2
ImageNet	ImageNet- vit-b16	kemeny	dataset_m	adversarial	4	0	0	0	4	2	0	2
ImageNet	ImageNet- vit-b16	rrf	dataset_m	adversarial	4	0	0	0	4	2	0	2
ImageNet	ImageNet- vit-b16	schulze	dataset_m	adversarial	4	0	0	0	4	2	0	2
		best_indiv	overall	all	80	68						
		simpleavg	overall	all	80	5	10	0	70			
		borda	overall	all	80	4	10	0	70	41	3	36
		kemeny	overall	all	80	1	9	0	71	40	0	40
		rrf	overall	all	80	0	7	0	73	38	1	41
		schulze	overall	all	80	3	9	0	71	37	4	39
		best_indiv	quality	all	16	11						
		simpleavg	overall	quality	16	1	5	0	11			
		borda	overall	quality	16	1	4	0	12	5	1	10
		kemeny	overall	quality	16	0	4	0	12	7	0	9
		rrf	overall	quality	16	0	4	0	12	6	0	10
		schulze	overall	quality	16	3	4	0	12	7	1	8
		best_indiv	robustness_all 64	all	64	57						
		simpleavg	overall	robustness_all 64	64	4	5	0	59			
		borda	overall	robustness_all 64	64	3	6	0	58	36	2	26
		kemeny	overall	robustness_all 64	64	1	5	0	59	33	0	31
		rrf	overall	robustness_all 64	64	0	3	0	61	32	1	31
		schulze	overall	robustness_all 64	64	0	5	0	59	30	3	31
		best_indiv	gaussian	all	16	14						
		simpleavg	overall	gaussian	16	1	2	0	14			
		borda	overall	gaussian	16	1	2	0	14	9	1	6
		kemeny	overall	gaussian	16	0	2	0	14	9	0	7
		rrf	overall	gaussian	16	0	1	0	15	9	0	7
		schulze	overall	gaussian	16	0	2	0	14	8	1	7
		best_indiv	salt_pepper	all	16	13						
		simpleavg	overall	salt_pepper	16	2	2	0	14			
		borda	overall	salt_pepper	16	1	3	0	13	8	1	7
		kemeny	overall	salt_pepper	16	1	3	0	13	8	0	8
		rrf	overall	salt_pepper	16	0	2	0	14	8	1	7
		schulze	overall	salt_pepper	16	0	3	0	13	8	1	7
		best_indiv	speckle	all	16	14						
		simpleavg	overall	speckle	16	1	1	0	15			
		borda	overall	speckle	16	1	1	0	15	10	0	6
		kemeny	overall	speckle	16	0	0	0	16	9	0	7
		rrf	overall	speckle	16	0	0	0	16	9	0	7
		schulze	overall	speckle	16	0	0	0	16	7	1	8
		best_indiv	adversarial	all	16	16						
		simpleavg	overall	adversarial	16	0	0	0	16			
		borda	overall	adversarial	16	0	0	0	16	9	0	7
		kemeny	overall	adversarial	16	0	0	0	16	7	0	9
		rrf	overall	adversarial	16	0	0	0	16	6	0	10
		schulze	overall	adversarial	16	0	0	0	16	7	0	9

Table 166: ImageNet–ViT-B/16 results.

dataset	model	architecture	replit	method	sample count	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s
ImageNet	ImageNet- vit-b16	vit	test	best_individual	5000	0.0838	0.095	0.1336	0.1426	0.0722	0.2274	0.0822	0.281	0.0546	0.1718	0.0664	0.2234	0.0262	0.0506	0.0186
ImageNet	ImageNet- vit-b16	vit	test	simpleavg	5000	0.0642	0.1174	0.1032	0.1744	0.0774	0.2488	0.1104	0.2906	0.0672	0.1808	0.096	0.2214	0.024	0.066	0.0322
ImageNet	ImageNet- vit-b16	vit	test	borda	5000	0.0478	0.2256	0.0802	0.2866	0.0786	0.1832	0.1126	0.2226	0.0692	0.1228	0.1014	0.1616	0.0266	0.04	0.0368
ImageNet	ImageNet- vit-b16	vit	test	kemeny	5000	0.05	0.2684	0.0856	0.3318	0.0846	0.161	0.1174	0.1992	0.0764	0.1096	0.1036	0.1464	0.0324	0.0378	0.04
ImageNet	ImageNet- vit-b16	vit	test	rrf	5000	0.0538	0.2172	0.0892	0.2798	0.0834	0.1912	0.1182	0.2304	0.0744	0.132	0.1036	0.172	0.0308	0.0516	0.04
ImageNet	ImageNet- vit-b16	vit	test	schulze	5000	0.0488	0.2336	0.0848	0.2966	0.0862	0.1718	0.1186	0.2112	0.0756	0.1222	0.1018	0.1586	0.0342	0.0466	0.041

Table 167: ImageNet–ViT-B/16 results.

dataset	model	architecture	split	method	R Cbar s	R F a	R Fbar a	R C a	R Cbar a	selected sources
ImageNet	ImageNet-vit-b16	vit	test	best_individual	0.0772	0.0792	0.2328	0.0932	0.2414	d4a595f9 8cc57fbe 9f78b0b1 b3c01a36 fd6e6268 1c243029 2b758cea b22f880e
ImageNet	ImageNet-vit-b16	vit	test	simpleavg	0.0812	0.0632	0.2696	0.0788	0.2848	
ImageNet	ImageNet-vit-b16	vit	test	borda	0.0544	0.0736	0.2438	0.095	0.2556	
ImageNet	ImageNet-vit-b16	vit	test	kemeny	0.048	0.0714	0.2106	0.0926	0.2166	
ImageNet	ImageNet-vit-b16	vit	test	rrf	0.066	0.0696	0.238	0.0886	0.2434	
ImageNet	ImageNet-vit-b16	vit	test	schulze	0.056	0.072	0.2358	0.0904	0.2418	

Table 168: ImageNet–ViT-B/16 results.

dataset	model	method	scope	group	comparison cells	wins	vs best better	vs best equal	vs best worse	vs simpleavg better	vs simpleavg equal	vs simpleavg worse
ImageNet	ImageNet- vit-b16	best_indiv	dataset_model	all	20	9						
ImageNet	ImageNet- vit-b16	simpleavg	dataset_model	all	20	3	4	0	16			
ImageNet	ImageNet- vit-b16	borda	dataset_model	all	20	0	7	0	13	8	0	12
ImageNet	ImageNet- vit-b16	kemeny	dataset_model	all	20	8	10	0	10	8	0	12
ImageNet	ImageNet- vit-b16	rrf	dataset_model	all	20	0	7	0	13	8	0	12
ImageNet	ImageNet- vit-b16	schulze	dataset_model	all	20	0	8	0	12	8	0	12
ImageNet	ImageNet- vit-b16	best_indiv	dataset_model	robustness	4	4						
ImageNet	ImageNet- vit-b16	simpleavg	dataset_model	robustness	4	0	0	0	4			
ImageNet	ImageNet- vit-b16	borda	dataset_model	robustness	4	0	0	0	4	0	0	4
ImageNet	ImageNet- vit-b16	kemeny	dataset_model	robustness	4	0	0	0	4	0	0	4
ImageNet	ImageNet- vit-b16	rrf	dataset_model	robustness	4	0	0	0	4	0	0	4
ImageNet	ImageNet- vit-b16	schulze	dataset_model	robustness	4	0	0	0	4	0	0	4
ImageNet	ImageNet- vit-b16	best_indiv	dataset_model	robustness_all	16	5						
ImageNet	ImageNet- vit-b16	simpleavg	dataset_model	robustness_all	16	3	4	0	12			
ImageNet	ImageNet- vit-b16	borda	dataset_model	robustness_all	16	0	7	0	9	8	0	8
ImageNet	ImageNet- vit-b16	kemeny	dataset_model	robustness_all	16	8	10	0	6	8	0	8
ImageNet	ImageNet- vit-b16	rrf	dataset_model	robustness_all	16	0	7	0	9	8	0	8
ImageNet	ImageNet- vit-b16	schulze	dataset_model	robustness_all	16	0	8	0	8	8	0	8
ImageNet	ImageNet- vit-b16	best_indiv	dataset_model	gaussian	4	2						
ImageNet	ImageNet- vit-b16	simpleavg	dataset_model	gaussian	4	0	0	0	4			
ImageNet	ImageNet- vit-b16	borda	dataset_model	gaussian	4	0	2	0	2	2	0	2
ImageNet	ImageNet- vit-b16	kemeny	dataset_model	gaussian	4	2	2	0	2	2	0	2
ImageNet	ImageNet- vit-b16	rrf	dataset_model	gaussian	4	0	2	0	2	2	0	2
ImageNet	ImageNet- vit-b16	schulze	dataset_model	gaussian	4	0	2	0	2	2	0	2
ImageNet	ImageNet- vit-b16	best_indiv	dataset_model	edit_pepper	4	2						
ImageNet	ImageNet- vit-b16	simpleavg	dataset_model	edit_pepper	4	0	1	0	3			
ImageNet	ImageNet- vit-b16	borda	dataset_model	edit_pepper	4	0	2	0	2	2	0	2
ImageNet	ImageNet- vit-b16	kemeny	dataset_model	edit_pepper	4	2	2	0	2	2	0	2
ImageNet	ImageNet- vit-b16	rrf	dataset_model	edit_pepper	4	0	2	0	2	2	0	2
ImageNet	ImageNet- vit-b16	schulze	dataset_model	edit_pepper	4	0	2	0	2	2	0	2
ImageNet	ImageNet- vit-b16	best_indiv	dataset_model	spetckle	4	1						
ImageNet	ImageNet- vit-b16	simpleavg	dataset_model	spetckle	4	1	1	0	3			
ImageNet	ImageNet- vit-b16	borda	dataset_model	spetckle	4	0	2	0	2	2	0	2
ImageNet	ImageNet- vit-b16	kemeny	dataset_model	spetckle	4	2	2	0	2	2	0	2
ImageNet	ImageNet- vit-b16	rrf	dataset_model	spetckle	4	0	1	0	3	2	0	2
ImageNet	ImageNet- vit-b16	schulze	dataset_model	spetckle	4	0	2	0	2	2	0	2

dataset	model	method	scope	group	comparison cells	wins	vs best better	vs best equal	vs best worse	vs simpleavg better	vs simpleavg equal	vs simpleavg worse
ImageNet	ImageNet- vit-b16	best_indiv	dataset_m	adversarial	4	0						
ImageNet	ImageNet- vit-b16	simpleavg	dataset_m	adversarial	4	2	2	0	2			
ImageNet	ImageNet- vit-b16	borda	dataset_m	adversarial	4	0	1	0	3	2	0	2
ImageNet	ImageNet- vit-b16	kemeny	dataset_m	adversarial	4	2	4	0	0	2	0	2
ImageNet	ImageNet- vit-b16	rrf	dataset_m	adversarial	4	0	2	0	2	2	0	2
ImageNet	ImageNet- vit-b16	schulze	dataset_m	adversarial	4	0	2	0	2	2	0	2
		best_indiv	overall	all	80	32						
		simpleavg	overall	all	80	16	28	1	51			
		borda	overall	all	80	11	33	2	45	41	3	36
		kemeny	overall	all	80	17	39	0	41	40	0	40
		rrf	overall	all	80	1	29	1	50	38	1	41
		schulze	overall	all	80	6	35	0	45	37	4	39
		best_indiv	quality	all	16	11						
		simpleavg	overall	quality	16	1	5	0	11			
		borda	overall	quality	16	1	4	0	12	5	1	10
		kemeny	overall	quality	16	0	4	0	12	7	0	9
		rrf	overall	quality	16	0	4	0	12	6	0	10
		schulze	overall	quality	16	3	4	0	12	7	1	8
		best_indiv	robustness_all 64	all	21							
		simpleavg	overall	robustness_all 64	15	23	1	40				
		borda	overall	robustness_all 64	10	29	2	33	36	2	26	
		kemeny	overall	robustness_all 64	17	35	0	29	33	0	31	
		rrf	overall	robustness_all 64	1	25	1	38	32	1	31	
		schulze	overall	robustness_all 64	3	31	0	33	30	3	31	
		best_indiv	gaussian	all	16	6						
		simpleavg	overall	gaussian	16	2	5	0	11			
		borda	overall	gaussian	16	3	8	0	8	9	1	6
		kemeny	overall	gaussian	16	5	8	0	8	9	0	7
		rrf	overall	gaussian	16	0	7	0	9	9	0	7
		schulze	overall	gaussian	16	0	8	0	8	8	1	7
		best_indiv	salt_pepper	all	16	3						
		simpleavg	overall	salt_pepper	16	5	8	1	7			
		borda	overall	salt_pepper	16	3	9	0	7	8	1	7
		kemeny	overall	salt_pepper	16	5	11	0	5	8	0	8
		rrf	overall	salt_pepper	16	0	9	1	6	8	1	7
		schulze	overall	salt_pepper	16	2	11	0	5	8	1	7
		best_indiv	speckle	all	16	7						
		simpleavg	overall	speckle	16	3	3	0	13			
		borda	overall	speckle	16	2	5	0	11	10	0	6
		kemeny	overall	speckle	16	2	6	0	10	9	0	7
		rrf	overall	speckle	16	1	3	0	13	9	0	7
		schulze	overall	speckle	16	1	4	0	12	7	1	8
		best_indiv	adversarial	all	16	5						
		simpleavg	overall	adversarial	16	5	7	0	9			
		borda	overall	adversarial	16	2	7	2	7	9	0	7
		kemeny	overall	adversarial	16	5	10	0	6	7	0	9
		rrf	overall	adversarial	16	0	6	0	10	6	0	10
		schulze	overall	adversarial	16	0	8	0	8	7	0	9

Table 169: ImageNet–ViT-B/16 results.

cell	dataset	model	condition	metric	seed count	mean	standard deviation	standard error	minimum	maximum	range	first half mean	second half mean	half bank absolute difference
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	clean	F	8	0.0017	0.001327	0.000469	-0.0008	0.0034	0.0042	0.00195	0.00145	0.0005
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	clean	Fbar	8	0.38645	0.004368	0.001544	0.38	0.3928	0.0128	0.38435	0.38855	0.0042
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	clean	C	8	0.014875	0.001002	0.000354	0.0126	0.016	0.0034	0.01545	0.0143	0.00115
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	clean	Cbar	8	0.461325	0.004818	0.001703	0.455	0.4688	0.0138	0.4605	0.46215	0.00165
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	g	F	8	0.0118	0.0016	0.000566	0.0104	0.0154	0.005	0.011	0.0126	0.0016
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	g	Fbar	8	0.7228	0.00372	0.001315	0.7186	0.7282	0.0096	0.72315	0.72245	0.0007
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	g	C	8	0.044325	0.0011	0.000389	0.0428	0.0458	0.003	0.0438	0.04485	0.00105
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	g	Cbar	8	0.8361	0.003353	0.001186	0.8324	0.841	0.0086	0.83675	0.83545	0.0013
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	p	F	8	0.007225	0.001134	0.000401	0.0058	0.0088	0.003	0.0074	0.00705	0.00035
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	p	Fbar	8	0.69455	0.001326	0.000469	0.692	0.6966	0.0046	0.6948	0.6943	0.0005
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	p	C	8	0.039575	0.001584	0.00056	0.0372	0.0418	0.0046	0.03975	0.0394	0.00035
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	p	Cbar	8	0.805375	0.001212	0.000428	0.803	0.8068	0.0038	0.8054	0.80535	5e-05
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	s	F	8	0.00455	0.001084	0.000383	0.0028	0.0062	0.0034	0.00455	0.00455	0
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	s	Fbar	8	0.5363	0.003624	0.001281	0.5326	0.5438	0.0112	0.5377	0.5349	0.0028
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	s	C	8	0.0238	0.001512	0.000535	0.0214	0.0256	0.0042	0.02355	0.02405	0.0005
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	s	Cbar	8	0.62185	0.003338	0.00118	0.6188	0.6284	0.0096	0.62265	0.62105	0.0016
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	a	F	8	0.02595	0.002527	0.000893	0.0228	0.0298	0.007	0.02545	0.02645	0.001
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	a	Fbar	8	0.47095	0.005774	0.002041	0.4624	0.4792	0.0168	0.4717	0.4702	0.0015
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	a	C	8	0.047575	0.002408	0.000851	0.0436	0.0508	0.0072	0.04705	0.0481	0.00105
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	a	Cbar	8	0.548475	0.005402	0.00191	0.542	0.5562	0.0142	0.55015	0.5468	0.00335

Table 170: ImageNet–ViT-B/16 results.

cell	dataset	model	q	condition	metric	comparison id	sample count	geometry	geometry label	rule	condition label	metric direction	random clean quality	random perturbed quality	naive clean excess	naive perturbed excess	naive rrel	noise clean excess	noise perturbed excess	noise rrel
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	F	ae47d623ef69078	436000	2b4292747458	436000	2b4292747458	436000	2b4292747458	0.0017	0.0118	0.0625	0.1298	-1.0768	0.0835	0.1406	-0.683832
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Fbar	7e509dbc3f1500077	436000	5f0f1a133a	436000	5f0f1a133a	436000	5f0f1a133a	0.38645	0.7228	0.26905	0.3566	-0.325404	0.28985	0.4058	-0.400035
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	C	981d55ddf51300016	436000	6ef3060615	436000	6ef3060615	436000	6ef3060615	0.014875	0.044325	0.088325	0.169275	-0.916502	0.117125	0.170275	-0.453789
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Cbar	bdc9647bdc920001d	436000	bb22c18bb8	436000	bb22c18bb8	436000	bb22c18bb8	0.461325	0.8361	0.286925	0.3711	-0.293369	0.312925	0.4159	-0.329072
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	F	8ec0a65b74c100084	436000	1894cd9d14	436000	1894cd9d14	436000	1894cd9d14	0.0017	0.007225	0.0625	0.124175	-0.9868	0.0835	0.132775	-0.59012
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Fbar	a499e2c1ea050006	436000	19650b95cd	436000	19650b95cd	436000	19650b95cd	0.38645	0.69455	0.26905	0.39635	-0.473146	0.28985	0.42735	-0.474383
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	C	b351aafdeb7502003	436000	26d57797c7	436000	26d57797c7	436000	26d57797c7	0.014875	0.039575	0.088325	0.159625	-0.807246	0.117125	0.163825	-0.398719
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Cbar	7253e30fd4c500019	436000	6d640bb54	436000	6d640bb54	436000	6d640bb54	0.461325	0.805375	0.286925	0.409575	-0.427464	0.312925	0.437775	-0.398977
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	F	450b4e551e650080	436000	896754c615	436000	896754c615	436000	896754c615	0.0017	0.00455	0.0625	0.08365	-0.3384	0.0835	0.10405	-0.246108
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Fbar	46bda2f6b8e7000c2	436000	22169fmarc	436000	22169fmarc	436000	22169fmarc	0.38645	0.5363	0.26905	0.3529	-0.311652	0.28985	0.3761	-0.297568
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	C	87ea27aeb9050000	436000	2f60f1a33f	436000	2f60f1a33f	436000	2f60f1a33f	0.014875	0.0238	0.088325	0.1116	-0.263515	0.117125	0.1296	-0.10651
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Cbar	be5ef254120500b3	436000	49cebad2nd	436000	49cebad2nd	436000	49cebad2nd	0.461325	0.62185	0.286925	0.36625	-0.276466	0.312925	0.39165	-0.251578
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	F	32ab414aa0a00003	436000	8e060615	436000	8e060615	436000	8e060615	0.0017	0.02595	0.0625	0.10145	-0.6232	0.0835	0.13645	-0.634132
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Fbar	691413d14750009	436000	50e0907933	436000	50e0907933	436000	50e0907933	0.38645	0.47095	0.26905	0.08395	0.687976	0.28985	0.17635	0.391582
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	C	440cb1565105000c	436000	691abf6bb	436000	691abf6bb	436000	691abf6bb	0.014875	0.047575	0.088325	0.134425	-0.521936	0.117125	0.177825	-0.51825
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Cbar	03bcb488ca400014	436000	43ce09a58f	436000	43ce09a58f	436000	43ce09a58f	0.461325	0.548475	0.286925	0.089275	0.688856	0.312925	0.194875	0.377247
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	F	3f8c42c7bed500067	436000	73fideb61f15	436000	73fideb61f15	436000	73fideb61f15	0.0017	0.0118	0.0461	0.1146	-1.4859	0.0847	0.1476	-0.742621
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Fbar	c1fe9caf7276000f8	436000	5f5066aen	436000	5f5066aen	436000	5f5066aen	0.38645	0.7228	0.16085	0.314	-0.952129	0.29365	0.407	-0.386004
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	C	6d8cf28674290005	436000	093a0925d6	436000	093a0925d6	436000	093a0925d6	0.014875	0.044325	0.065325	0.148475	-1.272866	0.120325	0.175475	-0.458342
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Cbar	ebc7d088d0e50009	436000	9f1e3d75da	436000	9f1e3d75da	436000	9f1e3d75da	0.461325	0.8361	0.174725	0.3269	-0.87094	0.315325	0.4181	-0.325934
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	F	c198773c00c50003	436000	58609a8bb	436000	58609a8bb	436000	58609a8bb	0.0017	0.007225	0.0461	0.109775	-1.381236	0.0847	0.133575	-0.577037
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Fbar	cd8f814244e200028	436000	73f8081d91	436000	73f8081d91	436000	73f8081d91	0.38645	0.69455	0.16085	0.34615	-1.152005	0.29365	0.43335	-0.475736
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	C	ff668036dea0000a	436000	272a2a2566	436000	272a2a2566	436000	272a2a2566	0.014875	0.039575	0.065325	0.142025	-1.174129	0.120325	0.164025	-0.363183
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Cbar	0c59f115c8950006f	436000	5f1e2957ba	436000	5f1e2957ba	436000	5f1e2957ba	0.461325	0.805375	0.174725	0.357175	-1.044212	0.315325	0.445775	-0.4137

cell	dataset	model	q	condition	metric	comparison id	sample count	geometry	geometry label	rule	condition label	metric direction	random clean quality	random perturbed quality	naive clean excess	naive perturbed excess	naive rrel	noise clean excess	noise perturbed excess	noise rrel
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	F	aa1ba72195800d8642cb3bf51a13f25b5b1eb7b802a932892c9a431a48	50000	3067608952750d1c8894612b1ebf423e0dd6650fdd4a451	NO13E25b	5b1eb7b802a932892c9a431a48	5b1eb7b802a932892c9a431a48	0.0017	0.00455	0.0461	0.06985	-0.515184	0.0847	0.11065	-0.306375	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Fbar	9b5ad67e0b5083c3067608952750d1c8894612b1ebf423e0dd6650fdd4a451	50000	3067608952750d1c8894612b1ebf423e0dd6650fdd4a451	NO13E25b	5b1eb7b802a932892c9a431a48	5b1eb7b802a932892c9a431a48	0.38645	0.5363	0.16085	0.2707	-0.682934	0.29365	0.3819	-0.300528	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	C	ad890be61fe006d3067608952750d1c8894612b1ebf423e0dd6650fdd4a451	50000	3067608952750d1c8894612b1ebf423e0dd6650fdd4a451	NO13E25b	5b1eb7b802a932892c9a431a48	5b1eb7b802a932892c9a431a48	0.014875	0.0238	0.065325	0.0932	-0.426713	0.120325	0.1366	-0.135259	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Cbar	9aa7ffad9359703f6067608952750d1c8894612b1ebf423e0dd6650fdd4a451	50000	3067608952750d1c8894612b1ebf423e0dd6650fdd4a451	NO13E25b	5b1eb7b802a932892c9a431a48	5b1eb7b802a932892c9a431a48	0.461325	0.62185	0.174725	0.28085	-0.607383	0.315325	0.39485	-0.2522	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	F	2df5965c64140895f326a1f424419373f291264d56b45a630e83d0db655ad2	50000	3067608952750d1c8894612b1ebf423e0dd6650fdd4a451	NO13E25b	5b1eb7b802a932892c9a431a48	5b1eb7b802a932892c9a431a48	0.0017	0.02595	0.0461	0.09545	-1.070499	0.0847	0.13645	-0.61098	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Fbar	fc8f936a79000e083067608952750d1c8894612b1ebf423e0dd6650fdd4a451	50000	3067608952750d1c8894612b1ebf423e0dd6650fdd4a451	NO13E25b	5b1eb7b802a932892c9a431a48	5b1eb7b802a932892c9a431a48	0.38645	0.47095	0.16085	0.00155	0.990364	0.29365	0.17475	0.404904	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	C	107ba004b39000f185ee0d08678705E48d1000Dead4947498e6e3b1b064e5d	50000	3067608952750d1c8894612b1ebf423e0dd6650fdd4a451	NO13E25b	5b1eb7b802a932892c9a431a48	5b1eb7b802a932892c9a431a48	0.014875	0.047575	0.065325	0.127625	-0.953693	0.120325	0.178625	-0.484521	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Cbar	6683d6fdad0700474885d02b1300478E58518d8f40060b83e9f6d572900edbf0f	50000	3067608952750d1c8894612b1ebf423e0dd6650fdd4a451	NO13E25b	5b1eb7b802a932892c9a431a48	5b1eb7b802a932892c9a431a48	0.461325	0.548475	0.174725	0.006275	0.964086	0.315325	0.192875	0.38833	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	F	90a54f36e85300be1b0e8a5f570065E451af717c2f93f0a43b8fb00867e	50000	3067608952750d1c8894612b1ebf423e0dd6650fdd4a451	NO13E25b	5b1eb7b802a932892c9a431a48	5b1eb7b802a932892c9a431a48	0.0017	0.0118	0.0521	0.1254	-1.40691	0.0855	0.149	-0.74269	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Fbar	000209a0fb950806e693747e632023E68d41f6aa400655a1871a9267ed433e5	50000	3067608952750d1c8894612b1ebf423e0dd6650fdd4a451	NO13E25b	5b1eb7b802a932892c9a431a48	5b1eb7b802a932892c9a431a48	0.38645	0.7228	0.16925	0.3144	-0.857607	0.29445	0.4062	-0.379521	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	C	20664a461b4007c5565c204d7N704E45087fab74b07e979e67707bca843db3	50000	3067608952750d1c8894612b1ebf423e0dd6650fdd4a451	NO13E25b	5b1eb7b802a932892c9a431a48	5b1eb7b802a932892c9a431a48	0.014875	0.044325	0.074325	0.163075	-1.19408	0.120725	0.177475	-0.470077	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Cbar	fc0163018d0300469a0ff70c13048E656b05d705457fae530c58ed25a8	50000	3067608952750d1c8894612b1ebf423e0dd6650fdd4a451	NO13E25b	5b1eb7b802a932892c9a431a48	5b1eb7b802a932892c9a431a48	0.461325	0.8361	0.181525	0.3259	-0.795345	0.317125	0.4183	-0.319038	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	F	45c73b2b0f25020767a5a27a28309E3faef609145c5e79d04d02d09c0df	50000	3067608952750d1c8894612b1ebf423e0dd6650fdd4a451	NO13E25b	5b1eb7b802a932892c9a431a48	5b1eb7b802a932892c9a431a48	0.0017	0.007225	0.0521	0.120975	-1.321977	0.0855	0.132575	-0.550585	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Fbar	ae79b2e5c66000524a468930d15009E2341dff71a2c319adae22e9d06a3fa5	50000	3067608952750d1c8894612b1ebf423e0dd6650fdd4a451	NO13E25b	5b1eb7b802a932892c9a431a48	5b1eb7b802a932892c9a431a48	0.38645	0.69455	0.16925	0.34535	-1.040473	0.29445	0.43335	-0.471727	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	C	1c6c68f621500083af093dmf1c30049E49b14154350628ff69a210447e00	50000	3067608952750d1c8894612b1ebf423e0dd6650fdd4a451	NO13E25b	5b1eb7b802a932892c9a431a48	5b1eb7b802a932892c9a431a48	0.014875	0.039575	0.074325	0.153225	-1.061554	0.120725	0.163625	-0.355353	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Cbar	6cdc1370fa20009d564675985N013E55b6f96e12e073d129h20p0a1a3fd4	50000	3067608952750d1c8894612b1ebf423e0dd6650fdd4a451	NO13E25b	5b1eb7b802a932892c9a431a48	5b1eb7b802a932892c9a431a48	0.461325	0.805375	0.181525	0.353575	-0.947803	0.317125	0.444975	-0.403153	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	F	0fc26f5e084b5000225000205c78N6H85e84ee34101811509fck46827ecb7b8	50000	3067608952750d1c8894612b1ebf423e0dd6650fdd4a451	NO13E25b	5b1eb7b802a932892c9a431a48	5b1eb7b802a932892c9a431a48	0.0017	0.00455	0.0521	0.08005	-0.536468	0.0855	0.10865	-0.27076	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Fbar	7478c6510c15000052750f02f44N013E4574a5d9377d39964k02894820629	50000	3067608952750d1c8894612b1ebf423e0dd6650fdd4a451	NO13E25b	5b1eb7b802a932892c9a431a48	5b1eb7b802a932892c9a431a48	0.38645	0.5363	0.16925	0.2675	-0.580502	0.29445	0.3801	-0.290881	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	C	f10da04912850083ce0f0b12948218023E4942988ac3ff0ab3ff58edcc1ac55f3	50000	3067608952750d1c8894612b1ebf423e0dd6650fdd4a451	NO13E25b	5b1eb7b802a932892c9a431a48	5b1eb7b802a932892c9a431a48	0.014875	0.0238	0.074325	0.1054	-0.418096	0.120725	0.1342	-0.111617	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Cbar	92a9ec6d84e30007a8674a236925076E4bdc4f786953a4d6485b110a1n9d77a	50000	3067608952750d1c8894612b1ebf423e0dd6650fdd4a451	NO13E25b	5b1eb7b802a932892c9a431a48	5b1eb7b802a932892c9a431a48	0.461325	0.62185	0.181525	0.27605	-0.520727	0.317125	0.39485	-0.245093	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	F	4120370f81f400014e061f0a82N023E68d31e09aea2fe5d3eaf003182b9a3	50000	3067608952750d1c8894612b1ebf423e0dd6650fdd4a451	NO13E25b	5b1eb7b802a932892c9a431a48	5b1eb7b802a932892c9a431a48	0.0017	0.02595	0.0521	0.09745	-0.870441	0.0855	0.13765	-0.609942	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Fbar	d9e3610ea4960020f91251mccN04E1E5c5f4d4dbdc6876d90e6702400392b	50000	3067608952750d1c8894612b1ebf423e0dd6650fdd4a451	NO13E25b	5b1eb7b802a932892c9a431a48	5b1eb7b802a932892c9a431a48	0.38645	0.47095	0.16925	0.01575	0.906942	0.29445	0.17495	0.405841	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	C	b836bacc39f5000904d65885a2N00H8E9458c501efe2880026e5f6fdd58db	50000	3067608952750d1c8894612b1ebf423e0dd6650fdd4a451	NO13E25b	5b1eb7b802a932892c9a431a48	5b1eb7b802a932892c9a431a48	0.014875	0.047575	0.074325	0.130225	-0.752102	0.120725	0.178225	-0.476289	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Cbar	458c242aaab50099399886377N013E557a69ae0646f100ac037m115167a8	50000	3067608952750d1c8894612b1ebf423e0dd6650fdd4a451	NO13E25b	5b1eb7b802a932892c9a431a48	5b1eb7b802a932892c9a431a48	0.461325	0.548475	0.181525	0.025275	0.860763	0.317125	0.194075	0.388017	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	F	2ca6303ccc25000c9e10ab52892N013E2535bc59db94da80986m741n2d43156	50000	3067608952750d1c8894612b1ebf423e0dd6650fdd4a451	NO13E25b	5b1eb7b802a932892c9a431a48	5b1eb7b802a932892c9a431a48	0.0017	0.0118	0.0483	0.1228	-1.542443	0.0847	0.1476	-0.742621	

cell	dataset	model	q	condition	metric	comparison id	sample count	geometry	geometry label	rule	condition label	metric direction	random clean quality	random perturbed quality	naive clean excess	naive perturbed excess	naive rrel	noise clean excess	noise perturbed excess	noise rrel
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Fbar	72928c2f70d5670438pda000c55N015F98103dn19893eag8h100a1d8636ee	50000	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	0.38645	0.7228	0.11805	0.2934	-1.485388	0.29365	0.407	-0.386004
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	C	eea22d6f07f5010845pda000c55N015F98103dn19893eag8h100a1d8636ee	50000	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	0.014875	0.044325	0.070725	0.158675	-1.243549	0.120325	0.175475	-0.458342
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Cbar	97097c2b4168003f18pda000c55N015F98103dn19893eag8h100a1d8636ee	50000	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	0.461325	0.8361	0.129525	0.3051	-1.35553	0.315325	0.4181	-0.325934
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	F	96a55981786320640548pda000c55N015F98103dn19893eag8h100a1d8636ee	50000	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	0.0017	0.007225	0.0483	0.119175	-1.467391	0.0847	0.133575	-0.577037
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Fbar	bff9e7a76aa7800859pda000c55N015F98103dn19893eag8h100a1d8636ee	50000	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	0.38645	0.69455	0.11805	0.31655	-1.681491	0.29365	0.43335	-0.475736
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	C	eb05b8255cf4000e4pda000c55N015F98103dn19893eag8h100a1d8636ee	50000	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	0.014875	0.039575	0.070725	0.149625	-1.115589	0.120325	0.164025	-0.363183
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Cbar	07e47cc723f5704146pda000c55N015F98103dn19893eag8h100a1d8636ee	50000	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	0.461325	0.805375	0.129525	0.327175	-1.52596	0.315325	0.445775	-0.4137
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	F	ac54ea765d3700212spda000c55N015F98103dn19893eag8h100a1d8636ee	50000	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	0.0017	0.00455	0.0483	0.07785	-0.611801	0.0847	0.11065	-0.306375
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Fbar	f36ad85204930088epda000c55N015F98103dn19893eag8h100a1d8636ee	50000	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	0.38645	0.5363	0.11805	0.2301	-0.949174	0.29365	0.3819	-0.300528
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	C	6133c504de7580043pda000c55N015F98103dn19893eag8h100a1d8636ee	50000	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	0.014875	0.0238	0.070725	0.1018	-0.439378	0.120325	0.1366	-0.135259
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Cbar	1afe06d0f4e57000e4pda000c55N015F98103dn19893eag8h100a1d8636ee	50000	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	0.461325	0.62185	0.129525	0.24205	-0.868751	0.315325	0.39485	-0.2522
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	F	1e75381a3cd90030pda000c55N015F98103dn19893eag8h100a1d8636ee	50000	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	0.0017	0.02595	0.0483	0.09545	-0.97619	0.0847	0.13645	-0.61098
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Fbar	63b9ad40cd800030pda000c55N015F98103dn19893eag8h100a1d8636ee	50000	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	0.38645	0.47095	0.11805	-0.00805	1.068191	0.29365	0.17475	0.404904
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	C	c4eb26f6224500052epda000c55N015F98103dn19893eag8h100a1d8636ee	50000	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	0.014875	0.047575	0.070725	0.130625	-0.846942	0.120325	0.178625	-0.484521
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Cbar	f02d192eb4700007epda000c55N015F98103dn19893eag8h100a1d8636ee	50000	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	0.461325	0.548475	0.129525	7.5e-05	0.999421	0.315325	0.192875	0.38833
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	F	6cad8f83b9500006pda000c55N015F98103dn19893eag8h100a1d8636ee	50000	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	0.0017	0.0118	0.0471	0.1232	-1.615711	0.0847	0.1476	-0.742621
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Fbar	ebdb2faeb1c500074bpda000c55N015F98103dn19893eag8h100a1d8636ee	50000	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	0.38645	0.7228	0.15285	0.3174	-1.076546	0.29365	0.407	-0.386004
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	C	93e42619283900243pda000c55N015F98103dn19893eag8h100a1d8636ee	50000	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	0.014875	0.044325	0.069925	0.159075	-1.274937	0.120325	0.175475	-0.458342
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Cbar	1f03d5aca3f5000739pda000c55N015F98103dn19893eag8h100a1d8636ee	50000	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	0.461325	0.8361	0.164725	0.3283	-0.993019	0.315325	0.4181	-0.325934
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	F	99738007b8a5000426pda000c55N015F98103dn19893eag8h100a1d8636ee	50000	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	0.0017	0.007225	0.0471	0.117175	-1.487792	0.0847	0.133575	-0.577037
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Fbar	f3c3dc2e7af500047pda000c55N015F98103dn19893eag8h100a1d8636ee	50000	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	0.38645	0.69455	0.15285	0.33875	-1.216225	0.29365	0.43335	-0.475736
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	C	d0ba50c4e3d500290pda000c55N015F98103dn19893eag8h100a1d8636ee	50000	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	0.014875	0.039575	0.069925	0.147025	-1.10261	0.120325	0.164025	-0.363183
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Cbar	010a11902cf2008949pda000c55N015F98103dn19893eag8h100a1d8636ee	50000	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	0.461325	0.805375	0.164725	0.350175	-1.125816	0.315325	0.445775	-0.4137
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	F	d5bca804724f00077pda000c55N015F98103dn19893eag8h100a1d8636ee	50000	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	0.0017	0.00455	0.0471	0.07845	-0.665605	0.0847	0.11065	-0.306375
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Fbar	d421f0e4f2b300096pda000c55N015F98103dn19893eag8h100a1d8636ee	50000	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	3pda000c55N015F98103dn19893eag8h100a1d8636ee	0.38645	0.5363	0.15285	0.2561	-0.675499	0.29365	0.3819	-0.300528

cell	dataset	model	q	condition	metric	comparison id	sample count	geometry	geometry label	rule	condition label	metric direction	random clean quality	random perturbed quality	naive clean excess	naive perturbed excess	naive rrel	noise clean excess	noise perturbed excess	noise rrel
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	Cbar	46cee63e5d	5000	82eae379ec	N01555431	357612b774	8hd2c2c6	668d7ac	0.461325	0.8361	0.174725	0.3269	-0.87094	0.310525	0.3821	-0.230497
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	F	cd9f95ea96	5000	64541b352a	N01555431	3206a0e99b	7b6c5f1	0.0017	0.007225	0.0461	0.109775	-1.381236	0.0489	0.106975	-1.187628	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	Fbar	68aa7ddb21	5000	7b32a2136e	N01555431	9b6f1e326b1	2206a0e99b	668d7ac	0.38645	0.69455	0.16085	0.34615	-1.152005	0.28385	0.40455	-0.425225
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	C	27e96162a6	5000	21648a23df1	N01555431	9b6f1e326b1	2206a0e99b	668d7ac	0.014875	0.039575	0.065325	0.142025	-1.174129	0.080725	0.146425	-0.813874
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	Cbar	5e85c74d97	5000	38881a9b18	N01555431	1a91b8fd703	340e9c8876	99fd1ede	0.461325	0.805375	0.174725	0.357175	-1.044212	0.310525	0.419175	-0.349891
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	F	ad44c95a23	5000	407833547d	N01555431	246c189088	76ead43092	89bf9ace	0.0017	0.00455	0.0461	0.06985	-0.515184	0.0489	0.06985	-0.428425
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	Fbar	5e9fe7447f	5000	1422fa17efdd	N01555431	9b6f1e326b1	2206a0e99b	668d7ac	0.38645	0.5363	0.16085	0.2707	-0.682934	0.28385	0.3671	-0.293289
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	C	3500b1a8b3	5000	3420a1ff7d9	N01555431	9b6f1e326b1	2206a0e99b	668d7ac	0.014875	0.0238	0.065325	0.0932	-0.426713	0.080725	0.0954	-0.18179
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	Cbar	1075916c48	5000	4cc30a18b3	N01555431	23b56b1014a	05peck781f3	668d7ac	0.461325	0.62185	0.174725	0.28085	-0.607383	0.310525	0.38245	-0.231624
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	F	f61ecf876bc	5000	3e6ed12b4b2	N01555431	8767a534aa	685af555b1	c6e903e	0.0017	0.02595	0.0461	0.09545	-1.070499	0.0489	0.12685	-1.59407
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	Fbar	6ae249aff3	5000	20e64a88d0	N01555431	43b7b28e0c	4d5a874f1c	17d6bbb	0.38645	0.47095	0.16085	0.00155	0.990364	0.28385	0.17775	0.373789
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	C	4924bd85be	5000	3400d10987	N01555431	9b6f1e326b1	2206a0e99b	668d7ac	0.014875	0.047575	0.065325	0.127625	-0.953693	0.080725	0.169425	-1.098792
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	Cbar	67deb91714	5000	3e6ed12b4b2	N01555431	9b6f1e326b1	2206a0e99b	668d7ac	0.461325	0.548475	0.174725	0.006275	0.964086	0.310525	0.196675	0.366637
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	F	9389c81e5b	5000	927da0839e	N01555431	9b6f1e326b1	2206a0e99b	668d7ac	0.0017	0.0118	0.0521	0.1254	-1.40691	0.0709	0.1424	-1.008463
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	Fbar	956f1354a6	5000	1894062163	N01555431	9b6f1e326b1	2206a0e99b	668d7ac	0.38645	0.7228	0.16925	0.3144	-0.857607	0.29045	0.4028	-0.386814
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	C	84cd7bd443	5000	9a1edf18e6c	N01555431	9b6f1e326b1	2206a0e99b	668d7ac	0.014875	0.044325	0.074325	0.163075	-1.19408	0.108125	0.181475	-0.678382
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	Cbar	80591474f5	5000	9a1edf18e6c	N01555431	9b6f1e326b1	2206a0e99b	668d7ac	0.461325	0.8361	0.181525	0.3259	-0.795345	0.314525	0.4163	-0.323583
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	F	95d19d89a4	5000	784b3d199d5	N01555431	9b6f1e326b1	2206a0e99b	668d7ac	0.0017	0.007225	0.0521	0.120975	-1.321977	0.0709	0.133375	-0.881171
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	Fbar	fee61e85b3	5000	784b3d199d5	N01555431	9b6f1e326b1	2206a0e99b	668d7ac	0.38645	0.69455	0.16925	0.34535	-1.040473	0.29045	0.44275	-0.524359
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	C	e5b484c7c0	5000	3e6ed12b4b2	N01555431	9b6f1e326b1	2206a0e99b	668d7ac	0.014875	0.039575	0.074325	0.153225	-1.061554	0.108125	0.169225	-0.565087
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	Cbar	85f998abe7	5000	784b3d199d5	N01555431	9b6f1e326b1	2206a0e99b	668d7ac	0.461325	0.805375	0.181525	0.353575	-0.947803	0.314525	0.453575	-0.442095
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	F	a09b21cccea	5000	3e6ed12b4b2	N01555431	9b6f1e326b1	2206a0e99b	668d7ac	0.0017	0.00455	0.0521	0.08005	-0.536468	0.0709	0.09885	-0.394217
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	Fbar	97b2d9b50b	5000	3e6ed12b4b2	N01555431	9b6f1e326b1	2206a0e99b	668d7ac	0.38645	0.5363	0.16925	0.2675	-0.580502	0.29045	0.3909	-0.345843
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	C	495011ccdd	5000	3e6ed12b4b2	N01555431	9b6f1e326b1	2206a0e99b	668d7ac	0.014875	0.0238	0.074325	0.1054	-0.418096	0.108125	0.1272	-0.176416
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	Cbar	c73217949cf	5000	3e6ed12b4b2	N01555431	9b6f1e326b1	2206a0e99b	668d7ac	0.461325	0.62185	0.181525	0.27605	-0.520727	0.314525	0.40425	-0.285271

cell	dataset	model	q	condition	metric	comparison id	sample count	geometry	geometry label	rule	condition label	metric direction	random clean quality	random perturbed quality	naive clean excess	naive perturbed excess	naive rrel	noise clean excess	noise perturbed excess	noise rrel
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	F	e2c7adc98db150008	10000	33b5db1f837602f54168	32fd8b26dfc3e2962a15	62b6248	0.0017	0.02595	0.0521	0.09745	-0.870441	0.0709	0.13265	-0.870945		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	Fbar	759330717dd5000b	741750H8d7	N013B3Kd0	4921b542ac81d0e5e4d0	05db61143	0.38645	0.47095	0.16925	0.01575	0.906942	0.29045	0.17275	0.405233		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	C	e4664573fedc0008a	3290dd12ec	2030f5b61e	079575019c67e9cnd45	8e673b0f	0.014875	0.047575	0.074325	0.130225	-0.752102	0.108125	0.177825	-0.644624		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	Cbar	93d0c2eaba450008	3330d9b91f5	N013B3K2	61f2a16b95ad15373d1b	7d477607	0.461325	0.548475	0.181525	0.025275	0.860763	0.314525	0.195275	0.379143		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	F	8db23bacbd300008	1cc8178ec2	2030f5b61e	256e8b9c42	ca695f386	485kc3eb	0.0017	0.0118	0.0483	0.1228	-1.542443	0.0857	0.1472	-0.71762	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	Fbar	b3edaec96fb50005	12470a234c3	N013B3K4	38a22913eb	86cbs89b44	52fb45d07	0.38645	0.7228	0.11805	0.2934	-1.485388	0.29185	0.4078	-0.397293	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	C	5306734189637007	1f8b848ce5d	N013B3Kf7	7836b9724d	4149d090	8dd3d447	0.014875	0.044325	0.070725	0.158675	-1.243549	0.121325	0.182475	-0.504018	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	Cbar	7015b8da0530002c	288at02236c	N013B3K2	61f2a16b95ad15373d1b	7d477607	0.461325	0.8361	0.129525	0.3051	-1.35553	0.314925	0.4185	-0.328888		
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	F	d57f40dde8850029	1cc8178ec2	2030f5b61e	256e8b9c42	ca695f386	485kc3eb	0.0017	0.007225	0.0483	0.119175	-1.467391	0.0857	0.137775	-0.607643	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	Fbar	557e5ac61515000d	1cc8178ec2	2030f5b61e	256e8b9c42	ca695f386	485kc3eb	0.38645	0.69455	0.11805	0.31655	-1.681491	0.29185	0.43215	-0.480726	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	C	894ca02af1d50001	1cc8178ec2	2030f5b61e	256e8b9c42	ca695f386	485kc3eb	0.014875	0.039575	0.070725	0.149625	-1.115589	0.121325	0.175625	-0.447558	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	Cbar	7031ab6867a5000b	144nba74ab	N013B3K4	38a22913eb	86cbs89b44	52fb45d07	0.461325	0.805375	0.129525	0.327175	-1.52596	0.314925	0.445375	-0.414226	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	F	30590a70c512000a	18301a291b1	N013B3K6	63a34b2Sec	912e26eb2f	5a3c347	0.0017	0.00455	0.0483	0.07785	-0.611801	0.0857	0.10965	-0.279463	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	Fbar	ae1e47993a550003a	18301a291b1	N013B3K6	63a34b2Sec	912e26eb2f	5a3c347	0.38645	0.5363	0.11805	0.2301	-0.949174	0.29185	0.3825	-0.310605	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	C	010d0c25aa027005	24nba378429b	N013B3K4	38a22913eb	86cbs89b44	52fb45d07	0.014875	0.0238	0.070725	0.1018	-0.439378	0.121325	0.1392	-0.147332	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	Cbar	49c7a11e28fa0007	24nba378429b	N013B3K4	38a22913eb	86cbs89b44	52fb45d07	0.461325	0.62185	0.129525	0.24205	-0.868751	0.314925	0.39845	-0.265222	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	F	2bdbfe9b89f6000d	12470a234c3	N013B3K4	38a22913eb	86cbs89b44	52fb45d07	0.0017	0.02595	0.0483	0.09545	-0.97619	0.0857	0.13845	-0.615519	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	Fbar	68c6c3d580c90000	157b33823e1	N013B3K6	63a34b2Sec	912e26eb2f	5a3c347	0.38645	0.47095	0.11805	-0.00805	1.068191	0.29185	0.16935	0.419736	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	C	bdb8df348c30008	1cc8178ec2	2030f5b61e	256e8b9c42	ca695f386	485kc3eb	0.014875	0.047575	0.070725	0.130625	-0.846942	0.121325	0.181225	-0.493715	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	Cbar	e70fb158fbd50049	2fa368d02cd	N013B3K1	30e5799023	44Nmsrhc9	9fab585	0.461325	0.548475	0.129525	7.5e-05	0.999421	0.314925	0.185675	0.410415	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	F	0ed38b103e03002f	27d54df7233	N013B3K5	63a34b2Sec	912e26eb2f	5a3c347	0.0017	0.0118	0.0471	0.1232	-1.615711	0.0747	0.1388	-0.858099	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	Fbar	018a922c7fb5000c	15327b90ac1	N013B3K7	8bd36f35dc0	6553ff6f74	9b0fc18	0.38645	0.7228	0.15285	0.3174	-1.076546	0.28865	0.3892	-0.348346	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	C	75c8174f1625002a	1492dddc795	N013B3K6	63a34b2Sec	912e26eb2f	5a3c347	0.014875	0.044325	0.069925	0.159075	-1.274937	0.110125	0.176875	-0.606129	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	Cbar	719dbb3aced5002b	1cd3c1d419	N013B3K1	30e5799023	44Nmsrhc9	9fab585	0.461325	0.8361	0.164725	0.3283	-0.993019	0.312925	0.4013	-0.282416	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	F	630f491c83040001	1cc8178ec2	2030f5b61e	256e8b9c42	ca695f386	485kc3eb	0.0017	0.007225	0.0471	0.117175	-1.487792	0.0747	0.131175	-0.756024	

cell	dataset	model	q	condition	metric	comparison id	sample count	geometry	geometry label	rule	condition label	metric direction	random clean quality	random perturbed quality	naive clean excess	naive perturbed excess	naive rrel	noise clean excess	noise perturbed excess	noise rrel
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	Fbar	b04102de95	50000	2a33ad7936	8001369439	9d4411215e1	5a168305740	h6275f116	0.38645	0.69455	0.15285	0.33875	-1.216225	0.28865	0.42175	-0.461112
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	C	ebd3d387a7	50000	18e8342745	33AD8B-17c	5cdd128047c	508a764997	hmc0f92	0.014875	0.039575	0.069925	0.147025	-1.10261	0.110125	0.168225	-0.527582
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	Cbar	1ccfd03b0d	75000	1a66d30ff5d2	N0D161270c	1766955b42	871b1b5d9157	md7ccd5	0.461325	0.805375	0.164725	0.350175	-1.125816	0.312925	0.432975	-0.383638
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	F	1179908d31	50000	92a0f621367	727132E-38	17d34d2e2a2	21e097950b	hnc552f	0.0017	0.00455	0.0471	0.07845	-0.665605	0.0747	0.09465	-0.267068
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	Fbar	dd50927f7b	50000	1b253a04d3	30313E-Hc	360d4ceb6ff	eb5c4325cc	hfc91a0	0.38645	0.5363	0.15285	0.2561	-0.675499	0.28865	0.3771	-0.306426
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	C	681aa00868	15000	7a9d8c4aef2	N0X894-d65	67d1b5fe6d9	35e2f8231b	3ab8ea65	0.014875	0.0238	0.069925	0.102	-0.458706	0.110125	0.1246	-0.131442
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	Cbar	e86fbf1894	40000	9e9db47677	N0d184d1b7	3ab015a29e6	895651e917	dd78383	0.461325	0.62185	0.164725	0.26925	-0.634542	0.312925	0.39445	-0.260526
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	F	d24b0efa78	50000	0a21d141b72	290d154753	4b22d1b9273	3a04f7505d	h3cc392	0.0017	0.02595	0.0471	0.09485	-1.0138	0.0747	0.12945	-0.732932
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	Fbar	fa096f8fcb	40000	3a227539cb	N018EEdKc	9547f4d53c7	2d44ee2e48	fdcc4	0.38645	0.47095	0.15285	0.00155	0.989859	0.28865	0.18215	0.368959
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	C	bc4c8c26de	90000	151d4b1148	N0L475B-K4	25f8222047	1d09f19a4b	hb64af6	0.014875	0.047575	0.069925	0.127625	-0.82517	0.110125	0.174225	-0.582066
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	Cbar	663fbc3259	50000	10a10f5509	5020F5E-ck1	54f551249ab	3ed808822a	h28041f	0.461325	0.548475	0.164725	0.010075	0.938837	0.312925	0.200875	0.358073

Table 171: ImageNet-ViT-B/16 results.

cell	dataset	model	q	condition	metric	comparison id	rrel gain naive minus noise	perturbed excess gain noise minus naive	rrel gain standard error	rrel gain ci low	rrel gain ci high	rrel gain valid bootstrap fraction	perturbed excess gain standard error	perturbed excess gain ci low	perturbed excess gain ci high	perturbed excess gain valid bootstrap fraction	joint advantage bootstrap fraction	both marginal ci lower positive	point outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	F	ae47d623e9	0.03372958	0.02104292	0.1770159	0.03622094	0.28756523	0.62e3f1c	0.004131	0.0026	0.019	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Fbar	7e509dbc3f	0.0747075	0.014392a3	0.0693637	0.70142654	0.63736947	0.34421e7	0.005956	0.0374	0.061	1	0.9904	True	advantage
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	C	981d55ddf5	0.1462773	0.9506015	0.20755305	0.6213922	0.03167589	0.5b4fa	0.004403	-0.0076	0.0096	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Cbar	bdc9647bd	0.21337081	0.230894840b	0.0099324e	0.2220887	0.1088341	7d60d34177	0.006019	0.033	0.05661	1	0.886044	False	advantage
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	F	8ec0a65b74e	0.0306433	0.946301867	0.1032382	0.6607886	0.302041825	76ecf36d	0.003399	0.0006	0.0164	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Fbar	a499e2c1ea	0.09014247	0.5909334945	0.703355	0.60833361	0.50663814	45cd993e7	0.005956	0.0192	0.0426	1	0.511076	False	advantage
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	C	b351aafdeb	0.0385227	0.5707147d	0.39782774	0.5565524e	0.2794266	6427f3	0.004197	-0.004	0.0124	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Cbar	7253e30fd4e	0.1023180	0.1091252098	0.6017478	0.609873724e	0.3368848	77e83deb	0.006076	0.016	0.04	1	0.176909	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	F	450b4e551e	0.0409201	0.7706205bce	0.00754110	0.3546222	0.60288787	665d80	0.003825	0.0128	0.0278	1	0.101555	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Fbar	46bda2f6b8d	0.1126221	0.0904232647	0.1028738	0.03873699	0.00872594	89c202f0	0.00548	0.0126	0.034	1	0.321066	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	C	87ea27aeb9	0.06500087	0.0103833d	0.10533551	0.2387137c	0.00659769	37981e4	0.003981	0.0102	0.0258	1	0.0017	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Cbar	be5ef25412	0.0324338	0.125406301025933	0.65039979	0.002957b	0.39e170a		0.005568	0.0148	0.0364	1	0.188509	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	F	32ab414aa0	0.0010332	0.050481510	0.87087813	0.0573375	0.09827335	8b52d0b44	0.004229	0.0268	0.0434	1	0.545327	False	advantage
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Fbar	691413d164	0.0259390	0.0979229fb	0.60066300	0.3148875f	0.4202806	77fb8b7	0.006986	0.0788	0.1062	1	1	True	advantage
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	C	440cb15651	0.0090886	0.09033669	0.10657161	0.5710275c	0.064330084	1829d65	0.004405	0.0348	0.052	1	0.474574	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Cbar	03bcb488ca	0.0711601	0.5904056163	0.10259282	0.72687028	0.13021251	1a2b19b2	0.007141	0.0916	0.11961	1	1	True	advantage
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	F	3f8c42e7bed	0.7442279	0.1808355e	0.16524362	0.0547378	0.05479186	dc22B7	0.004398	0.0244	0.0416	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Fbar	c1fe9caf727	0.1568265	0.300629063	0.105433b	0.0222925	0.4736962	694357	0.006435	0.0804	0.1056	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	C	6d8cf2867d	0.299175203	0.063026bd	0.11115150	0.8526257	0.96189278	3aa3d0903	0.004673	0.0178	0.0362	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Cbar	ebc7d088d0	0.0349006	0.130771281	0.10892890	0.686053b	0.09456623	1ac9e3cb	0.006556	0.0784	0.104	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	F	c198773c00c	0.804042588f0	0.8233651	0.2575798	0.16145079	0.05251943	0c06e2e	0.004251	0.0156	0.0322	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Fbar	cd8f814244e	0.0562874	0.808497034	0.1828671	0.08836778	0.0323273	302df7f	0.00661	0.074	0.1	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	C	ff668036dea	0.58122427	0.2a64512d29	0.1048896	0.716010796	0.03093387	74287c1d	0.004451	0.0134	0.0306	1	0	False	quality_only

cell	dataset	model	q	condition	metric	comparison id	rrel gain naive minus noise	perturbed excess gain noise minus naive	rrel gain standard error	rrel gain ci low	rrel gain ci high	rrel gain valid bootstrap fraction	perturbed excess gain standard error	perturbed excess gain ci low	perturbed excess gain ci high	perturbed excess gain valid bootstrap fraction	joint advantage bootstrap fraction	both marginal ci lower positive	point outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Cbar	0c59f115c8901630f512	961630f512	13950788684	0.0788187	0.0788187	0.0788187	0.0788187	0.006729	0.0754	0.1018	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	F	aa1ba7219f58208389	2d0b30f41	6f303540	0.042715	0.042715	0.042715	0.042715	0.003999	0.033	0.0486	1	0.016451	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Fbar	9b5ad67e0b8c353407	60139325a	4e0f8894	0.025145	0.025145	0.025145	0.025145	0.00647	0.0988	0.124	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	C	ad890be61f60271430	1e609334f4	149751873	0.029145	0.029145	0.029145	0.029145	0.004184	0.0352	0.0518	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Cbar	9aa7ffad9350537318	01c0a84480	4d6f8191	0.049734	0.049734	0.049734	0.049734	0.006614	0.101	0.127	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	F	2df5965c64403809519	28405424412	471357912	0.050548	0.050548	0.050548	0.050548	0.004301	0.0326	0.0496	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Fbar	fc8f936a7909b5550683	fb0e17224f8	400440797	0.050548	0.050548	0.050548	0.050548	0.007091	0.1594	0.1872	1	1	True	advantage
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	C	107ba004b398460183	ee0d1854778	700938190	0.066540	0.066540	0.066540	0.066540	0.004439	0.0424	0.0598	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Cbar	6683d6fda0757377a	74a1356350	04088885	0.050096	0.050096	0.050096	0.050096	0.007195	0.1726	0.2008	1	1	True	advantage
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	F	90a54f36e853166422	a0a04273769	2676251a	0.071792	0.071792	0.071792	0.071792	0.004317	0.015	0.032	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Fbar	000209a0fb06a50080	370a791892	62666897	0.066460	0.066460	0.066460	0.066460	0.006473	0.0792	0.1044	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	C	20664a461b01274682	556201447c7	0e0933967	0.052516	0.052516	0.052516	0.052516	0.004575	0.0056	0.0232	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Cbar	fc0163018d00472800	0b0732246e	0901187b	0.054705	0.054705	0.054705	0.054705	0.006585	0.0794	0.1054	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	F	45c73b2b0f20727130	7a5a0771638	50934922	0.099343	0.099343	0.099343	0.099343	0.004026	0.0038	0.0196	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Fbar	ae79b2e5ce601988726	4689988158	0.072224d	0.071748	0.071748	0.071748	0.071748	0.006514	0.0754	0.1008	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	C	1c6c68f62150670630	f93da0f0430	1d0d1923	0.059350	0.059350	0.059350	0.059350	0.004276	0.002	0.0188	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Cbar	6cdc1370f0a2011006	584675985eca	610557376	0.068225	0.068225	0.068225	0.068225	0.00667	0.0784	0.1044	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	F	0fc26f5e084022627f	000202878de	091970e	0.041068	0.041068	0.041068	0.041068	0.003784	0.0212	0.036	1	0.00075	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Fbar	7478c6510c4a28f022	777cf2f26bf5	53234273	0.040377	0.040377	0.040377	0.040377	0.00626	0.1002	0.1248	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	C	f10da049128a303479	fb020928d8	60403542	0.043883	0.043883	0.043883	0.043883	0.00397	0.0208	0.0366	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Cbar	92a9ec6d84e32757345	74023082500	07d50141	0.080759	0.080759	0.080759	0.080759	0.006399	0.1062	0.1312	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	F	4120370f81f40c2901	a66f6a95270	23f08033	0.048721	0.048721	0.048721	0.048721	0.003901	0.0326	0.0478	1	0.00505	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Fbar	d9e3610ea49c59100f	1912011592dc	e9035435	0.042706	0.042706	0.042706	0.042706	0.006952	0.1456	0.1728	1	1	True	advantage
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	C	b836bacc3940127580	40588048246	697769253	0.040348	0.040348	0.040348	0.040348	0.004042	0.0402	0.0558	1	5.0003e-05	False	quality_only

cell	dataset	model	q	condition	metric	comparison id	rrel gain naive minus noise	perturbed excess gain noise minus naive	rrel gain standard error	rrel gain ci low	rrel gain ci high	rrel gain valid bootstrap fraction	perturbed excess gain standard error	perturbed excess gain ci low	perturbed excess gain ci high	perturbed excess gain valid bootstrap fraction	joint advantage bootstrap fraction	both marginal ci lower positive	point outcome	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Cbar	458c242aaa	0.0472943	0.038781	0.033379	0.0940358	0.19054635	0.117167a8	0.007126	0.1548	0.1828	1	1	True	advantage	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	F	2ca6303ccc	0.20759822	0.057242	0.0157168	0.59156906	0.90050607	1a244B156	0.004068	0.0168	0.0328	1	0	False	quality_only	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Fbar	72928c2f70	0.094833	0.04135fd	0.1133977	0.1987686	0.854373	1d863f6ee	0.006522	0.1008	0.1264	1	0	False	quality_only	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	C	caa22d6f07	0.4758237	0.011175	0.0100862	0.0993795	0.8603828	1f3a1B1a	0.004323	0.0084	0.0254	1	0	False	quality_only	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Cbar	97097c2b41	0.8039566	0.5754934	0.6712325	0.1328850	0.4881133	5545dd1e	0.006664	0.1	0.1262	1	0	False	quality_only	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	F	96a5598178	0.890405	0.8704455	0.4320327	0.4216844	0.6806542	cb731a52	0.003924	0.0068	0.022	1	0	False	quality_only	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Fbar	bff9e7a76aa	0.8205750	0.5431158	0.9934734	0.0525622	0.70547508	151ce53	0.006714	0.1036	0.13	1	0	False	quality_only	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	C	eb05b8255e	0.4750246	0.0904479	0.7396852	0.0501537	0.6572894	3967d63	0.004189	0.0062	0.0226	1	0	False	quality_only	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Cbar	07e47cc725	0.8742226	0.0504856	0.3428809	0.4387633	0.6739716	3829b3e	0.00681	0.10539	0.132	1	0	False	quality_only	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	F	ac54ea765d	0.7002226	0.7038819	0.087563	0.0570867	0.4220632	0cb33ec	0.003823	0.0254	0.0404	1	0.0002	False	quality_only	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Fbar	f36ad85204	0.0364384	0.0016586	0.0102224	0.1870387	0.4636505	1338d48a	0.006646	0.1388	0.1646	1	0	False	quality_only	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	C	6133c504de	0.5804139	0.6289948	0.4050815	0.4143323	0.0107888	7fee5550	0.003994	0.027	0.0426	1	0	False	quality_only	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Cbar	1afe06d0f4	0.0710531	0.141126	0.0527853	0.5990891	0.4945299	ed22f2d	0.006792	0.1394	0.1658	1	0	False	quality_only	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	F	1e75381a3c	0.8653300	0.ada0c7	0.415d01e	0.82307e	0.6438104	0.2444038	2a3250abe	0.004072	0.0332	0.049	1	0.00045	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Fbar	63b9ad40c1	0.8602389	0.6686828	0.0658369	0.6253476	0.0720776	18498d6d1	0.007199	0.1686	0.197	1	1	True	advantage	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	C	c4eb26f622	0.4030528	0.0590645	0.0529862	0.2720316	0.03208f2	368b1f9	0.004252	0.0398	0.0564	1	0	False	quality_only	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Cbar	f02d192ebe	0.0614791	0.090928	0.0330683	0.6578915	0.0720927	460a3e1	0.007334	0.1784	0.2072	1	1	True	advantage	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	F	6cad8ff83b	0.037009	0.6678024	0.168727	0.2188052	0.7135485	6bfb5ba2	0.004175	0.0162	0.0324	1	0	False	quality_only	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Fbar	ebdb2faeb1	0.8790542	0.060803	0.0084503	0.5828891	0.6035392	7f40e2093	0.006462	0.077	0.1022	1	0	False	quality_only	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	C	93e4261928	0.8836205	0.9802446	0.2010633	0.4901094	0.0611649	1a9a52ce9	0.004447	0.0078	0.0252	1	0	False	quality_only	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	g	Cbar	1f03d5aca8	0.0366708	0.0222dc	0.0477056	0.0828378	0.4052527	1aa3177	0.006612	0.0768	0.1026	1	0	False	quality_only	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	F	99738007b8	0.0910725	0.2035454	0.1589341	0.733236	0.0792866	486bcb5	0.004032	0.0084	0.0244	1	0	False	quality_only	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Fbar	f3c3dc2e7a	0.0954783	0.2375094	0.0605813	0.0920924	0.6576187	0c3fd133	0.006549	0.0818	0.1076	1	0	False	quality_only	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	C	d0ba50c4e3	0.8799907	0.4401878	0.3509914	0.0422659	0.2620752	4859ab	0.004283	0.0086	0.0254	1	0	False	quality_only	

							rrel gain naive minus noise	perturbed excess gain noise minus naive	rrel gain standard error	rrel gain ci low	rrel gain ci high	rrel gain valid bootstrap fraction	perturbed excess gain standard error	perturbed excess gain ci low	perturbed excess gain ci high	perturbed excess gain valid bootstrap fraction	joint advantage bootstrap fraction	both marginal ci lower positive	point outcome
cell	dataset	model	q	condition	metric	comparison id													
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	p	Cbar	010a11902f028182943f2cd90f55ff8bf09002670f01883709f0250101716780482cc	0.006653	0.0826	0.1086	1	0	False	quality_only						
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	F	d5bca80472401651727aa0422284461f08907cd0125815581a05cd62587773d138	0.00385	0.0248	0.0398	1	0.0001	False	quality_only						
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Fbar	d421f0e4f2b04378097408df3238d96b028837d35f01f801b1468513706e672ac	0.006557	0.113	0.1386	1	0	False	quality_only						
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	C	7e92604f284063209138035031156dd085036896d17471552e6e021d8106933259	0.004056	0.0266	0.0426	1	0	False	quality_only						
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	s	Cbar	d6531c5e7bd0e88284244607250c9590024326625b18902e51207e51d25868	0.006672	0.1126	0.1386	1	0	False	quality_only						
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	F	flf4e05c584d060028274fd0041635fd10012632801083879cf031251739c2bb	0.00425	0.0334	0.0498	1	0.0003	False	quality_only						
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Fbar	e7d9a7ebc603589356ca2031732bcd62044010701502392840867956aca7dcbee	0.007057	0.1594	0.1868	1	1	True	advantage						
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	C	a767b0642740837069b79398156c49085812b4085920321e4f317962302c0b13c	0.004407	0.0424	0.0596	1	0	False	quality_only						
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	a	Cbar	301d7b351e035703081090352892200049343221473572ce4e3327a5e66d5880	0.007192	0.1686	0.1968	1	1	True	advantage						
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	F	8d5dc683d27a0628185b1071442dd6210662897026031261916886331e15cd1f82f	0.00356	0.0076	0.0216	1	0.262263	False	quality_only						
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Fbar	41792d2e1581004418984f0107355ff770289f84e46602026100680130b635e46	0.005426	0.0262	0.0476	1	0.882044	False	advantage						
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	C	aa0e9124f590a0d38792330f06933d220299234d703077391e08206788d858t8d	0.00379	0.0066	0.0216	1	0.0057	False	quality_only						
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Cbar	62acce686d709831551f0503728e020273888653435898607023431112d32f	0.005525	0.0266	0.0482	1	0.640182	False	advantage						
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	F	55ad8fb6b2d01b08336fe81f984184e094511b50e297829860235643bdcee	0.003324	0.004	0.017	1	0.118706	False	quality_only						
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Fbar	71cdeebcd7870900696e90e274427d1320087346c068760590043500d93e05318	0.005509	0.0166	0.038	1	0.377119	False	quality_only						
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	C	82d309c1bb0b12508802190f01422b89d0606397712801f3397f0280264072ab4a	0.003543	0.0074	0.0212	1	0.00765	False	quality_only						
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Cbar	3ebdc01e0d060618071d019238bc31028271ff003771000e022502818694b30	0.005627	0.017	0.039	1	0.127406	False	quality_only						
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	F	db0075e3da015f869820f01038003227781f0c10609102280f0299262e6e02	0.003197	0.0094	0.022	1	0.739537	False	advantage						
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Fbar	15fa9f335086700082a214fb0295cad818275820b40702305321e0435457b81ad59	0.005096	0.0198	0.0398	1	0.639832	False	advantage						
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	C	8ea3b52f27240403369753091066f28400771308f6022432581b06669787eb9a2dd	0.00332	0.0102	0.023	1	0.20366	False	quality_only						
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Cbar	eb33f8995f89a007508cd810b338aa01235568e604087298040344358e824597	0.005236	0.0216	0.042	1	0.383569	False	quality_only						
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	F	cf26f28c00b501082931d1c80712e3691885296e010827830f05266029e76f8541	0.00362	0.0142	0.0282	1	0.834592	False	advantage						
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Fbar	8dde812570f39d707cf34709083c70a024659045313600fe5e300010dabec1b	0.006402	0.0784	0.1034	1	1	True	advantage						
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	C	6757aecffc6050298543d0c0306ed10500970381f20799336d041d82206df8ed52c	0.003706	0.0234	0.038	1	0.79784	False	advantage						

cell	dataset	model	q	condition	metric	comparison id	rrel gain naive minus noise	perturbed excess gain noise minus naive	rrel gain standard error	rrel gain ci low	rrel gain ci high	rrel gain valid bootstrap fraction	perturbed excess gain standard error	perturbed excess gain ci low	perturbed excess gain ci high	perturbed excess gain valid bootstrap fraction	joint advantage bootstrap fraction	both marginal ci lower positive	point outcome
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	Cbar	79a6691e9794366702330d33746b55c266967062312206059639452afcca4db	0.006577	0.0948	0.1206	1	1	True	advantage						
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	F	0b6783e000de4064632ab090339b40385248b463928570c4130304937859e060	0.004147	-0.0044	0.012	1	0.341767	False	quality_only						
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	Fbar	1dada0616a06436375178203780983075308f7065912747f0620435941be576	0.006544	0.041	0.0666	1	0	False	quality_only						
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	C	d69935737590374059ac9130049e923fb01277706028115f6d12152990a0d0407	0.004394	-0.0036	0.0136	1	0.00065	False	quality_only						
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	Cbar	46cee63e5d48750e232ea687562eb4c0784225370782572480452285968647ac	0.006686	0.04219	0.06821	1	0	False	quality_only						
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	F	cd9f95ea9650800669554d80028e940573659ef801329b212006069937b6c5f1	0.004156	-0.011	0.0054	1	0.068503	False	no_advantage						
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	Fbar	68aa7ddb21d55207873d22364f31940824290f08873676c2e5f6830986520135	0.00654	0.0456	0.0714	1	0	False	quality_only						
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	C	27e96162a66d380235ff832041770936f7269c8584278c701948227203172	0.0044	-0.0044	0.013	1	0.0006	False	quality_only						
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	Cbar	5e85c74d9741b948388e09628cf7d10547b23c088567634625855392f41bde	0.006602	0.049	0.075	1	0	False	quality_only						
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	F	ad44c95a23040867307983507dc046112957246332908870e148400289bf9ace	0.003653	-0.0072	0.007	1	0.186809	False	no_advantage						
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	Fbar	5e9fe7447fb5038904022f2a7096d4ed083022056c4e5619397e34022746051e0fc77	0.00656	0.0838	0.1094	1	0	False	quality_only						
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	C	3500b1a8bb30624432320401607295205478172428c49364ab4099e4071e06615e8	0.003883	-0.0054	0.0098	1	0.00095	False	quality_only						
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	s	Cbar	1075916c48ff372809030d1b131a501766928b5649247d5b0226804368782e64	0.00664	0.0888	0.1148	1	0	False	quality_only						
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	F	f61ecf876bc07308731be12041b2924b475789dc70785325ef8e885956bc6c903e	0.004073	0.0234	0.0394	1	0.9989	True	advantage						
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	Fbar	6ae249aff3906406029e8f6887620ad00442703307802815d9a78379f7c17261bb	0.007238	0.162	0.1906	1	1	True	advantage						
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	C	4924bd85bc0f8450990040109335a401b06091fe01062b48a69344339145dfc26fc	0.004184	0.0336	0.05	1	0.915396	False	advantage						
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	a	Cbar	67deb917140507549bdcd2927d50f030689455206998901037605f180ce7886	0.007354	0.1762	0.2048	1	1	True	advantage						
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	F	9389c81e540d99540777a90839ed40b540591fa23692051780240051963978ec	0.004161	0.009	0.0252	1	0.0014	False	quality_only						
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	Fbar	956f1354a62623579439104886340205520f26886079a204320f61464817f	0.006384	0.0758	0.101	1	0	False	quality_only						
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	C	84cd7bd443fe325699a9f030484f5d077055208308702897b05388583ba2f0b3	0.00442	0.01	0.0272	1	0	False	quality_only						
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	g	Cbar	80591474f570e4730927e0c1000432a090608260139720244053522983749396	0.006526	0.0776	0.1032	1	0	False	quality_only						
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	F	95d19d89a40834050b53101024576c030369c087231555c0560225711634e7	0.003971	0.0048	0.0204	1	0.00015	False	quality_only						
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	Fbar	fee61e85b30013617847302971bec02078014be080995931ad4380285305654a	0.006385	0.085	0.11	1	0	False	quality_only						
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	p	C	e5b484c7c0d1400467c717054506f862a90648b8a2587a67a50032537da673e65b8	0.004218	0.0078	0.0244	1	0	False	quality_only						

cell	dataset	model	q	condition	metric	comparison id	rrel gain naive minus noise	perturbed excess gain noise minus naive	rrel gain standard error	rrel gain ci low	rrel gain ci high	rrel gain valid bootstrap fraction	perturbed excess gain standard error	perturbed excess gain ci low	perturbed excess gain ci high	perturbed excess gain valid bootstrap fraction	joint advantage bootstrap fraction	both marginal ci lower positive	point outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Cbar	85f998abe03905708b97606df9c06e8407676546626f65038084d2107025	0.0305708	0.0606df9	0.0684076	0.0684076	0.0684076	0.0684076	0.006523	0.0874	0.1128	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	F	a09b21cece0f14829d16f784018813cc094792754018851887d010386723bad9B2	0.014829d	0.018813cc	0.0947927	0.0188518	0.0188518	0.0386723	0.003571	0.0118	0.0258	1	0.058903	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Fbar	97b2d9b50b0129485c4c9d12834eb20c05396da0134551630068689f2aaa9abb	0.0129485	0.012834eb	0.05396da	0.0134551	0.0134551	0.068689f	0.006259	0.111	0.1356	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	C	495011cccd40b24d5d3a60722f3a904064889f70237284d4491480603e5e16e	0.0b24d5d	0.0722f3a9	0.064889f	0.0237284	0.0237284	0.0148060	0.003793	0.0144	0.0292	1	5.0003e-05	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Cbar	c73217949cf03332050eb44c228274900e2274f5a07b3836935854422304433f76	0.0333205	0.044c2282	0.00e2274f	0.07b38369	0.07b38369	0.05442230	0.006327	0.1158	0.1406	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	F	e2c7adc98d0b00086b553c03535f69f14653210192628f5c0c322521b5c16248	0.0b00086b	0.05535f69	0.0146532	0.0192628	0.0192628	0.0322521	0.003829	0.0278	0.0426	1	0.500625	False	advantage
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Fbar	759330717d0520050917591d527cc04038245492425152ac80569589605db61143	0.05200509	0.017591d5	0.0403824	0.0924251	0.0924251	0.0569589	0.006884	0.1436	0.1706	1	1	True	advantage
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	C	e4664573fe027054729010b0727625300706807592730189c0743695258e673b0f	0.02705472	0.010b0727	0.00706807	0.09273018	0.09273018	0.07436952	0.004002	0.0398	0.0554	1	0.075104	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Cbar	93d0c2eaba4e4638233309697f52e02106328102411325a015373d1b72477607	0.04638233	0.0309697f	0.02106328	0.02411325	0.02411325	0.015373d1	0.007117	0.156	0.184	1	1	True	advantage
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	F	8db23bacbd00014823c80782422a2d4556712508366421d0555f964d851c3eb	0.00014823	0.0782422a	0.0d455671	0.02508366	0.02508366	0.010555f9	0.004023	0.0166	0.0324	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Fbar	b3edaec96fbbd58209247002344301021874235a228585866b89d08d452fb45d07	0.05820924	0.02344301	0.02187423	0.02285858	0.02285858	0.06b89d08	0.006447	0.1016	0.127	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	C	53067341896037095313bb483281b501da5a6778395722210f551090c3d7d447	0.03709531	0.0483281b	0.01da5a67	0.07839572	0.07839572	0.0f551090	0.004257	0.0154	0.0322	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Cbar	7015b8da05360262384d91236322e92b36bd48785728a0f51796370724de7e	0.03602623	0.09123632	0.0e92b36b	0.04878572	0.04878572	0.0f517963	0.006626	0.1002	0.1264	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	F	d57f40dde8a4e527457b508075b260b2538220ab389108a3c8358087cecad8e	0.04e527457	0.0508075b	0.0b253822	0.0ab389108a	0.0ab389108a	0.03c83580	0.003914	0.011	0.0264	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Fbar	557e5ac61541d200764a58681568350a4d0722545f252206351039441892e27d524d	0.0200764a	0.05868156	0.0a4d0722	0.0545f25220	0.0545f25220	0.03944189	0.006546	0.1028	0.1286	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	C	894ca02afd00663d39086300634064977347e01e8713861b9c83611f54965fa68	0.00663d39	0.08630063	0.06497734	0.07e01e8713	0.07e01e8713	0.08611f54	0.004158	0.0178	0.0342	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Cbar	7031ab6867de1985359ad748241e8398149c7518920532018329b1af9bf4ef4	0.01985359	0.0748241e	0.08398149	0.07518920	0.07518920	0.018329b1	0.006658	0.1052	0.1312	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	F	30590a70c5e1238b38201b91b86c393009276303542868919e26843f5a2e347	0.01238b38	0.01b91b86	0.03930092	0.07630354	0.07630354	0.02868919	0.003789	0.0244	0.0392	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Fbar	ae1e47993a51c738369b920c88203970107528c708680271834457923801cd782	0.01c73836	0.0b920c88	0.02039701	0.07010752	0.07010752	0.08344579	0.006604	0.13939	0.1652	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	C	010d0c25aa02702026cd378329b556c9653dd5424333702500392225dfbad009	0.02702026	0.0378329b	0.0556c9653d	0.0542433370	0.0542433370	0.00392225	0.003927	0.0298	0.0452	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Cbar	49c7a11e28f0e4003729ab0d0bf42fa50050779f390c7990454d0028503407f41e8	0.04003729	0.0ab0d0bf	0.0d0bf42f	0.05005077	0.05005077	0.0c799045	0.006717	0.143	0.1694	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	F	2bdfbe9b8940436071f93206436a85f3922757520829794984b3d5a3c17192	0.0436071f	0.03206436	0.0f392275	0.07520829	0.07520829	0.0984b3d5	0.004057	0.0352	0.051	1	0.00095	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Fbar	68c6e3d5806945057b838273d19602850438090537493130c708822923414573	0.06945057	0.0838273d	0.0196028504	0.03809053	0.03809053	0.07537493	0.007139	0.1634	0.1914	1	1	True	advantage
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	C	bdb8df348c30336827362d7050782078a0808d0534295645f09798510c7a23	0.03368273	0.02d70507	0.0782078a	0.0808d053	0.0808d053	0.04534295	0.004235	0.0424	0.059	1	0	False	quality_only

cell	dataset	model	q	condition	metric	comparison id	rrel gain naive minus noise	perturbed excess gain noise minus naive	rrel gain standard error	rrel gain ci low	rrel gain ci high	rrel gain valid bootstrap fraction	perturbed excess gain standard error	perturbed excess gain ci low	perturbed excess gain ci high	perturbed excess gain valid bootstrap fraction	joint advantage bootstrap fraction	both marginal ci lower positive	point outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Cbar	c70fb158fb	0.269906	3.68e-05	0.005331	0.005579	0.006640	0.9ab5585	0.007301	0.1712	0.1998	1	1	True	advantage
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	F	0ed38b103e	0.322612	5.90e-05	0.016372	0.018358	0.024380	0.746b1e83	0.004256	0.00739	0.0238	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Fbar	018a922c7b	0.438593	7.00e-05	0.067878	0.095560	0.053766	0.9b0c18	0.006483	0.059	0.0846	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	C	75c8174f16	0.282808	2.44e-05	0.038390	0.082958	0.087550	0.7d97e382	0.004543	0.009	0.0268	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	g	Cbar	719dbb3aee	0.210643	3.63e-05	0.017333	0.032091	0.063703	0.987fde39	0.006629	0.06	0.0862	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	F	630f491c83	0.193170	4.35e-05	0.027828	0.009413	0.074550	0.0e5c1ae	0.004159	0.006	0.0222	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Fbar	b04102de9b	0.225912	3.39e-05	0.036894	0.090439	0.041858	0.0b373f16	0.006413	0.0704	0.0954	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	C	ebd3d387a7	0.635023	8.60e-05	0.271513	0.097275	0.473498	0.634f0f97	0.004417	0.0126	0.0298	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	p	Cbar	1ccfd03b0e	0.421473	6.00e-05	0.152214	0.082787	0.095582	0.705b5295	0.006484	0.07	0.0954	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	F	1179908d31	0.139332	0.00e-05	0.018072	0.063585	0.032165	0.0b297250	0.003701	0.009	0.0234	1	5.0003e-05	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Fbar	dd50927f7e	0.263972	5.30e-05	0.0235f0	0.007516	0.040905	0.0b24259a	0.00651	0.1084	0.134	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	C	681aa00868	0.335264	9.49e-05	0.02221d	0.038711	0.047292	0.0b23332b	0.003986	0.0148	0.0304	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	s	Cbar	e86fbf1894	0.831507	3.40e-05	0.062676	0.050251	0.056877	0.0d178383	0.006627	0.1122	0.1382	1	0	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	F	d24b0efa78	0.425009	2.10e-05	0.031829	0.027534	0.025877	0.0a90f0505d	0.003966	0.0268	0.0422	1	0.0086	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Fbar	fa096f8fcb	0.60603d	2.70e-05	0.0806cc	0.034062	0.075336	0.0b26471e	0.007101	0.1668	0.1946	1	1	True	advantage
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	C	bc4c8c26de	0.242693	5.40e-05	0.014687	0.038504	0.084223	0.0b085068	0.004076	0.0386	0.0546	1	0.00155	False	quality_only
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	a	Cbar	663fbc3259	0.578066	0.00e-05	0.19085b	0.016672	0.050198	0.0b09802a	0.007274	0.1766	0.2052	1	1	True	advantage

Table 172: ImageNet–ViT-B/16 results.

dataset	model	condition	k	condition kind	status	sample count	F	Fbar	C	Cbar
imagenet	vit-b16	adversaria- sara-2- 255	20	adversaria	complete	5000	0.02595	0.47095	0.047575	0.548475
imagenet	vit-b16	clean	20	clean	complete	5000	0.0017	0.38645	0.014875	0.461325
imagenet	vit-b16	gaussian- 0.15	20	factory	complete	5000	0.0118	0.7228	0.044325	0.8361
imagenet	vit-b16	salt- pepper- 0.05	20	factory	complete	5000	0.007225	0.69455	0.039575	0.805375
imagenet	vit-b16	speckle- 0.15	20	factory	complete	5000	0.00455	0.5363	0.0238	0.62185

Additional result tables

A DenseNet-121

Table 173: ImageNet–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.5234	0.7068	0.5824	0.8924	0.15	0.1374	0.4036	0.215	0.0572	0.0462
SimpleAvg	0.5334	0.6972	0.5982	0.846	0.1638	0.1676	0.4234	0.274	0.0738	0.0646
Borda (NAIVE)	0.5336	0.7044	0.5954	0.8866	0.1636	0.161	0.4154	0.2692	0.063	0.0548
Borda (THE- ORY)	0.5192	0.7076	0.5706	0.8858	0.165	0.15	0.4072	0.279	0.0608	0.0458
RRF (NAIVE)	0.5356	0.7082	0.6014	0.9018	0.1632	0.1512	0.4124	0.2732	0.0568	0.0476
RRF (THE- ORY)	0.5152	0.7074	0.5676	0.8858	0.157	0.1492	0.402	0.2716	0.0694	0.0578
Schulze (NAIVE)	0.5452	0.7068	0.613	0.8924	0.1606	0.1476	0.428	0.2798	0.065	0.0552
Schulze (THE- ORY)	0.524	0.7092	0.5816	0.8878	0.1674	0.1596	0.4042	0.2716	0.0668	0.06
Kemeny- Young (NAIVE)	0.5304	0.7046	0.5892	0.8882	0.165	0.1566	0.4148	0.2682	0.0594	0.054
Kemeny- Young (THE- ORY)	0.52	0.7048	0.5744	0.8856	0.1574	0.1516	0.411	0.2826	0.0636	0.0528

Table 174: ImageNet–DenseNet-121 results.

Method	Type	Acc ReplaceTop	Cons ReplaceTop	Acc ReplaceBottom	Cons ReplaceBottom
Borda (n=2)	Ensemble	0.52	0.5744	0.7048	0.8856
Borda (n=3)	Ensemble	0.5192	0.5706	0.7076	0.8858
Borda (n=4)	Ensemble	0.5266	0.5808	0.7084	0.8836
Borda (n=5)	Ensemble	0.5248	0.582	0.7066	0.8872
Borda (n=6)	Ensemble	0.5258	0.5844	0.707	0.8902
Borda (n=7)	Ensemble	0.5304	0.5892	0.7046	0.8882
Borda (n=8)	Ensemble	0.5336	0.5954	0.7044	0.8866
Kemeny-Young (n=2)	Ensemble	0.52	0.5744	0.7048	0.8856
Kemeny-Young (n=3)	Ensemble	0.5192	0.5706	0.7076	0.8858
Kemeny-Young (n=4)	Ensemble	0.5266	0.5808	0.7084	0.8836
Kemeny-Young (n=5)	Ensemble	0.5248	0.582	0.7066	0.8872
Kemeny-Young (n=6)	Ensemble	0.5258	0.5844	0.707	0.8902
Kemeny-Young (n=7)	Ensemble	0.5304	0.5892	0.7046	0.8882
Kemeny-Young (n=8)	Ensemble	0.5336	0.5954	0.7044	0.8866
RRF (n=2)	Ensemble	0.5162	0.5736	0.7068	0.8902
RRF (n=3)	Ensemble	0.5152	0.5676	0.7074	0.8858
RRF (n=4)	Ensemble	0.5166	0.5746	0.7084	0.884
RRF (n=5)	Ensemble	0.5292	0.5912	0.7122	0.905
RRF (n=6)	Ensemble	0.5364	0.6008	0.7122	0.9044
RRF (n=7)	Ensemble	0.534	0.5942	0.7096	0.9032
RRF (n=8)	Ensemble	0.5356	0.6014	0.7082	0.9018
Schulze (n=2)	Ensemble	0.525	0.5792	0.7058	0.8882
Schulze (n=3)	Ensemble	0.524	0.5816	0.7092	0.8878
Schulze (n=4)	Ensemble	0.5358	0.6018	0.7072	0.8856
Schulze (n=5)	Ensemble	0.5448	0.6128	0.7078	0.8886
Schulze (n=6)	Ensemble	0.5484	0.6234	0.7064	0.8884
Schulze (n=7)	Ensemble	0.551	0.6228	0.7078	0.8926
Schulze (n=8)	Ensemble	0.5452	0.613	0.7068	0.8924
norm_ensemble (n=2)	Ensemble	0.5468	0.6124	0.7078	0.8882
norm_ensemble (n=3)	Ensemble	0.536	0.5994	0.7072	0.8828
norm_ensemble (n=4)	Ensemble	0.524	0.5862	0.7076	0.8838
norm_ensemble (n=5)	Ensemble	0.5256	0.5854	0.7052	0.8718
norm_ensemble (n=6)	Ensemble	0.5284	0.5934	0.703	0.8734

Table 175: ImageNet–DenseNet-121 results.

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
Borda (n=2)	Ensemble	0.1574	0.1516	0.411	0.2826	0.0636	0.0528	0.0948	0.045	0.4522	0.1196	0.0316	0.0156
Borda (n=3)	Ensemble	0.165	0.15	0.4072	0.279	0.0608	0.0458	0.1004	0.0388	0.4552	0.1196	0.0372	0.0206
Borda (n=4)	Ensemble	0.1726	0.163	0.4134	0.2814	0.0608	0.0524	0.1004	0.038	0.4538	0.1172	0.0368	0.0158
Borda (n=5)	Ensemble	0.1652	0.1546	0.411	0.273	0.0624	0.0558	0.0958	0.0408	0.4558	0.1216	0.038	0.0224
Borda (n=6)	Ensemble	0.1638	0.1556	0.4088	0.2658	0.0552	0.05	0.0984	0.0432	0.456	0.1252	0.0394	0.0278
Borda (n=7)	Ensemble	0.165	0.1566	0.4148	0.2682	0.0594	0.054	0.0986	0.0472	0.452	0.1264	0.034	0.0244
Borda (n=8)	Ensemble	0.1636	0.161	0.4154	0.2692	0.063	0.0548	0.0946	0.0514	0.4546	0.128	0.0348	0.0282
Kemeny-Young (n=2)	Ensemble	0.1574	0.1516	0.411	0.2826	0.0636	0.0528	0.0948	0.045	0.4522	0.1196	0.0316	0.0156
Kemeny-Young (n=3)	Ensemble	0.165	0.15	0.4072	0.279	0.0608	0.0458	0.1004	0.0388	0.4552	0.1196	0.0372	0.0206
Kemeny-Young (n=4)	Ensemble	0.1726	0.163	0.4134	0.2814	0.0608	0.0524	0.1004	0.038	0.4538	0.1172	0.0368	0.0158
Kemeny-Young (n=5)	Ensemble	0.1652	0.1546	0.411	0.273	0.0624	0.0558	0.0958	0.0408	0.4558	0.1216	0.038	0.0224
Kemeny-Young (n=6)	Ensemble	0.1638	0.1556	0.4088	0.2658	0.0552	0.05	0.0984	0.0432	0.456	0.1252	0.0394	0.0278
Kemeny-Young (n=7)	Ensemble	0.165	0.1566	0.4148	0.2682	0.0594	0.054	0.0986	0.0472	0.452	0.1264	0.034	0.0244
Kemeny-Young (n=8)	Ensemble	0.1636	0.161	0.4154	0.2692	0.063	0.0548	0.0946	0.0514	0.4546	0.128	0.0348	0.0282
RRF (n=2)	Ensemble	0.156	0.1522	0.4078	0.2804	0.0596	0.0484	0.0964	0.048	0.4562	0.1274	0.0332	0.0216
RRF (n=3)	Ensemble	0.157	0.1492	0.402	0.2716	0.0694	0.0578	0.1008	0.0396	0.4556	0.118	0.0352	0.0244
RRF (n=4)	Ensemble	0.1544	0.1526	0.4016	0.266	0.0594	0.051	0.1	0.0394	0.455	0.1154	0.0372	0.0218
RRF (n=5)	Ensemble	0.162	0.153	0.4102	0.2778	0.061	0.0482	0.1034	0.0572	0.4612	0.1366	0.0438	0.0448
RRF (n=6)	Ensemble	0.167	0.1614	0.4218	0.2854	0.06	0.0494	0.1048	0.0674	0.4604	0.1414	0.0432	0.045
RRF (n=7)	Ensemble	0.1616	0.1478	0.415	0.2698	0.0576	0.042	0.104	0.067	0.4562	0.1434	0.0398	0.045
RRF (n=8)	Ensemble	0.1632	0.1512	0.4124	0.2732	0.0568	0.0476	0.101	0.0686	0.4576	0.1474	0.036	0.025
Schulze (n=2)	Ensemble	0.1602	0.1516	0.4154	0.2856	0.0664	0.0506	0.0938	0.047	0.455	0.1264	0.0336	0.0184
Schulze (n=3)	Ensemble	0.1674	0.1596	0.4042	0.2716	0.0668	0.06	0.0972	0.0478	0.4604	0.1258	0.036	0.0204
Schulze (n=4)	Ensemble	0.1604	0.1562	0.415	0.2882	0.0566	0.047	0.0986	0.0368	0.4532	0.12	0.0368	0.0316
Schulze (n=5)	Ensemble	0.166	0.1612	0.4246	0.2894	0.0622	0.054	0.0978	0.0416	0.4536	0.1228	0.0406	0.0372
Schulze (n=6)	Ensemble	0.1696	0.1698	0.4308	0.3084	0.063	0.0626	0.0968	0.045	0.4554	0.1254	0.038	0.0364
Schulze (n=7)	Ensemble	0.1666	0.1622	0.4318	0.2968	0.0694	0.0636	0.101	0.05	0.458	0.1384	0.0382	0.0356
Schulze (n=8)	Ensemble	0.1606	0.1476	0.428	0.2798	0.065	0.0552	0.103	0.0642	0.4566	0.1388	0.0378	0.0316
norm_ensemble (n=2)	Ensemble	0.1634	0.1512	0.4322	0.3008	0.062	0.0506	0.0972	0.0524	0.4576	0.1272	0.0364	0.0206
norm_ensemble (n=3)	Ensemble	0.1564	0.1468	0.428	0.3042	0.0596	0.0446	0.0988	0.0408	0.4566	0.1176	0.0362	0.022
norm_ensemble (n=4)	Ensemble	0.154	0.1448	0.4146	0.2836	0.0564	0.0412	0.1004	0.0396	0.4572	0.1262	0.0418	0.028

Table 176: ImageNet–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.6	0.7162	0.679	0.9238	0.1294	0.1066	0.43	0.192	0.0496	0.0342
SimpleAvg	0.6034	0.7092	0.6918	0.8846	0.1498	0.1408	0.4478	0.2478	0.0632	0.0584
Borda (NAIVE)	0.6092	0.715	0.6944	0.931	0.1338	0.1122	0.445	0.2464	0.0464	0.0314
Borda (THE- ORY)	0.5932	0.7132	0.6684	0.9198	0.1444	0.115	0.4278	0.2308	0.0514	0.0374
RRF (NAIVE)	0.621	0.7172	0.7118	0.9322	0.146	0.1238	0.458	0.2574	0.0588	0.0456
RRF (THE- ORY)	0.5886	0.7128	0.6654	0.923	0.1372	0.1152	0.4292	0.243	0.053	0.0398
Schulze (NAIVE)	0.6294	0.7154	0.7258	0.9268	0.1542	0.1316	0.458	0.2658	0.057	0.0458
Schulze (THE- ORY)	0.5924	0.7146	0.6708	0.9268	0.148	0.126	0.4268	0.2326	0.052	0.038
Kemeny- Young (NAIVE)	0.6068	0.7156	0.6904	0.9308	0.1358	0.1208	0.4454	0.2482	0.047	0.0316
Kemeny- Young (THE- ORY)	0.5932	0.7144	0.671	0.9196	0.1432	0.1154	0.4336	0.2476	0.054	0.0384

Table 177: ImageNet–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.3764	0.689	0.411	0.8408	0.1552	0.1492	0.3096	0.2114	0.053	0.0512
SimpleAvg	0.409	0.6778	0.4528	0.795	0.174	0.1766	0.343	0.2474	0.068	0.0686
Borda (NAIVE)	0.4198	0.6916	0.4574	0.8488	0.165	0.1602	0.3526	0.2494	0.074	0.0684
Borda (THE- ORY)	0.392	0.6894	0.4274	0.8456	0.1698	0.171	0.3314	0.2434	0.0648	0.0604
RRF (NAIVE)	0.4186	0.6944	0.4584	0.8548	0.1702	0.168	0.3538	0.2578	0.0664	0.0604
RRF (THE- ORY)	0.3892	0.6902	0.4282	0.846	0.156	0.1566	0.3272	0.246	0.067	0.062
Schulze (NAIVE)	0.4276	0.6846	0.4722	0.8334	0.1734	0.1724	0.3634	0.2662	0.0682	0.065
Schulze (THE- ORY)	0.3916	0.6894	0.4254	0.8392	0.1648	0.1608	0.3214	0.2322	0.0648	0.0554
Kemeny- Young (NAIVE)	0.41	0.6922	0.4494	0.8498	0.155	0.1544	0.3446	0.247	0.0658	0.0622
Kemeny- Young (THE- ORY)	0.3922	0.6896	0.4262	0.8438	0.161	0.157	0.3312	0.2346	0.0624	0.0574

Table 178: ImageNet–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.6424	0.7204	0.7462	0.947	0.11	0.0764	0.441	0.1452	0.0362	0.0172
SimpleAvg	0.6536	0.7152	0.7704	0.9144	0.1362	0.1158	0.463	0.2046	0.0496	0.0476
Borda (NAIVE)	0.6564	0.7226	0.7674	0.9472	0.126	0.0976	0.456	0.1924	0.0444	0.0312
Borda (THE- ORY)	0.6444	0.7202	0.7372	0.9486	0.1274	0.0922	0.4414	0.1386	0.039	0.0208
RRF (NAIVE)	0.661	0.7212	0.78	0.9542	0.1268	0.0976	0.4594	0.1978	0.048	0.0364
RRF (THE- ORY)	0.6442	0.7178	0.7408	0.9474	0.123	0.0878	0.4446	0.1856	0.0416	0.0212
Schulze (NAIVE)	0.672	0.7198	0.8034	0.9498	0.129	0.1034	0.469	0.2162	0.049	0.0502
Schulze (THE- ORY)	0.6442	0.7206	0.7372	0.9446	0.1272	0.0928	0.4396	0.1834	0.0364	0.0196
Kemeny- Young (NAIVE)	0.6612	0.722	0.7664	0.9472	0.1276	0.0996	0.4612	0.1998	0.0512	0.0314
Kemeny- Young (THE- ORY)	0.6454	0.7194	0.7452	0.948	0.1214	0.0916	0.4446	0.1854	0.041	0.0248

Table 179: ImageNet–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.2694	0.667	0.293	0.8	0.1276	0.1258	0.2298	0.1604	0.0442	0.0434
SimpleAvg	0.3194	0.6478	0.3532	0.7512	0.1598	0.1648	0.276	0.2032	0.0658	0.0682
Borda (NAIVE)	0.327	0.6698	0.3538	0.8072	0.154	0.147	0.2824	0.2094	0.063	0.058
Borda (THE- ORY)	0.278	0.6656	0.2998	0.8024	0.1388	0.1386	0.2408	0.1806	0.054	0.0514
RRF (NAIVE)	0.3292	0.6764	0.3564	0.8176	0.1556	0.1546	0.2876	0.2088	0.0716	0.066
RRF (THE- ORY)	0.2914	0.6658	0.321	0.7988	0.1408	0.1406	0.2512	0.1888	0.0532	0.0556
Schulze (NAIVE)	0.3356	0.6594	0.367	0.787	0.159	0.1644	0.2944	0.2218	0.0646	0.0634
Schulze (THE- ORY)	0.2852	0.664	0.3084	0.7946	0.143	0.143	0.2442	0.1772	0.0502	0.0516
Kemeny- Young (NAIVE)	0.3256	0.6722	0.353	0.8104	0.1538	0.149	0.282	0.2098	0.0674	0.0654
Kemeny- Young (THE- ORY)	0.3	0.6648	0.3262	0.7976	0.1516	0.154	0.2602	0.2014	0.0554	0.054

Table 180: ImageNet–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.6104	0.7134	0.709	0.9164	0.147	0.1374	0.4486	0.243	0.0476	0.0454
SimpleAvg	0.5878	0.7074	0.6712	0.8828	0.157	0.1538	0.4408	0.2594	0.068	0.0634
Borda (NAIVE)	0.5918	0.7152	0.679	0.9244	0.1512	0.1324	0.4396	0.2632	0.053	0.043
Borda (THE- ORY)	0.5802	0.7162	0.6444	0.9164	0.149	0.1248	0.4326	0.244	0.057	0.0426
RRF (NAIVE)	0.5988	0.7176	0.684	0.9236	0.1594	0.1402	0.4476	0.26	0.062	0.0576
RRF (THE- ORY)	0.577	0.7138	0.6472	0.9188	0.1528	0.1374	0.431	0.2552	0.0548	0.045
Schulze (NAIVE)	0.6072	0.7108	0.7004	0.9168	0.155	0.1464	0.4546	0.274	0.0604	0.0538
Schulze (THE- ORY)	0.5808	0.712	0.6468	0.916	0.1478	0.1254	0.4324	0.2442	0.0584	0.044
Kemeny- Young (NAIVE)	0.5936	0.717	0.6714	0.9262	0.1598	0.1358	0.4428	0.2634	0.0586	0.0416
Kemeny- Young (THE- ORY)	0.5802	0.7166	0.6536	0.9262	0.151	0.1356	0.4336	0.253	0.0528	0.0392

Table 181: ImageNet–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.5266	0.7052	0.5916	0.8866	0.171	0.1626	0.4196	0.2766	0.0598	0.0532
SimpleAvg	0.5032	0.6952	0.5624	0.8394	0.174	0.1786	0.4036	0.2704	0.0728	0.073
Borda (NAIVE)	0.5082	0.7044	0.5598	0.8848	0.1856	0.1784	0.4058	0.268	0.068	0.0596
Borda (THE- ORY)	0.4908	0.7028	0.5398	0.886	0.175	0.1694	0.3918	0.2558	0.0584	0.048
RRF (NAIVE)	0.5176	0.705	0.5766	0.8932	0.1796	0.1764	0.4168	0.2854	0.0692	0.0658
RRF (THE- ORY)	0.4912	0.7038	0.5382	0.8836	0.1686	0.1658	0.396	0.2696	0.0708	0.0632
Schulze (NAIVE)	0.532	0.704	0.593	0.8796	0.1834	0.1798	0.4312	0.2986	0.0812	0.0776
Schulze (THE- ORY)	0.4942	0.7022	0.5436	0.8872	0.173	0.1684	0.3872	0.2672	0.065	0.0592
Kemeny- Young (NAIVE)	0.5064	0.7044	0.5586	0.888	0.179	0.1706	0.4036	0.2686	0.0698	0.064
Kemeny- Young (THE- ORY)	0.4924	0.703	0.5472	0.885	0.1768	0.1774	0.3952	0.2758	0.0604	0.0546

Table 182: ImageNet–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.3918	0.6792	0.4332	0.824	0.176	0.1772	0.3414	0.2512	0.0686	0.07
SimpleAvg	0.3688	0.6604	0.4048	0.7866	0.168	0.1738	0.3156	0.2262	0.073	0.0744
Borda (NAIVE)	0.374	0.6798	0.411	0.8318	0.1602	0.1614	0.3202	0.2308	0.06	0.0596
Borda (THE- ORY)	0.3334	0.6788	0.3626	0.8108	0.1498	0.1528	0.282	0.1808	0.0584	0.0532
RRF (NAIVE)	0.3724	0.6846	0.4108	0.838	0.1626	0.1682	0.3194	0.2344	0.069	0.0672
RRF (THE- ORY)	0.3466	0.6776	0.378	0.8178	0.1596	0.1598	0.2976	0.2182	0.0596	0.0564
Schulze (NAIVE)	0.3852	0.6806	0.4286	0.8192	0.1732	0.1788	0.3344	0.2532	0.0704	0.0724
Schulze (THE- ORY)	0.3424	0.6794	0.3704	0.8178	0.1536	0.152	0.2896	0.2068	0.0584	0.0532
Kemeny- Young (NAIVE)	0.3678	0.6874	0.402	0.8376	0.156	0.1598	0.3162	0.2272	0.0602	0.056
Kemeny- Young (THE- ORY)	0.352	0.6886	0.3844	0.8408	0.15	0.1462	0.303	0.2186	0.0494	0.045

Table 183: ImageNet–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.662	0.719	0.786	0.9412	0.1282	0.096	0.4584	0.1766	0.046	0.035
SimpleAvg	0.6422	0.714	0.7478	0.9134	0.1394	0.12	0.463	0.2246	0.0542	0.0478
Borda (NAIVE)	0.6492	0.7182	0.7546	0.945	0.134	0.0966	0.4594	0.2152	0.0472	0.0338
Borda (THE- ORY)	0.6382	0.7184	0.7248	0.9402	0.1356	0.0984	0.448	0.2038	0.0508	0.0348
RRF (NAIVE)	0.6556	0.7172	0.7626	0.9462	0.1384	0.1024	0.4634	0.2244	0.051	0.033
RRF (THE- ORY)	0.6372	0.7164	0.725	0.9394	0.1382	0.0992	0.4484	0.205	0.0522	0.0358
Schulze (NAIVE)	0.6594	0.7148	0.7832	0.942	0.1376	0.1138	0.4604	0.2332	0.0492	0.0446
Schulze (THE- ORY)	0.6358	0.7154	0.7316	0.938	0.133	0.105	0.4408	0.1982	0.0456	0.026
Kemeny- Young (NAIVE)	0.6498	0.718	0.7536	0.9462	0.1404	0.1032	0.4624	0.2224	0.047	0.033
Kemeny- Young (THE- ORY)	0.6404	0.7214	0.7332	0.9446	0.1356	0.1052	0.4496	0.2086	0.0524	0.035

Table 184: ImageNet–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.2866	0.6456	0.3162	0.7648	0.1452	0.146	0.257	0.1848	0.0562	0.055
SimpleAvg	0.275	0.6232	0.303	0.7292	0.1438	0.1452	0.2424	0.1726	0.0636	0.0636
Borda (NAIVE)	0.2736	0.6498	0.2968	0.777	0.1372	0.1392	0.241	0.169	0.0544	0.0486
Borda (THE- ORY)	0.2258	0.646	0.242	0.7678	0.1156	0.1152	0.1972	0.1222	0.0406	0.0368
RRF (NAIVE)	0.279	0.6536	0.3022	0.7816	0.1476	0.1474	0.2502	0.171	0.0664	0.064
RRF (THE- ORY)	0.2454	0.6456	0.2656	0.763	0.1218	0.1218	0.218	0.15	0.0518	0.048
Schulze (NAIVE)	0.2846	0.6382	0.3138	0.7614	0.1472	0.1552	0.2524	0.1826	0.0644	0.064
Schulze (THE- ORY)	0.2358	0.642	0.252	0.7624	0.117	0.1158	0.2068	0.134	0.0462	0.043
Kemeny- Young (NAIVE)	0.268	0.6532	0.293	0.7804	0.1332	0.137	0.238	0.1672	0.0534	0.0536
Kemeny- Young (THE- ORY)	0.2548	0.6684	0.2736	0.8004	0.1316	0.1322	0.2266	0.1558	0.047	0.0408

Table 185: ImageNet–DenseNet-121 results.

Method	Type	Acc ReplaceTop	Cons ReplaceTop	Acc ReplaceBottom	Cons ReplaceBottom
Borda (n=2)	Ensemble	0.5802	0.6444	0.7162	0.9164
Borda (n=3)	Ensemble	0.5802	0.6536	0.7166	0.9262
Borda (n=4)	Ensemble	0.5864	0.6596	0.7168	0.9282
Borda (n=5)	Ensemble	0.5894	0.6634	0.7168	0.9294
Borda (n=6)	Ensemble	0.5946	0.6718	0.7178	0.9258
Borda (n=7)	Ensemble	0.5936	0.6714	0.717	0.9262
Borda (n=8)	Ensemble	0.5918	0.679	0.7152	0.9244
Kemeny- Young (n=2)	Ensemble	0.5802	0.6444	0.7162	0.9164
Kemeny- Young (n=3)	Ensemble	0.5802	0.6536	0.7166	0.9262
Kemeny- Young (n=4)	Ensemble	0.5864	0.6596	0.7168	0.9282
Kemeny- Young (n=5)	Ensemble	0.5894	0.6634	0.7168	0.9294
Kemeny- Young (n=6)	Ensemble	0.5946	0.6718	0.7178	0.9258
Kemeny- Young (n=7)	Ensemble	0.5936	0.6714	0.717	0.9262
Kemeny- Young (n=8)	Ensemble	0.5918	0.679	0.7152	0.9244
RRF (n=2)	Ensemble	0.5786	0.642	0.7132	0.919
RRF (n=3)	Ensemble	0.577	0.6472	0.7138	0.9188
RRF (n=4)	Ensemble	0.582	0.6584	0.7126	0.9158
RRF (n=5)	Ensemble	0.5902	0.6702	0.7194	0.928
RRF (n=6)	Ensemble	0.5978	0.6786	0.7164	0.9274
RRF (n=7)	Ensemble	0.5976	0.678	0.7164	0.9256
RRF (n=8)	Ensemble	0.5988	0.684	0.7176	0.9236
Schulze (n=2)	Ensemble	0.5808	0.6468	0.712	0.916
Schulze (n=3)	Ensemble	0.5844	0.6582	0.712	0.9168
Schulze (n=4)	Ensemble	0.6006	0.6824	0.7088	0.9142
Schulze (n=5)	Ensemble	0.6046	0.696	0.7104	0.9146
Schulze (n=6)	Ensemble	0.609	0.7058	0.7132	0.9164
Schulze (n=7)	Ensemble	0.6108	0.7052	0.711	0.9176
Schulze (n=8)	Ensemble	0.6072	0.7004	0.7108	0.9168
norm_ense (n=2)	Ensemble	0.5962	0.6768	0.7122	0.9148
norm_ense (n=3)	Ensemble	0.5914	0.6722	0.7102	0.9168
norm_ense (n=4)	Ensemble	0.5902	0.6672	0.7102	0.9162
norm_ense (n=5)	Ensemble	0.5866	0.6622	0.7124	0.8974
norm_ense (n=6)	Ensemble	0.5904	0.673	0.7084	0.8976

Table 186: ImageNet–DenseNet-121 results.

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
Borda (n=2)	Ensemble	0.149	0.1248	0.4326	0.244	0.057	0.0426	0.0992	0.0396	0.4588	0.116	0.0372	0.0178
Borda (n=3)	Ensemble	0.151	0.1356	0.4336	0.253	0.0528	0.0392	0.1002	0.0472	0.4582	0.1148	0.0388	0.0242
Borda (n=4)	Ensemble	0.1512	0.133	0.4366	0.2606	0.061	0.0444	0.0998	0.052	0.458	0.12	0.0392	0.0282
Borda (n=5)	Ensemble	0.1534	0.134	0.4438	0.2636	0.0594	0.0458	0.0988	0.055	0.4592	0.1214	0.038	0.032
Borda (n=6)	Ensemble	0.164	0.1452	0.4474	0.2694	0.0626	0.0496	0.1022	0.0544	0.4594	0.1134	0.0404	0.0292
Borda (n=7)	Ensemble	0.1598	0.1358	0.4428	0.2634	0.0586	0.0416	0.101	0.0528	0.4564	0.1174	0.0416	0.0322
Borda (n=8)	Ensemble	0.1512	0.1324	0.4396	0.2632	0.053	0.043	0.0926	0.0474	0.4564	0.1218	0.0392	0.0284
Kemeny-Young (n=2)	Ensemble	0.149	0.1248	0.4326	0.244	0.057	0.0426	0.0992	0.0396	0.4588	0.116	0.0372	0.0178
Kemeny-Young (n=3)	Ensemble	0.151	0.1356	0.4336	0.253	0.0528	0.0392	0.1002	0.0472	0.4582	0.1148	0.0388	0.0242
Kemeny-Young (n=4)	Ensemble	0.1512	0.133	0.4366	0.2606	0.061	0.0444	0.0998	0.052	0.458	0.12	0.0392	0.0282
Kemeny-Young (n=5)	Ensemble	0.1534	0.134	0.4438	0.2636	0.0594	0.0458	0.0988	0.055	0.4592	0.1214	0.038	0.032
Kemeny-Young (n=6)	Ensemble	0.164	0.1452	0.4474	0.2694	0.0626	0.0496	0.1022	0.0544	0.4594	0.1134	0.0404	0.0292
Kemeny-Young (n=7)	Ensemble	0.1598	0.1358	0.4428	0.2634	0.0586	0.0416	0.101	0.0528	0.4564	0.1174	0.0416	0.0322
Kemeny-Young (n=8)	Ensemble	0.1512	0.1324	0.4396	0.2632	0.053	0.043	0.0926	0.0474	0.4564	0.1218	0.0392	0.0284
RRF (n=2)	Ensemble	0.148	0.1228	0.4332	0.2438	0.0564	0.0384	0.0946	0.051	0.4554	0.1022	0.036	0.0254
RRF (n=3)	Ensemble	0.1528	0.1374	0.431	0.2552	0.0548	0.045	0.0958	0.0446	0.459	0.0996	0.037	0.023
RRF (n=4)	Ensemble	0.1436	0.13	0.435	0.2628	0.05	0.0352	0.096	0.0398	0.4568	0.0932	0.0368	0.0198
RRF (n=5)	Ensemble	0.156	0.1378	0.442	0.2626	0.0536	0.0426	0.1028	0.0578	0.463	0.106	0.0434	0.0342
RRF (n=6)	Ensemble	0.1618	0.1424	0.4476	0.2762	0.0592	0.049	0.0994	0.0586	0.4562	0.1116	0.0394	0.0294
RRF (n=7)	Ensemble	0.161	0.1382	0.4438	0.2626	0.0594	0.0468	0.1018	0.0562	0.4574	0.1094	0.0392	0.0298
RRF (n=8)	Ensemble	0.1594	0.1402	0.4476	0.26	0.062	0.0576	0.1016	0.0596	0.457	0.1126	0.0402	0.0276
Schulze (n=2)	Ensemble	0.1478	0.1254	0.4324	0.2442	0.0584	0.044	0.0946	0.0516	0.4538	0.0986	0.0352	0.0232
Schulze (n=3)	Ensemble	0.1556	0.1372	0.425	0.2468	0.0594	0.0454	0.094	0.0436	0.4546	0.099	0.033	0.02
Schulze (n=4)	Ensemble	0.152	0.13	0.4412	0.2708	0.0546	0.0432	0.0886	0.036	0.45	0.0944	0.0306	0.0278
Schulze (n=5)	Ensemble	0.1556	0.1426	0.4464	0.2768	0.0598	0.0552	0.0934	0.0388	0.4512	0.0992	0.0328	0.029
Schulze (n=6)	Ensemble	0.1574	0.151	0.4554	0.2962	0.0566	0.0566	0.096	0.0444	0.4556	0.0956	0.034	0.0294
Schulze (n=7)	Ensemble	0.1646	0.1538	0.4546	0.2808	0.0618	0.0572	0.0958	0.0558	0.4544	0.101	0.0324	0.0272
Schulze (n=8)	Ensemble	0.155	0.1464	0.4546	0.274	0.0604	0.0538	0.0942	0.0466	0.4522	0.1114	0.0312	0.0206
norm_ensemble (n=2)	Ensemble	0.1468	0.1292	0.4496	0.2528	0.058	0.0464	0.0934	0.0458	0.4552	0.0986	0.0338	0.0228
norm_ensemble (n=3)	Ensemble	0.142	0.1304	0.4466	0.2778	0.0556	0.0458	0.0942	0.0436	0.4544	0.0982	0.0322	0.021
norm_ensemble (n=4)	Ensemble	0.1468	0.1322	0.4438	0.2744	0.066	0.0564	0.0922	0.0378	0.4526	0.0944	0.0276	0.0288

[illegible]

Table 187: ImageNet–DenseNet-121 results.

Method	Type	Acc ReplaceTop	Cons ReplaceTop	Acc ReplaceBottom	Cons ReplaceBottom
Borda (n=2)	Ensemble	0.4908	0.5398	0.7028	0.886
Borda (n=3)	Ensemble	0.493	0.5398	0.7038	0.8848
Borda (n=4)	Ensemble	0.4924	0.5472	0.703	0.885
Borda (n=5)	Ensemble	0.4976	0.5518	0.7072	0.8922
Borda (n=6)	Ensemble	0.5	0.5482	0.7044	0.8884
Borda (n=7)	Ensemble	0.5064	0.5586	0.7044	0.888
Borda (n=8)	Ensemble	0.5082	0.5598	0.7044	0.8848
Kemeny-Young (n=2)	Ensemble	0.4908	0.5398	0.7028	0.886
Kemeny-Young (n=3)	Ensemble	0.493	0.5398	0.7038	0.8848
Kemeny-Young (n=4)	Ensemble	0.4924	0.5472	0.703	0.885
Kemeny-Young (n=5)	Ensemble	0.4976	0.5518	0.7072	0.8922
Kemeny-Young (n=6)	Ensemble	0.5	0.5482	0.7044	0.8884
Kemeny-Young (n=7)	Ensemble	0.5064	0.5586	0.7044	0.888
Kemeny-Young (n=8)	Ensemble	0.5082	0.5598	0.7044	0.8848
RRF (n=2)	Ensemble	0.4934	0.544	0.7036	0.8868
RRF (n=3)	Ensemble	0.4912	0.5382	0.7038	0.8836
RRF (n=4)	Ensemble	0.4974	0.5436	0.7028	0.8836
RRF (n=5)	Ensemble	0.5076	0.5592	0.709	0.8946
RRF (n=6)	Ensemble	0.511	0.563	0.7064	0.89
RRF (n=7)	Ensemble	0.5148	0.5698	0.705	0.8908
RRF (n=8)	Ensemble	0.5176	0.5766	0.705	0.8932
Schulze (n=2)	Ensemble	0.495	0.5448	0.7016	0.885
Schulze (n=3)	Ensemble	0.4942	0.5436	0.7022	0.8872
Schulze (n=4)	Ensemble	0.518	0.5722	0.7026	0.8806
Schulze (n=5)	Ensemble	0.5254	0.5854	0.704	0.8876
Schulze (n=6)	Ensemble	0.5278	0.5904	0.7062	0.8886
Schulze (n=7)	Ensemble	0.529	0.5906	0.7046	0.8864
Schulze (n=8)	Ensemble	0.532	0.593	0.704	0.8796
norm_ensemble (n=2)	Ensemble	0.5152	0.5794	0.704	0.8838
norm_ensemble (n=3)	Ensemble	0.5074	0.5712	0.7028	0.8838
norm_ensemble (n=4)	Ensemble	0.4986	0.5572	0.7022	0.88
norm_ensemble (n=5)	Ensemble	0.4996	0.5564	0.704	0.8636
norm_ensemble (n=6)	Ensemble	0.5048	0.5644	0.7026	0.866

Table 188: ImageNet–DenseNet-121 results.

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
Borda (n=2)	Ensemble	0.175	0.1694	0.3918	0.2558	0.0584	0.048	0.0984	0.0698	0.4524	0.144	0.0336	0.0274
Borda (n=3)	Ensemble	0.1738	0.1654	0.3922	0.2624	0.0636	0.0558	0.103	0.0574	0.4524	0.1458	0.0398	0.0356
Borda (n=4)	Ensemble	0.1768	0.1774	0.3952	0.2758	0.0604	0.0546	0.1022	0.0624	0.4512	0.141	0.0322	0.036
Borda (n=5)	Ensemble	0.1808	0.1808	0.3972	0.2716	0.0674	0.0568	0.1034	0.0682	0.458	0.1498	0.039	0.0454
Borda (n=6)	Ensemble	0.1776	0.1688	0.3996	0.2616	0.07	0.0574	0.1042	0.0706	0.4498	0.1438	0.0372	0.043
Borda (n=7)	Ensemble	0.179	0.1706	0.4036	0.2686	0.0698	0.064	0.1034	0.0704	0.4552	0.158	0.0328	0.0402
Borda (n=8)	Ensemble	0.1856	0.1784	0.4058	0.268	0.068	0.0596	0.102	0.071	0.4538	0.1508	0.0352	0.0404
Kemeny-Young (n=2)	Ensemble	0.175	0.1694	0.3918	0.2558	0.0584	0.048	0.0984	0.0698	0.4524	0.144	0.0336	0.0274
Kemeny-Young (n=3)	Ensemble	0.1738	0.1654	0.3922	0.2624	0.0636	0.0558	0.103	0.0574	0.4524	0.1458	0.0398	0.0356
Kemeny-Young (n=4)	Ensemble	0.1768	0.1774	0.3952	0.2758	0.0604	0.0546	0.1022	0.0624	0.4512	0.141	0.0322	0.036
Kemeny-Young (n=5)	Ensemble	0.1808	0.1808	0.3972	0.2716	0.0674	0.0568	0.1034	0.0682	0.458	0.1498	0.039	0.0454
Kemeny-Young (n=6)	Ensemble	0.1776	0.1688	0.3996	0.2616	0.07	0.0574	0.1042	0.0706	0.4498	0.1438	0.0372	0.043
Kemeny-Young (n=7)	Ensemble	0.179	0.1706	0.4036	0.2686	0.0698	0.064	0.1034	0.0704	0.4552	0.158	0.0328	0.0402
Kemeny-Young (n=8)	Ensemble	0.1856	0.1784	0.4058	0.268	0.068	0.0596	0.102	0.071	0.4538	0.1508	0.0352	0.0404
RRF (n=2)	Ensemble	0.1578	0.1534	0.4006	0.2774	0.0612	0.0502	0.0994	0.068	0.4566	0.1452	0.0344	0.0294
RRF (n=3)	Ensemble	0.1686	0.1658	0.396	0.2696	0.0708	0.0632	0.103	0.0582	0.4542	0.1368	0.0346	0.0356
RRF (n=4)	Ensemble	0.1766	0.1632	0.3958	0.2704	0.072	0.06	0.101	0.0602	0.453	0.1382	0.0358	0.0364
RRF (n=5)	Ensemble	0.1808	0.1726	0.4032	0.2794	0.072	0.0652	0.1032	0.0734	0.4596	0.1522	0.042	0.0504
RRF (n=6)	Ensemble	0.1748	0.1698	0.409	0.2792	0.0706	0.059	0.1056	0.072	0.4536	0.1496	0.0384	0.0422
RRF (n=7)	Ensemble	0.1798	0.1752	0.4092	0.2766	0.0704	0.0676	0.1056	0.0762	0.4548	0.1612	0.0372	0.0402
RRF (n=8)	Ensemble	0.1796	0.1764	0.4168	0.2854	0.0692	0.0658	0.1026	0.079	0.455	0.1612	0.0362	0.0408
Schulze (n=2)	Ensemble	0.1676	0.161	0.3978	0.278	0.0622	0.0536	0.0966	0.0682	0.4546	0.1442	0.0344	0.0312
Schulze (n=3)	Ensemble	0.173	0.1684	0.3872	0.2672	0.065	0.0592	0.0986	0.0616	0.4546	0.1454	0.035	0.0356
Schulze (n=4)	Ensemble	0.1814	0.1704	0.4152	0.2974	0.0682	0.0634	0.1006	0.0546	0.453	0.1338	0.035	0.0372
Schulze (n=5)	Ensemble	0.1858	0.184	0.4202	0.3016	0.0726	0.068	0.1032	0.0614	0.4532	0.1388	0.0416	0.053
Schulze (n=6)	Ensemble	0.1848	0.1858	0.4252	0.3036	0.0726	0.0714	0.108	0.0732	0.4556	0.15	0.0386	0.0396
Schulze (n=7)	Ensemble	0.1838	0.1788	0.4262	0.2954	0.0728	0.0666	0.1086	0.0794	0.4536	0.153	0.0378	0.0388
Schulze (n=8)	Ensemble	0.1834	0.1798	0.4312	0.2986	0.0812	0.0776	0.1054	0.0666	0.4578	0.1634	0.038	0.0294
norm_ensemble (n=2)	Ensemble	0.1592	0.1554	0.4192	0.2952	0.0568	0.0538	0.102	0.0696	0.4568	0.1418	0.0398	0.0322
norm_ensemble (n=3)	Ensemble	0.156	0.1572	0.411	0.304	0.0558	0.0546	0.101	0.0626	0.454	0.1394	0.036	0.035
norm_ensemble (n=4)	Ensemble	0.1626	0.158	0.404	0.2894	0.0584	0.0516	0.1006	0.0546	0.454	0.1346	0.0368	0.033

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
norm_ensemble (n=5)	Ensemble	0.1712	0.1702	0.4006	0.2846	0.063	0.0568	0.1006	0.0392	0.4546	0.1236	0.0358	0.0194
norm_ensemble (n=6)	Ensemble	0.1794	0.1816	0.4064	0.2782	0.073	0.0704	0.1012	0.0502	0.4526	0.133	0.037	0.02
norm_ensemble (n=7)	Ensemble	0.177	0.1804	0.4104	0.2738	0.0734	0.0636	0.0966	0.0254	0.447	0.1128	0.0318	0.004
norm_ensemble (n=8)	Ensemble	0.174	0.1786	0.4036	0.2704	0.0728	0.073	0.0922	0.0254	0.4454	0.1156	0.0282	0.0118
Deconvolut	Single	0.1854	0.1846	0.43	0.2766	0.0784	0.078	0.1016	0.0678	0.4522	0.1798	0.0354	0.0298
Deconvolut	Single	0.1854	0.1846	0.43	0.2766	0.0784	0.078	0.1016	0.0678	0.4522	0.1798	0.0354	0.0298
DeepLIFT_S	SHAP_baseLine	0.4466	0.4466	0.3206	0.3206	0.0804	0.0854	0.103	0.0562	0.453	0.147	0.0366	0.0202
DeepLIFT_S	SHAP_baseLine	0.4466	0.4466	0.3206	0.3206	0.0804	0.0854	0.103	0.0562	0.453	0.147	0.0366	0.0202
DeepLIFT_S	SHAP_baseLine	0.4466	0.4466	0.3206	0.3206	0.0804	0.0854	0.103	0.0562	0.453	0.147	0.0366	0.0202
DeepLIFT_S	SHAP_baseLine	0.4466	0.4466	0.3206	0.3206	0.0804	0.0854	0.103	0.0562	0.453	0.147	0.0366	0.0202
DeepLIFT_S	SHAP_baseLine	0.4466	0.4466	0.3206	0.3206	0.0804	0.0854	0.103	0.0562	0.453	0.147	0.0366	0.0202
DeepLIFT_S	SHAP_baseLine	0.4466	0.4466	0.3206	0.3206	0.0804	0.0854	0.103	0.0562	0.453	0.147	0.0366	0.0202
DeepLIFT_S	SHAP_baseLine	0.4466	0.4466	0.3206	0.3206	0.0804	0.0854	0.103	0.0562	0.453	0.147	0.0366	0.0202
DeepLIFT_S	SHAP_baseLine	0.4466	0.4466	0.3206	0.3206	0.0804	0.0854	0.103	0.0562	0.453	0.147	0.0366	0.0202
FeatureAb	Single_patch_9126486	0.1632	0.1632	0.3808	0.2364	0.0582	0.0556	0.1228	0.1088	0.4612	0.2494	0.0428	0.0446
FeatureAb	Single_patch_9126486	0.1632	0.1632	0.3808	0.2364	0.0582	0.0556	0.1228	0.1088	0.4612	0.2494	0.0428	0.0446
GradientSh	Single	0.2928	0.2928	0.0702	0.0532	0.1	0.0694	0.4552	0.1594	0.0354	0.0316	0.0316	0.0316
GradientSh	Single	0.2928	0.2928	0.0702	0.0532	0.1	0.0694	0.4552	0.1594	0.0354	0.0316	0.0316	0.0316
GradientSh	Single	0.287	0.287	0.0598	0.0554	0.1006	0.0616	0.4588	0.1524	0.038	0.0288	0.0288	0.0288
GradientSh	Single	0.287	0.287	0.0598	0.0554	0.1006	0.0616	0.4588	0.1524	0.038	0.0288	0.0288	0.0288
GuidedBac	Single	0.1854	0.1846	0.43	0.2766	0.0784	0.078	0.1016	0.0678	0.4522	0.1798	0.0354	0.0298
GuidedBac	Single	0.1854	0.1846	0.43	0.2766	0.0784	0.078	0.1016	0.0678	0.4522	0.1798	0.0354	0.0298
InputXGra	Single	0.1864	0.1804	0.4522	0.3254	0.0794	0.082	0.0986	0.066	0.4454	0.1508	0.0326	0.032
InputXGra	Single	0.1864	0.1804	0.4522	0.3254	0.0794	0.082	0.0986	0.066	0.4454	0.1508	0.0326	0.032
Integrated	Single	0.323	0.323	0.0662	0.0622	0.1046	0.0558	0.4536	0.1354	0.0418	0.0366	0.0366	0.0366
Integrated	Single	0.323	0.323	0.0662	0.0622	0.1046	0.0558	0.4536	0.1354	0.0418	0.0366	0.0366	0.0366
Integrated	Single	0.3224	0.3224	0.0634	0.0592	0.101	0.0546	0.4546	0.1338	0.039	0.0328	0.0328	0.0328
Integrated	Single	0.3224	0.3224	0.0634	0.0592	0.101	0.0546	0.4546	0.1338	0.039	0.0328	0.0328	0.0328
Occlusion	Single	0.2222	0.2222	0.0642	0.0504	0.1066	0.0898	0.4588	0.2288	0.0432	0.038	0.038	0.038
Occlusion	Single	0.2222	0.2222	0.0642	0.0504	0.1066	0.0898	0.4588	0.2288	0.0432	0.038	0.038	0.038
Saliency	Single	0.1854	0.1846	0.43	0.2766	0.0784	0.078	0.1016	0.0678	0.4522	0.1798	0.0354	0.0298
Saliency	Single	0.1854	0.1846	0.43	0.2766	0.0784	0.078	0.1016	0.0678	0.4522	0.1798	0.0354	0.0298

Table 189: ImageNet–DenseNet-121 results.

Method	Type	Acc ReplaceTop	Cons ReplaceTop	Acc ReplaceBottom	Cons ReplaceBottom
Borda (n=2)	Ensemble	0.3334	0.3626	0.6788	0.8108
Borda (n=3)	Ensemble	0.3548	0.3884	0.6792	0.8126
Borda (n=4)	Ensemble	0.364	0.401	0.68	0.8154
Borda (n=5)	Ensemble	0.352	0.3844	0.6886	0.8408
Borda (n=6)	Ensemble	0.3632	0.3952	0.6872	0.8362
Borda (n=7)	Ensemble	0.3678	0.402	0.6874	0.8376
Borda (n=8)	Ensemble	0.374	0.411	0.6798	0.8318
Kemeny-Young (n=2)	Ensemble	0.3334	0.3626	0.6788	0.8108
Kemeny-Young (n=3)	Ensemble	0.3548	0.3884	0.6792	0.8126
Kemeny-Young (n=4)	Ensemble	0.364	0.401	0.68	0.8154
Kemeny-Young (n=5)	Ensemble	0.352	0.3844	0.6886	0.8408
Kemeny-Young (n=6)	Ensemble	0.3632	0.3952	0.6872	0.8362
Kemeny-Young (n=7)	Ensemble	0.3678	0.402	0.6874	0.8376
Kemeny-Young (n=8)	Ensemble	0.374	0.411	0.6798	0.8318
RRF (n=2)	Ensemble	0.3486	0.3844	0.6788	0.819
RRF (n=3)	Ensemble	0.3466	0.378	0.6776	0.8178
RRF (n=4)	Ensemble	0.3534	0.385	0.6806	0.8162
RRF (n=5)	Ensemble	0.3624	0.3956	0.6916	0.8474
RRF (n=6)	Ensemble	0.3698	0.405	0.6866	0.8408
RRF (n=7)	Ensemble	0.3698	0.4098	0.6878	0.8426
RRF (n=8)	Ensemble	0.3724	0.4108	0.6846	0.838
Schulze (n=2)	Ensemble	0.3624	0.3942	0.6764	0.8148
Schulze (n=3)	Ensemble	0.3424	0.3704	0.6794	0.8178
Schulze (n=4)	Ensemble	0.3734	0.4086	0.6792	0.812
Schulze (n=5)	Ensemble	0.38	0.42	0.6814	0.8156
Schulze (n=6)	Ensemble	0.3914	0.4286	0.6832	0.8202
Schulze (n=7)	Ensemble	0.385	0.424	0.6816	0.8228
Schulze (n=8)	Ensemble	0.3852	0.4286	0.6806	0.8192
norm_ensemble (n=2)	Ensemble	0.396	0.4324	0.6766	0.8178
norm_ensemble (n=3)	Ensemble	0.3822	0.4178	0.6782	0.8184
norm_ensemble (n=4)	Ensemble	0.3646	0.4	0.678	0.8168
norm_ensemble (n=5)	Ensemble	0.368	0.4002	0.673	0.809
norm_ensemble (n=6)	Ensemble	0.365	0.402	0.6712	0.8082

Method	Type	Acc	Cons	Acc	Cons
		ReplaceTop	ReplaceTop	ReplaceBottom	ReplaceBottom
norm_ensemble (n=7)	Ensemble	0.3646	0.4	0.6596	0.7802
norm_ensemble (n=8)	Ensemble	0.3688	0.4048	0.6604	0.7866
Deconvolution	Single	0.4186	0.4678	0.6636	0.7906
Deconvolution	Single	0.4186	0.4678	0.6636	0.7906
DeepLIFT	SHAP_baseline	0.4398	0.4808	0.66	0.7906
DeepLIFT	SHAP_baseline	0.4398	0.4808	0.66	0.7906
DeepLIFT	SHAP_baseline	0.4398	0.4808	0.66	0.7906
DeepLIFT	SHAP_baseline	0.4398	0.4808	0.66	0.7906
DeepLIFT	SHaplines_global_mean	0.4528	0.5066	0.662	0.7858
DeepLIFT	SHaplines_global_mean	0.4528	0.5066	0.662	0.7858
FeatureAb	Single_patch	0.3832	0.3692	0.624	0.7104
FeatureAb	Single_patch	0.3832	0.3692	0.624	0.7104
GradientSHaplines	SHaplines_0.2000bined_0.43372_sampled_0.678	0.43372	0.43372	0.678	0.8186
GradientSHaplines	SHaplines_0.2000bined_0.43372_sampled_0.678	0.43372	0.43372	0.678	0.8186
GradientSHaplines	SHaplines_0.2000bined_0.43372_sampled_0.678	0.43372	0.43372	0.678	0.824
GradientSHaplines	SHaplines_0.2000bined_0.43372_sampled_0.678	0.43372	0.43372	0.678	0.824
GuidedBackprop	Single	0.4186	0.4678	0.6636	0.7906
GuidedBackprop	Single	0.4186	0.4678	0.6636	0.7906
InputXGrad	Single	0.451	0.504	0.6574	0.789
InputXGrad	Single	0.451	0.504	0.6574	0.789
IntegratedGradients	SHaplines_baseline_zero_0.4424ps_200	0.4424	0.4424	0.6782	0.8098
IntegratedGradients	SHaplines_baseline_zero_0.4424ps_200	0.4424	0.4424	0.6782	0.8098
IntegratedGradients	SHaplines_baseline_zero_0.4406ps_50	0.4406	0.4406	0.6792	0.8116
IntegratedGradients	SHaplines_baseline_zero_0.4406ps_50	0.4406	0.4406	0.6792	0.8116
Occlusion	SHaplines_global_mean_patch_size_16	0.4952	0.4952	0.6702	0.8046
Occlusion	SHaplines_global_mean_patch_size_16	0.4952	0.4952	0.6702	0.8046
Saliency	Single	0.4186	0.4678	0.6636	0.7906
Saliency	Single	0.4186	0.4678	0.6636	0.7906

Table 190: ImageNet–DenseNet-121 results.

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
Borda (n=2)	Ensemble	0.1498	0.1528	0.282	0.1808	0.0584	0.0532	0.115	0.0904	0.4438	0.1792	0.0434	0.0416
Borda (n=3)	Ensemble	0.1712	0.175	0.3044	0.2178	0.0684	0.0696	0.1154	0.0922	0.4484	0.1836	0.0432	0.0362
Borda (n=4)	Ensemble	0.1584	0.1662	0.3126	0.2312	0.064	0.06	0.1126	0.0884	0.4428	0.178	0.0448	0.0394
Borda (n=5)	Ensemble	0.15	0.1462	0.303	0.2186	0.0494	0.045	0.1218	0.1048	0.4548	0.1984	0.054	0.0568
Borda (n=6)	Ensemble	0.1568	0.1564	0.3116	0.2238	0.0604	0.0524	0.1172	0.096	0.4534	0.204	0.0486	0.0538
Borda (n=7)	Ensemble	0.156	0.1598	0.3162	0.2272	0.0602	0.056	0.1166	0.099	0.4578	0.2072	0.0514	0.055
Borda (n=8)	Ensemble	0.1602	0.1614	0.3202	0.2308	0.06	0.0596	0.1072	0.0904	0.4502	0.2088	0.038	0.0396
Kemeny-Young (n=2)	Ensemble	0.1498	0.1528	0.282	0.1808	0.0584	0.0532	0.115	0.0904	0.4438	0.1792	0.0434	0.0416
Kemeny-Young (n=3)	Ensemble	0.1712	0.175	0.3044	0.2178	0.0684	0.0696	0.1154	0.0922	0.4484	0.1836	0.0432	0.0362
Kemeny-Young (n=4)	Ensemble	0.1584	0.1662	0.3126	0.2312	0.064	0.06	0.1126	0.0884	0.4428	0.178	0.0448	0.0394
Kemeny-Young (n=5)	Ensemble	0.15	0.1462	0.303	0.2186	0.0494	0.045	0.1218	0.1048	0.4548	0.1984	0.054	0.0568
Kemeny-Young (n=6)	Ensemble	0.1568	0.1564	0.3116	0.2238	0.0604	0.0524	0.1172	0.096	0.4534	0.204	0.0486	0.0538
Kemeny-Young (n=7)	Ensemble	0.156	0.1598	0.3162	0.2272	0.0602	0.056	0.1166	0.099	0.4578	0.2072	0.0514	0.055
Kemeny-Young (n=8)	Ensemble	0.1602	0.1614	0.3202	0.2308	0.06	0.0596	0.1072	0.0904	0.4502	0.2088	0.038	0.0396
RRF (n=2)	Ensemble	0.1446	0.146	0.3018	0.2316	0.0472	0.0486	0.1114	0.0794	0.4498	0.1936	0.0468	0.0432
RRF (n=3)	Ensemble	0.1596	0.1598	0.2976	0.2182	0.0596	0.0564	0.109	0.07	0.4434	0.1868	0.0406	0.0386
RRF (n=4)	Ensemble	0.1596	0.1584	0.3022	0.217	0.0642	0.058	0.1148	0.0724	0.4454	0.1828	0.0456	0.0416
RRF (n=5)	Ensemble	0.1618	0.162	0.3144	0.2242	0.0704	0.0644	0.122	0.0992	0.4572	0.2162	0.0576	0.0692
RRF (n=6)	Ensemble	0.1684	0.1708	0.3208	0.2382	0.0666	0.0604	0.118	0.0992	0.4534	0.2066	0.0538	0.064
RRF (n=7)	Ensemble	0.1688	0.1734	0.317	0.2398	0.065	0.0654	0.1166	0.1038	0.4554	0.2152	0.0534	0.0642
RRF (n=8)	Ensemble	0.1626	0.1682	0.3194	0.2344	0.069	0.0672	0.1126	0.0994	0.4552	0.2144	0.0516	0.0608
Schulze (n=2)	Ensemble	0.1554	0.1544	0.3166	0.244	0.0512	0.0462	0.1116	0.0726	0.4472	0.1902	0.0474	0.0406
Schulze (n=3)	Ensemble	0.1536	0.152	0.2896	0.2068	0.0584	0.0532	0.1104	0.0722	0.4492	0.1926	0.0492	0.0442
Schulze (n=4)	Ensemble	0.1664	0.1662	0.3226	0.247	0.0688	0.0646	0.111	0.069	0.4436	0.1796	0.0472	0.0374
Schulze (n=5)	Ensemble	0.1722	0.1754	0.3296	0.2494	0.071	0.0676	0.1118	0.0676	0.4488	0.183	0.0518	0.0516
Schulze (n=6)	Ensemble	0.184	0.1852	0.3414	0.2598	0.0784	0.0776	0.1144	0.0816	0.4502	0.1858	0.0492	0.047
Schulze (n=7)	Ensemble	0.1746	0.1788	0.3332	0.248	0.0708	0.0664	0.116	0.0964	0.4458	0.1962	0.0498	0.0506
Schulze (n=8)	Ensemble	0.1732	0.1788	0.3344	0.2532	0.0704	0.0724	0.1108	0.0854	0.4488	0.2164	0.0518	0.044
norm_ensemble (n=2)	Ensemble	0.1636	0.1654	0.3474	0.2708	0.0648	0.0644	0.1146	0.084	0.448	0.1928	0.0424	0.0452
norm_ensemble (n=3)	Ensemble	0.1644	0.1666	0.3296	0.2552	0.0634	0.0612	0.112	0.0818	0.4442	0.1852	0.0438	0.0388
norm_ensemble (n=4)	Ensemble	0.1608	0.1614	0.3132	0.2382	0.0594	0.061	0.11	0.0756	0.4416	0.1868	0.0452	0.042

		AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
norm_ensemble (n=5)	Ensemble	0.172	0.172	0.3198	0.2358	0.0702	0.0648	0.1002	0.0578	0.437	0.182	0.037	0.0344
norm_ensemble (n=6)	Ensemble	0.1668	0.172	0.3136	0.231	0.0718	0.0742	0.1012	0.0616	0.4388	0.1784	0.0362	0.0264
norm_ensemble (n=7)	Ensemble	0.1676	0.1772	0.316	0.2278	0.0736	0.0726	0.0854	0.033	0.4278	0.1554	0.0256	0.0016
norm_ensemble (n=8)	Ensemble	0.168	0.1738	0.3156	0.2262	0.073	0.0744	0.0918	0.0452	0.426	0.1668	0.0214	0.0018
Deconvolutional	Single	0.2004	0.2126	0.3576	0.2604	0.0916	0.0952	0.0998	0.0702	0.4388	0.223	0.034	0.0266
Deconvolutional	Single	0.2004	0.2126	0.3576	0.2604	0.0916	0.0952	0.0998	0.0702	0.4388	0.223	0.034	0.0266
DeepLIFT	SHAP_baseline	0.2014	0.2140	0.375	0.293	0.091	0.0906	0.1002	0.0806	0.4394	0.2104	0.0416	0.0364
DeepLIFT	SHAP_baseline	0.2014	0.2140	0.375	0.293	0.091	0.0906	0.1002	0.0806	0.4394	0.2104	0.0416	0.0364
DeepLIFT	SHAP_baseline	0.2014	0.2140	0.375	0.293	0.091	0.0906	0.1002	0.0806	0.4394	0.2104	0.0416	0.0364
DeepLIFT	SHAP_baseline	0.2014	0.2140	0.375	0.293	0.091	0.0906	0.1002	0.0806	0.4394	0.2104	0.0416	0.0364
DeepLIFT	SHAP_lines_global	0.2126	0.2192	0.3822	0.3064	0.0932	0.096	0.1038	0.0766	0.4398	0.2084	0.0472	0.0434
DeepLIFT	SHAP_lines_global	0.2126	0.2192	0.3822	0.3064	0.0932	0.096	0.1038	0.0766	0.4398	0.2084	0.0472	0.0434
FeatureAbstraction	Single_patch	0.14526	0.1498	0.2852	0.1988	0.056	0.0584	0.147	0.144	0.4478	0.3234	0.0638	0.0558
FeatureAbstraction	Single_patch	0.14526	0.1498	0.2852	0.1988	0.056	0.0584	0.147	0.144	0.4478	0.3234	0.0638	0.0558
GradientSHAP	SHAP_lines	0.2070	0.2130	0.3598	0.2556	0.0732	0.0718	0.1142	0.0842	0.445	0.2034	0.044	0.0422
GradientSHAP	SHAP_lines	0.2070	0.2130	0.3598	0.2556	0.0732	0.0718	0.1142	0.0842	0.445	0.2034	0.044	0.0422
GradientSHAP	SHAP_lines	0.2070	0.2130	0.3598	0.2556	0.0732	0.0718	0.1142	0.0842	0.445	0.2034	0.044	0.0422
GradientSHAP	SHAP_lines	0.2070	0.2130	0.3598	0.2556	0.0732	0.0718	0.1142	0.0842	0.445	0.2034	0.044	0.0422
GradientSHAP	SHAP_lines	0.2070	0.2130	0.3598	0.2556	0.0732	0.0718	0.1142	0.0842	0.445	0.2034	0.044	0.0422
GuidedBackdoor	Single	0.2004	0.2126	0.3576	0.2604	0.0916	0.0952	0.0998	0.0702	0.4388	0.223	0.034	0.0266
GuidedBackdoor	Single	0.2004	0.2126	0.3576	0.2604	0.0916	0.0952	0.0998	0.0702	0.4388	0.223	0.034	0.0266
InputXGradient	Single	0.206	0.2102	0.3842	0.3054	0.0892	0.0942	0.1054	0.0796	0.4364	0.2154	0.043	0.0494
InputXGradient	Single	0.206	0.2102	0.3842	0.3054	0.0892	0.0942	0.1054	0.0796	0.4364	0.2154	0.043	0.0494
IntegratedGradients	SHAP_lines	0.1842	0.1856	0.3472	0.2802	0.072	0.0732	0.1178	0.0766	0.4486	0.1856	0.0438	0.039
IntegratedGradients	SHAP_lines	0.1842	0.1856	0.3472	0.2802	0.072	0.0732	0.1178	0.0766	0.4486	0.1856	0.0438	0.039
IntegratedGradients	SHAP_lines	0.1842	0.1856	0.3472	0.2802	0.072	0.0732	0.1178	0.0766	0.4486	0.1856	0.0438	0.039
IntegratedGradients	SHAP_lines	0.1842	0.1856	0.3472	0.2802	0.072	0.0732	0.1178	0.0766	0.4486	0.1856	0.0438	0.039
IntegratedGradients	SHAP_lines	0.1842	0.1856	0.3472	0.2802	0.072	0.0732	0.1178	0.0766	0.4486	0.1856	0.0438	0.039
Occlusion	SHAP_lines_global	0.1154	0.1124	0.2036	0.2036	0.0676	0.0571	0.1154	0.1124	0.46	0.3084	0.046	0.0468
Occlusion	SHAP_lines_global	0.1154	0.1124	0.2036	0.2036	0.0676	0.0571	0.1154	0.1124	0.46	0.3084	0.046	0.0468
Saliency	Single	0.2004	0.2126	0.3576	0.2604	0.0916	0.0952	0.0998	0.0702	0.4388	0.223	0.034	0.0266
Saliency	Single	0.2004	0.2126	0.3576	0.2604	0.0916	0.0952	0.0998	0.0702	0.4388	0.223	0.034	0.0266

Table 191: ImageNet–DenseNet-121 results.

Method	Type	Acc ReplaceTop	Cons ReplaceTop	Acc ReplaceBottom	Cons ReplaceBottom
Borda (n=2)	Ensemble	0.6382	0.7248	0.7184	0.9402
Borda (n=3)	Ensemble	0.6404	0.7332	0.7214	0.9446
Borda (n=4)	Ensemble	0.642	0.7354	0.7194	0.9432
Borda (n=5)	Ensemble	0.6444	0.7428	0.7208	0.9438
Borda (n=6)	Ensemble	0.6454	0.7476	0.7188	0.944
Borda (n=7)	Ensemble	0.6498	0.7536	0.718	0.9462
Borda (n=8)	Ensemble	0.6492	0.7546	0.7182	0.945
Kemeny-Young (n=2)	Ensemble	0.6382	0.7248	0.7184	0.9402
Kemeny-Young (n=3)	Ensemble	0.6404	0.7332	0.7214	0.9446
Kemeny-Young (n=4)	Ensemble	0.642	0.7354	0.7194	0.9432
Kemeny-Young (n=5)	Ensemble	0.6444	0.7428	0.7208	0.9438
Kemeny-Young (n=6)	Ensemble	0.6454	0.7476	0.7188	0.944
Kemeny-Young (n=7)	Ensemble	0.6498	0.7536	0.718	0.9462
Kemeny-Young (n=8)	Ensemble	0.6492	0.7546	0.7182	0.945
RRF (n=2)	Ensemble	0.6372	0.725	0.7164	0.9394
RRF (n=3)	Ensemble	0.6388	0.7298	0.7158	0.9394
RRF (n=4)	Ensemble	0.6416	0.7368	0.716	0.9386
RRF (n=5)	Ensemble	0.6482	0.7514	0.7198	0.9436
RRF (n=6)	Ensemble	0.6474	0.7576	0.7192	0.9482
RRF (n=7)	Ensemble	0.6492	0.76	0.7172	0.9488
RRF (n=8)	Ensemble	0.6556	0.7626	0.7172	0.9462
Schulze (n=2)	Ensemble	0.637	0.724	0.7156	0.9402
Schulze (n=3)	Ensemble	0.6358	0.7316	0.7154	0.938
Schulze (n=4)	Ensemble	0.6482	0.766	0.7168	0.9402
Schulze (n=5)	Ensemble	0.657	0.778	0.7148	0.9408
Schulze (n=6)	Ensemble	0.6562	0.7822	0.7166	0.9406
Schulze (n=7)	Ensemble	0.6574	0.7836	0.7166	0.942
Schulze (n=8)	Ensemble	0.6594	0.7832	0.7148	0.942
norm_ensemble (n=2)	Ensemble	0.6328	0.7388	0.717	0.9368
norm_ensemble (n=3)	Ensemble	0.6366	0.7406	0.7166	0.9378
norm_ensemble (n=4)	Ensemble	0.6342	0.7364	0.7162	0.9386
norm_ensemble (n=5)	Ensemble	0.6378	0.7418	0.7166	0.9282
norm_ensemble (n=6)	Ensemble	0.6466	0.7538	0.717	0.9268

Method	Type	Acc	Cons	Acc	Cons
		ReplaceTop	ReplaceTop	ReplaceBottom	ReplaceBottom
norm_ensemble (n=7)	Ensemble	0.6468	0.7536	0.7176	0.9158
norm_ensemble (n=8)	Ensemble	0.6422	0.7478	0.714	0.9134
Deconvolution	Single	0.674	0.808	0.7154	0.9316
Deconvolution	Single	0.674	0.808	0.7154	0.9316
DeepLIFT	SHAP_baseline	0.6752	0.8144	0.7152	0.9336
DeepLIFT	SHAP_baseline	0.6752	0.8144	0.7152	0.9336
DeepLIFT	SHAP_baseline	0.6752	0.8144	0.7152	0.9336
DeepLIFT	SHAP_baseline	0.6752	0.8144	0.7152	0.9336
DeepLIFT	SHAP_baseline	0.6808	0.8208	0.7178	0.9304
DeepLIFT	SHAP_baseline	0.6808	0.8208	0.7178	0.9304
FeatureAb	Single_patch	0.6866	0.7308	0.7152	0.9134
FeatureAb	Single_patch	0.6866	0.7308	0.7152	0.9134
GradientSHAP	SHAP_baselines	0.6622	0.7914	0.7068	0.9412
GradientSHAP	SHAP_baselines	0.6622	0.7914	0.7068	0.9412
GradientSHAP	SHAP_baselines	0.6622	0.7914	0.7068	0.938
GradientSHAP	SHAP_baselines	0.6622	0.7914	0.7068	0.938
GuidedBackprop	Single	0.674	0.808	0.7154	0.9316
GuidedBackprop	Single	0.674	0.808	0.7154	0.9316
InputXGrad	Single	0.676	0.817	0.7136	0.929
InputXGrad	Single	0.676	0.817	0.7136	0.929
IntegratedGradients	SHAP_baselines	0.6644	0.7922	0.719	0.94
IntegratedGradients	SHAP_baselines	0.6644	0.7922	0.719	0.94
IntegratedGradients	SHAP_baselines	0.6624	0.7922	0.715	0.9394
IntegratedGradients	SHAP_baselines	0.6624	0.7922	0.715	0.9394
Occlusion	SHAP_baselines	0.6404	0.7312	0.718	0.9238
Occlusion	SHAP_baselines	0.6404	0.7312	0.718	0.9238
Saliency	Single	0.674	0.808	0.7154	0.9316
Saliency	Single	0.674	0.808	0.7154	0.9316

Table 192: ImageNet–DenseNet-121 results.

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
Borda (n=2)	Ensemble	0.1356	0.0984	0.448	0.2038	0.0508	0.0348	0.0922	0.0306	0.4558	0.0666	0.032	0.0214
Borda (n=3)	Ensemble	0.1356	0.1052	0.4496	0.2086	0.0524	0.035	0.0984	0.038	0.4598	0.068	0.035	0.0258
Borda (n=4)	Ensemble	0.1372	0.1066	0.4518	0.2072	0.0444	0.029	0.096	0.032	0.4604	0.0704	0.0322	0.02
Borda (n=5)	Ensemble	0.135	0.1028	0.4564	0.2178	0.0442	0.0274	0.0962	0.0358	0.4608	0.0778	0.0352	0.0164
Borda (n=6)	Ensemble	0.1402	0.1056	0.4568	0.2154	0.0428	0.0284	0.0932	0.0374	0.4598	0.0826	0.0344	0.0156
Borda (n=7)	Ensemble	0.1404	0.1032	0.4624	0.2224	0.047	0.033	0.0918	0.0418	0.4572	0.0854	0.0344	0.0172
Borda (n=8)	Ensemble	0.134	0.0966	0.4594	0.2152	0.0472	0.0338	0.0912	0.0412	0.4564	0.0742	0.0336	0.0146
Kemeny-Young (n=2)	Ensemble	0.1356	0.0984	0.448	0.2038	0.0508	0.0348	0.0922	0.0306	0.4558	0.0666	0.032	0.0214
Kemeny-Young (n=3)	Ensemble	0.1356	0.1052	0.4496	0.2086	0.0524	0.035	0.0984	0.038	0.4598	0.068	0.035	0.0258
Kemeny-Young (n=4)	Ensemble	0.1372	0.1066	0.4518	0.2072	0.0444	0.029	0.096	0.032	0.4604	0.0704	0.0322	0.02
Kemeny-Young (n=5)	Ensemble	0.135	0.1028	0.4564	0.2178	0.0442	0.0274	0.0962	0.0358	0.4608	0.0778	0.0352	0.0164
Kemeny-Young (n=6)	Ensemble	0.1402	0.1056	0.4568	0.2154	0.0428	0.0284	0.0932	0.0374	0.4598	0.0826	0.0344	0.0156
Kemeny-Young (n=7)	Ensemble	0.1404	0.1032	0.4624	0.2224	0.047	0.033	0.0918	0.0418	0.4572	0.0854	0.0344	0.0172
Kemeny-Young (n=8)	Ensemble	0.134	0.0966	0.4594	0.2152	0.0472	0.0338	0.0912	0.0412	0.4564	0.0742	0.0336	0.0146
RRF (n=2)	Ensemble	0.1382	0.0992	0.4484	0.205	0.0522	0.0358	0.0892	0.03	0.454	0.0642	0.0334	0.0124
RRF (n=3)	Ensemble	0.1328	0.1052	0.4472	0.211	0.053	0.032	0.0898	0.0272	0.4556	0.0654	0.0316	0.0112
RRF (n=4)	Ensemble	0.1362	0.1032	0.4488	0.2094	0.0492	0.0292	0.0924	0.0278	0.454	0.0674	0.0318	0.0082
RRF (n=5)	Ensemble	0.1434	0.112	0.4552	0.2164	0.051	0.036	0.0944	0.0356	0.4568	0.0668	0.0348	0.0152
RRF (n=6)	Ensemble	0.1412	0.1128	0.4584	0.2344	0.0462	0.0356	0.0924	0.0454	0.4586	0.0734	0.0346	0.021
RRF (n=7)	Ensemble	0.1374	0.104	0.4578	0.2274	0.0462	0.036	0.091	0.045	0.4574	0.0778	0.033	0.0196
RRF (n=8)	Ensemble	0.1384	0.1024	0.4634	0.2244	0.051	0.033	0.0908	0.0446	0.4578	0.0782	0.0326	0.018
Schulze (n=2)	Ensemble	0.1334	0.0956	0.4452	0.2056	0.0506	0.035	0.0884	0.0324	0.4538	0.065	0.0312	0.0148
Schulze (n=3)	Ensemble	0.133	0.105	0.4408	0.1982	0.0456	0.026	0.0882	0.0298	0.4542	0.0632	0.0304	0.0098
Schulze (n=4)	Ensemble	0.1316	0.1044	0.457	0.235	0.0454	0.038	0.0916	0.0318	0.4556	0.0682	0.0318	0.0174
Schulze (n=5)	Ensemble	0.1376	0.116	0.4618	0.2348	0.0482	0.0424	0.0878	0.0314	0.4532	0.0714	0.0284	0.022
Schulze (n=6)	Ensemble	0.143	0.1204	0.4616	0.2448	0.0418	0.0414	0.0882	0.0302	0.4568	0.07	0.0314	0.0178
Schulze (n=7)	Ensemble	0.137	0.1152	0.4636	0.2376	0.047	0.043	0.0886	0.0386	0.4568	0.0756	0.0316	0.0174
Schulze (n=8)	Ensemble	0.1376	0.1138	0.4604	0.2332	0.0492	0.0446	0.0904	0.0378	0.4518	0.0798	0.0288	0.0126
norm_ensemble (n=2)	Ensemble	0.1192	0.0968	0.4412	0.1904	0.038	0.027	0.0902	0.0298	0.4552	0.0604	0.0316	0.0106
norm_ensemble (n=3)	Ensemble	0.1222	0.0966	0.4502	0.2258	0.0416	0.029	0.0892	0.0286	0.4552	0.0618	0.0332	0.0134
norm_ensemble (n=4)	Ensemble	0.1262	0.1012	0.447	0.2158	0.0436	0.027	0.0936	0.0318	0.457	0.0682	0.0318	0.0218

Table 193: ImageNet–DenseNet-121 results.

Method	Type	Acc ReplaceTop	Cons ReplaceTop	Acc ReplaceBottom	Cons ReplaceBottom
Borda (n=2)	Ensemble	0.2258	0.242	0.646	0.7678
Borda (n=3)	Ensemble	0.2548	0.2736	0.6684	0.8004
Borda (n=4)	Ensemble	0.2714	0.2942	0.6614	0.79
Borda (n=5)	Ensemble	0.2592	0.2812	0.658	0.7876
Borda (n=6)	Ensemble	0.2696	0.2932	0.657	0.786
Borda (n=7)	Ensemble	0.268	0.293	0.6532	0.7804
Borda (n=8)	Ensemble	0.2736	0.2968	0.6498	0.777
Kemeny-Young (n=2)	Ensemble	0.2258	0.242	0.646	0.7678
Kemeny-Young (n=3)	Ensemble	0.2548	0.2736	0.6684	0.8004
Kemeny-Young (n=4)	Ensemble	0.2714	0.2942	0.6614	0.79
Kemeny-Young (n=5)	Ensemble	0.2592	0.2812	0.658	0.7876
Kemeny-Young (n=6)	Ensemble	0.2696	0.2932	0.657	0.786
Kemeny-Young (n=7)	Ensemble	0.268	0.293	0.6532	0.7804
Kemeny-Young (n=8)	Ensemble	0.2736	0.2968	0.6498	0.777
RRF (n=2)	Ensemble	0.2482	0.2716	0.647	0.77
RRF (n=3)	Ensemble	0.2454	0.2656	0.6456	0.763
RRF (n=4)	Ensemble	0.2554	0.2788	0.644	0.763
RRF (n=5)	Ensemble	0.2588	0.284	0.6614	0.7942
RRF (n=6)	Ensemble	0.2676	0.2904	0.6596	0.789
RRF (n=7)	Ensemble	0.2694	0.2934	0.6552	0.7844
RRF (n=8)	Ensemble	0.279	0.3022	0.6536	0.7816
Schulze (n=2)	Ensemble	0.256	0.2758	0.647	0.7644
Schulze (n=3)	Ensemble	0.2358	0.252	0.642	0.7624
Schulze (n=4)	Ensemble	0.266	0.2918	0.641	0.7588
Schulze (n=5)	Ensemble	0.275	0.3022	0.6436	0.7606
Schulze (n=6)	Ensemble	0.2872	0.3158	0.645	0.7688
Schulze (n=7)	Ensemble	0.2836	0.3112	0.646	0.7688
Schulze (n=8)	Ensemble	0.2846	0.3138	0.6382	0.7614
norm_ensemble (n=2)	Ensemble	0.274	0.2976	0.642	0.7622
norm_ensemble (n=3)	Ensemble	0.2654	0.2884	0.6418	0.762
norm_ensemble (n=4)	Ensemble	0.2606	0.2826	0.6398	0.7586
norm_ensemble (n=5)	Ensemble	0.2654	0.2922	0.6426	0.7548
norm_ensemble (n=6)	Ensemble	0.2742	0.297	0.6464	0.765

Table 194: ImageNet–DenseNet-121 results.

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
Borda (n=2)	Ensemble	0.1156	0.1152	0.1972	0.1222	0.0406	0.0368	0.1252	0.1204	0.4324	0.2306	0.0504	0.055
Borda (n=3)	Ensemble	0.1316	0.1322	0.2266	0.1558	0.047	0.0408	0.1476	0.153	0.456	0.2512	0.076	0.088
Borda (n=4)	Ensemble	0.139	0.1402	0.2424	0.1714	0.0498	0.0412	0.1354	0.1278	0.446	0.2368	0.0632	0.0754
Borda (n=5)	Ensemble	0.1268	0.1232	0.2302	0.1596	0.0398	0.0356	0.1304	0.1278	0.4428	0.2394	0.0612	0.0708
Borda (n=6)	Ensemble	0.1318	0.1306	0.2408	0.1684	0.0542	0.0522	0.1242	0.1152	0.4408	0.236	0.058	0.0666
Borda (n=7)	Ensemble	0.1332	0.137	0.238	0.1672	0.0534	0.0536	0.1216	0.1048	0.4384	0.242	0.0542	0.0604
Borda (n=8)	Ensemble	0.1372	0.1392	0.241	0.169	0.0544	0.0486	0.1124	0.0898	0.4372	0.2386	0.0404	0.043
Kemeny-Young (n=2)	Ensemble	0.1156	0.1152	0.1972	0.1222	0.0406	0.0368	0.1252	0.1204	0.4324	0.2306	0.0504	0.055
Kemeny-Young (n=3)	Ensemble	0.1316	0.1322	0.2266	0.1558	0.047	0.0408	0.1476	0.153	0.456	0.2512	0.076	0.088
Kemeny-Young (n=4)	Ensemble	0.139	0.1402	0.2424	0.1714	0.0498	0.0412	0.1354	0.1278	0.446	0.2368	0.0632	0.0754
Kemeny-Young (n=5)	Ensemble	0.1268	0.1232	0.2302	0.1596	0.0398	0.0356	0.1304	0.1278	0.4428	0.2394	0.0612	0.0708
Kemeny-Young (n=6)	Ensemble	0.1318	0.1306	0.2408	0.1684	0.0542	0.0522	0.1242	0.1152	0.4408	0.236	0.058	0.0666
Kemeny-Young (n=7)	Ensemble	0.1332	0.137	0.238	0.1672	0.0534	0.0536	0.1216	0.1048	0.4384	0.242	0.0542	0.0604
Kemeny-Young (n=8)	Ensemble	0.1372	0.1392	0.241	0.169	0.0544	0.0486	0.1124	0.0898	0.4372	0.2386	0.0404	0.043
RRF (n=2)	Ensemble	0.1198	0.1208	0.2246	0.1644	0.0448	0.0448	0.1302	0.108	0.4336	0.2326	0.0518	0.0572
RRF (n=3)	Ensemble	0.1218	0.1218	0.218	0.15	0.0518	0.048	0.1196	0.092	0.4278	0.2116	0.0476	0.049
RRF (n=4)	Ensemble	0.1324	0.1326	0.228	0.1582	0.0544	0.05	0.1202	0.0892	0.4294	0.2116	0.0506	0.0498
RRF (n=5)	Ensemble	0.1318	0.1352	0.2314	0.1642	0.0508	0.0484	0.1366	0.1242	0.4468	0.2468	0.0698	0.0862
RRF (n=6)	Ensemble	0.1386	0.1398	0.2372	0.166	0.0558	0.0482	0.1306	0.1184	0.446	0.241	0.0656	0.0762
RRF (n=7)	Ensemble	0.1364	0.1384	0.2396	0.1676	0.057	0.0546	0.1274	0.1126	0.4414	0.2474	0.0622	0.07
RRF (n=8)	Ensemble	0.1476	0.1474	0.2502	0.171	0.0664	0.064	0.1276	0.1134	0.4418	0.2546	0.0624	0.0682
Schulze (n=2)	Ensemble	0.128	0.1246	0.2296	0.1742	0.0422	0.043	0.1268	0.1022	0.4338	0.2286	0.055	0.0588
Schulze (n=3)	Ensemble	0.117	0.1158	0.2068	0.134	0.0462	0.043	0.1138	0.0906	0.4294	0.2256	0.0472	0.0458
Schulze (n=4)	Ensemble	0.1358	0.1384	0.2374	0.1754	0.0514	0.051	0.1184	0.0902	0.424	0.211	0.0444	0.0446
Schulze (n=5)	Ensemble	0.1386	0.142	0.246	0.1822	0.053	0.0508	0.1206	0.0928	0.4244	0.213	0.057	0.0652
Schulze (n=6)	Ensemble	0.1504	0.1558	0.2594	0.1934	0.0622	0.062	0.1148	0.0974	0.4262	0.2234	0.052	0.0638
Schulze (n=7)	Ensemble	0.1496	0.1542	0.2528	0.185	0.0578	0.0582	0.1202	0.1104	0.4316	0.228	0.0516	0.0614
Schulze (n=8)	Ensemble	0.1472	0.1552	0.2524	0.1826	0.0644	0.064	0.112	0.1032	0.4308	0.2512	0.0422	0.0486
norm_ensemble (n=2)	Ensemble	0.127	0.1268	0.2464	0.1912	0.0486	0.0514	0.1212	0.1048	0.4316	0.2252	0.0498	0.0546
norm_ensemble (n=3)	Ensemble	0.1246	0.125	0.2366	0.1754	0.0506	0.0526	0.1188	0.0896	0.4292	0.2206	0.0436	0.0496
norm_ensemble (n=4)	Ensemble	0.1288	0.1294	0.2322	0.1684	0.0542	0.0544	0.1132	0.0802	0.428	0.2144	0.048	0.0516

		AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
norm_ensemble(n=5)	Ensemble	0.1372	0.1436	0.2374	0.1742	0.0646	0.0654	0.1114	0.073	0.4296	0.2162	0.0484	0.0462
norm_ensemble(n=6)	Ensemble	0.1444	0.1452	0.2452	0.1746	0.0738	0.0704	0.1154	0.084	0.4336	0.2262	0.0482	0.0452
norm_ensemble(n=7)	Ensemble	0.136	0.1388	0.2276	0.1556	0.0606	0.0622	0.0964	0.0578	0.4172	0.2008	0.031	0.0106
norm_ensemble(n=8)	Ensemble	0.1438	0.1452	0.2424	0.1726	0.0636	0.0636	0.0876	0.0564	0.4094	0.1914	0.0276	0.01
DeconvolutionalSingle	Single	0.1722	0.1864	0.2806	0.2096	0.0918	0.0998	0.0964	0.074	0.4144	0.244	0.0306	0.026
DeepLIFT_SSHAP_baseline_combined_19%	SSHAP_baseline_combined_19%	0.1722	0.1864	0.2806	0.2096	0.0918	0.0998	0.0964	0.074	0.4144	0.244	0.0306	0.026
DeepLIFT_SSHAP_baseline_combined_19%	SSHAP_baseline_combined_19%	0.1956	0.1956	0.3098	0.2446	0.094	0.0992	0.116	0.0924	0.4114	0.2216	0.0524	0.042
DeepLIFT_SSHAP_baseline_combined_19%	SSHAP_baseline_combined_19%	0.1956	0.1956	0.3098	0.2446	0.094	0.0992	0.116	0.0924	0.4114	0.2216	0.0524	0.042
DeepLIFT_SSHAP_baseline_combined_19%	SSHAP_baseline_combined_19%	0.1956	0.1956	0.3098	0.2446	0.094	0.0992	0.116	0.0924	0.4114	0.2216	0.0524	0.042
DeepLIFT_SSHAP_baseline_combined_19%	SSHAP_baseline_combined_19%	0.1956	0.1956	0.3098	0.2446	0.094	0.0992	0.116	0.0924	0.4114	0.2216	0.0524	0.042
DeepLIFT_Singlesines_global_mean	Singlesines_global_mean	0.1964	0.1964	0.3154	0.2496	0.0902	0.096	0.1152	0.0966	0.4144	0.2356	0.048	0.0458
DeepLIFT_Singlesines_global_mean	Singlesines_global_mean	0.1964	0.1964	0.3154	0.2496	0.0902	0.096	0.1152	0.0966	0.4144	0.2356	0.048	0.0458
FeatureAbstractionSingle_patch_size_10x10	Single_patch_size_10x10	0.1096	0.1096	0.1924	0.1254	0.0398	0.0412	0.166	0.1648	0.4084	0.3266	0.0638	0.0568
FeatureAbstractionSingle_patch_size_10x10	Single_patch_size_10x10	0.1096	0.1096	0.1924	0.1254	0.0398	0.0412	0.166	0.1648	0.4084	0.3266	0.0638	0.0568
GradientShadingslines_0cb45Bined_z0g46_sample10x250	Singlesines_0cb45Bined_z0g46_sample10x250	0.270	0.270	0.1848	0.0566	0.0574	0.1266	0.1	0.4358	0.2296	0.0492	0.048	0.048
GradientShadingslines_0cb45Bined_z0g46_sample10x250	Singlesines_0cb45Bined_z0g46_sample10x250	0.270	0.270	0.1848	0.0566	0.0574	0.1266	0.1	0.4358	0.2296	0.0492	0.048	0.048
GradientShadingslines_0cb45Bined_z0g46_sample10x250	Singlesines_0cb45Bined_z0g46_sample10x250	0.250	0.250	0.1924	0.0578	0.0562	0.125	0.1072	0.4358	0.2428	0.0538	0.057	0.057
GradientShadingslines_0cb45Bined_z0g46_sample10x250	Singlesines_0cb45Bined_z0g46_sample10x250	0.250	0.250	0.1924	0.0578	0.0562	0.125	0.1072	0.4358	0.2428	0.0538	0.057	0.057
GuidedBadExampleSingle	Single	0.1722	0.1864	0.2806	0.2096	0.0918	0.0998	0.0964	0.074	0.4144	0.244	0.0306	0.026
GuidedBadExampleSingle	Single	0.1722	0.1864	0.2806	0.2096	0.0918	0.0998	0.0964	0.074	0.4144	0.244	0.0306	0.026
InputXGradientsSingle	Single	0.1868	0.1972	0.3168	0.2548	0.0908	0.0922	0.1116	0.0896	0.4052	0.2184	0.0402	0.036
InputXGradientsSingle	Single	0.1868	0.1972	0.3168	0.2548	0.0908	0.0922	0.1116	0.0896	0.4052	0.2184	0.0402	0.036
IntegratedGradients_baselines_zero_0.156ps_200x2664	Gradients_baselines_zero_0.156ps_200x2664	0.2664	0.2664	0.2074	0.0564	0.057	0.121	0.096	0.4258	0.2178	0.0498	0.0496	0.0496
IntegratedGradients_baselines_zero_0.156ps_200x2664	Gradients_baselines_zero_0.156ps_200x2664	0.2664	0.2664	0.2074	0.0564	0.057	0.121	0.096	0.4258	0.2178	0.0498	0.0498	0.0496
IntegratedGradients_baselines_zero_0.166ps_500x2678	Gradients_baselines_zero_0.166ps_500x2678	0.2678	0.2678	0.2086	0.0562	0.055	0.1218	0.0988	0.427	0.2188	0.0518	0.051	0.051
IntegratedGradients_baselines_zero_0.166ps_500x2678	Gradients_baselines_zero_0.166ps_500x2678	0.2678	0.2678	0.2086	0.0562	0.055	0.1218	0.0988	0.427	0.2188	0.0518	0.051	0.051
Occlusion_Singlesines_global_mean_patch_size_100x245	Singlesines_global_mean_patch_size_100x245	0.1446	0.1446	0.1446	0.0468	0.0456	0.1328	0.1256	0.4542	0.3278	0.0548	0.0508	0.0508
Occlusion_Singlesines_global_mean_patch_size_100x245	Singlesines_global_mean_patch_size_100x245	0.1446	0.1446	0.1446	0.0468	0.0456	0.1328	0.1256	0.4542	0.3278	0.0548	0.0508	0.0508
SaliencySingle	Single	0.1722	0.1864	0.2806	0.2096	0.0918	0.0998	0.0964	0.074	0.4144	0.244	0.0306	0.026
SaliencySingle	Single	0.1722	0.1864	0.2806	0.2096	0.0918	0.0998	0.0964	0.074	0.4144	0.244	0.0306	0.026

Table 195: ImageNet–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.6104	0.7134	0.709	0.9164	0.147	0.1374	0.4486	0.243	0.0476	0.0454
Borda	0.5802	0.7166	0.6536	0.9262	0.151	0.1356	0.4336	0.253	0.0528	0.0392
Kemeny- Young	0.5894	0.7168	0.6634	0.9294	0.1534	0.134	0.4438	0.2636	0.0594	0.0458
RRF	0.577	0.7138	0.6472	0.9188	0.1528	0.1374	0.431	0.2552	0.0548	0.045
Schulze	0.5844	0.712	0.6582	0.9168	0.1556	0.1372	0.425	0.2468	0.0594	0.0454
SimpleAvg	0.5914	0.7102	0.6722	0.9168	0.142	0.1304	0.4466	0.2778	0.0556	0.0458
Borda (Indepen- dence)	0.5864	0.7168	0.6596	0.9282	0.1512	0.133	0.4366	0.2606	0.061	0.0444
Kemeny- Young (Indepen- dence)	0.5946	0.7178	0.6718	0.9258	0.164	0.1452	0.4474	0.2694	0.0626	0.0496
RRF (Indepen- dence)	0.582	0.7126	0.6584	0.9158	0.1436	0.13	0.435	0.2628	0.05	0.0352
Schulze (Indepen- dence)	0.6006	0.7088	0.6824	0.9142	0.152	0.13	0.4412	0.2708	0.0546	0.0432
SimpleAvg (Indepen- dence)	0.5902	0.7102	0.6672	0.9162	0.1468	0.1322	0.4438	0.2744	0.066	0.0564

Table 196: ImageNet–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.5266	0.7052	0.5916	0.8866	0.171	0.1626	0.4196	0.2766	0.0598	0.0532
Borda	0.493	0.7038	0.5398	0.8848	0.1738	0.1654	0.3922	0.2624	0.0636	0.0558
Kemeny- Young	0.4976	0.7072	0.5518	0.8922	0.1808	0.1808	0.3972	0.2716	0.0674	0.0568
RRF	0.4912	0.7038	0.5382	0.8836	0.1686	0.1658	0.396	0.2696	0.0708	0.0632
Schulze	0.4942	0.7022	0.5436	0.8872	0.173	0.1684	0.3872	0.2672	0.065	0.0592
SimpleAvg	0.5074	0.7028	0.5712	0.8838	0.156	0.1572	0.411	0.304	0.0558	0.0546
Borda (Indepen- dence)	0.4924	0.703	0.5472	0.885	0.1768	0.1774	0.3952	0.2758	0.0604	0.0546
Kemeny- Young (Indepen- dence)	0.5	0.7044	0.5482	0.8884	0.1776	0.1688	0.3996	0.2616	0.07	0.0574
RRF (Indepen- dence)	0.4974	0.7028	0.5436	0.8836	0.1766	0.1632	0.3958	0.2704	0.072	0.06
Schulze (Indepen- dence)	0.518	0.7026	0.5722	0.8806	0.1814	0.1704	0.4152	0.2974	0.0682	0.0634
SimpleAvg (Indepen- dence)	0.4986	0.7022	0.5572	0.88	0.1626	0.158	0.404	0.2894	0.0584	0.0516

Table 197: ImageNet–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.3918	0.6792	0.4332	0.824	0.176	0.1772	0.3414	0.2512	0.0686	0.07
Borda	0.3548	0.6792	0.3884	0.8126	0.1712	0.175	0.3044	0.2178	0.0684	0.0696
Kemeny- Young	0.352	0.6886	0.3844	0.8408	0.15	0.1462	0.303	0.2186	0.0494	0.045
RRF	0.3466	0.6776	0.378	0.8178	0.1596	0.1598	0.2976	0.2182	0.0596	0.0564
Schulze	0.3424	0.6794	0.3704	0.8178	0.1536	0.152	0.2896	0.2068	0.0584	0.0532
SimpleAvg	0.3822	0.6782	0.4178	0.8184	0.1644	0.1666	0.3296	0.2552	0.0634	0.0612
Borda (Indepen- dence)	0.364	0.68	0.401	0.8154	0.1584	0.1662	0.3126	0.2312	0.064	0.06
Kemeny- Young (Indepen- dence)	0.3632	0.6872	0.3952	0.8362	0.1568	0.1564	0.3116	0.2238	0.0604	0.0524
RRF (Indepen- dence)	0.3534	0.6806	0.385	0.8162	0.1596	0.1584	0.3022	0.217	0.0642	0.058
Schulze (Indepen- dence)	0.3734	0.6792	0.4086	0.812	0.1664	0.1662	0.3226	0.247	0.0688	0.0646
SimpleAvg (Indepen- dence)	0.3646	0.678	0.4	0.8168	0.1608	0.1614	0.3132	0.2382	0.0594	0.061

Table 198: ImageNet–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.662	0.719	0.786	0.9412	0.1282	0.096	0.4584	0.1766	0.046	0.035
Borda	0.6404	0.7214	0.7332	0.9446	0.1356	0.1052	0.4496	0.2086	0.0524	0.035
Kemeny- Young	0.6444	0.7208	0.7428	0.9438	0.135	0.1028	0.4564	0.2178	0.0442	0.0274
RRF	0.6388	0.7158	0.7298	0.9394	0.1328	0.1052	0.4472	0.211	0.053	0.032
Schulze	0.6358	0.7154	0.7316	0.938	0.133	0.105	0.4408	0.1982	0.0456	0.026
SimpleAvg	0.6366	0.7166	0.7406	0.9378	0.1222	0.0966	0.4502	0.2258	0.0416	0.029
Borda (Indepen- dence)	0.642	0.7194	0.7354	0.9432	0.1372	0.1066	0.4518	0.2072	0.0444	0.029
Kemeny- Young (Indepen- dence)	0.6454	0.7188	0.7476	0.944	0.1402	0.1056	0.4568	0.2154	0.0428	0.0284
RRF (Indepen- dence)	0.6416	0.716	0.7368	0.9386	0.1362	0.1032	0.4488	0.2094	0.0492	0.0292
Schulze (Indepen- dence)	0.6482	0.7168	0.766	0.9402	0.1316	0.1044	0.457	0.235	0.0454	0.038
SimpleAvg (Indepen- dence)	0.6342	0.7162	0.7364	0.9386	0.1262	0.1012	0.447	0.2158	0.0436	0.027

Table 199: ImageNet–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.2866	0.6456	0.3162	0.7648	0.1452	0.146	0.257	0.1848	0.0562	0.055
Borda	0.2548	0.6684	0.2736	0.8004	0.1316	0.1322	0.2266	0.1558	0.047	0.0408
Kemeny- Young	0.2592	0.658	0.2812	0.7876	0.1268	0.1232	0.2302	0.1596	0.0398	0.0356
RRF	0.2454	0.6456	0.2656	0.763	0.1218	0.1218	0.218	0.15	0.0518	0.048
Schulze	0.2358	0.642	0.252	0.7624	0.117	0.1158	0.2068	0.134	0.0462	0.043
SimpleAvg	0.2654	0.6418	0.2884	0.762	0.1246	0.125	0.2366	0.1754	0.0506	0.0526
Borda (Indepen- dence)	0.2714	0.6614	0.2942	0.79	0.139	0.1402	0.2424	0.1714	0.0498	0.0412
Kemeny- Young (Indepen- dence)	0.2696	0.657	0.2932	0.786	0.1318	0.1306	0.2408	0.1684	0.0542	0.0522
RRF (Indepen- dence)	0.2554	0.644	0.2788	0.763	0.1324	0.1326	0.228	0.1582	0.0544	0.05
Schulze (Indepen- dence)	0.266	0.641	0.2918	0.7588	0.1358	0.1384	0.2374	0.1754	0.0514	0.051
SimpleAvg (Indepen- dence)	0.2606	0.6398	0.2826	0.7586	0.1288	0.1294	0.2322	0.1684	0.0542	0.0544

B ResNet-18

Table 200: ImageNet–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.4608	0.6288	0.5712	0.9062	0.1896	0.1608	0.4486	0.002	0.0554	0.0382
SimpleAvg	0.4716	0.6232	0.5854	0.8692	0.203	0.1802	0.4544	0.0246	0.0664	0.0538
Borda (NAIVE)	0.464	0.6288	0.5772	0.9184	0.2034	0.1772	0.4488	0.0168	0.065	0.0594
Borda (THE- ORY)	0.4332	0.6316	0.5362	0.9184	0.1984	0.1778	0.4214	0.0236	0.064	0.0644
RRF (NAIVE)	0.4682	0.6304	0.5788	0.9188	0.1964	0.1658	0.4492	0.0126	0.0638	0.0416
RRF (THE- ORY)	0.4302	0.629	0.5316	0.9028	0.2032	0.1842	0.4182	0.0274	0.0696	0.0694
Schulze (NAIVE)	0.4902	0.626	0.618	0.905	0.198	0.165	0.4694	0.0502	0.0582	0.0442
Schulze (THE- ORY)	0.4306	0.6272	0.535	0.9022	0.194	0.174	0.419	0.0236	0.0634	0.0648
Kemeny- Young (NAIVE)	0.4586	0.6258	0.5704	0.9134	0.204	0.1786	0.4434	0.0086	0.065	0.054
Kemeny- Young (THE- ORY)	0.4426	0.631	0.542	0.9196	0.1934	0.1704	0.4294	0.0226	0.0728	0.0646

Table 201: ImageNet-ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.4144	0.627	0.5086	0.8806	0.1906	0.1706	0.402	0.0082	0.0528	0.0418
SimpleAvg	0.4296	0.6174	0.5322	0.848	0.207	0.194	0.4166	0.0172	0.0668	0.0614
Borda (NAIVE)	0.4192	0.6258	0.5076	0.8958	0.2022	0.174	0.4074	0.0072	0.0624	0.0466
Borda (THE- ORY)	0.384	0.623	0.4674	0.8838	0.1946	0.176	0.3742	0.0474	0.0746	0.0724
RRF (NAIVE)	0.4248	0.6256	0.521	0.8998	0.2006	0.1774	0.412	0.004	0.0626	0.048
RRF (THE- ORY)	0.3792	0.6236	0.4622	0.883	0.1948	0.1792	0.3702	0.0516	0.0702	0.0688
Schulze (NAIVE)	0.4458	0.6252	0.5552	0.883	0.197	0.18	0.4328	0.0302	0.0618	0.0466
Schulze (THE- ORY)	0.3848	0.623	0.4674	0.8806	0.1944	0.1724	0.3748	0.0478	0.0742	0.073
Kemeny- Young (NAIVE)	0.4158	0.6278	0.5046	0.8998	0.2012	0.1764	0.4042	0.0076	0.0622	0.0484
Kemeny- Young (THE- ORY)	0.3926	0.6242	0.481	0.8774	0.1862	0.1758	0.3804	0.0292	0.0632	0.0588

Table 202: ImageNet–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.1628	0.5916	0.1926	0.7838	0.096	0.0906	0.1582	0.0068	0.041	0.0422
SimpleAvg	0.2304	0.5794	0.2786	0.7422	0.1404	0.1434	0.2256	0.1454	0.0496	0.0514
Borda (NAIVE)	0.2096	0.6028	0.2524	0.7982	0.1262	0.1226	0.2042	0.1728	0.0474	0.0432
Borda (THE- ORY)	0.142	0.5922	0.1722	0.7818	0.095	0.096	0.1384	0.2478	0.0384	0.0352
RRF (NAIVE)	0.2208	0.5984	0.2658	0.7972	0.1374	0.1374	0.2152	0.161	0.048	0.0492
RRF (THE- ORY)	0.1474	0.5928	0.1776	0.7822	0.1008	0.1024	0.1432	0.2448	0.036	0.037
Schulze (NAIVE)	0.2428	0.5914	0.2934	0.7802	0.141	0.1416	0.2372	0.1318	0.0418	0.0438
Schulze (THE- ORY)	0.1452	0.5942	0.1752	0.7788	0.0964	0.0966	0.1414	0.2436	0.0384	0.036
Kemeny- Young (NAIVE)	0.2068	0.5952	0.2448	0.789	0.1256	0.1202	0.2022	0.1794	0.0406	0.034
Kemeny- Young (THE- ORY)	0.1626	0.591	0.195	0.7814	0.1068	0.105	0.1586	0.2236	0.038	0.0332

Table 203: ImageNet–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.5204	0.6326	0.6676	0.934	0.1636	0.0974	0.4988	0.0014	0.0558	0.0346
SimpleAvg	0.5344	0.6308	0.6898	0.9064	0.1982	0.1642	0.5078	0.0322	0.0648	0.0534
Borda (NAIVE)	0.5318	0.6346	0.6806	0.9454	0.1912	0.155	0.5052	0.0232	0.0606	0.0456
Borda (THE- ORY)	0.518	0.634	0.6616	0.9366	0.197	0.1694	0.4934	0.0124	0.0668	0.0622
RRF (NAIVE)	0.5368	0.6338	0.6906	0.9448	0.195	0.1506	0.51	0.025	0.0608	0.0462
RRF (THE- ORY)	0.5142	0.6344	0.653	0.9328	0.1968	0.1642	0.4912	0.0004	0.0632	0.0594
Schulze (NAIVE)	0.5576	0.6332	0.726	0.9354	0.1918	0.1472	0.5272	0.0462	0.068	0.0474
Schulze (THE- ORY)	0.5156	0.6342	0.6544	0.9338	0.1982	0.1648	0.4926	0.0016	0.061	0.0538
Kemeny- Young (NAIVE)	0.529	0.6364	0.6738	0.9468	0.1922	0.1504	0.5036	0.0166	0.0618	0.0484
Kemeny- Young (THE- ORY)	0.5182	0.636	0.6596	0.938	0.1916	0.1596	0.4926	0.0044	0.062	0.0502

Table 204: ImageNet-ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.0854	0.553	0.1038	0.7044	0.061	0.062	0.0824	0.0426	0.02	0.0228
SimpleAvg	0.1394	0.5398	0.1706	0.675	0.095	0.0978	0.1366	0.2398	0.0308	0.0332
Borda (NAIVE)	0.1292	0.5614	0.1578	0.7262	0.0874	0.0882	0.1262	0.254	0.0314	0.0314
Borda (THE- ORY)	0.07	0.5496	0.0866	0.7046	0.0526	0.055	0.0672	0.3214	0.0174	0.021
RRF (NAIVE)	0.133	0.5696	0.1626	0.7268	0.088	0.0892	0.13	0.2486	0.0298	0.0306
RRF (THE- ORY)	0.0762	0.5482	0.0922	0.7036	0.0578	0.0602	0.0738	0.316	0.0216	0.0232
Schulze (NAIVE)	0.142	0.5524	0.1762	0.7034	0.0894	0.0938	0.1388	0.2376	0.0244	0.0296
Schulze (THE- ORY)	0.0684	0.5528	0.0836	0.7048	0.0518	0.0542	0.0656	0.3254	0.0178	0.017
Kemeny- Young (NAIVE)	0.1268	0.5648	0.1582	0.7324	0.0878	0.0906	0.1234	0.2526	0.026	0.028
Kemeny- Young (THE- ORY)	0.086	0.5498	0.106	0.7044	0.0624	0.0652	0.0834	0.3004	0.021	0.0198

Table 205: ImageNet–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.4414	0.6258	0.5446	0.897	0.19	0.159	0.4278	0.0126	0.0548	0.04
SimpleAvg	0.439	0.6194	0.5482	0.8618	0.1962	0.182	0.4254	0.0174	0.0556	0.0518
Borda (NAIVE)	0.4324	0.627	0.5326	0.9084	0.193	0.1734	0.4188	0.0054	0.0572	0.0528
Borda (THE- ORY)	0.4098	0.6254	0.4996	0.8878	0.2052	0.1862	0.3986	0.034	0.07	0.0668
RRF (NAIVE)	0.44	0.6272	0.5422	0.9162	0.1948	0.1712	0.4254	0.0074	0.0568	0.0498
RRF (THE- ORY)	0.4032	0.6244	0.4908	0.8938	0.2002	0.1758	0.391	0.051	0.068	0.0606
Schulze (NAIVE)	0.4718	0.6232	0.5816	0.8952	0.2044	0.178	0.4554	0.0398	0.0622	0.0464
Schulze (THE- ORY)	0.4064	0.6248	0.4956	0.8952	0.2016	0.184	0.3944	0.048	0.063	0.0596
Kemeny- Young (NAIVE)	0.43	0.6286	0.5308	0.9118	0.1934	0.1738	0.4166	0.0002	0.0562	0.0534
Kemeny- Young (THE- ORY)	0.4108	0.628	0.5028	0.9084	0.1882	0.1666	0.399	0.0238	0.0584	0.0582

Table 206: ImageNet–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.2954	0.6108	0.3486	0.84	0.1584	0.1454	0.2884	0.0126	0.0488	0.0352
SimpleAvg	0.3348	0.6078	0.3998	0.8068	0.1748	0.1634	0.3274	0.054	0.0624	0.0518
Borda (NAIVE)	0.3146	0.6168	0.376	0.8526	0.166	0.1586	0.3072	0.0834	0.0564	0.0472
Borda (THE- ORY)	0.2696	0.6066	0.3188	0.8298	0.1586	0.15	0.2622	0.142	0.0586	0.0538
RRF (NAIVE)	0.3296	0.6154	0.3956	0.86	0.1754	0.1722	0.322	0.0652	0.065	0.053
RRF (THE- ORY)	0.261	0.6112	0.3086	0.8408	0.1522	0.1414	0.2526	0.1634	0.0538	0.048
Schulze (NAIVE)	0.348	0.6112	0.4234	0.8404	0.178	0.1752	0.3406	0.0362	0.0562	0.0452
Schulze (THE- ORY)	0.2712	0.6122	0.3222	0.841	0.1594	0.1472	0.263	0.1512	0.0588	0.0564
Kemeny- Young (NAIVE)	0.3124	0.6156	0.3692	0.8554	0.1664	0.1544	0.3042	0.0922	0.0574	0.0454
Kemeny- Young (THE- ORY)	0.2746	0.6146	0.3254	0.857	0.1542	0.139	0.2676	0.1284	0.0422	0.0326

Table 207: ImageNet–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.1214	0.5744	0.149	0.7492	0.0766	0.0806	0.1174	0.0626	0.0314	0.0276
SimpleAvg	0.1808	0.5704	0.2202	0.7286	0.1124	0.1148	0.177	0.1982	0.0408	0.0412
Borda (NAIVE)	0.165	0.5926	0.1998	0.7802	0.1002	0.095	0.1608	0.222	0.0368	0.0366
Borda (THE- ORY)	0.1028	0.5766	0.126	0.7462	0.0676	0.069	0.1008	0.2852	0.0236	0.0248
RRF (NAIVE)	0.172	0.5948	0.2044	0.7864	0.1042	0.0992	0.1682	0.217	0.0334	0.0312
RRF (THE- ORY)	0.1088	0.5762	0.134	0.745	0.0746	0.0762	0.1048	0.2858	0.0268	0.0294
Schulze (NAIVE)	0.1944	0.5766	0.2372	0.7536	0.117	0.1232	0.1894	0.1846	0.041	0.0394
Schulze (THE- ORY)	0.107	0.5758	0.1306	0.7494	0.0724	0.0746	0.1032	0.2912	0.026	0.0292
Kemeny- Young (NAIVE)	0.161	0.5902	0.1932	0.7718	0.0914	0.0894	0.1572	0.225	0.0342	0.033
Kemeny- Young (THE- ORY)	0.1198	0.5816	0.1442	0.7572	0.0764	0.0766	0.1174	0.2704	0.0206	0.0162

Table 208: ImageNet-ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.5278	0.6318	0.6832	0.9282	0.1684	0.1024	0.5024	0.0184	0.0578	0.026
SimpleAvg	0.5154	0.627	0.6518	0.9026	0.1976	0.1664	0.4954	0.044	0.0642	0.0504
Borda (NAIVE)	0.5128	0.634	0.6512	0.9402	0.1948	0.1664	0.4908	0.0342	0.062	0.0554
Borda (THE- ORY)	0.4942	0.6324	0.6206	0.9372	0.2064	0.1788	0.4748	0.0038	0.0632	0.0616
RRF (NAIVE)	0.5166	0.6308	0.6574	0.9386	0.1904	0.1576	0.4956	0.034	0.0682	0.0552
RRF (THE- ORY)	0.4892	0.6316	0.6132	0.9276	0.2012	0.1754	0.4692	0.008	0.0602	0.0572
Schulze (NAIVE)	0.5414	0.633	0.7014	0.9316	0.1962	0.1588	0.5142	0.0672	0.0684	0.0486
Schulze (THE- ORY)	0.4958	0.6308	0.6242	0.9286	0.201	0.1732	0.4762	0	0.0658	0.0622
Kemeny- Young (NAIVE)	0.5092	0.6332	0.6468	0.9412	0.1946	0.1676	0.487	0.0288	0.0616	0.0574
Kemeny- Young (THE- ORY)	0.4962	0.6304	0.6228	0.9432	0.1994	0.1746	0.4756	0.0052	0.0614	0.0566

Table 209: ImageNet–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.0548	0.5208	0.0674	0.653	0.037	0.0352	0.0522	0.0182	0.0156	0.0152
SimpleAvg	0.1008	0.5266	0.1244	0.6528	0.068	0.0718	0.0986	0.2826	0.0256	0.027
Borda (NAIVE)	0.0906	0.5388	0.1102	0.678	0.0606	0.0594	0.088	0.2998	0.0202	0.0166
Borda (THE- ORY)	0.048	0.527	0.0598	0.6584	0.0358	0.0364	0.0464	0.3468	0.0152	0.0146
RRF (NAIVE)	0.0914	0.5576	0.1144	0.7088	0.0606	0.0616	0.0888	0.2948	0.0228	0.0206
RRF (THE- ORY)	0.0522	0.5266	0.0648	0.659	0.0384	0.04	0.0496	0.3448	0.0172	0.0168
Schulze (NAIVE)	0.1066	0.5244	0.1322	0.6608	0.0682	0.0718	0.1044	0.2774	0.0184	0.0192
Schulze (THE- ORY)	0.0474	0.523	0.06	0.6534	0.0362	0.035	0.0446	0.3492	0.0128	0.0148
Kemeny- Young (NAIVE)	0.0918	0.5452	0.114	0.6918	0.0586	0.0626	0.0888	0.2958	0.0232	0.026
Kemeny- Young (THE- ORY)	0.0612	0.5356	0.0756	0.6736	0.0424	0.0436	0.0596	0.329	0.016	0.0168

Table 210: ImageNet-ResNet-18 results.

Method	Type	Acc ReplaceTop	Cons ReplaceTop	Acc ReplaceBottom	Cons ReplaceBottom
Borda (n=2)	Ensemble	0.4098	0.4996	0.6254	0.8878
Borda (n=3)	Ensemble	0.4136	0.5016	0.6282	0.9038
Borda (n=4)	Ensemble	0.4108	0.5028	0.628	0.9084
Borda (n=5)	Ensemble	0.4126	0.5108	0.6298	0.9094
Borda (n=6)	Ensemble	0.4224	0.5236	0.6284	0.9084
Borda (n=7)	Ensemble	0.43	0.5308	0.6286	0.9118
Borda (n=8)	Ensemble	0.4324	0.5326	0.627	0.9084
Kemeny-Young (n=2)	Ensemble	0.4098	0.4996	0.6254	0.8878
Kemeny-Young (n=3)	Ensemble	0.4136	0.5016	0.6282	0.9038
Kemeny-Young (n=4)	Ensemble	0.4108	0.5028	0.628	0.9084
Kemeny-Young (n=5)	Ensemble	0.4126	0.5108	0.6298	0.9094
Kemeny-Young (n=6)	Ensemble	0.4224	0.5236	0.6284	0.9084
Kemeny-Young (n=7)	Ensemble	0.43	0.5308	0.6286	0.9118
Kemeny-Young (n=8)	Ensemble	0.4324	0.5326	0.627	0.9084
RRF (n=2)	Ensemble	0.4032	0.4908	0.6244	0.8938
RRF (n=3)	Ensemble	0.4188	0.511	0.6256	0.893
RRF (n=4)	Ensemble	0.4154	0.5064	0.6248	0.8936
RRF (n=5)	Ensemble	0.4178	0.517	0.6234	0.8966
RRF (n=6)	Ensemble	0.4248	0.5244	0.6246	0.8936
RRF (n=7)	Ensemble	0.4352	0.5376	0.6306	0.912
RRF (n=8)	Ensemble	0.44	0.5422	0.6272	0.9162
Schulze (n=2)	Ensemble	0.4064	0.4956	0.6248	0.8952
Schulze (n=3)	Ensemble	0.4168	0.513	0.6244	0.8904
Schulze (n=4)	Ensemble	0.4176	0.5128	0.623	0.8898
Schulze (n=5)	Ensemble	0.437	0.5372	0.623	0.892
Schulze (n=6)	Ensemble	0.4612	0.571	0.625	0.8928
Schulze (n=7)	Ensemble	0.472	0.582	0.6256	0.8946
Schulze (n=8)	Ensemble	0.4718	0.5816	0.6232	0.8952
norm_ensemble (n=2)	Ensemble	0.4302	0.5332	0.6254	0.8934
norm_ensemble (n=3)	Ensemble	0.4516	0.57	0.6248	0.8924
norm_ensemble (n=4)	Ensemble	0.4498	0.5646	0.6244	0.8894
norm_ensemble (n=5)	Ensemble	0.4452	0.5586	0.6236	0.8944
norm_ensemble (n=6)	Ensemble	0.4416	0.5516	0.626	0.8918

Table 211: ImageNet–ResNet-18 results.

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
Borda (n=2)	Ensemble	0.2052	0.1862	0.3986	0.034	0.07	0.0668	0.1562	0.0804	0.5822	0.145	0.0542	0.0266
Borda (n=3)	Ensemble	0.1958	0.1752	0.4018	0.0356	0.0692	0.0672	0.1618	0.0942	0.5854	0.1566	0.0576	0.0432
Borda (n=4)	Ensemble	0.1882	0.1666	0.399	0.0238	0.0584	0.0582	0.1626	0.096	0.5846	0.1592	0.0588	0.0488
Borda (n=5)	Ensemble	0.1912	0.1726	0.399	0.0152	0.051	0.0508	0.1648	0.098	0.5864	0.1526	0.0564	0.0312
Borda (n=6)	Ensemble	0.194	0.1776	0.4092	0.0064	0.0532	0.055	0.1544	0.0728	0.585	0.1556	0.0556	0.0302
Borda (n=7)	Ensemble	0.1934	0.1738	0.4166	0.0002	0.0562	0.0534	0.156	0.0784	0.584	0.1572	0.054	0.0298
Borda (n=8)	Ensemble	0.193	0.1734	0.4188	0.0054	0.0572	0.0528	0.1512	0.072	0.5818	0.1616	0.0526	0.0278
Kemeny-Young (n=2)	Ensemble	0.2052	0.1862	0.3986	0.034	0.07	0.0668	0.1562	0.0804	0.5822	0.145	0.0542	0.0266
Kemeny-Young (n=3)	Ensemble	0.1958	0.1752	0.4018	0.0356	0.0692	0.0672	0.1618	0.0942	0.5854	0.1566	0.0576	0.0432
Kemeny-Young (n=4)	Ensemble	0.1882	0.1666	0.399	0.0238	0.0584	0.0582	0.1626	0.096	0.5846	0.1592	0.0588	0.0488
Kemeny-Young (n=5)	Ensemble	0.1912	0.1726	0.399	0.0152	0.051	0.0508	0.1648	0.098	0.5864	0.1526	0.0564	0.0312
Kemeny-Young (n=6)	Ensemble	0.194	0.1776	0.4092	0.0064	0.0532	0.055	0.1544	0.0728	0.585	0.1556	0.0556	0.0302
Kemeny-Young (n=7)	Ensemble	0.1934	0.1738	0.4166	0.0002	0.0562	0.0534	0.156	0.0784	0.584	0.1572	0.054	0.0298
Kemeny-Young (n=8)	Ensemble	0.193	0.1734	0.4188	0.0054	0.0572	0.0528	0.1512	0.072	0.5818	0.1616	0.0526	0.0278
RRF (n=2)	Ensemble	0.2002	0.1758	0.391	0.051	0.068	0.0606	0.1574	0.0842	0.5808	0.1494	0.0546	0.0318
RRF (n=3)	Ensemble	0.2046	0.1906	0.4068	0.0288	0.0698	0.0716	0.159	0.0812	0.5826	0.1474	0.0556	0.029
RRF (n=4)	Ensemble	0.1974	0.1872	0.4032	0.0234	0.066	0.061	0.1594	0.0836	0.582	0.1444	0.0576	0.0314
RRF (n=5)	Ensemble	0.1944	0.1822	0.4056	0.0156	0.0524	0.0524	0.1554	0.0834	0.5794	0.1458	0.0566	0.0324
RRF (n=6)	Ensemble	0.191	0.1754	0.4118	0.0094	0.0556	0.0502	0.1542	0.083	0.5814	0.1376	0.0546	0.0248
RRF (n=7)	Ensemble	0.198	0.1758	0.4204	0.0048	0.057	0.0486	0.1608	0.0982	0.5876	0.1674	0.0624	0.0382
RRF (n=8)	Ensemble	0.1948	0.1712	0.4254	0.0074	0.0568	0.0498	0.1504	0.083	0.5814	0.1686	0.0594	0.0404
Schulze (n=2)	Ensemble	0.2016	0.184	0.3944	0.048	0.063	0.0596	0.156	0.0848	0.5834	0.157	0.0536	0.0342
Schulze (n=3)	Ensemble	0.193	0.1794	0.4038	0.0248	0.064	0.0714	0.1562	0.08	0.5832	0.1428	0.0536	0.029
Schulze (n=4)	Ensemble	0.1932	0.181	0.405	0.0194	0.0594	0.0558	0.1538	0.0802	0.5806	0.1356	0.0538	0.0294
Schulze (n=5)	Ensemble	0.2044	0.1866	0.424	0.0062	0.0598	0.0544	0.156	0.0834	0.5794	0.1324	0.0544	0.0324
Schulze (n=6)	Ensemble	0.2252	0.214	0.4442	0.0316	0.0822	0.0884	0.1566	0.0834	0.582	0.1312	0.0566	0.0312
Schulze (n=7)	Ensemble	0.213	0.19	0.4558	0.043	0.073	0.0616	0.159	0.088	0.5822	0.1374	0.0562	0.0334
Schulze (n=8)	Ensemble	0.2044	0.178	0.4554	0.0398	0.0622	0.0464	0.1568	0.0864	0.5808	0.1424	0.0536	0.0354
norm_ensemble (n=2)	Ensemble	0.2138	0.197	0.414	0.0028	0.0702	0.0628	0.158	0.084	0.5836	0.1534	0.0556	0.036
norm_ensemble (n=3)	Ensemble	0.1984	0.1846	0.436	0.0356	0.0702	0.0606	0.1638	0.1152	0.5812	0.1508	0.054	0.0484
norm_ensemble (n=4)	Ensemble	0.199	0.1836	0.4348	0.0298	0.0672	0.0602	0.1614	0.0928	0.5822	0.1426	0.0542	0.043

[illegible]

Table 212: ImageNet-ResNet-18 results.

Method	Type	Acc ReplaceTop	Cons ReplaceTop	Acc ReplaceBottom	Cons ReplaceBottom
Borda (n=2)	Ensemble	0.384	0.4674	0.623	0.8838
Borda (n=3)	Ensemble	0.395	0.4786	0.6264	0.88
Borda (n=4)	Ensemble	0.3926	0.481	0.6242	0.8774
Borda (n=5)	Ensemble	0.405	0.4922	0.623	0.8808
Borda (n=6)	Ensemble	0.4146	0.5006	0.626	0.8942
Borda (n=7)	Ensemble	0.4158	0.5046	0.6278	0.8998
Borda (n=8)	Ensemble	0.4192	0.5076	0.6258	0.8958
Kemeny-Young (n=2)	Ensemble	0.384	0.4674	0.623	0.8838
Kemeny-Young (n=3)	Ensemble	0.395	0.4786	0.6264	0.88
Kemeny-Young (n=4)	Ensemble	0.3926	0.481	0.6242	0.8774
Kemeny-Young (n=5)	Ensemble	0.405	0.4922	0.623	0.8808
Kemeny-Young (n=6)	Ensemble	0.4146	0.5006	0.626	0.8942
Kemeny-Young (n=7)	Ensemble	0.4158	0.5046	0.6278	0.8998
Kemeny-Young (n=8)	Ensemble	0.4192	0.5076	0.6258	0.8958
RRF (n=2)	Ensemble	0.3792	0.4622	0.6236	0.883
RRF (n=3)	Ensemble	0.3982	0.483	0.625	0.882
RRF (n=4)	Ensemble	0.4032	0.4876	0.6242	0.8762
RRF (n=5)	Ensemble	0.408	0.4946	0.626	0.8892
RRF (n=6)	Ensemble	0.416	0.5072	0.6262	0.885
RRF (n=7)	Ensemble	0.4232	0.5166	0.6272	0.8844
RRF (n=8)	Ensemble	0.4248	0.521	0.6256	0.8998
Schulze (n=2)	Ensemble	0.3848	0.4674	0.623	0.8806
Schulze (n=3)	Ensemble	0.394	0.4822	0.6254	0.8782
Schulze (n=4)	Ensemble	0.4086	0.4936	0.6228	0.8766
Schulze (n=5)	Ensemble	0.4266	0.5186	0.6234	0.877
Schulze (n=6)	Ensemble	0.438	0.5436	0.6232	0.8796
Schulze (n=7)	Ensemble	0.443	0.554	0.624	0.8818
Schulze (n=8)	Ensemble	0.4458	0.5552	0.6252	0.883
norm_ensemble (n=2)	Ensemble	0.405	0.505	0.6248	0.8788
norm_ensemble (n=3)	Ensemble	0.4386	0.5472	0.623	0.8774
norm_ensemble (n=4)	Ensemble	0.4322	0.5408	0.622	0.8748
norm_ensemble (n=5)	Ensemble	0.4232	0.5266	0.6278	0.8844
norm_ensemble (n=6)	Ensemble	0.4262	0.5264	0.6216	0.8776

Method	Type	Acc ReplaceTop	Cons ReplaceTop	Acc ReplaceBottom	Cons ReplaceBottom
norm_ensemble (n=7)	Ensemble	0.4358	0.536	0.623	0.8796
norm_ensemble (n=8)	Ensemble	0.4296	0.5322	0.6174	0.848
Deconvolut	Single	0.5178	0.6658	0.6182	0.8616
Deconvolut	Single	0.5178	0.6658	0.6182	0.8616
DeepLIFT_SSAP	Single	0.5668	0.6175	0.5436	0.7106
DeepLIFT_SSAP	Single	0.5668	0.6175	0.5436	0.7106
DeepLIFT_SSAP	Single	0.5668	0.6175	0.5436	0.7106
DeepLIFT_SSAP	Single	0.5668	0.6175	0.5436	0.7106
DeepLIFT_Singles	Single	0.5668	0.7514	0.5436	0.7106
DeepLIFT_Singles	Single	0.5668	0.7514	0.5436	0.7106
FeatureAb	Single	0.4714	0.5126	0.607	0.8242
FeatureAb	Single	0.4714	0.5126	0.607	0.8242
GradientSh	Single	0.5628	0.6258	0.6258	0.8806
GradientSh	Single	0.5628	0.6258	0.6258	0.8806
GradientSh	Single	0.5628	0.6258	0.6258	0.8798
GradientSh	Single	0.5628	0.6258	0.6258	0.8798
GuidedBac	Single	0.4144	0.5086	0.6106	0.8386
GuidedBac	Single	0.4144	0.5086	0.6106	0.8386
InputXGra	Single	0.4872	0.6128	0.6208	0.874
InputXGra	Single	0.4872	0.6128	0.6208	0.874
Integrated	Single	0.5706	0.6234	0.6234	0.8758
Integrated	Single	0.5706	0.6234	0.6234	0.8758
Integrated	Single	0.5706	0.6228	0.6228	0.8752
Integrated	Single	0.5706	0.6228	0.6228	0.8752
Occlusion	Single	0.6196	0.6196	0.6196	0.8754
Occlusion	Single	0.6196	0.6196	0.6196	0.8754
Saliency	Single	0.477	0.5868	0.6158	0.8612
Saliency	Single	0.477	0.5868	0.6158	0.8612

Table 213: ImageNet–ResNet-18 results.

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
Borda (n=2)	Ensemble	0.1946	0.176	0.3742	0.0474	0.0746	0.0724	0.1562	0.0866	0.581	0.1368	0.0558	0.0338
Borda (n=3)	Ensemble	0.1982	0.1776	0.3838	0.0308	0.071	0.0682	0.1594	0.0842	0.585	0.137	0.0588	0.0306
Borda (n=4)	Ensemble	0.1862	0.1758	0.3804	0.0292	0.0632	0.0588	0.157	0.0854	0.5832	0.1268	0.0542	0.0254
Borda (n=5)	Ensemble	0.2012	0.1832	0.3932	0.0196	0.0632	0.0546	0.157	0.0904	0.5804	0.131	0.0518	0.0254
Borda (n=6)	Ensemble	0.2038	0.1796	0.4048	0.0122	0.0692	0.0604	0.1618	0.1018	0.5838	0.1482	0.0536	0.041
Borda (n=7)	Ensemble	0.2012	0.1764	0.4042	0.0076	0.0622	0.0484	0.1602	0.0974	0.5864	0.1566	0.0542	0.0364
Borda (n=8)	Ensemble	0.2022	0.174	0.4074	0.0072	0.0624	0.0466	0.1546	0.0916	0.5834	0.1472	0.054	0.032
Kemeny-Young (n=2)	Ensemble	0.1946	0.176	0.3742	0.0474	0.0746	0.0724	0.1562	0.0866	0.581	0.1368	0.0558	0.0338
Kemeny-Young (n=3)	Ensemble	0.1982	0.1776	0.3838	0.0308	0.071	0.0682	0.1594	0.0842	0.585	0.137	0.0588	0.0306
Kemeny-Young (n=4)	Ensemble	0.1862	0.1758	0.3804	0.0292	0.0632	0.0588	0.157	0.0854	0.5832	0.1268	0.0542	0.0254
Kemeny-Young (n=5)	Ensemble	0.2012	0.1832	0.3932	0.0196	0.0632	0.0546	0.157	0.0904	0.5804	0.131	0.0518	0.0254
Kemeny-Young (n=6)	Ensemble	0.2038	0.1796	0.4048	0.0122	0.0692	0.0604	0.1618	0.1018	0.5838	0.1482	0.0536	0.041
Kemeny-Young (n=7)	Ensemble	0.2012	0.1764	0.4042	0.0076	0.0622	0.0484	0.1602	0.0974	0.5864	0.1566	0.0542	0.0364
Kemeny-Young (n=8)	Ensemble	0.2022	0.174	0.4074	0.0072	0.0624	0.0466	0.1546	0.0916	0.5834	0.1472	0.054	0.032
RRF (n=2)	Ensemble	0.1948	0.1792	0.3702	0.0516	0.0702	0.0688	0.1554	0.0846	0.5806	0.1336	0.0556	0.0332
RRF (n=3)	Ensemble	0.1988	0.1788	0.3878	0.0364	0.0734	0.0658	0.16	0.0868	0.5824	0.1338	0.0576	0.0324
RRF (n=4)	Ensemble	0.1972	0.1824	0.3934	0.0262	0.0686	0.0626	0.1538	0.0788	0.5822	0.1292	0.056	0.0256
RRF (n=5)	Ensemble	0.1942	0.1768	0.3966	0.0234	0.0632	0.0548	0.1578	0.0916	0.5836	0.141	0.0574	0.0356
RRF (n=6)	Ensemble	0.1984	0.1764	0.4036	0.0094	0.0592	0.049	0.158	0.084	0.5836	0.1404	0.0588	0.0256
RRF (n=7)	Ensemble	0.1994	0.1732	0.41	0.0046	0.0598	0.0432	0.1574	0.0814	0.5844	0.1476	0.0598	0.0306
RRF (n=8)	Ensemble	0.2006	0.1774	0.412	0.004	0.0626	0.048	0.156	0.0896	0.583	0.1632	0.0596	0.0406
Schulze (n=2)	Ensemble	0.1944	0.1724	0.3748	0.0478	0.0742	0.073	0.1556	0.089	0.5812	0.1332	0.0564	0.0294
Schulze (n=3)	Ensemble	0.1954	0.1832	0.384	0.042	0.0702	0.0674	0.162	0.0862	0.5824	0.1298	0.0572	0.0272
Schulze (n=4)	Ensemble	0.2022	0.1832	0.3996	0.0192	0.0752	0.0688	0.158	0.0814	0.5814	0.1302	0.054	0.0282
Schulze (n=5)	Ensemble	0.2038	0.177	0.4136	0.0024	0.0702	0.0502	0.1604	0.0832	0.5814	0.128	0.0552	0.0302
Schulze (n=6)	Ensemble	0.1894	0.175	0.4254	0.0218	0.0608	0.0438	0.1584	0.0848	0.5816	0.1314	0.054	0.0296
Schulze (n=7)	Ensemble	0.1966	0.1804	0.4306	0.0304	0.0566	0.0424	0.1598	0.0914	0.5816	0.1328	0.0542	0.03
Schulze (n=8)	Ensemble	0.197	0.18	0.4328	0.0302	0.0618	0.0466	0.1574	0.087	0.5834	0.1368	0.0572	0.0312
norm_ensemble (n=2)	Ensemble	0.202	0.1922	0.3928	0.0092	0.0688	0.0718	0.1586	0.0832	0.5834	0.1314	0.055	0.031
norm_ensemble (n=3)	Ensemble	0.2052	0.1962	0.4248	0.0232	0.0654	0.0558	0.159	0.0846	0.581	0.131	0.0546	0.0298
norm_ensemble (n=4)	Ensemble	0.2026	0.1908	0.4186	0.0192	0.0622	0.058	0.1548	0.0802	0.5796	0.1258	0.0536	0.0242

Table 214: ImageNet-ResNet-18 results.

Method	Type	Acc ReplaceTop	Cons ReplaceTop	Acc ReplaceBottom	Cons ReplaceBottom
Borda (n=2)	Ensemble	0.2696	0.3188	0.6066	0.8298
Borda (n=3)	Ensemble	0.2746	0.3254	0.6146	0.857
Borda (n=4)	Ensemble	0.2902	0.3462	0.6158	0.858
Borda (n=5)	Ensemble	0.2956	0.354	0.6122	0.8586
Borda (n=6)	Ensemble	0.3016	0.3582	0.6146	0.8548
Borda (n=7)	Ensemble	0.3124	0.3692	0.6156	0.8554
Borda (n=8)	Ensemble	0.3146	0.376	0.6168	0.8526
Kemeny-Young (n=2)	Ensemble	0.2696	0.3188	0.6066	0.8298
Kemeny-Young (n=3)	Ensemble	0.2746	0.3254	0.6146	0.857
Kemeny-Young (n=4)	Ensemble	0.2902	0.3462	0.6158	0.858
Kemeny-Young (n=5)	Ensemble	0.2956	0.354	0.6122	0.8586
Kemeny-Young (n=6)	Ensemble	0.3016	0.3582	0.6146	0.8548
Kemeny-Young (n=7)	Ensemble	0.3124	0.3692	0.6156	0.8554
Kemeny-Young (n=8)	Ensemble	0.3146	0.376	0.6168	0.8526
RRF (n=2)	Ensemble	0.261	0.3086	0.6112	0.8408
RRF (n=3)	Ensemble	0.2988	0.3566	0.6086	0.8368
RRF (n=4)	Ensemble	0.2928	0.346	0.6074	0.8348
RRF (n=5)	Ensemble	0.3036	0.36	0.6138	0.8448
RRF (n=6)	Ensemble	0.3152	0.3756	0.6132	0.8386
RRF (n=7)	Ensemble	0.3234	0.3864	0.6164	0.8556
RRF (n=8)	Ensemble	0.3296	0.3956	0.6154	0.86
Schulze (n=2)	Ensemble	0.2712	0.3222	0.6122	0.841
Schulze (n=3)	Ensemble	0.2886	0.3458	0.611	0.8356
Schulze (n=4)	Ensemble	0.303	0.3638	0.6104	0.8316
Schulze (n=5)	Ensemble	0.3212	0.3836	0.6118	0.8356
Schulze (n=6)	Ensemble	0.343	0.4132	0.61	0.8386
Schulze (n=7)	Ensemble	0.351	0.4262	0.6102	0.8434
Schulze (n=8)	Ensemble	0.348	0.4234	0.6112	0.8404
norm_ensemble (n=2)	Ensemble	0.2984	0.3658	0.6092	0.8386
norm_ensemble (n=3)	Ensemble	0.3372	0.4156	0.6118	0.8374
norm_ensemble (n=4)	Ensemble	0.3342	0.41	0.61	0.8348
norm_ensemble (n=5)	Ensemble	0.3292	0.4048	0.61	0.8416
norm_ensemble (n=6)	Ensemble	0.3288	0.3976	0.61	0.84

Table 215: ImageNet-ResNet-18 results.

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
Borda (n=2)	Ensemble	0.1586	0.15	0.2622	0.142	0.0586	0.0538	0.162	0.1054	0.5728	0.1922	0.0558	0.0306
Borda (n=3)	Ensemble	0.1542	0.139	0.2676	0.1284	0.0422	0.0326	0.1704	0.1314	0.5814	0.2174	0.0578	0.0416
Borda (n=4)	Ensemble	0.1588	0.1494	0.2832	0.1074	0.0548	0.0466	0.1668	0.1306	0.581	0.2166	0.0588	0.0436
Borda (n=5)	Ensemble	0.1582	0.1502	0.2896	0.1044	0.0478	0.0398	0.1628	0.1296	0.5782	0.2142	0.0588	0.0428
Borda (n=6)	Ensemble	0.1574	0.1468	0.294	0.102	0.0528	0.0406	0.1676	0.131	0.58	0.2076	0.0602	0.0422
Borda (n=7)	Ensemble	0.1664	0.1544	0.3042	0.0922	0.0574	0.0454	0.1718	0.128	0.581	0.2156	0.0616	0.0452
Borda (n=8)	Ensemble	0.166	0.1586	0.3072	0.0834	0.0564	0.0472	0.1626	0.1028	0.5812	0.212	0.06	0.0346
Kemeny-Young (n=2)	Ensemble	0.1586	0.15	0.2622	0.142	0.0586	0.0538	0.162	0.1054	0.5728	0.1922	0.0558	0.0306
Kemeny-Young (n=3)	Ensemble	0.1542	0.139	0.2676	0.1284	0.0422	0.0326	0.1704	0.1314	0.5814	0.2174	0.0578	0.0416
Kemeny-Young (n=4)	Ensemble	0.1588	0.1494	0.2832	0.1074	0.0548	0.0466	0.1668	0.1306	0.581	0.2166	0.0588	0.0436
Kemeny-Young (n=5)	Ensemble	0.1582	0.1502	0.2896	0.1044	0.0478	0.0398	0.1628	0.1296	0.5782	0.2142	0.0588	0.0428
Kemeny-Young (n=6)	Ensemble	0.1574	0.1468	0.294	0.102	0.0528	0.0406	0.1676	0.131	0.58	0.2076	0.0602	0.0422
Kemeny-Young (n=7)	Ensemble	0.1664	0.1544	0.3042	0.0922	0.0574	0.0454	0.1718	0.128	0.581	0.2156	0.0616	0.0452
Kemeny-Young (n=8)	Ensemble	0.166	0.1586	0.3072	0.0834	0.0564	0.0472	0.1626	0.1028	0.5812	0.212	0.06	0.0346
RRF (n=2)	Ensemble	0.1522	0.1414	0.2526	0.1634	0.0538	0.048	0.1664	0.1156	0.5782	0.2016	0.0606	0.0428
RRF (n=3)	Ensemble	0.1676	0.1544	0.2918	0.107	0.058	0.0516	0.168	0.1178	0.5742	0.1986	0.0584	0.0394
RRF (n=4)	Ensemble	0.1628	0.1522	0.286	0.1116	0.0532	0.0424	0.167	0.1134	0.5728	0.1922	0.059	0.0396
RRF (n=5)	Ensemble	0.1644	0.1574	0.2964	0.0942	0.0534	0.042	0.1738	0.1234	0.58	0.2026	0.0624	0.051
RRF (n=6)	Ensemble	0.1708	0.165	0.3072	0.0852	0.0604	0.0522	0.1642	0.1118	0.578	0.1922	0.0614	0.033
RRF (n=7)	Ensemble	0.172	0.1672	0.3158	0.0732	0.0616	0.0462	0.1708	0.1306	0.5816	0.2162	0.0636	0.0422
RRF (n=8)	Ensemble	0.1754	0.1722	0.322	0.0652	0.065	0.053	0.1614	0.1072	0.579	0.2246	0.0642	0.0486
Schulze (n=2)	Ensemble	0.1594	0.1472	0.263	0.1512	0.0588	0.0564	0.1676	0.1176	0.5788	0.2132	0.0622	0.0382
Schulze (n=3)	Ensemble	0.1668	0.1584	0.2814	0.1178	0.0566	0.06	0.1664	0.1138	0.5776	0.194	0.062	0.038
Schulze (n=4)	Ensemble	0.1688	0.1608	0.296	0.094	0.058	0.0582	0.1682	0.108	0.5766	0.188	0.06	0.035
Schulze (n=5)	Ensemble	0.1676	0.16	0.3122	0.0756	0.0546	0.0436	0.1718	0.117	0.5772	0.1896	0.061	0.0424
Schulze (n=6)	Ensemble	0.1918	0.198	0.335	0.0494	0.0878	0.0814	0.1674	0.1124	0.5752	0.191	0.0598	0.0416
Schulze (n=7)	Ensemble	0.1848	0.182	0.3436	0.0352	0.068	0.059	0.1692	0.1216	0.5752	0.1966	0.0592	0.0448
Schulze (n=8)	Ensemble	0.178	0.1752	0.3406	0.0362	0.0562	0.0452	0.1674	0.1098	0.5758	0.1938	0.0616	0.0412
norm_ensemble (n=2)	Ensemble	0.1684	0.1706	0.2892	0.0962	0.0626	0.0594	0.1674	0.1192	0.5746	0.1996	0.0616	0.0398
norm_ensemble (n=3)	Ensemble	0.1756	0.1712	0.328	0.044	0.0568	0.0546	0.1786	0.1438	0.5772	0.2012	0.0638	0.0528
norm_ensemble (n=4)	Ensemble	0.1774	0.1754	0.3256	0.0468	0.0596	0.057	0.1728	0.1314	0.5754	0.1944	0.0648	0.0484

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
norm_ensemble (n=5)	Ensemble	0.1774	0.177	0.3216	0.0478	0.0624	0.063	0.1708	0.1338	0.5758	0.1986	0.0592	0.0528
norm_ensemble (n=6)	Ensemble	0.1762	0.1668	0.3216	0.0544	0.0606	0.0526	0.1628	0.1184	0.5762	0.1986	0.0588	0.041
norm_ensemble (n=7)	Ensemble	0.1812	0.1792	0.328	0.0464	0.0628	0.0578	0.1584	0.0776	0.5694	0.16	0.0518	0.0082
norm_ensemble (n=8)	Ensemble	0.1748	0.1634	0.3274	0.054	0.0624	0.0518	0.1824	0.1464	0.578	0.2006	0.0574	0.0052
Deconvolut	Single	0.219	0.2208	0.431	0.0766	0.0804	0.0842	0.167	0.1238	0.5696	0.1784	0.0618	0.0474
Deconvolut	Single	0.219	0.2208	0.431	0.0766	0.0804	0.0842	0.167	0.1238	0.5696	0.1784	0.0618	0.0474
DeepLIFT_SSHAP	Single	baseline	0.1654	0.5106	0.098	0.0678	0.0514	0.214	0.1908	0.5118	0.0926	0.0754	0.0564
DeepLIFT_SSHAP	Single	baseline	0.1654	0.5106	0.098	0.0678	0.0514	0.214	0.1908	0.5118	0.0926	0.0754	0.0564
DeepLIFT_SSHAP	Single	baseline	0.1654	0.5106	0.098	0.0678	0.0514	0.214	0.1908	0.5118	0.0926	0.0754	0.0564
DeepLIFT_SSHAP	Single	baseline	0.1654	0.5106	0.098	0.0678	0.0514	0.214	0.1908	0.5118	0.0926	0.0754	0.0564
DeepLIFT_SSHAP	Single	baseline	0.1654	0.5106	0.098	0.0678	0.0514	0.214	0.1908	0.5118	0.0926	0.0754	0.0564
DeepLIFT_SSHAP	Single	baseline	0.1654	0.5106	0.098	0.0678	0.0514	0.214	0.1908	0.5118	0.0926	0.0754	0.0564
FeatureAb	Single	patch_size_10	0.169	0.3048	0.0756	0.0504	0.0502	0.1974	0.1762	0.5552	0.2654	0.0626	0.0624
FeatureAb	Single	patch_size_10	0.169	0.3048	0.0756	0.0504	0.0502	0.1974	0.1762	0.5552	0.2654	0.0626	0.0624
GradientSh	Single	baselines_0.4776	0.027	0.0488	0.0352	0.166	0.1196	0.5742	0.2004	0.0598	0.0424	0.0424	0.0424
GradientSh	Single	baselines_0.4776	0.027	0.0488	0.0352	0.166	0.1196	0.5742	0.2004	0.0598	0.0424	0.0424	0.0424
GradientSh	Single	baselines_0.4776	0.027	0.0488	0.0352	0.166	0.1196	0.5742	0.2004	0.0598	0.0424	0.0424	0.0424
GradientSh	Single	baselines_0.4776	0.027	0.0488	0.0352	0.166	0.1196	0.5742	0.2004	0.0598	0.0424	0.0424	0.0424
GradientSh	Single	baselines_0.4776	0.027	0.0488	0.0352	0.166	0.1196	0.5742	0.2004	0.0598	0.0424	0.0424	0.0424
GradientSh	Single	baselines_0.4776	0.027	0.0488	0.0352	0.166	0.1196	0.5742	0.2004	0.0598	0.0424	0.0424	0.0424
GuidedBack	Single	0.1584	0.1454	0.2884	0.1298	0.069	0.0612	0.1796	0.1332	0.5678	0.2198	0.0612	0.037
GuidedBack	Single	0.1584	0.1454	0.2884	0.1298	0.069	0.0612	0.1796	0.1332	0.5678	0.2198	0.0612	0.037
InputXGra	Single	0.2094	0.213	0.3978	0.0372	0.0814	0.0854	0.176	0.1208	0.5774	0.1834	0.0632	0.0528
InputXGra	Single	0.2094	0.213	0.3978	0.0372	0.0814	0.0854	0.176	0.1208	0.5774	0.1834	0.0632	0.0528
IntegratedGr	Single	baselines_0.1862	0.0148	0.0536	0.0478	0.1688	0.1106	0.5728	0.1858	0.0612	0.0426	0.0426	0.0426
IntegratedGr	Single	baselines_0.1862	0.0148	0.0536	0.0478	0.1688	0.1106	0.5728	0.1858	0.0612	0.0426	0.0426	0.0426
IntegratedGr	Single	baselines_0.1862	0.0148	0.0536	0.0478	0.1688	0.1106	0.5728	0.1858	0.0612	0.0426	0.0426	0.0426
IntegratedGr	Single	baselines_0.1862	0.0148	0.0536	0.0478	0.1688	0.1106	0.5728	0.1858	0.0612	0.0426	0.0426	0.0426
IntegratedGr	Single	baselines_0.1862	0.0148	0.0536	0.0478	0.1688	0.1106	0.5728	0.1858	0.0612	0.0426	0.0426	0.0426
Occlusion	Single	baselines_global	0.0522	0.0684	0.065	0.1784	0.1332	0.5798	0.286	0.0616	0.0412	0.0412	0.0412
Occlusion	Single	baselines_global	0.0522	0.0684	0.065	0.1784	0.1332	0.5798	0.286	0.0616	0.0412	0.0412	0.0412
Saliency	Single	0.1942	0.1814	0.3646	0.0324	0.0672	0.0614	0.1716	0.1196	0.5766	0.2362	0.0624	0.0476
Saliency	Single	0.1942	0.1814	0.3646	0.0324	0.0672	0.0614	0.1716	0.1196	0.5766	0.2362	0.0624	0.0476

Table 216: ImageNet-ResNet-18 results.

Method	Type	Acc ReplaceTop	Cons ReplaceTop	Acc ReplaceBottom	Cons ReplaceBottom
Borda (n=2)	Ensemble	0.1028	0.126	0.5766	0.7462
Borda (n=3)	Ensemble	0.1198	0.1442	0.5816	0.7572
Borda (n=4)	Ensemble	0.1406	0.1692	0.5854	0.7534
Borda (n=5)	Ensemble	0.1544	0.1852	0.5784	0.748
Borda (n=6)	Ensemble	0.1564	0.1856	0.5794	0.7566
Borda (n=7)	Ensemble	0.161	0.1932	0.5902	0.7718
Borda (n=8)	Ensemble	0.165	0.1998	0.5926	0.7802
Kemeny-Young (n=2)	Ensemble	0.1028	0.126	0.5766	0.7462
Kemeny-Young (n=3)	Ensemble	0.1198	0.1442	0.5816	0.7572
Kemeny-Young (n=4)	Ensemble	0.1406	0.1692	0.5854	0.7534
Kemeny-Young (n=5)	Ensemble	0.1544	0.1852	0.5784	0.748
Kemeny-Young (n=6)	Ensemble	0.1564	0.1856	0.5794	0.7566
Kemeny-Young (n=7)	Ensemble	0.161	0.1932	0.5902	0.7718
Kemeny-Young (n=8)	Ensemble	0.165	0.1998	0.5926	0.7802
RRF (n=2)	Ensemble	0.1088	0.134	0.5762	0.745
RRF (n=3)	Ensemble	0.1416	0.1688	0.5736	0.745
RRF (n=4)	Ensemble	0.1442	0.1752	0.5708	0.7444
RRF (n=5)	Ensemble	0.1454	0.1774	0.5834	0.7558
RRF (n=6)	Ensemble	0.1586	0.1906	0.582	0.7606
RRF (n=7)	Ensemble	0.1632	0.1998	0.5894	0.7694
RRF (n=8)	Ensemble	0.172	0.2044	0.5948	0.7864
Schulze (n=2)	Ensemble	0.107	0.1306	0.5758	0.7494
Schulze (n=3)	Ensemble	0.1314	0.1586	0.575	0.7452
Schulze (n=4)	Ensemble	0.1426	0.1722	0.568	0.7408
Schulze (n=5)	Ensemble	0.1662	0.1974	0.572	0.74
Schulze (n=6)	Ensemble	0.1818	0.221	0.5758	0.7452
Schulze (n=7)	Ensemble	0.1988	0.2374	0.5752	0.7512
Schulze (n=8)	Ensemble	0.1944	0.2372	0.5766	0.7536
norm_ensemble (n=2)	Ensemble	0.1288	0.1524	0.5742	0.7472
norm_ensemble (n=3)	Ensemble	0.1776	0.2146	0.5708	0.7418
norm_ensemble (n=4)	Ensemble	0.1726	0.2066	0.5716	0.7382
norm_ensemble (n=5)	Ensemble	0.1696	0.2016	0.5818	0.7508
norm_ensemble (n=6)	Ensemble	0.174	0.2104	0.5794	0.749

Method	Type	Acc ReplaceTop	Cons ReplaceTop	Acc ReplaceBottom	Cons ReplaceBottom
norm_ensemble (n=7)	Ensemble	0.1764	0.2152	0.5626	0.7146
norm_ensemble (n=8)	Ensemble	0.1808	0.2202	0.5704	0.7286
Deconvolut	Single	0.296	0.3636	0.5698	0.7314
Deconvolut	Single	0.296	0.3636	0.5698	0.7314
DeepLIFT_SSAP	Single	0.3848	0.465	0.3848	0.465
DeepLIFT_SSAP	Single	0.3848	0.465	0.3848	0.465
DeepLIFT_SSAP	Single	0.3848	0.465	0.3848	0.465
DeepLIFT_SSAP	Single	0.3848	0.465	0.3848	0.465
DeepLIFT_SSAP	Single	0.3848	0.465	0.3848	0.465
DeepLIFT_SSAP	Single	0.3848	0.465	0.3848	0.465
DeepLIFT_Sing	Single	0.5016	0.5016	0.3848	0.465
DeepLIFT_Sing	Single	0.5016	0.5016	0.3848	0.465
FeatureAb	Single	0.1996	0.1996	0.4936	0.6146
FeatureAb	Single	0.1996	0.1996	0.4936	0.6146
GradientSh	Single	0.7492	0.7492	0.7492	0.7492
GradientSh	Single	0.7492	0.7492	0.7492	0.7492
GradientSh	Single	0.7488	0.7488	0.7488	0.7488
GradientSh	Single	0.7488	0.7488	0.7488	0.7488
GuidedBac	Single	0.1214	0.149	0.556	0.7154
GuidedBac	Single	0.1214	0.149	0.556	0.7154
InputXGra	Single	0.2464	0.3008	0.5514	0.7072
InputXGra	Single	0.2464	0.3008	0.5514	0.7072
Integrated	Single	0.5684	0.5684	0.5684	0.7342
Integrated	Single	0.5684	0.5684	0.5684	0.7342
Integrated	Single	0.568	0.568	0.568	0.7342
Integrated	Single	0.568	0.568	0.568	0.7342
Occlusion	Single	0.5518	0.5518	0.5518	0.7088
Occlusion	Single	0.5518	0.5518	0.5518	0.7088
Saliency	Single	0.214	0.2592	0.5616	0.7266
Saliency	Single	0.214	0.2592	0.5616	0.7266

Table 217: ImageNet–ResNet-18 results.

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
Borda (n=2)	Ensemble	0.0676	0.069	0.1008	0.2852	0.0236	0.0248	0.1872	0.1702	0.5536	0.2392	0.0628	0.0472
Borda (n=3)	Ensemble	0.0764	0.0766	0.1174	0.2704	0.0206	0.0162	0.1894	0.1794	0.557	0.2386	0.067	0.0564
Borda (n=4)	Ensemble	0.0838	0.0844	0.1372	0.2482	0.0278	0.0242	0.199	0.1812	0.5606	0.2266	0.0732	0.0514
Borda (n=5)	Ensemble	0.0934	0.0904	0.1508	0.2322	0.0314	0.0274	0.1914	0.1748	0.5534	0.2176	0.0658	0.0472
Borda (n=6)	Ensemble	0.0876	0.0838	0.1526	0.2336	0.0364	0.0314	0.1844	0.1674	0.555	0.2236	0.0722	0.0616
Borda (n=7)	Ensemble	0.0914	0.0894	0.1572	0.225	0.0342	0.033	0.1972	0.19	0.567	0.2372	0.0734	0.0676
Borda (n=8)	Ensemble	0.1002	0.095	0.1608	0.222	0.0368	0.0366	0.1922	0.1844	0.5674	0.2476	0.0792	0.0814
Kemeny-Young (n=2)	Ensemble	0.0676	0.069	0.1008	0.2852	0.0236	0.0248	0.1872	0.1702	0.5536	0.2392	0.0628	0.0472
Kemeny-Young (n=3)	Ensemble	0.0764	0.0766	0.1174	0.2704	0.0206	0.0162	0.1894	0.1794	0.557	0.2386	0.067	0.0564
Kemeny-Young (n=4)	Ensemble	0.0838	0.0844	0.1372	0.2482	0.0278	0.0242	0.199	0.1812	0.5606	0.2266	0.0732	0.0514
Kemeny-Young (n=5)	Ensemble	0.0934	0.0904	0.1508	0.2322	0.0314	0.0274	0.1914	0.1748	0.5534	0.2176	0.0658	0.0472
Kemeny-Young (n=6)	Ensemble	0.0876	0.0838	0.1526	0.2336	0.0364	0.0314	0.1844	0.1674	0.555	0.2236	0.0722	0.0616
Kemeny-Young (n=7)	Ensemble	0.0914	0.0894	0.1572	0.225	0.0342	0.033	0.1972	0.19	0.567	0.2372	0.0734	0.0676
Kemeny-Young (n=8)	Ensemble	0.1002	0.095	0.1608	0.222	0.0368	0.0366	0.1922	0.1844	0.5674	0.2476	0.0792	0.0814
RRF (n=2)	Ensemble	0.0746	0.0762	0.1048	0.2858	0.0268	0.0294	0.1866	0.1664	0.5504	0.215	0.0778	0.059
RRF (n=3)	Ensemble	0.0918	0.089	0.1378	0.2496	0.038	0.0332	0.184	0.1712	0.5488	0.2104	0.0708	0.0566
RRF (n=4)	Ensemble	0.0938	0.0932	0.1406	0.2428	0.0332	0.0342	0.186	0.177	0.5476	0.2126	0.0684	0.056
RRF (n=5)	Ensemble	0.0908	0.0884	0.1418	0.2402	0.0294	0.0254	0.1976	0.1806	0.5602	0.2218	0.0842	0.0728
RRF (n=6)	Ensemble	0.096	0.0956	0.1548	0.2274	0.0358	0.0346	0.185	0.1694	0.558	0.2252	0.0724	0.0678
RRF (n=7)	Ensemble	0.0966	0.0992	0.1594	0.2172	0.0326	0.034	0.1946	0.1792	0.5658	0.2412	0.0724	0.055
RRF (n=8)	Ensemble	0.1042	0.0992	0.1682	0.217	0.0334	0.0312	0.187	0.1686	0.5712	0.2598	0.0774	0.0754
Schulze (n=2)	Ensemble	0.0724	0.0746	0.1032	0.2912	0.026	0.0292	0.1884	0.1766	0.553	0.2246	0.078	0.0694
Schulze (n=3)	Ensemble	0.0896	0.0894	0.1282	0.2558	0.0348	0.0324	0.1792	0.1584	0.5508	0.2134	0.072	0.0586
Schulze (n=4)	Ensemble	0.0922	0.0918	0.139	0.2422	0.0304	0.031	0.179	0.1616	0.5452	0.2114	0.0682	0.0572
Schulze (n=5)	Ensemble	0.102	0.0946	0.1622	0.2216	0.0376	0.0298	0.189	0.1704	0.5506	0.21	0.0738	0.0636
Schulze (n=6)	Ensemble	0.1206	0.1236	0.1784	0.1978	0.0548	0.0562	0.1838	0.1658	0.554	0.2122	0.077	0.0658
Schulze (n=7)	Ensemble	0.1234	0.128	0.1946	0.183	0.0472	0.0446	0.1872	0.1734	0.5526	0.216	0.0706	0.0656
Schulze (n=8)	Ensemble	0.117	0.1232	0.1894	0.1846	0.041	0.0394	0.1868	0.171	0.5538	0.2208	0.0752	0.0694
norm_ensemble (n=2)	Ensemble	0.086	0.0868	0.1248	0.2626	0.0266	0.0224	0.1906	0.173	0.5496	0.223	0.0798	0.065
norm_ensemble (n=3)	Ensemble	0.1132	0.117	0.1736	0.2002	0.046	0.0458	0.1984	0.1846	0.5458	0.211	0.0828	0.078
norm_ensemble (n=4)	Ensemble	0.1114	0.1136	0.169	0.2082	0.0456	0.0458	0.19	0.1768	0.5476	0.2068	0.0774	0.0666

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
norm_ensemble (n=5)	Ensemble	0.1106	0.1098	0.166	0.2136	0.0422	0.0394	0.2024	0.1894	0.5598	0.2176	0.0886	0.0792
norm_ensemble (n=6)	Ensemble	0.11	0.1122	0.1704	0.2054	0.0418	0.0418	0.1852	0.1694	0.557	0.2198	0.0752	0.0612
norm_ensemble (n=7)	Ensemble	0.1106	0.1138	0.1734	0.2002	0.0386	0.0366	0.1742	0.1384	0.5402	0.1848	0.0516	0.017
norm_ensemble (n=8)	Ensemble	0.1124	0.1148	0.177	0.1982	0.0408	0.0412	0.2002	0.2058	0.5514	0.2184	0.0656	0.0384
Deconvolut	Single	0.1848	0.1946	0.2906	0.0626	0.0672	0.0674	0.1934	0.1642	0.545	0.2176	0.0674	0.0572
Deconvolut	Single	0.1848	0.1946	0.2906	0.0626	0.0672	0.0674	0.1934	0.1642	0.545	0.2176	0.0674	0.0572
DeepLIFT_SSHAP	SHAP	0.1946	0.1946	0.401	0.0902	0.0688	0.0658	0.206	0.2114	0.3724	0.0392	0.0768	0.0724
DeepLIFT_SSHAP	SHAP	0.1946	0.1946	0.401	0.0902	0.0688	0.0658	0.206	0.2114	0.3724	0.0392	0.0768	0.0724
DeepLIFT_SSHAP	SHAP	0.1946	0.1946	0.401	0.0902	0.0688	0.0658	0.206	0.2114	0.3724	0.0392	0.0768	0.0724
DeepLIFT_SSHAP	SHAP	0.1946	0.1946	0.401	0.0902	0.0688	0.0658	0.206	0.2114	0.3724	0.0392	0.0768	0.0724
DeepLIFT_SSHAP	SHAP	0.1946	0.1946	0.401	0.0902	0.0688	0.0658	0.206	0.2114	0.3724	0.0392	0.0768	0.0724
DeepLIFT_SSHAP	SHAP	0.1946	0.1946	0.401	0.0902	0.0688	0.0658	0.206	0.2114	0.3724	0.0392	0.0768	0.0724
FeatureAb	Single_patch_0120786	0.1102	0.1588	0.2154	0.03	0.0312	0.2248	0.24	0.4814	0.185	0.076	0.0872	
FeatureAb	Single_patch_0120786	0.1102	0.1588	0.2154	0.03	0.0312	0.2248	0.24	0.4814	0.185	0.076	0.0872	
GradientSh	Single	0.1824	0.0378	0.0276	0.1852	0.1754	0.5508	0.2182	0.0766	0.0698			
GradientSh	Single	0.1824	0.0378	0.0276	0.1852	0.1754	0.5508	0.2182	0.0766	0.0698			
GradientSh	Single	0.1768	0.0404	0.0366	0.1866	0.1762	0.5524	0.2204	0.0778	0.0678			
GradientSh	Single	0.1768	0.0404	0.0366	0.1866	0.1762	0.5524	0.2204	0.0778	0.0678			
GuidedBack	Single	0.0766	0.0806	0.1174	0.2712	0.0314	0.0332	0.1936	0.176	0.5354	0.222	0.0642	0.0524
GuidedBack	Single	0.0766	0.0806	0.1174	0.2712	0.0314	0.0332	0.1936	0.176	0.5354	0.222	0.0642	0.0524
InputXGra	Single	0.156	0.1634	0.2424	0.1206	0.0566	0.0604	0.1822	0.163	0.5294	0.1826	0.0712	0.0618
InputXGra	Single	0.156	0.1634	0.2424	0.1206	0.0566	0.0604	0.1822	0.163	0.5294	0.1826	0.0712	0.0618
Integrated	Single	0.1712	0.0358	0.0344	0.1872	0.1706	0.5464	0.2052	0.076	0.064			
Integrated	Single	0.1712	0.0358	0.0344	0.1872	0.1706	0.5464	0.2052	0.076	0.064			
Integrated	Single	0.1702	0.0378	0.0346	0.1844	0.1688	0.546	0.2062	0.075	0.0634			
Integrated	Single	0.1702	0.0378	0.0346	0.1844	0.1688	0.546	0.2062	0.075	0.0634			
Occlusion	Single	0.17	0.0396	0.0394	0.1992	0.1974	0.5332	0.2528	0.0744	0.0682			
Occlusion	Single	0.17	0.0396	0.0394	0.1992	0.1974	0.5332	0.2528	0.0744	0.0682			
Saliency	Single	0.1352	0.1438	0.2096	0.1652	0.0476	0.0508	0.1776	0.1618	0.5376	0.2346	0.0606	0.0516
Saliency	Single	0.1352	0.1438	0.2096	0.1652	0.0476	0.0508	0.1776	0.1618	0.5376	0.2346	0.0606	0.0516

Table 218: ImageNet-ResNet-18 results.

Method	Type	Acc ReplaceTop	Cons ReplaceTop	Acc ReplaceBottom	Cons ReplaceBottom
Borda (n=2)	Ensemble	0.5118	0.6444	0.6322	0.9288
Borda (n=3)	Ensemble	0.4942	0.6206	0.6324	0.9372
Borda (n=4)	Ensemble	0.4962	0.6228	0.6304	0.9432
Borda (n=5)	Ensemble	0.5024	0.6344	0.6322	0.9414
Borda (n=6)	Ensemble	0.5022	0.6406	0.631	0.9422
Borda (n=7)	Ensemble	0.5092	0.6468	0.6332	0.9412
Borda (n=8)	Ensemble	0.5128	0.6512	0.634	0.9402
Kemeny-Young (n=2)	Ensemble	0.5118	0.6444	0.6322	0.9288
Kemeny-Young (n=3)	Ensemble	0.4942	0.6206	0.6324	0.9372
Kemeny-Young (n=4)	Ensemble	0.4962	0.6228	0.6304	0.9432
Kemeny-Young (n=5)	Ensemble	0.5024	0.6344	0.6322	0.9414
Kemeny-Young (n=6)	Ensemble	0.5022	0.6406	0.631	0.9422
Kemeny-Young (n=7)	Ensemble	0.5092	0.6468	0.6332	0.9412
Kemeny-Young (n=8)	Ensemble	0.5128	0.6512	0.634	0.9402
RRF (n=2)	Ensemble	0.4934	0.6178	0.6312	0.9296
RRF (n=3)	Ensemble	0.4892	0.6132	0.6316	0.9276
RRF (n=4)	Ensemble	0.498	0.624	0.6308	0.927
RRF (n=5)	Ensemble	0.5056	0.6348	0.6334	0.9334
RRF (n=6)	Ensemble	0.5116	0.6456	0.6346	0.932
RRF (n=7)	Ensemble	0.5188	0.6546	0.6326	0.9438
RRF (n=8)	Ensemble	0.5166	0.6574	0.6308	0.9386
Schulze (n=2)	Ensemble	0.4958	0.6242	0.6308	0.9286
Schulze (n=3)	Ensemble	0.5028	0.6252	0.6326	0.9278
Schulze (n=4)	Ensemble	0.4992	0.6268	0.63	0.9266
Schulze (n=5)	Ensemble	0.5154	0.6562	0.6322	0.9274
Schulze (n=6)	Ensemble	0.5344	0.6874	0.6324	0.9272
Schulze (n=7)	Ensemble	0.5446	0.7078	0.6332	0.93
Schulze (n=8)	Ensemble	0.5414	0.7014	0.633	0.9316
norm_ensemble (n=2)	Ensemble	0.505	0.6486	0.6292	0.9304
norm_ensemble (n=3)	Ensemble	0.5198	0.669	0.6306	0.9292
norm_ensemble (n=4)	Ensemble	0.5174	0.6636	0.6288	0.9286
norm_ensemble (n=5)	Ensemble	0.5154	0.658	0.632	0.9312
norm_ensemble (n=6)	Ensemble	0.5154	0.6596	0.6312	0.93

Method	Type	Acc	Cons	Acc	Cons
		ReplaceTop	ReplaceTop	ReplaceBottom	ReplaceBottom
norm_ensemble (n=7)	Ensemble	0.5214	0.661	0.6276	0.8986
norm_ensemble (n=8)	Ensemble	0.5154	0.6518	0.627	0.9026
Deconvolutional	Single	0.5864	0.7922	0.6306	0.916
Deconvolutional	Single	0.5864	0.7922	0.6306	0.916
DeepLIFT	SPLIT_baseline	0.6182	0.8556	0.6254	0.8746
DeepLIFT	SPLIT_baseline	0.6182	0.8556	0.6254	0.8746
DeepLIFT	SPLIT_baseline	0.6182	0.8556	0.6254	0.8746
DeepLIFT	SPLIT_baseline	0.6182	0.8556	0.6254	0.8746
DeepLIFT	Signelines_glo	0.6182	0.8556	0.6254	0.8746
DeepLIFT	Signelines_glo	0.6182	0.8556	0.6254	0.8746
FeatureAb	Single_patch	0.6066	0.6332	0.6264	0.8966
FeatureAb	Single_patch	0.6066	0.6332	0.6264	0.8966
GradientSign	Signelines_0.5	0.6182	0.7194	0.6218	0.9282
GradientSign	Signelines_0.5	0.6182	0.7194	0.6218	0.9282
GradientSign	Signelines_0.5	0.6182	0.7194	0.6218	0.9282
GradientSign	Signelines_0.5	0.6182	0.7194	0.6218	0.9282
GuidedBackprop	Single	0.5278	0.6832	0.6286	0.8964
GuidedBackprop	Single	0.5278	0.6832	0.6286	0.8964
InputXGrad	Single	0.5602	0.7458	0.6318	0.922
InputXGrad	Single	0.5602	0.7458	0.6318	0.922
IntegratedGradients	Signelines_baseline_zero	0.7218	0.7218	0.6292	0.924
IntegratedGradients	Signelines_baseline_zero	0.7218	0.7218	0.6292	0.924
IntegratedGradients	Signelines_baseline_zero	0.7198	0.7198	0.6298	0.9246
IntegratedGradients	Signelines_baseline_zero	0.7198	0.7198	0.6298	0.9246
Occlusion	Signelines_glo	0.5212	0.6306	size_16	0.6312
Occlusion	Signelines_glo	0.5212	0.6306	size_16	0.6312
Saliency	Single	0.5558	0.7256	0.628	0.9186
Saliency	Single	0.5558	0.7256	0.628	0.9186

Table 219: ImageNet–ResNet-18 results.

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
Borda (n=2)	Ensemble	0.2064	0.1906	0.4926	0.0204	0.0716	0.0684	0.154	0.06	0.5818	0.1006	0.0584	0.0212
Borda (n=3)	Ensemble	0.2064	0.1788	0.4748	0.0038	0.0632	0.0616	0.1522	0.0688	0.5828	0.1104	0.0582	0.0356
Borda (n=4)	Ensemble	0.1994	0.1746	0.4756	0.0052	0.0614	0.0566	0.1496	0.0714	0.5784	0.1126	0.0482	0.026
Borda (n=5)	Ensemble	0.2018	0.1746	0.4816	0.0178	0.0552	0.0558	0.1506	0.072	0.582	0.113	0.051	0.0228
Borda (n=6)	Ensemble	0.1936	0.1694	0.4804	0.0284	0.0556	0.056	0.149	0.0706	0.5804	0.109	0.0498	0.0214
Borda (n=7)	Ensemble	0.1946	0.1676	0.487	0.0288	0.0616	0.0574	0.1532	0.0678	0.5816	0.11	0.055	0.0216
Borda (n=8)	Ensemble	0.1948	0.1664	0.4908	0.0342	0.062	0.0554	0.1532	0.05	0.5826	0.1058	0.0556	0.0222
Kemeny-Young (n=2)	Ensemble	0.2064	0.1906	0.4926	0.0204	0.0716	0.0684	0.154	0.06	0.5818	0.1006	0.0584	0.0212
Kemeny-Young (n=3)	Ensemble	0.2064	0.1788	0.4748	0.0038	0.0632	0.0616	0.1522	0.0688	0.5828	0.1104	0.0582	0.0356
Kemeny-Young (n=4)	Ensemble	0.1994	0.1746	0.4756	0.0052	0.0614	0.0566	0.1496	0.0714	0.5784	0.1126	0.0482	0.026
Kemeny-Young (n=5)	Ensemble	0.2018	0.1746	0.4816	0.0178	0.0552	0.0558	0.1506	0.072	0.582	0.113	0.051	0.0228
Kemeny-Young (n=6)	Ensemble	0.1936	0.1694	0.4804	0.0284	0.0556	0.056	0.149	0.0706	0.5804	0.109	0.0498	0.0214
Kemeny-Young (n=7)	Ensemble	0.1946	0.1676	0.487	0.0288	0.0616	0.0574	0.1532	0.0678	0.5816	0.11	0.055	0.0216
Kemeny-Young (n=8)	Ensemble	0.1948	0.1664	0.4908	0.0342	0.062	0.0554	0.1532	0.05	0.5826	0.1058	0.0556	0.0222
RRF (n=2)	Ensemble	0.2008	0.172	0.4744	0.008	0.0636	0.0564	0.1552	0.0602	0.5824	0.1054	0.057	0.0224
RRF (n=3)	Ensemble	0.2012	0.1754	0.4692	0.008	0.0602	0.0572	0.1532	0.0596	0.5824	0.1	0.0546	0.0262
RRF (n=4)	Ensemble	0.202	0.1794	0.4768	0.0046	0.0626	0.0592	0.152	0.062	0.5806	0.0984	0.0548	0.0222
RRF (n=5)	Ensemble	0.2038	0.1706	0.4858	0.0204	0.069	0.0662	0.1548	0.0698	0.5822	0.1062	0.058	0.0278
RRF (n=6)	Ensemble	0.201	0.1674	0.4908	0.0278	0.0664	0.0596	0.1548	0.061	0.583	0.1006	0.059	0.0268
RRF (n=7)	Ensemble	0.2006	0.1666	0.497	0.0336	0.0672	0.055	0.1524	0.0726	0.5816	0.1182	0.055	0.0366
RRF (n=8)	Ensemble	0.1904	0.1576	0.4956	0.034	0.0682	0.0552	0.15	0.0436	0.5788	0.1038	0.0548	0.0314
Schulze (n=2)	Ensemble	0.201	0.1732	0.4762	0	0.0658	0.0622	0.1542	0.0604	0.5814	0.107	0.0546	0.0208
Schulze (n=3)	Ensemble	0.2098	0.1878	0.4826	0.0006	0.069	0.0638	0.154	0.0564	0.5824	0.097	0.0562	0.0224
Schulze (n=4)	Ensemble	0.206	0.1882	0.4792	0.0082	0.0634	0.0554	0.1528	0.0632	0.5808	0.0988	0.0552	0.0156
Schulze (n=5)	Ensemble	0.2006	0.1768	0.4938	0.0304	0.065	0.0656	0.1534	0.0642	0.5826	0.0974	0.0582	0.0154
Schulze (n=6)	Ensemble	0.2142	0.1948	0.507	0.0538	0.0898	0.0906	0.154	0.0632	0.5834	0.0966	0.0572	0.0182
Schulze (n=7)	Ensemble	0.2098	0.181	0.518	0.0716	0.0798	0.0722	0.1552	0.0628	0.5842	0.1006	0.0574	0.0212
Schulze (n=8)	Ensemble	0.1962	0.1588	0.5142	0.0672	0.0684	0.0486	0.154	0.059	0.5826	0.0994	0.057	0.021
norm_ensemble (n=2)	Ensemble	0.204	0.177	0.4816	0.0276	0.0684	0.0624	0.152	0.0614	0.5798	0.1084	0.052	0.0226
norm_ensemble (n=3)	Ensemble	0.2	0.1796	0.4962	0.0482	0.0726	0.0686	0.1554	0.0814	0.5802	0.1038	0.055	0.0356
norm_ensemble (n=4)	Ensemble	0.2026	0.1808	0.4946	0.045	0.0732	0.063	0.1544	0.0764	0.5788	0.0978	0.0534	0.0308

Table 220: ImageNet-ResNet-18 results.

Method	Type	Acc ReplaceTop	Cons ReplaceTop	Acc ReplaceBottom	Cons ReplaceBottom
Borda (n=2)	Ensemble	0.048	0.0598	0.527	0.6584
Borda (n=3)	Ensemble	0.0612	0.0756	0.5356	0.6736
Borda (n=4)	Ensemble	0.074	0.0944	0.5344	0.6734
Borda (n=5)	Ensemble	0.0822	0.103	0.5292	0.6652
Borda (n=6)	Ensemble	0.0872	0.1082	0.5332	0.6664
Borda (n=7)	Ensemble	0.0918	0.114	0.5452	0.6918
Borda (n=8)	Ensemble	0.0906	0.1102	0.5388	0.678
Kemeny-Young (n=2)	Ensemble	0.048	0.0598	0.527	0.6584
Kemeny-Young (n=3)	Ensemble	0.0612	0.0756	0.5356	0.6736
Kemeny-Young (n=4)	Ensemble	0.074	0.0944	0.5344	0.6734
Kemeny-Young (n=5)	Ensemble	0.0822	0.103	0.5292	0.6652
Kemeny-Young (n=6)	Ensemble	0.0872	0.1082	0.5332	0.6664
Kemeny-Young (n=7)	Ensemble	0.0918	0.114	0.5452	0.6918
Kemeny-Young (n=8)	Ensemble	0.0906	0.1102	0.5388	0.678
RRF (n=2)	Ensemble	0.0522	0.0648	0.5266	0.659
RRF (n=3)	Ensemble	0.065	0.081	0.5206	0.653
RRF (n=4)	Ensemble	0.072	0.0872	0.5198	0.6466
RRF (n=5)	Ensemble	0.08	0.099	0.5328	0.6744
RRF (n=6)	Ensemble	0.0868	0.1076	0.5308	0.6718
RRF (n=7)	Ensemble	0.088	0.1102	0.5446	0.6912
RRF (n=8)	Ensemble	0.0914	0.1144	0.5576	0.7088
Schulze (n=2)	Ensemble	0.0474	0.06	0.523	0.6534
Schulze (n=3)	Ensemble	0.0634	0.075	0.521	0.6546
Schulze (n=4)	Ensemble	0.0648	0.08	0.513	0.6374
Schulze (n=5)	Ensemble	0.086	0.1094	0.5152	0.646
Schulze (n=6)	Ensemble	0.0988	0.1222	0.52	0.6506
Schulze (n=7)	Ensemble	0.106	0.1318	0.525	0.6562
Schulze (n=8)	Ensemble	0.1066	0.1322	0.5244	0.6608
norm_ensemble (n=2)	Ensemble	0.0614	0.0762	0.5174	0.6494
norm_ensemble (n=3)	Ensemble	0.0838	0.1018	0.517	0.644
norm_ensemble (n=4)	Ensemble	0.0836	0.1024	0.5184	0.6432
norm_ensemble (n=5)	Ensemble	0.0864	0.1034	0.5258	0.657
norm_ensemble (n=6)	Ensemble	0.0896	0.1084	0.5274	0.6616

Method	Type	Acc ReplaceTop	Cons ReplaceTop	Acc ReplaceBottom	Cons ReplaceBottom
norm_ensemble (n=7)	Ensemble	0.0966	0.1168	0.5156	0.6404
norm_ensemble (n=8)	Ensemble	0.1008	0.1244	0.5266	0.6528
Deconvolut	Single	0.196	0.2414	0.5152	0.632
Deconvolut	Single	0.196	0.2414	0.5152	0.632
DeepLIFT_Sali	Single	0.364	0.4038	0.3038	0.3644
DeepLIFT_Sali	Single	0.364	0.4038	0.3038	0.3644
DeepLIFT_Sali	Single	0.364	0.4038	0.3038	0.3644
DeepLIFT_Sali	Single	0.364	0.4038	0.3038	0.3644
DeepLIFT_Sali	Single	0.364	0.4038	0.3038	0.3644
DeepLIFT_Sali	Single	0.364	0.4038	0.3038	0.3644
DeepLIFT_Sali	Single	0.364	0.4038	0.3038	0.3644
FeatureAb	Single	0.0926	0.0984	0.3886	0.4626
FeatureAb	Single	0.0926	0.0984	0.3886	0.4626
GradientSh	Single	0.6094	0.398	0.5204	0.653
GradientSh	Single	0.6094	0.398	0.5204	0.653
GradientSh	Single	0.6094	0.398	0.5204	0.6518
GradientSh	Single	0.6094	0.398	0.5204	0.6518
GuidedBac	Single	0.0548	0.0674	0.5052	0.629
GuidedBac	Single	0.0548	0.0674	0.5052	0.629
InputXGra	Single	0.1474	0.1824	0.4816	0.5984
InputXGra	Single	0.1474	0.1824	0.4816	0.5984
Integrated	Single	0.1168	0.1446	0.5126	0.6358
Integrated	Single	0.1168	0.1446	0.5126	0.6358
Integrated	Single	0.1168	0.1446	0.5136	0.6376
Integrated	Single	0.1168	0.1446	0.5136	0.6376
Occlusion	Single	0.124	0.1486	0.4736	0.5854
Occlusion	Single	0.124	0.1486	0.4736	0.5854
Saliency	Single	0.1216	0.15	0.5094	0.6368
Saliency	Single	0.1216	0.15	0.5094	0.6368

Table 221: ImageNet–ResNet-18 results.

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
Borda (n=2)	Ensemble	0.0358	0.0364	0.0464	0.3468	0.0152	0.0146	0.1976	0.1956	0.5082	0.1902	0.0516	0.0248
Borda (n=3)	Ensemble	0.0424	0.0436	0.0596	0.329	0.016	0.0168	0.208	0.2086	0.5156	0.1994	0.0446	0.0236
Borda (n=4)	Ensemble	0.0482	0.0504	0.0716	0.3124	0.0184	0.0202	0.2064	0.2076	0.5148	0.1966	0.0486	0.0276
Borda (n=5)	Ensemble	0.0536	0.0564	0.0798	0.3054	0.0196	0.0202	0.2056	0.2076	0.51	0.1868	0.0556	0.0384
Borda (n=6)	Ensemble	0.0554	0.057	0.0846	0.3012	0.025	0.0282	0.1958	0.1968	0.515	0.1868	0.0632	0.045
Borda (n=7)	Ensemble	0.0586	0.0626	0.0888	0.2958	0.0232	0.026	0.2034	0.201	0.5266	0.209	0.0792	0.0796
Borda (n=8)	Ensemble	0.0606	0.0594	0.088	0.2998	0.0202	0.0166	0.1954	0.192	0.52	0.1936	0.0772	0.0742
Kemeny-Young (n=2)	Ensemble	0.0358	0.0364	0.0464	0.3468	0.0152	0.0146	0.1976	0.1956	0.5082	0.1902	0.0516	0.0248
Kemeny-Young (n=3)	Ensemble	0.0424	0.0436	0.0596	0.329	0.016	0.0168	0.208	0.2086	0.5156	0.1994	0.0446	0.0236
Kemeny-Young (n=4)	Ensemble	0.0482	0.0504	0.0716	0.3124	0.0184	0.0202	0.2064	0.2076	0.5148	0.1966	0.0486	0.0276
Kemeny-Young (n=5)	Ensemble	0.0536	0.0564	0.0798	0.3054	0.0196	0.0202	0.2056	0.2076	0.51	0.1868	0.0556	0.0384
Kemeny-Young (n=6)	Ensemble	0.0554	0.057	0.0846	0.3012	0.025	0.0282	0.1958	0.1968	0.515	0.1868	0.0632	0.045
Kemeny-Young (n=7)	Ensemble	0.0586	0.0626	0.0888	0.2958	0.0232	0.026	0.2034	0.201	0.5266	0.209	0.0792	0.0796
Kemeny-Young (n=8)	Ensemble	0.0606	0.0594	0.088	0.2998	0.0202	0.0166	0.1954	0.192	0.52	0.1936	0.0772	0.0742
RRF (n=2)	Ensemble	0.0384	0.04	0.0496	0.3448	0.0172	0.0168	0.2122	0.205	0.508	0.1866	0.0898	0.0896
RRF (n=3)	Ensemble	0.044	0.0458	0.0626	0.3274	0.0176	0.0182	0.1926	0.1904	0.501	0.1738	0.0782	0.0726
RRF (n=4)	Ensemble	0.0512	0.0484	0.0702	0.3204	0.0192	0.016	0.1916	0.1842	0.5004	0.168	0.0758	0.0682
RRF (n=5)	Ensemble	0.0524	0.0522	0.0778	0.309	0.0198	0.0194	0.2086	0.2158	0.5138	0.195	0.094	0.0978
RRF (n=6)	Ensemble	0.0608	0.0622	0.0848	0.3008	0.0236	0.023	0.192	0.1898	0.512	0.1914	0.0748	0.0754
RRF (n=7)	Ensemble	0.0602	0.0598	0.0858	0.2996	0.0188	0.0198	0.2052	0.2148	0.5246	0.2134	0.0746	0.067
RRF (n=8)	Ensemble	0.0606	0.0616	0.0888	0.2948	0.0228	0.0206	0.2038	0.2148	0.5374	0.2342	0.0896	0.09
Schulze (n=2)	Ensemble	0.0362	0.035	0.0446	0.3492	0.0128	0.0148	0.207	0.2024	0.505	0.1804	0.0872	0.0854
Schulze (n=3)	Ensemble	0.0498	0.0466	0.0614	0.3314	0.0216	0.0174	0.1936	0.1928	0.5004	0.1736	0.0792	0.0778
Schulze (n=4)	Ensemble	0.0454	0.046	0.0628	0.3264	0.0166	0.0156	0.1922	0.1786	0.4948	0.1568	0.0758	0.0648
Schulze (n=5)	Ensemble	0.0552	0.0564	0.0832	0.2988	0.0134	0.0152	0.198	0.1888	0.4984	0.1698	0.0826	0.0808
Schulze (n=6)	Ensemble	0.0708	0.072	0.096	0.2882	0.0314	0.036	0.1996	0.1886	0.502	0.1734	0.0854	0.0848
Schulze (n=7)	Ensemble	0.0672	0.0704	0.103	0.277	0.0264	0.0254	0.2036	0.1974	0.5064	0.1768	0.0862	0.0822
Schulze (n=8)	Ensemble	0.0682	0.0718	0.1044	0.2774	0.0184	0.0192	0.2002	0.1942	0.5056	0.1826	0.086	0.085
norm_ensemble (n=2)	Ensemble	0.048	0.0508	0.0586	0.3304	0.019	0.0226	0.2024	0.1972	0.4978	0.176	0.0872	0.0858
norm_ensemble (n=3)	Ensemble	0.0602	0.0626	0.0814	0.3042	0.0206	0.0188	0.204	0.2012	0.4972	0.1696	0.0856	0.0834
norm_ensemble (n=4)	Ensemble	0.0586	0.0612	0.0812	0.3036	0.0226	0.0206	0.2006	0.1932	0.5008	0.1666	0.0892	0.0824

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
norm_ensemble (n=5)	Ensemble	0.0616	0.0604	0.0842	0.3032	0.0244	0.0246	0.2092	0.2074	0.5084	0.1804	0.097	0.092
norm_ensemble (n=6)	Ensemble	0.0614	0.0616	0.0872	0.2988	0.0186	0.0168	0.199	0.1964	0.5102	0.1824	0.0838	0.0822
norm_ensemble (n=7)	Ensemble	0.0676	0.0664	0.0942	0.2894	0.0258	0.0226	0.1928	0.1828	0.4986	0.1644	0.0598	0.044
norm_ensemble (n=8)	Ensemble	0.068	0.0718	0.0986	0.2826	0.0256	0.027	0.2192	0.2276	0.5102	0.1856	0.0746	0.0612
Deconvolut	Single	0.1264	0.133	0.1916	0.1752	0.0506	0.0492	0.2032	0.1924	0.4976	0.171	0.0804	0.0728
Deconvolut	Single	0.1264	0.133	0.1916	0.1752	0.0506	0.0492	0.2032	0.1924	0.4976	0.171	0.0804	0.0728
DeepLIFT_SSHAP	SHAP	baseline	0.1848	0.3494	0.0182	0.072	0.062	0.185	0.1956	0.293	0.0358	0.0682	0.0652
DeepLIFT_SSHAP	SHAP	baseline	0.1848	0.3494	0.0182	0.072	0.062	0.185	0.1956	0.293	0.0358	0.0682	0.0652
DeepLIFT_SSHAP	SHAP	baseline	0.1848	0.3494	0.0182	0.072	0.062	0.185	0.1956	0.293	0.0358	0.0682	0.0652
DeepLIFT_SSHAP	SHAP	baseline	0.1848	0.3494	0.0182	0.072	0.062	0.185	0.1956	0.293	0.0358	0.0682	0.0652
DeepLIFT_SSHAP	SHAP	baseline	0.1848	0.3494	0.0182	0.072	0.062	0.185	0.1956	0.293	0.0358	0.0682	0.0652
DeepLIFT_SSHAP	SHAP	baseline	0.1848	0.3494	0.0182	0.072	0.062	0.185	0.1956	0.293	0.0358	0.0682	0.0652
FeatureAb	Single_patch	0.05506	0.0576	0.0768	0.3096	0.0196	0.0194	0.2244	0.2444	0.3802	0.0498	0.0734	0.0758
FeatureAb	Single_patch	0.05506	0.0576	0.0768	0.3096	0.0196	0.0194	0.2244	0.2444	0.3802	0.0498	0.0734	0.0758
GradientSh	SHAP	baseline	0.1848	0.3494	0.0182	0.072	0.062	0.185	0.1956	0.293	0.0358	0.0682	0.0652
GradientSh	SHAP	baseline	0.1848	0.3494	0.0182	0.072	0.062	0.185	0.1956	0.293	0.0358	0.0682	0.0652
GradientSh	SHAP	baseline	0.1848	0.3494	0.0182	0.072	0.062	0.185	0.1956	0.293	0.0358	0.0682	0.0652
GradientSh	SHAP	baseline	0.1848	0.3494	0.0182	0.072	0.062	0.185	0.1956	0.293	0.0358	0.0682	0.0652
GradientSh	SHAP	baseline	0.1848	0.3494	0.0182	0.072	0.062	0.185	0.1956	0.293	0.0358	0.0682	0.0652
GradientSh	SHAP	baseline	0.1848	0.3494	0.0182	0.072	0.062	0.185	0.1956	0.293	0.0358	0.0682	0.0652
GuidedBac	SHAP	baseline	0.1848	0.3494	0.0182	0.072	0.062	0.185	0.1956	0.293	0.0358	0.0682	0.0652
GuidedBac	SHAP	baseline	0.1848	0.3494	0.0182	0.072	0.062	0.185	0.1956	0.293	0.0358	0.0682	0.0652
InputXGra	SHAP	baseline	0.1848	0.3494	0.0182	0.072	0.062	0.185	0.1956	0.293	0.0358	0.0682	0.0652
InputXGra	SHAP	baseline	0.1848	0.3494	0.0182	0.072	0.062	0.185	0.1956	0.293	0.0358	0.0682	0.0652
Integrated	SHAP	baseline	0.1848	0.3494	0.0182	0.072	0.062	0.185	0.1956	0.293	0.0358	0.0682	0.0652
Integrated	SHAP	baseline	0.1848	0.3494	0.0182	0.072	0.062	0.185	0.1956	0.293	0.0358	0.0682	0.0652
Integrated	SHAP	baseline	0.1848	0.3494	0.0182	0.072	0.062	0.185	0.1956	0.293	0.0358	0.0682	0.0652
Integrated	SHAP	baseline	0.1848	0.3494	0.0182	0.072	0.062	0.185	0.1956	0.293	0.0358	0.0682	0.0652
Integrated	SHAP	baseline	0.1848	0.3494	0.0182	0.072	0.062	0.185	0.1956	0.293	0.0358	0.0682	0.0652
Occlusion	SHAP	baseline	0.1848	0.3494	0.0182	0.072	0.062	0.185	0.1956	0.293	0.0358	0.0682	0.0652
Occlusion	SHAP	baseline	0.1848	0.3494	0.0182	0.072	0.062	0.185	0.1956	0.293	0.0358	0.0682	0.0652
Saliency	Single	0.0834	0.0864	0.119	0.2606	0.0294	0.0356	0.183	0.1838	0.4914	0.1806	0.0722	0.0636
Saliency	Single	0.0834	0.0864	0.119	0.2606	0.0294	0.0356	0.183	0.1838	0.4914	0.1806	0.0722	0.0636

Table 222: ImageNet–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.4414	0.6258	0.5446	0.897	0.19	0.159	0.4278	0.0126	0.0548	0.04
Borda	0.4136	0.6282	0.5016	0.9038	0.1958	0.1752	0.4018	0.0356	0.0692	0.0672
Kemeny- Young	0.4126	0.6298	0.5108	0.9094	0.1912	0.1726	0.399	0.0152	0.051	0.0508
RRF	0.4188	0.6256	0.511	0.893	0.2046	0.1906	0.4068	0.0288	0.0698	0.0716
Schulze	0.4168	0.6244	0.513	0.8904	0.193	0.1794	0.4038	0.0248	0.064	0.0714
SimpleAvg	0.4516	0.6248	0.57	0.8924	0.1984	0.1846	0.436	0.0356	0.0702	0.0606
Borda (Indepen- dence)	0.4108	0.628	0.5028	0.9084	0.1882	0.1666	0.399	0.0238	0.0584	0.0582
Kemeny- Young (Indepen- dence)	0.4224	0.6284	0.5236	0.9084	0.194	0.1776	0.4092	0.0064	0.0532	0.055
RRF (Indepen- dence)	0.4154	0.6248	0.5064	0.8936	0.1974	0.1872	0.4032	0.0234	0.066	0.061
Schulze (Indepen- dence)	0.4176	0.623	0.5128	0.8898	0.1932	0.181	0.405	0.0194	0.0594	0.0558
SimpleAvg (Indepen- dence)	0.4498	0.6244	0.5646	0.8894	0.199	0.1836	0.4348	0.0298	0.0672	0.0602

Table 223: ImageNet–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.2954	0.6108	0.3486	0.84	0.1584	0.1454	0.2884	0.0126	0.0488	0.0352
Borda	0.2746	0.6146	0.3254	0.857	0.1542	0.139	0.2676	0.1284	0.0422	0.0326
Kemeny- Young	0.2956	0.6122	0.354	0.8586	0.1582	0.1502	0.2896	0.1044	0.0478	0.0398
RRF	0.2988	0.6086	0.3566	0.8368	0.1676	0.1544	0.2918	0.107	0.058	0.0516
Schulze	0.2886	0.611	0.3458	0.8356	0.1668	0.1584	0.2814	0.1178	0.0566	0.06
SimpleAvg	0.3372	0.6118	0.4156	0.8374	0.1756	0.1712	0.328	0.044	0.0568	0.0546
Borda (Indepen- dence)	0.2902	0.6158	0.3462	0.858	0.1588	0.1494	0.2832	0.1074	0.0548	0.0466
Kemeny- Young (Indepen- dence)	0.3016	0.6146	0.3582	0.8548	0.1574	0.1468	0.294	0.102	0.0528	0.0406
RRF (Indepen- dence)	0.2928	0.6074	0.346	0.8348	0.1628	0.1522	0.286	0.1116	0.0532	0.0424
Schulze (Indepen- dence)	0.303	0.6104	0.3638	0.8316	0.1688	0.1608	0.296	0.094	0.058	0.0582
SimpleAvg (Indepen- dence)	0.3342	0.61	0.41	0.8348	0.1774	0.1754	0.3256	0.0468	0.0596	0.057

Table 224: ImageNet–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.1214	0.5744	0.149	0.7492	0.0766	0.0806	0.1174	0.0626	0.0314	0.0276
Borda	0.1198	0.5816	0.1442	0.7572	0.0764	0.0766	0.1174	0.2704	0.0206	0.0162
Kemeny- Young	0.1544	0.5784	0.1852	0.748	0.0934	0.0904	0.1508	0.2322	0.0314	0.0274
RRF	0.1416	0.5736	0.1688	0.745	0.0918	0.089	0.1378	0.2496	0.038	0.0332
Schulze	0.1314	0.575	0.1586	0.7452	0.0896	0.0894	0.1282	0.2558	0.0348	0.0324
SimpleAvg	0.1776	0.5708	0.2146	0.7418	0.1132	0.117	0.1736	0.2002	0.046	0.0458
Borda (Indepen- dence)	0.1406	0.5854	0.1692	0.7534	0.0838	0.0844	0.1372	0.2482	0.0278	0.0242
Kemeny- Young (Indepen- dence)	0.1564	0.5794	0.1856	0.7566	0.0876	0.0838	0.1526	0.2336	0.0364	0.0314
RRF (Indepen- dence)	0.1442	0.5708	0.1752	0.7444	0.0938	0.0932	0.1406	0.2428	0.0332	0.0342
Schulze (Indepen- dence)	0.1426	0.568	0.1722	0.7408	0.0922	0.0918	0.139	0.2422	0.0304	0.031
SimpleAvg (Indepen- dence)	0.1726	0.5716	0.2066	0.7382	0.1114	0.1136	0.169	0.2082	0.0456	0.0458

Table 225: ImageNet–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.5278	0.6318	0.6832	0.9282	0.1684	0.1024	0.5024	0.0184	0.0578	0.026
Borda	0.4942	0.6324	0.6206	0.9372	0.2064	0.1788	0.4748	0.0038	0.0632	0.0616
Kemeny- Young	0.5024	0.6322	0.6344	0.9414	0.2018	0.1746	0.4816	0.0178	0.0552	0.0558
RRF	0.4892	0.6316	0.6132	0.9276	0.2012	0.1754	0.4692	0.008	0.0602	0.0572
Schulze	0.5028	0.6326	0.6252	0.9278	0.2098	0.1878	0.4826	0.0006	0.069	0.0638
SimpleAvg	0.5198	0.6306	0.669	0.9292	0.2	0.1796	0.4962	0.0482	0.0726	0.0686
Borda (Indepen- dence)	0.4962	0.6304	0.6228	0.9432	0.1994	0.1746	0.4756	0.0052	0.0614	0.0566
Kemeny- Young (Indepen- dence)	0.5022	0.631	0.6406	0.9422	0.1936	0.1694	0.4804	0.0284	0.0556	0.056
RRF (Indepen- dence)	0.498	0.6308	0.624	0.927	0.202	0.1794	0.4768	0.0046	0.0626	0.0592
Schulze (Indepen- dence)	0.4992	0.63	0.6268	0.9266	0.206	0.1882	0.4792	0.0082	0.0634	0.0554
SimpleAvg (Indepen- dence)	0.5174	0.6288	0.6636	0.9286	0.2026	0.1808	0.4946	0.045	0.0732	0.063

Table 226: ImageNet–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.0548	0.5208	0.0674	0.653	0.037	0.0352	0.0522	0.0182	0.0156	0.0152
Borda	0.0612	0.5356	0.0756	0.6736	0.0424	0.0436	0.0596	0.329	0.016	0.0168
Kemeny- Young	0.0822	0.5292	0.103	0.6652	0.0536	0.0564	0.0798	0.3054	0.0196	0.0202
RRF	0.065	0.5206	0.081	0.653	0.044	0.0458	0.0626	0.3274	0.0176	0.0182
Schulze	0.0634	0.521	0.075	0.6546	0.0498	0.0466	0.0614	0.3314	0.0216	0.0174
SimpleAvg	0.0838	0.517	0.1018	0.644	0.0602	0.0626	0.0814	0.3042	0.0206	0.0188
Borda (Indepen- dence)	0.074	0.5344	0.0944	0.6734	0.0482	0.0504	0.0716	0.3124	0.0184	0.0202
Kemeny- Young (Indepen- dence)	0.0872	0.5332	0.1082	0.6664	0.0554	0.057	0.0846	0.3012	0.025	0.0282
RRF (Indepen- dence)	0.072	0.5198	0.0872	0.6466	0.0512	0.0484	0.0702	0.3204	0.0192	0.016
Schulze (Indepen- dence)	0.0648	0.513	0.08	0.6374	0.0454	0.046	0.0628	0.3264	0.0166	0.0156
SimpleAvg (Indepen- dence)	0.0836	0.5184	0.1024	0.6432	0.0586	0.0612	0.0812	0.3036	0.0226	0.0206

Table 227: ImageNet-ResNet-18 results.

Method	Type	Acc ReplaceTop	Cons ReplaceTop	Acc ReplaceBottom	Cons ReplaceBottom
Borda (n=2)	Ensemble	0.309	0.3738	0.6174	0.8478
Borda (n=3)	Ensemble	0.3204	0.3834	0.617	0.8512
Borda (n=4)	Ensemble	0.3286	0.3964	0.6178	0.8538
Borda (n=5)	Ensemble	0.3372	0.4062	0.6206	0.86
Borda (n=6)	Ensemble	0.3462	0.4158	0.6208	0.8732
Borda (n=7)	Ensemble	0.3536	0.4264	0.622	0.8682
Borda (n=8)	Ensemble	0.3546	0.4314	0.623	0.869
Kemeny-Young (n=2)	Ensemble	0.309	0.3738	0.6174	0.8478
Kemeny-Young (n=3)	Ensemble	0.3204	0.3834	0.617	0.8512
Kemeny-Young (n=4)	Ensemble	0.3286	0.3964	0.6178	0.8538
Kemeny-Young (n=5)	Ensemble	0.3372	0.4062	0.6206	0.86
Kemeny-Young (n=6)	Ensemble	0.3462	0.4158	0.6208	0.8732
Kemeny-Young (n=7)	Ensemble	0.3536	0.4264	0.622	0.8682
Kemeny-Young (n=8)	Ensemble	0.3546	0.4314	0.623	0.869
RRF (n=2)	Ensemble	0.3052	0.3666	0.618	0.8594
RRF (n=3)	Ensemble	0.341	0.4136	0.615	0.852
RRF (n=4)	Ensemble	0.3382	0.412	0.6178	0.8538
RRF (n=5)	Ensemble	0.3438	0.4162	0.621	0.861
RRF (n=6)	Ensemble	0.3576	0.4326	0.623	0.8628
RRF (n=7)	Ensemble	0.3704	0.4494	0.6218	0.862
RRF (n=8)	Ensemble	0.3714	0.4496	0.6206	0.8702
Schulze (n=2)	Ensemble	0.3126	0.374	0.6168	0.856
Schulze (n=3)	Ensemble	0.3292	0.4006	0.6162	0.8506
Schulze (n=4)	Ensemble	0.3414	0.4142	0.6166	0.8534
Schulze (n=5)	Ensemble	0.3618	0.4396	0.6178	0.8546
Schulze (n=6)	Ensemble	0.3806	0.4666	0.6172	0.8556
Schulze (n=7)	Ensemble	0.389	0.4756	0.6162	0.8546
Schulze (n=8)	Ensemble	0.388	0.4696	0.6158	0.8534
norm_ensemble (n=2)	Ensemble	0.3388	0.412	0.6168	0.8596
norm_ensemble (n=3)	Ensemble	0.3804	0.4672	0.6166	0.852
norm_ensemble (n=4)	Ensemble	0.3774	0.4634	0.615	0.8526
norm_ensemble (n=5)	Ensemble	0.363	0.4468	0.6196	0.8626
norm_ensemble (n=6)	Ensemble	0.3686	0.4512	0.622	0.8554

Method	Type	Acc ReplaceTop	Cons ReplaceTop	Acc ReplaceBottom	Cons ReplaceBottom
norm_ensemble (n=7)	Ensemble	0.3694	0.4528	0.6182	0.8546
norm_ensemble (n=8)	Ensemble	0.3694	0.4466	0.614	0.8262
Deconvolut	Single	0.4774	0.6036	0.6138	0.8396
DeepLIFT	Single				
DeepLIFT_Sali	Single				
FeatureAb	Single				
GradientSh	Single				
GuidedBack	Single	0.341	0.4098	0.6008	0.8146
InputXGra	Single	0.4334	0.5406	0.6116	0.8384
IntegratedGr	Gradients				
Occlusion	Single				
Saliency	Single	0.4132	0.5002	0.6102	0.8414

Table 228: ImageNet-ResNet-18 results.

Method	Type	Acc ReplaceTop	Cons ReplaceTop	Acc ReplaceBottom	Cons ReplaceBottom
Borda (n=2)	Ensemble	0.309	0.3738	0.6174	0.8478
Borda (n=3)	Ensemble	0.3204	0.3834	0.617	0.8512
Borda (n=4)	Ensemble	0.3286	0.3964	0.6178	0.8538
Borda (n=5)	Ensemble	0.3372	0.4062	0.6206	0.86
Borda (n=6)	Ensemble	0.3462	0.4158	0.6208	0.8732
Borda (n=7)	Ensemble	0.3536	0.4264	0.622	0.8682
Borda (n=8)	Ensemble	0.3546	0.4314	0.623	0.869
Kemeny-Young (n=2)	Ensemble	0.309	0.3738	0.6174	0.8478
Kemeny-Young (n=3)	Ensemble	0.3204	0.3834	0.617	0.8512
Kemeny-Young (n=4)	Ensemble	0.3286	0.3964	0.6178	0.8538
Kemeny-Young (n=5)	Ensemble	0.3372	0.4062	0.6206	0.86
Kemeny-Young (n=6)	Ensemble	0.3462	0.4158	0.6208	0.8732
Kemeny-Young (n=7)	Ensemble	0.3536	0.4264	0.622	0.8682
Kemeny-Young (n=8)	Ensemble	0.3546	0.4314	0.623	0.869
RRF (n=2)	Ensemble	0.3052	0.3666	0.618	0.8594
RRF (n=3)	Ensemble	0.341	0.4136	0.615	0.852
RRF (n=4)	Ensemble	0.3382	0.412	0.6178	0.8538
RRF (n=5)	Ensemble	0.3438	0.4162	0.621	0.861
RRF (n=6)	Ensemble	0.3576	0.4326	0.623	0.8628
RRF (n=7)	Ensemble	0.3704	0.4494	0.6218	0.862
RRF (n=8)	Ensemble	0.3714	0.4496	0.6206	0.8702
Schulze (n=2)	Ensemble	0.3126	0.374	0.6168	0.856
Schulze (n=3)	Ensemble	0.3292	0.4006	0.6162	0.8506
Schulze (n=4)	Ensemble	0.3414	0.4142	0.6166	0.8534
Schulze (n=5)	Ensemble	0.3618	0.4396	0.6178	0.8546
Schulze (n=6)	Ensemble	0.3806	0.4666	0.6172	0.8556
Schulze (n=7)	Ensemble	0.389	0.4756	0.6162	0.8546
Schulze (n=8)	Ensemble	0.388	0.4696	0.6158	0.8534
norm_ensemble (n=2)	Ensemble	0.3388	0.412	0.6168	0.8596
norm_ensemble (n=3)	Ensemble	0.3804	0.4672	0.6166	0.852
norm_ensemble (n=4)	Ensemble	0.3774	0.4634	0.615	0.8526
norm_ensemble (n=5)	Ensemble	0.363	0.4468	0.6196	0.8626
norm_ensemble (n=6)	Ensemble	0.3686	0.4512	0.622	0.8554

Method	Type	Acc	Cons	Acc	Cons
		ReplaceTop	ReplaceTop	ReplaceBottom	ReplaceBottom
norm_ensemble	ensemble	0.3694	0.4528	0.6182	0.8546
norm_ensemble	ensemble	0.3694	0.4466	0.614	0.8262
Deconvolution	Single	0.4774	0.6036	0.6138	0.8396
Deconvolution	Single	0.4774	0.6036	0.6138	0.8396
DeepLIFT	SHAP_baseline	0.5562	0.6720	0.5308	0.6838
DeepLIFT	SHAP_baseline	0.5562	0.6720	0.5308	0.6838
DeepLIFT	SHAP_baseline	0.5562	0.6720	0.5308	0.6838
DeepLIFT	SHAP_baseline	0.5562	0.6720	0.5308	0.6838
DeepLIFT	SHAP_global	0.5562	0.7232	0.5308	0.6838
DeepLIFT	SHAP_global	0.5562	0.7232	0.5308	0.6838
FeatureAb	Single_patch	0.6584	0.4378	0.59	0.7778
FeatureAb	Single_patch	0.6584	0.4378	0.59	0.7778
GradientSHAP	baselines_0.3931	lined_0.4878	samples_0.907	0.8532	
GradientSHAP	baselines_0.3931	lined_0.4878	samples_0.907	0.8532	
GradientSHAP	baselines_0.3931	lined_0.4878	samples_0.907	0.8596	
GradientSHAP	baselines_0.3931	lined_0.4878	samples_0.907	0.8596	
GuidedBackprop	Single	0.341	0.4098	0.6008	0.8146
GuidedBackprop	Single	0.341	0.4098	0.6008	0.8146
InputXGrad	Single	0.4334	0.5406	0.6116	0.8384
InputXGrad	Single	0.4334	0.5406	0.6116	0.8384
IntegratedGradients	baselines_0.4402	zero_0.4895	steps_200	0.6178	0.8482
IntegratedGradients	baselines_0.4402	zero_0.4895	steps_200	0.6178	0.8482
IntegratedGradients	baselines_0.4402	zero_0.4895	steps_50	0.6178	0.848
IntegratedGradients	baselines_0.4402	zero_0.4895	steps_50	0.6178	0.848
Occlusion	Single	0.4132	0.5002	0.6102	0.8414
Occlusion	Single	0.4132	0.5002	0.6102	0.8414
Saliency	Single	0.4132	0.5002	0.6102	0.8414
Saliency	Single	0.4132	0.5002	0.6102	0.8414

Table 229: ImageNet–ResNet-18 results.

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
Borda (n=2)	Ensemble	0.1698	0.1572	0.301	0.1048	0.0586	0.06	0.1646	0.0922	0.5784	0.1584	0.0552	0.0246
Borda (n=3)	Ensemble	0.1748	0.1614	0.3128	0.0876	0.0502	0.0402	0.1672	0.097	0.58	0.1606	0.0594	0.032
Borda (n=4)	Ensemble	0.1746	0.1618	0.3202	0.0762	0.0594	0.053	0.164	0.0966	0.5798	0.1616	0.0604	0.0376
Borda (n=5)	Ensemble	0.1736	0.1624	0.329	0.0644	0.0642	0.0532	0.1682	0.1082	0.5822	0.1642	0.0636	0.0428
Borda (n=6)	Ensemble	0.182	0.1696	0.3386	0.0562	0.063	0.0504	0.1686	0.1198	0.5816	0.1808	0.0606	0.0534
Borda (n=7)	Ensemble	0.1842	0.1696	0.3454	0.0484	0.0626	0.0488	0.166	0.1124	0.583	0.1876	0.0642	0.0432
Borda (n=8)	Ensemble	0.1844	0.1734	0.346	0.0454	0.059	0.0482	0.1636	0.1012	0.5836	0.1872	0.0604	0.0332
Kemeny-Young (n=2)	Ensemble	0.1698	0.1572	0.301	0.1048	0.0586	0.06	0.1646	0.0922	0.5784	0.1584	0.0552	0.0246
Kemeny-Young (n=3)	Ensemble	0.1748	0.1614	0.3128	0.0876	0.0502	0.0402	0.1672	0.097	0.58	0.1606	0.0594	0.032
Kemeny-Young (n=4)	Ensemble	0.1746	0.1618	0.3202	0.0762	0.0594	0.053	0.164	0.0966	0.5798	0.1616	0.0604	0.0376
Kemeny-Young (n=5)	Ensemble	0.1736	0.1624	0.329	0.0644	0.0642	0.0532	0.1682	0.1082	0.5822	0.1642	0.0636	0.0428
Kemeny-Young (n=6)	Ensemble	0.182	0.1696	0.3386	0.0562	0.063	0.0504	0.1686	0.1198	0.5816	0.1808	0.0606	0.0534
Kemeny-Young (n=7)	Ensemble	0.1842	0.1696	0.3454	0.0484	0.0626	0.0488	0.166	0.1124	0.583	0.1876	0.0642	0.0432
Kemeny-Young (n=8)	Ensemble	0.1844	0.1734	0.346	0.0454	0.059	0.0482	0.1636	0.1012	0.5836	0.1872	0.0604	0.0332
RRF (n=2)	Ensemble	0.1676	0.1562	0.297	0.1142	0.0606	0.0594	0.166	0.1044	0.5804	0.1714	0.0552	0.0352
RRF (n=3)	Ensemble	0.1906	0.181	0.332	0.0664	0.0636	0.0688	0.1646	0.0984	0.5768	0.1644	0.0564	0.0328
RRF (n=4)	Ensemble	0.1814	0.1748	0.3306	0.0656	0.0698	0.0692	0.1586	0.0972	0.5796	0.1652	0.0606	0.037
RRF (n=5)	Ensemble	0.1796	0.1692	0.3356	0.0602	0.0656	0.0598	0.1628	0.098	0.5828	0.1656	0.061	0.0438
RRF (n=6)	Ensemble	0.1844	0.1714	0.3496	0.0414	0.0626	0.052	0.1622	0.1062	0.5834	0.1722	0.0652	0.0438
RRF (n=7)	Ensemble	0.1938	0.1806	0.3624	0.0246	0.068	0.0586	0.1604	0.106	0.5842	0.1842	0.0632	0.0402
RRF (n=8)	Ensemble	0.1942	0.1744	0.3624	0.0262	0.0656	0.0534	0.1624	0.1082	0.5826	0.1968	0.06	0.036
Schulze (n=2)	Ensemble	0.1728	0.1602	0.3048	0.1036	0.0606	0.0552	0.164	0.1022	0.5796	0.171	0.0546	0.0322
Schulze (n=3)	Ensemble	0.1768	0.1684	0.3208	0.0754	0.0648	0.0634	0.1666	0.0992	0.5782	0.1614	0.057	0.0276
Schulze (n=4)	Ensemble	0.183	0.1786	0.3346	0.0606	0.0652	0.0692	0.1668	0.0994	0.579	0.1634	0.0608	0.0372
Schulze (n=5)	Ensemble	0.1852	0.171	0.3536	0.0398	0.059	0.046	0.1664	0.1022	0.5798	0.1614	0.0632	0.0366
Schulze (n=6)	Ensemble	0.1904	0.1786	0.3716	0.0136	0.0632	0.0492	0.1654	0.1038	0.579	0.162	0.0576	0.0312
Schulze (n=7)	Ensemble	0.196	0.1846	0.3786	0.0042	0.0624	0.0518	0.1652	0.0954	0.578	0.16	0.0592	0.0356
Schulze (n=8)	Ensemble	0.1958	0.1808	0.379	0.0108	0.0648	0.0468	0.1636	0.0992	0.578	0.1594	0.0534	0.029
norm_ensemble (n=2)	Ensemble	0.1804	0.174	0.33	0.062	0.0652	0.0624	0.1644	0.104	0.5798	0.1748	0.056	0.0422
norm_ensemble (n=3)	Ensemble	0.1994	0.191	0.371	0.0144	0.0694	0.0634	0.1684	0.102	0.5784	0.1658	0.059	0.0366
norm_ensemble (n=4)	Ensemble	0.2014	0.1898	0.367	0.019	0.076	0.07	0.158	0.0954	0.5768	0.166	0.0578	0.0346

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
norm_ensemble (n=5)	Ensemble	0.1848	0.1778	0.3542	0.0322	0.0578	0.0542	0.1628	0.1068	0.581	0.1714	0.0652	0.0548
norm_ensemble (n=6)	Ensemble	0.1918	0.1818	0.36	0.0242	0.0698	0.0702	0.1668	0.1014	0.5828	0.168	0.0626	0.0334
norm_ensemble (n=7)	Ensemble	0.1882	0.1814	0.3606	0.0218	0.0604	0.0568	0.1598	0.1016	0.5798	0.1706	0.0574	0.0364
norm_ensemble (n=8)	Ensemble	0.1868	0.1738	0.3602	0.0282	0.0622	0.0512	0.1558	0.0728	0.5744	0.142	0.0536	0.004
Deconvolutional	Single	0.2172	0.2194	0.4642	0.0934	0.0788	0.0824	0.165	0.119	0.5776	0.178	0.064	0.042
DeepLIFT	Single												
DeepLIFT_Saliency	Single												
FeatureAbstraction	Single												
GradientDescent	Single												
GuidedBackpropagation	Single	0.1724	0.1602	0.3322	0.087	0.0562	0.0574	0.1734	0.1248	0.567	0.193	0.0546	0.0354
InputXGradient	Single	0.2102	0.2076	0.4232	0.0604	0.0716	0.069	0.1612	0.0992	0.574	0.1528	0.0574	0.031
IntegratedGradients	Single												
Occlusion	Single												
Saliency	Single	0.2054	0.1916	0.403	0.0068	0.0656	0.0504	0.16	0.1224	0.5762	0.2268	0.058	0.0432

Table 230: ImageNet–ResNet-18 results.

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
Borda (n=2)	Ensemble	0.1698	0.1572	0.301	0.1048	0.0586	0.06	0.1646	0.0922	0.5784	0.1584	0.0552	0.0246
Borda (n=3)	Ensemble	0.1748	0.1614	0.3128	0.0876	0.0502	0.0402	0.1672	0.097	0.58	0.1606	0.0594	0.032
Borda (n=4)	Ensemble	0.1746	0.1618	0.3202	0.0762	0.0594	0.053	0.164	0.0966	0.5798	0.1616	0.0604	0.0376
Borda (n=5)	Ensemble	0.1736	0.1624	0.329	0.0644	0.0642	0.0532	0.1682	0.1082	0.5822	0.1642	0.0636	0.0428
Borda (n=6)	Ensemble	0.182	0.1696	0.3386	0.0562	0.063	0.0504	0.1686	0.1198	0.5816	0.1808	0.0606	0.0534
Borda (n=7)	Ensemble	0.1842	0.1696	0.3454	0.0484	0.0626	0.0488	0.166	0.1124	0.583	0.1876	0.0642	0.0432
Borda (n=8)	Ensemble	0.1844	0.1734	0.346	0.0454	0.059	0.0482	0.1636	0.1012	0.5836	0.1872	0.0604	0.0332
Kemeny-Young (n=2)	Ensemble	0.1698	0.1572	0.301	0.1048	0.0586	0.06	0.1646	0.0922	0.5784	0.1584	0.0552	0.0246
Kemeny-Young (n=3)	Ensemble	0.1748	0.1614	0.3128	0.0876	0.0502	0.0402	0.1672	0.097	0.58	0.1606	0.0594	0.032
Kemeny-Young (n=4)	Ensemble	0.1746	0.1618	0.3202	0.0762	0.0594	0.053	0.164	0.0966	0.5798	0.1616	0.0604	0.0376
Kemeny-Young (n=5)	Ensemble	0.1736	0.1624	0.329	0.0644	0.0642	0.0532	0.1682	0.1082	0.5822	0.1642	0.0636	0.0428
Kemeny-Young (n=6)	Ensemble	0.182	0.1696	0.3386	0.0562	0.063	0.0504	0.1686	0.1198	0.5816	0.1808	0.0606	0.0534
Kemeny-Young (n=7)	Ensemble	0.1842	0.1696	0.3454	0.0484	0.0626	0.0488	0.166	0.1124	0.583	0.1876	0.0642	0.0432
Kemeny-Young (n=8)	Ensemble	0.1844	0.1734	0.346	0.0454	0.059	0.0482	0.1636	0.1012	0.5836	0.1872	0.0604	0.0332
RRF (n=2)	Ensemble	0.1676	0.1562	0.297	0.1142	0.0606	0.0594	0.166	0.1044	0.5804	0.1714	0.0552	0.0352
RRF (n=3)	Ensemble	0.1906	0.181	0.332	0.0664	0.0636	0.0688	0.1646	0.0984	0.5768	0.1644	0.0564	0.0328
RRF (n=4)	Ensemble	0.1814	0.1748	0.3306	0.0656	0.0698	0.0692	0.1586	0.0972	0.5796	0.1652	0.0606	0.037
RRF (n=5)	Ensemble	0.1796	0.1692	0.3356	0.0602	0.0656	0.0598	0.1628	0.098	0.5828	0.1656	0.061	0.0438
RRF (n=6)	Ensemble	0.1844	0.1714	0.3496	0.0414	0.0626	0.052	0.1622	0.1062	0.5834	0.1722	0.0652	0.0438
RRF (n=7)	Ensemble	0.1938	0.1806	0.3624	0.0246	0.068	0.0586	0.1604	0.106	0.5842	0.1842	0.0632	0.0402
RRF (n=8)	Ensemble	0.1942	0.1744	0.3624	0.0262	0.0656	0.0534	0.1624	0.1082	0.5826	0.1968	0.06	0.036
Schulze (n=2)	Ensemble	0.1728	0.1602	0.3048	0.1036	0.0606	0.0552	0.164	0.1022	0.5796	0.171	0.0546	0.0322
Schulze (n=3)	Ensemble	0.1768	0.1684	0.3208	0.0754	0.0648	0.0634	0.1666	0.0992	0.5782	0.1614	0.057	0.0276
Schulze (n=4)	Ensemble	0.183	0.1786	0.3346	0.0606	0.0652	0.0692	0.1668	0.0994	0.579	0.1634	0.0608	0.0372
Schulze (n=5)	Ensemble	0.1852	0.171	0.3536	0.0398	0.059	0.046	0.1664	0.1022	0.5798	0.1614	0.0632	0.0366
Schulze (n=6)	Ensemble	0.1904	0.1786	0.3716	0.0136	0.0632	0.0492	0.1654	0.1038	0.579	0.162	0.0576	0.0312
Schulze (n=7)	Ensemble	0.196	0.1846	0.3786	0.0042	0.0624	0.0518	0.1652	0.0954	0.578	0.16	0.0592	0.0356
Schulze (n=8)	Ensemble	0.1958	0.1808	0.379	0.0108	0.0648	0.0468	0.1636	0.0992	0.578	0.1594	0.0534	0.029
norm_ensemble (n=2)	Ensemble	0.1804	0.174	0.33	0.062	0.0652	0.0624	0.1644	0.104	0.5798	0.1748	0.056	0.0422
norm_ensemble (n=3)	Ensemble	0.1994	0.191	0.371	0.0144	0.0694	0.0634	0.1684	0.102	0.5784	0.1658	0.059	0.0366
norm_ensemble (n=4)	Ensemble	0.2014	0.1898	0.367	0.019	0.076	0.07	0.158	0.0954	0.5768	0.166	0.0578	0.0346

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
norm_ensemble (n=5)	Ensemble	0.1848	0.1778	0.3542	0.0322	0.0578	0.0542	0.1628	0.1068	0.581	0.1714	0.0652	0.0548
norm_ensemble (n=6)	Ensemble	0.1918	0.1818	0.36	0.0242	0.0698	0.0702	0.1668	0.1014	0.5828	0.168	0.0626	0.0334
norm_ensemble (n=7)	Ensemble	0.1882	0.1814	0.3606	0.0218	0.0604	0.0568	0.1598	0.1016	0.5798	0.1706	0.0574	0.0364
norm_ensemble (n=8)	Ensemble	0.1868	0.1738	0.3602	0.0282	0.0622	0.0512	0.1558	0.0728	0.5744	0.142	0.0536	0.004
Deconvolution	Single	0.2172	0.2194	0.4642	0.0934	0.0788	0.0824	0.165	0.119	0.5776	0.178	0.064	0.042
Deconvolution	Single	0.2172	0.2194	0.4642	0.0934	0.0788	0.0824	0.165	0.119	0.5776	0.178	0.064	0.042
DeepLIFT	SHAP_baseline	0.2008	0.2008	0.5218	0.1064	0.0704	0.0604	0.2044	0.1958	0.5046	0.0876	0.072	0.0612
DeepLIFT	SHAP_baseline	0.2008	0.2008	0.5218	0.1064	0.0704	0.0604	0.2044	0.1958	0.5046	0.0876	0.072	0.0612
DeepLIFT	SHAP_baseline	0.2008	0.2008	0.5218	0.1064	0.0704	0.0604	0.2044	0.1958	0.5046	0.0876	0.072	0.0612
DeepLIFT	SHAP_baseline	0.2008	0.2008	0.5218	0.1064	0.0704	0.0604	0.2044	0.1958	0.5046	0.0876	0.072	0.0612
DeepLIFT	SHAP_lines_global_mean	0.1872	0.1872	0.5218	0.1064	0.0704	0.0604	0.2044	0.1958	0.5046	0.0876	0.072	0.0612
DeepLIFT	SHAP_lines_global_mean	0.1872	0.1872	0.5218	0.1064	0.0704	0.0604	0.2044	0.1958	0.5046	0.0876	0.072	0.0612
FeatureAbstraction	Single_patch	0.18624	0.1892	0.3494	0.0504	0.0756	0.0722	0.1876	0.1512	0.56	0.2276	0.0632	0.0442
FeatureAbstraction	Single_patch	0.18624	0.1892	0.3494	0.0504	0.0756	0.0722	0.1876	0.1512	0.56	0.2276	0.0632	0.0442
GradientSHAP	SHAP_lines_0.0001	0.1864	0.1864	0.3864	0.0830	0.0564	0.0494	0.1648	0.0988	0.579	0.1654	0.0562	0.0292
GradientSHAP	SHAP_lines_0.0001	0.1864	0.1864	0.3864	0.0830	0.0564	0.0494	0.1648	0.0988	0.579	0.1654	0.0562	0.0292
GradientSHAP	SHAP_lines_0.0001	0.1864	0.1864	0.3864	0.0830	0.0564	0.0494	0.1648	0.0988	0.579	0.1654	0.0562	0.0292
GradientSHAP	SHAP_lines_0.0001	0.1864	0.1864	0.3864	0.0830	0.0564	0.0494	0.1648	0.0988	0.579	0.1654	0.0562	0.0292
GradientSHAP	SHAP_lines_0.0001	0.1864	0.1864	0.3864	0.0830	0.0564	0.0494	0.1648	0.0988	0.579	0.1654	0.0562	0.0292
GuidedBackpropagation	Single	0.1724	0.1602	0.3322	0.087	0.0562	0.0574	0.1734	0.1248	0.567	0.193	0.0546	0.0354
GuidedBackpropagation	Single	0.1724	0.1602	0.3322	0.087	0.0562	0.0574	0.1734	0.1248	0.567	0.193	0.0546	0.0354
InputXGradient	Single	0.2102	0.2076	0.4232	0.0604	0.0716	0.069	0.1612	0.0992	0.574	0.1528	0.0574	0.031
InputXGradient	Single	0.2102	0.2076	0.4232	0.0604	0.0716	0.069	0.1612	0.0992	0.574	0.1528	0.0574	0.031
IntegratedGradients	SHAP_lines_base_0.19672_zero_0.1836ps	2000.391	2000.391	0.0084	0.0604	0.0486	0.1662	0.1002	0.5808	0.1608	0.0598	0.0338	0.0338
IntegratedGradients	SHAP_lines_base_0.19672_zero_0.1836ps	2000.391	2000.391	0.0084	0.0604	0.0486	0.1662	0.1002	0.5808	0.1608	0.0598	0.0338	0.0338
IntegratedGradients	SHAP_lines_base_0.19672_zero_0.1844ps	500.3918	500.3918	0.0092	0.064	0.051	0.1682	0.1008	0.5808	0.1608	0.0596	0.035	0.035
IntegratedGradients	SHAP_lines_base_0.19672_zero_0.1844ps	500.3918	500.3918	0.0092	0.064	0.051	0.1682	0.1008	0.5808	0.1608	0.0596	0.035	0.035
Occlusion	SHAP_lines_global_mean_patch_size_10	10.3834	10.3834	0.0176	0.0672	0.0618	0.1734	0.1462	0.5802	0.2298	0.066	0.0458	0.0458
Occlusion	SHAP_lines_global_mean_patch_size_10	10.3834	10.3834	0.0176	0.0672	0.0618	0.1734	0.1462	0.5802	0.2298	0.066	0.0458	0.0458
Saliency	Single	0.2054	0.1916	0.403	0.0068	0.0656	0.0504	0.16	0.1224	0.5762	0.2268	0.058	0.0432
Saliency	Single	0.2054	0.1916	0.403	0.0068	0.0656	0.0504	0.16	0.1224	0.5762	0.2268	0.058	0.0432

Table 231: ImageNet–ResNet-18 results.

method	k	F	Fbar	C	Cbar	R g F	R g Fbar	R g C	R g Cbar	R p F	R p Fbar	R p C	R p Cbar	R s F	R s Fbar	R s C	R s Cbar	R a F	R a Fbar	R a C
best_indiv	10	0.1116	0.3446	0.214	0.4816	0.0456	0.0008	0.172	0.1204	0.023	0.013	0.145	0.12	0.0174	0.0022	0.0494	0.0386	0.0162	0.0036	0.0732
simpleavg	10	0.1122	0.4314	0.2172	0.5768	0.1266	0.0342	0.2976	0.248	0.1058	0.0344	0.2696	0.234	0.0564	0.0364	0.0912	0.0918	0.0826	0.0264	0.1712
borda	10	0.1016	0.4124	0.205	0.5538	0.1246	0.0284	0.2828	0.2432	0.1126	0.03	0.2642	0.231	0.0434	0.0296	0.0746	0.0854	0.0794	0.0062	0.1706
kemeny	10	0.098	0.4174	0.1934	0.5602	0.125	0.002	0.2788	0.2086	0.1194	0.006	0.27	0.2004	0.0382	0.01	0.0784	0.072	0.0754	0.0084	0.1612
rrf	10	0.102	0.407	0.2054	0.5478	0.1334	0.017	0.2806	0.2316	0.1216	0.0046	0.2716	0.2098	0.0466	0.024	0.0792	0.0832	0.0776	0.0014	0.1696
schulze	10	0.1012	0.4176	0.2016	0.5618	0.1266	0.0114	0.2784	0.2006	0.116	0.0058	0.2648	0.1968	0.0444	0.0174	0.0796	0.0752	0.0782	0.0136	0.169
best_indiv	20	0.1716	0.1752	0.292	0.2952	0.078	0.0108	0.2344	0.184	0.0442	0.0086	0.2042	0.1848	0.0238	0.0004	0.0644	0.047	0.036	0.0026	0.1048
simpleavg	20	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196	0.0944	0.0338	0.1768
borda	20	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142	0.103	0.095	0.019	0.1882
kemeny	20	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136	0.0994	0.0904	0.015	0.179
rrf	20	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958	0.0956	0.0246	0.1914
schulze	20	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958	0.0926	0.017	0.1864
best_indiv	40	0.311	0.0644	0.4418	0.1518	0.1276	0.026	0.3098	0.2212	0.0958	0.0002	0.2612	0.1856	0.0446	0.0074	0.0926	0.0592	0.0602	0.002	0.1326
simpleavg	40	0.2906	0.1048	0.4178	0.2124	0.147	0.1092	0.3458	0.3274	0.1362	0.091	0.3234	0.2966	0.088	0.0468	0.1374	0.1036	0.0978	0.0406	0.1674
borda	40	0.279	0.0756	0.412	0.1758	0.15	0.0754	0.325	0.2762	0.1546	0.0544	0.3216	0.2556	0.097	0.0336	0.1352	0.093	0.111	0.03	0.1924
kemeny	40	0.282	0.083	0.4102	0.1814	0.1468	0.0678	0.327	0.2744	0.14	0.0368	0.3094	0.2386	0.079	0.034	0.1208	0.0902	0.1158	0.0282	0.1944
rrf	40	0.2848	0.0772	0.413	0.177	0.149	0.0728	0.3296	0.277	0.146	0.0412	0.3206	0.2432	0.0852	0.029	0.129	0.0868	0.1108	0.0292	0.1876
schulze	40	0.2798	0.0814	0.4138	0.1786	0.1506	0.0696	0.3204	0.2786	0.146	0.0406	0.3122	0.2404	0.0894	0.0318	0.1256	0.0922	0.112	0.029	0.195
best_indiv	80	0.507	0.0174	0.6444	0.0812	0.0352	0.0076	0.2358	0.1812	0.0382	0.0008	0.2284	0.1602	0.0586	0.0012	0.1048	0.0522	0.0534	0.0136	0.0786
simpleavg	80	0.4784	0.0242	0.6186	0.0964	0.0542	0.0528	0.2598	0.257	0.0536	0.0332	0.2468	0.233	0.0632	0.0154	0.1188	0.0796	0.0686	0.0196	0.1024
borda	80	0.4632	0.0148	0.6028	0.0812	0.0672	0.019	0.2588	0.2048	0.0658	0.0012	0.2496	0.1836	0.0776	0.0104	0.1278	0.0718	0.0848	0.0132	0.1292
kemeny	80	0.4628	0.0202	0.6054	0.0912	0.0604	0.0116	0.2482	0.1934	0.0676	0.0008	0.2476	0.1784	0.0716	0.0014	0.1172	0.0544	0.0876	0.0156	0.1366
rrf	80	0.4726	0.016	0.6094	0.086	0.06	0.0218	0.257	0.2008	0.0542	0.0008	0.2388	0.1802	0.0706	0.008	0.1202	0.064	0.0864	0.0138	0.128
schulze	80	0.4656	0.0156	0.605	0.085	0.0608	0.021	0.2552	0.2012	0.0632	0.0068	0.2466	0.1798	0.073	0.0086	0.1218	0.0648	0.0858	0.012	0.1314

Table 232: ImageNet-ResNet-18 results.

method	k	R a Cbar
best_individual	10	0.0008
simpleavg	10	0.0404
borda	10	0.0222
kemeny	10	0.0242
rrf	10	0.019
schulze	10	0.033
best_individual	20	0.002
simpleavg	20	0.0754
borda	20	0.0532
kemeny	20	0.0492
rrf	20	0.0608
schulze	20	0.0506
best_individual	40	0.0426
simpleavg	40	0.1034
borda	40	0.09
kemeny	40	0.086
rrf	40	0.0894
schulze	40	0.086
best_individual	80	0.0704
simpleavg	80	0.083
borda	80	0.072
kemeny	80	0.0792
rrf	80	0.0778
schulze	80	0.0748

Table 233: ImageNet–ResNet-18 results.

method	k	F	Fbar	C	Cbar	R g F	R g Fbar	R g C	R g Cbar	R p F	R p Fbar	R p C	R p Cbar	R s F	R s Fbar	R s C	R s Cbar	R a F	R a Fbar	R a C
best_indiv	10	0.1116	0.3446	0.214	0.4816	0.1152	0.0388	0.2942	0.259	0.0898	0.0308	0.2658	0.2416	0.0392	0.023	0.0862	0.0844	0.0808	0.0196	0.164
simpleavg	10	0.1122	0.4314	0.2172	0.5768	0.1266	0.0342	0.2976	0.248	0.1058	0.0344	0.2696	0.234	0.0564	0.0364	0.0912	0.0918	0.0826	0.0264	0.1712
borda	10	0.1016	0.4124	0.205	0.5538	0.1246	0.0284	0.2828	0.2432	0.1126	0.03	0.2642	0.231	0.0434	0.0296	0.0746	0.0854	0.0794	0.0062	0.1706
kemeny	10	0.098	0.4174	0.1934	0.5602	0.125	0.002	0.2788	0.2086	0.1194	0.006	0.27	0.2004	0.0382	0.01	0.0784	0.072	0.0754	0.0084	0.1612
rrf	10	0.102	0.407	0.2054	0.5478	0.1334	0.017	0.2806	0.2316	0.1216	0.0046	0.2716	0.2098	0.0466	0.024	0.0792	0.0832	0.0776	0.0014	0.1696
schulze	10	0.1012	0.4176	0.2016	0.5618	0.1266	0.0114	0.2784	0.2006	0.116	0.0058	0.2648	0.1968	0.0444	0.0174	0.0796	0.0752	0.0782	0.0136	0.169
best_indiv	20	0.1716	0.1752	0.292	0.2952	0.15	0.103	0.328	0.3102	0.1378	0.0686	0.3176	0.2856	0.0618	0.037	0.1178	0.095	0.1058	0.0216	0.2096
simpleavg	20	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196	0.0944	0.0338	0.1768
borda	20	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142	0.103	0.095	0.019	0.1882
kemeny	20	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136	0.0994	0.0904	0.015	0.179
rrf	20	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958	0.0956	0.0246	0.1914
schulze	20	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958	0.0926	0.017	0.1864
best_indiv	40	0.311	0.0644	0.4418	0.1518	0.1392	0.053	0.3234	0.2836	0.1336	0.018	0.3096	0.25	0.0876	0.0192	0.1302	0.09	0.1142	0.0204	0.1866
simpleavg	40	0.2906	0.1048	0.4178	0.2124	0.147	0.1092	0.3458	0.3274	0.1362	0.091	0.3234	0.2966	0.088	0.0468	0.1374	0.1036	0.0978	0.0406	0.1674
borda	40	0.279	0.0756	0.412	0.1758	0.15	0.0754	0.325	0.2762	0.1546	0.0544	0.3216	0.2556	0.097	0.0336	0.1352	0.093	0.111	0.03	0.1924
kemeny	40	0.282	0.083	0.4102	0.1814	0.1468	0.0678	0.327	0.2744	0.14	0.0368	0.3094	0.2386	0.079	0.034	0.1208	0.0902	0.1158	0.0282	0.1944
rrf	40	0.2848	0.0772	0.413	0.177	0.149	0.0728	0.3296	0.277	0.146	0.0412	0.3206	0.2432	0.0852	0.029	0.129	0.0868	0.1108	0.0292	0.1876
schulze	40	0.2798	0.0814	0.4138	0.1786	0.1506	0.0696	0.3204	0.2786	0.146	0.0406	0.3122	0.2404	0.0894	0.0318	0.1256	0.0922	0.112	0.029	0.195
best_indiv	80	0.507	0.0174	0.6444	0.0812	0.0352	0.0156	0.2358	0.22	0.0382	0.0176	0.2284	0.1954	0.0636	0.0026	0.1188	0.0708	0.0764	0.0136	0.1086
simpleavg	80	0.4784	0.0242	0.6186	0.0964	0.0542	0.0528	0.2598	0.257	0.0536	0.0332	0.2468	0.233	0.0632	0.0154	0.1188	0.0796	0.0686	0.0196	0.1024
borda	80	0.4632	0.0148	0.6028	0.0812	0.0672	0.019	0.2588	0.2048	0.0658	0.0012	0.2496	0.1836	0.0776	0.0104	0.1278	0.0718	0.0848	0.0132	0.1292
kemeny	80	0.4628	0.0202	0.6054	0.0912	0.0604	0.0116	0.2482	0.1934	0.0676	0.0008	0.2476	0.1784	0.0716	0.0014	0.1172	0.0544	0.0876	0.0156	0.1366
rrf	80	0.4726	0.016	0.6094	0.086	0.06	0.0218	0.257	0.2008	0.0542	0.0008	0.2388	0.1802	0.0706	0.008	0.1202	0.064	0.0864	0.0138	0.128
schulze	80	0.4656	0.0156	0.605	0.085	0.0608	0.021	0.2552	0.2012	0.0632	0.0068	0.2466	0.1798	0.073	0.0086	0.1218	0.0648	0.0858	0.012	0.1314

Table 234: ImageNet-ResNet-18 results.

method	k	R a Cbar
best_individual	10	0.029
simpleavg	10	0.0404
borda	10	0.0222
kemeny	10	0.0242
rrf	10	0.019
schulze	10	0.033
best_individual	20	0.0572
simpleavg	20	0.0754
borda	20	0.0532
kemeny	20	0.0492
rrf	20	0.0608
schulze	20	0.0506
best_individual	40	0.0772
simpleavg	40	0.1034
borda	40	0.09
kemeny	40	0.086
rrf	40	0.0894
schulze	40	0.086
best_individual	80	0.0704
simpleavg	80	0.083
borda	80	0.072
kemeny	80	0.0792
rrf	80	0.0778
schulze	80	0.0748

Table 235: ImageNet-ResNet-18 results.

method	p	F	Fbar	C	Cbar	R g F	R g Fbar	R g C	R g Cbar	R p F	R p Fbar	R p C	R p Cbar	R s F	R s Fbar	R s C	R s Cbar	R a F	R a Fbar	R a C
best_individual	8	0.0988	0.7428	0.196	0.9038	0.0988	0.1678	0.2674	0.036	0.0832	0.1554	0.2514	0.0416	0.0438	0.0414	0.0892	0.0102	0.078	0.0104	0.163
simpleavg	8	0.0858	0.739	0.182	0.8988	0.0972	0.1678	0.2438	0.0382	0.082	0.1518	0.225	0.0416	0.0384	0.0446	0.0756	0.0122	0.0698	0.005	0.1558
borda	8	0.0768	0.7168	0.1728	0.877	0.1104	0.1764	0.2468	0.0322	0.0954	0.1654	0.2312	0.0348	0.0448	0.0516	0.075	0.0026	0.0612	0.0038	0.1486
kemeny	8	0.0812	0.717	0.1772	0.8784	0.117	0.1724	0.262	0.0326	0.0968	0.1602	0.2382	0.039	0.0428	0.0448	0.0786	0.0068	0.0656	0.0034	0.1516
rrf	8	0.0828	0.7176	0.1814	0.876	0.1068	0.1764	0.243	0.0334	0.0934	0.1546	0.2302	0.0446	0.04	0.0472	0.0724	0.008	0.0666	0.003	0.1568
schulze	8	0.0828	0.7176	0.1814	0.876	0.1068	0.1764	0.243	0.0334	0.0934	0.1546	0.2302	0.0446	0.04	0.0472	0.0724	0.008	0.0666	0.003	0.1568
best_individual	14	0.1496	0.2664	0.2706	0.4014	0.169	0.061	0.314	0.265	0.1608	0.0296	0.2966	0.2396	0.0694	0.019	0.103	0.0728	0.1008	0.0206	0.2048
simpleavg	14	0.1578	0.3846	0.2718	0.5284	0.1496	0.0354	0.3266	0.2452	0.1268	0.0358	0.3006	0.2358	0.065	0.0268	0.11	0.0792	0.0946	0.0316	0.1798
borda	14	0.1424	0.3442	0.2576	0.4834	0.1512	0.0388	0.3088	0.2486	0.145	0.0298	0.3002	0.2362	0.0676	0.0176	0.109	0.0768	0.0932	0.0114	0.1886
kemeny	14	0.135	0.332	0.2482	0.4664	0.1506	0.015	0.3094	0.2308	0.1496	0.0072	0.3054	0.2116	0.0606	0.0164	0.1016	0.0754	0.0874	0.0042	0.1818
rrf	14	0.143	0.3218	0.2574	0.4564	0.154	0.0266	0.307	0.237	0.147	0.0232	0.3042	0.2304	0.0626	0.0268	0.1028	0.082	0.09	0.003	0.1848
schulze	14	0.137	0.3286	0.25	0.4638	0.1584	0.0232	0.3146	0.2386	0.1464	0.0162	0.302	0.2228	0.0646	0.0132	0.1062	0.0716	0.0892	0.0044	0.1838
best_individual	16	0.1716	0.1752	0.292	0.2952	0.15	0.103	0.328	0.3102	0.1378	0.0686	0.3176	0.2856	0.0618	0.037	0.1178	0.095	0.1058	0.0216	0.2096
simpleavg	16	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196	0.0944	0.0338	0.1768
borda	16	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142	0.103	0.095	0.019	0.1882
kemeny	16	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136	0.0994	0.0904	0.015	0.179
rrf	16	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958	0.0956	0.0246	0.1914
schulze	16	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958	0.0926	0.017	0.1864

Table 236: ImageNet-ResNet-18 results.

method	R a Cbar
best_individual	0.0032
simpleavg	0.0144
borda	0.0056
kemeny	0.0024
rrf	0.0006
schulze	0.0032
best_individual	0.0442
simpleavg	0.0594
borda	0.0356
kemeny	0.0266
rrf	0.0266
schulze	0.0242
best_individual	0.0572
simpleavg	0.0754
borda	0.0532
kemeny	0.0492
rrf	0.0608
schulze	0.0506

Table 237: ImageNet-ResNet-18 results.

method	p	F	Fbar	C	Cbar	R g F	R g Fbar	R g C	R g Cbar	R p F	R p Fbar	R p C	R p Cbar	R s F	R s Fbar	R s C	R s Cbar	R a F	R a Fbar	R a C
best_individual	8	0.0988	0.7428	0.196	0.9038	0.0988	0.1678	0.2674	0.036	0.0832	0.1554	0.2514	0.0416	0.0438	0.0414	0.0892	0.0102	0.078	0.0104	0.163
simpleavg	8	0.0858	0.739	0.182	0.8988	0.0972	0.1678	0.2438	0.0382	0.082	0.1518	0.225	0.0416	0.0384	0.0446	0.0756	0.0122	0.0698	0.005	0.1558
borda	8	0.0768	0.7168	0.1728	0.877	0.1104	0.1764	0.2468	0.0322	0.0954	0.1654	0.2312	0.0348	0.0448	0.0516	0.075	0.0026	0.0612	0.0038	0.1486
kemeny	8	0.0812	0.717	0.1772	0.8784	0.117	0.1724	0.262	0.0326	0.0968	0.1602	0.2382	0.039	0.0428	0.0448	0.0786	0.0068	0.0656	0.0034	0.1516
rrf	8	0.0828	0.7176	0.1814	0.876	0.1068	0.1764	0.243	0.0334	0.0934	0.1546	0.2302	0.0446	0.04	0.0472	0.0724	0.008	0.0666	0.003	0.1568
schulze	8	0.0828	0.7176	0.1814	0.876	0.1068	0.1764	0.243	0.0334	0.0934	0.1546	0.2302	0.0446	0.04	0.0472	0.0724	0.008	0.0666	0.003	0.1568
best_individual	14	0.1496	0.2664	0.2706	0.4014	0.0642	0.0028	0.2026	0.1434	0.0382	0.0004	0.1822	0.1268	0.0212	0.0002	0.0514	0.0344	0.0286	0.0016	0.0992
simpleavg	14	0.1578	0.3846	0.2718	0.5284	0.1496	0.0354	0.3266	0.2452	0.1268	0.0358	0.3006	0.2358	0.065	0.0268	0.11	0.0792	0.0946	0.0316	0.1798
borda	14	0.1424	0.3442	0.2576	0.4834	0.1512	0.0388	0.3088	0.2486	0.145	0.0298	0.3002	0.2362	0.0676	0.0176	0.109	0.0768	0.0932	0.0114	0.1886
kemeny	14	0.135	0.332	0.2482	0.4664	0.1506	0.015	0.3094	0.2308	0.1496	0.0072	0.3054	0.2116	0.0606	0.0164	0.1016	0.0754	0.0874	0.0042	0.1818
rrf	14	0.143	0.3218	0.2574	0.4564	0.154	0.0266	0.307	0.237	0.147	0.0232	0.3042	0.2304	0.0626	0.0268	0.1028	0.082	0.09	0.003	0.1848
schulze	14	0.137	0.3286	0.25	0.4638	0.1584	0.0232	0.3146	0.2386	0.1464	0.0162	0.302	0.2228	0.0646	0.0132	0.1062	0.0716	0.0892	0.0044	0.1838
best_individual	16	0.1716	0.1752	0.292	0.2952	0.078	0.0108	0.2344	0.184	0.0442	0.0086	0.2042	0.1848	0.0238	0.0004	0.0644	0.047	0.036	0.0026	0.1048
simpleavg	16	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196	0.0944	0.0338	0.1768
borda	16	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142	0.103	0.095	0.019	0.1882
kemeny	16	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136	0.0994	0.0904	0.015	0.179
rrf	16	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958	0.0956	0.0246	0.1914
schulze	16	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958	0.0926	0.017	0.1864

Table 238: ImageNet-ResNet-18 results.

method	R a Cbar
best_individual	0.0002
simpleavg	0.0144
borda	0.0056
kemeny	0.0024
rrf	0.0006
schulze	0.0032
best_individual	0.0002
simpleavg	0.0594
borda	0.0356
kemeny	0.0266
rrf	0.0266
schulze	0.0242
best_individual	0.0002
simpleavg	0.0754
borda	0.0532
kemeny	0.0492
rrf	0.0608
schulze	0.0506

Table 239: ImageNet–ResNet-18 results.

method	fill	F	Fbar	C	Cbar	R g F	R g Fbar	R g C	R g Cbar	R p F	R p Fbar	R p C	R p Cbar	R s F	R s Fbar	R s C	R s Cbar	R a F	R a Fbar	R a C
best_indiv	dataset_mean	0.1716	0.1752	0.292	0.2952	0.078	0.0108	0.2344	0.184	0.0442	0.0086	0.2042	0.1848	0.0238	0.0004	0.0644	0.047	0.036	0.0026	0.1048
simpleavg	dataset_mean	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196	0.0944	0.0338	0.1768
borda	dataset_mean	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142	0.103	0.095	0.019	0.1882
kemeny	dataset_mean	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136	0.0994	0.0904	0.015	0.179
rrf	dataset_mean	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958	0.0956	0.0246	0.1914
schulze	dataset_mean	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958	0.0926	0.017	0.1864
best_indiv	class_mean	0.1784	0.2618	0.2952	0.393	0.078	0.009	0.2378	0.1562	0.0494	0.0018	0.2108	0.1596	0.0274	0.0074	0.066	0.0454	0.0354	0.0006	0.1044
simpleavg	class_mean	0.174	0.344	0.29	0.4804	0.157	0.0676	0.3404	0.2812	0.1414	0.06	0.3148	0.276	0.078	0.0534	0.122	0.1178	0.0914	0.0284	0.1768
borda	class_mean	0.1658	0.31	0.2826	0.4464	0.1656	0.0608	0.3328	0.2772	0.1518	0.0566	0.3142	0.2644	0.0756	0.036	0.1156	0.096	0.0982	0.0146	0.1896
kemeny	class_mean	0.1656	0.3096	0.2782	0.4414	0.1592	0.037	0.3278	0.2592	0.151	0.0352	0.312	0.247	0.0702	0.0308	0.1114	0.0922	0.0968	0.0072	0.1838
rrf	class_mean	0.1714	0.3042	0.2886	0.4338	0.1574	0.047	0.3238	0.272	0.1504	0.0516	0.3066	0.2632	0.071	0.0304	0.1104	0.0964	0.1006	0.021	0.1912
schulze	class_mean	0.1662	0.3096	0.2804	0.439	0.1552	0.0412	0.327	0.2642	0.1482	0.0366	0.3074	0.2492	0.0726	0.0366	0.1156	0.102	0.0986	0.0124	0.1878

Table 240: ImageNet-ResNet-18 results.

method	R a Cbar
best_individual	0.002
simpleavg	0.0754
borda	0.0532
kemeny	0.0492
rrf	0.0608
schulze	0.0506
best_individual	0.004
simpleavg	0.0506
borda	0.034
kemeny	0.0282
rrf	0.039
schulze	0.0278

Table 241: ImageNet-ResNet-18 results.

method	fill	F	Fbar	C	Cbar	R g F	R g Fbar	R g C	R g Cbar	R p F	R p Fbar	R p C	R p Cbar	R s F	R s Fbar	R s C	R s Cbar	R a F	R a Fbar	R a C
best_indiv	dataset_mean	0.1716	0.1752	0.292	0.2952	0.15	0.103	0.328	0.3102	0.1378	0.0686	0.3176	0.2856	0.0618	0.037	0.1178	0.095	0.1058	0.0216	0.2096
simpleavg	dataset_mean	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196	0.0944	0.0338	0.1768
borda	dataset_mean	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142	0.103	0.095	0.019	0.1882
kemeny	dataset_mean	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136	0.0994	0.0904	0.015	0.179
rrf	dataset_mean	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958	0.0956	0.0246	0.1914
schulze	dataset_mean	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958	0.0926	0.017	0.1864
best_indiv	class_mean	0.1784	0.2618	0.2952	0.393	0.1478	0.0784	0.3268	0.2924	0.1318	0.0576	0.3124	0.2746	0.0604	0.033	0.1194	0.0938	0.1122	0.0318	0.2098
simpleavg	class_mean	0.174	0.344	0.29	0.4804	0.157	0.0676	0.3404	0.2812	0.1414	0.06	0.3148	0.276	0.078	0.0534	0.122	0.1178	0.0914	0.0284	0.1768
borda	class_mean	0.1658	0.31	0.2826	0.4464	0.1656	0.0608	0.3328	0.2772	0.1518	0.0566	0.3142	0.2644	0.0756	0.036	0.1156	0.096	0.0982	0.0146	0.1896
kemeny	class_mean	0.1656	0.3096	0.2782	0.4414	0.1592	0.037	0.3278	0.2592	0.151	0.0352	0.312	0.247	0.0702	0.0308	0.1114	0.0922	0.0968	0.0072	0.1838
rrf	class_mean	0.1714	0.3042	0.2886	0.4338	0.1574	0.047	0.3238	0.272	0.1504	0.0516	0.3066	0.2632	0.071	0.0304	0.1104	0.0964	0.1006	0.021	0.1912
schulze	class_mean	0.1662	0.3096	0.2804	0.439	0.1552	0.0412	0.327	0.2642	0.1482	0.0366	0.3074	0.2492	0.0726	0.0366	0.1156	0.102	0.0986	0.0124	0.1878

Table 242: ImageNet–ResNet-18 results.

method	R a Cbar
best_individual	0.0572
simpleavg	0.0754
borda	0.0532
kemeny	0.0492
rrf	0.0608
schulze	0.0506
best_individual	0.0502
simpleavg	0.0506
borda	0.034
kemeny	0.0282
rrf	0.039
schulze	0.0278

Table 243: ImageNet–ResNet-18 results.

method	noise	severity	F	Fbar	C	Cbar
best_indiv	gaussian	0.1	0.0442	0.026	0.1186	0.1168
simpleavg	gaussian	0.1	0.126	0.1134	0.2092	0.208
borda	gaussian	0.1	0.1268	0.086	0.1942	0.1824
kemeny	gaussian	0.1	0.125	0.0674	0.1962	0.1608
rrf	gaussian	0.1	0.128	0.07	0.1914	0.1646
schulze	gaussian	0.1	0.131	0.072	0.1986	0.17
best_indiv	gaussian	0.15	0.078	0.0108	0.2344	0.184
simpleavg	gaussian	0.15	0.1564	0.1118	0.3474	0.3208
borda	gaussian	0.15	0.1692	0.0996	0.3384	0.3208
kemeny	gaussian	0.15	0.1668	0.0684	0.3296	0.2774
rrf	gaussian	0.15	0.1648	0.0776	0.3286	0.2944
schulze	gaussian	0.15	0.1662	0.0762	0.3296	0.288
best_indiv	gaussian	0.2	0.0764	0.0026	0.3448	0.2622
simpleavg	gaussian	0.2	0.1322	0.0644	0.4402	0.4126
borda	gaussian	0.2	0.146	0.0626	0.4378	0.4094
kemeny	gaussian	0.2	0.141	0.03	0.4282	0.3796
rrf	gaussian	0.2	0.1416	0.045	0.4236	0.392
schulze	gaussian	0.2	0.139	0.0404	0.421	0.3896
best_indiv	salt_pepper	0.03	0.0394	0.0048	0.1324	0.1074
simpleavg	salt_pepper	0.03	0.1292	0.0856	0.238	0.2146
borda	salt_pepper	0.03	0.1378	0.0582	0.2336	0.1856
kemeny	salt_pepper	0.03	0.1376	0.031	0.2304	0.1586
rrf	salt_pepper	0.03	0.135	0.0468	0.224	0.1702
schulze	salt_pepper	0.03	0.135	0.0392	0.2252	0.1632
best_indiv	salt_pepper	0.05	0.0442	0.0086	0.2042	0.1848
simpleavg	salt_pepper	0.05	0.1376	0.0916	0.3152	0.2946
borda	salt_pepper	0.05	0.1624	0.0788	0.3208	0.2822
kemeny	salt_pepper	0.05	0.1614	0.045	0.317	0.2522
rrf	salt_pepper	0.05	0.1624	0.066	0.3134	0.2654
schulze	salt_pepper	0.05	0.1592	0.0656	0.3124	0.2696
best_indiv	salt_pepper	0.08	0.0774	0.0068	0.295	0.2616
simpleavg	salt_pepper	0.08	0.1552	0.0854	0.4236	0.3858
borda	salt_pepper	0.08	0.169	0.0868	0.4158	0.3892
kemeny	salt_pepper	0.08	0.1664	0.0566	0.4058	0.3596
rrf	salt_pepper	0.08	0.1614	0.0642	0.4042	0.3746
schulze	salt_pepper	0.08	0.168	0.064	0.4058	0.3656
best_indiv	speckle	0.1	0.0208	0.0008	0.0358	0.024
simpleavg	speckle	0.1	0.0488	0.0428	0.0722	0.0678
borda	speckle	0.1	0.0492	0.0226	0.061	0.0538
kemeny	speckle	0.1	0.0466	0.0226	0.0574	0.0502
rrf	speckle	0.1	0.0482	0.0202	0.059	0.047
schulze	speckle	0.1	0.0496	0.022	0.0578	0.0484
best_indiv	speckle	0.15	0.0238	0.0004	0.0644	0.047
simpleavg	speckle	0.15	0.0734	0.0636	0.1192	0.1196
borda	speckle	0.15	0.0748	0.0428	0.1142	0.103
kemeny	speckle	0.15	0.0748	0.0362	0.1136	0.0994
rrf	speckle	0.15	0.0742	0.0342	0.1126	0.0958
schulze	speckle	0.15	0.077	0.035	0.112	0.0958
best_indiv	speckle	0.2	0.0282	0.004	0.102	0.082
simpleavg	speckle	0.2	0.093	0.0746	0.1746	0.1636
borda	speckle	0.2	0.101	0.0602	0.1726	0.1596
kemeny	speckle	0.2	0.1016	0.0408	0.169	0.1292
rrf	speckle	0.2	0.1008	0.0514	0.165	0.1482
schulze	speckle	0.2	0.0992	0.053	0.1686	0.1468
best_indiv	adversarial	0.003922	0.0334	0.0014	0.0964	0.0002
simpleavg	adversarial	0.003922	0.0914	0.0448	0.1676	0.082
borda	adversarial	0.003922	0.0888	0.0232	0.1752	0.0476
kemeny	adversarial	0.003922	0.087	0.02	0.1704	0.0448
rrf	adversarial	0.003922	0.087	0.0228	0.174	0.0484
schulze	adversarial	0.003922	0.0866	0.0202	0.1734	0.045
best_indiv	adversarial	0.007843	0.036	0.0026	0.1048	0.002
simpleavg	adversarial	0.007843	0.0944	0.0338	0.1768	0.0754
borda	adversarial	0.007843	0.095	0.019	0.1882	0.0532
kemeny	adversarial	0.007843	0.0904	0.015	0.179	0.0492
rrf	adversarial	0.007843	0.0956	0.0246	0.1914	0.0608
schulze	adversarial	0.007843	0.0926	0.017	0.1864	0.0506
best_indiv	adversarial	0.015686	0.0316	0.0052	0.1006	0.002

method	noise	severity	F	Fbar	C	Cbar
simpleavg	adversarial	0.015686	0.095	0.0232	0.1788	0.067
borda	adversarial	0.015686	0.0998	0.0002	0.1936	0.0366
kemeny	adversarial	0.015686	0.0928	0.0094	0.1842	0.0386
rrf	adversarial	0.015686	0.099	0	0.1946	0.0354
schulze	adversarial	0.015686	0.0938	0.0128	0.1888	0.0446

Table 244: ImageNet–ResNet-18 results.

method	noise	severity	F	Fbar	C	Cbar
best_indiv	gaussian	0.1	0.128	0.088	0.2064	0.1878
simpleavg	gaussian	0.1	0.126	0.1134	0.2092	0.208
borda	gaussian	0.1	0.1268	0.086	0.1942	0.1824
kemeny	gaussian	0.1	0.125	0.0674	0.1962	0.1608
rrf	gaussian	0.1	0.128	0.07	0.1914	0.1646
schulze	gaussian	0.1	0.131	0.072	0.1986	0.17
best_indiv	gaussian	0.15	0.15	0.103	0.328	0.3102
simpleavg	gaussian	0.15	0.1564	0.1118	0.3474	0.3208
borda	gaussian	0.15	0.1692	0.0996	0.3384	0.3208
kemeny	gaussian	0.15	0.1668	0.0684	0.3296	0.2774
rrf	gaussian	0.15	0.1648	0.0776	0.3286	0.2944
schulze	gaussian	0.15	0.1662	0.0762	0.3296	0.288
best_indiv	gaussian	0.2	0.126	0.0808	0.4246	0.4338
simpleavg	gaussian	0.2	0.1322	0.0644	0.4402	0.4126
borda	gaussian	0.2	0.146	0.0626	0.4378	0.4094
kemeny	gaussian	0.2	0.141	0.03	0.4282	0.3796
rrf	gaussian	0.2	0.1416	0.045	0.4236	0.392
schulze	gaussian	0.2	0.139	0.0404	0.421	0.3896
best_indiv	salt_pepper	0.03	0.1168	0.0514	0.23	0.187
simpleavg	salt_pepper	0.03	0.1292	0.0856	0.238	0.2146
borda	salt_pepper	0.03	0.1378	0.0582	0.2336	0.1856
kemeny	salt_pepper	0.03	0.1376	0.031	0.2304	0.1586
rrf	salt_pepper	0.03	0.135	0.0468	0.224	0.1702
schulze	salt_pepper	0.03	0.135	0.0392	0.2252	0.1632
best_indiv	salt_pepper	0.05	0.1378	0.0686	0.3176	0.2856
simpleavg	salt_pepper	0.05	0.1376	0.0916	0.3152	0.2946
borda	salt_pepper	0.05	0.1624	0.0788	0.3208	0.2822
kemeny	salt_pepper	0.05	0.1614	0.045	0.317	0.2522
rrf	salt_pepper	0.05	0.1624	0.066	0.3134	0.2654
schulze	salt_pepper	0.05	0.1592	0.0656	0.3124	0.2696
best_indiv	salt_pepper	0.08	0.1482	0.0902	0.3964	0.3976
simpleavg	salt_pepper	0.08	0.1552	0.0854	0.4236	0.3858
borda	salt_pepper	0.08	0.169	0.0868	0.4158	0.3892
kemeny	salt_pepper	0.08	0.1664	0.0566	0.4058	0.3596
rrf	salt_pepper	0.08	0.1614	0.0642	0.4042	0.3746
schulze	salt_pepper	0.08	0.168	0.064	0.4058	0.3656
best_indiv	speckle	0.1	0.0368	0.0226	0.0646	0.05
simpleavg	speckle	0.1	0.0488	0.0428	0.0722	0.0678
borda	speckle	0.1	0.0492	0.0226	0.061	0.0538
kemeny	speckle	0.1	0.0466	0.0226	0.0574	0.0502
rrf	speckle	0.1	0.0482	0.0202	0.059	0.047
schulze	speckle	0.1	0.0496	0.022	0.0578	0.0484
best_indiv	speckle	0.15	0.0618	0.037	0.1178	0.095
simpleavg	speckle	0.15	0.0734	0.0636	0.1192	0.1196
borda	speckle	0.15	0.0748	0.0428	0.1142	0.103
kemeny	speckle	0.15	0.0748	0.0362	0.1136	0.0994
rrf	speckle	0.15	0.0742	0.0342	0.1126	0.0958
schulze	speckle	0.15	0.077	0.035	0.112	0.0958
best_indiv	speckle	0.2	0.0814	0.0492	0.1686	0.146
simpleavg	speckle	0.2	0.093	0.0746	0.1746	0.1636
borda	speckle	0.2	0.101	0.0602	0.1726	0.1596
kemeny	speckle	0.2	0.1016	0.0408	0.169	0.1292
rrf	speckle	0.2	0.1008	0.0514	0.165	0.1482
schulze	speckle	0.2	0.0992	0.053	0.1686	0.1468
best_indiv	adversarial	0.003922	0.1004	0.0196	0.1926	0.043
simpleavg	adversarial	0.003922	0.0914	0.0448	0.1676	0.082
borda	adversarial	0.003922	0.0888	0.0232	0.1752	0.0476
kemeny	adversarial	0.003922	0.087	0.02	0.1704	0.0448
rrf	adversarial	0.003922	0.087	0.0228	0.174	0.0484
schulze	adversarial	0.003922	0.0866	0.0202	0.1734	0.045
best_indiv	adversarial	0.007843	0.1058	0.0216	0.2096	0.0572
simpleavg	adversarial	0.007843	0.0944	0.0338	0.1768	0.0754
borda	adversarial	0.007843	0.095	0.019	0.1882	0.0532
kemeny	adversarial	0.007843	0.0904	0.015	0.179	0.0492
rrf	adversarial	0.007843	0.0956	0.0246	0.1914	0.0608
schulze	adversarial	0.007843	0.0926	0.017	0.1864	0.0506
best_indiv	adversarial	0.015686	0.1052	0.0176	0.2086	0.0586

method	noise	severity	F	Fbar	C	Cbar
simpleavg	adversarial	0.015686	0.095	0.0232	0.1788	0.067
borda	adversarial	0.015686	0.0998	0.0002	0.1936	0.0366
kemeny	adversarial	0.015686	0.0928	0.0094	0.1842	0.0386
rrf	adversarial	0.015686	0.099	0	0.1946	0.0354
schulze	adversarial	0.015686	0.0938	0.0128	0.1888	0.0446

Table 245: ImageNet–ResNet-18 results.

cell	dataset	model	method	setting	q	selection rule	methods	F	Fbar	C	Cbar	R F g	R C g	R F p	R C p	R F s	R C s	R F a	R C a	R F bar g
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	best_individual	best_individual	11	individual	3102f14ac2887761679f875787c2008b3295273560781d1274798c941286274230.0238	0.1726	0.251	0.286	0.3862	0.1564	0.3474	0.1376	0.3152	0.0734	0.1192	0.0944	0.1768	0.1018
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	naive	11	kemeny	["GuidedBicubic", "DenseNet", "EfficientNet", "FP3", "FP4", "FP5", "FP6", "FP7", "FP8", "FP9", "FP10", "FP11", "FP12", "FP13", "FP14", "FP15", "FP16", "FP17", "FP18", "FP19", "FP20", "FP21", "FP22", "FP23", "FP24", "FP25", "FP26", "FP27", "FP28", "FP29", "FP30", "FP31", "FP32", "FP33", "FP34", "FP35", "FP36", "FP37", "FP38", "FP39", "FP40", "FP41", "FP42", "FP43", "FP44", "FP45", "FP46", "FP47", "FP48", "FP49", "FP50", "FP51", "FP52", "FP53", "FP54", "FP55", "FP56", "FP57", "FP58", "FP59", "FP60", "FP61", "FP62", "FP63", "FP64", "FP65", "FP66", "FP67", "FP68", "FP69", "FP70", "FP71", "FP72", "FP73", "FP74", "FP75", "FP76", "FP77", "FP78", "FP79", "FP80", "FP81", "FP82", "FP83", "FP84", "FP85", "FP86", "FP87", "FP88", "FP89", "FP90", "FP91", "FP92", "FP93", "FP94", "FP95", "FP96", "FP97", "FP98", "FP99", "FP100", "FP101", "FP102", "FP103", "FP104", "FP105", "FP106", "FP107", "FP108", "FP109", "FP110", "FP111", "FP112", "FP113", "FP114", "FP115", "FP116", "FP117", "FP118", "FP119", "FP120", "FP121", "FP122", "FP123", "FP124", "FP125", "FP126", "FP127", "FP128", "FP129", "FP130", "FP131", "FP132", "FP133", "FP134", "FP135", "FP136", "FP137", "FP138", "FP139", "FP140", "FP141", "FP142", "FP143", "FP144", "FP145", "FP146", "FP147", "FP148", "FP149", "FP150", "FP151", "FP152", "FP153", "FP154", "FP155", "FP156", "FP157", "FP158", "FP159", "FP160", "FP161", "FP162", "FP163", "FP164", "FP165", "FP166", "FP167", "FP168", "FP169", "FP170", "FP171", "FP172", "FP173", "FP174", "FP175", "FP176", "FP177", "FP178", "FP179", "FP180", "FP181", "FP182", "FP183", "FP184", "FP185", "FP186", "FP187", "FP188", "FP189", "FP190", "FP191", "FP192", "FP193", "FP194", "FP195", "FP196", "FP197", "FP198", "FP199", "FP200", "FP201", "FP202", "FP203", "FP204", "FP205", "FP206", "FP207", "FP208", "FP209", "FP210", "FP211", "FP212", "FP213", "FP214", "FP215", "FP216", "FP217", "FP218", "FP219", "FP220", "FP221", "FP222", "FP223", "FP224", "FP225", "FP226", "FP227", "FP228", "FP229", "FP230", "FP231", "FP232", "FP233", "FP234", "FP235", "FP236", "FP237", "FP238", "FP239", "FP240", "FP241", "FP242", "FP243", "FP244", "FP245", "FP246", "FP247", "FP248", "FP249", "FP250", "FP251", "FP252", "FP253", "FP254", "FP255", "FP256", "FP257", "FP258", "FP259", "FP260", "FP261", "FP262", "FP263", "FP264", "FP265", "FP266", "FP267", "FP268", "FP269", "FP270", "FP271", "FP272", "FP273", "FP274", "FP275", "FP276", "FP277", "FP278", "FP279", "FP280", "FP281", "FP282", "FP283", "FP284", "FP285", "FP286", "FP287", "FP288", "FP289", "FP290", "FP291", "FP292", "FP293", "FP294", "FP295", "FP296", "FP297", "FP298", "FP299", "FP300", "FP301", "FP302", "FP303", "FP304", "FP305", "FP306", "FP307", "FP308", "FP309", "FP310", "FP311", "FP312", "FP313", "FP314", "FP315", "FP316", "FP317", "FP318", "FP319", "FP320", "FP321", "FP322", "FP323", "FP324", "FP325", "FP326", "FP327", "FP328", "FP329", "FP330", "FP331", "FP332", "FP333", "FP334", "FP335", "FP336", "FP337", "FP338", "FP339", "FP340", "FP341", "FP342", "FP343", "FP344", "FP345", "FP346", "FP347", "FP348", "FP349", "FP350", "FP351", "FP352", "FP353", "FP354", "FP355", "FP356", "FP357", "FP358", "FP359", "FP360", "FP361", "FP362", "FP363", "FP364", "FP365", "FP366", "FP367", "FP368", "FP369", "FP370", "FP371", "FP372", "FP373", "FP374", "FP375", "FP376", "FP377", "FP378", "FP379", "FP380", "FP381", "FP382", "FP383", "FP384", "FP385", "FP386", "FP387", "FP388", "FP389", "FP390", "FP391", "FP392", "FP393", "FP394", "FP395", "FP396", "FP397", "FP398", "FP399", "FP400", "FP401", "FP402", "FP403", "FP404", "FP405", "FP406", "FP407", "FP408", "FP409", "FP410", "FP411", "FP412", "FP413", "FP414", "FP415", "FP416", "FP417", "FP418", "FP419", "FP420", "FP421", "FP422", "FP423", "FP424", "FP425", "FP426", "FP427", "FP428", "FP429", "FP430", "FP431", "FP432", "FP433", "FP434", "FP435", "FP436", "FP437", "FP438", "FP439", "FP440", "FP441", "FP442", "FP443", "FP444", "FP445", "FP446", "FP447", "FP448", "FP449", "FP450", "FP451", "FP452", "FP453", "FP454", "FP455", "FP456", "FP457", "FP458", "FP459", "FP460", "FP461", "FP462", "FP463", "FP464", "FP465", "FP466", "FP467", "FP468", "FP469", "FP470", "FP471", "FP472", "FP473", "FP474", "FP475", "FP476", "FP477", "FP478", "FP479", "FP480", "FP481", "FP482", "FP483", "FP484", "FP485", "FP486", "FP487", "FP488", "FP489", "FP490", "FP491", "FP492", "FP493", "FP494", "FP495", "FP496", "FP497", "FP498", "FP499", "FP500", "FP501", "FP502", "FP503", "FP504", "FP505", "FP506", "FP507", "FP508", "FP509", "FP510", "FP511", "FP512", "FP513", "FP514", "FP515", "FP516", "FP517", "FP518", "FP519", "FP520", "FP521", "FP522", "FP523", "FP524", "FP525", "FP526", "FP527", "FP528", "FP529", "FP530", "FP531", "FP532", "FP533", "FP534", "FP535", "FP536", "FP537", "FP538", "FP539", "FP540", "FP541", "FP542", "FP543", "FP544", "FP545", "FP546", "FP547", "FP548", "FP549", "FP550", "FP551", "FP552", "FP553", "FP554", "FP555", "FP556", "FP557", "FP558", "FP559", "FP560", "FP561", "FP562", "FP563", "FP564", "FP565", "FP566", "FP567", "FP568", "FP569", "FP570", "FP571", "FP572", "FP573", "FP574", "FP575", "FP576", "FP577", "FP578", "FP579", "FP580", "FP581", "FP582", "FP583", "FP584", "FP585", "FP586", "FP587", "FP588", "FP589", "FP590", "FP591", "FP592", "FP593", "FP594", "FP595", "FP596", "FP597", "FP598", "FP599", "FP600", "FP601", "FP602", "FP603", "FP604", "FP605", "FP606", "FP607", "FP608", "FP609", "FP610", "FP611", "FP612", "FP613", "FP614", "FP615", "FP616", "FP617", "FP618", "FP619", "FP620", "FP621", "FP622", "FP623", "FP624", "FP625", "FP626", "FP627", "FP628", "FP629", "FP630", "FP631", "FP632", "FP633", "FP634", "FP635", "FP636", "FP637", "FP638", "FP639", "FP640", "FP641", "FP642", "FP643", "FP644", "FP645", "FP646", "FP647", "FP648", "FP649", "FP650", "FP651", "FP652", "FP653", "FP654", "FP655", "FP656", "FP657", "FP658", "FP659", "FP660", "FP661", "FP662", "FP663", "FP664", "FP665", "FP666", "FP667", "FP668", "FP669", "FP670", "FP671", "FP672", "FP673", "FP674", "FP675", "FP676", "FP677", "FP678", "FP679", "FP680", "FP681", "FP682", "FP683", "FP684", "FP685", "FP686", "FP687", "FP688", "FP689", "FP690", "FP691", "FP692", "FP693", "FP694", "FP695", "FP696", "FP697", "FP698", "FP699", "FP700", "FP701", "FP702", "FP703", "FP704", "FP705", "FP706", "FP707", "FP708", "FP709", "FP710", "FP711", "FP712", "FP713", "FP714", "FP715", "FP716", "FP717", "FP718", "FP719", "FP720", "FP721", "FP722", "FP723", "FP724", "FP725", "FP726", "FP727", "FP728", "FP729", "FP730", "FP731", "FP732", "FP733", "FP734", "FP735", "FP736", "FP737", "FP738", "FP739", "FP740", "FP741", "FP742", "FP743", "FP744", "FP745", "FP746", "FP747", "FP748", "FP749", "FP750", "FP751", "FP752", "FP753", "FP754", "FP755", "FP756", "FP757", "FP758", "FP759", "FP760", "FP761", "FP762", "FP763", "FP764", "FP765", "FP766", "FP767", "FP768", "FP769", "FP770", "FP771", "FP772", "FP773", "FP774", "FP775", "FP776", "FP777", "FP778", "FP779", "FP780", "FP781", "FP782", "FP783", "FP784", "FP785", "FP786", "FP787", "FP788", "FP789", "FP790", "FP791", "FP792", "FP793", "FP794", "FP795", "FP796", "FP797", "FP798", "FP799", "FP800", "FP801", "FP802", "FP803", "FP804", "FP805", "FP806", "FP807", "FP808", "FP809", "FP810", "FP811", "FP812", "FP813", "FP814", "FP815", "FP816", "FP817", "FP818", "FP819", "FP820", "FP821", "FP822", "FP823", "FP824", "FP825", "FP826", "FP827", "FP828", "FP829", "FP830", "FP831", "FP832", "FP833", "FP834", "FP835", "FP836", "FP837", "FP838", "FP839", "FP840", "FP841", "FP842", "FP843", "FP844", "FP845", "FP846", "FP847", "FP848", "FP849", "FP850", "FP851", "FP852", "FP853", "FP854", "FP855", "FP856", "FP857", "FP858", "FP859", "FP860", "FP861", "FP862", "FP863", "FP864", "FP865", "FP866", "FP867", "FP868", "FP869", "FP870", "FP871", "FP872", "FP873", "FP874", "FP875", "FP876", "FP877", "FP878", "FP879", "FP880", "FP881", "FP882", "FP883", "FP884", "FP885", "FP886", "FP887", "FP888", "FP889", "FP890", "FP891", "FP892", "FP893", "FP894", "FP895", "FP896", "FP897", "FP898", "FP899", "FP900", "FP901", "FP902", "FP903", "FP904", "FP905", "FP906", "FP907", "FP908", "FP909", "FP910", "FP911", "FP912", "FP913", "FP914", "FP915", "FP916", "FP917", "FP918", "FP919", "FP920", "FP921", "FP922", "FP923", "FP924", "FP925", "FP926", "FP927", "FP928", "FP929", "FP930", "FP931", "FP932", "FP933", "FP934", "FP935", "FP936", "FP937", "FP938", "FP939", "FP940", "FP941", "FP942", "FP943", "FP944", "FP945", "FP946", "FP947", "FP948", "FP949", "FP950", "FP951", "FP952", "FP953", "FP954", "FP955", "FP956", "FP957", "FP958", "FP959", "FP960", "FP961", "FP962", "FP963", "FP964", "FP965", "FP966", "FP967", "FP968", "FP969", "FP970", "FP971", "FP972", "FP973", "FP974", "FP975", "FP976", "FP977", "FP978", "FP979", "FP980", "FP981", "FP982", "FP983", "FP984", "FP985", "FP986", "FP987", "FP988", "FP989", "FP990", "FP991", "FP992", "FP993", "FP994", "FP995", "FP996", "FP997", "FP998", "FP999", "FP1000", "FP1001", "FP1002", "FP1003", "FP1004", "FP1005", "FP1006", "FP1007", "FP1008", "FP1009", "FP1010", "FP1011", "FP1012", "FP1013", "FP1014", "FP1015", "FP1016", "FP1017", "FP1018", "FP1019", "FP1020", "FP1021", "FP1022", "FP1023", "FP1024", "FP1025", "FP1026", "FP1027", "FP1028", "FP1029", "FP1030", "FP1031", "FP1032", "FP1033", "FP1034", "FP1035", "FP1036", "FP1037", "FP1038", "FP1039", "FP1040", "FP1041", "FP1042", "FP1043", "FP1044", "FP1045", "FP1046", "FP1047", "FP1048", "FP1049", "FP1050", "FP1051", "FP1052", "FP1053", "FP1054", "FP1055", "FP1056", "FP1057", "FP1058", "FP1059", "FP1060", "FP1061", "FP1062", "FP1063", "FP1064", "FP1065", "FP1066", "FP1067", "FP1068", "FP1069", "FP1070", "FP1071", "FP1072", "FP1073", "FP1074", "FP1075", "FP1076", "FP1077", "FP1078", "FP1079", "FP1080", "FP1081", "FP1082", "FP1083", "FP1084", "FP1085", "FP1086", "FP1087", "FP1088", "FP1089", "FP1090", "FP1091", "FP1092", "FP1093", "FP1094", "FP1095", "FP1096", "FP1097", "FP1098", "FP1099", "FP1100", "FP1101", "FP1102", "FP1103", "FP1104", "FP1105", "FP1106", "FP1107", "FP1108", "FP1109", "FP1110", "FP1111", "FP1112", "FP1113", "FP1114", "FP1115", "FP1116", "FP1117", "FP1118", "FP1119", "FP1120", "FP1121", "FP1122", "FP1123", "FP1124", "FP1125", "FP1126", "FP1127", "FP1128", "FP1129", "FP1130", "FP1131", "FP1132", "FP1133", "FP1134", "FP1135", "FP1136", "FP1137", "FP1138", "FP1139", "FP1140", "FP1141", "FP1142", "FP1143", "FP1144", "FP1145", "FP1146", "FP1147", "FP1148", "FP1149", "FP1150", "FP1151", "FP1152", "FP1153", "FP1154", "FP1155", "FP1156", "FP1157", "FP1158", "FP1159", "FP1160", "FP1161", "FP1162", "FP1163", "FP1164", "FP1165", "FP1166", "FP1167", "FP1168", "FP1169", "FP1170", "FP1171", "FP1172", "FP1173", "FP1174", "FP1175", "FP1176", "FP1177", "FP1178", "FP1179", "FP1180", "FP1181", "FP1182", "FP1183", "FP1184", "FP1185", "FP1186", "FP1187", "FP1188", "FP1189", "FP1190", "FP1191", "FP1192", "FP1193", "FP1194", "FP1195", "FP1196", "FP1197", "FP1198", "FP1199", "FP1200", "FP1201", "FP1202", "FP1203", "FP1204", "FP1205", "FP1206", "FP1207", "FP1208", "FP1209", "FP1210", "FP1211", "FP1212", "FP1213", "FP1214", "FP1215", "FP1216", "FP1217", "FP1218", "FP1219", "FP1220", "FP1221", "FP1222", "FP1223", "FP1224", "FP1225", "FP1226", "FP1227", "FP1228", "FP1229", "FP1230", "FP1231", "FP1232", "FP1233", "FP1234", "FP1235", "FP1236", "FP1237", "FP1238", "FP1239", "FP1240", "FP1241", "FP1242", "FP1243", "FP1244", "FP1245", "FP1246", "FP1247", "FP1248", "FP1249", "FP1250", "FP1251", "FP1252", "FP1253", "FP1254", "FP1255", "FP1256", "FP1257", "FP1258", "FP1259", "FP1260", "FP1261", "FP1262", "FP1263", "FP1264", "FP1265", "FP1266", "FP1267", "FP1268", "FP1269", "FP1270", "FP1271", "FP1272", "FP1273", "FP1274", "FP1275", "FP1276", "FP1277", "FP1278", "FP1279", "FP1280", "FP1281", "FP1282", "FP1283", "FP1284", "FP1285", "FP1286", "FP1287", "FP1288", "FP1289", "FP1290", "FP1291", "FP1292", "FP1293", "FP1294", "FP1295", "FP1296", "FP1297", "FP1298", "FP1299", "FP1300", "FP1301", "FP1302", "FP1303", "FP1304", "FP1305", "FP1306", "FP1307", "FP1308", "FP1309", "FP1310", "FP1311", "FP1312", "FP1313", "FP1314", "FP1315", "FP1316", "FP1317", "FP1318", "FP1319", "FP1320", "FP1321", "FP1322", "FP1323", "FP1324", "FP1325", "FP1326", "FP1327", "FP1328", "FP1329", "FP1330", "FP1331", "FP1332", "FP1333", "FP1334", "FP1335", "FP1336", "FP1337", "FP1338", "FP1339", "FP1340", "FP1341", "FP1342", "FP1343", "FP1344", "FP1345", "FP1346", "FP1347", "FP1348", "FP1349", "FP1350", "FP1351", "FP1352", "FP1353", "FP1354", "FP1355", "FP1356", "FP1357", "FP1358", "FP1359", "FP1360", "FP1361", "FP1362", "FP1363", "FP1364", "FP1365", "FP1366", "FP1367", "FP1368", "FP1369", "FP1370", "FP1371", "FP1372", "FP1373", "FP1374", "FP1375", "FP1376", "FP1377", "FP1378", "FP1379", "FP1380", "FP1381", "FP1382", "FP1383", "FP1384", "FP1385", "FP1386", "FP1387", "FP1388", "FP1389", "FP1390", "FP1391", "FP1392", "FP1393", "FP1394", "FP1395", "FP1396", "FP1397", "FP1398", "FP1399", "FP1400", "FP1401", "FP1402", "FP1403", "FP1404", "FP1405", "FP1406", "FP1407", "FP1408", "FP1409", "FP1410", "FP1411", "FP1412", "FP1413", "FP1414", "FP1415", "FP1416", "FP1417", "FP1418", "FP1419", "FP1420", "FP1421", "FP1422", "FP1423", "FP1424", "FP1425", "FP1426", "FP1427", "FP1428", "FP1429", "FP1430", "FP1431", "FP1432", "FP1433", "FP1434", "FP1435", "FP1436", "FP1437", "FP1438", "FP1439", "FP1440", "FP1441", "FP1442", "FP1443", "FP1444", "FP1445", "FP1446", "FP1447", "FP1448", "FP1449", "FP1450", "FP1451", "FP1452", "FP1453", "FP1454", "FP1455", "FP1456", "FP1457", "FP1458", "FP1459", "FP1460", "FP1461", "FP1462", "FP1463", "FP1464", "FP1465", "FP1466", "FP1467", "FP1468", "FP1469", "FP1470", "FP1471", "FP1472", "FP1473", "FP1474", "FP1475", "FP1476", "FP1477", "FP1478", "FP1479", "FP1480", "FP1481", "FP1482", "FP1483", "FP1484", "FP1485", "FP1486", "FP1487", "FP1488", "FP1489", "FP1490", "FP1491", "FP1492", "FP1493", "FP1494", "FP1495", "FP1496", "FP1497", "FP1498", "FP1499", "FP1500", "FP1501", "FP1502", "FP1503", "FP1504", "FP1505", "FP1506", "FP1507", "FP1508", "FP1509", "FP1510", "FP1511", "FP1512", "FP1513", "FP1514", "FP1515", "FP1516", "FP1517", "FP1518", "FP1519", "FP1520", "FP1521", "FP1522", "FP1523", "FP1524", "FP1525", "FP1526", "FP1527", "FP1528", "FP1529", "FP1530", "FP1531", "FP1532", "FP1533", "FP1534", "FP1535", "FP1536", "FP1537", "FP1538", "FP1539", "FP1540", "FP1541", "FP1542", "FP1543", "FP1544", "FP1545", "FP1546", "FP1547", "FP1548", "FP1549", "FP1550", "FP1551", "FP1552", "FP1553", "FP1554", "FP1555", "FP1556", "FP1557", "FP1558", "FP1559", "FP1560", "FP1561", "FP1562", "FP1563", "FP1564", "FP1565", "FP1566", "FP1567", "FP1568", "FP1569", "FP1570", "FP1571", "FP1572", "FP1573", "FP1574", "FP1575", "FP1576", "FP1577", "FP1578", "FP1579", "FP1580", "FP1581", "FP1582", "FP1583", "FP1584", "FP1585", "FP1586", "FP1587", "FP1588", "FP1589", "FP1590", "FP1591", "FP1592", "FP1593", "FP1594", "FP1595", "FP1596", "FP1597", "FP1598", "FP1599", "FP1600", "FP1601", "FP1602", "FP1603", "FP1604", "FP1605", "FP1606", "FP1607", "FP1608", "FP1609", "FP1610", "FP1611", "FP1612", "FP1613", "FP1614", "FP1615", "FP1616", "FP1617", "FP1618", "FP1619", "FP1620", "FP1621", "FP1622", "FP1623", "FP1624", "FP1625", "FP1626", "FP1627", "FP1628", "FP1629", "FP1630", "FP1631", "FP1632", "FP1633", "FP1634", "FP1635", "FP1636", "FP1637", "FP1638", "FP1639", "FP1640", "FP1641", "FP1642", "FP1643", "FP1644", "FP1645", "FP1646", "FP1647", "FP1648", "FP1649", "FP1650", "FP1651", "FP1652", "FP1653", "FP1654", "FP1655", "FP1656", "FP1657", "FP1658", "FP1659", "FP1660", "FP1661", "FP1662", "FP1663", "FP1664", "FP1665", "FP1666", "FP1667", "FP1668", "FP1669", "FP1670", "FP1671", "FP1672", "FP1673", "FP1674", "FP1675", "FP1676", "FP1677", "FP1678", "FP1679", "FP1680", "FP1681", "FP1682", "FP1683", "FP1684", "FP1685", "FP1686", "FP1687", "FP1688", "FP1689", "FP1690", "FP1691", "FP1692", "FP1693", "FP1694", "FP1695", "FP1696", "FP1697", "FP1698", "FP1699", "FP1700", "FP1701", "FP1702", "FP1703", "FP1704", "FP1705", "FP1706", "FP1707", "FP1708", "FP1709", "FP1710", "FP1711", "FP1712", "FP1713", "FP1714", "FP1715", "FP1716", "FP1717", "FP1718", "FP1719", "FP1720", "FP1721", "FP1722", "FP1723", "FP1724", "FP1725", "FP1726", "FP1727", "FP1728", "FP1729", "FP1730", "FP1731", "FP1732", "FP1733", "FP1734", "FP1735", "FP1736", "FP1737", "FP1738", "FP1739", "FP1740", "FP1741", "FP1742", "FP1743", "FP1744", "FP1745", "FP1746", "FP1747", "FP1748", "FP1749", "FP1750", "FP1751", "FP1752", "FP1753", "FP1754", "FP1755", "FP1756", "FP1757", "FP1758", "FP1759", "FP1760", "FP1761", "FP1762", "FP1763", "FP1764", "FP1765", "FP1766", "FP1767", "FP1768", "FP1769", "FP1770", "FP1771", "FP1772", "FP1773", "FP1774", "FP1775", "FP1776", "FP1777", "FP1778", "FP1779", "FP1780", "FP1781", "FP1782", "FP1783", "FP1784", "FP1785", "FP1786", "FP1787", "FP1788", "FP1789", "FP1790", "FP1791", "FP1792", "FP1793", "FP1794", "FP1795", "FP1796", "FP1797", "FP1798", "FP1799", "FP1800", "FP1801", "FP1802", "FP1803", "FP1804", "FP1805", "FP1806", "FP1807", "FP1808", "FP1809", "FP1810", "FP1811", "FP1812", "FP1813", "FP1814", "FP1815", "FP1816", "FP1817", "FP1818", "FP1819", "FP1820", "FP1821", "FP1822", "FP1823", "FP1824", "FP1825", "FP1826", "FP1827", "FP1828", "FP1829", "FP1830", "FP1831", "FP1832", "FP1833", "FP1834", "FP1835", "FP1836", "FP1837", "FP1838", "FP1839", "FP1840", "FP1841", "FP1842", "FP1843", "FP1844", "FP1845", "FP1846", "FP1847", "FP1848", "FP1849", "FP1850", "FP1851", "FP1852", "FP1853", "FP1854", "FP1855", "FP1856", "FP1857													

Table 246: ImageNet-ResNet-18 results.

cell	dataset	model	method	setting	q	R Cbar g	R Fbar p	R Cbar p	R Fbar s	R Cbar s	R Fbar a	R Cbar a
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	best_individual	best_individual	11	0.184	0.0086	0.1848	0.0004	0.047	0.0026	0.002
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	naive	11	0.3208	0.0916	0.2946	0.0636	0.1196	0.0338	0.0754
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	NOISE	5	0.3426	0.107	0.3174	0.0666	0.13	0.0428	0.0784
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	naive	11	0.3208	0.0788	0.2822	0.0428	0.103	0.019	0.0532
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	NOISE	5	0.3498	0.1106	0.3188	0.051	0.1142	0.0262	0.072
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	naive	11	0.2774	0.045	0.2522	0.0362	0.0994	0.015	0.0492
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	NOISE	5	0.3062	0.0684	0.2774	0.0446	0.1034	0.0272	0.0746
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rrf	naive	11	0.2944	0.066	0.2654	0.0342	0.0958	0.0246	0.0608
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rrf	NOISE	5	0.3324	0.0966	0.3072	0.0468	0.108	0.032	0.0754
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	naive	11	0.288	0.0656	0.2696	0.035	0.0958	0.017	0.0506
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	NOISE	5	0.3336	0.0996	0.3072	0.049	0.111	0.0352	0.0798

Table 247: ImageNet-ResNet-18 results.

cell	dataset	model	method	setting	q	selection rule	methods	F	Fbar	C	Cbar	R F g	R C g	R F p	R C p	R F s	R C s	R F a	R C a	R Fbar g
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	best_indiv	best_individual			3102f14ac2817f1679f835287c26986229527366781a12734798c9428627423	0.1716	0.1857	0.2608	0.2952	0.1564	0.3474	0.1376	0.3152	0.0238	0.0644	0.036	0.1048	0.0108
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	naive	11			0.1726	0.251	0.286	0.3862	0.1564	0.3474	0.1376	0.3152	0.0734	0.1192	0.0944	0.1768	0.1118
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	NOISE	5	borda	["GuidedBorda", "L1", "L2", "L3", "L4", "L5", "L6", "L7", "L8", "L9", "L10", "L11", "L12", "L13", "L14", "L15", "L16", "L17", "L18", "L19", "L20", "L21", "L22", "L23", "L24", "L25", "L26", "L27", "L28", "L29", "L30", "L31", "L32", "L33", "L34", "L35", "L36", "L37", "L38", "L39", "L40", "L41", "L42", "L43", "L44", "L45", "L46", "L47", "L48", "L49", "L50", "L51", "L52", "L53", "L54", "L55", "L56", "L57", "L58", "L59", "L60", "L61", "L62", "L63", "L64", "L65", "L66", "L67", "L68", "L69", "L70", "L71", "L72", "L73", "L74", "L75", "L76", "L77", "L78", "L79", "L80", "L81", "L82", "L83", "L84", "L85", "L86", "L87", "L88", "L89", "L90", "L91", "L92", "L93", "L94", "L95", "L96", "L97", "L98", "L99", "L100", "L101", "L102", "L103", "L104", "L105", "L106", "L107", "L108", "L109", "L110", "L111", "L112", "L113", "L114", "L115", "L116", "L117", "L118", "L119", "L120", "L121", "L122", "L123", "L124", "L125", "L126", "L127", "L128", "L129", "L130", "L131", "L132", "L133", "L134", "L135", "L136", "L137", "L138", "L139", "L140", "L141", "L142", "L143", "L144", "L145", "L146", "L147", "L148", "L149", "L150", "L151", "L152", "L153", "L154", "L155", "L156", "L157", "L158", "L159", "L160", "L161", "L162", "L163", "L164", "L165", "L166", "L167", "L168", "L169", "L170", "L171", "L172", "L173", "L174", "L175", "L176", "L177", "L178", "L179", "L180", "L181", "L182", "L183", "L184", "L185", "L186", "L187", "L188", "L189", "L190", "L191", "L192", "L193", "L194", "L195", "L196", "L197", "L198", "L199", "L200", "L201", "L202", "L203", "L204", "L205", "L206", "L207", "L208", "L209", "L210", "L211", "L212", "L213", "L214", "L215", "L216", "L217", "L218", "L219", "L220", "L221", "L222", "L223", "L224", "L225", "L226", "L227", "L228", "L229", "L230", "L231", "L232", "L233", "L234", "L235", "L236", "L237", "L238", "L239", "L240", "L241", "L242", "L243", "L244", "L245", "L246", "L247", "L248", "L249", "L250", "L251", "L252", "L253", "L254", "L255", "L256", "L257", "L258", "L259", "L260", "L261", "L262", "L263", "L264", "L265", "L266", "L267", "L268", "L269", "L270", "L271", "L272", "L273", "L274", "L275", "L276", "L277", "L278", "L279", "L280", "L281", "L282", "L283", "L284", "L285", "L286", "L287", "L288", "L289", "L290", "L291", "L292", "L293", "L294", "L295", "L296", "L297", "L298", "L299", "L300", "L301", "L302", "L303", "L304", "L305", "L306", "L307", "L308", "L309", "L310", "L311", "L312", "L313", "L314", "L315", "L316", "L317", "L318", "L319", "L320", "L321", "L322", "L323", "L324", "L325", "L326", "L327", "L328", "L329", "L330", "L331", "L332", "L333", "L334", "L335", "L336", "L337", "L338", "L339", "L340", "L341", "L342", "L343", "L344", "L345", "L346", "L347", "L348", "L349", "L350", "L351", "L352", "L353", "L354", "L355", "L356", "L357", "L358", "L359", "L360", "L361", "L362", "L363", "L364", "L365", "L366", "L367", "L368", "L369", "L370", "L371", "L372", "L373", "L374", "L375", "L376", "L377", "L378", "L379", "L380", "L381", "L382", "L383", "L384", "L385", "L386", "L387", "L388", "L389", "L390", "L391", "L392", "L393", "L394", "L395", "L396", "L397", "L398", "L399", "L400", "L401", "L402", "L403", "L404", "L405", "L406", "L407", "L408", "L409", "L410", "L411", "L412", "L413", "L414", "L415", "L416", "L417", "L418", "L419", "L420", "L421", "L422", "L423", "L424", "L425", "L426", "L427", "L428", "L429", "L430", "L431", "L432", "L433", "L434", "L435", "L436", "L437", "L438", "L439", "L440", "L441", "L442", "L443", "L444", "L445", "L446", "L447", "L448", "L449", "L450", "L451", "L452", "L453", "L454", "L455", "L456", "L457", "L458", "L459", "L460", "L461", "L462", "L463", "L464", "L465", "L466", "L467", "L468", "L469", "L470", "L471", "L472", "L473", "L474", "L475", "L476", "L477", "L478", "L479", "L480", "L481", "L482", "L483", "L484", "L485", "L486", "L487", "L488", "L489", "L490", "L491", "L492", "L493", "L494", "L495", "L496", "L497", "L498", "L499", "L500", "L501", "L502", "L503", "L504", "L505", "L506", "L507", "L508", "L509", "L510", "L511", "L512", "L513", "L514", "L515", "L516", "L517", "L518", "L519", "L520", "L521", "L522", "L523", "L524", "L525", "L526", "L527", "L528", "L529", "L530", "L531", "L532", "L533", "L534", "L535", "L536", "L537", "L538", "L539", "L540", "L541", "L542", "L543", "L544", "L545", "L546", "L547", "L548", "L549", "L550", "L551", "L552", "L553", "L554", "L555", "L556", "L557", "L558", "L559", "L560", "L561", "L562", "L563", "L564", "L565", "L566", "L567", "L568", "L569", "L570", "L571", "L572", "L573", "L574", "L575", "L576", "L577", "L578", "L579", "L580", "L581", "L582", "L583", "L584", "L585", "L586", "L587", "L588", "L589", "L590", "L591", "L592", "L593", "L594", "L595", "L596", "L597", "L598", "L599", "L600", "L601", "L602", "L603", "L604", "L605", "L606", "L607", "L608", "L609", "L610", "L611", "L612", "L613", "L614", "L615", "L616", "L617", "L618", "L619", "L620", "L621", "L622", "L623", "L624", "L625", "L626", "L627", "L628", "L629", "L630", "L631", "L632", "L633", "L634", "L635", "L636", "L637", "L638", "L639", "L640", "L641", "L642", "L643", "L644", "L645", "L646", "L647", "L648", "L649", "L650", "L651", "L652", "L653", "L654", "L655", "L656", "L657", "L658", "L659", "L660", "L661", "L662", "L663", "L664", "L665", "L666", "L667", "L668", "L669", "L670", "L671", "L672", "L673", "L674", "L675", "L676", "L677", "L678", "L679", "L680", "L681", "L682", "L683", "L684", "L685", "L686", "L687", "L688", "L689", "L690", "L691", "L692", "L693", "L694", "L695", "L696", "L697", "L698", "L699", "L700", "L701", "L702", "L703", "L704", "L705", "L706", "L707", "L708", "L709", "L710", "L711", "L712", "L713", "L714", "L715", "L716", "L717", "L718", "L719", "L720", "L721", "L722", "L723", "L724", "L725", "L726", "L727", "L728", "L729", "L730", "L731", "L732", "L733", "L734", "L735", "L736", "L737", "L738", "L739", "L740", "L741", "L742", "L743", "L744", "L745", "L746", "L747", "L748", "L749", "L750", "L751", "L752", "L753", "L754", "L755", "L756", "L757", "L758", "L759", "L760", "L761", "L762", "L763", "L764", "L765", "L766", "L767", "L768", "L769", "L770", "L771", "L772", "L773", "L774", "L775", "L776", "L777", "L778", "L779", "L780", "L781", "L782", "L783", "L784", "L785", "L786", "L787", "L788", "L789", "L790", "L791", "L792", "L793", "L794", "L795", "L796", "L797", "L798", "L799", "L800", "L801", "L802", "L803", "L804", "L805", "L806", "L807", "L808", "L809", "L810", "L811", "L812", "L813", "L814", "L815", "L816", "L817", "L818", "L819", "L820", "L821", "L822", "L823", "L824", "L825", "L826", "L827", "L828", "L829", "L830", "L831", "L832", "L833", "L834", "L835", "L836", "L837", "L838", "L839", "L840", "L841", "L842", "L843", "L844", "L845", "L846", "L847", "L848", "L849", "L850", "L851", "L852", "L853", "L854", "L855", "L856", "L857", "L858", "L859", "L860", "L861", "L862", "L863", "L864", "L865", "L866", "L867", "L868", "L869", "L870", "L871", "L872", "L873", "L874", "L875", "L876", "L877", "L878", "L879", "L880", "L881", "L882", "L883", "L884", "L885", "L886", "L887", "L888", "L889", "L890", "L891", "L892", "L893", "L894", "L895", "L896", "L897", "L898", "L899", "L900", "L901", "L902", "L903", "L904", "L905", "L906", "L907", "L908", "L909", "L910", "L911", "L912", "L913", "L914", "L915", "L916", "L917", "L918", "L919", "L920", "L921", "L922", "L923", "L924", "L925", "L926", "L927", "L928", "L929", "L930", "L931", "L932", "L933", "L934", "L935", "L936", "L937", "L938", "L939", "L940", "L941", "L942", "L943", "L944", "L945", "L946", "L947", "L948", "L949", "L950", "L951", "L952", "L953", "L954", "L955", "L956", "L957", "L958", "L959", "L960", "L961", "L962", "L963", "L964", "L965", "L966", "L967", "L968", "L969", "L970", "L971", "L972", "L973", "L974", "L975", "L976", "L977", "L978", "L979", "L980", "L981", "L982", "L983", "L984", "L985", "L986", "L987", "L988", "L989", "L990", "L991", "L992", "L993", "L994", "L995", "L996", "L997", "L998", "L999", "L1000", "L1001", "L1002", "L1003", "L1004", "L1005", "L1006", "L1007", "L1008", "L1009", "L1010", "L1011", "L1012", "L1013", "L1014", "L1015", "L1016", "L1017", "L1018", "L1019", "L1020", "L1021", "L1022", "L1023", "L1024", "L1025", "L1026", "L1027", "L1028", "L1029", "L1030", "L1031", "L1032", "L1033", "L1034", "L1035", "L1036", "L1037", "L1038", "L1039", "L1040", "L1041", "L1042", "L1043", "L1044", "L1045", "L1046", "L1047", "L1048", "L1049", "L1050", "L1051", "L1052", "L1053", "L1054", "L1055", "L1056", "L1057", "L1058", "L1059", "L1060", "L1061", "L1062", "L1063", "L1064", "L1065", "L1066", "L1067", "L1068", "L1069", "L1070", "L1071", "L1072", "L1073", "L1074", "L1075", "L1076", "L1077", "L1078", "L1079", "L1080", "L1081", "L1082", "L1083", "L1084", "L1085", "L1086", "L1087", "L1088", "L1089", "L1090", "L1091", "L1092", "L1093", "L1094", "L1095", "L1096", "L1097", "L1098", "L1099", "L1100", "L1101", "L1102", "L1103", "L1104", "L1105", "L1106", "L1107", "L1108", "L1109", "L1110", "L1111", "L1112", "L1113", "L1114", "L1115", "L1116", "L1117", "L1118", "L1119", "L1120", "L1121", "L1122", "L1123", "L1124", "L1125", "L1126", "L1127", "L1128", "L1129", "L1130", "L1131", "L1132", "L1133", "L1134", "L1135", "L1136", "L1137", "L1138", "L1139", "L1140", "L1141", "L1142", "L1143", "L1144", "L1145", "L1146", "L1147", "L1148", "L1149", "L1150", "L1151", "L1152", "L1153", "L1154", "L1155", "L1156", "L1157", "L1158", "L1159", "L1160", "L1161", "L1162", "L1163", "L1164", "L1165", "L1166", "L1167", "L1168", "L1169", "L1170", "L1171", "L1172", "L1173", "L1174", "L1175", "L1176", "L1177", "L1178", "L1179", "L1180", "L1181", "L1182", "L1183", "L1184", "L1185", "L1186", "L1187", "L1188", "L1189", "L1190", "L1191", "L1192", "L1193", "L1194", "L1195", "L1196", "L1197", "L1198", "L1199", "L1200", "L1201", "L1202", "L1203", "L1204", "L1205", "L1206", "L1207", "L1208", "L1209", "L1210", "L1211", "L1212", "L1213", "L1214", "L1215", "L1216", "L1217", "L1218", "L1219", "L1220", "L1221", "L1222", "L1223", "L1224", "L1225", "L1226", "L1227", "L1228", "L1229", "L1230", "L1231", "L1232", "L1233", "L1234", "L1235", "L1236", "L1237", "L1238", "L1239", "L1240", "L1241", "L1242", "L1243", "L1244", "L1245", "L1246", "L1247", "L1248", "L1249", "L1250", "L1251", "L1252", "L1253", "L1254", "L1255", "L1256", "L1257", "L1258", "L1259", "L1260", "L1261", "L1262", "L1263", "L1264", "L1265", "L1266", "L1267", "L1268", "L1269", "L1270", "L1271", "L1272", "L1273", "L1274", "L1275", "L1276", "L1277", "L1278", "L1279", "L1280", "L1281", "L1282", "L1283", "L1284", "L1285", "L1286", "L1287", "L1288", "L1289", "L1290", "L1291", "L1292", "L1293", "L1294", "L1295", "L1296", "L1297", "L1298", "L1299", "L1300", "L1301", "L1302", "L1303", "L1304", "L1305", "L1306", "L1307", "L1308", "L1309", "L1310", "L1311", "L1312", "L1313", "L1314", "L1315", "L1316", "L1317", "L1318", "L1319", "L1320", "L1321", "L1322", "L1323", "L1324", "L1325", "L1326", "L1327", "L1328", "L1329", "L1330", "L1331", "L1332", "L1333", "L1334", "L1335", "L1336", "L1337", "L1338", "L1339", "L1340", "L1341", "L1342", "L1343", "L1344", "L1345", "L1346", "L1347", "L1348", "L1349", "L1350", "L1351", "L1352", "L1353", "L1354", "L1355", "L1356", "L1357", "L1358", "L1359", "L1360", "L1361", "L1362", "L1363", "L1364", "L1365", "L1366", "L1367", "L1368", "L1369", "L1370", "L1371", "L1372", "L1373", "L1374", "L1375", "L1376", "L1377", "L1378", "L1379", "L1380", "L1381", "L1382", "L1383", "L1384", "L1385", "L1386", "L1387", "L1388", "L1389", "L1390", "L1391", "L1392", "L1393", "L1394", "L1395", "L1396", "L1397", "L1398", "L1399", "L1400", "L1401", "L1402", "L1403", "L1404", "L1405", "L1406", "L1407", "L1408", "L1409", "L1410", "L1411", "L1412", "L1413", "L1414", "L1415", "L1416", "L1417", "L1418", "L1419", "L1420", "L1421", "L1422", "L1423", "L1424", "L1425", "L1426", "L1427", "L1428", "L1429", "L1430", "L1431", "L1432", "L1433", "L1434", "L1435", "L1436", "L1437", "L1438", "L1439", "L1440", "L1441", "L1442", "L1443", "L1444", "L1445", "L1446", "L1447", "L1448", "L1449", "L1450", "L1451", "L1452", "L1453", "L1454", "L1455", "L1456", "L1457", "L1458", "L1459", "L1460", "L1461", "L1462", "L1463", "L1464", "L1465", "L1466", "L1467", "L1468", "L1469", "L1470", "L1471", "L1472", "L1473", "L1474", "L1475", "L1476", "L1477", "L1478", "L1479", "L1480", "L1481", "L1482", "L1483", "L1484", "L1485", "L1486", "L1487", "L1488", "L1489", "L1490", "L1491", "L1492", "L1493", "L1494", "L1495", "L1496", "L1497", "L1498", "L1499", "L1500", "L1501", "L1502", "L1503", "L1504", "L1505", "L1506", "L1507", "L1508", "L1509", "L1510", "L1511", "L1512", "L1513", "L1514", "L1515", "L1516", "L1517", "L1518", "L1519", "L1520", "L1521", "L1522", "L1523", "L1524", "L1525", "L1526", "L1527", "L1528", "L1529", "L1530", "L1531", "L1532", "L1533", "L1534", "L1535", "L1536", "L1537", "L1538", "L1539", "L1540", "L1541", "L1542", "L1543", "L1544", "L1545", "L1546", "L1547", "L1548", "L1549", "L1550", "L1551", "L1552", "L1553", "L1554", "L1555", "L1556", "L1557", "L1558", "L1559", "L1560", "L1561", "L1562", "L1563", "L1564", "L1565", "L1566", "L1567", "L1568", "L1569", "L1570", "L1571", "L1572", "L1573", "L1574", "L1575", "L1576", "L1577", "L1578", "L1579", "L1580", "L1581", "L1582", "L1583", "L1584", "L1585", "L1586", "L1587", "L1588", "L1589", "L1590", "L1591", "L1592", "L1593", "L1594", "L1595", "L1596", "L1597", "L1598", "L1599", "L1600", "L1601", "L1602", "L1603", "L1604", "L1605", "L1606", "L1607", "L1608", "L1609", "L1610", "L1611", "L1612", "L1613", "L1614", "L1615", "L1616", "L1617", "L1618", "L1619", "L1620", "L1621", "L1622", "L1623", "L1624", "L1625", "L1626", "L1627", "L1628", "L1629", "L1630", "L1631", "L1632", "L1633", "L1634", "L1635", "L1636", "L1637", "L1638", "L1639", "L1640", "L1641", "L1642", "L1643", "L1644", "L1645", "L1646", "L1647", "L1648", "L1649", "L1650", "L1651", "L1652", "L1653", "L1654", "L1655", "L1656", "L1657", "L1658", "L1659", "L1660", "L1661", "L1662", "L1663", "L1664", "L1665", "L1666", "L1667", "L1668", "L1669", "L1670", "L1671", "L1672", "L1673", "L1674", "L1675", "L1676", "L1677", "L1678", "L1679", "L1680", "L1681", "L1682", "L1683", "L1684", "L1685", "L1686", "L1687", "L1688", "L1689", "L1690", "L1691", "L1692", "L1693", "L1694", "L1695", "L1696", "L1697", "L1698", "L1699", "L1700", "L1701", "L1702", "L1703", "L1704", "L1705", "L1706", "L1707", "L1708", "L1709", "L1710", "L1711", "L1712", "L1713", "L1714", "L1715", "L1716", "L1717", "L1718", "L1719", "L1720", "L1721", "L1722", "L1723", "L1724", "L1725", "L1726", "L1727", "L1728", "L1729", "L1730", "L1731", "L1732", "L1733", "L1734", "L1735", "L1736", "L1737", "L1738", "L1739", "L1740", "L1741", "L1742", "L1743", "L1744", "L1745", "L1746", "L1747", "L1748", "L1749", "L1750", "L1751", "L1752", "L1753", "L1754", "L1755", "L1756", "L1757", "L1758", "L1759", "L1760", "L1761", "L1762", "L1763", "L1764", "L1765", "L1766", "L1767", "L1768", "L1769", "L1770", "L1771", "L1772", "L1773", "L1774", "L1775", "L1776", "L1777", "L1778", "L1779", "L1780", "L1781", "L1782", "L1783", "L1784", "L1785", "L1786", "L1787", "L1788", "L1789", "L1790", "L1791", "L1792", "L1793", "L1794", "L1795", "L1796", "L1797", "L1798", "L1799", "L1800", "L1801", "L1802", "L1803", "L1804", "L1805", "L1806", "L1807", "L1808", "L1809", "L1810", "L1811", "L1812", "L1813", "L1814", "L1815", "L1816", "L1817", "L1818", "L1819", "L1820", "L1821", "L1822", "L1823", "L1824", "L182													

Table 248: ImageNet-ResNet-18 results.

cell	dataset	model	method	setting	q	R Cbar g	R Fbar p	R Cbar p	R Fbar s	R Cbar s	R Fbar a	R Cbar a
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	best_individual	best_individual	11	0.184	0.0086	0.1848	0.0004	0.047	0.0026	0.002
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	naive	11	0.3208	0.0916	0.2946	0.0636	0.1196	0.0338	0.0754
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	NOISE	5	0.3426	0.107	0.3174	0.0666	0.13	0.0428	0.0784
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	naive	11	0.3208	0.0788	0.2822	0.0428	0.103	0.019	0.0532
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	NOISE	5	0.3498	0.1106	0.3188	0.051	0.1142	0.0262	0.072
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	naive	11	0.2774	0.045	0.2522	0.0362	0.0994	0.015	0.0492
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	NOISE	5	0.3062	0.0684	0.2774	0.0446	0.1034	0.0272	0.0746
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rrf	naive	11	0.2944	0.066	0.2654	0.0342	0.0958	0.0246	0.0608
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rrf	NOISE	5	0.3324	0.0966	0.3072	0.0468	0.108	0.032	0.0754
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	naive	11	0.288	0.0656	0.2696	0.035	0.0958	0.017	0.0506
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	NOISE	5	0.3336	0.0996	0.3072	0.049	0.111	0.0352	0.0798

Table 249: ImageNet–ResNet-18 results.

cell	dataset	model	rule	F	F q	Fbar	Fbar q	C	C q	Cbar	Cbar q	R F g	R F g q	R Fbar g	R Fbar g q	R C g	R C g q	R Cbar g	R Cbar g q	R F p
ImageNet–ImageNet–resnet18	ImageNet	ImageNet–resnet18	simpleavg	0.1814	2	0.15	2	0.3056	2	0.2646	2	0.1514	9	0.088	3	0.3246	2	0.3048	3	0.1294
ImageNet–ImageNet–resnet18	ImageNet	ImageNet–resnet18	borda	0.1876	5	0.1452	2	0.312	5	0.2586	2	0.1676	5	0.0828	9	0.3176	3	0.2942	9	0.1502
ImageNet–ImageNet–resnet18	ImageNet	ImageNet–resnet18	kemeny	0.1874	5	0.1452	2	0.3128	5	0.2586	2	0.1632	10	0.0522	9	0.317	6	0.2642	9	0.1542
ImageNet–ImageNet–resnet18	ImageNet	ImageNet–resnet18	rrf	0.1886	5	0.1424	2	0.3152	5	0.256	2	0.1644	2	0.07	9	0.3156	3	0.2768	9	0.1564
ImageNet–ImageNet–resnet18	ImageNet	ImageNet–resnet18	schulze	0.1876	5	0.1452	2	0.312	5	0.2586	2	0.1604	10	0.0652	9	0.3238	4	0.2776	10	0.1546

Table 250: ImageNet–ResNet-18 results.

cell	dataset	model	R F p q	R Fbar p	R Fbar p q	R C p	R C p q	R Cbar p	R Cbar p q	R F s	R F s q	R Fbar s	R Fbar s q	R C s	R C s q	R Cbar s	R Cbar s q	R F a	R F a q	R Fbar a
ImageNet–ImageNet–resnet18	ImageNet	ImageNet–resnet18	5	0.0568	3	0.2974	2	0.2764	3	0.0718	2	0.0282	3	0.1022	2	0.0928	3	0.0908	5	0.0182
ImageNet–ImageNet–resnet18	ImageNet	ImageNet–resnet18	5	0.047	3	0.306	2	0.2636	9	0.0748	11	0.0274	3	0.1106	2	0.0898	9	0.094	8	0.019
ImageNet–ImageNet–resnet18	ImageNet	ImageNet–resnet18	6	0.0356	3	0.306	2	0.2452	9	0.0726	10	0.0222	3	0.1106	2	0.0882	6	0.0904	11	0.0088
ImageNet–ImageNet–resnet18	ImageNet	ImageNet–resnet18	10	0.052	9	0.3058	2	0.2524	9	0.074	9	0.0276	3	0.107	2	0.0882	8	0.0956	11	0.0202
ImageNet–ImageNet–resnet18	ImageNet	ImageNet–resnet18	6	0.0382	3	0.306	2	0.2512	10	0.0768	10	0.0238	3	0.1106	2	0.0906	2	0.0926	11	0.0066

Table 251: ImageNet–ResNet-18 results.

cell	dataset	model	R Fbar a q	R C a	R C a q	R Cbar a	R Cbar a q
ImageNet–ImageNet–resnet18	ImageNet	ImageNet–resnet18	3	0.173	8	0.0534	3
ImageNet–ImageNet–resnet18	ImageNet	ImageNet–resnet18	11	0.1882	11	0.0496	10
ImageNet–ImageNet–resnet18	ImageNet	ImageNet–resnet18	4	0.179	11	0.039	3
ImageNet–ImageNet–resnet18	ImageNet	ImageNet–resnet18	3	0.1868	10	0.0502	10
ImageNet–ImageNet–resnet18	ImageNet	ImageNet–resnet18	3	0.1846	9	0.0358	3

Table 252: ImageNet–ResNet-18 results.

cell	dataset	model	q	rule	methods	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s
ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	simpleavg	["GuidedB 0.4967"] *D 0.5033	0.1628	0.1008	0.3246	0.3152	0.1508	0.0646	0.2974	0.2864	0.0718	0.0368	0.1022				
ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	["GuidedB 0.4967"] *D 0.5033	0.1628	0.1008	0.3246	0.3152	0.1508	0.0646	0.2974	0.2864	0.0718	0.0368	0.1022				
ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	kemeny	["GuidedB 0.4967"] *D 0.5033	0.1628	0.1008	0.3246	0.3152	0.1508	0.0646	0.2974	0.2864	0.0718	0.0368	0.1022				
ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	rff	["GuidedB 0.4967"] *D 0.5033	0.1628	0.1008	0.3246	0.3152	0.1508	0.0646	0.2974	0.2864	0.0718	0.0368	0.1022				
ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	schulze	["GuidedB 0.4967"] *D 0.5033	0.1628	0.1008	0.3246	0.3152	0.1508	0.0646	0.2974	0.2864	0.0718	0.0368	0.1022				

Table 253: ImageNet–ResNet-18 results.

cell	dataset	model	q	R Cbar s	R F a	R Fbar a	R C a	R Cbar a
ImageNet–ImageNet–resnet18	ImageNet	ImageNet–resnet18	2	0.1012	0.1148	0.0244	0.2124	0.0592
ImageNet–ImageNet–resnet18	ImageNet	ImageNet–resnet18	5	0.1142	0.1108	0.0262	0.203	0.072
ImageNet–ImageNet–resnet18	ImageNet	ImageNet–resnet18	5	0.1034	0.1106	0.0272	0.2054	0.0746
ImageNet–ImageNet–resnet18	ImageNet	ImageNet–resnet18	5	0.108	0.1102	0.032	0.205	0.0754
ImageNet–ImageNet–resnet18	ImageNet	ImageNet–resnet18	5	0.111	0.1092	0.0352	0.2016	0.0798

Table 254: ImageNet–ResNet-18 results.

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	2	adversarial-sara-2-255	C	borda	conditioned	0.9922	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	3	adversarial-sara-2-255	C	borda	conditioned	0.9856	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	adversarial-sara-2-255	C	borda	conditioned	0.4056	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial-sara-2-255	C	borda	conditioned	0.4001	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	6	adversarial-sara-2-255	C	borda	conditioned	0.4021	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	7	adversarial-sara-2-255	C	borda	conditioned	0.9966	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	8	adversarial-sara-2-255	C	borda	conditioned	0.9946	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	9	adversarial-sara-2-255	C	borda	conditioned	0.9892	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	10	adversarial-sara-2-255	C	borda	conditioned	0.9884	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	11	adversarial-sara-2-255	C	borda	conditioned	0.9874	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	2	adversarial-sara-2-255	C	kemeny	conditioned	0.9922	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	3	adversarial-sara-2-255	C	kemeny	conditioned	0.9824	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	adversarial-sara-2-255	C	kemeny	conditioned	0.9932	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial-sara-2-255	C	kemeny	conditioned	0.4054	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	6	adversarial-sara-2-255	C	kemeny	conditioned	0.9984	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	7	adversarial-sara-2-255	C	kemeny	conditioned	0.9941	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	8	adversarial-sara-2-255	C	kemeny	conditioned	0.9914	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	9	adversarial-sara-2-255	C	kemeny	conditioned	0.9854	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	10	adversarial-sara-2-255	C	kemeny	conditioned	0.9874	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	11	adversarial-sara-2-255	C	kemeny	conditioned	0.9921	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	2	adversarial-sara-2-255	C	rrf	conditioned	0.9926	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	3	adversarial-sara-2-255	C	rrf	conditioned	0.9858	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	adversarial-sara-2-255	C	rrf	conditioned	0.4018	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	adversarial-sara-2-255	C	rrf	conditioned	0.4021	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversaria- sara-2- 255	Cbar	simpleavg	conditioned	0.94081	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversaria- sara-2- 255	F	borda	conditioned	0.96581	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversaria- sara-2- 255	F	borda	conditioned	0.96121	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversaria- sara-2- 255	F	borda	conditioned	0.95561	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversaria- sara-2- 255	F	borda	conditioned	0.96811	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	adversaria- sara-2- 255	F	borda	conditioned	0.97411	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	adversaria- sara-2- 255	F	borda	conditioned	0.97081	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	adversaria- sara-2- 255	F	borda	conditioned	0.96941	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	adversaria- sara-2- 255	F	borda	conditioned	0.96461	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	adversaria- sara-2- 255	F	borda	conditioned	0.96441	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversaria- sara-2- 255	F	borda	conditioned	0.96811	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversaria- sara-2- 255	F	kemeny	conditioned	0.96581	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversaria- sara-2- 255	F	kemeny	conditioned	0.95861	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversaria- sara-2- 255	F	kemeny	conditioned	0.96811	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversaria- sara-2- 255	F	kemeny	conditioned	0.96811	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	adversaria- sara-2- 255	F	kemeny	conditioned	0.97061	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	adversaria- sara-2- 255	F	kemeny	conditioned	0.96811	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	adversaria- sara-2- 255	F	kemeny	conditioned	0.96611	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	adversaria- sara-2- 255	F	kemeny	conditioned	0.96621	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	adversaria- sara-2- 255	F	kemeny	conditioned	0.96281	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversaria- sara-2- 255	F	kemeny	conditioned	0.96521	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversaria- sara-2- 255	F	rrf	conditioned	0.96521	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversaria- sara-2- 255	F	rrf	conditioned	0.96221	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversaria- sara-2- 255	F	rrf	conditioned	0.97311	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversaria- sara-2- 255	F	rrf	conditioned	0.97841	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversaria- sara-2- 255	Fbar	simpleavg	conditioned	0.8422	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	C	borda	conditioned	0.6024	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	C	borda	conditioned	0.6024	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	C	borda	conditioned	0.6454	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	C	borda	conditioned	0.6526	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	gaussian- 0.15	C	borda	conditioned	0.6441	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	gaussian- 0.15	C	borda	conditioned	0.6842	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	gaussian- 0.15	C	borda	conditioned	0.6066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	gaussian- 0.15	C	borda	conditioned	0.6496	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	gaussian- 0.15	C	borda	conditioned	0.6464	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	C	borda	conditioned	0.6441	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	C	kemeny	conditioned	0.6024	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	C	kemeny	conditioned	0.6106	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	C	kemeny	conditioned	0.6066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	C	kemeny	conditioned	0.6448	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	gaussian- 0.15	C	kemeny	conditioned	0.6024	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	gaussian- 0.15	C	kemeny	conditioned	0.6842	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	gaussian- 0.15	C	kemeny	conditioned	0.6106	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	gaussian- 0.15	C	kemeny	conditioned	0.6024	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	gaussian- 0.15	C	kemeny	conditioned	0.6526	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	C	kemeny	conditioned	0.6066	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	C	rrf	conditioned	0.6044	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	C	rrf	conditioned	0.6128	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	C	rrf	conditioned	0.6066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	C	rrf	conditioned	0.6504	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	C	simpleavg	conditioned	0.6834	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	Cbar	borda	conditioned	0.6791	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	Cbar	borda	conditioned	0.6822	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	Cbar	borda	conditioned	0.6866	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	Cbar	borda	conditioned	0.6741	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	gaussian- 0.15	Cbar	borda	conditioned	0.6821	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	gaussian- 0.15	Cbar	borda	conditioned	0.6841	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	gaussian- 0.15	Cbar	borda	conditioned	0.6835	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	gaussian- 0.15	Cbar	borda	conditioned	0.6806	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	gaussian- 0.15	Cbar	borda	conditioned	0.6541	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	Cbar	borda	conditioned	0.6821	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	Cbar	kemeny	conditioned	0.6791	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	Cbar	kemeny	conditioned	0.6826	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	Cbar	kemeny	conditioned	0.6855	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	Cbar	kemeny	conditioned	0.6834	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	gaussian- 0.15	Cbar	kemeny	conditioned	0.6881	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	gaussian- 0.15	Cbar	kemeny	conditioned	0.6811	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	gaussian- 0.15	Cbar	kemeny	conditioned	0.6821	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	gaussian- 0.15	Cbar	kemeny	conditioned	0.6826	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	gaussian- 0.15	Cbar	kemeny	conditioned	0.6862	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	Cbar	kemeny	conditioned	0.6866	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	Cbar	rrf	conditioned	0.6794	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	Cbar	rrf	conditioned	0.6845	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	Cbar	rrf	conditioned	0.6901	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	Cbar	rrf	conditioned	0.6415	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	Cbar	simpleavg	conditioned	0.9071	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	F	borda	conditioned	0.9498	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	F	borda	conditioned	0.9458	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	F	borda	conditioned	0.9572	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	F	borda	conditioned	0.9552	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	gaussian- 0.15	F	borda	conditioned	0.9554	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	gaussian- 0.15	F	borda	conditioned	0.9478	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	gaussian- 0.15	F	borda	conditioned	0.9376	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	gaussian- 0.15	F	borda	conditioned	0.9334	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	gaussian- 0.15	F	borda	conditioned	0.9302	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	F	borda	conditioned	0.9322	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	F	kemeny	conditioned	0.9498	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	F	kemeny	conditioned	0.9461	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	F	kemeny	conditioned	0.9456	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	F	kemeny	conditioned	0.9578	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	gaussian- 0.15	F	kemeny	conditioned	0.9441	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	gaussian- 0.15	F	kemeny	conditioned	0.9446	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	gaussian- 0.15	F	kemeny	conditioned	0.9322	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	gaussian- 0.15	F	kemeny	conditioned	0.9362	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	gaussian- 0.15	F	kemeny	conditioned	0.9338	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	F	kemeny	conditioned	0.9322	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	F	rrf	conditioned	0.9456	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	F	rrf	conditioned	0.9461	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	F	rrf	conditioned	0.9501	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	F	rrf	conditioned	0.9532	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	F	simpleavg	conditioned	0.9211	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	Fbar	borda	conditioned	0.9466	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	Fbar	borda	conditioned	0.9502	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	Fbar	borda	conditioned	0.9336	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	Fbar	borda	conditioned	0.9382	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	gaussian- 0.15	Fbar	borda	conditioned	0.9358	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	gaussian- 0.15	Fbar	borda	conditioned	0.9384	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	gaussian- 0.15	Fbar	borda	conditioned	0.9311	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	gaussian- 0.15	Fbar	borda	conditioned	0.9316	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	gaussian- 0.15	Fbar	borda	conditioned	0.9354	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	Fbar	borda	conditioned	0.9382	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	Fbar	kemeny	conditioned	0.9466	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	Fbar	kemeny	conditioned	0.9452	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	Fbar	kemeny	conditioned	0.9511	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	Fbar	kemeny	conditioned	0.9618	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	gaussian- 0.15	Fbar	kemeny	conditioned	0.9644	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	gaussian- 0.15	Fbar	kemeny	conditioned	0.9711	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	gaussian- 0.15	Fbar	kemeny	conditioned	0.9556	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	gaussian- 0.15	Fbar	kemeny	conditioned	0.9616	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	gaussian- 0.15	Fbar	kemeny	conditioned	0.9684	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	Fbar	kemeny	conditioned	0.9718	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	Fbar	rrf	conditioned	0.9472	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	Fbar	rrf	conditioned	0.9474	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	Fbar	rrf	conditioned	0.9511	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	Fbar	rrf	conditioned	0.9612	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	Fbar	simpleavg	conditioned	0.6628	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	C	borda	conditioned	0.6141	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	C	borda	conditioned	0.6118	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	C	borda	conditioned	0.6286	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	C	borda	conditioned	0.6248	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	salt- pepper- 0.05	C	borda	conditioned	0.6121	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	salt- pepper- 0.05	C	borda	conditioned	0.6146	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	salt- pepper- 0.05	C	borda	conditioned	0.6016	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	salt- pepper- 0.05	C	borda	conditioned	0.6024	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	salt- pepper- 0.05	C	borda	conditioned	0.5936	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	C	borda	conditioned	0.5961	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	C	kemeny	conditioned	0.6141	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	C	kemeny	conditioned	0.6081	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	C	kemeny	conditioned	0.6086	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	C	kemeny	conditioned	0.6284	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	salt- pepper- 0.05	C	kemeny	conditioned	0.6132	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	salt- pepper- 0.05	C	kemeny	conditioned	0.6061	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	salt- pepper- 0.05	C	kemeny	conditioned	0.6036	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	salt- pepper- 0.05	C	kemeny	conditioned	0.5991	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	salt- pepper- 0.05	C	kemeny	conditioned	0.5822	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	C	kemeny	conditioned	0.5881	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	C	rrf	conditioned	0.6132	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	C	rrf	conditioned	0.6124	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	C	rrf	conditioned	0.6262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	C	rrf	conditioned	0.6306	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	C	simpleavg	conditioned	0.6012	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	Cbar	borda	conditioned	0.6441	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	Cbar	borda	conditioned	0.5446	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	Cbar	borda	conditioned	0.6032	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	Cbar	borda	conditioned	0.6441	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	salt- pepper- 0.05	Cbar	borda	conditioned	0.6892	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	salt- pepper- 0.05	Cbar	borda	conditioned	0.6894	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	salt- pepper- 0.05	Cbar	borda	conditioned	0.6892	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	salt- pepper- 0.05	Cbar	borda	conditioned	0.6311	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	salt- pepper- 0.05	Cbar	borda	conditioned	0.6921	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	Cbar	borda	conditioned	0.6885	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	Cbar	kemeny	conditioned	0.6441	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	Cbar	kemeny	conditioned	0.5632	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	Cbar	kemeny	conditioned	0.5528	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	Cbar	kemeny	conditioned	0.5646	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	salt- pepper- 0.05	Cbar	kemeny	conditioned	0.5716	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	salt- pepper- 0.05	Cbar	kemeny	conditioned	0.5846	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	salt- pepper- 0.05	Cbar	kemeny	conditioned	0.5922	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	salt- pepper- 0.05	Cbar	kemeny	conditioned	0.6086	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	salt- pepper- 0.05	Cbar	kemeny	conditioned	0.6026	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	Cbar	kemeny	conditioned	0.6141	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	Cbar	rrf	conditioned	0.5448	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	Cbar	rrf	conditioned	0.5482	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	Cbar	rrf	conditioned	0.5588	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	Cbar	rrf	conditioned	0.6166	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	Cbar	simpleavg	conditioned	0.6808	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L1"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	F	borda	conditioned	0.4426	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	F	borda	conditioned	0.4372	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	F	borda	conditioned	0.4668	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	F	borda	conditioned	0.4378	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	salt- pepper- 0.05	F	borda	conditioned	0.4381	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	salt- pepper- 0.05	F	borda	conditioned	0.4354	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	salt- pepper- 0.05	F	borda	conditioned	0.4395	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	salt- pepper- 0.05	F	borda	conditioned	0.4325	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	salt- pepper- 0.05	F	borda	conditioned	0.4492	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	F	borda	conditioned	0.4404	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L1"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	F	kemeny	conditioned	0.4426	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	F	kemeny	conditioned	0.4372	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	F	kemeny	conditioned	0.4668	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	F	kemeny	conditioned	0.4502	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	salt- pepper- 0.05	F	kemeny	conditioned	0.4448	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	salt- pepper- 0.05	F	kemeny	conditioned	0.4321	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	salt- pepper- 0.05	F	kemeny	conditioned	0.4395	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	salt- pepper- 0.05	F	kemeny	conditioned	0.4326	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	salt- pepper- 0.05	F	kemeny	conditioned	0.4454	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	F	kemeny	conditioned	0.4417	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L1"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	F	rrf	conditioned	0.4418	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	F	rrf	conditioned	0.4421	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	F	rrf	conditioned	0.4684	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	F	rrf	conditioned	0.4458	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

[illegible]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	F	simpleavg	conditioned	0.9402	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L1"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	Fbar	borda	conditioned	0.9066	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	Fbar	borda	conditioned	0.9056	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	Fbar	borda	conditioned	0.9031	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	Fbar	borda	conditioned	0.9088	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	salt- pepper- 0.05	Fbar	borda	conditioned	0.9024	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	salt- pepper- 0.05	Fbar	borda	conditioned	0.9003	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	salt- pepper- 0.05	Fbar	borda	conditioned	0.9014	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	salt- pepper- 0.05	Fbar	borda	conditioned	0.9012	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	salt- pepper- 0.05	Fbar	borda	conditioned	0.9088	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	Fbar	borda	conditioned	0.9024	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L1"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	Fbar	kemeny	conditioned	0.9066	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	Fbar	kemeny	conditioned	0.9020	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	Fbar	kemeny	conditioned	0.9056	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	Fbar	kemeny	conditioned	0.9042	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	salt- pepper- 0.05	Fbar	kemeny	conditioned	0.9046	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	salt- pepper- 0.05	Fbar	kemeny	conditioned	0.9058	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	salt- pepper- 0.05	Fbar	kemeny	conditioned	0.9028	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	salt- pepper- 0.05	Fbar	kemeny	conditioned	0.9031	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	salt- pepper- 0.05	Fbar	kemeny	conditioned	0.9062	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	Fbar	kemeny	conditioned	0.9088	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L1"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	Fbar	rrf	conditioned	0.9126	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	Fbar	rrf	conditioned	0.9144	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	Fbar	rrf	conditioned	0.9026	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	Fbar	rrf	conditioned	0.9034	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	Fbar	simpleavg	conditioned	0.8426	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	C	borda	conditioned	0.4186	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	C	borda	conditioned	0.4164	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	C	borda	conditioned	0.4222	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	C	borda	conditioned	0.4258	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	speckle- 0.15	C	borda	conditioned	0.4111	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	speckle- 0.15	C	borda	conditioned	0.4111	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	speckle- 0.15	C	borda	conditioned	0.4104	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	speckle- 0.15	C	borda	conditioned	0.4161	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	speckle- 0.15	C	borda	conditioned	0.8322	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	C	borda	conditioned	0.8881	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	C	kemeny	conditioned	0.4186	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	C	kemeny	conditioned	0.4032	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	C	kemeny	conditioned	0.4111	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	C	kemeny	conditioned	0.4222	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	speckle- 0.15	C	kemeny	conditioned	0.4194	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	speckle- 0.15	C	kemeny	conditioned	0.4094	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	speckle- 0.15	C	kemeny	conditioned	0.4054	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	speckle- 0.15	C	kemeny	conditioned	0.8882	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	speckle- 0.15	C	kemeny	conditioned	0.8826	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	C	kemeny	conditioned	0.8841	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	C	rrf	conditioned	0.4144	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	C	rrf	conditioned	0.4111	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	C	rrf	conditioned	0.4222	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	C	rrf	conditioned	0.4228	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	C	simpleavg	conditioned	0.40521	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	Cbar	borda	conditioned	0.40921	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	Cbar	borda	conditioned	0.40721	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	Cbar	borda	conditioned	0.40481	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	Cbar	borda	conditioned	0.40581	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	speckle- 0.15	Cbar	borda	conditioned	0.40921	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	speckle- 0.15	Cbar	borda	conditioned	0.40521	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	speckle- 0.15	Cbar	borda	conditioned	0.40281	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	speckle- 0.15	Cbar	borda	conditioned	0.40621	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	speckle- 0.15	Cbar	borda	conditioned	0.40241	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	Cbar	borda	conditioned	0.40921	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	Cbar	kemeny	conditioned	0.40921	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	Cbar	kemeny	conditioned	0.40361	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	Cbar	kemeny	conditioned	0.40581	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	Cbar	kemeny	conditioned	0.40661	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	speckle- 0.15	Cbar	kemeny	conditioned	0.40381	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	speckle- 0.15	Cbar	kemeny	conditioned	0.40281	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	speckle- 0.15	Cbar	kemeny	conditioned	0.40841	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	speckle- 0.15	Cbar	kemeny	conditioned	0.40501	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	speckle- 0.15	Cbar	kemeny	conditioned	0.40401	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	Cbar	kemeny	conditioned	0.40561	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	Cbar	rrf	conditioned	0.40921	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	Cbar	rrf	conditioned	0.40721	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	Cbar	rrf	conditioned	0.40581	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	Cbar	rrf	conditioned	0.40521	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	Cbar	simpleavg	conditioned	0.5058	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	F	borda	conditioned	0.4634	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	F	borda	conditioned	0.4602	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	F	borda	conditioned	0.4654	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	F	borda	conditioned	0.4641	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	speckle- 0.15	F	borda	conditioned	0.4646	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	speckle- 0.15	F	borda	conditioned	0.4538	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	speckle- 0.15	F	borda	conditioned	0.4511	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	speckle- 0.15	F	borda	conditioned	0.4388	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	speckle- 0.15	F	borda	conditioned	0.4322	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	F	borda	conditioned	0.4328	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	F	kemeny	conditioned	0.4634	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	F	kemeny	conditioned	0.4512	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	F	kemeny	conditioned	0.4556	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	F	kemeny	conditioned	0.4721	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	speckle- 0.15	F	kemeny	conditioned	0.4616	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	speckle- 0.15	F	kemeny	conditioned	0.4514	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	speckle- 0.15	F	kemeny	conditioned	0.4458	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	speckle- 0.15	F	kemeny	conditioned	0.4331	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	speckle- 0.15	F	kemeny	conditioned	0.4312	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	F	kemeny	conditioned	0.4304	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	F	rrf	conditioned	0.4594	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	F	rrf	conditioned	0.4666	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	F	rrf	conditioned	0.4621	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	F	rrf	conditioned	0.4708	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	Fbar	simpleavg	conditioned	0.8446	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	C	borda	quality	0.308	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	C	borda	quality	0.3034	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	C	borda	quality	0.3116	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	C	borda	quality	0.312	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	C	borda	quality	0.2986	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	C	borda	quality	0.289	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	C	borda	quality	0.2844	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	C	borda	quality	0.2778	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	C	borda	quality	0.2768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	C	borda	quality	0.2756	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	C	kemeny	quality	0.308	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	C	kemeny	quality	0.2916	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	C	kemeny	quality	0.2978	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	C	kemeny	quality	0.3128	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	C	kemeny	quality	0.306	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	C	kemeny	quality	0.2884	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	C	kemeny	quality	0.282	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	C	kemeny	quality	0.2744	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	C	kemeny	quality	0.2722	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	C	kemeny	quality	0.271	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	C	rrf	quality	0.3074	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	C	rrf	quality	0.3022	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	C	rrf	quality	0.3066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	C	rrf	quality	0.3152	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	C	rrf	quality	0.2986	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	C	rrf	quality	0.2912	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	C	rrf	quality	0.2878	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	C	rrf	quality	0.2798	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	C	rrf	quality	0.2772	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	C	rrf	quality	0.2812	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	C	schulze	quality	0.308	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	C	schulze	quality	0.2924	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	C	schulze	quality	0.2974	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	C	schulze	quality	0.312	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	C	schulze	quality	0.3008	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	C	schulze	quality	0.2966	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	C	schulze	quality	0.2844	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	C	schulze	quality	0.2694	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	C	schulze	quality	0.2758	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	C	schulze	quality	0.276	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	C	simpleavg	quality	0.3056	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	C	simpleavg	quality	0.2996	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	C	simpleavg	quality	0.3024	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	C	simpleavg	quality	0.2872	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	C	simpleavg	quality	0.2876	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	C	simpleavg	quality	0.2898	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	C	simpleavg	quality	0.285	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	C	simpleavg	quality	0.2882	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	C	simpleavg	quality	0.2858	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	C	simpleavg	quality	0.286	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	Cbar	borda	quality	0.2586	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	Cbar	borda	quality	0.2688	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	Cbar	borda	quality	0.3024	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	Cbar	borda	quality	0.3216	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	Cbar	borda	quality	0.3324	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	Cbar	borda	quality	0.3482	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	Cbar	borda	quality	0.3448	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	Cbar	borda	quality	0.3664	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	Cbar	borda	quality	0.3514	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	Cbar	borda	quality	0.3464	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	Cbar	kemeny	quality	0.2586	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	Cbar	kemeny	quality	0.3044	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	Cbar	kemeny	quality	0.2772	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	Cbar	kemeny	quality	0.2872	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	Cbar	kemeny	quality	0.3056	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	Cbar	kemeny	quality	0.3304	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	Cbar	kemeny	quality	0.3298	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	Cbar	kemeny	quality	0.3634	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	Cbar	kemeny	quality	0.3546	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	Cbar	kemeny	quality	0.3492	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	Cbar	rrf	quality	0.256	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	Cbar	rrf	quality	0.2716	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	Cbar	rrf	quality	0.2748	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	Cbar	rrf	quality	0.3094	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	Cbar	rrf	quality	0.318	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	Cbar	rrf	quality	0.323	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	Cbar	rrf	quality	0.3306	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	Cbar	rrf	quality	0.3552	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	Cbar	rrf	quality	0.3388	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	Cbar	rrf	quality	0.3424	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	Cbar	schulze	quality	0.2586	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	Cbar	schulze	quality	0.291	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	Cbar	schulze	quality	0.2872	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	Cbar	schulze	quality	0.3258	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	Cbar	schulze	quality	0.3152	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	Cbar	schulze	quality	0.3174	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	Cbar	schulze	quality	0.3316	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	Cbar	schulze	quality	0.3564	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	Cbar	schulze	quality	0.3522	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	Cbar	schulze	quality	0.3444	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	Cbar	simpleavg	quality	0.2646	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	Cbar	simpleavg	quality	0.2752	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	Cbar	simpleavg	quality	0.3706	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	Cbar	simpleavg	quality	0.4004	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	Cbar	simpleavg	quality	0.3954	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	Cbar	simpleavg	quality	0.3896	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	Cbar	simpleavg	quality	0.3894	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	Cbar	simpleavg	quality	0.3882	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	Cbar	simpleavg	quality	0.3858	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	Cbar	simpleavg	quality	0.3862	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	F	borda	quality	0.1818	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	F	borda	quality	0.1762	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	F	borda	quality	0.1856	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	F	borda	quality	0.1876	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	F	borda	quality	0.1782	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	F	borda	quality	0.1698	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	F	borda	quality	0.1634	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	F	borda	quality	0.1618	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	F	borda	quality	0.1616	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	F	borda	quality	0.158	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	F	kemeny	quality	0.1818	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	F	kemeny	quality	0.17	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	F	kemeny	quality	0.175	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	F	kemeny	quality	0.1874	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	F	kemeny	quality	0.1806	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	F	kemeny	quality	0.1716	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	F	kemeny	quality	0.1642	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	F	kemeny	quality	0.1574	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	F	kemeny	quality	0.1586	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	F	kemeny	quality	0.1556	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	F	rrf	quality	0.1812	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	F	rrf	quality	0.1762	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	F	rrf	quality	0.1834	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	F	rrf	quality	0.1886	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	F	rrf	quality	0.1798	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	F	rrf	quality	0.1728	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	F	rrf	quality	0.1682	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	F	rrf	quality	0.1644	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	F	rrf	quality	0.1638	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	F	rrf	quality	0.1612	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	F	schulze	quality	0.1818	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	F	schulze	quality	0.1658	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	F	schulze	quality	0.1704	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	F	schulze	quality	0.1876	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	F	schulze	quality	0.181	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	F	schulze	quality	0.175	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	F	schulze	quality	0.1672	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	F	schulze	quality	0.1578	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	F	schulze	quality	0.1618	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	F	schulze	quality	0.1576	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	F	simpleavg	quality	0.1814	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	F	simpleavg	quality	0.1762	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	F	simpleavg	quality	0.1804	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	F	simpleavg	quality	0.1726	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	F	simpleavg	quality	0.1738	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	F	simpleavg	quality	0.1742	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	F	simpleavg	quality	0.1724	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	F	simpleavg	quality	0.1748	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	F	simpleavg	quality	0.1736	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	F	simpleavg	quality	0.1726	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	Fbar	borda	quality	0.1452	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	Fbar	borda	quality	0.1586	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	Fbar	borda	quality	0.1802	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	Fbar	borda	quality	0.1982	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	Fbar	borda	quality	0.2092	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	Fbar	borda	quality	0.2242	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	Fbar	borda	quality	0.2196	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	Fbar	borda	quality	0.2388	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	Fbar	borda	quality	0.2284	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	Fbar	borda	quality	0.2186	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	Fbar	kemeny	quality	0.1452	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	Fbar	kemeny	quality	0.1904	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	Fbar	kemeny	quality	0.165	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	Fbar	kemeny	quality	0.1658	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	Fbar	kemeny	quality	0.1868	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	Fbar	kemeny	quality	0.2088	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	Fbar	kemeny	quality	0.2098	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	Fbar	kemeny	quality	0.2394	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	Fbar	kemeny	quality	0.2292	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	Fbar	kemeny	quality	0.2234	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	Fbar	rrf	quality	0.1424	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	Fbar	rrf	quality	0.1612	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	Fbar	rrf	quality	0.1606	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	Fbar	rrf	quality	0.1868	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	Fbar	rrf	quality	0.1964	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	Fbar	rrf	quality	0.2046	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	Fbar	rrf	quality	0.2076	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	Fbar	rrf	quality	0.2258	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	Fbar	rrf	quality	0.217	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	Fbar	rrf	quality	0.2176	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	Fbar	schulze	quality	0.1452	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	Fbar	schulze	quality	0.1786	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	Fbar	schulze	quality	0.1726	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	Fbar	schulze	quality	0.2018	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	Fbar	schulze	quality	0.1956	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	Fbar	schulze	quality	0.1954	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	Fbar	schulze	quality	0.2068	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	Fbar	schulze	quality	0.2342	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	Fbar	schulze	quality	0.2262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	Fbar	schulze	quality	0.2182	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	Fbar	simpleavg	quality	0.15	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	Fbar	simpleavg	quality	0.1638	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	Fbar	simpleavg	quality	0.238	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	Fbar	simpleavg	quality	0.2698	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	Fbar	simpleavg	quality	0.2632	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	Fbar	simpleavg	quality	0.2592	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	Fbar	simpleavg	quality	0.2574	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	Fbar	simpleavg	quality	0.2538	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	Fbar	simpleavg	quality	0.2494	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	Fbar	simpleavg	quality	0.251	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversaria sara-2- 255	C	borda	robustness	-0.2158	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversaria sara-2- 255	C	borda	robustness	-0.2178	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversaria sara-2- 255	C	borda	robustness	-0.206	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversaria sara-2- 255	C	borda	robustness	-0.203	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	adversaria sara-2- 255	C	borda	robustness	-0.1974	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	adversaria sara-2- 255	C	borda	robustness	-0.1924	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	adversaria sara-2- 255	C	borda	robustness	-0.1898	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	adversaria sara-2- 255	C	borda	robustness	-0.1886	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	adversaria sara-2- 255	C	borda	robustness	-0.1884	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversaria sara-2- 255	C	borda	robustness	-0.1882	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversaria sara-2- 255	C	kemeny	robustness	-0.2158	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversaria sara-2- 255	C	kemeny	robustness	-0.2092	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversaria sara-2- 255	C	kemeny	robustness	-0.2046	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversaria sara-2- 255	C	kemeny	robustness	-0.2054	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	adversaria sara-2- 255	C	kemeny	robustness	-0.2076	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	adversaria sara-2- 255	C	kemeny	robustness	-0.1944	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	adversaria sara-2- 255	C	kemeny	robustness	-0.1906	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	adversaria sara-2- 255	C	kemeny	robustness	-0.189	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	adversaria sara-2- 255	C	kemeny	robustness	-0.1848	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversaria sara-2- 255	C	kemeny	robustness	-0.179	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversaria sara-2- 255	C	rrf	robustness	-0.2148	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversaria sara-2- 255	C	rrf	robustness	-0.2164	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversaria sara-2- 255	C	rrf	robustness	-0.2048	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversaria sara-2- 255	C	rrf	robustness	-0.205	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversaria- sara-2- 255	C	simpleavg	robustness	-0.1768	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversaria- sara-2- 255	Cbar	borda	robustness	0.0586	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversaria- sara-2- 255	Cbar	borda	robustness	0.0534	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversaria- sara-2- 255	Cbar	borda	robustness	0.0712	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversaria- sara-2- 255	Cbar	borda	robustness	0.072	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	adversaria- sara-2- 255	Cbar	borda	robustness	0.0676	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	adversaria- sara-2- 255	Cbar	borda	robustness	0.0694	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	adversaria- sara-2- 255	Cbar	borda	robustness	0.0584	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	adversaria- sara-2- 255	Cbar	borda	robustness	0.0596	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	adversaria- sara-2- 255	Cbar	borda	robustness	0.0496	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversaria- sara-2- 255	Cbar	borda	robustness	0.0532	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversaria- sara-2- 255	Cbar	kemeny	robustness	0.0586	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversaria- sara-2- 255	Cbar	kemeny	robustness	0.039	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversaria- sara-2- 255	Cbar	kemeny	robustness	0.0402	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversaria- sara-2- 255	Cbar	kemeny	robustness	0.0746	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	adversaria- sara-2- 255	Cbar	kemeny	robustness	0.0714	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	adversaria- sara-2- 255	Cbar	kemeny	robustness	0.0588	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	adversaria- sara-2- 255	Cbar	kemeny	robustness	0.0544	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	adversaria- sara-2- 255	Cbar	kemeny	robustness	0.0546	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	adversaria- sara-2- 255	Cbar	kemeny	robustness	0.0552	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversaria- sara-2- 255	Cbar	kemeny	robustness	0.0492	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversaria- sara-2- 255	Cbar	rrf	robustness	0.0606	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversaria- sara-2- 255	Cbar	rrf	robustness	0.0524	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversaria- sara-2- 255	Cbar	rrf	robustness	0.0638	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversaria- sara-2- 255	Cbar	rrf	robustness	0.0754	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversaria- sara-2- 255	Cbar	simpleavg	robustness	0.0754	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversaria- sara-2- 255	F	borda	robustness	-0.116	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversaria- sara-2- 255	F	borda	robustness	-0.115	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversaria- sara-2- 255	F	borda	robustness	-0.11	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversaria- sara-2- 255	F	borda	robustness	-0.1108	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	adversaria- sara-2- 255	F	borda	robustness	-0.1042	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	adversaria- sara-2- 255	F	borda	robustness	-0.099	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	adversaria- sara-2- 255	F	borda	robustness	-0.094	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	adversaria- sara-2- 255	F	borda	robustness	-0.0972	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	adversaria- sara-2- 255	F	borda	robustness	-0.0972	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversaria- sara-2- 255	F	borda	robustness	-0.095	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversaria- sara-2- 255	F	kemeny	robustness	-0.116	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversaria- sara-2- 255	F	kemeny	robustness	-0.1114	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversaria- sara-2- 255	F	kemeny	robustness	-0.1066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversaria- sara-2- 255	F	kemeny	robustness	-0.1106	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	adversaria- sara-2- 255	F	kemeny	robustness	-0.11	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	adversaria- sara-2- 255	F	kemeny	robustness	-0.1036	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	adversaria- sara-2- 255	F	kemeny	robustness	-0.0982	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	adversaria- sara-2- 255	F	kemeny	robustness	-0.0972	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	adversaria- sara-2- 255	F	kemeny	robustness	-0.0958	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversaria- sara-2- 255	F	kemeny	robustness	-0.0904	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversaria- sara-2- 255	F	rrf	robustness	-0.116	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversaria- sara-2- 255	F	rrf	robustness	-0.114	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversaria- sara-2- 255	F	rrf	robustness	-0.1104	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversaria- sara-2- 255	F	rrf	robustness	-0.1102	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversaria- sara-2- 255	F	simpleavg	robustness	-0.0944	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversaria- sara-2- 255	Fbar	borda	robustness	0.0232	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversaria- sara-2- 255	Fbar	borda	robustness	0.0222	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversaria- sara-2- 255	Fbar	borda	robustness	0.0302	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversaria- sara-2- 255	Fbar	borda	robustness	0.0262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	adversaria- sara-2- 255	Fbar	borda	robustness	0.0324	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	adversaria- sara-2- 255	Fbar	borda	robustness	0.0316	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	adversaria- sara-2- 255	Fbar	borda	robustness	0.0198	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	adversaria- sara-2- 255	Fbar	borda	robustness	0.0234	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	adversaria- sara-2- 255	Fbar	borda	robustness	0.0212	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversaria- sara-2- 255	Fbar	borda	robustness	0.019	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversaria- sara-2- 255	Fbar	kemeny	robustness	0.0232	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversaria- sara-2- 255	Fbar	kemeny	robustness	0.0118	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversaria- sara-2- 255	Fbar	kemeny	robustness	0.0088	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversaria- sara-2- 255	Fbar	kemeny	robustness	0.0272	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	adversaria- sara-2- 255	Fbar	kemeny	robustness	0.036	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	adversaria- sara-2- 255	Fbar	kemeny	robustness	0.0258	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	adversaria- sara-2- 255	Fbar	kemeny	robustness	0.0214	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	adversaria- sara-2- 255	Fbar	kemeny	robustness	0.0238	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	adversaria- sara-2- 255	Fbar	kemeny	robustness	0.0226	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversaria- sara-2- 255	Fbar	kemeny	robustness	0.015	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversaria- sara-2- 255	Fbar	rrf	robustness	0.0234	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversaria- sara-2- 255	Fbar	rrf	robustness	0.0202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversaria- sara-2- 255	Fbar	rrf	robustness	0.026	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversaria- sara-2- 255	Fbar	rrf	robustness	0.032	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversaria- sara-2- 255	Fbar	simpleavg	robustness	0.0338	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	C	borda	robustness	0.3244	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	C	borda	robustness	0.3176	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	C	borda	robustness	0.3338	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	C	borda	robustness	0.3406	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	gaussian- 0.15	C	borda	robustness	0.3474	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	gaussian- 0.15	C	borda	robustness	0.3452	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	gaussian- 0.15	C	borda	robustness	0.3422	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	gaussian- 0.15	C	borda	robustness	0.3418	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	gaussian- 0.15	C	borda	robustness	0.3396	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	C	borda	robustness	0.3384	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	C	kemeny	robustness	0.3244	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	C	kemeny	robustness	0.328	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	C	kemeny	robustness	0.329	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	C	kemeny	robustness	0.332	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	gaussian- 0.15	C	kemeny	robustness	0.317	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	gaussian- 0.15	C	kemeny	robustness	0.3358	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	gaussian- 0.15	C	kemeny	robustness	0.3284	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	gaussian- 0.15	C	kemeny	robustness	0.3278	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	gaussian- 0.15	C	kemeny	robustness	0.323	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	C	kemeny	robustness	0.3296	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	C	rrf	robustness	0.327	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	C	rrf	robustness	0.3156	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	C	rrf	robustness	0.333	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	C	rrf	robustness	0.3352	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	C	simpleavg	robustness	0.3474	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	Cbar	borda	robustness	-0.3204	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	Cbar	borda	robustness	-0.3134	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	Cbar	borda	robustness	-0.3262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	Cbar	borda	robustness	-0.3498	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	gaussian- 0.15	Cbar	borda	robustness	-0.3358	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	gaussian- 0.15	Cbar	borda	robustness	-0.3202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	gaussian- 0.15	Cbar	borda	robustness	-0.319	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	gaussian- 0.15	Cbar	borda	robustness	-0.2942	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	gaussian- 0.15	Cbar	borda	robustness	-0.314	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	Cbar	borda	robustness	-0.3208	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	Cbar	kemeny	robustness	-0.3204	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	Cbar	kemeny	robustness	-0.2782	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	Cbar	kemeny	robustness	-0.3086	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	Cbar	kemeny	robustness	-0.3062	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	gaussian- 0.15	Cbar	kemeny	robustness	-0.2952	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	gaussian- 0.15	Cbar	kemeny	robustness	-0.2846	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	gaussian- 0.15	Cbar	kemeny	robustness	-0.2932	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	gaussian- 0.15	Cbar	kemeny	robustness	-0.2642	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	gaussian- 0.15	Cbar	kemeny	robustness	-0.2816	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	Cbar	kemeny	robustness	-0.2774	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	Cbar	rrf	robustness	-0.3234	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	Cbar	rrf	robustness	-0.3132	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	Cbar	rrf	robustness	-0.3202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	Cbar	rrf	robustness	-0.3324	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	Cbar	simpleavg	robustness	-0.3208	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	F	borda	robustness	0.168	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	F	borda	robustness	0.1696	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	F	borda	robustness	0.1716	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	F	borda	robustness	0.1676	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	gaussian- 0.15	F	borda	robustness	0.1772	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	gaussian- 0.15	F	borda	robustness	0.178	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	gaussian- 0.15	F	borda	robustness	0.1742	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	gaussian- 0.15	F	borda	robustness	0.1716	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	gaussian- 0.15	F	borda	robustness	0.1686	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	F	borda	robustness	0.1692	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	F	kemeny	robustness	0.168	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	F	kemeny	robustness	0.175	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	F	kemeny	robustness	0.1706	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	F	kemeny	robustness	0.1704	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	gaussian- 0.15	F	kemeny	robustness	0.1634	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	gaussian- 0.15	F	kemeny	robustness	0.173	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	gaussian- 0.15	F	kemeny	robustness	0.168	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	gaussian- 0.15	F	kemeny	robustness	0.1688	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	gaussian- 0.15	F	kemeny	robustness	0.1632	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	F	kemeny	robustness	0.1668	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	F	rrf	robustness	0.1644	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	F	rrf	robustness	0.1688	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	F	rrf	robustness	0.1756	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	F	rrf	robustness	0.1646	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	F	simpleavg	robustness	0.1564	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	Fbar	borda	robustness	-0.1014	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	Fbar	borda	robustness	-0.0916	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	Fbar	borda	robustness	-0.1134	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	Fbar	borda	robustness	-0.13	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	gaussian- 0.15	Fbar	borda	robustness	-0.1166	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	gaussian- 0.15	Fbar	borda	robustness	-0.1042	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	gaussian- 0.15	Fbar	borda	robustness	-0.1018	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	gaussian- 0.15	Fbar	borda	robustness	-0.0828	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	gaussian- 0.15	Fbar	borda	robustness	-0.097	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	Fbar	borda	robustness	-0.0996	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	Fbar	kemeny	robustness	-0.1014	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	Fbar	kemeny	robustness	-0.0548	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	Fbar	kemeny	robustness	-0.086	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	Fbar	kemeny	robustness	-0.096	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	gaussian- 0.15	Fbar	kemeny	robustness	-0.0776	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	gaussian- 0.15	Fbar	kemeny	robustness	-0.0702	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	gaussian- 0.15	Fbar	kemeny	robustness	-0.0758	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	gaussian- 0.15	Fbar	kemeny	robustness	-0.0522	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	gaussian- 0.15	Fbar	kemeny	robustness	-0.0712	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	Fbar	kemeny	robustness	-0.0684	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	Fbar	rrf	robustness	-0.1048	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	Fbar	rrf	robustness	-0.0862	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	Fbar	rrf	robustness	-0.0984	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	Fbar	rrf	robustness	-0.1144	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	Fbar	simpleavg	robustness	-0.1118	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	C	borda	robustness	0.306	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	C	borda	robustness	0.3084	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	C	borda	robustness	0.317	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	C	borda	robustness	0.3128	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	salt- pepper- 0.05	C	borda	robustness	0.3188	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	salt- pepper- 0.05	C	borda	robustness	0.3256	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	salt- pepper- 0.05	C	borda	robustness	0.3172	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	salt- pepper- 0.05	C	borda	robustness	0.3246	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	salt- pepper- 0.05	C	borda	robustness	0.3168	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	C	borda	robustness	0.3208	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	C	kemeny	robustness	0.306	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	C	kemeny	robustness	0.3164	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	C	kemeny	robustness	0.3108	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	C	kemeny	robustness	0.3156	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	salt- pepper- 0.05	C	kemeny	robustness	0.3072	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	salt- pepper- 0.05	C	kemeny	robustness	0.3166	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	salt- pepper- 0.05	C	kemeny	robustness	0.3216	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	salt- pepper- 0.05	C	kemeny	robustness	0.3186	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	salt- pepper- 0.05	C	kemeny	robustness	0.315	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	C	kemeny	robustness	0.317	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	C	rrf	robustness	0.3058	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	C	rrf	robustness	0.3102	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	C	rrf	robustness	0.3196	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	C	rrf	robustness	0.3154	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	C	simpleavg	robustness	0.3152	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	Cbar	borda	robustness	-0.2824	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	Cbar	borda	robustness	-0.2728	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	Cbar	borda	robustness	-0.2998	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	Cbar	borda	robustness	-0.3188	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	salt- pepper- 0.05	Cbar	borda	robustness	-0.3068	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	salt- pepper- 0.05	Cbar	borda	robustness	-0.2912	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	salt- pepper- 0.05	Cbar	borda	robustness	-0.2854	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	salt- pepper- 0.05	Cbar	borda	robustness	-0.2636	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	salt- pepper- 0.05	Cbar	borda	robustness	-0.2778	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	Cbar	borda	robustness	-0.2822	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	Cbar	kemeny	robustness	-0.2824	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	Cbar	kemeny	robustness	-0.2588	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	Cbar	kemeny	robustness	-0.2756	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	Cbar	kemeny	robustness	-0.2774	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	salt- pepper- 0.05	Cbar	kemeny	robustness	-0.266	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	salt- pepper- 0.05	Cbar	kemeny	robustness	-0.2542	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	salt- pepper- 0.05	Cbar	kemeny	robustness	-0.2624	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	salt- pepper- 0.05	Cbar	kemeny	robustness	-0.2452	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	salt- pepper- 0.05	Cbar	kemeny	robustness	-0.253	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	Cbar	kemeny	robustness	-0.2522	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	Cbar	rrf	robustness	-0.2888	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	Cbar	rrf	robustness	-0.2766	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	Cbar	rrf	robustness	-0.284	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	Cbar	rrf	robustness	-0.3072	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	Cbar	simpleavg	robustness	-0.2946	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	F	borda	robustness	0.1608	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	F	borda	robustness	0.1616	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	F	borda	robustness	0.1612	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	F	borda	robustness	0.1502	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	salt- pepper- 0.05	F	borda	robustness	0.1598	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	salt- pepper- 0.05	F	borda	robustness	0.1656	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	salt- pepper- 0.05	F	borda	robustness	0.1664	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	salt- pepper- 0.05	F	borda	robustness	0.1662	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	salt- pepper- 0.05	F	borda	robustness	0.1576	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	F	borda	robustness	0.1624	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	F	kemeny	robustness	0.1608	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	F	kemeny	robustness	0.1672	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	F	kemeny	robustness	0.1612	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	F	kemeny	robustness	0.1628	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	salt- pepper- 0.05	F	kemeny	robustness	0.1542	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	salt- pepper- 0.05	F	kemeny	robustness	0.1604	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	salt- pepper- 0.05	F	kemeny	robustness	0.1656	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	salt- pepper- 0.05	F	kemeny	robustness	0.1652	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	salt- pepper- 0.05	F	kemeny	robustness	0.1568	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	F	kemeny	robustness	0.1614	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	F	rrf	robustness	0.1606	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	F	rrf	robustness	0.1658	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	F	rrf	robustness	0.165	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	F	rrf	robustness	0.1572	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	F	simpleavg	robustness	0.1376	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	Fbar	borda	robustness	-0.0614	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	Fbar	borda	robustness	-0.047	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	Fbar	borda	robustness	-0.0928	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	Fbar	borda	robustness	-0.1106	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	salt- pepper- 0.05	Fbar	borda	robustness	-0.0932	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	salt- pepper- 0.05	Fbar	borda	robustness	-0.0788	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	salt- pepper- 0.05	Fbar	borda	robustness	-0.0818	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	salt- pepper- 0.05	Fbar	borda	robustness	-0.0624	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	salt- pepper- 0.05	Fbar	borda	robustness	-0.0704	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	Fbar	borda	robustness	-0.0788	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	Fbar	kemeny	robustness	-0.0614	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	Fbar	kemeny	robustness	-0.0356	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	Fbar	kemeny	robustness	-0.0606	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	Fbar	kemeny	robustness	-0.0684	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	salt- pepper- 0.05	Fbar	kemeny	robustness	-0.0548	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	salt- pepper- 0.05	Fbar	kemeny	robustness	-0.047	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	salt- pepper- 0.05	Fbar	kemeny	robustness	-0.053	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	salt- pepper- 0.05	Fbar	kemeny	robustness	-0.0396	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	salt- pepper- 0.05	Fbar	kemeny	robustness	-0.047	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	Fbar	kemeny	robustness	-0.045	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	Fbar	rrf	robustness	-0.0702	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	Fbar	rrf	robustness	-0.0532	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	Fbar	rrf	robustness	-0.072	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	Fbar	rrf	robustness	-0.0966	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	Fbar	simpleavg	robustness	-0.0916	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	C	borda	robustness	0.1106	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	C	borda	robustness	0.113	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	C	borda	robustness	0.1176	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	C	borda	robustness	0.1138	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	speckle- 0.15	C	borda	robustness	0.1164	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	speckle- 0.15	C	borda	robustness	0.126	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	speckle- 0.15	C	borda	robustness	0.126	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	speckle- 0.15	C	borda	robustness	0.1238	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	speckle- 0.15	C	borda	robustness	0.1204	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	C	borda	robustness	0.1142	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	C	kemeny	robustness	0.1106	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	C	kemeny	robustness	0.1116	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	C	kemeny	robustness	0.1136	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	C	kemeny	robustness	0.1202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	speckle- 0.15	C	kemeny	robustness	0.1134	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	speckle- 0.15	C	kemeny	robustness	0.121	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	speckle- 0.15	C	kemeny	robustness	0.1234	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	speckle- 0.15	C	kemeny	robustness	0.1138	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	speckle- 0.15	C	kemeny	robustness	0.1154	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	C	kemeny	robustness	0.1136	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	C	rrf	robustness	0.107	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	C	rrf	robustness	0.1108	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	C	rrf	robustness	0.1194	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	C	rrf	robustness	0.1146	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	C	simpleavg	robustness	0.1192	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	Cbar	borda	robustness	-0.0906	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	Cbar	borda	robustness	-0.0986	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	Cbar	borda	robustness	-0.1024	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	Cbar	borda	robustness	-0.1142	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	speckle- 0.15	Cbar	borda	robustness	-0.107	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	speckle- 0.15	Cbar	borda	robustness	-0.1042	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	speckle- 0.15	Cbar	borda	robustness	-0.098	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	speckle- 0.15	Cbar	borda	robustness	-0.0898	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	speckle- 0.15	Cbar	borda	robustness	-0.101	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	Cbar	borda	robustness	-0.103	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	Cbar	kemeny	robustness	-0.0906	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	Cbar	kemeny	robustness	-0.0892	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	Cbar	kemeny	robustness	-0.1016	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	Cbar	kemeny	robustness	-0.1034	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	speckle- 0.15	Cbar	kemeny	robustness	-0.0882	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	speckle- 0.15	Cbar	kemeny	robustness	-0.0924	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	speckle- 0.15	Cbar	kemeny	robustness	-0.0986	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	speckle- 0.15	Cbar	kemeny	robustness	-0.0916	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	speckle- 0.15	Cbar	kemeny	robustness	-0.0904	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	Cbar	kemeny	robustness	-0.0994	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	Cbar	rrf	robustness	-0.1034	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	Cbar	rrf	robustness	-0.0962	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	Cbar	rrf	robustness	-0.102	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	Cbar	rrf	robustness	-0.108	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	Cbar	simpleavg	robustness	-0.1196	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	F	borda	robustness	0.0816	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	F	borda	robustness	0.084	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	F	borda	robustness	0.0798	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	F	borda	robustness	0.0764	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	speckle- 0.15	F	borda	robustness	0.0764	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	speckle- 0.15	F	borda	robustness	0.084	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	speckle- 0.15	F	borda	robustness	0.0866	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	speckle- 0.15	F	borda	robustness	0.077	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	speckle- 0.15	F	borda	robustness	0.0756	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	F	borda	robustness	0.0748	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	F	kemeny	robustness	0.0816	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	F	kemeny	robustness	0.0812	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	F	kemeny	robustness	0.0806	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	F	kemeny	robustness	0.0846	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	speckle- 0.15	F	kemeny	robustness	0.081	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	speckle- 0.15	F	kemeny	robustness	0.0798	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	speckle- 0.15	F	kemeny	robustness	0.0816	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	speckle- 0.15	F	kemeny	robustness	0.0756	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	speckle- 0.15	F	kemeny	robustness	0.0726	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	F	kemeny	robustness	0.0748	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	F	rrf	robustness	0.0782	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	F	rrf	robustness	0.0804	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	F	rrf	robustness	0.0828	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	F	rrf	robustness	0.0822	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	F	simpleavg	robustness	0.0734	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	Fbar	borda	robustness	-0.0278	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	Fbar	borda	robustness	-0.0274	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	Fbar	borda	robustness	-0.0402	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	Fbar	borda	robustness	-0.051	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	speckle- 0.15	Fbar	borda	robustness	-0.0426	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	speckle- 0.15	Fbar	borda	robustness	-0.0402	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	speckle- 0.15	Fbar	borda	robustness	-0.0396	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	speckle- 0.15	Fbar	borda	robustness	-0.028	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	speckle- 0.15	Fbar	borda	robustness	-0.0368	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	Fbar	borda	robustness	-0.0428	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	Fbar	kemeny	robustness	-0.0278	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	Fbar	kemeny	robustness	-0.0222	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	Fbar	kemeny	robustness	-0.0352	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	Fbar	kemeny	robustness	-0.0446	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	speckle- 0.15	Fbar	kemeny	robustness	-0.0298	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	speckle- 0.15	Fbar	kemeny	robustness	-0.0288	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	speckle- 0.15	Fbar	kemeny	robustness	-0.0328	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	speckle- 0.15	Fbar	kemeny	robustness	-0.0288	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	speckle- 0.15	Fbar	kemeny	robustness	-0.0294	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	Fbar	kemeny	robustness	-0.0362	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	Fbar	rrf	robustness	-0.0366	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	Fbar	rrf	robustness	-0.0276	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	Fbar	rrf	robustness	-0.0386	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	Fbar	rrf	robustness	-0.0468	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	Fbar	simpleavg	robustness	-0.0636	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L

761

[illegible]

cell	dataset	model	distance model	q	aggregation	mean distance	n distances	fit model	fit statistic	fit P value	fit theta	selected q	selected by noise	forced fallback	methods	selection task id	selection task digest	gof json
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	borda	2.0796e+05	20000	spearman	0.52264	0.002	0.60945	importance	False	binned	Symmetric	[%picked]3	selectprep", "D8d9b1f23ccf5BE54971a63d1fa0b92a75b1b16f0202213993771a3d58472616a1_importance_bin	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	borda	2.3254e+05	25000	spearman	0.47564	0.002	0.60932	importance	False	binned	Symmetric	[%picked]3	selectprep", "D8d9b1f23ccf5BE54971a63d1fa0b92a75b1b16f0202213993771a3d58472616a1_importance_bin	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	borda	2.3084e+05	30000	spearman	0.50583	0.002	0.60933	importance	False	binned	Symmetric	[%picked]3	selectprep", "D8d9b1f23ccf5BE54971a63d1fa0b92a75b1b16f0202213993771a3d58472616a1_importance_bin	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	borda	2.2177e+05	35000	spearman	0.50908	0.002	0.60937	importance	False	binned	Symmetric	[%picked]3	selectprep", "D8d9b1f23ccf5BE54971a63d1fa0b92a75b1b16f0202213993771a3d58472616a1_importance_bin	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	borda	2.2576e+05	40000	spearman	0.51464	0.002	0.60935	importance	False	binned	Symmetric	[%picked]3	selectprep", "D8d9b1f23ccf5BE54971a63d1fa0b92a75b1b16f0202213993771a3d58472616a1_importance_bin	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	borda	2.1949e+05	45000	spearman	0.61249	0.002	0.60934	importance	False	binned	Symmetric	[%picked]3	selectprep", "D8d9b1f23ccf5BE54971a63d1fa0b92a75b1b16f0202213993771a3d58472616a1_importance_bin	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	borda	2.5082e+05	50000	spearman	0.51865	0.002	0.60937	importance	False	binned	Symmetric	[%picked]3	selectprep", "D8d9b1f23ccf5BE54971a63d1fa0b92a75b1b16f0202213993771a3d58472616a1_importance_bin	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	borda	2.9165e+05	55000	spearman	0.51847	0.002	0.60921	importance	False	binned	Symmetric	[%picked]3	selectprep", "D8d9b1f23ccf5BE54971a63d1fa0b92a75b1b16f0202213993771a3d58472616a1_importance_bin	

Table 256: ImageNet-ResNet-18 results.

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	C	borda	quality	max	5	0.312	[5]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	Cbar	borda	quality	min	2	0.2586	[2]	smallest_q12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	F	borda	quality	max	5	0.1876	[5]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	Fbar	borda	quality	min	2	0.1452	[2]	smallest_q12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversarial-sara-2-255	C	borda	robustness	max	11	-0.1882	[11]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversarial-sara-2-255	Cbar	borda	robustness	max	5	0.072	[5]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversarial-sara-2-255	F	borda	robustness	max	8	-0.094	[8]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversarial-sara-2-255	Fbar	borda	robustness	max	6	0.0324	[6]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	C	borda	robustness	max	6	0.3474	[6]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	Cbar	borda	robustness	max	9	-0.2942	[9]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	F	borda	robustness	max	7	0.178	[7]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	Fbar	borda	robustness	max	9	-0.0828	[9]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	C	borda	robustness	max	7	0.3256	[7]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	Cbar	borda	robustness	max	9	-0.2636	[9]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	F	borda	robustness	max	8	0.1664	[8]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	Fbar	borda	robustness	max	3	-0.047	[3]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	C	borda	robustness	max	7	0.126	[7,8]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	Cbar	borda	robustness	max	9	-0.0898	[9]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	F	borda	robustness	max	8	0.0866	[8]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	Fbar	borda	robustness	max	3	-0.0274	[3]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	C	kemeny	quality	max	5	0.3128	[5]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	Cbar	kemeny	quality	min	2	0.2586	[2]	smallest_q12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	F	kemeny	quality	max	5	0.1874	[5]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	Fbar	kemeny	quality	min	2	0.1452	[2]	smallest_q12	["GuidedBackprop", "DeepLiftShap"]

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversaria-sara-2-255	C	kemeny	robustness	max	11	-0.179	[11]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversaria-sara-2-255	Cbar	kemeny	robustness	max	5	0.0746	[5]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversaria-sara-2-255	F	kemeny	robustness	max	11	-0.0904	[11]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversaria-sara-2-255	Fbar	kemeny	robustness	max	6	0.036	[6]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	C	kemeny	robustness	max	7	0.3358	[7]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	Cbar	kemeny	robustness	max	9	-0.2642	[9]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	F	kemeny	robustness	max	3	0.175	[3]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	Fbar	kemeny	robustness	max	9	-0.0522	[9]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	C	kemeny	robustness	max	8	0.3216	[8]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	Cbar	kemeny	robustness	max	9	-0.2452	[9]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	F	kemeny	robustness	max	3	0.1672	[3]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	Fbar	kemeny	robustness	max	3	-0.0356	[3]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	C	kemeny	robustness	max	8	0.1234	[8]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	Cbar	kemeny	robustness	max	6	-0.0882	[6]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	F	kemeny	robustness	max	5	0.0846	[5]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	Fbar	kemeny	robustness	max	3	-0.0222	[3]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	C	rrf	quality	max	5	0.3152	[5]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	Cbar	rrf	quality	min	2	0.256	[2]	smallest_q_12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	F	rrf	quality	max	5	0.1886	[5]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	Fbar	rrf	quality	min	2	0.1424	[2]	smallest_q_12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversaria-sara-2-255	C	rrf	robustness	max	10	-0.1868	[10]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversaria-sara-2-255	Cbar	rrf	robustness	max	6	0.0784	[6]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversaria-sara-2-255	F	rrf	robustness	max	11	-0.0956	[11]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversaria-sara-2-255	Fbar	rrf	robustness	max	6	0.0382	[6]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	C	rrf	robustness	max	6	0.3436	[6]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	Cbar	rrf	robustness	max	9	-0.2768	[9]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	F	rrf	robustness	max	4	0.1756	[4]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	Fbar	rrf	robustness	max	9	-0.07	[9]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	C	rrf	robustness	max	6	0.321	[6]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	Cbar	rrf	robustness	max	9	-0.2524	[9]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	F	rrf	robustness	max	3	0.1658	[3]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	Fbar	rrf	robustness	max	9	-0.052	[9]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	C	rrf	robustness	max	7	0.1262	[7]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	Cbar	rrf	robustness	max	8	-0.0882	[8,9]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	F	rrf	robustness	max	7	0.0858	[7]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	Fbar	rrf	robustness	max	3	-0.0276	[3]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	C	schulze	quality	max	5	0.312	[5]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	Cbar	schulze	quality	min	2	0.2586	[2]	smallest_q12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	F	schulze	quality	max	5	0.1876	[5]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	Fbar	schulze	quality	min	2	0.1452	[2]	smallest_q12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversarial-sara-2-255	C	schulze	robustness	max	9	-0.1846	[9]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversarial-sara-2-255	Cbar	schulze	robustness	max	5	0.0798	[5]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversarial-sara-2-255	F	schulze	robustness	max	11	-0.0926	[11]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversarial-sara-2-255	Fbar	schulze	robustness	max	5	0.0352	[5]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	C	schulze	robustness	max	6	0.339	[6]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	Cbar	schulze	robustness	max	10	-0.2776	[10]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	F	schulze	robustness	max	3	0.1794	[3]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	Fbar	schulze	robustness	max	9	-0.0652	[9]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	C	schulze	robustness	max	5	0.321	[5]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	Cbar	schulze	robustness	max	10	-0.2512	[10]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	salt- pepper- 0.05	F	schulze	robustness	max	3	0.1698	[3]	smallest_q 12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	salt- pepper- 0.05	Fbar	schulze	robustness	max	3	-0.0382	[3]	smallest_q 12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	speckle- 0.15	C	schulze	robustness	max	6	0.1206	[6]	smallest_q 12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	speckle- 0.15	Cbar	schulze	robustness	max	2	-0.0906	[2]	smallest_q 12	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	speckle- 0.15	F	schulze	robustness	max	3	0.0878	[3]	smallest_q 12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	speckle- 0.15	Fbar	schulze	robustness	max	3	-0.0238	[3]	smallest_q 12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	clean	C	simpleavg	quality	max	2	0.3056	[2]	smallest_q 12	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	clean	Cbar	simpleavg	quality	min	2	0.2646	[2]	smallest_q 12	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	clean	F	simpleavg	quality	max	2	0.1814	[2]	smallest_q 12	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	clean	Fbar	simpleavg	quality	min	2	0.15	[2]	smallest_q 12	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	adversaria- sara-2- 255	C	simpleavg	robustness	max	8	-0.173	[8]	smallest_q 12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	adversaria- sara-2- 255	Cbar	simpleavg	robustness	max	4	0.0788	[4]	smallest_q 12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	adversaria- sara-2- 255	F	simpleavg	robustness	max	5	-0.0908	[5]	smallest_q 12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	adversaria- sara-2- 255	Fbar	simpleavg	robustness	max	5	0.0428	[5]	smallest_q 12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	gaussian- 0.15	C	simpleavg	robustness	max	8	0.35	[8]	smallest_q 12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	gaussian- 0.15	Cbar	simpleavg	robustness	max	3	-0.3048	[3]	smallest_q 12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	gaussian- 0.15	F	simpleavg	robustness	max	3	0.1726	[3]	smallest_q 12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	gaussian- 0.15	Fbar	simpleavg	robustness	max	3	-0.088	[3]	smallest_q 12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	salt- pepper- 0.05	C	simpleavg	robustness	max	8	0.3218	[8]	smallest_q 12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	salt- pepper- 0.05	Cbar	simpleavg	robustness	max	3	-0.2764	[3]	smallest_q 12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	salt- pepper- 0.05	F	simpleavg	robustness	max	3	0.1618	[3]	smallest_q 12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	salt- pepper- 0.05	Fbar	simpleavg	robustness	max	3	-0.0568	[3]	smallest_q 12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	speckle- 0.15	C	simpleavg	robustness	max	8	0.124	[8]	smallest_q 12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	speckle- 0.15	Cbar	simpleavg	robustness	max	3	-0.0928	[3]	smallest_q 12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	speckle- 0.15	F	simpleavg	robustness	max	4	0.08	[4]	smallest_q 12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	speckle- 0.15	Fbar	simpleavg	robustness	max	3	-0.0282	[3]	smallest_ 12	Guided Backprop, DeepLiftShap, "DeepLift"]

Table 257: ImageNet-ResNet-18 results.

cell	dataset	model	q	rule	q11 reference	method prefix	F clean	Fbar clean	C clean	Cbar clean	F perturbed gaussian-0.15	Fbar perturbed gaussian-0.15	C perturbed gaussian-0.15	Cbar perturbed gaussian-0.15	F perturbed salt-pepper-0.05	Fbar perturbed salt-pepper-0.05	C perturbed salt-pepper-0.05	Cbar perturbed salt-pepper-0.05	F perturbed speckle-0.15	Fbar perturbed speckle-0.15
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	simpleavg	False	["GuidedBackprop", "DeepLiftShap"]	0.843	0.8056	0.2646	0.3442	0.2508	0.6302	0.5798	0.3322	0.2146	0.603	0.551	0.2532	0.1868	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	borda	False	["GuidedBackprop", "DeepLiftShap"]	0.843	0.308	0.2586	0.3498	0.2466	0.6324	0.579	0.3426	0.2066	0.614	0.541	0.2634	0.173	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	rrf	False	["GuidedBackprop", "DeepLiftShap"]	0.843	0.74	0.256	0.3456	0.2472	0.6344	0.5794	0.3418	0.2126	0.6132	0.5448	0.2594	0.179	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	kemeny	False	["GuidedBackprop", "DeepLiftShap"]	0.843	0.308	0.2586	0.3498	0.2466	0.6324	0.579	0.3426	0.2066	0.614	0.541	0.2634	0.173	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	schulze	False	["GuidedBackprop", "DeepLiftShap"]	0.843	0.308	0.2586	0.3498	0.2466	0.6324	0.579	0.3426	0.2066	0.614	0.541	0.2634	0.173	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	simpleavg	False	["GuidedBackprop", "DeepLiftShap"]	0.762	0.299	0.3488	0.2518	0.628	0.58	0.338	0.2206	0.6078	0.5516	0.253	0.192		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	borda	False	["GuidedBackprop", "DeepLiftShap"]	0.762	0.303	0.3458	0.2502	0.621	0.5822	0.3378	0.2056	0.6118	0.5416	0.2602	0.186		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	rrf	False	["GuidedBackprop", "DeepLiftShap"]	0.762	0.22	0.345	0.2474	0.6178	0.5848	0.342	0.2144	0.6124	0.5482	0.2566	0.1888		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	kemeny	False	["GuidedBackprop", "DeepLiftShap"]	0.762	0.291	0.345	0.2452	0.6196	0.5826	0.3372	0.226	0.608	0.5632	0.2512	0.2126		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	schulze	False	["GuidedBackprop", "DeepLiftShap"]	0.762	0.292	0.3452	0.2466	0.6206	0.581	0.3356	0.2168	0.6088	0.5556	0.2536	0.2024		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simpleavg	False	["GuidedBackprop", "DeepLiftShap"]	0.804	0.302	0.3558	0.6396	0.6988	0.319	0.3414	0.611	0.6804	0.2604	0.3068			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	False	["GuidedBackprop", "DeepLiftShap"]	0.804	0.311	0.2936	0.6454	0.6286	0.3468	0.273	0.6286	0.6022	0.2654	0.2204			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	rrf	False	["GuidedBackprop", "DeepLiftShap"]	0.804	0.303	0.259	0.6396	0.595	0.3484	0.2326	0.6262	0.5588	0.2662	0.1992			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	kemeny	False	["GuidedBackprop", "DeepLiftShap"]	0.804	0.297	0.251	0.6268	0.5858	0.3362	0.2256	0.6086	0.5528	0.2556	0.2002			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	False	["GuidedBackprop", "DeepLiftShap"]	0.804	0.297	0.2544	0.6212	0.5876	0.3398	0.2238	0.6152	0.5544	0.258	0.2006			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simpleavg	False	["GuidedBackprop", "DeepLiftShap"]	0.736	0.287	0.3286	0.6342	0.743	0.302	0.3768	0.5958	0.7178	0.2448	0.3364			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	False	["GuidedBackprop", "DeepLiftShap"]	0.736	0.312	0.321	0.6526	0.6714	0.3378	0.3088	0.6248	0.6404	0.264	0.2492			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	rrf	False	["GuidedBackprop", "DeepLiftShap"]	0.886	0.315	0.309	0.6504	0.6418	0.3458	0.2834	0.6306	0.6166	0.2708	0.2336			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	kemeny	False	["GuidedBackprop", "DeepLiftShap"]	0.874	0.312	0.287	0.6448	0.5934	0.3502	0.2342	0.6284	0.5646	0.272	0.2104			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	schulze	False	["GuidedBackprop", "DeepLiftShap"]	0.876	0.312	0.287	0.649	0.6594	0.3454	0.3014	0.633	0.633	0.2664	0.2508			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simpleavg	False	["GuidedBackprop", "DeepLiftShap"]	0.736	0.287	0.3286	0.6342	0.743	0.302	0.3768	0.5958	0.7178	0.2448	0.3364			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	False	["GuidedBackprop", "DeepLiftShap"]	0.782	0.295	0.322	0.6564	0.6336	0.338	0.3024	0.6174	0.6392	0.2546	0.2518			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	rrf	False	["GuidedBackprop", "DeepLiftShap"]	0.798	0.295	0.322	0.6564	0.6336	0.338	0.3024	0.6174	0.6392	0.2546	0.2518			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	kemeny	False	["GuidedBackprop", "DeepLiftShap"]	0.806	0.306	0.322	0.6564	0.6336	0.338	0.3024	0.6174	0.6392	0.2546	0.2518			

cell	dataset	model	q	rule	q11 reference	method prefix	F clean	Fbar clean	C clean	Cbar clean	F perturbed gaussian-0.15	Fbar perturbed gaussian-0.15	C perturbed gaussian-0.15	Cbar perturbed gaussian-0.15	F perturbed salt-pepper-0.05	Fbar perturbed salt-pepper-0.05	C perturbed salt-pepper-0.05	Cbar perturbed salt-pepper-0.05	F perturbed speckle-0.15	Fbar perturbed speckle-0.15
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	schulze	False	["GuidedBackprop", "DeepLiftShap250DeepDi8157FeatureA1148on", "Occlud824", "Gradient0.331ap"]	0.6186	0.3356	0.2632	0.6156	0.5938	0.262	0.2346							
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleavg	False	["GuidedBackprop742", "DeepLiftShap250DeepDi8157FeatureA1148on", "Occlud844", "Gradient0.331ap", "Integral22dGradients0.3124"]	0.3592	0.6054	0.6972	0.2478	0.318									
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	False	["GuidedBackprop698", "DeepLiftShap250DeepDi8157FeatureA1148on", "Occlud824", "Gradient0.331ap", "Integral22dGradients0.3354"]	0.303	0.6146	0.6394	0.2538	0.2644									
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	rrf	False	["GuidedBackprop738", "DeepLiftShap291DeepDi8233FeatureA1144on", "Occlud866", "Gradient0.331ap", "Integral22dGradients0.3296"]	0.2732	0.605	0.599	0.2586	0.2412									
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	kemeny	False	["GuidedBackprop716", "DeepLiftShap250DeepDi8157FeatureA1146on", "Occlud879", "Gradient0.331ap", "Integral22dGradients0.332"]	0.2558	0.605	0.5846	0.2514	0.2376									
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	False	["GuidedBackprop753", "DeepLiftShap290DeepDi8177FeatureA1142on", "Occlud832", "Gradient0.331ap", "Integral22dGradients0.3388"]	0.2662	0.6092	0.594	0.2546	0.2322									
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	False	["GuidedBackprop724", "DeepLiftShap250DeepDi8157FeatureA1126on", "Occlud868", "Gradient0.331ap", "Integral22dGradients0.3312", "Input0.326radient"]	0.352	0.6068	0.688	0.2498	0.3212									
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	False	["GuidedBackprop684", "DeepLiftShap250DeepDi81478FeatureA11376on", "Occlud844", "Gradient0.331ap", "Integral22dGradients0.3328", "Input0.326radient"]	0.3014	0.6016	0.6302	0.25	0.2592									
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	False	["GuidedBackprop682", "DeepLiftShap257DeepDi8307FeatureA11376on", "Occlud886", "Gradient0.331ap", "Integral22dGradients0.3306", "Input0.326radient"]	0.2698	0.6004	0.5988	0.2512	0.236									
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	False	["GuidedBackprop642", "DeepLiftShap252DeepDi8297FeatureA1132on", "Occlud856", "Gradient0.331ap", "Integral22dGradients0.3298", "Input0.326radient"]	0.2628	0.6036	0.5922	0.2458	0.2426									
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	False	["GuidedBackprop672", "DeepLiftShap250DeepDi8317FeatureA1133on", "Occlud886", "Gradient0.331ap", "Integral22dGradients0.3321", "Input0.326radient"]	0.2634	0.6006	0.592	0.248	0.2422									
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simpleavg	False	["GuidedBackprop742", "DeepLiftShap250DeepDi8157FeatureA1126on", "Occlud868", "Gradient0.331ap", "Integral22dGradients0.3312", "Input0.326radient"]	0.6022	0.6816	0.2466	0.3168										
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	False	["GuidedBackprop618", "DeepLiftShap277DeepDi8166FeatureA1134on", "Occlud846", "Gradient0.331ap", "Integral22dGradients0.3328", "Input0.326radient"]	0.6024	0.63	0.2388	0.2668										
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	rrf	False	["GuidedBackprop642", "DeepLiftShap279DeepDi8357FeatureA11346on", "Occlud898", "Gradient0.331ap", "Integral22dGradients0.3342", "Input0.326radient"]	0.594	0.6076	0.2384	0.2578										
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	kemeny	False	["GuidedBackprop572", "DeepLiftShap270DeepDi8137FeatureA1120on", "Occlud846", "Gradient0.331ap", "Integral22dGradients0.3326", "Input0.326radient"]	0.593	0.6086	0.233	0.2682										
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	False	["GuidedBackprop572", "DeepLiftShap269DeepDi8357FeatureA11248on", "Occlud894", "Gradient0.331ap", "Integral22dGradients0.3341", "Input0.326radient"]	0.5896	0.61	0.235	0.2698										
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	False	["GuidedBackprop736", "DeepLiftShap255DeepDi81578FeatureA11272on", "Occlud868", "Gradient0.331ap", "Integral22dGradients0.3332", "Input0.326radient", "Deep0.604olution"]	0.6816	0.2472	0.314											
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	False	["GuidedBackprop616", "DeepLiftShap276DeepDi83174FeatureA11302on", "Occlud824", "Gradient0.331ap", "Integral22dGradients0.3332", "Input0.326radient", "Deep0.5936olution"]	0.6292	0.2372	0.2652											
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	rrf	False	["GuidedBackprop638", "DeepLiftShap277DeepDi8357FeatureA11302on", "Occlud842", "Gradient0.331ap", "Integral22dGradients0.3302", "Input0.326radient", "Deep0.594olution"]	0.6022	0.239	0.2524											
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	kemeny	False	["GuidedBackprop582", "DeepLiftShap272DeepDi83476FeatureA11248on", "Occlud804", "Gradient0.331ap", "Integral22dGradients0.3354", "Input0.326radient", "Deep0.5872olution"]	0.6076	0.2312	0.2586											
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	False	["GuidedBackprop618", "DeepLiftShap275DeepDi8327FeatureA11222on", "Occlud866", "Gradient0.331ap", "Integral22dGradients0.3382", "Input0.326radient", "Deep0.594olution"]	0.6034	0.2386	0.2648											
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simpleavg	True	["GuidedBackprop726", "DeepLiftShap280DeepDi81578FeatureA11329on", "Occlud868", "Gradient0.331ap", "Integral22dGradients0.3302", "Input0.326radient", "Deep0.604olution", "LR0.6808"]	0.246	0.3146												
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	True	["GuidedBackprop562", "DeepLiftShap275DeepDi8467FeatureA11272on", "Occlud818", "Gradient0.331ap", "Integral22dGradients0.3304", "Input0.326radient", "Deep0.5964olution", "LR0.6286"]	0.2328	0.2614												
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	rrf	True	["GuidedBackprop612", "DeepLiftShap281DeepDi8427FeatureA11326on", "Occlud892", "Gradient0.331ap", "Integral22dGradients0.3336", "Input0.326radient", "Deep0.5946olution", "LR0.6078"]	0.2354	0.2518												
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	kemeny	True	["GuidedBackprop562", "DeepLiftShap27DeepDi8497FeatureA11224on", "Occlud848", "Gradient0.331ap", "Integral22dGradients0.3371", "Input0.326radient", "Deep0.5888olution", "LR0.6014"]	0.2304	0.2596												

cell	dataset	model	q	rule	q11 reference	method prefix	F clean	Fbar clean	C clean	Cbar clean	F perturbed gaussian-0.15	Fbar perturbed gaussian-0.15	C perturbed gaussian-0.15	Cbar perturbed gaussian-0.15	F perturbed salt-pepper-0.05	Fbar perturbed salt-pepper-0.05	C perturbed salt-pepper-0.05	Cbar perturbed salt-pepper-0.05	F perturbed speckle-0.15	Fbar perturbed speckle-0.15					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	True	["GuidedBackprop", "DeepShap", "DeepLift", "DeepLiftShap", "DeepLiftShap2", "DeepLiftShap3", "DeepLiftShap4", "DeepLiftShap5", "DeepLiftShap6", "DeepLiftShap7", "DeepLiftShap8", "DeepLiftShap9", "DeepLiftShap10", "DeepLiftShap11", "DeepLiftShap12", "DeepLiftShap13", "DeepLiftShap14", "DeepLiftShap15", "DeepLiftShap16", "DeepLiftShap17", "DeepLiftShap18", "DeepLiftShap19", "DeepLiftShap20", "DeepLiftShap21", "DeepLiftShap22", "DeepLiftShap23", "DeepLiftShap24", "DeepLiftShap25", "DeepLiftShap26", "DeepLiftShap27", "DeepLiftShap28", "DeepLiftShap29", "DeepLiftShap30", "DeepLiftShap31", "DeepLiftShap32", "DeepLiftShap33", "DeepLiftShap34", "DeepLiftShap35", "DeepLiftShap36", "DeepLiftShap37", "DeepLiftShap38", "DeepLiftShap39", "DeepLiftShap40", "DeepLiftShap41", "DeepLiftShap42", "DeepLiftShap43", "DeepLiftShap44", "DeepLiftShap45", "DeepLiftShap46", "DeepLiftShap47", "DeepLiftShap48", "DeepLiftShap49", "DeepLiftShap50", "DeepLiftShap51", "DeepLiftShap52", "DeepLiftShap53", "DeepLiftShap54", "DeepLiftShap55", "DeepLiftShap56", "DeepLiftShap57", "DeepLiftShap58", "DeepLiftShap59", "DeepLiftShap60", "DeepLiftShap61", "DeepLiftShap62", "DeepLiftShap63", "DeepLiftShap64", "DeepLiftShap65", "DeepLiftShap66", "DeepLiftShap67", "DeepLiftShap68", "DeepLiftShap69", "DeepLiftShap70", "DeepLiftShap71", "DeepLiftShap72", "DeepLiftShap73", "DeepLiftShap74", "DeepLiftShap75", "DeepLiftShap76", "DeepLiftShap77", "DeepLiftShap78", "DeepLiftShap79", "DeepLiftShap80", "DeepLiftShap81", "DeepLiftShap82", "DeepLiftShap83", "DeepLiftShap84", "DeepLiftShap85", "DeepLiftShap86", "DeepLiftShap87", "DeepLiftShap88", "DeepLiftShap89", "DeepLiftShap90", "DeepLiftShap91", "DeepLiftShap92", "DeepLiftShap93", "DeepLiftShap94", "DeepLiftShap95", "DeepLiftShap96", "DeepLiftShap97", "DeepLiftShap98", "DeepLiftShap99", "DeepLiftShap100"]	0.576	0.576	0.576	0.576	0.576	0.576	0.576	0.576	0.576	0.576	0.576	0.576	0.576	0.576	0.576	0.576	0.576	0.576	0.576

Table 258: ImageNet-ResNet-18 results.

cell	dataset	model	q	C perturbed speckle-0.15	Cbar perturbed speckle-0.15	F perturbed adversarial-sara-2-255	Fbar perturbed adversarial-sara-2-255	C perturbed adversarial-sara-2-255	Cbar perturbed adversarial-sara-2-255	R F gaussian-0.15	R Fbar gaussian-0.15	R C gaussian-0.15	R Cbar gaussian-0.15	R F salt-pepper-0.05	R Fbar salt-pepper-0.05	R C salt-pepper-0.05
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	0.4078	0.3658	0.0666	0.1256	0.0932	0.2054	0.1628	-0.1008	0.3246	-0.3152	0.1508	-0.0646	0.2974
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	0.4186	0.3492	0.0658	0.122	0.0922	0.2	0.168	-0.1014	0.3244	-0.3204	0.1608	-0.0614	0.306
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	0.4144	0.3594	0.0652	0.119	0.0926	0.1954	0.1644	-0.1048	0.327	-0.3234	0.1606	-0.0702	0.3058
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	0.4186	0.3492	0.0658	0.122	0.0922	0.2	0.168	-0.1014	0.3244	-0.3204	0.1608	-0.0614	0.306
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	0.4186	0.3492	0.0658	0.122	0.0922	0.2	0.168	-0.1014	0.3244	-0.3204	0.1608	-0.0614	0.306
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	0.4112	0.368	0.0608	0.1456	0.0852	0.2218	0.1726	-0.088	0.3284	-0.3048	0.1618	-0.0568	0.3082
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	0.4164	0.3674	0.0612	0.1364	0.0856	0.2154	0.1696	-0.0916	0.3176	-0.3134	0.1616	-0.047	0.3084
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	0.413	0.3678	0.0622	0.141	0.0858	0.2192	0.1688	-0.0862	0.3156	-0.3132	0.1658	-0.0532	0.3102
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	0.4032	0.3936	0.0586	0.1786	0.0824	0.2654	0.175	-0.0548	0.328	-0.2782	0.1672	-0.0356	0.3164
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	0.4058	0.3834	0.06	0.172	0.0832	0.2552	0.1794	-0.068	0.3282	-0.29	0.1698	-0.0382	0.3164
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	0.4234	0.494	0.0834	0.204	0.1142	0.2918	0.1532	-0.1178	0.3372	-0.3282	0.1386	-0.1034	0.3086
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	0.4292	0.4048	0.0756	0.15	0.1056	0.2312	0.1716	-0.1134	0.3338	-0.3262	0.1612	-0.0928	0.317
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	0.426	0.3768	0.073	0.1346	0.1018	0.211	0.1756	-0.0984	0.333	-0.3202	0.165	-0.072	0.3196
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	0.4114	0.3788	0.0684	0.1562	0.0932	0.237	0.1706	-0.086	0.329	-0.3086	0.1612	-0.0606	0.3108
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	0.413	0.3788	0.0658	0.1584	0.0914	0.2364	0.176	-0.0818	0.3238	-0.3004	0.1694	-0.0512	0.3178
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	0.406	0.5304	0.0818	0.227	0.114	0.322	0.156	-0.1262	0.347	-0.3426	0.1294	-0.107	0.3086
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	0.4258	0.4358	0.0768	0.172	0.109	0.2496	0.1676	-0.13	0.3406	-0.3498	0.1502	-0.1106	0.3128
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	0.4298	0.4174	0.0784	0.1548	0.1102	0.234	0.1646	-0.1144	0.3352	-0.3324	0.1572	-0.0966	0.3154
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	0.433	0.3906	0.0768	0.1386	0.1074	0.2126	0.1704	-0.096	0.332	-0.3062	0.1628	-0.0684	0.3156
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	0.427	0.4368	0.0784	0.1666	0.1104	0.246	0.1686	-0.1176	0.337	-0.3336	0.1578	-0.0996	0.321
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	0.4076	0.5232	0.0804	0.2218	0.1126	0.317	0.1558	-0.1238	0.3478	-0.3366	0.1328	-0.105	0.3138
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	0.415	0.4394	0.074	0.1768	0.1012	0.2648	0.1772	-0.1166	0.3474	-0.3358	0.1598	-0.0932	0.3188
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	0.4182	0.4134	0.0766	0.1582	0.1052	0.2396	0.1714	-0.0966	0.3436	-0.3132	0.1618	-0.0732	0.321
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	0.4194	0.3938	0.0706	0.1508	0.0984	0.2342	0.1634	-0.0776	0.317	-0.2952	0.1542	-0.0548	0.3072

cell	dataset	model	q	C perturbed speckle-0.15	Cbar perturbed speckle-0.15	F perturbed adversarial-sara-2-255	Fbar perturbed adversarial-sara-2-255	C perturbed adversarial-sara-2-255	Cbar perturbed adversarial-sara-2-255	R F gaussian-0.15	R Fbar gaussian-0.15	R C gaussian-0.15	R Cbar gaussian-0.15	R F salt-pepper-0.05	R Fbar salt-pepper-0.05	R C salt-pepper-0.05
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	0.4214	0.4126	0.073	0.1668	0.1002	0.2482	0.1668	-0.0868	0.339	-0.3034	0.1546	-0.0676	0.3148
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	0.4066	0.5148	0.0802	0.2222	0.1122	0.314	0.156	-0.1152	0.3448	-0.3314	0.1382	-0.1	0.3156
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	0.415	0.4524	0.0708	0.1926	0.0966	0.2788	0.178	-0.1042	0.3452	-0.3202	0.1656	-0.0788	0.3256
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	0.4174	0.4234	0.0724	0.1794	0.0982	0.2626	0.1696	-0.086	0.337	-0.3066	0.1568	-0.0686	0.3138
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	0.4094	0.4228	0.068	0.183	0.094	0.2716	0.173	-0.0702	0.3358	-0.2846	0.1604	-0.047	0.3166
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	0.4116	0.412	0.073	0.17	0.0982	0.2544	0.167	-0.0778	0.3246	-0.2934	0.1638	-0.0708	0.3126
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	0.409	0.5122	0.0812	0.218	0.112	0.3108	0.1574	-0.1124	0.35	-0.3256	0.1426	-0.0946	0.3218
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	0.4104	0.4428	0.0694	0.1998	0.0946	0.2864	0.1742	-0.1018	0.3422	-0.319	0.1664	-0.0818	0.3172
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	0.4096	0.4188	0.0688	0.1836	0.0952	0.2662	0.1694	-0.081	0.3348	-0.2962	0.1624	-0.0622	0.3126
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	0.4054	0.4284	0.066	0.1884	0.0914	0.2754	0.168	-0.0758	0.3284	-0.2932	0.1656	-0.053	0.3216
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	0.4048	0.4304	0.0668	0.1866	0.092	0.2734	0.1658	-0.0768	0.325	-0.2872	0.1618	-0.0566	0.3162
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	0.4056	0.506	0.0784	0.22	0.1078	0.3136	0.1514	-0.1096	0.3408	-0.3202	0.1372	-0.0888	0.314
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	0.4016	0.4562	0.0646	0.2154	0.0892	0.3068	0.1716	-0.0828	0.3418	-0.2942	0.1662	-0.0624	0.3246
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	0.3996	0.4434	0.0674	0.2026	0.0926	0.2918	0.1702	-0.07	0.3324	-0.2768	0.1598	-0.052	0.3142
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	0.3882	0.455	0.0602	0.2156	0.0854	0.3088	0.1688	-0.0522	0.3278	-0.2642	0.1652	-0.0396	0.3186
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	0.389	0.458	0.061	0.2202	0.0848	0.3138	0.167	-0.0652	0.3328	-0.2818	0.1616	-0.0458	0.3202
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	0.4056	0.504	0.0776	0.217	0.1074	0.3106	0.1536	-0.1128	0.3452	-0.32	0.1396	-0.0938	0.3182
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	0.3972	0.4524	0.0644	0.2072	0.0884	0.3018	0.1686	-0.097	0.3396	-0.314	0.1576	-0.0704	0.3168
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	0.399	0.4354	0.0668	0.1968	0.0904	0.2886	0.1664	-0.0842	0.3322	-0.2968	0.1564	-0.06	0.3128
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	0.3876	0.445	0.0628	0.2066	0.0874	0.2994	0.1632	-0.0712	0.323	-0.2816	0.1568	-0.047	0.315
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	0.3906	0.449	0.0644	0.2116	0.0888	0.3036	0.1604	-0.0704	0.3246	-0.2776	0.1564	-0.0486	0.3156
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	0.4052	0.5058	0.0782	0.2172	0.1092	0.3108	0.1564	-0.1118	0.3474	-0.3208	0.1376	-0.0916	0.3152
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	0.3898	0.4494	0.063	0.1996	0.0874	0.2932	0.1692	-0.0996	0.3384	-0.3208	0.1624	-0.0788	0.3208
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	0.3938	0.4382	0.0656	0.193	0.0898	0.2816	0.1648	-0.0776	0.3286	-0.2944	0.1624	-0.066	0.3134
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	0.3846	0.4486	0.0652	0.2084	0.092	0.3	0.1668	-0.0684	0.3296	-0.2774	0.1614	-0.045	0.317

cell	dataset	model	q	C perturbed speckle-0.15	Cbar perturbed speckle-0.15	F perturbed adversarial-sara-2-255	Fbar perturbed adversarial-sara-2-255	C perturbed adversarial-sara-2-255	Cbar perturbed adversarial-sara-2-255	R F gaussian-0.15	R Fbar gaussian-0.15	R C gaussian-0.15	R Cbar gaussian-0.15	R F salt-pepper-0.05	R Fbar salt-pepper-0.05	R C salt-pepper-0.05
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	0.388	0.4402	0.065	0.2012	0.0896	0.2938	0.1662	-0.0762	0.3296	-0.288	0.1592	-0.0656	0.3124

Table 259: ImageNet–ResNet-18 results.

cell	dataset	model	q	R Cbar speckle-0.15	R F adversarial-sara-2-255	R Fbar adversarial-sara-2-255	R C adversarial-sara-2-255	R Cbar adversarial-sara-2-255
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	2	-0.1012	-0.1148	0.0244	-0.2124	0.0592
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	2	-0.0906	-0.116	0.0232	-0.2158	0.0586
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	2	-0.1034	-0.116	0.0234	-0.2148	0.0606
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	2	-0.0906	-0.116	0.0232	-0.2158	0.0586
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	2	-0.0906	-0.116	0.0232	-0.2158	0.0586
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	3	-0.0928	-0.1154	0.0182	-0.2144	0.0534
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	3	-0.0986	-0.115	0.0222	-0.2178	0.0534
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	3	-0.0962	-0.114	0.0202	-0.2164	0.0524
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	3	-0.0892	-0.1114	0.0118	-0.2092	0.039
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	3	-0.0924	-0.1058	0.0066	-0.2092	0.0358
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	-0.1234	-0.097	0.034	-0.1882	0.0788
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	-0.1024	-0.11	0.0302	-0.206	0.0712
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	-0.102	-0.1104	0.026	-0.2048	0.0638
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	-0.1016	-0.1066	0.0088	-0.2046	0.0402
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	-0.0916	-0.1046	0.0142	-0.206	0.0508
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	-0.13	-0.0908	0.0428	-0.1732	0.0784
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	-0.1142	-0.1108	0.0262	-0.203	0.072
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	-0.108	-0.1102	0.032	-0.205	0.0754
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	-0.1034	-0.1106	0.0272	-0.2054	0.0746
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	-0.111	-0.1092	0.0352	-0.2016	0.0798
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	6	-0.1278	-0.0934	0.0414	-0.175	0.0784
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	6	-0.107	-0.1042	0.0324	-0.1974	0.0676
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	6	-0.0954	-0.1032	0.0382	-0.1934	0.0784
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	6	-0.0882	-0.11	0.036	-0.2076	0.0714

cell	dataset	model	q	R Cbar speckle-0.15	R F adversarial-sara-2-255	R Fbar adversarial-sara-2-255	R C adversarial-sara-2-255	R Cbar adversarial-sara-2-255
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	-0.0974	-0.108	0.0288	-0.2006	0.067
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	-0.1252	-0.094	0.037	-0.1776	0.0756
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	-0.1042	-0.099	0.0316	-0.1924	0.0694
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	-0.1004	-0.1004	0.0252	-0.193	0.0604
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	-0.0924	-0.1036	0.0258	-0.1944	0.0588
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	-0.0946	-0.102	0.0254	-0.1984	0.063
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	-0.1228	-0.0912	0.0394	-0.173	0.0786
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	-0.098	-0.094	0.0198	-0.1898	0.0584
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	-0.0882	-0.0994	0.024	-0.1926	0.0644
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	-0.0986	-0.0982	0.0214	-0.1906	0.0544
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	-0.0988	-0.1004	0.0202	-0.1924	0.0582
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	-0.1178	-0.0964	0.0338	-0.1804	0.0746
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	-0.0898	-0.0972	0.0234	-0.1886	0.0596
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	-0.0882	-0.097	0.0232	-0.1872	0.0634
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	-0.0916	-0.0972	0.0238	-0.189	0.0546
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	-0.1016	-0.0968	0.014	-0.1846	0.0426
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	-0.1182	-0.096	0.0324	-0.1784	0.0752
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	-0.101	-0.0972	0.0212	-0.1884	0.0496
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	-0.0966	-0.097	0.0202	-0.1868	0.0502
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	-0.0904	-0.0958	0.0226	-0.1848	0.0552
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	-0.0968	-0.0974	0.0146	-0.187	0.0486
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	-0.1196	-0.0944	0.0338	-0.1768	0.0754
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	-0.103	-0.095	0.019	-0.1882	0.0532
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	-0.0958	-0.0956	0.0246	-0.1914	0.0608
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	-0.0994	-0.0904	0.015	-0.179	0.0492

cell	dataset	model		R Cbar speckle-0.15	R F adversarial-sara-2-255	R Fbar adversarial-sara-2-255	R C adversarial-sara-2-255	R Cbar adversarial-sara-2-255
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	-0.0958	-0.0926	0.017	-0.1864	0.0506

Table 260: ImageNet-ResNet-18 results.

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	C	borda	quality	0.308	max	0.308	kendall_ma	0.1267314e+01	0.367314e+00	0.002	2341.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	C	borda	quality	0.3034	max	0.3034	kendall_ma	0.1657412e+01	0.657412e+00	0.002	1829.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	C	borda	quality	0.3116	max	0.3116	kendall_ma	0.1533529e+01	0.533529e+00	0.002	3010.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	C	borda	quality	0.312	max	0.312	kendall_ma	0.12445765e+01	0.445765e+00	0.002	3433	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	C	borda	quality	0.2986	max	0.2986	kendall_ma	0.1496523e+01	0.496523e+00	0.002	3377.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	C	borda	quality	0.289	max	0.289	kendall_ma	0.1498314e+01	0.498314e+00	0.002	3218.6	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	C	borda	quality	0.2844	max	0.2844	kendall_ma	0.1494005e+01	0.494005e+00	0.002	3257.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	C	borda	quality	0.2778	max	0.2778	kendall_ma	0.1597886e+01	0.597886e+00	0.002	3164.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	C	borda	quality	0.2768	max	0.2768	kendall_ma	0.1495199e+01	0.495199e+00	0.002	3430.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	C	borda	quality	0.2756	max	0.2756	kendall_ma	0.1479366e+01	0.479366e+00	0.002	3733	11	True	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	C	kemeny	quality	0.308	max	0.308	kendall_ma	0.1267314e+01	0.367314e+00	0.002	2341.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	C	kemeny	quality	0.2916	max	0.2916	kendall_ma	0.1657412e+01	0.657412e+00	0.002	1829.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	C	kemeny	quality	0.2978	max	0.2978	kendall_ma	0.1533529e+01	0.533529e+00	0.002	3010.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	C	kemeny	quality	0.3128	max	0.3128	kendall_ma	0.12445765e+01	0.445765e+00	0.002	3433	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	C	kemeny	quality	0.306	max	0.306	kendall_ma	0.1496523e+01	0.496523e+00	0.002	3377.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	C	kemeny	quality	0.2884	max	0.2884	kendall_ma	0.1498314e+01	0.498314e+00	0.002	3218.6	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	C	kemeny	quality	0.282	max	0.282	kendall_ma	0.1494005e+01	0.494005e+00	0.002	3257.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	C	kemeny	quality	0.2744	max	0.2744	kendall_ma	0.1597886e+01	0.597886e+00	0.002	3164.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	C	kemeny	quality	0.2722	max	0.2722	kendall_ma	0.1495199e+01	0.495199e+00	0.002	3430.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	C	kemeny	quality	0.271	max	0.271	kendall_ma	0.1479366e+01	0.479366e+00	0.002	3733	11	True	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	C	rrf	quality	0.3074	max	0.3074	kendall_ma	0.1267314e+01	0.367314e+00	0.002	2341.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	C	rrf	quality	0.3022	max	0.3022	kendall_ma	0.1657412e+01	0.657412e+00	0.002	1829.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	C	rrf	quality	0.3066	max	0.3066	kendall_ma	0.1533529e+01	0.533529e+00	0.002	3010.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	C	rrf	quality	0.3152	max	0.3152	kendall_ma	0.12445765e+01	0.445765e+00	0.002	3433	11	False	True	5

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	C	rrf	quality	0.2986	max	0.2986	kendall_ma	0.49652x	0.43653	0.002	3377.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	C	rrf	quality	0.2912	max	0.2912	kendall_ma	0.49831x	0.49831	0.002	3218.6	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	C	rrf	quality	0.2878	max	0.2878	kendall_ma	0.494005x	0.484905	0.002	3257.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	C	rrf	quality	0.2798	max	0.2798	kendall_ma	0.507886x	0.507886	0.002	3164.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	C	rrf	quality	0.2772	max	0.2772	kendall_ma	0.495199x	0.485199	0.002	3430.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	C	rrf	quality	0.2812	max	0.2812	kendall_ma	0.470366x	0.470366	0.002	3733	11	True	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	C	schulze	quality	0.308	max	0.308	kendall_ma	0.26731x	0.36731	0.002	2341.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	C	schulze	quality	0.2924	max	0.2924	kendall_ma	0.657412x	0.657412	0.002	1829.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	C	schulze	quality	0.2974	max	0.2974	kendall_ma	0.533529x	0.523529	0.002	3010.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	C	schulze	quality	0.312	max	0.312	kendall_ma	0.245765x	0.345765	0.002	3433	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	C	schulze	quality	0.3008	max	0.3008	kendall_ma	0.49652x	0.43653	0.002	3377.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	C	schulze	quality	0.2966	max	0.2966	kendall_ma	0.49831x	0.49831	0.002	3218.6	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	C	schulze	quality	0.2844	max	0.2844	kendall_ma	0.494005x	0.484905	0.002	3257.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	C	schulze	quality	0.2694	max	0.2694	kendall_ma	0.507886x	0.507886	0.002	3164.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	C	schulze	quality	0.2758	max	0.2758	kendall_ma	0.495199x	0.485199	0.002	3430.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	C	schulze	quality	0.276	max	0.276	kendall_ma	0.470366x	0.470366	0.002	3733	11	True	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	C	simpleavg	quality	0.3056	max	0.3056	kendall_ma	0.26731x	0.36731	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	C	simpleavg	quality	0.2996	max	0.2996	kendall_ma	0.657412x	0.657412	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	C	simpleavg	quality	0.3024	max	0.3024	kendall_ma	0.533529x	0.523529	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	C	simpleavg	quality	0.2872	max	0.2872	kendall_ma	0.245765x	0.345765	0.002	3433	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	C	simpleavg	quality	0.2876	max	0.2876	kendall_ma	0.49652x	0.43653	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	C	simpleavg	quality	0.2898	max	0.2898	kendall_ma	0.49831x	0.49831	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	C	simpleavg	quality	0.285	max	0.285	kendall_ma	0.494005x	0.484905	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	C	simpleavg	quality	0.2882	max	0.2882	kendall_ma	0.507886x	0.507886	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	C	simpleavg	quality	0.2858	max	0.2858	kendall_ma	0.495199x	0.485199	0.002	3430.5	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	C	simpleavg	quality	0.286	max	0.286	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	Cbar	borda	quality	0.2586	min	-0.2586	kendall_ma	0.267314	0.367314	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	Cbar	borda	quality	0.2688	min	-0.2688	kendall_ma	0.657412	0.657412	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	Cbar	borda	quality	0.3024	min	-0.3024	kendall_ma	0.533529	0.523529	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	Cbar	borda	quality	0.3216	min	-0.3216	kendall_ma	0.445765	0.345765	0.002	3433	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	Cbar	borda	quality	0.3324	min	-0.3324	kendall_ma	0.49652	0.43652	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	Cbar	borda	quality	0.3482	min	-0.3482	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	Cbar	borda	quality	0.3448	min	-0.3448	kendall_ma	0.494005	0.484005	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	Cbar	borda	quality	0.3664	min	-0.3664	kendall_ma	0.507886	0.507886	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	Cbar	borda	quality	0.3514	min	-0.3514	kendall_ma	0.495199	0.485199	0.002	3430.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	Cbar	borda	quality	0.3464	min	-0.3464	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	Cbar	kemeny	quality	0.2586	min	-0.2586	kendall_ma	0.267314	0.367314	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	Cbar	kemeny	quality	0.3044	min	-0.3044	kendall_ma	0.657412	0.657412	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	Cbar	kemeny	quality	0.2772	min	-0.2772	kendall_ma	0.533529	0.523529	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	Cbar	kemeny	quality	0.2872	min	-0.2872	kendall_ma	0.445765	0.345765	0.002	3433	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	Cbar	kemeny	quality	0.3056	min	-0.3056	kendall_ma	0.49652	0.43652	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	Cbar	kemeny	quality	0.3304	min	-0.3304	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	Cbar	kemeny	quality	0.3298	min	-0.3298	kendall_ma	0.494005	0.484005	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	Cbar	kemeny	quality	0.3634	min	-0.3634	kendall_ma	0.507886	0.507886	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	Cbar	kemeny	quality	0.3546	min	-0.3546	kendall_ma	0.495199	0.485199	0.002	3430.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	Cbar	kemeny	quality	0.3492	min	-0.3492	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	Cbar	rrf	quality	0.256	min	-0.256	kendall_ma	0.267314	0.367314	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	Cbar	rrf	quality	0.2716	min	-0.2716	kendall_ma	0.657412	0.657412	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	Cbar	rrf	quality	0.2748	min	-0.2748	kendall_ma	0.533529	0.523529	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	Cbar	rrf	quality	0.3094	min	-0.3094	kendall_ma	0.445765	0.345765	0.002	3433	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	Cbar	rrf	quality	0.318	min	-0.318	kendall_mall	0.49652x10 ⁻⁴	0.43653	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	Cbar	rrf	quality	0.323	min	-0.323	kendall_mall	0.49831x10 ⁻⁴	0.49831	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	Cbar	rrf	quality	0.3306	min	-0.3306	kendall_mall	0.494005x10 ⁻⁴	0.484005	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	Cbar	rrf	quality	0.3552	min	-0.3552	kendall_mall	0.507886x10 ⁻⁵	0.7886	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	Cbar	rrf	quality	0.3388	min	-0.3388	kendall_mall	0.495199x10 ⁻⁴	0.485199	0.002	3430.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	Cbar	rrf	quality	0.3424	min	-0.3424	kendall_mall	0.470366x10 ⁻⁴	0.70366	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	Cbar	schulze	quality	0.2586	min	-0.2586	kendall_mall	0.267314x10 ⁻³	0.367314	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	Cbar	schulze	quality	0.291	min	-0.291	kendall_mall	0.657412x10 ⁻⁶	0.657412	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	Cbar	schulze	quality	0.2872	min	-0.2872	kendall_mall	0.533529x10 ⁻⁵	0.28529	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	Cbar	schulze	quality	0.3258	min	-0.3258	kendall_mall	0.245765x10 ⁻³	0.44765	0.002	3433	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	Cbar	schulze	quality	0.3152	min	-0.3152	kendall_mall	0.49652x10 ⁻⁴	0.43653	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	Cbar	schulze	quality	0.3174	min	-0.3174	kendall_mall	0.49831x10 ⁻⁴	0.49831	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	Cbar	schulze	quality	0.3316	min	-0.3316	kendall_mall	0.494005x10 ⁻⁴	0.484005	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	Cbar	schulze	quality	0.3564	min	-0.3564	kendall_mall	0.507886x10 ⁻⁵	0.7886	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	Cbar	schulze	quality	0.3522	min	-0.3522	kendall_mall	0.495199x10 ⁻⁴	0.485199	0.002	3430.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	Cbar	schulze	quality	0.3444	min	-0.3444	kendall_mall	0.470366x10 ⁻⁴	0.70366	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	Cbar	simpleavg	quality	0.2646	min	-0.2646	kendall_mall	0.267314x10 ⁻³	0.367314	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	Cbar	simpleavg	quality	0.2752	min	-0.2752	kendall_mall	0.657412x10 ⁻⁶	0.657412	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	Cbar	simpleavg	quality	0.3706	min	-0.3706	kendall_mall	0.533529x10 ⁻⁵	0.28529	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	Cbar	simpleavg	quality	0.4004	min	-0.4004	kendall_mall	0.245765x10 ⁻³	0.44765	0.002	3433	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	Cbar	simpleavg	quality	0.3954	min	-0.3954	kendall_mall	0.49652x10 ⁻⁴	0.43653	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	Cbar	simpleavg	quality	0.3896	min	-0.3896	kendall_mall	0.49831x10 ⁻⁴	0.49831	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	Cbar	simpleavg	quality	0.3894	min	-0.3894	kendall_mall	0.494005x10 ⁻⁴	0.484005	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	Cbar	simpleavg	quality	0.3882	min	-0.3882	kendall_mall	0.507886x10 ⁻⁵	0.7886	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	Cbar	simpleavg	quality	0.3858	min	-0.3858	kendall_mall	0.495199x10 ⁻⁴	0.485199	0.002	3430.5	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	Cbar	simpleavg	quality	0.3862	min	-0.3862	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	F	borda	quality	0.1818	max	0.1818	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	F	borda	quality	0.1762	max	0.1762	kendall_ma	0.165741	0.165741	0.002	1829.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	F	borda	quality	0.1856	max	0.1856	kendall_ma	0.533529	0.533529	0.002	3010.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	F	borda	quality	0.1876	max	0.1876	kendall_ma	0.245765	0.245765	0.002	3433	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	F	borda	quality	0.1782	max	0.1782	kendall_ma	0.49652	0.49652	0.002	3377.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	F	borda	quality	0.1698	max	0.1698	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	F	borda	quality	0.1634	max	0.1634	kendall_ma	0.494005	0.494005	0.002	3257.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	F	borda	quality	0.1618	max	0.1618	kendall_ma	0.507886	0.507886	0.002	3164.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	F	borda	quality	0.1616	max	0.1616	kendall_ma	0.495199	0.495199	0.002	3430.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	F	borda	quality	0.158	max	0.158	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	F	kemeny	quality	0.1818	max	0.1818	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	F	kemeny	quality	0.17	max	0.17	kendall_ma	0.165741	0.165741	0.002	1829.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	F	kemeny	quality	0.175	max	0.175	kendall_ma	0.533529	0.533529	0.002	3010.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	F	kemeny	quality	0.1874	max	0.1874	kendall_ma	0.245765	0.245765	0.002	3433	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	F	kemeny	quality	0.1806	max	0.1806	kendall_ma	0.49652	0.49652	0.002	3377.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	F	kemeny	quality	0.1716	max	0.1716	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	F	kemeny	quality	0.1642	max	0.1642	kendall_ma	0.494005	0.494005	0.002	3257.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	F	kemeny	quality	0.1574	max	0.1574	kendall_ma	0.507886	0.507886	0.002	3164.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	F	kemeny	quality	0.1586	max	0.1586	kendall_ma	0.495199	0.495199	0.002	3430.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	F	kemeny	quality	0.1556	max	0.1556	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	F	rrf	quality	0.1812	max	0.1812	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	F	rrf	quality	0.1762	max	0.1762	kendall_ma	0.165741	0.165741	0.002	1829.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	F	rrf	quality	0.1834	max	0.1834	kendall_ma	0.533529	0.533529	0.002	3010.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	F	rrf	quality	0.1886	max	0.1886	kendall_ma	0.245765	0.245765	0.002	3433	11	False	True	5

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	F	rrf	quality	0.1798	max	0.1798	kendall_ma	0.49652	0.43653	0.002	3377.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	F	rrf	quality	0.1728	max	0.1728	kendall_ma	0.49831	0.49831	0.002	3218.6	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	F	rrf	quality	0.1682	max	0.1682	kendall_ma	0.49400	0.48400	0.002	3257.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	F	rrf	quality	0.1644	max	0.1644	kendall_ma	0.50788	0.50788	0.002	3164.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	F	rrf	quality	0.1638	max	0.1638	kendall_ma	0.49519	0.48519	0.002	3430.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	F	rrf	quality	0.1612	max	0.1612	kendall_ma	0.47036	0.47036	0.002	3733	11	True	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	F	schulze	quality	0.1818	max	0.1818	kendall_ma	0.26731	0.36731	0.002	2341.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	F	schulze	quality	0.1658	max	0.1658	kendall_ma	0.65741	0.65741	0.002	1829.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	F	schulze	quality	0.1704	max	0.1704	kendall_ma	0.53352	0.53352	0.002	3010.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	F	schulze	quality	0.1876	max	0.1876	kendall_ma	0.24576	0.34576	0.002	3433	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	F	schulze	quality	0.181	max	0.181	kendall_ma	0.49652	0.43653	0.002	3377.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	F	schulze	quality	0.175	max	0.175	kendall_ma	0.49831	0.49831	0.002	3218.6	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	F	schulze	quality	0.1672	max	0.1672	kendall_ma	0.49400	0.48400	0.002	3257.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	F	schulze	quality	0.1578	max	0.1578	kendall_ma	0.50788	0.50788	0.002	3164.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	F	schulze	quality	0.1618	max	0.1618	kendall_ma	0.49519	0.48519	0.002	3430.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	F	schulze	quality	0.1576	max	0.1576	kendall_ma	0.47036	0.47036	0.002	3733	11	True	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	F	simpleavg	quality	0.1814	max	0.1814	kendall_ma	0.26731	0.36731	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	F	simpleavg	quality	0.1762	max	0.1762	kendall_ma	0.65741	0.65741	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	F	simpleavg	quality	0.1804	max	0.1804	kendall_ma	0.53352	0.53352	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	F	simpleavg	quality	0.1726	max	0.1726	kendall_ma	0.24576	0.34576	0.002	3433	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	F	simpleavg	quality	0.1738	max	0.1738	kendall_ma	0.49652	0.43653	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	F	simpleavg	quality	0.1742	max	0.1742	kendall_ma	0.49831	0.49831	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	F	simpleavg	quality	0.1724	max	0.1724	kendall_ma	0.49400	0.48400	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	F	simpleavg	quality	0.1748	max	0.1748	kendall_ma	0.50788	0.50788	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	F	simpleavg	quality	0.1736	max	0.1736	kendall_ma	0.49519	0.48519	0.002	3430.5	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	F	simpleavg	quality	0.1726	max	0.1726	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	Fbar	borda	quality	0.1452	min	-0.1452	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	Fbar	borda	quality	0.1586	min	-0.1586	kendall_ma	0.657412	0.657412	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	Fbar	borda	quality	0.1802	min	-0.1802	kendall_ma	0.53529	0.53529	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	Fbar	borda	quality	0.1982	min	-0.1982	kendall_ma	0.45765	0.45765	0.002	3433	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	Fbar	borda	quality	0.2092	min	-0.2092	kendall_ma	0.49652	0.49652	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	Fbar	borda	quality	0.2242	min	-0.2242	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	Fbar	borda	quality	0.2196	min	-0.2196	kendall_ma	0.494005	0.494005	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	Fbar	borda	quality	0.2388	min	-0.2388	kendall_ma	0.507886	0.507886	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	Fbar	borda	quality	0.2284	min	-0.2284	kendall_ma	0.495199	0.495199	0.002	3430.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	Fbar	borda	quality	0.2186	min	-0.2186	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	Fbar	kemeny	quality	0.1452	min	-0.1452	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	Fbar	kemeny	quality	0.1904	min	-0.1904	kendall_ma	0.657412	0.657412	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	Fbar	kemeny	quality	0.165	min	-0.165	kendall_ma	0.53529	0.53529	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	Fbar	kemeny	quality	0.1658	min	-0.1658	kendall_ma	0.45765	0.45765	0.002	3433	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	Fbar	kemeny	quality	0.1868	min	-0.1868	kendall_ma	0.49652	0.49652	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	Fbar	kemeny	quality	0.2088	min	-0.2088	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	Fbar	kemeny	quality	0.2098	min	-0.2098	kendall_ma	0.494005	0.494005	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	Fbar	kemeny	quality	0.2394	min	-0.2394	kendall_ma	0.507886	0.507886	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	Fbar	kemeny	quality	0.2292	min	-0.2292	kendall_ma	0.495199	0.495199	0.002	3430.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	Fbar	kemeny	quality	0.2234	min	-0.2234	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	Fbar	rrf	quality	0.1424	min	-0.1424	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	Fbar	rrf	quality	0.1612	min	-0.1612	kendall_ma	0.657412	0.657412	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	Fbar	rrf	quality	0.1606	min	-0.1606	kendall_ma	0.53529	0.53529	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	Fbar	rrf	quality	0.1868	min	-0.1868	kendall_ma	0.45765	0.45765	0.002	3433	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	Fbar	rrf	quality	0.1964	min	-0.1964	kendall_mall	0.49652x0.43653	0.49653	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	Fbar	rrf	quality	0.2046	min	-0.2046	kendall_mall	0.49831x0.49831	0.49831	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	Fbar	rrf	quality	0.2076	min	-0.2076	kendall_mall	0.49400x0.48400	0.48400	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	Fbar	rrf	quality	0.2258	min	-0.2258	kendall_mall	0.50788x0.50788	0.50788	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	Fbar	rrf	quality	0.217	min	-0.217	kendall_mall	0.49519x0.48519	0.48519	0.002	3430.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	Fbar	rrf	quality	0.2176	min	-0.2176	kendall_mall	0.47036x0.47036	0.47036	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	Fbar	schulze	quality	0.1452	min	-0.1452	kendall_mall	0.26731x0.36731	0.36731	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	Fbar	schulze	quality	0.1786	min	-0.1786	kendall_mall	0.65741x0.65741	0.65741	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	Fbar	schulze	quality	0.1726	min	-0.1726	kendall_mall	0.53529x0.53529	0.53529	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	Fbar	schulze	quality	0.2018	min	-0.2018	kendall_mall	0.24576x0.34576	0.34576	0.002	3433	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	Fbar	schulze	quality	0.1956	min	-0.1956	kendall_mall	0.49652x0.43653	0.43653	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	Fbar	schulze	quality	0.1954	min	-0.1954	kendall_mall	0.49831x0.49831	0.49831	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	Fbar	schulze	quality	0.2068	min	-0.2068	kendall_mall	0.49400x0.48400	0.48400	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	Fbar	schulze	quality	0.2342	min	-0.2342	kendall_mall	0.50788x0.50788	0.50788	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	Fbar	schulze	quality	0.2262	min	-0.2262	kendall_mall	0.49519x0.48519	0.48519	0.002	3430.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	Fbar	schulze	quality	0.2182	min	-0.2182	kendall_mall	0.47036x0.47036	0.47036	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	Fbar	simpleavg	quality	0.15	min	-0.15	kendall_mall	0.26731x0.36731	0.36731	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	Fbar	simpleavg	quality	0.1638	min	-0.1638	kendall_mall	0.65741x0.65741	0.65741	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	Fbar	simpleavg	quality	0.238	min	-0.238	kendall_mall	0.53529x0.53529	0.53529	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	Fbar	simpleavg	quality	0.2698	min	-0.2698	kendall_mall	0.24576x0.34576	0.34576	0.002	3433	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	Fbar	simpleavg	quality	0.2632	min	-0.2632	kendall_mall	0.49652x0.43653	0.43653	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	Fbar	simpleavg	quality	0.2592	min	-0.2592	kendall_mall	0.49831x0.49831	0.49831	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	Fbar	simpleavg	quality	0.2574	min	-0.2574	kendall_mall	0.49400x0.48400	0.48400	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	Fbar	simpleavg	quality	0.2538	min	-0.2538	kendall_mall	0.50788x0.50788	0.50788	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	Fbar	simpleavg	quality	0.2494	min	-0.2494	kendall_mall	0.49519x0.48519	0.48519	0.002	3430.5	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	Fbar	simpleavg	quality	0.251	min	-0.251	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversarial-sara-2-255	C	borda	robustness	-0.2158	max	-0.2158	kendall_ma	0.267314	0.367314	0.002	2341.4	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversarial-sara-2-255	C	borda	robustness	-0.2178	max	-0.2178	kendall_ma	0.165741	0.657412	0.002	1829.8	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversarial-sara-2-255	C	borda	robustness	-0.206	max	-0.206	kendall_ma	0.153352	0.523529	0.002	3010.4	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversarial-sara-2-255	C	borda	robustness	-0.203	max	-0.203	kendall_ma	0.245765	0.345765	0.002	3433	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversarial-sara-2-255	C	borda	robustness	-0.1974	max	-0.1974	kendall_ma	0.49652	0.49652	0.002	3377.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversarial-sara-2-255	C	borda	robustness	-0.1924	max	-0.1924	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversarial-sara-2-255	C	borda	robustness	-0.1898	max	-0.1898	kendall_ma	0.494005	0.484005	0.002	3257.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversarial-sara-2-255	C	borda	robustness	-0.1886	max	-0.1886	kendall_ma	0.150788	0.507886	0.002	3164.8	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversarial-sara-2-255	C	borda	robustness	-0.1884	max	-0.1884	kendall_ma	0.495199	0.485199	0.002	3430.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversarial-sara-2-255	C	borda	robustness	-0.1882	max	-0.1882	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversarial-sara-2-255	C	kemeny	robustness	-0.2158	max	-0.2158	kendall_ma	0.267314	0.367314	0.002	2341.4	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversarial-sara-2-255	C	kemeny	robustness	-0.2092	max	-0.2092	kendall_ma	0.165741	0.657412	0.002	1829.8	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversarial-sara-2-255	C	kemeny	robustness	-0.2046	max	-0.2046	kendall_ma	0.153352	0.523529	0.002	3010.4	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversarial-sara-2-255	C	kemeny	robustness	-0.2054	max	-0.2054	kendall_ma	0.245765	0.345765	0.002	3433	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversarial-sara-2-255	C	kemeny	robustness	-0.2076	max	-0.2076	kendall_ma	0.49652	0.49652	0.002	3377.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversarial-sara-2-255	C	kemeny	robustness	-0.1944	max	-0.1944	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversarial-sara-2-255	C	kemeny	robustness	-0.1906	max	-0.1906	kendall_ma	0.494005	0.484005	0.002	3257.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversarial-sara-2-255	C	kemeny	robustness	-0.189	max	-0.189	kendall_ma	0.150788	0.507886	0.002	3164.8	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversarial-sara-2-255	C	kemeny	robustness	-0.1848	max	-0.1848	kendall_ma	0.495199	0.485199	0.002	3430.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversarial-sara-2-255	C	kemeny	robustness	-0.179	max	-0.179	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversarial-sara-2-255	C	rrf	robustness	-0.2148	max	-0.2148	kendall_ma	0.267314	0.367314	0.002	2341.4	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversarial-sara-2-255	C	rrf	robustness	-0.2164	max	-0.2164	kendall_ma	0.165741	0.657412	0.002	1829.8	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversarial-sara-2-255	C	rrf	robustness	-0.2048	max	-0.2048	kendall_ma	0.153352	0.523529	0.002	3010.4	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversarial-sara-2-255	C	rrf	robustness	-0.205	max	-0.205	kendall_ma	0.245765	0.345765	0.002	3433	11	False	True	10

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversaria	C	rrf	robustness	-0.1934	max	-0.1934	kendall_ma	0.49652x10 ⁻⁴	0.43653x10 ⁻⁴	0.002	3377.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversaria	C	rrf	robustness	-0.193	max	-0.193	kendall_ma	0.49831x10 ⁻⁴	0.49831x10 ⁻⁴	0.002	3218.6	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversaria	C	rrf	robustness	-0.1926	max	-0.1926	kendall_ma	0.494005x10 ⁻⁴	0.484905x10 ⁻⁴	0.002	3257.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversaria	C	rrf	robustness	-0.1872	max	-0.1872	kendall_ma	0.507886x10 ⁻⁵	0.07886x10 ⁻⁵	0.002	3164.8	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversaria	C	rrf	robustness	-0.1868	max	-0.1868	kendall_ma	0.495199x10 ⁻⁴	0.485199x10 ⁻⁴	0.002	3430.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversaria	C	rrf	robustness	-0.1914	max	-0.1914	kendall_ma	0.470366x10 ⁻⁴	0.470366x10 ⁻⁴	0.002	3733	11	True	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversaria	C	schulze	robustness	-0.2158	max	-0.2158	kendall_ma	0.26731x10 ⁻³	0.36731x10 ⁻³	0.002	2341.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversaria	C	schulze	robustness	-0.2092	max	-0.2092	kendall_ma	0.65741x10 ⁻⁶	0.65741x10 ⁻⁶	0.002	1829.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversaria	C	schulze	robustness	-0.206	max	-0.206	kendall_ma	0.533529x10 ⁻⁵	0.23529x10 ⁻⁵	0.002	3010.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversaria	C	schulze	robustness	-0.2016	max	-0.2016	kendall_ma	0.245765x10 ⁻³	0.45765x10 ⁻³	0.002	3433	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversaria	C	schulze	robustness	-0.2006	max	-0.2006	kendall_ma	0.49652x10 ⁻⁴	0.43653x10 ⁻⁴	0.002	3377.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversaria	C	schulze	robustness	-0.1984	max	-0.1984	kendall_ma	0.49831x10 ⁻⁴	0.49831x10 ⁻⁴	0.002	3218.6	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversaria	C	schulze	robustness	-0.1924	max	-0.1924	kendall_ma	0.494005x10 ⁻⁴	0.484905x10 ⁻⁴	0.002	3257.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversaria	C	schulze	robustness	-0.1846	max	-0.1846	kendall_ma	0.507886x10 ⁻⁵	0.07886x10 ⁻⁵	0.002	3164.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversaria	C	schulze	robustness	-0.187	max	-0.187	kendall_ma	0.495199x10 ⁻⁴	0.485199x10 ⁻⁴	0.002	3430.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversaria	C	schulze	robustness	-0.1864	max	-0.1864	kendall_ma	0.470366x10 ⁻⁴	0.470366x10 ⁻⁴	0.002	3733	11	True	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversaria	C	simpleavg	robustness	-0.2124	max	-0.2124	kendall_ma	0.26731x10 ⁻³	0.36731x10 ⁻³	0.002	2341.4	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversaria	C	simpleavg	robustness	-0.2144	max	-0.2144	kendall_ma	0.65741x10 ⁻⁶	0.65741x10 ⁻⁶	0.002	1829.8	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversaria	C	simpleavg	robustness	-0.1882	max	-0.1882	kendall_ma	0.533529x10 ⁻⁵	0.23529x10 ⁻⁵	0.002	3010.4	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversaria	C	simpleavg	robustness	-0.1732	max	-0.1732	kendall_ma	0.245765x10 ⁻³	0.45765x10 ⁻³	0.002	3433	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversaria	C	simpleavg	robustness	-0.175	max	-0.175	kendall_ma	0.49652x10 ⁻⁴	0.43653x10 ⁻⁴	0.002	3377.5	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversaria	C	simpleavg	robustness	-0.1776	max	-0.1776	kendall_ma	0.49831x10 ⁻⁴	0.49831x10 ⁻⁴	0.002	3218.6	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversaria	C	simpleavg	robustness	-0.173	max	-0.173	kendall_ma	0.494005x10 ⁻⁴	0.484905x10 ⁻⁴	0.002	3257.5	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversaria	C	simpleavg	robustness	-0.1804	max	-0.1804	kendall_ma	0.507886x10 ⁻⁵	0.07886x10 ⁻⁵	0.002	3164.8	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversaria	C	simpleavg	robustness	-0.1784	max	-0.1784	kendall_ma	0.495199x10 ⁻⁴	0.485199x10 ⁻⁴	0.002	3430.5	11	False	True	8

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversaria-sara-2-255	C	simpleavg	robustness	-0.1768	max	-0.1768	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversaria-sara-2-255	Cbar	borda	robustness	0.0586	max	0.0586	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversaria-sara-2-255	Cbar	borda	robustness	0.0534	max	0.0534	kendall_ma	0.165741	0.165741	0.002	1829.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversaria-sara-2-255	Cbar	borda	robustness	0.0712	max	0.0712	kendall_ma	0.533529	0.533529	0.002	3010.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversaria-sara-2-255	Cbar	borda	robustness	0.072	max	0.072	kendall_ma	0.245765	0.245765	0.002	3433	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversaria-sara-2-255	Cbar	borda	robustness	0.0676	max	0.0676	kendall_ma	0.49652	0.49652	0.002	3377.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversaria-sara-2-255	Cbar	borda	robustness	0.0694	max	0.0694	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversaria-sara-2-255	Cbar	borda	robustness	0.0584	max	0.0584	kendall_ma	0.494005	0.494005	0.002	3257.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversaria-sara-2-255	Cbar	borda	robustness	0.0596	max	0.0596	kendall_ma	0.507886	0.507886	0.002	3164.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversaria-sara-2-255	Cbar	borda	robustness	0.0496	max	0.0496	kendall_ma	0.495199	0.495199	0.002	3430.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversaria-sara-2-255	Cbar	borda	robustness	0.0532	max	0.0532	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversaria-sara-2-255	Cbar	kemeny	robustness	0.0586	max	0.0586	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversaria-sara-2-255	Cbar	kemeny	robustness	0.039	max	0.039	kendall_ma	0.165741	0.165741	0.002	1829.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversaria-sara-2-255	Cbar	kemeny	robustness	0.0402	max	0.0402	kendall_ma	0.533529	0.533529	0.002	3010.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversaria-sara-2-255	Cbar	kemeny	robustness	0.0746	max	0.0746	kendall_ma	0.245765	0.245765	0.002	3433	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversaria-sara-2-255	Cbar	kemeny	robustness	0.0714	max	0.0714	kendall_ma	0.49652	0.49652	0.002	3377.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversaria-sara-2-255	Cbar	kemeny	robustness	0.0588	max	0.0588	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversaria-sara-2-255	Cbar	kemeny	robustness	0.0544	max	0.0544	kendall_ma	0.494005	0.494005	0.002	3257.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversaria-sara-2-255	Cbar	kemeny	robustness	0.0546	max	0.0546	kendall_ma	0.507886	0.507886	0.002	3164.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversaria-sara-2-255	Cbar	kemeny	robustness	0.0552	max	0.0552	kendall_ma	0.495199	0.495199	0.002	3430.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversaria-sara-2-255	Cbar	kemeny	robustness	0.0492	max	0.0492	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversaria-sara-2-255	Cbar	rrf	robustness	0.0606	max	0.0606	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversaria-sara-2-255	Cbar	rrf	robustness	0.0524	max	0.0524	kendall_ma	0.165741	0.165741	0.002	1829.8	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversaria-sara-2-255	Cbar	rrf	robustness	0.0638	max	0.0638	kendall_ma	0.533529	0.533529	0.002	3010.4	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversaria-sara-2-255	Cbar	rrf	robustness	0.0754	max	0.0754	kendall_ma	0.245765	0.245765	0.002	3433	11	False	True	6

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversarial	Cbar	rrf	robustness	0.0784	max	0.0784	kendall_ma	0.49652	0.43653	0.002	3377.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversarial	Cbar	rrf	robustness	0.0604	max	0.0604	kendall_ma	0.49831	0.49831	0.002	3218.6	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversarial	Cbar	rrf	robustness	0.0644	max	0.0644	kendall_ma	0.49400	0.48400	0.002	3257.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversarial	Cbar	rrf	robustness	0.0634	max	0.0634	kendall_ma	0.50788	0.50788	0.002	3164.8	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversarial	Cbar	rrf	robustness	0.0502	max	0.0502	kendall_ma	0.49519	0.48519	0.002	3430.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversarial	Cbar	rrf	robustness	0.0608	max	0.0608	kendall_ma	0.47036	0.47036	0.002	3733	11	True	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversarial	Cbar	schulze	robustness	0.0586	max	0.0586	kendall_ma	0.26731	0.36731	0.002	2341.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversarial	Cbar	schulze	robustness	0.0358	max	0.0358	kendall_ma	0.65741	0.65741	0.002	1829.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversarial	Cbar	schulze	robustness	0.0508	max	0.0508	kendall_ma	0.53352	0.53352	0.002	3010.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversarial	Cbar	schulze	robustness	0.0798	max	0.0798	kendall_ma	0.24576	0.34576	0.002	3433	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversarial	Cbar	schulze	robustness	0.067	max	0.067	kendall_ma	0.49652	0.43653	0.002	3377.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversarial	Cbar	schulze	robustness	0.063	max	0.063	kendall_ma	0.49831	0.49831	0.002	3218.6	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversarial	Cbar	schulze	robustness	0.0582	max	0.0582	kendall_ma	0.49400	0.48400	0.002	3257.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversarial	Cbar	schulze	robustness	0.0426	max	0.0426	kendall_ma	0.50788	0.50788	0.002	3164.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversarial	Cbar	schulze	robustness	0.0486	max	0.0486	kendall_ma	0.49519	0.48519	0.002	3430.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversarial	Cbar	schulze	robustness	0.0506	max	0.0506	kendall_ma	0.47036	0.47036	0.002	3733	11	True	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversarial	Cbar	simpleavg	robustness	0.0592	max	0.0592	kendall_ma	0.26731	0.36731	0.002	2341.4	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversarial	Cbar	simpleavg	robustness	0.0534	max	0.0534	kendall_ma	0.65741	0.65741	0.002	1829.8	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversarial	Cbar	simpleavg	robustness	0.0788	max	0.0788	kendall_ma	0.53352	0.53352	0.002	3010.4	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversarial	Cbar	simpleavg	robustness	0.0784	max	0.0784	kendall_ma	0.24576	0.34576	0.002	3433	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversarial	Cbar	simpleavg	robustness	0.0784	max	0.0784	kendall_ma	0.49652	0.43653	0.002	3377.5	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversarial	Cbar	simpleavg	robustness	0.0756	max	0.0756	kendall_ma	0.49831	0.49831	0.002	3218.6	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversarial	Cbar	simpleavg	robustness	0.0786	max	0.0786	kendall_ma	0.49400	0.48400	0.002	3257.5	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversarial	Cbar	simpleavg	robustness	0.0746	max	0.0746	kendall_ma	0.50788	0.50788	0.002	3164.8	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversarial	Cbar	simpleavg	robustness	0.0752	max	0.0752	kendall_ma	0.49519	0.48519	0.002	3430.5	11	False	True	4

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversarial	Cbar	simpleavg	robustness	0.0754	max	0.0754	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversarial	F	borda	robustness	-0.116	max	-0.116	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversarial	F	borda	robustness	-0.115	max	-0.115	kendall_ma	0.165712	0.165712	0.002	1829.8	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversarial	F	borda	robustness	-0.11	max	-0.11	kendall_ma	0.533529	0.533529	0.002	3010.4	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversarial	F	borda	robustness	-0.1108	max	-0.1108	kendall_ma	0.245765	0.245765	0.002	3433	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversarial	F	borda	robustness	-0.1042	max	-0.1042	kendall_ma	0.49652	0.49652	0.002	3377.5	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversarial	F	borda	robustness	-0.099	max	-0.099	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversarial	F	borda	robustness	-0.094	max	-0.094	kendall_ma	0.494005	0.494005	0.002	3257.5	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversarial	F	borda	robustness	-0.0972	max	-0.0972	kendall_ma	0.507886	0.507886	0.002	3164.8	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversarial	F	borda	robustness	-0.0972	max	-0.0972	kendall_ma	0.495199	0.495199	0.002	3430.5	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversarial	F	borda	robustness	-0.095	max	-0.095	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversarial	F	kemeny	robustness	-0.116	max	-0.116	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversarial	F	kemeny	robustness	-0.1114	max	-0.1114	kendall_ma	0.165712	0.165712	0.002	1829.8	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversarial	F	kemeny	robustness	-0.1066	max	-0.1066	kendall_ma	0.533529	0.533529	0.002	3010.4	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversarial	F	kemeny	robustness	-0.1106	max	-0.1106	kendall_ma	0.245765	0.245765	0.002	3433	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversarial	F	kemeny	robustness	-0.11	max	-0.11	kendall_ma	0.49652	0.49652	0.002	3377.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversarial	F	kemeny	robustness	-0.1036	max	-0.1036	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversarial	F	kemeny	robustness	-0.0982	max	-0.0982	kendall_ma	0.494005	0.494005	0.002	3257.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversarial	F	kemeny	robustness	-0.0972	max	-0.0972	kendall_ma	0.507886	0.507886	0.002	3164.8	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversarial	F	kemeny	robustness	-0.0958	max	-0.0958	kendall_ma	0.495199	0.495199	0.002	3430.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversarial	F	kemeny	robustness	-0.0904	max	-0.0904	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversarial	F	rrf	robustness	-0.116	max	-0.116	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversarial	F	rrf	robustness	-0.114	max	-0.114	kendall_ma	0.165712	0.165712	0.002	1829.8	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversarial	F	rrf	robustness	-0.1104	max	-0.1104	kendall_ma	0.533529	0.533529	0.002	3010.4	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversarial	F	rrf	robustness	-0.1102	max	-0.1102	kendall_ma	0.245765	0.245765	0.002	3433	11	False	True	11

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversarial	F	rrf	robustness	-0.1032	max	-0.1032	kendall_ma	0.49652x10 ⁻⁴	0.43653x10 ⁻⁴	0.002	3377.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversarial	F	rrf	robustness	-0.1004	max	-0.1004	kendall_ma	0.49831x10 ⁻⁴	0.49831x10 ⁻⁴	0.002	3218.6	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversarial	F	rrf	robustness	-0.0994	max	-0.0994	kendall_ma	0.49400x10 ⁻⁴	0.48400x10 ⁻⁴	0.002	3257.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversarial	F	rrf	robustness	-0.097	max	-0.097	kendall_ma	0.50788x10 ⁻⁵	0.50788x10 ⁻⁵	0.002	3164.8	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversarial	F	rrf	robustness	-0.097	max	-0.097	kendall_ma	0.49519x10 ⁻⁴	0.48519x10 ⁻⁴	0.002	3430.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversarial	F	rrf	robustness	-0.0956	max	-0.0956	kendall_ma	0.47036x10 ⁻⁴	0.47036x10 ⁻⁴	0.002	3733	11	True	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversarial	F	schulze	robustness	-0.116	max	-0.116	kendall_ma	0.26731x10 ⁻³	0.36731x10 ⁻³	0.002	2341.4	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversarial	F	schulze	robustness	-0.1058	max	-0.1058	kendall_ma	0.65741x10 ⁻⁶	0.65741x10 ⁻⁶	0.002	1829.8	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversarial	F	schulze	robustness	-0.1046	max	-0.1046	kendall_ma	0.53352x10 ⁻⁵	0.53352x10 ⁻⁵	0.002	3010.4	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversarial	F	schulze	robustness	-0.1092	max	-0.1092	kendall_ma	0.24576x10 ⁻³	0.47565x10 ⁻³	0.002	3433	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversarial	F	schulze	robustness	-0.108	max	-0.108	kendall_ma	0.49652x10 ⁻⁴	0.43653x10 ⁻⁴	0.002	3377.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversarial	F	schulze	robustness	-0.102	max	-0.102	kendall_ma	0.49831x10 ⁻⁴	0.49831x10 ⁻⁴	0.002	3218.6	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversarial	F	schulze	robustness	-0.1004	max	-0.1004	kendall_ma	0.49400x10 ⁻⁴	0.48400x10 ⁻⁴	0.002	3257.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversarial	F	schulze	robustness	-0.0968	max	-0.0968	kendall_ma	0.50788x10 ⁻⁵	0.50788x10 ⁻⁵	0.002	3164.8	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversarial	F	schulze	robustness	-0.0974	max	-0.0974	kendall_ma	0.49519x10 ⁻⁴	0.48519x10 ⁻⁴	0.002	3430.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversarial	F	schulze	robustness	-0.0926	max	-0.0926	kendall_ma	0.47036x10 ⁻⁴	0.47036x10 ⁻⁴	0.002	3733	11	True	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversarial	F	simpleavg	robustness	-0.1148	max	-0.1148	kendall_ma	0.26731x10 ⁻³	0.36731x10 ⁻³	0.002	2341.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversarial	F	simpleavg	robustness	-0.1154	max	-0.1154	kendall_ma	0.65741x10 ⁻⁶	0.65741x10 ⁻⁶	0.002	1829.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversarial	F	simpleavg	robustness	-0.097	max	-0.097	kendall_ma	0.53352x10 ⁻⁵	0.53352x10 ⁻⁵	0.002	3010.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversarial	F	simpleavg	robustness	-0.0908	max	-0.0908	kendall_ma	0.24576x10 ⁻³	0.47565x10 ⁻³	0.002	3433	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversarial	F	simpleavg	robustness	-0.0934	max	-0.0934	kendall_ma	0.49652x10 ⁻⁴	0.43653x10 ⁻⁴	0.002	3377.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversarial	F	simpleavg	robustness	-0.094	max	-0.094	kendall_ma	0.49831x10 ⁻⁴	0.49831x10 ⁻⁴	0.002	3218.6	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversarial	F	simpleavg	robustness	-0.0912	max	-0.0912	kendall_ma	0.49400x10 ⁻⁴	0.48400x10 ⁻⁴	0.002	3257.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversarial	F	simpleavg	robustness	-0.0964	max	-0.0964	kendall_ma	0.50788x10 ⁻⁵	0.50788x10 ⁻⁵	0.002	3164.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversarial	F	simpleavg	robustness	-0.096	max	-0.096	kendall_ma	0.49519x10 ⁻⁴	0.48519x10 ⁻⁴	0.002	3430.5	11	False	True	5

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversarial	F	simpleavg	robustness	-0.0944	max	-0.0944	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversarial	Fbar	borda	robustness	0.0232	max	0.0232	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversarial	Fbar	borda	robustness	0.0222	max	0.0222	kendall_ma	0.165741	0.165741	0.002	1829.8	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversarial	Fbar	borda	robustness	0.0302	max	0.0302	kendall_ma	0.533529	0.533529	0.002	3010.4	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversarial	Fbar	borda	robustness	0.0262	max	0.0262	kendall_ma	0.245765	0.245765	0.002	3433	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversarial	Fbar	borda	robustness	0.0324	max	0.0324	kendall_ma	0.496524	0.496524	0.002	3377.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversarial	Fbar	borda	robustness	0.0316	max	0.0316	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversarial	Fbar	borda	robustness	0.0198	max	0.0198	kendall_ma	0.494005	0.494005	0.002	3257.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversarial	Fbar	borda	robustness	0.0234	max	0.0234	kendall_ma	0.507886	0.507886	0.002	3164.8	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversarial	Fbar	borda	robustness	0.0212	max	0.0212	kendall_ma	0.495199	0.495199	0.002	3430.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversarial	Fbar	borda	robustness	0.019	max	0.019	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversarial	Fbar	kemeny	robustness	0.0232	max	0.0232	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversarial	Fbar	kemeny	robustness	0.0118	max	0.0118	kendall_ma	0.165741	0.165741	0.002	1829.8	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversarial	Fbar	kemeny	robustness	0.0088	max	0.0088	kendall_ma	0.533529	0.533529	0.002	3010.4	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversarial	Fbar	kemeny	robustness	0.0272	max	0.0272	kendall_ma	0.245765	0.245765	0.002	3433	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversarial	Fbar	kemeny	robustness	0.036	max	0.036	kendall_ma	0.496524	0.496524	0.002	3377.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversarial	Fbar	kemeny	robustness	0.0258	max	0.0258	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversarial	Fbar	kemeny	robustness	0.0214	max	0.0214	kendall_ma	0.494005	0.494005	0.002	3257.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversarial	Fbar	kemeny	robustness	0.0238	max	0.0238	kendall_ma	0.507886	0.507886	0.002	3164.8	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversarial	Fbar	kemeny	robustness	0.0226	max	0.0226	kendall_ma	0.495199	0.495199	0.002	3430.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversarial	Fbar	kemeny	robustness	0.015	max	0.015	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversarial	Fbar	rrf	robustness	0.0234	max	0.0234	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversarial	Fbar	rrf	robustness	0.0202	max	0.0202	kendall_ma	0.165741	0.165741	0.002	1829.8	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversarial	Fbar	rrf	robustness	0.026	max	0.026	kendall_ma	0.533529	0.533529	0.002	3010.4	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversarial	Fbar	rrf	robustness	0.032	max	0.032	kendall_ma	0.245765	0.245765	0.002	3433	11	False	True	6

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversaria	Fbar	rrf	robustness	0.0382	max	0.0382	kendall_mall	0.49652x0.43653	0.002	3377.5	11	False	True	6	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversaria	Fbar	rrf	robustness	0.0252	max	0.0252	kendall_mall	0.49831x0.49831	0.002	3218.6	11	False	True	6	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversaria	Fbar	rrf	robustness	0.024	max	0.024	kendall_mall	0.49400x0.48400	0.002	3257.5	11	False	True	6	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversaria	Fbar	rrf	robustness	0.0232	max	0.0232	kendall_mall	0.50788x0.50788	0.002	3164.8	11	False	True	6	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversaria	Fbar	rrf	robustness	0.0202	max	0.0202	kendall_mall	0.49519x0.48519	0.002	3430.5	11	False	True	6	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversaria	Fbar	rrf	robustness	0.0246	max	0.0246	kendall_mall	0.47036x0.47036	0.002	3733	11	True	True	6	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversaria	Fbar	schulze	robustness	0.0232	max	0.0232	kendall_mall	0.26731x0.36731	0.002	2341.4	11	False	True	5	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversaria	Fbar	schulze	robustness	0.0066	max	0.0066	kendall_mall	0.65741x0.65741	0.002	1829.8	11	False	True	5	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversaria	Fbar	schulze	robustness	0.0142	max	0.0142	kendall_mall	0.53352x0.53352	0.002	3010.4	11	False	True	5	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversaria	Fbar	schulze	robustness	0.0352	max	0.0352	kendall_mall	0.24576x0.34576	0.002	3433	11	False	True	5	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversaria	Fbar	schulze	robustness	0.0288	max	0.0288	kendall_mall	0.49652x0.43653	0.002	3377.5	11	False	True	5	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversaria	Fbar	schulze	robustness	0.0254	max	0.0254	kendall_mall	0.49831x0.49831	0.002	3218.6	11	False	True	5	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversaria	Fbar	schulze	robustness	0.0202	max	0.0202	kendall_mall	0.49400x0.48400	0.002	3257.5	11	False	True	5	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversaria	Fbar	schulze	robustness	0.014	max	0.014	kendall_mall	0.50788x0.50788	0.002	3164.8	11	False	True	5	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversaria	Fbar	schulze	robustness	0.0146	max	0.0146	kendall_mall	0.49519x0.48519	0.002	3430.5	11	False	True	5	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversaria	Fbar	schulze	robustness	0.017	max	0.017	kendall_mall	0.47036x0.47036	0.002	3733	11	True	True	5	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversaria	Fbar	simpleavg	robustness	0.0244	max	0.0244	kendall_mall	0.26731x0.36731	0.002	2341.4	11	False	True	5	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversaria	Fbar	simpleavg	robustness	0.0182	max	0.0182	kendall_mall	0.65741x0.65741	0.002	1829.8	11	False	True	5	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversaria	Fbar	simpleavg	robustness	0.034	max	0.034	kendall_mall	0.53352x0.53352	0.002	3010.4	11	False	True	5	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversaria	Fbar	simpleavg	robustness	0.0428	max	0.0428	kendall_mall	0.24576x0.34576	0.002	3433	11	False	True	5	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversaria	Fbar	simpleavg	robustness	0.0414	max	0.0414	kendall_mall	0.49652x0.43653	0.002	3377.5	11	False	True	5	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversaria	Fbar	simpleavg	robustness	0.037	max	0.037	kendall_mall	0.49831x0.49831	0.002	3218.6	11	False	True	5	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversaria	Fbar	simpleavg	robustness	0.0394	max	0.0394	kendall_mall	0.49400x0.48400	0.002	3257.5	11	False	True	5	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversaria	Fbar	simpleavg	robustness	0.0338	max	0.0338	kendall_mall	0.50788x0.50788	0.002	3164.8	11	False	True	5	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversaria	Fbar	simpleavg	robustness	0.0324	max	0.0324	kendall_mall	0.49519x0.48519	0.002	3430.5	11	False	True	5	

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversarial-sara-2-255	Fbar	simpleavg	robustness	0.0338	max	0.0338	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	C	borda	robustness	0.3244	max	0.3244	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	C	borda	robustness	0.3176	max	0.3176	kendall_ma	0.165741	0.165741	0.002	1829.8	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	C	borda	robustness	0.3338	max	0.3338	kendall_ma	0.533529	0.533529	0.002	3010.4	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	C	borda	robustness	0.3406	max	0.3406	kendall_ma	0.245765	0.245765	0.002	3433	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	C	borda	robustness	0.3474	max	0.3474	kendall_ma	0.496524	0.496524	0.002	3377.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	C	borda	robustness	0.3452	max	0.3452	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	C	borda	robustness	0.3422	max	0.3422	kendall_ma	0.494005	0.494005	0.002	3257.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	C	borda	robustness	0.3418	max	0.3418	kendall_ma	0.507886	0.507886	0.002	3164.8	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	C	borda	robustness	0.3396	max	0.3396	kendall_ma	0.495199	0.495199	0.002	3430.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	C	borda	robustness	0.3384	max	0.3384	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	C	kemeny	robustness	0.3244	max	0.3244	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	C	kemeny	robustness	0.328	max	0.328	kendall_ma	0.165741	0.165741	0.002	1829.8	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	C	kemeny	robustness	0.329	max	0.329	kendall_ma	0.533529	0.533529	0.002	3010.4	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	C	kemeny	robustness	0.332	max	0.332	kendall_ma	0.245765	0.245765	0.002	3433	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	C	kemeny	robustness	0.317	max	0.317	kendall_ma	0.496524	0.496524	0.002	3377.5	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	C	kemeny	robustness	0.3358	max	0.3358	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	C	kemeny	robustness	0.3284	max	0.3284	kendall_ma	0.494005	0.494005	0.002	3257.5	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	C	kemeny	robustness	0.3278	max	0.3278	kendall_ma	0.507886	0.507886	0.002	3164.8	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	C	kemeny	robustness	0.323	max	0.323	kendall_ma	0.495199	0.495199	0.002	3430.5	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	C	kemeny	robustness	0.3296	max	0.3296	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	C	rrf	robustness	0.327	max	0.327	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	C	rrf	robustness	0.3156	max	0.3156	kendall_ma	0.165741	0.165741	0.002	1829.8	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	C	rrf	robustness	0.333	max	0.333	kendall_ma	0.533529	0.533529	0.002	3010.4	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	C	rrf	robustness	0.3352	max	0.3352	kendall_ma	0.245765	0.245765	0.002	3433	11	False	True	6

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	C	rrf	robustness	0.3436	max	0.3436	kendall_ma	0.49652x0.43653	0.49652	0.002	3377.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	C	rrf	robustness	0.337	max	0.337	kendall_ma	0.49831x0.49831	0.49831	0.002	3218.6	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	C	rrf	robustness	0.3348	max	0.3348	kendall_ma	0.49400x0.48400	0.48400	0.002	3257.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	C	rrf	robustness	0.3324	max	0.3324	kendall_ma	0.50788x0.50788	0.50788	0.002	3164.8	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	C	rrf	robustness	0.3322	max	0.3322	kendall_ma	0.49519x0.48519	0.48519	0.002	3430.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	C	rrf	robustness	0.3286	max	0.3286	kendall_ma	0.47036x0.47036	0.47036	0.002	3733	11	True	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	C	schulze	robustness	0.3244	max	0.3244	kendall_ma	0.26731x0.36731	0.36731	0.002	2341.4	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	C	schulze	robustness	0.3282	max	0.3282	kendall_ma	0.65741x0.65741	0.65741	0.002	1829.8	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	C	schulze	robustness	0.3238	max	0.3238	kendall_ma	0.53352x0.53352	0.53352	0.002	3010.4	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	C	schulze	robustness	0.337	max	0.337	kendall_ma	0.24576x0.34576	0.34576	0.002	3433	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	C	schulze	robustness	0.339	max	0.339	kendall_ma	0.49652x0.43653	0.43653	0.002	3377.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	C	schulze	robustness	0.3246	max	0.3246	kendall_ma	0.49831x0.49831	0.49831	0.002	3218.6	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	C	schulze	robustness	0.325	max	0.325	kendall_ma	0.49400x0.48400	0.48400	0.002	3257.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	C	schulze	robustness	0.3328	max	0.3328	kendall_ma	0.50788x0.50788	0.50788	0.002	3164.8	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	C	schulze	robustness	0.3246	max	0.3246	kendall_ma	0.49519x0.48519	0.48519	0.002	3430.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	C	schulze	robustness	0.3296	max	0.3296	kendall_ma	0.47036x0.47036	0.47036	0.002	3733	11	True	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	C	simpleavg	robustness	0.3246	max	0.3246	kendall_ma	0.26731x0.36731	0.36731	0.002	2341.4	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	C	simpleavg	robustness	0.3284	max	0.3284	kendall_ma	0.65741x0.65741	0.65741	0.002	1829.8	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	C	simpleavg	robustness	0.3372	max	0.3372	kendall_ma	0.53352x0.53352	0.53352	0.002	3010.4	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	C	simpleavg	robustness	0.347	max	0.347	kendall_ma	0.24576x0.34576	0.34576	0.002	3433	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	C	simpleavg	robustness	0.3478	max	0.3478	kendall_ma	0.49652x0.43653	0.43653	0.002	3377.5	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	C	simpleavg	robustness	0.3448	max	0.3448	kendall_ma	0.49831x0.49831	0.49831	0.002	3218.6	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	C	simpleavg	robustness	0.35	max	0.35	kendall_ma	0.49400x0.48400	0.48400	0.002	3257.5	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	C	simpleavg	robustness	0.3408	max	0.3408	kendall_ma	0.50788x0.50788	0.50788	0.002	3164.8	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	C	simpleavg	robustness	0.3452	max	0.3452	kendall_ma	0.49519x0.48519	0.48519	0.002	3430.5	11	False	True	8

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	C	simpleavg	robustness	0.3474	max	0.3474	kendall_max	11470366a0t470366a0	0.002	3733	11	True	True	8	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	Cbar	borda	robustness	-0.3204	max	-0.3204	kendall_max	11266731a0t36731a0	0.002	2341.4	11	False	True	9	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	Cbar	borda	robustness	-0.3134	max	-0.3134	kendall_max	11657412a0t657412a0	0.002	1829.8	11	False	True	9	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	Cbar	borda	robustness	-0.3262	max	-0.3262	kendall_max	11533529a0t523529a0	0.002	3010.4	11	False	True	9	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	Cbar	borda	robustness	-0.3498	max	-0.3498	kendall_max	112445765a0t3445765a0	0.002	3433	11	False	True	9	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	Cbar	borda	robustness	-0.3358	max	-0.3358	kendall_max	1149652xa0t49652xa0	0.002	3377.5	11	False	True	9	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	Cbar	borda	robustness	-0.3202	max	-0.3202	kendall_max	11498314a0t498314a0	0.002	3218.6	11	False	True	9	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	Cbar	borda	robustness	-0.319	max	-0.319	kendall_max	11494005a0t484005a0	0.002	3257.5	11	False	True	9	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	Cbar	borda	robustness	-0.2942	max	-0.2942	kendall_max	11507886a0t507886a0	0.002	3164.8	11	False	True	9	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	Cbar	borda	robustness	-0.314	max	-0.314	kendall_max	11495199a0t485199a0	0.002	3430.5	11	False	True	9	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	Cbar	borda	robustness	-0.3208	max	-0.3208	kendall_max	11470366a0t470366a0	0.002	3733	11	True	True	9	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	Cbar	kemeny	robustness	-0.3204	max	-0.3204	kendall_max	11266731a0t36731a0	0.002	2341.4	11	False	True	9	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	Cbar	kemeny	robustness	-0.2782	max	-0.2782	kendall_max	11657412a0t657412a0	0.002	1829.8	11	False	True	9	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	Cbar	kemeny	robustness	-0.3086	max	-0.3086	kendall_max	11533529a0t523529a0	0.002	3010.4	11	False	True	9	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	Cbar	kemeny	robustness	-0.3062	max	-0.3062	kendall_max	112445765a0t3445765a0	0.002	3433	11	False	True	9	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	Cbar	kemeny	robustness	-0.2952	max	-0.2952	kendall_max	1149652xa0t49652xa0	0.002	3377.5	11	False	True	9	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	Cbar	kemeny	robustness	-0.2846	max	-0.2846	kendall_max	11498314a0t498314a0	0.002	3218.6	11	False	True	9	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	Cbar	kemeny	robustness	-0.2932	max	-0.2932	kendall_max	11494005a0t484005a0	0.002	3257.5	11	False	True	9	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	Cbar	kemeny	robustness	-0.2642	max	-0.2642	kendall_max	11507886a0t507886a0	0.002	3164.8	11	False	True	9	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	Cbar	kemeny	robustness	-0.2816	max	-0.2816	kendall_max	11495199a0t485199a0	0.002	3430.5	11	False	True	9	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	Cbar	kemeny	robustness	-0.2774	max	-0.2774	kendall_max	11470366a0t470366a0	0.002	3733	11	True	True	9	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	Cbar	rrf	robustness	-0.3234	max	-0.3234	kendall_max	11266731a0t36731a0	0.002	2341.4	11	False	True	9	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	Cbar	rrf	robustness	-0.3132	max	-0.3132	kendall_max	11657412a0t657412a0	0.002	1829.8	11	False	True	9	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	Cbar	rrf	robustness	-0.3202	max	-0.3202	kendall_max	11533529a0t523529a0	0.002	3010.4	11	False	True	9	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	Cbar	rrf	robustness	-0.3324	max	-0.3324	kendall_max	112445765a0t3445765a0	0.002	3433	11	False	True	9	

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	Cbar	rrf	robustness	-0.3132	max	-0.3132	kendall_ma	0.49652	0.43653	0.002	3377.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	Cbar	rrf	robustness	-0.3066	max	-0.3066	kendall_ma	0.49831	0.49831	0.002	3218.6	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	Cbar	rrf	robustness	-0.2962	max	-0.2962	kendall_ma	0.49400	0.48400	0.002	3257.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	Cbar	rrf	robustness	-0.2768	max	-0.2768	kendall_ma	0.50788	0.50788	0.002	3164.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	Cbar	rrf	robustness	-0.2968	max	-0.2968	kendall_ma	0.49519	0.48519	0.002	3430.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	Cbar	rrf	robustness	-0.2944	max	-0.2944	kendall_ma	0.47036	0.47036	0.002	3733	11	True	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	Cbar	schulze	robustness	-0.3204	max	-0.3204	kendall_ma	0.26731	0.36731	0.002	2341.4	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	Cbar	schulze	robustness	-0.29	max	-0.29	kendall_ma	0.65741	0.65741	0.002	1829.8	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	Cbar	schulze	robustness	-0.3004	max	-0.3004	kendall_ma	0.53352	0.53352	0.002	3010.4	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	Cbar	schulze	robustness	-0.3336	max	-0.3336	kendall_ma	0.24576	0.34576	0.002	3433	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	Cbar	schulze	robustness	-0.3034	max	-0.3034	kendall_ma	0.49652	0.43653	0.002	3377.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	Cbar	schulze	robustness	-0.2934	max	-0.2934	kendall_ma	0.49831	0.49831	0.002	3218.6	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	Cbar	schulze	robustness	-0.2872	max	-0.2872	kendall_ma	0.49400	0.48400	0.002	3257.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	Cbar	schulze	robustness	-0.2818	max	-0.2818	kendall_ma	0.50788	0.50788	0.002	3164.8	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	Cbar	schulze	robustness	-0.2776	max	-0.2776	kendall_ma	0.49519	0.48519	0.002	3430.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	Cbar	schulze	robustness	-0.288	max	-0.288	kendall_ma	0.47036	0.47036	0.002	3733	11	True	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	Cbar	simpleavg	robustness	-0.3152	max	-0.3152	kendall_ma	0.26731	0.36731	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	Cbar	simpleavg	robustness	-0.3048	max	-0.3048	kendall_ma	0.65741	0.65741	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	Cbar	simpleavg	robustness	-0.3282	max	-0.3282	kendall_ma	0.53352	0.53352	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	Cbar	simpleavg	robustness	-0.3426	max	-0.3426	kendall_ma	0.24576	0.34576	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	Cbar	simpleavg	robustness	-0.3366	max	-0.3366	kendall_ma	0.49652	0.43653	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	Cbar	simpleavg	robustness	-0.3314	max	-0.3314	kendall_ma	0.49831	0.49831	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	Cbar	simpleavg	robustness	-0.3256	max	-0.3256	kendall_ma	0.49400	0.48400	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	Cbar	simpleavg	robustness	-0.3202	max	-0.3202	kendall_ma	0.50788	0.50788	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	Cbar	simpleavg	robustness	-0.32	max	-0.32	kendall_ma	0.49519	0.48519	0.002	3430.5	11	False	True	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	Cbar	simpleavg	robustness	-0.3208	max	-0.3208	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	F	borda	robustness	0.168	max	0.168	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	F	borda	robustness	0.1696	max	0.1696	kendall_ma	0.165741	0.165741	0.002	1829.8	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	F	borda	robustness	0.1716	max	0.1716	kendall_ma	0.533529	0.523529	0.002	3010.4	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	F	borda	robustness	0.1676	max	0.1676	kendall_ma	0.245765	0.245765	0.002	3433	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	F	borda	robustness	0.1772	max	0.1772	kendall_ma	0.496524	0.436524	0.002	3377.5	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	F	borda	robustness	0.178	max	0.178	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	F	borda	robustness	0.1742	max	0.1742	kendall_ma	0.494005	0.484005	0.002	3257.5	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	F	borda	robustness	0.1716	max	0.1716	kendall_ma	0.507886	0.507886	0.002	3164.8	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	F	borda	robustness	0.1686	max	0.1686	kendall_ma	0.495199	0.485199	0.002	3430.5	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	F	borda	robustness	0.1692	max	0.1692	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	F	kemeny	robustness	0.168	max	0.168	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	F	kemeny	robustness	0.175	max	0.175	kendall_ma	0.165741	0.165741	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	F	kemeny	robustness	0.1706	max	0.1706	kendall_ma	0.533529	0.523529	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	F	kemeny	robustness	0.1704	max	0.1704	kendall_ma	0.245765	0.245765	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	F	kemeny	robustness	0.1634	max	0.1634	kendall_ma	0.496524	0.436524	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	F	kemeny	robustness	0.173	max	0.173	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	F	kemeny	robustness	0.168	max	0.168	kendall_ma	0.494005	0.484005	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	F	kemeny	robustness	0.1688	max	0.1688	kendall_ma	0.507886	0.507886	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	F	kemeny	robustness	0.1632	max	0.1632	kendall_ma	0.495199	0.485199	0.002	3430.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	F	kemeny	robustness	0.1668	max	0.1668	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	F	rrf	robustness	0.1644	max	0.1644	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	F	rrf	robustness	0.1688	max	0.1688	kendall_ma	0.165741	0.165741	0.002	1829.8	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	F	rrf	robustness	0.1756	max	0.1756	kendall_ma	0.533529	0.523529	0.002	3010.4	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	F	rrf	robustness	0.1646	max	0.1646	kendall_ma	0.245765	0.245765	0.002	3433	11	False	True	4

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	F	rrf	robustness	0.1714	max	0.1714	kendall_mall	0.49652	0.43653	0.002	3377.5	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	F	rrf	robustness	0.1696	max	0.1696	kendall_mall	0.49831	0.49831	0.002	3218.6	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	F	rrf	robustness	0.1694	max	0.1694	kendall_mall	0.49400	0.48400	0.002	3257.5	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	F	rrf	robustness	0.1702	max	0.1702	kendall_mall	0.50788	0.50788	0.002	3164.8	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	F	rrf	robustness	0.1664	max	0.1664	kendall_mall	0.49519	0.48519	0.002	3430.5	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	F	rrf	robustness	0.1648	max	0.1648	kendall_mall	0.47936	0.47036	0.002	3733	11	True	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	F	schulze	robustness	0.168	max	0.168	kendall_mall	0.26731	0.36731	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	F	schulze	robustness	0.1794	max	0.1794	kendall_mall	0.65741	0.65741	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	F	schulze	robustness	0.176	max	0.176	kendall_mall	0.53529	0.53529	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	F	schulze	robustness	0.1686	max	0.1686	kendall_mall	0.24576	0.34576	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	F	schulze	robustness	0.1668	max	0.1668	kendall_mall	0.49652	0.43653	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	F	schulze	robustness	0.167	max	0.167	kendall_mall	0.49831	0.49831	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	F	schulze	robustness	0.1658	max	0.1658	kendall_mall	0.49400	0.48400	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	F	schulze	robustness	0.167	max	0.167	kendall_mall	0.50788	0.50788	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	F	schulze	robustness	0.1604	max	0.1604	kendall_mall	0.49519	0.48519	0.002	3430.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	F	schulze	robustness	0.1662	max	0.1662	kendall_mall	0.47936	0.47036	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	F	simpleavg	robustness	0.1628	max	0.1628	kendall_mall	0.26731	0.36731	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	F	simpleavg	robustness	0.1726	max	0.1726	kendall_mall	0.65741	0.65741	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	F	simpleavg	robustness	0.1532	max	0.1532	kendall_mall	0.53529	0.53529	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	F	simpleavg	robustness	0.156	max	0.156	kendall_mall	0.24576	0.34576	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	F	simpleavg	robustness	0.1558	max	0.1558	kendall_mall	0.49652	0.43653	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	F	simpleavg	robustness	0.156	max	0.156	kendall_mall	0.49831	0.49831	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	F	simpleavg	robustness	0.1574	max	0.1574	kendall_mall	0.49400	0.48400	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	F	simpleavg	robustness	0.1514	max	0.1514	kendall_mall	0.50788	0.50788	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	F	simpleavg	robustness	0.1536	max	0.1536	kendall_mall	0.49519	0.48519	0.002	3430.5	11	False	True	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	F	simpleavg	robustness	0.1564	max	0.1564	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	Fbar	borda	robustness	-0.1014	max	-0.1014	kendall_ma	0.267314	0.367314	0.002	2341.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	Fbar	borda	robustness	-0.0916	max	-0.0916	kendall_ma	0.657412	0.657412	0.002	1829.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	Fbar	borda	robustness	-0.1134	max	-0.1134	kendall_ma	0.533529	0.523529	0.002	3010.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	Fbar	borda	robustness	-0.13	max	-0.13	kendall_ma	0.445765	0.345765	0.002	3433	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	Fbar	borda	robustness	-0.1166	max	-0.1166	kendall_ma	0.496524	0.436524	0.002	3377.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	Fbar	borda	robustness	-0.1042	max	-0.1042	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	Fbar	borda	robustness	-0.1018	max	-0.1018	kendall_ma	0.494005	0.484005	0.002	3257.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	Fbar	borda	robustness	-0.0828	max	-0.0828	kendall_ma	0.507886	0.507886	0.002	3164.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	Fbar	borda	robustness	-0.097	max	-0.097	kendall_ma	0.495199	0.485199	0.002	3430.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	Fbar	borda	robustness	-0.0996	max	-0.0996	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	Fbar	kemeny	robustness	-0.1014	max	-0.1014	kendall_ma	0.267314	0.367314	0.002	2341.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	Fbar	kemeny	robustness	-0.0548	max	-0.0548	kendall_ma	0.657412	0.657412	0.002	1829.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	Fbar	kemeny	robustness	-0.086	max	-0.086	kendall_ma	0.533529	0.523529	0.002	3010.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	Fbar	kemeny	robustness	-0.096	max	-0.096	kendall_ma	0.445765	0.345765	0.002	3433	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	Fbar	kemeny	robustness	-0.0776	max	-0.0776	kendall_ma	0.496524	0.436524	0.002	3377.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	Fbar	kemeny	robustness	-0.0702	max	-0.0702	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	Fbar	kemeny	robustness	-0.0758	max	-0.0758	kendall_ma	0.494005	0.484005	0.002	3257.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	Fbar	kemeny	robustness	-0.0522	max	-0.0522	kendall_ma	0.507886	0.507886	0.002	3164.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	Fbar	kemeny	robustness	-0.0712	max	-0.0712	kendall_ma	0.495199	0.485199	0.002	3430.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	Fbar	kemeny	robustness	-0.0684	max	-0.0684	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	Fbar	rrf	robustness	-0.1048	max	-0.1048	kendall_ma	0.267314	0.367314	0.002	2341.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	Fbar	rrf	robustness	-0.0862	max	-0.0862	kendall_ma	0.657412	0.657412	0.002	1829.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	Fbar	rrf	robustness	-0.0984	max	-0.0984	kendall_ma	0.533529	0.523529	0.002	3010.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	Fbar	rrf	robustness	-0.1144	max	-0.1144	kendall_ma	0.445765	0.345765	0.002	3433	11	False	True	9

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	Fbar	rrf	robustness	-0.0966	max	-0.0966	kendall_ma	0.49652x10 ⁻⁴	0.43653	0.002	3377.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	Fbar	rrf	robustness	-0.086	max	-0.086	kendall_ma	0.49831x10 ⁻⁴	0.49831	0.002	3218.6	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	Fbar	rrf	robustness	-0.081	max	-0.081	kendall_ma	0.494005x10 ⁻⁴	0.484005	0.002	3257.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	Fbar	rrf	robustness	-0.07	max	-0.07	kendall_ma	0.507886x10 ⁻⁵	0.7886	0.002	3164.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	Fbar	rrf	robustness	-0.0842	max	-0.0842	kendall_ma	0.495199x10 ⁻⁴	0.485199	0.002	3430.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	Fbar	rrf	robustness	-0.0776	max	-0.0776	kendall_ma	0.470366x10 ⁻⁴	0.70366	0.002	3733	11	True	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	Fbar	schulze	robustness	-0.1014	max	-0.1014	kendall_ma	0.26731x10 ⁻³	0.36731	0.002	2341.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	Fbar	schulze	robustness	-0.068	max	-0.068	kendall_ma	0.65741x10 ⁻⁶	0.657412	0.002	1829.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	Fbar	schulze	robustness	-0.0818	max	-0.0818	kendall_ma	0.533529x10 ⁻⁵	0.23529	0.002	3010.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	Fbar	schulze	robustness	-0.1176	max	-0.1176	kendall_ma	0.245765x10 ⁻³	0.4765	0.002	3433	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	Fbar	schulze	robustness	-0.0868	max	-0.0868	kendall_ma	0.49652x10 ⁻⁴	0.43653	0.002	3377.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	Fbar	schulze	robustness	-0.0778	max	-0.0778	kendall_ma	0.49831x10 ⁻⁴	0.49831	0.002	3218.6	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	Fbar	schulze	robustness	-0.0768	max	-0.0768	kendall_ma	0.494005x10 ⁻⁴	0.484005	0.002	3257.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	Fbar	schulze	robustness	-0.0652	max	-0.0652	kendall_ma	0.507886x10 ⁻⁵	0.7886	0.002	3164.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	Fbar	schulze	robustness	-0.0704	max	-0.0704	kendall_ma	0.495199x10 ⁻⁴	0.485199	0.002	3430.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	Fbar	schulze	robustness	-0.0762	max	-0.0762	kendall_ma	0.470366x10 ⁻⁴	0.70366	0.002	3733	11	True	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	Fbar	simpleavg	robustness	-0.1008	max	-0.1008	kendall_ma	0.26731x10 ⁻³	0.36731	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	Fbar	simpleavg	robustness	-0.088	max	-0.088	kendall_ma	0.65741x10 ⁻⁶	0.657412	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	Fbar	simpleavg	robustness	-0.1178	max	-0.1178	kendall_ma	0.533529x10 ⁻⁵	0.23529	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	Fbar	simpleavg	robustness	-0.1262	max	-0.1262	kendall_ma	0.245765x10 ⁻³	0.4765	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	Fbar	simpleavg	robustness	-0.1238	max	-0.1238	kendall_ma	0.49652x10 ⁻⁴	0.43653	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	Fbar	simpleavg	robustness	-0.1152	max	-0.1152	kendall_ma	0.49831x10 ⁻⁴	0.49831	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	Fbar	simpleavg	robustness	-0.1124	max	-0.1124	kendall_ma	0.494005x10 ⁻⁴	0.484005	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	Fbar	simpleavg	robustness	-0.1096	max	-0.1096	kendall_ma	0.507886x10 ⁻⁵	0.7886	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	Fbar	simpleavg	robustness	-0.1128	max	-0.1128	kendall_ma	0.495199x10 ⁻⁴	0.485199	0.002	3430.5	11	False	True	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	Fbar	simpleavg	robustness	-0.1118	max	-0.1118	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	C	borda	robustness	0.306	max	0.306	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	C	borda	robustness	0.3084	max	0.3084	kendall_ma	0.657412	0.657412	0.002	1829.8	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	C	borda	robustness	0.317	max	0.317	kendall_ma	0.533529	0.533529	0.002	3010.4	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	C	borda	robustness	0.3128	max	0.3128	kendall_ma	0.445765	0.445765	0.002	3433	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	C	borda	robustness	0.3188	max	0.3188	kendall_ma	0.49652	0.49652	0.002	3377.5	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	C	borda	robustness	0.3256	max	0.3256	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	C	borda	robustness	0.3172	max	0.3172	kendall_ma	0.494005	0.494005	0.002	3257.5	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	C	borda	robustness	0.3246	max	0.3246	kendall_ma	0.507886	0.507886	0.002	3164.8	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	C	borda	robustness	0.3168	max	0.3168	kendall_ma	0.495199	0.495199	0.002	3430.5	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	C	borda	robustness	0.3208	max	0.3208	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	C	kemeny	robustness	0.306	max	0.306	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	C	kemeny	robustness	0.3164	max	0.3164	kendall_ma	0.657412	0.657412	0.002	1829.8	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	C	kemeny	robustness	0.3108	max	0.3108	kendall_ma	0.533529	0.533529	0.002	3010.4	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	C	kemeny	robustness	0.3156	max	0.3156	kendall_ma	0.445765	0.445765	0.002	3433	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	C	kemeny	robustness	0.3072	max	0.3072	kendall_ma	0.49652	0.49652	0.002	3377.5	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	C	kemeny	robustness	0.3166	max	0.3166	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	C	kemeny	robustness	0.3216	max	0.3216	kendall_ma	0.494005	0.494005	0.002	3257.5	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	C	kemeny	robustness	0.3186	max	0.3186	kendall_ma	0.507886	0.507886	0.002	3164.8	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	C	kemeny	robustness	0.315	max	0.315	kendall_ma	0.495199	0.495199	0.002	3430.5	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	C	kemeny	robustness	0.317	max	0.317	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	C	rrf	robustness	0.3058	max	0.3058	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	C	rrf	robustness	0.3102	max	0.3102	kendall_ma	0.657412	0.657412	0.002	1829.8	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	C	rrf	robustness	0.3196	max	0.3196	kendall_ma	0.533529	0.533529	0.002	3010.4	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	C	rrf	robustness	0.3154	max	0.3154	kendall_ma	0.445765	0.445765	0.002	3433	11	False	True	6

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	C	rrf	robustness	0.321	max	0.321	kendall_mall	0.49652x10 ⁻⁴	0.43653	0.002	3377.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	C	rrf	robustness	0.3138	max	0.3138	kendall_mall	0.49831x10 ⁻⁴	0.49831	0.002	3218.6	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	C	rrf	robustness	0.3126	max	0.3126	kendall_mall	0.494005x10 ⁻⁴	0.484005	0.002	3257.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	C	rrf	robustness	0.3142	max	0.3142	kendall_mall	0.507886x10 ⁻⁵	0.507886	0.002	3164.8	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	C	rrf	robustness	0.3128	max	0.3128	kendall_mall	0.495199x10 ⁻⁴	0.485199	0.002	3430.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	C	rrf	robustness	0.3134	max	0.3134	kendall_mall	0.470366x10 ⁻⁴	0.470366	0.002	3733	11	True	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	C	schulze	robustness	0.306	max	0.306	kendall_mall	0.26731x10 ⁻³	0.36731	0.002	2341.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	C	schulze	robustness	0.3164	max	0.3164	kendall_mall	0.65741x10 ⁻⁶	0.657412	0.002	1829.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	C	schulze	robustness	0.3178	max	0.3178	kendall_mall	0.533529x10 ⁻⁵	0.533529	0.002	3010.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	C	schulze	robustness	0.321	max	0.321	kendall_mall	0.245765x10 ⁻³	0.47655	0.002	3433	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	C	schulze	robustness	0.3148	max	0.3148	kendall_mall	0.49652x10 ⁻⁴	0.43653	0.002	3377.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	C	schulze	robustness	0.3126	max	0.3126	kendall_mall	0.49831x10 ⁻⁴	0.49831	0.002	3218.6	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	C	schulze	robustness	0.3162	max	0.3162	kendall_mall	0.494005x10 ⁻⁴	0.484005	0.002	3257.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	C	schulze	robustness	0.3202	max	0.3202	kendall_mall	0.507886x10 ⁻⁵	0.507886	0.002	3164.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	C	schulze	robustness	0.3156	max	0.3156	kendall_mall	0.495199x10 ⁻⁴	0.485199	0.002	3430.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	C	schulze	robustness	0.3124	max	0.3124	kendall_mall	0.470366x10 ⁻⁴	0.470366	0.002	3733	11	True	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	C	simpleavg	robustness	0.2974	max	0.2974	kendall_mall	0.26731x10 ⁻³	0.36731	0.002	2341.4	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	C	simpleavg	robustness	0.3082	max	0.3082	kendall_mall	0.65741x10 ⁻⁶	0.657412	0.002	1829.8	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	C	simpleavg	robustness	0.3086	max	0.3086	kendall_mall	0.533529x10 ⁻⁵	0.533529	0.002	3010.4	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	C	simpleavg	robustness	0.3086	max	0.3086	kendall_mall	0.245765x10 ⁻³	0.47655	0.002	3433	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	C	simpleavg	robustness	0.3138	max	0.3138	kendall_mall	0.49652x10 ⁻⁴	0.43653	0.002	3377.5	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	C	simpleavg	robustness	0.3156	max	0.3156	kendall_mall	0.49831x10 ⁻⁴	0.49831	0.002	3218.6	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	C	simpleavg	robustness	0.3218	max	0.3218	kendall_mall	0.494005x10 ⁻⁴	0.484005	0.002	3257.5	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	C	simpleavg	robustness	0.314	max	0.314	kendall_mall	0.507886x10 ⁻⁵	0.507886	0.002	3164.8	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	C	simpleavg	robustness	0.3182	max	0.3182	kendall_mall	0.495199x10 ⁻⁴	0.485199	0.002	3430.5	11	False	True	8

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	C	simpleavg	robustness	0.3152	max	0.3152	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	Cbar	borda	robustness	-0.2824	max	-0.2824	kendall_ma	0.266731	0.266731	0.002	2341.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	Cbar	borda	robustness	-0.2728	max	-0.2728	kendall_ma	0.657412	0.657412	0.002	1829.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	Cbar	borda	robustness	-0.2998	max	-0.2998	kendall_ma	0.533529	0.533529	0.002	3010.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	Cbar	borda	robustness	-0.3188	max	-0.3188	kendall_ma	0.445765	0.445765	0.002	3433	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	Cbar	borda	robustness	-0.3068	max	-0.3068	kendall_ma	0.49652	0.49652	0.002	3377.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	Cbar	borda	robustness	-0.2912	max	-0.2912	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	Cbar	borda	robustness	-0.2854	max	-0.2854	kendall_ma	0.494005	0.494005	0.002	3257.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	Cbar	borda	robustness	-0.2636	max	-0.2636	kendall_ma	0.507886	0.507886	0.002	3164.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	Cbar	borda	robustness	-0.2778	max	-0.2778	kendall_ma	0.495199	0.495199	0.002	3430.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	Cbar	borda	robustness	-0.2822	max	-0.2822	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	Cbar	kemeny	robustness	-0.2824	max	-0.2824	kendall_ma	0.266731	0.266731	0.002	2341.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	Cbar	kemeny	robustness	-0.2588	max	-0.2588	kendall_ma	0.657412	0.657412	0.002	1829.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	Cbar	kemeny	robustness	-0.2756	max	-0.2756	kendall_ma	0.533529	0.533529	0.002	3010.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	Cbar	kemeny	robustness	-0.2774	max	-0.2774	kendall_ma	0.445765	0.445765	0.002	3433	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	Cbar	kemeny	robustness	-0.266	max	-0.266	kendall_ma	0.49652	0.49652	0.002	3377.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	Cbar	kemeny	robustness	-0.2542	max	-0.2542	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	Cbar	kemeny	robustness	-0.2624	max	-0.2624	kendall_ma	0.494005	0.494005	0.002	3257.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	Cbar	kemeny	robustness	-0.2452	max	-0.2452	kendall_ma	0.507886	0.507886	0.002	3164.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	Cbar	kemeny	robustness	-0.253	max	-0.253	kendall_ma	0.495199	0.495199	0.002	3430.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	Cbar	kemeny	robustness	-0.2522	max	-0.2522	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	Cbar	rrf	robustness	-0.2888	max	-0.2888	kendall_ma	0.266731	0.266731	0.002	2341.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	Cbar	rrf	robustness	-0.2766	max	-0.2766	kendall_ma	0.657412	0.657412	0.002	1829.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	Cbar	rrf	robustness	-0.284	max	-0.284	kendall_ma	0.533529	0.533529	0.002	3010.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	Cbar	rrf	robustness	-0.3072	max	-0.3072	kendall_ma	0.445765	0.445765	0.002	3433	11	False	True	9

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	Cbar	rrf	robustness	-0.2804	max	-0.2804	kendall_ma	0.49652x10 ⁻⁴	0.43653	0.002	3377.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	Cbar	rrf	robustness	-0.276	max	-0.276	kendall_ma	0.49831x10 ⁻⁴	0.49831	0.002	3218.6	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	Cbar	rrf	robustness	-0.2682	max	-0.2682	kendall_ma	0.494005x10 ⁻⁴	0.484005	0.002	3257.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	Cbar	rrf	robustness	-0.2524	max	-0.2524	kendall_ma	0.507886x10 ⁻⁵	0.507886	0.002	3164.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	Cbar	rrf	robustness	-0.2634	max	-0.2634	kendall_ma	0.495199x10 ⁻⁴	0.485199	0.002	3430.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	Cbar	rrf	robustness	-0.2654	max	-0.2654	kendall_ma	0.470366x10 ⁻⁴	0.470366	0.002	3733	11	True	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	Cbar	schulze	robustness	-0.2824	max	-0.2824	kendall_ma	0.26731x10 ⁻³	0.36731	0.002	2341.4	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	Cbar	schulze	robustness	-0.2646	max	-0.2646	kendall_ma	0.65741x10 ⁻⁶	0.657412	0.002	1829.8	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	Cbar	schulze	robustness	-0.2672	max	-0.2672	kendall_ma	0.533529x10 ⁻⁵	0.533529	0.002	3010.4	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	Cbar	schulze	robustness	-0.3072	max	-0.3072	kendall_ma	0.245765x10 ⁻³	0.47655	0.002	3433	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	Cbar	schulze	robustness	-0.2786	max	-0.2786	kendall_ma	0.49652x10 ⁻⁴	0.43653	0.002	3377.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	Cbar	schulze	robustness	-0.2766	max	-0.2766	kendall_ma	0.49831x10 ⁻⁴	0.49831	0.002	3218.6	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	Cbar	schulze	robustness	-0.2604	max	-0.2604	kendall_ma	0.494005x10 ⁻⁴	0.484005	0.002	3257.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	Cbar	schulze	robustness	-0.2536	max	-0.2536	kendall_ma	0.507886x10 ⁻⁵	0.507886	0.002	3164.8	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	Cbar	schulze	robustness	-0.2512	max	-0.2512	kendall_ma	0.495199x10 ⁻⁴	0.485199	0.002	3430.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	Cbar	schulze	robustness	-0.2696	max	-0.2696	kendall_ma	0.470366x10 ⁻⁴	0.470366	0.002	3733	11	True	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.2864	max	-0.2864	kendall_ma	0.26731x10 ⁻³	0.36731	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.2764	max	-0.2764	kendall_ma	0.65741x10 ⁻⁶	0.657412	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.3098	max	-0.3098	kendall_ma	0.533529x10 ⁻⁵	0.533529	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.3174	max	-0.3174	kendall_ma	0.245765x10 ⁻³	0.47655	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.3106	max	-0.3106	kendall_ma	0.49652x10 ⁻⁴	0.43653	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.3076	max	-0.3076	kendall_ma	0.49831x10 ⁻⁴	0.49831	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.2986	max	-0.2986	kendall_ma	0.494005x10 ⁻⁴	0.484005	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.2934	max	-0.2934	kendall_ma	0.507886x10 ⁻⁵	0.507886	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.2958	max	-0.2958	kendall_ma	0.495199x10 ⁻⁴	0.485199	0.002	3430.5	11	False	True	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.2946	max	-0.2946	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	F	borda	robustness	0.1608	max	0.1608	kendall_ma	0.266731	0.266731	0.002	2341.4	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	F	borda	robustness	0.1616	max	0.1616	kendall_ma	0.165741	0.165741	0.002	1829.8	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	F	borda	robustness	0.1612	max	0.1612	kendall_ma	0.533529	0.533529	0.002	3010.4	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	F	borda	robustness	0.1502	max	0.1502	kendall_ma	0.244576	0.244576	0.002	3433	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	F	borda	robustness	0.1598	max	0.1598	kendall_ma	0.49652	0.49652	0.002	3377.5	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	F	borda	robustness	0.1656	max	0.1656	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	F	borda	robustness	0.1664	max	0.1664	kendall_ma	0.494005	0.494005	0.002	3257.5	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	F	borda	robustness	0.1662	max	0.1662	kendall_ma	0.507886	0.507886	0.002	3164.8	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	F	borda	robustness	0.1576	max	0.1576	kendall_ma	0.495199	0.495199	0.002	3430.5	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	F	borda	robustness	0.1624	max	0.1624	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	F	kemeny	robustness	0.1608	max	0.1608	kendall_ma	0.266731	0.266731	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	F	kemeny	robustness	0.1672	max	0.1672	kendall_ma	0.165741	0.165741	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	F	kemeny	robustness	0.1612	max	0.1612	kendall_ma	0.533529	0.533529	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	F	kemeny	robustness	0.1628	max	0.1628	kendall_ma	0.244576	0.244576	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	F	kemeny	robustness	0.1542	max	0.1542	kendall_ma	0.49652	0.49652	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	F	kemeny	robustness	0.1604	max	0.1604	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	F	kemeny	robustness	0.1656	max	0.1656	kendall_ma	0.494005	0.494005	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	F	kemeny	robustness	0.1652	max	0.1652	kendall_ma	0.507886	0.507886	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	F	kemeny	robustness	0.1568	max	0.1568	kendall_ma	0.495199	0.495199	0.002	3430.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	F	kemeny	robustness	0.1614	max	0.1614	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	F	rrf	robustness	0.1606	max	0.1606	kendall_ma	0.266731	0.266731	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	F	rrf	robustness	0.1658	max	0.1658	kendall_ma	0.165741	0.165741	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	F	rrf	robustness	0.165	max	0.165	kendall_ma	0.533529	0.533529	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	F	rrf	robustness	0.1572	max	0.1572	kendall_ma	0.244576	0.244576	0.002	3433	11	False	True	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	F	rrf	robustness	0.1618	max	0.1618	kendall_ma	0.49652x10 ⁻⁴	0.43653	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	F	rrf	robustness	0.1568	max	0.1568	kendall_ma	0.49831x10 ⁻⁴	0.49831	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	F	rrf	robustness	0.1624	max	0.1624	kendall_ma	0.49400x10 ⁻⁴	0.484005	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	F	rrf	robustness	0.1598	max	0.1598	kendall_ma	0.50788x10 ⁻⁵	0.7886	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	F	rrf	robustness	0.1564	max	0.1564	kendall_ma	0.49519x10 ⁻⁴	0.485199	0.002	3430.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	F	rrf	robustness	0.1624	max	0.1624	kendall_ma	0.47036x10 ⁻⁴	0.70366	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	F	schulze	robustness	0.1608	max	0.1608	kendall_ma	0.266731x10 ⁻³	0.367314	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	F	schulze	robustness	0.1698	max	0.1698	kendall_ma	0.65741x10 ⁻⁶	0.657412	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	F	schulze	robustness	0.1694	max	0.1694	kendall_ma	0.533529x10 ⁻⁵	0.23529	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	F	schulze	robustness	0.1578	max	0.1578	kendall_ma	0.245765x10 ⁻³	0.45765	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	F	schulze	robustness	0.1546	max	0.1546	kendall_ma	0.49652x10 ⁻⁴	0.43653	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	F	schulze	robustness	0.1638	max	0.1638	kendall_ma	0.49831x10 ⁻⁴	0.49831	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	F	schulze	robustness	0.1618	max	0.1618	kendall_ma	0.49400x10 ⁻⁴	0.484005	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	F	schulze	robustness	0.1616	max	0.1616	kendall_ma	0.50788x10 ⁻⁵	0.7886	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	F	schulze	robustness	0.1564	max	0.1564	kendall_ma	0.49519x10 ⁻⁴	0.485199	0.002	3430.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	F	schulze	robustness	0.1592	max	0.1592	kendall_ma	0.47036x10 ⁻⁴	0.70366	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	F	simpleavg	robustness	0.1508	max	0.1508	kendall_ma	0.266731x10 ⁻³	0.367314	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	F	simpleavg	robustness	0.1618	max	0.1618	kendall_ma	0.65741x10 ⁻⁶	0.657412	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	F	simpleavg	robustness	0.1386	max	0.1386	kendall_ma	0.533529x10 ⁻⁵	0.23529	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	F	simpleavg	robustness	0.1294	max	0.1294	kendall_ma	0.245765x10 ⁻³	0.45765	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	F	simpleavg	robustness	0.1328	max	0.1328	kendall_ma	0.49652x10 ⁻⁴	0.43653	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	F	simpleavg	robustness	0.1382	max	0.1382	kendall_ma	0.49831x10 ⁻⁴	0.49831	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	F	simpleavg	robustness	0.1426	max	0.1426	kendall_ma	0.49400x10 ⁻⁴	0.484005	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	F	simpleavg	robustness	0.1372	max	0.1372	kendall_ma	0.50788x10 ⁻⁵	0.7886	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	F	simpleavg	robustness	0.1396	max	0.1396	kendall_ma	0.49519x10 ⁻⁴	0.485199	0.002	3430.5	11	False	True	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	F	simpleavg	robustness	0.1376	max	0.1376	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	Fbar	borda	robustness	-0.0614	max	-0.0614	kendall_ma	0.267314	0.367314	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	Fbar	borda	robustness	-0.047	max	-0.047	kendall_ma	0.657412	0.657412	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	Fbar	borda	robustness	-0.0928	max	-0.0928	kendall_ma	0.533529	0.523529	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	Fbar	borda	robustness	-0.1106	max	-0.1106	kendall_ma	0.445765	0.345765	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	Fbar	borda	robustness	-0.0932	max	-0.0932	kendall_ma	0.49652	0.43652	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	Fbar	borda	robustness	-0.0788	max	-0.0788	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	Fbar	borda	robustness	-0.0818	max	-0.0818	kendall_ma	0.494005	0.484005	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	Fbar	borda	robustness	-0.0624	max	-0.0624	kendall_ma	0.507886	0.507886	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	Fbar	borda	robustness	-0.0704	max	-0.0704	kendall_ma	0.495199	0.485199	0.002	3430.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	Fbar	borda	robustness	-0.0788	max	-0.0788	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	Fbar	kemeny	robustness	-0.0614	max	-0.0614	kendall_ma	0.267314	0.367314	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	Fbar	kemeny	robustness	-0.0356	max	-0.0356	kendall_ma	0.657412	0.657412	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	Fbar	kemeny	robustness	-0.0606	max	-0.0606	kendall_ma	0.533529	0.523529	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	Fbar	kemeny	robustness	-0.0684	max	-0.0684	kendall_ma	0.445765	0.345765	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	Fbar	kemeny	robustness	-0.0548	max	-0.0548	kendall_ma	0.49652	0.43652	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	Fbar	kemeny	robustness	-0.047	max	-0.047	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	Fbar	kemeny	robustness	-0.053	max	-0.053	kendall_ma	0.494005	0.484005	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	Fbar	kemeny	robustness	-0.0396	max	-0.0396	kendall_ma	0.507886	0.507886	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	Fbar	kemeny	robustness	-0.047	max	-0.047	kendall_ma	0.495199	0.485199	0.002	3430.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	Fbar	kemeny	robustness	-0.045	max	-0.045	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	Fbar	rrf	robustness	-0.0702	max	-0.0702	kendall_ma	0.267314	0.367314	0.002	2341.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	Fbar	rrf	robustness	-0.0532	max	-0.0532	kendall_ma	0.657412	0.657412	0.002	1829.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	Fbar	rrf	robustness	-0.072	max	-0.072	kendall_ma	0.533529	0.523529	0.002	3010.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	Fbar	rrf	robustness	-0.0966	max	-0.0966	kendall_ma	0.445765	0.345765	0.002	3433	11	False	True	9

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	Fbar	rrf	robustness	-0.0732	max	-0.0732	kendall_ma	0.49652x10 ⁻⁴	0.43653	0.002	3377.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	Fbar	rrf	robustness	-0.0686	max	-0.0686	kendall_ma	0.49831x10 ⁻⁴	0.49831	0.002	3218.6	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	Fbar	rrf	robustness	-0.0622	max	-0.0622	kendall_ma	0.49400x10 ⁻⁴	0.484005	0.002	3257.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	Fbar	rrf	robustness	-0.052	max	-0.052	kendall_ma	0.50788x10 ⁻⁵	0.7886	0.002	3164.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	Fbar	rrf	robustness	-0.06	max	-0.06	kendall_ma	0.49519x10 ⁻⁴	0.485199	0.002	3430.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	Fbar	rrf	robustness	-0.066	max	-0.066	kendall_ma	0.47036x10 ⁻⁴	0.70366	0.002	3733	11	True	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	Fbar	schulze	robustness	-0.0614	max	-0.0614	kendall_ma	0.26731x10 ⁻³	0.367314	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	Fbar	schulze	robustness	-0.0382	max	-0.0382	kendall_ma	0.65741x10 ⁻⁶	0.657412	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	Fbar	schulze	robustness	-0.0512	max	-0.0512	kendall_ma	0.53352x10 ⁻⁵	0.533529	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	Fbar	schulze	robustness	-0.0996	max	-0.0996	kendall_ma	0.24576x10 ⁻³	0.45765	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	Fbar	schulze	robustness	-0.0676	max	-0.0676	kendall_ma	0.49652x10 ⁻⁴	0.43653	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	Fbar	schulze	robustness	-0.0708	max	-0.0708	kendall_ma	0.49831x10 ⁻⁴	0.49831	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	Fbar	schulze	robustness	-0.0566	max	-0.0566	kendall_ma	0.49400x10 ⁻⁴	0.484005	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	Fbar	schulze	robustness	-0.0458	max	-0.0458	kendall_ma	0.50788x10 ⁻⁵	0.7886	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	Fbar	schulze	robustness	-0.0486	max	-0.0486	kendall_ma	0.49519x10 ⁻⁴	0.485199	0.002	3430.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	Fbar	schulze	robustness	-0.0656	max	-0.0656	kendall_ma	0.47036x10 ⁻⁴	0.70366	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.0646	max	-0.0646	kendall_ma	0.26731x10 ⁻³	0.367314	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.0568	max	-0.0568	kendall_ma	0.65741x10 ⁻⁶	0.657412	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.1034	max	-0.1034	kendall_ma	0.53352x10 ⁻⁵	0.533529	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.107	max	-0.107	kendall_ma	0.24576x10 ⁻³	0.45765	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.105	max	-0.105	kendall_ma	0.49652x10 ⁻⁴	0.43653	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.1	max	-0.1	kendall_ma	0.49831x10 ⁻⁴	0.49831	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.0946	max	-0.0946	kendall_ma	0.49400x10 ⁻⁴	0.484005	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.0888	max	-0.0888	kendall_ma	0.50788x10 ⁻⁵	0.7886	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.0938	max	-0.0938	kendall_ma	0.49519x10 ⁻⁴	0.485199	0.002	3430.5	11	False	True	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.0916	max	-0.0916	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	C	borda	robustness	0.1106	max	0.1106	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	C	borda	robustness	0.113	max	0.113	kendall_ma	0.657412	0.657412	0.002	1829.8	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	C	borda	robustness	0.1176	max	0.1176	kendall_ma	0.53529	0.53529	0.002	3010.4	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	C	borda	robustness	0.1138	max	0.1138	kendall_ma	0.45765	0.45765	0.002	3433	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	C	borda	robustness	0.1164	max	0.1164	kendall_ma	0.49652	0.49652	0.002	3377.5	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	C	borda	robustness	0.126	max	0.126	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	C	borda	robustness	0.126	max	0.126	kendall_ma	0.494005	0.494005	0.002	3257.5	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	C	borda	robustness	0.1238	max	0.1238	kendall_ma	0.507886	0.507886	0.002	3164.8	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	C	borda	robustness	0.1204	max	0.1204	kendall_ma	0.495199	0.495199	0.002	3430.5	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	C	borda	robustness	0.1142	max	0.1142	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	C	kemeny	robustness	0.1106	max	0.1106	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	C	kemeny	robustness	0.1116	max	0.1116	kendall_ma	0.657412	0.657412	0.002	1829.8	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	C	kemeny	robustness	0.1136	max	0.1136	kendall_ma	0.53529	0.53529	0.002	3010.4	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	C	kemeny	robustness	0.1202	max	0.1202	kendall_ma	0.45765	0.45765	0.002	3433	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	C	kemeny	robustness	0.1134	max	0.1134	kendall_ma	0.49652	0.49652	0.002	3377.5	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	C	kemeny	robustness	0.121	max	0.121	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	C	kemeny	robustness	0.1234	max	0.1234	kendall_ma	0.494005	0.494005	0.002	3257.5	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	C	kemeny	robustness	0.1138	max	0.1138	kendall_ma	0.507886	0.507886	0.002	3164.8	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	C	kemeny	robustness	0.1154	max	0.1154	kendall_ma	0.495199	0.495199	0.002	3430.5	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	C	kemeny	robustness	0.1136	max	0.1136	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	C	rrf	robustness	0.107	max	0.107	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	C	rrf	robustness	0.1108	max	0.1108	kendall_ma	0.657412	0.657412	0.002	1829.8	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	C	rrf	robustness	0.1194	max	0.1194	kendall_ma	0.53529	0.53529	0.002	3010.4	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	C	rrf	robustness	0.1146	max	0.1146	kendall_ma	0.45765	0.45765	0.002	3433	11	False	True	7

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	C	rrf	robustness	0.1196	max	0.1196	kendall_ma	0.49652x	0.43653	0.002	3377.5	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	C	rrf	robustness	0.1262	max	0.1262	kendall_ma	0.49831x	0.49831	0.002	3218.6	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	C	rrf	robustness	0.1218	max	0.1218	kendall_ma	0.49400x	0.484005	0.002	3257.5	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	C	rrf	robustness	0.1198	max	0.1198	kendall_ma	0.50788x	0.507886	0.002	3164.8	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	C	rrf	robustness	0.1218	max	0.1218	kendall_ma	0.49519x	0.485199	0.002	3430.5	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	C	rrf	robustness	0.1126	max	0.1126	kendall_ma	0.47036x	0.470366	0.002	3733	11	True	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	C	schulze	robustness	0.1106	max	0.1106	kendall_ma	0.26673x	0.367314	0.002	2341.4	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	C	schulze	robustness	0.1134	max	0.1134	kendall_ma	0.65741x	0.657412	0.002	1829.8	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	C	schulze	robustness	0.1156	max	0.1156	kendall_ma	0.53352x	0.533529	0.002	3010.4	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	C	schulze	robustness	0.115	max	0.115	kendall_ma	0.24576x	0.345765	0.002	3433	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	C	schulze	robustness	0.1206	max	0.1206	kendall_ma	0.49652x	0.43653	0.002	3377.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	C	schulze	robustness	0.115	max	0.115	kendall_ma	0.49831x	0.498314	0.002	3218.6	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	C	schulze	robustness	0.1204	max	0.1204	kendall_ma	0.49400x	0.484005	0.002	3257.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	C	schulze	robustness	0.1196	max	0.1196	kendall_ma	0.50788x	0.507886	0.002	3164.8	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	C	schulze	robustness	0.1148	max	0.1148	kendall_ma	0.49519x	0.485199	0.002	3430.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	C	schulze	robustness	0.112	max	0.112	kendall_ma	0.47036x	0.470366	0.002	3733	11	True	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	C	simpleavg	robustness	0.1022	max	0.1022	kendall_ma	0.26673x	0.367314	0.002	2341.4	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	C	simpleavg	robustness	0.1116	max	0.1116	kendall_ma	0.65741x	0.657412	0.002	1829.8	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	C	simpleavg	robustness	0.121	max	0.121	kendall_ma	0.53352x	0.533529	0.002	3010.4	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	C	simpleavg	robustness	0.1188	max	0.1188	kendall_ma	0.24576x	0.345765	0.002	3433	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	C	simpleavg	robustness	0.12	max	0.12	kendall_ma	0.49652x	0.43653	0.002	3377.5	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	C	simpleavg	robustness	0.1168	max	0.1168	kendall_ma	0.49831x	0.498314	0.002	3218.6	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	C	simpleavg	robustness	0.124	max	0.124	kendall_ma	0.49400x	0.484005	0.002	3257.5	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	C	simpleavg	robustness	0.1174	max	0.1174	kendall_ma	0.50788x	0.507886	0.002	3164.8	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	C	simpleavg	robustness	0.1198	max	0.1198	kendall_ma	0.49519x	0.485199	0.002	3430.5	11	False	True	8

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	C	simpleavg	robustness	0.1192	max	0.1192	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	Cbar	borda	robustness	-0.0906	max	-0.0906	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	Cbar	borda	robustness	-0.0986	max	-0.0986	kendall_ma	0.657412	0.657412	0.002	1829.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	Cbar	borda	robustness	-0.1024	max	-0.1024	kendall_ma	0.533529	0.533529	0.002	3010.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	Cbar	borda	robustness	-0.1142	max	-0.1142	kendall_ma	0.445765	0.445765	0.002	3433	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	Cbar	borda	robustness	-0.107	max	-0.107	kendall_ma	0.49652	0.49652	0.002	3377.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	Cbar	borda	robustness	-0.1042	max	-0.1042	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	Cbar	borda	robustness	-0.098	max	-0.098	kendall_ma	0.494005	0.494005	0.002	3257.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	Cbar	borda	robustness	-0.0898	max	-0.0898	kendall_ma	0.507886	0.507886	0.002	3164.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	Cbar	borda	robustness	-0.101	max	-0.101	kendall_ma	0.495199	0.495199	0.002	3430.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	Cbar	borda	robustness	-0.103	max	-0.103	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	Cbar	kemeny	robustness	-0.0906	max	-0.0906	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	Cbar	kemeny	robustness	-0.0892	max	-0.0892	kendall_ma	0.657412	0.657412	0.002	1829.8	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	Cbar	kemeny	robustness	-0.1016	max	-0.1016	kendall_ma	0.533529	0.533529	0.002	3010.4	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	Cbar	kemeny	robustness	-0.1034	max	-0.1034	kendall_ma	0.445765	0.445765	0.002	3433	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	Cbar	kemeny	robustness	-0.0882	max	-0.0882	kendall_ma	0.49652	0.49652	0.002	3377.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	Cbar	kemeny	robustness	-0.0924	max	-0.0924	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	Cbar	kemeny	robustness	-0.0986	max	-0.0986	kendall_ma	0.494005	0.494005	0.002	3257.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	Cbar	kemeny	robustness	-0.0916	max	-0.0916	kendall_ma	0.507886	0.507886	0.002	3164.8	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	Cbar	kemeny	robustness	-0.0904	max	-0.0904	kendall_ma	0.495199	0.495199	0.002	3430.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	Cbar	kemeny	robustness	-0.0994	max	-0.0994	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	Cbar	rrf	robustness	-0.1034	max	-0.1034	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	Cbar	rrf	robustness	-0.0962	max	-0.0962	kendall_ma	0.657412	0.657412	0.002	1829.8	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	Cbar	rrf	robustness	-0.102	max	-0.102	kendall_ma	0.533529	0.533529	0.002	3010.4	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	Cbar	rrf	robustness	-0.108	max	-0.108	kendall_ma	0.445765	0.445765	0.002	3433	11	False	True	8

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	Cbar	rrf	robustness	-0.0954	max	-0.0954	kendall_ma	0.49652x0.43653	0.49653	0.002	3377.5	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	Cbar	rrf	robustness	-0.1004	max	-0.1004	kendall_ma	0.49831x0.49831	0.49831	0.002	3218.6	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	Cbar	rrf	robustness	-0.0882	max	-0.0882	kendall_ma	0.49400x0.48400	0.48400	0.002	3257.5	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	Cbar	rrf	robustness	-0.0882	max	-0.0882	kendall_ma	0.50788x0.50788	0.50788	0.002	3164.8	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	Cbar	rrf	robustness	-0.0966	max	-0.0966	kendall_ma	0.49519x0.48519	0.48519	0.002	3430.5	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	Cbar	rrf	robustness	-0.0958	max	-0.0958	kendall_ma	0.47036x0.47036	0.47036	0.002	3733	11	True	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	Cbar	schulze	robustness	-0.0906	max	-0.0906	kendall_ma	0.26731x0.36731	0.36731	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	Cbar	schulze	robustness	-0.0924	max	-0.0924	kendall_ma	0.65741x0.65741	0.65741	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	Cbar	schulze	robustness	-0.0916	max	-0.0916	kendall_ma	0.53352x0.53352	0.53352	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	Cbar	schulze	robustness	-0.111	max	-0.111	kendall_ma	0.24576x0.34576	0.34576	0.002	3433	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	Cbar	schulze	robustness	-0.0974	max	-0.0974	kendall_ma	0.49652x0.43653	0.43653	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	Cbar	schulze	robustness	-0.0946	max	-0.0946	kendall_ma	0.49831x0.49831	0.49831	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	Cbar	schulze	robustness	-0.0988	max	-0.0988	kendall_ma	0.49400x0.48400	0.48400	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	Cbar	schulze	robustness	-0.1016	max	-0.1016	kendall_ma	0.50788x0.50788	0.50788	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	Cbar	schulze	robustness	-0.0968	max	-0.0968	kendall_ma	0.49519x0.48519	0.48519	0.002	3430.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	Cbar	schulze	robustness	-0.0958	max	-0.0958	kendall_ma	0.47036x0.47036	0.47036	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	Cbar	simpleavg	robustness	-0.1012	max	-0.1012	kendall_ma	0.26731x0.36731	0.36731	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	Cbar	simpleavg	robustness	-0.0928	max	-0.0928	kendall_ma	0.65741x0.65741	0.65741	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	Cbar	simpleavg	robustness	-0.1234	max	-0.1234	kendall_ma	0.53352x0.53352	0.53352	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	Cbar	simpleavg	robustness	-0.13	max	-0.13	kendall_ma	0.24576x0.34576	0.34576	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	Cbar	simpleavg	robustness	-0.1278	max	-0.1278	kendall_ma	0.49652x0.43653	0.43653	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	Cbar	simpleavg	robustness	-0.1252	max	-0.1252	kendall_ma	0.49831x0.49831	0.49831	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	Cbar	simpleavg	robustness	-0.1228	max	-0.1228	kendall_ma	0.49400x0.48400	0.48400	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	Cbar	simpleavg	robustness	-0.1178	max	-0.1178	kendall_ma	0.50788x0.50788	0.50788	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	Cbar	simpleavg	robustness	-0.1182	max	-0.1182	kendall_ma	0.49519x0.48519	0.48519	0.002	3430.5	11	False	True	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	Cbar	simpleavg	robustness	-0.1196	max	-0.1196	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	F	borda	robustness	0.0816	max	0.0816	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	F	borda	robustness	0.084	max	0.084	kendall_ma	0.657412	0.657412	0.002	1829.8	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	F	borda	robustness	0.0798	max	0.0798	kendall_ma	0.53529	0.53529	0.002	3010.4	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	F	borda	robustness	0.0764	max	0.0764	kendall_ma	0.45765	0.45765	0.002	3433	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	F	borda	robustness	0.0764	max	0.0764	kendall_ma	0.49652	0.49652	0.002	3377.5	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	F	borda	robustness	0.084	max	0.084	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	F	borda	robustness	0.0866	max	0.0866	kendall_ma	0.494005	0.494005	0.002	3257.5	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	F	borda	robustness	0.077	max	0.077	kendall_ma	0.507886	0.507886	0.002	3164.8	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	F	borda	robustness	0.0756	max	0.0756	kendall_ma	0.495199	0.495199	0.002	3430.5	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	F	borda	robustness	0.0748	max	0.0748	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	F	kemeny	robustness	0.0816	max	0.0816	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	F	kemeny	robustness	0.0812	max	0.0812	kendall_ma	0.657412	0.657412	0.002	1829.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	F	kemeny	robustness	0.0806	max	0.0806	kendall_ma	0.53529	0.53529	0.002	3010.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	F	kemeny	robustness	0.0846	max	0.0846	kendall_ma	0.45765	0.45765	0.002	3433	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	F	kemeny	robustness	0.081	max	0.081	kendall_ma	0.49652	0.49652	0.002	3377.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	F	kemeny	robustness	0.0798	max	0.0798	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	F	kemeny	robustness	0.0816	max	0.0816	kendall_ma	0.494005	0.494005	0.002	3257.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	F	kemeny	robustness	0.0756	max	0.0756	kendall_ma	0.507886	0.507886	0.002	3164.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	F	kemeny	robustness	0.0726	max	0.0726	kendall_ma	0.495199	0.495199	0.002	3430.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	F	kemeny	robustness	0.0748	max	0.0748	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	F	rrf	robustness	0.0782	max	0.0782	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	F	rrf	robustness	0.0804	max	0.0804	kendall_ma	0.657412	0.657412	0.002	1829.8	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	F	rrf	robustness	0.0828	max	0.0828	kendall_ma	0.53529	0.53529	0.002	3010.4	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	F	rrf	robustness	0.0822	max	0.0822	kendall_ma	0.45765	0.45765	0.002	3433	11	False	True	7

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	F	rrf	robustness	0.0796	max	0.0796	kendall_mall	0.49652x0.43653	0.49653	0.002	3377.5	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	F	rrf	robustness	0.0858	max	0.0858	kendall_mall	0.49831x0.49831	0.49831	0.002	3218.6	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	F	rrf	robustness	0.083	max	0.083	kendall_mall	0.49400x0.48400	0.48400	0.002	3257.5	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	F	rrf	robustness	0.074	max	0.074	kendall_mall	0.50788x0.50788	0.50788	0.002	3164.8	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	F	rrf	robustness	0.0752	max	0.0752	kendall_mall	0.49519x0.48519	0.48519	0.002	3430.5	11	False	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	F	rrf	robustness	0.0742	max	0.0742	kendall_mall	0.47036x0.47036	0.47036	0.002	3733	11	True	True	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	F	schulze	robustness	0.0816	max	0.0816	kendall_mall	0.26731x0.36731	0.36731	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	F	schulze	robustness	0.0878	max	0.0878	kendall_mall	0.65741x0.65741	0.65741	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	F	schulze	robustness	0.0876	max	0.0876	kendall_mall	0.53352x0.53352	0.53352	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	F	schulze	robustness	0.0788	max	0.0788	kendall_mall	0.24576x0.34576	0.34576	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	F	schulze	robustness	0.081	max	0.081	kendall_mall	0.49652x0.43653	0.43653	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	F	schulze	robustness	0.0796	max	0.0796	kendall_mall	0.49831x0.49831	0.49831	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	F	schulze	robustness	0.0808	max	0.0808	kendall_mall	0.49400x0.48400	0.48400	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	F	schulze	robustness	0.0772	max	0.0772	kendall_mall	0.50788x0.50788	0.50788	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	F	schulze	robustness	0.0768	max	0.0768	kendall_mall	0.49519x0.48519	0.48519	0.002	3430.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	F	schulze	robustness	0.077	max	0.077	kendall_mall	0.47036x0.47036	0.47036	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	F	simpleavg	robustness	0.0718	max	0.0718	kendall_mall	0.26731x0.36731	0.36731	0.002	2341.4	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	F	simpleavg	robustness	0.0768	max	0.0768	kendall_mall	0.65741x0.65741	0.65741	0.002	1829.8	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	F	simpleavg	robustness	0.08	max	0.08	kendall_mall	0.53352x0.53352	0.53352	0.002	3010.4	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	F	simpleavg	robustness	0.0722	max	0.0722	kendall_mall	0.24576x0.34576	0.34576	0.002	3433	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	F	simpleavg	robustness	0.0756	max	0.0756	kendall_mall	0.49652x0.43653	0.43653	0.002	3377.5	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	F	simpleavg	robustness	0.0736	max	0.0736	kendall_mall	0.49831x0.49831	0.49831	0.002	3218.6	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	F	simpleavg	robustness	0.0774	max	0.0774	kendall_mall	0.49400x0.48400	0.48400	0.002	3257.5	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	F	simpleavg	robustness	0.0718	max	0.0718	kendall_mall	0.50788x0.50788	0.50788	0.002	3164.8	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	F	simpleavg	robustness	0.0736	max	0.0736	kendall_mall	0.49519x0.48519	0.48519	0.002	3430.5	11	False	True	4

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	F	simpleavg	robustness	0.0734	max	0.0734	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	Fbar	borda	robustness	-0.0278	max	-0.0278	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	Fbar	borda	robustness	-0.0274	max	-0.0274	kendall_ma	0.657412	0.657412	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	Fbar	borda	robustness	-0.0402	max	-0.0402	kendall_ma	0.533529	0.533529	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	Fbar	borda	robustness	-0.051	max	-0.051	kendall_ma	0.445765	0.445765	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	Fbar	borda	robustness	-0.0426	max	-0.0426	kendall_ma	0.49652	0.49652	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	Fbar	borda	robustness	-0.0402	max	-0.0402	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	Fbar	borda	robustness	-0.0396	max	-0.0396	kendall_ma	0.494005	0.494005	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	Fbar	borda	robustness	-0.028	max	-0.028	kendall_ma	0.507886	0.507886	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	Fbar	borda	robustness	-0.0368	max	-0.0368	kendall_ma	0.495199	0.495199	0.002	3430.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	Fbar	borda	robustness	-0.0428	max	-0.0428	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	Fbar	kemeny	robustness	-0.0278	max	-0.0278	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	Fbar	kemeny	robustness	-0.0222	max	-0.0222	kendall_ma	0.657412	0.657412	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	Fbar	kemeny	robustness	-0.0352	max	-0.0352	kendall_ma	0.533529	0.533529	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	Fbar	kemeny	robustness	-0.0446	max	-0.0446	kendall_ma	0.445765	0.445765	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	Fbar	kemeny	robustness	-0.0298	max	-0.0298	kendall_ma	0.49652	0.49652	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	Fbar	kemeny	robustness	-0.0288	max	-0.0288	kendall_ma	0.498314	0.498314	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	Fbar	kemeny	robustness	-0.0328	max	-0.0328	kendall_ma	0.494005	0.494005	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	Fbar	kemeny	robustness	-0.0288	max	-0.0288	kendall_ma	0.507886	0.507886	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	Fbar	kemeny	robustness	-0.0294	max	-0.0294	kendall_ma	0.495199	0.495199	0.002	3430.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	Fbar	kemeny	robustness	-0.0362	max	-0.0362	kendall_ma	0.470366	0.470366	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	Fbar	rrf	robustness	-0.0366	max	-0.0366	kendall_ma	0.267314	0.267314	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	Fbar	rrf	robustness	-0.0276	max	-0.0276	kendall_ma	0.657412	0.657412	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	Fbar	rrf	robustness	-0.0386	max	-0.0386	kendall_ma	0.533529	0.533529	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	Fbar	rrf	robustness	-0.0468	max	-0.0468	kendall_ma	0.445765	0.445765	0.002	3433	11	False	True	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	Fbar	rrf	robustness	-0.039	max	-0.039	kendall_ma	0.49652	0.43653	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	Fbar	rrf	robustness	-0.0366	max	-0.0366	kendall_ma	0.49831	0.49831	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	Fbar	rrf	robustness	-0.0284	max	-0.0284	kendall_ma	0.49400	0.48400	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	Fbar	rrf	robustness	-0.032	max	-0.032	kendall_ma	0.50788	0.50788	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	Fbar	rrf	robustness	-0.0354	max	-0.0354	kendall_ma	0.49519	0.48519	0.002	3430.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	Fbar	rrf	robustness	-0.0342	max	-0.0342	kendall_ma	0.47036	0.47036	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	Fbar	schulze	robustness	-0.0278	max	-0.0278	kendall_ma	0.26731	0.36731	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	Fbar	schulze	robustness	-0.0238	max	-0.0238	kendall_ma	0.65741	0.65741	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	Fbar	schulze	robustness	-0.028	max	-0.028	kendall_ma	0.53352	0.53352	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	Fbar	schulze	robustness	-0.049	max	-0.049	kendall_ma	0.24576	0.34576	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	Fbar	schulze	robustness	-0.039	max	-0.039	kendall_ma	0.49652	0.43653	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	Fbar	schulze	robustness	-0.0368	max	-0.0368	kendall_ma	0.49831	0.49831	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	Fbar	schulze	robustness	-0.0354	max	-0.0354	kendall_ma	0.49400	0.48400	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	Fbar	schulze	robustness	-0.0356	max	-0.0356	kendall_ma	0.50788	0.50788	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	Fbar	schulze	robustness	-0.0386	max	-0.0386	kendall_ma	0.49519	0.48519	0.002	3430.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	Fbar	schulze	robustness	-0.035	max	-0.035	kendall_ma	0.47036	0.47036	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	Fbar	simpleavg	robustness	-0.0368	max	-0.0368	kendall_ma	0.26731	0.36731	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	Fbar	simpleavg	robustness	-0.0282	max	-0.0282	kendall_ma	0.65741	0.65741	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	Fbar	simpleavg	robustness	-0.0688	max	-0.0688	kendall_ma	0.53352	0.53352	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	Fbar	simpleavg	robustness	-0.0666	max	-0.0666	kendall_ma	0.24576	0.34576	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	Fbar	simpleavg	robustness	-0.066	max	-0.066	kendall_ma	0.49652	0.43653	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	Fbar	simpleavg	robustness	-0.0588	max	-0.0588	kendall_ma	0.49831	0.49831	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	Fbar	simpleavg	robustness	-0.0638	max	-0.0638	kendall_ma	0.49400	0.48400	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	Fbar	simpleavg	robustness	-0.063	max	-0.063	kendall_ma	0.50788	0.50788	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	Fbar	simpleavg	robustness	-0.0646	max	-0.0646	kendall_ma	0.49519	0.48519	0.002	3430.5	11	False	True	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	Fbar	simpleavg	robustness	-0.0636	max	-0.0636	kendall_m	0.1470366	0.1470366	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	C	borda	quality	0.308	max	0.308	spearman	0.530299	0.530299	0.002	1.0999e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	C	borda	quality	0.3034	max	0.3034	spearman	0.661997	0.661997	0.002	1.0528e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	C	borda	quality	0.3116	max	0.3116	spearman	0.532644	0.533644	0.002	2.0796e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	C	borda	quality	0.312	max	0.312	spearman	0.475644	0.475644	0.002	2.3254e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	C	borda	quality	0.2986	max	0.2986	spearman	0.505824	0.505824	0.002	2.3988e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	C	borda	quality	0.289	max	0.289	spearman	0.562298	0.562298	0.002	2.2177e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	C	borda	quality	0.2844	max	0.2844	spearman	0.574649	0.574649	0.002	2.2576e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	C	borda	quality	0.2778	max	0.2778	spearman	0.612495	0.612495	0.002	2.1948e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	C	borda	quality	0.2768	max	0.2768	spearman	0.548654	0.548654	0.002	2.5982e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	C	borda	quality	0.2756	max	0.2756	spearman	0.518147	0.518147	0.002	2.3165e+05	bidled	Symmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	C	kemeny	quality	0.308	max	0.308	spearman	0.530299	0.530299	0.002	1.0999e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	C	kemeny	quality	0.2916	max	0.2916	spearman	0.661997	0.661997	0.002	1.0528e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	C	kemeny	quality	0.2978	max	0.2978	spearman	0.532644	0.533644	0.002	2.0796e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	C	kemeny	quality	0.3128	max	0.3128	spearman	0.475644	0.475644	0.002	2.3254e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	C	kemeny	quality	0.306	max	0.306	spearman	0.505824	0.505824	0.002	2.3988e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	C	kemeny	quality	0.2884	max	0.2884	spearman	0.562298	0.562298	0.002	2.2177e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	C	kemeny	quality	0.282	max	0.282	spearman	0.574649	0.574649	0.002	2.2576e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	C	kemeny	quality	0.2744	max	0.2744	spearman	0.612495	0.612495	0.002	2.1948e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	C	kemeny	quality	0.2722	max	0.2722	spearman	0.548654	0.548654	0.002	2.5982e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	C	kemeny	quality	0.271	max	0.271	spearman	0.518147	0.518147	0.002	2.3165e+05	bidled	Symmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	C	rrf	quality	0.3074	max	0.3074	spearman	0.530299	0.530299	0.002	1.0999e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	C	rrf	quality	0.3022	max	0.3022	spearman	0.661997	0.661997	0.002	1.0528e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	C	rrf	quality	0.3066	max	0.3066	spearman	0.532644	0.533644	0.002	2.0796e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	C	rrf	quality	0.3152	max	0.3152	spearman	0.475644	0.475644	0.002	2.3254e+05	bidled	Fulsmetric	Upperapproximation	

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	C	rrf	quality	0.2986	max	0.2986	spearman	0.5005824	0.5005824	0.002	2.3988e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	C	rrf	quality	0.2912	max	0.2912	spearman	0.5662908	0.5662908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	C	rrf	quality	0.2878	max	0.2878	spearman	0.574649	0.574649	0.002	2.2576e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	C	rrf	quality	0.2798	max	0.2798	spearman	0.612495	0.612495	0.002	2.1948e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	C	rrf	quality	0.2772	max	0.2772	spearman	0.548654	0.548654	0.002	2.5982e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	C	rrf	quality	0.2812	max	0.2812	spearman	0.518147	0.518147	0.002	2.3165e+05	bidled	Symmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	C	schulze	quality	0.308	max	0.308	spearman	0.530299	0.530299	0.002	1.0999e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	C	schulze	quality	0.2924	max	0.2924	spearman	0.661997	0.661997	0.002	1.0528e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	C	schulze	quality	0.2974	max	0.2974	spearman	0.532644	0.532644	0.002	2.0796e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	C	schulze	quality	0.312	max	0.312	spearman	0.475644	0.475644	0.002	2.325e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	C	schulze	quality	0.3008	max	0.3008	spearman	0.5005824	0.5005824	0.002	2.3988e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	C	schulze	quality	0.2966	max	0.2966	spearman	0.5662908	0.5662908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	C	schulze	quality	0.2844	max	0.2844	spearman	0.574649	0.574649	0.002	2.2576e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	C	schulze	quality	0.2694	max	0.2694	spearman	0.612495	0.612495	0.002	2.1948e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	C	schulze	quality	0.2758	max	0.2758	spearman	0.548654	0.548654	0.002	2.5982e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	C	schulze	quality	0.276	max	0.276	spearman	0.518147	0.518147	0.002	2.3165e+05	bidled	Symmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	C	simpleavg	quality	0.3056	max	0.3056	spearman	0.530299	0.530299	0.002	1.0999e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	C	simpleavg	quality	0.2996	max	0.2996	spearman	0.661997	0.661997	0.002	1.0528e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	C	simpleavg	quality	0.3024	max	0.3024	spearman	0.532644	0.532644	0.002	2.0796e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	C	simpleavg	quality	0.2872	max	0.2872	spearman	0.475644	0.475644	0.002	2.325e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	C	simpleavg	quality	0.2876	max	0.2876	spearman	0.5005824	0.5005824	0.002	2.3988e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	C	simpleavg	quality	0.2898	max	0.2898	spearman	0.5662908	0.5662908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	C	simpleavg	quality	0.285	max	0.285	spearman	0.574649	0.574649	0.002	2.2576e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	C	simpleavg	quality	0.2882	max	0.2882	spearman	0.612495	0.612495	0.002	2.1948e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	C	simpleavg	quality	0.2858	max	0.2858	spearman	0.548654	0.548654	0.002	2.5982e+05	bidled	Fulsmetric	Upperapproximation	

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	C	simpleavg	quality	0.286	max	0.286	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximate	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	Cbar	borda	quality	0.2586	min	-0.2586	spearman	0.5300000	0.5002900	0.002	1.00900e+05	bidled	Fulsmetric	Upperapproximate	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	Cbar	borda	quality	0.2688	min	-0.2688	spearman	0.6611007	0.6611995	0.002	1.00528e+05	bidled	Fulsmetric	Upperapproximate	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	Cbar	borda	quality	0.3024	min	-0.3024	spearman	0.5326441	0.5030440	0.002	2.07060e+05	bidled	Fulsmetric	Upperapproximate	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	Cbar	borda	quality	0.3216	min	-0.3216	spearman	0.4756441	0.4756440	0.002	2.02500e+05	bidled	Fulsmetric	Upperapproximate	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	Cbar	borda	quality	0.3324	min	-0.3324	spearman	0.5055021	0.5055020	0.002	2.00800e+05	bidled	Fulsmetric	Upperapproximate	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	Cbar	borda	quality	0.3482	min	-0.3482	spearman	0.5602008	0.5602998	0.002	2.02177e+05	bidled	Fulsmetric	Upperapproximate	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	Cbar	borda	quality	0.3448	min	-0.3448	spearman	0.5746440	0.5746440	0.002	2.02570e+05	bidled	Fulsmetric	Upperapproximate	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	Cbar	borda	quality	0.3664	min	-0.3664	spearman	0.6112405	0.6112495	0.002	2.01940e+05	bidled	Fulsmetric	Upperapproximate	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	Cbar	borda	quality	0.3514	min	-0.3514	spearman	0.5486541	0.5486540	0.002	2.05082e+05	bidled	Fulsmetric	Upperapproximate	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	Cbar	borda	quality	0.3464	min	-0.3464	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximate	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	Cbar	kemeny	quality	0.2586	min	-0.2586	spearman	0.5300000	0.5002900	0.002	1.00900e+05	bidled	Fulsmetric	Upperapproximate	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	Cbar	kemeny	quality	0.3044	min	-0.3044	spearman	0.6611007	0.6611995	0.002	1.00528e+05	bidled	Fulsmetric	Upperapproximate	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	Cbar	kemeny	quality	0.2772	min	-0.2772	spearman	0.5326441	0.5030440	0.002	2.07060e+05	bidled	Fulsmetric	Upperapproximate	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	Cbar	kemeny	quality	0.2872	min	-0.2872	spearman	0.4756441	0.4756440	0.002	2.02500e+05	bidled	Fulsmetric	Upperapproximate	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	Cbar	kemeny	quality	0.3056	min	-0.3056	spearman	0.5055021	0.5055020	0.002	2.00800e+05	bidled	Fulsmetric	Upperapproximate	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	Cbar	kemeny	quality	0.3304	min	-0.3304	spearman	0.5602008	0.5602998	0.002	2.02177e+05	bidled	Fulsmetric	Upperapproximate	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	Cbar	kemeny	quality	0.3298	min	-0.3298	spearman	0.5746440	0.5746440	0.002	2.02570e+05	bidled	Fulsmetric	Upperapproximate	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	Cbar	kemeny	quality	0.3634	min	-0.3634	spearman	0.6112405	0.6112495	0.002	2.01940e+05	bidled	Fulsmetric	Upperapproximate	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	Cbar	kemeny	quality	0.3546	min	-0.3546	spearman	0.5486541	0.5486540	0.002	2.05082e+05	bidled	Fulsmetric	Upperapproximate	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	Cbar	kemeny	quality	0.3492	min	-0.3492	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximate	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	Cbar	rrf	quality	0.256	min	-0.256	spearman	0.5300000	0.5002900	0.002	1.00900e+05	bidled	Fulsmetric	Upperapproximate	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	Cbar	rrf	quality	0.2716	min	-0.2716	spearman	0.6611007	0.6611995	0.002	1.00528e+05	bidled	Fulsmetric	Upperapproximate	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	Cbar	rrf	quality	0.2748	min	-0.2748	spearman	0.5326441	0.5030440	0.002	2.07060e+05	bidled	Fulsmetric	Upperapproximate	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	Cbar	rrf	quality	0.3094	min	-0.3094	spearman	0.4756441	0.4756440	0.002	2.02500e+05	bidled	Fulsmetric	Upperapproximate	5

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	Cbar	rrf	quality	0.318	min	-0.318	spearman	0.5005824	0.5005824	0.002	2.39840e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	Cbar	rrf	quality	0.323	min	-0.323	spearman	0.5002908	0.5002908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	Cbar	rrf	quality	0.3306	min	-0.3306	spearman	0.5174649	0.5174649	0.002	2.25760e+05	bidled	Fulsmetric	Upperapproximation	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	Cbar	rrf	quality	0.3552	min	-0.3552	spearman	0.612495	0.612495	0.002	2.19480e+05	bidled	Fulsmetric	Upperapproximation	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	Cbar	rrf	quality	0.3388	min	-0.3388	spearman	0.548654	0.548654	0.002	2.59820e+05	bidled	Fulsmetric	Upperapproximation	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	Cbar	rrf	quality	0.3424	min	-0.3424	spearman	0.518147	0.518147	0.002	2.21650e+05	bidled	Symmetric	Upperapproximation	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	Cbar	schulze	quality	0.2586	min	-0.2586	spearman	0.530299	0.530299	0.002	1.09990e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	Cbar	schulze	quality	0.291	min	-0.291	spearman	0.661997	0.661997	0.002	1.05280e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	Cbar	schulze	quality	0.2872	min	-0.2872	spearman	0.532644	0.532644	0.002	2.07960e+05	bidled	Fulsmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	Cbar	schulze	quality	0.3258	min	-0.3258	spearman	0.475644	0.475644	0.002	2.32500e+05	bidled	Fulsmetric	Upperapproximation	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	Cbar	schulze	quality	0.3152	min	-0.3152	spearman	0.5005824	0.5005824	0.002	2.39840e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	Cbar	schulze	quality	0.3174	min	-0.3174	spearman	0.5002908	0.5002908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	Cbar	schulze	quality	0.3316	min	-0.3316	spearman	0.5174649	0.5174649	0.002	2.25760e+05	bidled	Fulsmetric	Upperapproximation	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	Cbar	schulze	quality	0.3564	min	-0.3564	spearman	0.612495	0.612495	0.002	2.19480e+05	bidled	Fulsmetric	Upperapproximation	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	Cbar	schulze	quality	0.3522	min	-0.3522	spearman	0.548654	0.548654	0.002	2.59820e+05	bidled	Fulsmetric	Upperapproximation	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	Cbar	schulze	quality	0.3444	min	-0.3444	spearman	0.518147	0.518147	0.002	2.21650e+05	bidled	Symmetric	Upperapproximation	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	Cbar	simpleavg	quality	0.2646	min	-0.2646	spearman	0.530299	0.530299	0.002	1.09990e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	Cbar	simpleavg	quality	0.2752	min	-0.2752	spearman	0.661997	0.661997	0.002	1.05280e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	Cbar	simpleavg	quality	0.3706	min	-0.3706	spearman	0.532644	0.532644	0.002	2.07960e+05	bidled	Fulsmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	Cbar	simpleavg	quality	0.4004	min	-0.4004	spearman	0.475644	0.475644	0.002	2.32500e+05	bidled	Fulsmetric	Upperapproximation	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	Cbar	simpleavg	quality	0.3954	min	-0.3954	spearman	0.5005824	0.5005824	0.002	2.39840e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	Cbar	simpleavg	quality	0.3896	min	-0.3896	spearman	0.5002908	0.5002908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	Cbar	simpleavg	quality	0.3894	min	-0.3894	spearman	0.5174649	0.5174649	0.002	2.25760e+05	bidled	Fulsmetric	Upperapproximation	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	Cbar	simpleavg	quality	0.3882	min	-0.3882	spearman	0.612495	0.612495	0.002	2.19480e+05	bidled	Fulsmetric	Upperapproximation	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	Cbar	simpleavg	quality	0.3858	min	-0.3858	spearman	0.548654	0.548654	0.002	2.59820e+05	bidled	Fulsmetric	Upperapproximation	10

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	Cbar	simpleavg	quality	0.3862	min	-0.3862	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximation	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	F	borda	quality	0.1818	max	0.1818	spearman	0.5300000	0.5002990	0.002	1.00900e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	F	borda	quality	0.1762	max	0.1762	spearman	0.6611007	0.6611995	0.002	1.00528e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	F	borda	quality	0.1856	max	0.1856	spearman	0.5326441	0.5033640	0.002	2.07060e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	F	borda	quality	0.1876	max	0.1876	spearman	0.4756441	0.4756441	0.002	2.02540e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	F	borda	quality	0.1782	max	0.1782	spearman	0.5005021	0.5058210	0.002	2.00880e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	F	borda	quality	0.1698	max	0.1698	spearman	0.5602008	0.5602998	0.002	2.01570e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	F	borda	quality	0.1634	max	0.1634	spearman	0.5746440	0.5746440	0.002	2.05570e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	F	borda	quality	0.1618	max	0.1618	spearman	0.6124051	0.6124950	0.002	2.19480e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	F	borda	quality	0.1616	max	0.1616	spearman	0.5486541	0.5486541	0.002	2.50820e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	F	borda	quality	0.158	max	0.158	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximation	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	F	kemeny	quality	0.1818	max	0.1818	spearman	0.5300000	0.5002990	0.002	1.00900e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	F	kemeny	quality	0.17	max	0.17	spearman	0.6611007	0.6611995	0.002	1.00528e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	F	kemeny	quality	0.175	max	0.175	spearman	0.5326441	0.5033640	0.002	2.07060e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	F	kemeny	quality	0.1874	max	0.1874	spearman	0.4756441	0.4756441	0.002	2.02540e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	F	kemeny	quality	0.1806	max	0.1806	spearman	0.5005021	0.5058210	0.002	2.00880e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	F	kemeny	quality	0.1716	max	0.1716	spearman	0.5602008	0.5602998	0.002	2.01570e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	F	kemeny	quality	0.1642	max	0.1642	spearman	0.5746440	0.5746440	0.002	2.05570e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	F	kemeny	quality	0.1574	max	0.1574	spearman	0.6124051	0.6124950	0.002	2.19480e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	F	kemeny	quality	0.1586	max	0.1586	spearman	0.5486541	0.5486541	0.002	2.50820e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	F	kemeny	quality	0.1556	max	0.1556	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximation	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	F	rrf	quality	0.1812	max	0.1812	spearman	0.5300000	0.5002990	0.002	1.00900e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	F	rrf	quality	0.1762	max	0.1762	spearman	0.6611007	0.6611995	0.002	1.00528e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	F	rrf	quality	0.1834	max	0.1834	spearman	0.5326441	0.5033640	0.002	2.07060e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	F	rrf	quality	0.1886	max	0.1886	spearman	0.4756441	0.4756441	0.002	2.02540e+05	bidled	Falsimetric	Upperapproximation	1

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	F	rrf	quality	0.1798	max	0.1798	spearman	0.5005824	0.5005824	0.002	2.39880e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	F	rrf	quality	0.1728	max	0.1728	spearman	0.5662908	0.5662908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	F	rrf	quality	0.1682	max	0.1682	spearman	0.5746649	0.5746649	0.002	2.25760e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	F	rrf	quality	0.1644	max	0.1644	spearman	0.612495	0.612495	0.002	2.19480e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	F	rrf	quality	0.1638	max	0.1638	spearman	0.548654	0.548654	0.002	2.59820e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	F	rrf	quality	0.1612	max	0.1612	spearman	0.518147	0.518147	0.002	2.31650e+05	bidled	Symmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	F	schulze	quality	0.1818	max	0.1818	spearman	0.530299	0.530299	0.002	1.09990e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	F	schulze	quality	0.1658	max	0.1658	spearman	0.661997	0.661997	0.002	1.05280e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	F	schulze	quality	0.1704	max	0.1704	spearman	0.532644	0.532644	0.002	2.07960e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	F	schulze	quality	0.1876	max	0.1876	spearman	0.475644	0.475644	0.002	2.32500e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	F	schulze	quality	0.181	max	0.181	spearman	0.5005824	0.5005824	0.002	2.39880e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	F	schulze	quality	0.175	max	0.175	spearman	0.5662908	0.5662908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	F	schulze	quality	0.1672	max	0.1672	spearman	0.5746649	0.5746649	0.002	2.25760e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	F	schulze	quality	0.1578	max	0.1578	spearman	0.612495	0.612495	0.002	2.19480e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	F	schulze	quality	0.1618	max	0.1618	spearman	0.548654	0.548654	0.002	2.59820e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	F	schulze	quality	0.1576	max	0.1576	spearman	0.518147	0.518147	0.002	2.31650e+05	bidled	Symmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	F	simpleavg	quality	0.1814	max	0.1814	spearman	0.530299	0.530299	0.002	1.09990e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	F	simpleavg	quality	0.1762	max	0.1762	spearman	0.661997	0.661997	0.002	1.05280e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	F	simpleavg	quality	0.1804	max	0.1804	spearman	0.532644	0.532644	0.002	2.07960e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	F	simpleavg	quality	0.1726	max	0.1726	spearman	0.475644	0.475644	0.002	2.32500e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	F	simpleavg	quality	0.1738	max	0.1738	spearman	0.5005824	0.5005824	0.002	2.39880e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	F	simpleavg	quality	0.1742	max	0.1742	spearman	0.5662908	0.5662908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	F	simpleavg	quality	0.1724	max	0.1724	spearman	0.5746649	0.5746649	0.002	2.25760e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	F	simpleavg	quality	0.1748	max	0.1748	spearman	0.612495	0.612495	0.002	2.19480e+05	bidled	Fulsmetric	Upperapproximation	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	F	simpleavg	quality	0.1736	max	0.1736	spearman	0.548654	0.548654	0.002	2.59820e+05	bidled	Fulsmetric	Upperapproximation	

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	F	simpleavg	quality	0.1726	max	0.1726	spearman	0.5118147	0.5181185	0.002	2.0165e+05	bidled	Symmetric	Upperapproximate	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	Fbar	borda	quality	0.1452	min	-0.1452	spearman	0.5300009	0.5002990	0.002	1.00900e+05	bidled	Fulsmetric	Upperapproximate	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	Fbar	borda	quality	0.1586	min	-0.1586	spearman	0.6611007	0.0611995	0.002	1.00528e+05	bidled	Fulsmetric	Upperapproximate	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	Fbar	borda	quality	0.1802	min	-0.1802	spearman	0.5326441	0.5030440	0.002	2.0706e+05	bidled	Fulsmetric	Upperapproximate	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	Fbar	borda	quality	0.1982	min	-0.1982	spearman	0.4756441	0.4756441	0.002	2.0254e+05	bidled	Fulsmetric	Upperapproximate	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	Fbar	borda	quality	0.2092	min	-0.2092	spearman	0.5055021	0.5055021	0.002	2.0088e+05	bidled	Fulsmetric	Upperapproximate	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	Fbar	borda	quality	0.2242	min	-0.2242	spearman	0.5602008	0.5602008	0.002	2.0177e+05	bidled	Fulsmetric	Upperapproximate	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	Fbar	borda	quality	0.2196	min	-0.2196	spearman	0.5746449	0.5746449	0.002	2.0576e+05	bidled	Fulsmetric	Upperapproximate	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	Fbar	borda	quality	0.2388	min	-0.2388	spearman	0.612405	0.012495	0.002	2.1948e+05	bidled	Fulsmetric	Upperapproximate	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	Fbar	borda	quality	0.2284	min	-0.2284	spearman	0.548654	0.548654	0.002	2.05082e+05	bidled	Fulsmetric	Upperapproximate	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	Fbar	borda	quality	0.2186	min	-0.2186	spearman	0.5118147	0.5181185	0.002	2.0165e+05	bidled	Symmetric	Upperapproximate	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	Fbar	kemeny	quality	0.1452	min	-0.1452	spearman	0.5300009	0.5002990	0.002	1.00900e+05	bidled	Fulsmetric	Upperapproximate	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	Fbar	kemeny	quality	0.1904	min	-0.1904	spearman	0.6611007	0.0611995	0.002	1.00528e+05	bidled	Fulsmetric	Upperapproximate	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	Fbar	kemeny	quality	0.165	min	-0.165	spearman	0.5326441	0.5030440	0.002	2.0706e+05	bidled	Fulsmetric	Upperapproximate	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	Fbar	kemeny	quality	0.1658	min	-0.1658	spearman	0.4756441	0.4756441	0.002	2.0254e+05	bidled	Fulsmetric	Upperapproximate	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	Fbar	kemeny	quality	0.1868	min	-0.1868	spearman	0.5055021	0.5055021	0.002	2.0088e+05	bidled	Fulsmetric	Upperapproximate	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	Fbar	kemeny	quality	0.2088	min	-0.2088	spearman	0.5602008	0.5602008	0.002	2.0177e+05	bidled	Fulsmetric	Upperapproximate	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	Fbar	kemeny	quality	0.2098	min	-0.2098	spearman	0.5746449	0.5746449	0.002	2.0576e+05	bidled	Fulsmetric	Upperapproximate	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	Fbar	kemeny	quality	0.2394	min	-0.2394	spearman	0.612405	0.012495	0.002	2.1948e+05	bidled	Fulsmetric	Upperapproximate	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	Fbar	kemeny	quality	0.2292	min	-0.2292	spearman	0.548654	0.548654	0.002	2.05082e+05	bidled	Fulsmetric	Upperapproximate	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	Fbar	kemeny	quality	0.2234	min	-0.2234	spearman	0.5118147	0.5181185	0.002	2.0165e+05	bidled	Symmetric	Upperapproximate	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	Fbar	rrf	quality	0.1424	min	-0.1424	spearman	0.5300009	0.5002990	0.002	1.00900e+05	bidled	Fulsmetric	Upperapproximate	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	Fbar	rrf	quality	0.1612	min	-0.1612	spearman	0.6611007	0.0611995	0.002	1.00528e+05	bidled	Fulsmetric	Upperapproximate	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	Fbar	rrf	quality	0.1606	min	-0.1606	spearman	0.5326441	0.5030440	0.002	2.0706e+05	bidled	Fulsmetric	Upperapproximate	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	Fbar	rrf	quality	0.1868	min	-0.1868	spearman	0.4756441	0.4756441	0.002	2.0254e+05	bidled	Fulsmetric	Upperapproximate	5

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	Fbar	rrf	quality	0.1964	min	-0.1964	spearman	0.5005824	0.5005824	0.002	2.39840e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	Fbar	rrf	quality	0.2046	min	-0.2046	spearman	0.5002908	0.5002908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	Fbar	rrf	quality	0.2076	min	-0.2076	spearman	0.5174649	0.5174649	0.002	2.25760e+05	bidled	Fulsmetric	Upperapproximation	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	Fbar	rrf	quality	0.2258	min	-0.2258	spearman	0.612495	0.612495	0.002	2.19480e+05	bidled	Fulsmetric	Upperapproximation	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	Fbar	rrf	quality	0.217	min	-0.217	spearman	0.548654	0.548654	0.002	2.59820e+05	bidled	Fulsmetric	Upperapproximation	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	Fbar	rrf	quality	0.2176	min	-0.2176	spearman	0.518147	0.518147	0.002	2.21650e+05	bidled	Symmetric	Upperapproximation	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	Fbar	schulze	quality	0.1452	min	-0.1452	spearman	0.530299	0.530299	0.002	1.09990e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	Fbar	schulze	quality	0.1786	min	-0.1786	spearman	0.661997	0.661997	0.002	1.05280e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	Fbar	schulze	quality	0.1726	min	-0.1726	spearman	0.532644	0.532644	0.002	2.07960e+05	bidled	Fulsmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	Fbar	schulze	quality	0.2018	min	-0.2018	spearman	0.475644	0.475644	0.002	2.32500e+05	bidled	Fulsmetric	Upperapproximation	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	Fbar	schulze	quality	0.1956	min	-0.1956	spearman	0.5005824	0.5005824	0.002	2.39840e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	Fbar	schulze	quality	0.1954	min	-0.1954	spearman	0.5002908	0.5002908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	Fbar	schulze	quality	0.2068	min	-0.2068	spearman	0.5174649	0.5174649	0.002	2.25760e+05	bidled	Fulsmetric	Upperapproximation	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	Fbar	schulze	quality	0.2342	min	-0.2342	spearman	0.612495	0.612495	0.002	2.19480e+05	bidled	Fulsmetric	Upperapproximation	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	Fbar	schulze	quality	0.2262	min	-0.2262	spearman	0.548654	0.548654	0.002	2.59820e+05	bidled	Fulsmetric	Upperapproximation	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	Fbar	schulze	quality	0.2182	min	-0.2182	spearman	0.518147	0.518147	0.002	2.21650e+05	bidled	Symmetric	Upperapproximation	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	Fbar	simpleavg	quality	0.15	min	-0.15	spearman	0.530299	0.530299	0.002	1.09990e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	Fbar	simpleavg	quality	0.1638	min	-0.1638	spearman	0.661997	0.661997	0.002	1.05280e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	Fbar	simpleavg	quality	0.238	min	-0.238	spearman	0.532644	0.532644	0.002	2.07960e+05	bidled	Fulsmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	Fbar	simpleavg	quality	0.2698	min	-0.2698	spearman	0.475644	0.475644	0.002	2.32500e+05	bidled	Fulsmetric	Upperapproximation	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	Fbar	simpleavg	quality	0.2632	min	-0.2632	spearman	0.5005824	0.5005824	0.002	2.39840e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	Fbar	simpleavg	quality	0.2592	min	-0.2592	spearman	0.5002908	0.5002908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	Fbar	simpleavg	quality	0.2574	min	-0.2574	spearman	0.5174649	0.5174649	0.002	2.25760e+05	bidled	Fulsmetric	Upperapproximation	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	Fbar	simpleavg	quality	0.2538	min	-0.2538	spearman	0.612495	0.612495	0.002	2.19480e+05	bidled	Fulsmetric	Upperapproximation	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	Fbar	simpleavg	quality	0.2494	min	-0.2494	spearman	0.548654	0.548654	0.002	2.59820e+05	bidled	Fulsmetric	Upperapproximation	10

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	Fbar	simpleavg	quality	0.251	min	-0.251	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximated	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversarial-sara-2-255	C	borda	robustness	-0.2158	max	-0.2158	spearman	0.5303099	0.5602990	0.002	1.00990e+05	bidled	Falsimetric	Upperapproximated	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversarial-sara-2-255	C	borda	robustness	-0.2178	max	-0.2178	spearman	0.6611997	0.6611995	0.002	1.00528e+05	bidled	Falsimetric	Upperapproximated	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversarial-sara-2-255	C	borda	robustness	-0.206	max	-0.206	spearman	0.5326441	0.5630410	0.002	2.07960e+05	bidled	Falsimetric	Upperapproximated	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversarial-sara-2-255	C	borda	robustness	-0.203	max	-0.203	spearman	0.4756441	0.4756441	0.002	2.02540e+05	bidled	Falsimetric	Upperapproximated	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversarial-sara-2-255	C	borda	robustness	-0.1974	max	-0.1974	spearman	0.5058921	0.5058921	0.002	2.09880e+05	bidled	Falsimetric	Upperapproximated	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversarial-sara-2-255	C	borda	robustness	-0.1924	max	-0.1924	spearman	0.5602008	0.5602998	0.002	2.01577e+05	bidled	Falsimetric	Upperapproximated	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversarial-sara-2-255	C	borda	robustness	-0.1898	max	-0.1898	spearman	0.5746449	0.5746440	0.002	2.05760e+05	bidled	Falsimetric	Upperapproximated	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversarial-sara-2-255	C	borda	robustness	-0.1886	max	-0.1886	spearman	0.6124051	0.6124950	0.002	2.19480e+05	bidled	Falsimetric	Upperapproximated	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversarial-sara-2-255	C	borda	robustness	-0.1884	max	-0.1884	spearman	0.5486541	0.5486541	0.002	2.59820e+05	bidled	Falsimetric	Upperapproximated	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversarial-sara-2-255	C	borda	robustness	-0.1882	max	-0.1882	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximated	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversarial-sara-2-255	C	kemeny	robustness	-0.2158	max	-0.2158	spearman	0.5303099	0.5602990	0.002	1.00990e+05	bidled	Falsimetric	Upperapproximated	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversarial-sara-2-255	C	kemeny	robustness	-0.2092	max	-0.2092	spearman	0.6611997	0.6611995	0.002	1.00528e+05	bidled	Falsimetric	Upperapproximated	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversarial-sara-2-255	C	kemeny	robustness	-0.2046	max	-0.2046	spearman	0.5326441	0.5630410	0.002	2.07960e+05	bidled	Falsimetric	Upperapproximated	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversarial-sara-2-255	C	kemeny	robustness	-0.2054	max	-0.2054	spearman	0.4756441	0.4756441	0.002	2.02540e+05	bidled	Falsimetric	Upperapproximated	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversarial-sara-2-255	C	kemeny	robustness	-0.2076	max	-0.2076	spearman	0.5058921	0.5058921	0.002	2.09880e+05	bidled	Falsimetric	Upperapproximated	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversarial-sara-2-255	C	kemeny	robustness	-0.1944	max	-0.1944	spearman	0.5602008	0.5602998	0.002	2.01577e+05	bidled	Falsimetric	Upperapproximated	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversarial-sara-2-255	C	kemeny	robustness	-0.1906	max	-0.1906	spearman	0.5746449	0.5746440	0.002	2.05760e+05	bidled	Falsimetric	Upperapproximated	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversarial-sara-2-255	C	kemeny	robustness	-0.189	max	-0.189	spearman	0.6124051	0.6124950	0.002	2.19480e+05	bidled	Falsimetric	Upperapproximated	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversarial-sara-2-255	C	kemeny	robustness	-0.1848	max	-0.1848	spearman	0.5486541	0.5486541	0.002	2.59820e+05	bidled	Falsimetric	Upperapproximated	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversarial-sara-2-255	C	kemeny	robustness	-0.179	max	-0.179	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximated	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversarial-sara-2-255	C	rrf	robustness	-0.2148	max	-0.2148	spearman	0.5303099	0.5602990	0.002	1.00990e+05	bidled	Falsimetric	Upperapproximated	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversarial-sara-2-255	C	rrf	robustness	-0.2164	max	-0.2164	spearman	0.6611997	0.6611995	0.002	1.00528e+05	bidled	Falsimetric	Upperapproximated	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversarial-sara-2-255	C	rrf	robustness	-0.2048	max	-0.2048	spearman	0.5326441	0.5630410	0.002	2.07960e+05	bidled	Falsimetric	Upperapproximated	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversarial-sara-2-255	C	rrf	robustness	-0.205	max	-0.205	spearman	0.4756441	0.4756441	0.002	2.02540e+05	bidled	Falsimetric	Upperapproximated	5

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria-sara-2-255	C	rrf	robustness	-0.1934	max	-0.1934	spearman	0.5005824	0.505824	0.002	2.3984e+05	bid	Fulsmetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria-sara-2-255	C	rrf	robustness	-0.193	max	-0.193	spearman	0.5002908	0.502998	0.002	2.2177e+05	bid	Fulsmetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria-sara-2-255	C	rrf	robustness	-0.1926	max	-0.1926	spearman	0.5174649	0.5174649	0.002	2.2576e+05	bid	Fulsmetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria-sara-2-255	C	rrf	robustness	-0.1872	max	-0.1872	spearman	0.612495	0.612495	0.002	2.1948e+05	bid	Fulsmetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria-sara-2-255	C	rrf	robustness	-0.1868	max	-0.1868	spearman	0.548654	0.548654	0.002	2.5982e+05	bid	Fulsmetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversaria-sara-2-255	C	rrf	robustness	-0.1914	max	-0.1914	spearman	0.518147	0.518147	0.002	2.3165e+05	bid	Symmetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversaria-sara-2-255	C	schulze	robustness	-0.2158	max	-0.2158	spearman	0.530299	0.530299	0.002	1.0999e+05	bid	Fulsmetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversaria-sara-2-255	C	schulze	robustness	-0.2092	max	-0.2092	spearman	0.661997	0.661997	0.002	1.0528e+05	bid	Fulsmetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversaria-sara-2-255	C	schulze	robustness	-0.206	max	-0.206	spearman	0.532644	0.533644	0.002	2.0796e+05	bid	Fulsmetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversaria-sara-2-255	C	schulze	robustness	-0.2016	max	-0.2016	spearman	0.475644	0.475644	0.002	2.3254e+05	bid	Fulsmetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria-sara-2-255	C	schulze	robustness	-0.2006	max	-0.2006	spearman	0.5005824	0.505824	0.002	2.3984e+05	bid	Fulsmetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria-sara-2-255	C	schulze	robustness	-0.1984	max	-0.1984	spearman	0.5002908	0.502998	0.002	2.2177e+05	bid	Fulsmetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria-sara-2-255	C	schulze	robustness	-0.1924	max	-0.1924	spearman	0.5174649	0.5174649	0.002	2.2576e+05	bid	Fulsmetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria-sara-2-255	C	schulze	robustness	-0.1846	max	-0.1846	spearman	0.612495	0.612495	0.002	2.1948e+05	bid	Fulsmetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria-sara-2-255	C	schulze	robustness	-0.187	max	-0.187	spearman	0.548654	0.548654	0.002	2.5982e+05	bid	Fulsmetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversaria-sara-2-255	C	schulze	robustness	-0.1864	max	-0.1864	spearman	0.518147	0.518147	0.002	2.3165e+05	bid	Symmetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversaria-sara-2-255	C	simpleavg	robustness	-0.2124	max	-0.2124	spearman	0.530299	0.530299	0.002	1.0999e+05	bid	Fulsmetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversaria-sara-2-255	C	simpleavg	robustness	-0.2144	max	-0.2144	spearman	0.661997	0.661997	0.002	1.0528e+05	bid	Fulsmetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversaria-sara-2-255	C	simpleavg	robustness	-0.1882	max	-0.1882	spearman	0.532644	0.533644	0.002	2.0796e+05	bid	Fulsmetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversaria-sara-2-255	C	simpleavg	robustness	-0.1732	max	-0.1732	spearman	0.475644	0.475644	0.002	2.3254e+05	bid	Fulsmetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria-sara-2-255	C	simpleavg	robustness	-0.175	max	-0.175	spearman	0.5005824	0.505824	0.002	2.3984e+05	bid	Fulsmetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria-sara-2-255	C	simpleavg	robustness	-0.1776	max	-0.1776	spearman	0.5002908	0.502998	0.002	2.2177e+05	bid	Fulsmetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria-sara-2-255	C	simpleavg	robustness	-0.173	max	-0.173	spearman	0.5174649	0.5174649	0.002	2.2576e+05	bid	Fulsmetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria-sara-2-255	C	simpleavg	robustness	-0.1804	max	-0.1804	spearman	0.612495	0.612495	0.002	2.1948e+05	bid	Fulsmetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria-sara-2-255	C	simpleavg	robustness	-0.1784	max	-0.1784	spearman	0.548654	0.548654	0.002	2.5982e+05	bid	Fulsmetric	Upperapproximation	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversaria-sara-2-255	C	simpleavg	robustness	-0.1768	max	-0.1768	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversaria-sara-2-255	Cbar	borda	robustness	0.0586	max	0.0586	spearman	0.5300000	0.5002990	0.002	1.00900e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversaria-sara-2-255	Cbar	borda	robustness	0.0534	max	0.0534	spearman	0.6611007	0.0611995	0.002	1.00528e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversaria-sara-2-255	Cbar	borda	robustness	0.0712	max	0.0712	spearman	0.532644	0.5030440	0.002	2.07060e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversaria-sara-2-255	Cbar	borda	robustness	0.072	max	0.072	spearman	0.475644	0.4750440	0.002	2.02540e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria-sara-2-255	Cbar	borda	robustness	0.0676	max	0.0676	spearman	0.5050024	0.5058240	0.002	2.00880e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria-sara-2-255	Cbar	borda	robustness	0.0694	max	0.0694	spearman	0.5600008	0.5602998	0.002	2.01570e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria-sara-2-255	Cbar	borda	robustness	0.0584	max	0.0584	spearman	0.574644	0.5740440	0.002	2.02570e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria-sara-2-255	Cbar	borda	robustness	0.0596	max	0.0596	spearman	0.612405	0.612495	0.002	2.19480e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria-sara-2-255	Cbar	borda	robustness	0.0496	max	0.0496	spearman	0.548654	0.5480540	0.002	2.50820e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversaria-sara-2-255	Cbar	borda	robustness	0.0532	max	0.0532	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversaria-sara-2-255	Cbar	kemeny	robustness	0.0586	max	0.0586	spearman	0.5300000	0.5002990	0.002	1.00900e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversaria-sara-2-255	Cbar	kemeny	robustness	0.039	max	0.039	spearman	0.6611007	0.0611995	0.002	1.00528e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversaria-sara-2-255	Cbar	kemeny	robustness	0.0402	max	0.0402	spearman	0.532644	0.5030440	0.002	2.07060e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversaria-sara-2-255	Cbar	kemeny	robustness	0.0746	max	0.0746	spearman	0.475644	0.4750440	0.002	2.02540e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria-sara-2-255	Cbar	kemeny	robustness	0.0714	max	0.0714	spearman	0.5050024	0.5058240	0.002	2.00880e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria-sara-2-255	Cbar	kemeny	robustness	0.0588	max	0.0588	spearman	0.5600008	0.5602998	0.002	2.01570e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria-sara-2-255	Cbar	kemeny	robustness	0.0544	max	0.0544	spearman	0.574644	0.5740440	0.002	2.02570e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria-sara-2-255	Cbar	kemeny	robustness	0.0546	max	0.0546	spearman	0.612405	0.612495	0.002	2.19480e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria-sara-2-255	Cbar	kemeny	robustness	0.0552	max	0.0552	spearman	0.548654	0.5480540	0.002	2.50820e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversaria-sara-2-255	Cbar	kemeny	robustness	0.0492	max	0.0492	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversaria-sara-2-255	Cbar	rrf	robustness	0.0606	max	0.0606	spearman	0.5300000	0.5002990	0.002	1.00900e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversaria-sara-2-255	Cbar	rrf	robustness	0.0524	max	0.0524	spearman	0.6611007	0.0611995	0.002	1.00528e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversaria-sara-2-255	Cbar	rrf	robustness	0.0638	max	0.0638	spearman	0.532644	0.5030440	0.002	2.07060e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversaria-sara-2-255	Cbar	rrf	robustness	0.0754	max	0.0754	spearman	0.475644	0.4750440	0.002	2.02540e+05	bidled	Falsimetric	Upperapproximation	6

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria-sara-2-255	Cbar	rrf	robustness	0.0784	max	0.0784	spearman	0.5005824	0.505824	0.002	2.3984e+05	bidled	Falsmetric	Upperproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria-sara-2-255	Cbar	rrf	robustness	0.0604	max	0.0604	spearman	0.5662908	0.5662908	0.002	2.21577e+05	bidled	Falsmetric	Upperproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria-sara-2-255	Cbar	rrf	robustness	0.0644	max	0.0644	spearman	0.574649	0.574649	0.002	2.2576e+05	bidled	Falsmetric	Upperproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria-sara-2-255	Cbar	rrf	robustness	0.0634	max	0.0634	spearman	0.612495	0.612495	0.002	2.1948e+05	bidled	Falsmetric	Upperproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria-sara-2-255	Cbar	rrf	robustness	0.0502	max	0.0502	spearman	0.548654	0.548654	0.002	2.5982e+05	bidled	Falsmetric	Upperproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversaria-sara-2-255	Cbar	rrf	robustness	0.0608	max	0.0608	spearman	0.518147	0.518147	0.002	2.3165e+05	bidled	Symmetric	Upperproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversaria-sara-2-255	Cbar	schulze	robustness	0.0586	max	0.0586	spearman	0.530299	0.530299	0.002	1.0999e+05	bidled	Falsmetric	Upperproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversaria-sara-2-255	Cbar	schulze	robustness	0.0358	max	0.0358	spearman	0.661997	0.661997	0.002	1.0528e+05	bidled	Falsmetric	Upperproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversaria-sara-2-255	Cbar	schulze	robustness	0.0508	max	0.0508	spearman	0.532644	0.533644	0.002	2.0796e+05	bidled	Falsmetric	Upperproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversaria-sara-2-255	Cbar	schulze	robustness	0.0798	max	0.0798	spearman	0.475644	0.475644	0.002	2.3254e+05	bidled	Falsmetric	Upperproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria-sara-2-255	Cbar	schulze	robustness	0.067	max	0.067	spearman	0.5005824	0.505824	0.002	2.3984e+05	bidled	Falsmetric	Upperproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria-sara-2-255	Cbar	schulze	robustness	0.063	max	0.063	spearman	0.5662908	0.5662908	0.002	2.21577e+05	bidled	Falsmetric	Upperproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria-sara-2-255	Cbar	schulze	robustness	0.0582	max	0.0582	spearman	0.574649	0.574649	0.002	2.2576e+05	bidled	Falsmetric	Upperproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria-sara-2-255	Cbar	schulze	robustness	0.0426	max	0.0426	spearman	0.612495	0.612495	0.002	2.1948e+05	bidled	Falsmetric	Upperproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria-sara-2-255	Cbar	schulze	robustness	0.0486	max	0.0486	spearman	0.548654	0.548654	0.002	2.5982e+05	bidled	Falsmetric	Upperproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversaria-sara-2-255	Cbar	schulze	robustness	0.0506	max	0.0506	spearman	0.518147	0.518147	0.002	2.3165e+05	bidled	Symmetric	Upperproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversaria-sara-2-255	Cbar	simpleavg	robustness	0.0592	max	0.0592	spearman	0.530299	0.530299	0.002	1.0999e+05	bidled	Falsmetric	Upperproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversaria-sara-2-255	Cbar	simpleavg	robustness	0.0534	max	0.0534	spearman	0.661997	0.661997	0.002	1.0528e+05	bidled	Falsmetric	Upperproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversaria-sara-2-255	Cbar	simpleavg	robustness	0.0788	max	0.0788	spearman	0.532644	0.533644	0.002	2.0796e+05	bidled	Falsmetric	Upperproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversaria-sara-2-255	Cbar	simpleavg	robustness	0.0784	max	0.0784	spearman	0.475644	0.475644	0.002	2.3254e+05	bidled	Falsmetric	Upperproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria-sara-2-255	Cbar	simpleavg	robustness	0.0784	max	0.0784	spearman	0.5005824	0.505824	0.002	2.3984e+05	bidled	Falsmetric	Upperproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria-sara-2-255	Cbar	simpleavg	robustness	0.0756	max	0.0756	spearman	0.5662908	0.5662908	0.002	2.21577e+05	bidled	Falsmetric	Upperproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria-sara-2-255	Cbar	simpleavg	robustness	0.0786	max	0.0786	spearman	0.574649	0.574649	0.002	2.2576e+05	bidled	Falsmetric	Upperproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria-sara-2-255	Cbar	simpleavg	robustness	0.0746	max	0.0746	spearman	0.612495	0.612495	0.002	2.1948e+05	bidled	Falsmetric	Upperproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria-sara-2-255	Cbar	simpleavg	robustness	0.0752	max	0.0752	spearman	0.548654	0.548654	0.002	2.5982e+05	bidled	Falsmetric	Upperproximatio	6

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversaria-sara-2-255	Cbar	simpleavg	robustness	0.0754	max	0.0754	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversaria-sara-2-255	F	borda	robustness	-0.116	max	-0.116	spearman	0.5302009	0.5602990	0.002	1.00990e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversaria-sara-2-255	F	borda	robustness	-0.115	max	-0.115	spearman	0.6611007	0.6611995	0.002	1.00528e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversaria-sara-2-255	F	borda	robustness	-0.11	max	-0.11	spearman	0.5326441	0.5636440	0.002	2.07960e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversaria-sara-2-255	F	borda	robustness	-0.1108	max	-0.1108	spearman	0.4756441	0.4756440	0.002	2.02540e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria-sara-2-255	F	borda	robustness	-0.1042	max	-0.1042	spearman	0.5058921	0.5058920	0.002	2.00880e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria-sara-2-255	F	borda	robustness	-0.099	max	-0.099	spearman	0.5602008	0.5602990	0.002	2.01577e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria-sara-2-255	F	borda	robustness	-0.094	max	-0.094	spearman	0.5746449	0.5746440	0.002	2.05760e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria-sara-2-255	F	borda	robustness	-0.0972	max	-0.0972	spearman	0.6124051	0.6124950	0.002	2.19480e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria-sara-2-255	F	borda	robustness	-0.0972	max	-0.0972	spearman	0.5486541	0.5486540	0.002	2.59820e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversaria-sara-2-255	F	borda	robustness	-0.095	max	-0.095	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversaria-sara-2-255	F	kemeny	robustness	-0.116	max	-0.116	spearman	0.5302009	0.5602990	0.002	1.00990e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversaria-sara-2-255	F	kemeny	robustness	-0.1114	max	-0.1114	spearman	0.6611007	0.6611995	0.002	1.00528e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversaria-sara-2-255	F	kemeny	robustness	-0.1066	max	-0.1066	spearman	0.5326441	0.5636440	0.002	2.07960e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversaria-sara-2-255	F	kemeny	robustness	-0.1106	max	-0.1106	spearman	0.4756441	0.4756440	0.002	2.02540e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria-sara-2-255	F	kemeny	robustness	-0.11	max	-0.11	spearman	0.5058921	0.5058920	0.002	2.00880e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria-sara-2-255	F	kemeny	robustness	-0.1036	max	-0.1036	spearman	0.5602008	0.5602990	0.002	2.01577e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria-sara-2-255	F	kemeny	robustness	-0.0982	max	-0.0982	spearman	0.5746449	0.5746440	0.002	2.05760e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria-sara-2-255	F	kemeny	robustness	-0.0972	max	-0.0972	spearman	0.6124051	0.6124950	0.002	2.19480e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria-sara-2-255	F	kemeny	robustness	-0.0958	max	-0.0958	spearman	0.5486541	0.5486540	0.002	2.59820e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversaria-sara-2-255	F	kemeny	robustness	-0.0904	max	-0.0904	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversaria-sara-2-255	F	rrf	robustness	-0.116	max	-0.116	spearman	0.5302009	0.5602990	0.002	1.00990e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversaria-sara-2-255	F	rrf	robustness	-0.114	max	-0.114	spearman	0.6611007	0.6611995	0.002	1.00528e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversaria-sara-2-255	F	rrf	robustness	-0.1104	max	-0.1104	spearman	0.5326441	0.5636440	0.002	2.07960e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversaria-sara-2-255	F	rrf	robustness	-0.1102	max	-0.1102	spearman	0.4756441	0.4756440	0.002	2.02540e+05	bidled	Falsimetric	Upperapproximation	1

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria-sara-2-255	F	rrf	robustness	-0.1032	max	-0.1032	spearman	0.5005824	0.505824	0.002	2.3984e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria-sara-2-255	F	rrf	robustness	-0.1004	max	-0.1004	spearman	0.5602068	0.5602068	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria-sara-2-255	F	rrf	robustness	-0.0994	max	-0.0994	spearman	0.574649	0.574649	0.002	2.2576e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria-sara-2-255	F	rrf	robustness	-0.097	max	-0.097	spearman	0.612465	0.612495	0.002	2.1948e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria-sara-2-255	F	rrf	robustness	-0.097	max	-0.097	spearman	0.548654	0.548654	0.002	2.5982e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversaria-sara-2-255	F	rrf	robustness	-0.0956	max	-0.0956	spearman	0.518147	0.518147	0.002	2.3165e+05	bidled	Symmetric	Upperapproximati	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversaria-sara-2-255	F	schulze	robustness	-0.116	max	-0.116	spearman	0.530209	0.530209	0.002	1.0999e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversaria-sara-2-255	F	schulze	robustness	-0.1058	max	-0.1058	spearman	0.661997	0.661997	0.002	1.0528e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversaria-sara-2-255	F	schulze	robustness	-0.1046	max	-0.1046	spearman	0.532644	0.533644	0.002	2.0796e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversaria-sara-2-255	F	schulze	robustness	-0.1092	max	-0.1092	spearman	0.475644	0.475644	0.002	2.3254e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria-sara-2-255	F	schulze	robustness	-0.108	max	-0.108	spearman	0.5005824	0.505824	0.002	2.3984e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria-sara-2-255	F	schulze	robustness	-0.102	max	-0.102	spearman	0.5602068	0.5602068	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria-sara-2-255	F	schulze	robustness	-0.1004	max	-0.1004	spearman	0.574649	0.574649	0.002	2.2576e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria-sara-2-255	F	schulze	robustness	-0.0968	max	-0.0968	spearman	0.612465	0.612495	0.002	2.1948e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria-sara-2-255	F	schulze	robustness	-0.0974	max	-0.0974	spearman	0.548654	0.548654	0.002	2.5982e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversaria-sara-2-255	F	schulze	robustness	-0.0926	max	-0.0926	spearman	0.518147	0.518147	0.002	2.3165e+05	bidled	Symmetric	Upperapproximati	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversaria-sara-2-255	F	simpleavg	robustness	-0.1148	max	-0.1148	spearman	0.530209	0.530209	0.002	1.0999e+05	bidled	Fulsmetric	Upperapproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversaria-sara-2-255	F	simpleavg	robustness	-0.1154	max	-0.1154	spearman	0.661997	0.661997	0.002	1.0528e+05	bidled	Fulsmetric	Upperapproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversaria-sara-2-255	F	simpleavg	robustness	-0.097	max	-0.097	spearman	0.532644	0.533644	0.002	2.0796e+05	bidled	Fulsmetric	Upperapproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversaria-sara-2-255	F	simpleavg	robustness	-0.0908	max	-0.0908	spearman	0.475644	0.475644	0.002	2.3254e+05	bidled	Fulsmetric	Upperapproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria-sara-2-255	F	simpleavg	robustness	-0.0934	max	-0.0934	spearman	0.5005824	0.505824	0.002	2.3984e+05	bidled	Fulsmetric	Upperapproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria-sara-2-255	F	simpleavg	robustness	-0.094	max	-0.094	spearman	0.5602068	0.5602068	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria-sara-2-255	F	simpleavg	robustness	-0.0912	max	-0.0912	spearman	0.574649	0.574649	0.002	2.2576e+05	bidled	Fulsmetric	Upperapproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria-sara-2-255	F	simpleavg	robustness	-0.0964	max	-0.0964	spearman	0.612465	0.612495	0.002	2.1948e+05	bidled	Fulsmetric	Upperapproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria-sara-2-255	F	simpleavg	robustness	-0.096	max	-0.096	spearman	0.548654	0.548654	0.002	2.5982e+05	bidled	Fulsmetric	Upperapproximati	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversaria	F	simpleavg	robustness	-0.0944	max	-0.0944	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversaria	Fbar	borda	robustness	0.0232	max	0.0232	spearman	0.5303009	0.5602990	0.002	1.09990e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversaria	Fbar	borda	robustness	0.0222	max	0.0222	spearman	0.6611007	0.6619995	0.002	1.05280e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversaria	Fbar	borda	robustness	0.0302	max	0.0302	spearman	0.5326441	0.5636440	0.002	2.07960e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversaria	Fbar	borda	robustness	0.0262	max	0.0262	spearman	0.4756441	0.4756440	0.002	2.02540e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria	Fbar	borda	robustness	0.0324	max	0.0324	spearman	0.5058021	0.5058020	0.002	2.09880e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria	Fbar	borda	robustness	0.0316	max	0.0316	spearman	0.5602008	0.5602998	0.002	2.21570e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria	Fbar	borda	robustness	0.0198	max	0.0198	spearman	0.5746449	0.5746440	0.002	2.25760e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria	Fbar	borda	robustness	0.0234	max	0.0234	spearman	0.6124005	0.6124995	0.002	2.19480e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria	Fbar	borda	robustness	0.0212	max	0.0212	spearman	0.5486541	0.5486540	0.002	2.59820e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversaria	Fbar	borda	robustness	0.019	max	0.019	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversaria	Fbar	kemeny	robustness	0.0232	max	0.0232	spearman	0.5303009	0.5602990	0.002	1.09990e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversaria	Fbar	kemeny	robustness	0.0118	max	0.0118	spearman	0.6611007	0.6619995	0.002	1.05280e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversaria	Fbar	kemeny	robustness	0.0088	max	0.0088	spearman	0.5326441	0.5636440	0.002	2.07960e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversaria	Fbar	kemeny	robustness	0.0272	max	0.0272	spearman	0.4756441	0.4756440	0.002	2.02540e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria	Fbar	kemeny	robustness	0.036	max	0.036	spearman	0.5058021	0.5058020	0.002	2.09880e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria	Fbar	kemeny	robustness	0.0258	max	0.0258	spearman	0.5602008	0.5602998	0.002	2.21570e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria	Fbar	kemeny	robustness	0.0214	max	0.0214	spearman	0.5746449	0.5746440	0.002	2.25760e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria	Fbar	kemeny	robustness	0.0238	max	0.0238	spearman	0.6124005	0.6124995	0.002	2.19480e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria	Fbar	kemeny	robustness	0.0226	max	0.0226	spearman	0.5486541	0.5486540	0.002	2.59820e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversaria	Fbar	kemeny	robustness	0.015	max	0.015	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversaria	Fbar	rrf	robustness	0.0234	max	0.0234	spearman	0.5303009	0.5602990	0.002	1.09990e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversaria	Fbar	rrf	robustness	0.0202	max	0.0202	spearman	0.6611007	0.6619995	0.002	1.05280e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversaria	Fbar	rrf	robustness	0.026	max	0.026	spearman	0.5326441	0.5636440	0.002	2.07960e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversaria	Fbar	rrf	robustness	0.032	max	0.032	spearman	0.4756441	0.4756440	0.002	2.02540e+05	bidled	Falsimetric	Upperapproximation	6

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria-sara-2-255	Fbar	rrf	robustness	0.0382	max	0.0382	spearman	0.5005824	0.505824	0.002	2.3988e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria-sara-2-255	Fbar	rrf	robustness	0.0252	max	0.0252	spearman	0.5602908	0.5602908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria-sara-2-255	Fbar	rrf	robustness	0.024	max	0.024	spearman	0.574649	0.574649	0.002	2.2576e+05	bidled	Fulsmetric	Upperapproximation	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria-sara-2-255	Fbar	rrf	robustness	0.0232	max	0.0232	spearman	0.612495	0.612495	0.002	2.1948e+05	bidled	Fulsmetric	Upperapproximation	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria-sara-2-255	Fbar	rrf	robustness	0.0202	max	0.0202	spearman	0.548654	0.548654	0.002	2.5982e+05	bidled	Fulsmetric	Upperapproximation	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversaria-sara-2-255	Fbar	rrf	robustness	0.0246	max	0.0246	spearman	0.518147	0.518147	0.002	2.3165e+05	bidled	Symmetric	Upperapproximation	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversaria-sara-2-255	Fbar	schulze	robustness	0.0232	max	0.0232	spearman	0.530299	0.530299	0.002	1.0999e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversaria-sara-2-255	Fbar	schulze	robustness	0.0066	max	0.0066	spearman	0.661997	0.661997	0.002	1.0528e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversaria-sara-2-255	Fbar	schulze	robustness	0.0142	max	0.0142	spearman	0.532644	0.533644	0.002	2.0796e+05	bidled	Fulsmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversaria-sara-2-255	Fbar	schulze	robustness	0.0352	max	0.0352	spearman	0.475644	0.475644	0.002	2.3258e+05	bidled	Fulsmetric	Upperapproximation	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria-sara-2-255	Fbar	schulze	robustness	0.0288	max	0.0288	spearman	0.5005824	0.505824	0.002	2.3988e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria-sara-2-255	Fbar	schulze	robustness	0.0254	max	0.0254	spearman	0.5602908	0.5602908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria-sara-2-255	Fbar	schulze	robustness	0.0202	max	0.0202	spearman	0.574649	0.574649	0.002	2.2576e+05	bidled	Fulsmetric	Upperapproximation	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria-sara-2-255	Fbar	schulze	robustness	0.014	max	0.014	spearman	0.612495	0.612495	0.002	2.1948e+05	bidled	Fulsmetric	Upperapproximation	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria-sara-2-255	Fbar	schulze	robustness	0.0146	max	0.0146	spearman	0.548654	0.548654	0.002	2.5982e+05	bidled	Fulsmetric	Upperapproximation	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversaria-sara-2-255	Fbar	schulze	robustness	0.017	max	0.017	spearman	0.518147	0.518147	0.002	2.3165e+05	bidled	Symmetric	Upperapproximation	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversaria-sara-2-255	Fbar	simpleavg	robustness	0.0244	max	0.0244	spearman	0.530299	0.530299	0.002	1.0999e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversaria-sara-2-255	Fbar	simpleavg	robustness	0.0182	max	0.0182	spearman	0.661997	0.661997	0.002	1.0528e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversaria-sara-2-255	Fbar	simpleavg	robustness	0.034	max	0.034	spearman	0.532644	0.533644	0.002	2.0796e+05	bidled	Fulsmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversaria-sara-2-255	Fbar	simpleavg	robustness	0.0428	max	0.0428	spearman	0.475644	0.475644	0.002	2.3258e+05	bidled	Fulsmetric	Upperapproximation	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria-sara-2-255	Fbar	simpleavg	robustness	0.0414	max	0.0414	spearman	0.5005824	0.505824	0.002	2.3988e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria-sara-2-255	Fbar	simpleavg	robustness	0.037	max	0.037	spearman	0.5602908	0.5602908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria-sara-2-255	Fbar	simpleavg	robustness	0.0394	max	0.0394	spearman	0.574649	0.574649	0.002	2.2576e+05	bidled	Fulsmetric	Upperapproximation	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria-sara-2-255	Fbar	simpleavg	robustness	0.0338	max	0.0338	spearman	0.612495	0.612495	0.002	2.1948e+05	bidled	Fulsmetric	Upperapproximation	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria-sara-2-255	Fbar	simpleavg	robustness	0.0324	max	0.0324	spearman	0.548654	0.548654	0.002	2.5982e+05	bidled	Fulsmetric	Upperapproximation	10

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversarial	Fbar	simpleavg	robustness	0.0338	max	0.0338	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	C	borda	robustness	0.3244	max	0.3244	spearman	0.5300000	0.5002960	0.002	1.00900e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	C	borda	robustness	0.3176	max	0.3176	spearman	0.6611007	0.6611995	0.002	1.00528e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	C	borda	robustness	0.3338	max	0.3338	spearman	0.5326441	0.5030910	0.002	2.00700e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	C	borda	robustness	0.3406	max	0.3406	spearman	0.4756441	0.4756914	0.002	2.02500e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	C	borda	robustness	0.3474	max	0.3474	spearman	0.5050021	0.5050210	0.002	2.00800e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	C	borda	robustness	0.3452	max	0.3452	spearman	0.5600008	0.5602998	0.002	2.01570e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	C	borda	robustness	0.3422	max	0.3422	spearman	0.5746440	0.5746910	0.002	2.02570e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	C	borda	robustness	0.3418	max	0.3418	spearman	0.6124005	0.6124995	0.002	2.01940e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	C	borda	robustness	0.3396	max	0.3396	spearman	0.5480054	0.5480544	0.002	2.00820e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	C	borda	robustness	0.3384	max	0.3384	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	C	kemeny	robustness	0.3244	max	0.3244	spearman	0.5300000	0.5002960	0.002	1.00900e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	C	kemeny	robustness	0.328	max	0.328	spearman	0.6611007	0.6611995	0.002	1.00528e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	C	kemeny	robustness	0.329	max	0.329	spearman	0.5326441	0.5030910	0.002	2.00700e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	C	kemeny	robustness	0.332	max	0.332	spearman	0.4756441	0.4756914	0.002	2.02500e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	C	kemeny	robustness	0.317	max	0.317	spearman	0.5050021	0.5050210	0.002	2.00800e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	C	kemeny	robustness	0.3358	max	0.3358	spearman	0.5600008	0.5602998	0.002	2.01570e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	C	kemeny	robustness	0.3284	max	0.3284	spearman	0.5746440	0.5746910	0.002	2.02570e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	C	kemeny	robustness	0.3278	max	0.3278	spearman	0.6124005	0.6124995	0.002	2.01940e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	C	kemeny	robustness	0.323	max	0.323	spearman	0.5480054	0.5480544	0.002	2.00820e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	C	kemeny	robustness	0.3296	max	0.3296	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	C	rrf	robustness	0.327	max	0.327	spearman	0.5300000	0.5002960	0.002	1.00900e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	C	rrf	robustness	0.3156	max	0.3156	spearman	0.6611007	0.6611995	0.002	1.00528e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	C	rrf	robustness	0.333	max	0.333	spearman	0.5326441	0.5030910	0.002	2.00700e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	C	rrf	robustness	0.3352	max	0.3352	spearman	0.4756441	0.4756914	0.002	2.02500e+05	bidled	Fulsmetric	Upperapproximation	6

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	C	rrf	robustness	0.3436	max	0.3436	spearman	0.5005824	0.5005824	0.002	2.39880e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	C	rrf	robustness	0.337	max	0.337	spearman	0.5602908	0.5602908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	C	rrf	robustness	0.3348	max	0.3348	spearman	0.574649	0.574649	0.002	2.25760e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	C	rrf	robustness	0.3324	max	0.3324	spearman	0.612495	0.612495	0.002	2.19480e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	C	rrf	robustness	0.3322	max	0.3322	spearman	0.548654	0.548654	0.002	2.59820e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	C	rrf	robustness	0.3286	max	0.3286	spearman	0.518147	0.518147	0.002	2.31650e+05	bidled	Symmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	C	schulze	robustness	0.3244	max	0.3244	spearman	0.530299	0.530299	0.002	1.09990e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	C	schulze	robustness	0.3282	max	0.3282	spearman	0.661997	0.661997	0.002	1.05280e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	C	schulze	robustness	0.3238	max	0.3238	spearman	0.532644	0.532644	0.002	2.07960e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	C	schulze	robustness	0.337	max	0.337	spearman	0.475644	0.475644	0.002	2.32500e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	C	schulze	robustness	0.339	max	0.339	spearman	0.5005824	0.5005824	0.002	2.39880e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	C	schulze	robustness	0.3246	max	0.3246	spearman	0.5602908	0.5602908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	C	schulze	robustness	0.325	max	0.325	spearman	0.574649	0.574649	0.002	2.25760e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	C	schulze	robustness	0.3328	max	0.3328	spearman	0.612495	0.612495	0.002	2.19480e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	C	schulze	robustness	0.3246	max	0.3246	spearman	0.548654	0.548654	0.002	2.59820e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	C	schulze	robustness	0.3296	max	0.3296	spearman	0.518147	0.518147	0.002	2.31650e+05	bidled	Symmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	C	simpleavg	robustness	0.3246	max	0.3246	spearman	0.530299	0.530299	0.002	1.09990e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	C	simpleavg	robustness	0.3284	max	0.3284	spearman	0.661997	0.661997	0.002	1.05280e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	C	simpleavg	robustness	0.3372	max	0.3372	spearman	0.532644	0.532644	0.002	2.07960e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	C	simpleavg	robustness	0.347	max	0.347	spearman	0.475644	0.475644	0.002	2.32500e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	C	simpleavg	robustness	0.3478	max	0.3478	spearman	0.5005824	0.5005824	0.002	2.39880e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	C	simpleavg	robustness	0.3448	max	0.3448	spearman	0.5602908	0.5602908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	C	simpleavg	robustness	0.35	max	0.35	spearman	0.574649	0.574649	0.002	2.25760e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	C	simpleavg	robustness	0.3408	max	0.3408	spearman	0.612495	0.612495	0.002	2.19480e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	C	simpleavg	robustness	0.3452	max	0.3452	spearman	0.548654	0.548654	0.002	2.59820e+05	bidled	Fulsmetric	Upperapproximation	6

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	C	simpleavg	robustness	0.3474	max	0.3474	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximation	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	Cbar	borda	robustness	-0.3204	max	-0.3204	spearman	0.5300000	0.5002960	0.002	1.00900e+05	bidled	Falsimetric	Upperapproximation	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	Cbar	borda	robustness	-0.3134	max	-0.3134	spearman	0.6611007	0.6611995	0.002	1.00528e+05	bidled	Falsimetric	Upperapproximation	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	Cbar	borda	robustness	-0.3262	max	-0.3262	spearman	0.5326441	0.5030440	0.002	2.07060e+05	bidled	Falsimetric	Upperapproximation	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	Cbar	borda	robustness	-0.3498	max	-0.3498	spearman	0.4756441	0.4756441	0.002	2.02500e+05	bidled	Falsimetric	Upperapproximation	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	Cbar	borda	robustness	-0.3358	max	-0.3358	spearman	0.5050001	0.5058210	0.002	2.00980e+05	bidled	Falsimetric	Upperapproximation	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	Cbar	borda	robustness	-0.3202	max	-0.3202	spearman	0.5600008	0.5602998	0.002	2.01570e+05	bidled	Falsimetric	Upperapproximation	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	Cbar	borda	robustness	-0.319	max	-0.319	spearman	0.5746040	0.5746040	0.002	2.05700e+05	bidled	Falsimetric	Upperapproximation	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	Cbar	borda	robustness	-0.2942	max	-0.2942	spearman	0.6124005	0.6124995	0.002	2.10400e+05	bidled	Falsimetric	Upperapproximation	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	Cbar	borda	robustness	-0.314	max	-0.314	spearman	0.5486054	0.5486054	0.002	2.05082e+05	bidled	Falsimetric	Upperapproximation	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	Cbar	borda	robustness	-0.3208	max	-0.3208	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximation	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	Cbar	kemeny	robustness	-0.3204	max	-0.3204	spearman	0.5300000	0.5002960	0.002	1.00900e+05	bidled	Falsimetric	Upperapproximation	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	Cbar	kemeny	robustness	-0.2782	max	-0.2782	spearman	0.6611007	0.6611995	0.002	1.00528e+05	bidled	Falsimetric	Upperapproximation	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	Cbar	kemeny	robustness	-0.3086	max	-0.3086	spearman	0.5326441	0.5030440	0.002	2.07060e+05	bidled	Falsimetric	Upperapproximation	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	Cbar	kemeny	robustness	-0.3062	max	-0.3062	spearman	0.4756441	0.4756441	0.002	2.02500e+05	bidled	Falsimetric	Upperapproximation	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	Cbar	kemeny	robustness	-0.2952	max	-0.2952	spearman	0.5050001	0.5058210	0.002	2.00980e+05	bidled	Falsimetric	Upperapproximation	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	Cbar	kemeny	robustness	-0.2846	max	-0.2846	spearman	0.5600008	0.5602998	0.002	2.01570e+05	bidled	Falsimetric	Upperapproximation	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	Cbar	kemeny	robustness	-0.2932	max	-0.2932	spearman	0.5746040	0.5746040	0.002	2.05700e+05	bidled	Falsimetric	Upperapproximation	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	Cbar	kemeny	robustness	-0.2642	max	-0.2642	spearman	0.6124005	0.6124995	0.002	2.10400e+05	bidled	Falsimetric	Upperapproximation	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	Cbar	kemeny	robustness	-0.2816	max	-0.2816	spearman	0.5486054	0.5486054	0.002	2.05082e+05	bidled	Falsimetric	Upperapproximation	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	Cbar	kemeny	robustness	-0.2774	max	-0.2774	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximation	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	Cbar	rrf	robustness	-0.3234	max	-0.3234	spearman	0.5300000	0.5002960	0.002	1.00900e+05	bidled	Falsimetric	Upperapproximation	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	Cbar	rrf	robustness	-0.3132	max	-0.3132	spearman	0.6611007	0.6611995	0.002	1.00528e+05	bidled	Falsimetric	Upperapproximation	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	Cbar	rrf	robustness	-0.3202	max	-0.3202	spearman	0.5326441	0.5030440	0.002	2.07060e+05	bidled	Falsimetric	Upperapproximation	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	Cbar	rrf	robustness	-0.3324	max	-0.3324	spearman	0.4756441	0.4756441	0.002	2.02500e+05	bidled	Falsimetric	Upperapproximation	10

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	Cbar	rrf	robustness	-0.3132	max	-0.3132	spearman	0.5005824	0.5005824	0.002	2.39880e+05	bidled	Fulsmetric	Upperapproxid0	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	Cbar	rrf	robustness	-0.3066	max	-0.3066	spearman	0.5002908	0.5002908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproxid0	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	Cbar	rrf	robustness	-0.2962	max	-0.2962	spearman	0.5174649	0.5174649	0.002	2.25760e+05	bidled	Fulsmetric	Upperapproxid0	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	Cbar	rrf	robustness	-0.2768	max	-0.2768	spearman	0.612495	0.612495	0.002	2.19480e+05	bidled	Fulsmetric	Upperapproxid0	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	Cbar	rrf	robustness	-0.2968	max	-0.2968	spearman	0.518654	0.518654	0.002	2.59820e+05	bidled	Fulsmetric	Upperapproxid0	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	Cbar	rrf	robustness	-0.2944	max	-0.2944	spearman	0.518147	0.518147	0.002	2.21650e+05	bidled	Symmetric	Upperapproxid0	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	Cbar	schulze	robustness	-0.3204	max	-0.3204	spearman	0.530299	0.530299	0.002	1.09990e+05	bidled	Fulsmetric	Upperapproxid0	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	Cbar	schulze	robustness	-0.29	max	-0.29	spearman	0.661997	0.661997	0.002	1.05280e+05	bidled	Fulsmetric	Upperapproxid0	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	Cbar	schulze	robustness	-0.3004	max	-0.3004	spearman	0.532644	0.532644	0.002	2.07960e+05	bidled	Fulsmetric	Upperapproxid0	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	Cbar	schulze	robustness	-0.3336	max	-0.3336	spearman	0.475644	0.475644	0.002	2.32500e+05	bidled	Fulsmetric	Upperapproxid0	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	Cbar	schulze	robustness	-0.3034	max	-0.3034	spearman	0.5005824	0.5005824	0.002	2.39880e+05	bidled	Fulsmetric	Upperapproxid0	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	Cbar	schulze	robustness	-0.2934	max	-0.2934	spearman	0.5002908	0.5002908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproxid0	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	Cbar	schulze	robustness	-0.2872	max	-0.2872	spearman	0.5174649	0.5174649	0.002	2.25760e+05	bidled	Fulsmetric	Upperapproxid0	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	Cbar	schulze	robustness	-0.2818	max	-0.2818	spearman	0.612495	0.612495	0.002	2.19480e+05	bidled	Fulsmetric	Upperapproxid0	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	Cbar	schulze	robustness	-0.2776	max	-0.2776	spearman	0.518654	0.518654	0.002	2.59820e+05	bidled	Fulsmetric	Upperapproxid0	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	Cbar	schulze	robustness	-0.288	max	-0.288	spearman	0.518147	0.518147	0.002	2.21650e+05	bidled	Symmetric	Upperapproxid0	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	Cbar	simpleavg	robustness	-0.3152	max	-0.3152	spearman	0.530299	0.530299	0.002	1.09990e+05	bidled	Fulsmetric	Upperapproxid0	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	Cbar	simpleavg	robustness	-0.3048	max	-0.3048	spearman	0.661997	0.661997	0.002	1.05280e+05	bidled	Fulsmetric	Upperapproxid0	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	Cbar	simpleavg	robustness	-0.3282	max	-0.3282	spearman	0.532644	0.532644	0.002	2.07960e+05	bidled	Fulsmetric	Upperapproxid0	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	Cbar	simpleavg	robustness	-0.3426	max	-0.3426	spearman	0.475644	0.475644	0.002	2.32500e+05	bidled	Fulsmetric	Upperapproxid0	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	Cbar	simpleavg	robustness	-0.3366	max	-0.3366	spearman	0.5005824	0.5005824	0.002	2.39880e+05	bidled	Fulsmetric	Upperapproxid0	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	Cbar	simpleavg	robustness	-0.3314	max	-0.3314	spearman	0.5002908	0.5002908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproxid0	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	Cbar	simpleavg	robustness	-0.3256	max	-0.3256	spearman	0.5174649	0.5174649	0.002	2.25760e+05	bidled	Fulsmetric	Upperapproxid0	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	Cbar	simpleavg	robustness	-0.3202	max	-0.3202	spearman	0.612495	0.612495	0.002	2.19480e+05	bidled	Fulsmetric	Upperapproxid0	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	Cbar	simpleavg	robustness	-0.32	max	-0.32	spearman	0.518654	0.518654	0.002	2.59820e+05	bidled	Fulsmetric	Upperapproxid0	10

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	Cbar	simpleavg	robustness	-0.3208	max	-0.3208	spearman	0.5118147	0.5181185	0.002	2.0165e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	F	borda	robustness	0.168	max	0.168	spearman	0.5303099	0.5602990	0.002	1.0990e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	F	borda	robustness	0.1696	max	0.1696	spearman	0.6611997	0.6619995	0.002	1.0528e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	F	borda	robustness	0.1716	max	0.1716	spearman	0.5326441	0.5836440	0.002	2.0796e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	F	borda	robustness	0.1676	max	0.1676	spearman	0.4756441	0.4756441	0.002	2.0254e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	F	borda	robustness	0.1772	max	0.1772	spearman	0.5058921	0.5058921	0.002	2.0988e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	F	borda	robustness	0.178	max	0.178	spearman	0.5602008	0.5602990	0.002	2.0177e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	F	borda	robustness	0.1742	max	0.1742	spearman	0.5746449	0.5746449	0.002	2.0576e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	F	borda	robustness	0.1716	max	0.1716	spearman	0.6124051	0.6124995	0.002	2.1948e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	F	borda	robustness	0.1686	max	0.1686	spearman	0.5486541	0.5486541	0.002	2.5982e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	F	borda	robustness	0.1692	max	0.1692	spearman	0.5118147	0.5181185	0.002	2.0165e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	F	kemeny	robustness	0.168	max	0.168	spearman	0.5303099	0.5602990	0.002	1.0990e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	F	kemeny	robustness	0.175	max	0.175	spearman	0.6611997	0.6619995	0.002	1.0528e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	F	kemeny	robustness	0.1706	max	0.1706	spearman	0.5326441	0.5836440	0.002	2.0796e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	F	kemeny	robustness	0.1704	max	0.1704	spearman	0.4756441	0.4756441	0.002	2.0254e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	F	kemeny	robustness	0.1634	max	0.1634	spearman	0.5058921	0.5058921	0.002	2.0988e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	F	kemeny	robustness	0.173	max	0.173	spearman	0.5602008	0.5602990	0.002	2.0177e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	F	kemeny	robustness	0.168	max	0.168	spearman	0.5746449	0.5746449	0.002	2.0576e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	F	kemeny	robustness	0.1688	max	0.1688	spearman	0.6124051	0.6124995	0.002	2.1948e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	F	kemeny	robustness	0.1632	max	0.1632	spearman	0.5486541	0.5486541	0.002	2.5982e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	F	kemeny	robustness	0.1668	max	0.1668	spearman	0.5118147	0.5181185	0.002	2.0165e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	F	rrf	robustness	0.1644	max	0.1644	spearman	0.5303099	0.5602990	0.002	1.0990e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	F	rrf	robustness	0.1688	max	0.1688	spearman	0.6611997	0.6619995	0.002	1.0528e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	F	rrf	robustness	0.1756	max	0.1756	spearman	0.5326441	0.5836440	0.002	2.0796e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	F	rrf	robustness	0.1646	max	0.1646	spearman	0.4756441	0.4756441	0.002	2.0254e+05	bidled	Falsmetric	Upperapproximation	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	F	rrf	robustness	0.1714	max	0.1714	spearman	0.5055824	0.5055824	0.002	2.39840e+05	bidled	Fulsmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	F	rrf	robustness	0.1696	max	0.1696	spearman	0.5662908	0.5662908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	F	rrf	robustness	0.1694	max	0.1694	spearman	0.5746449	0.5746449	0.002	2.25760e+05	bidled	Fulsmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	F	rrf	robustness	0.1702	max	0.1702	spearman	0.6124495	0.6124495	0.002	2.19448e+05	bidled	Fulsmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	F	rrf	robustness	0.1664	max	0.1664	spearman	0.5486654	0.5486654	0.002	2.59820e+05	bidled	Fulsmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	F	rrf	robustness	0.1648	max	0.1648	spearman	0.5181447	0.5181447	0.002	2.31650e+05	bidled	Symmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	F	schulze	robustness	0.168	max	0.168	spearman	0.5302909	0.5302909	0.002	1.09990e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	F	schulze	robustness	0.1794	max	0.1794	spearman	0.6619907	0.6619907	0.002	1.05238e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	F	schulze	robustness	0.176	max	0.176	spearman	0.5326644	0.5326644	0.002	2.07960e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	F	schulze	robustness	0.1686	max	0.1686	spearman	0.4756444	0.4756444	0.002	2.32540e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	F	schulze	robustness	0.1668	max	0.1668	spearman	0.5055824	0.5055824	0.002	2.39840e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	F	schulze	robustness	0.167	max	0.167	spearman	0.5662908	0.5662908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	F	schulze	robustness	0.1658	max	0.1658	spearman	0.5746449	0.5746449	0.002	2.25760e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	F	schulze	robustness	0.167	max	0.167	spearman	0.6124495	0.6124495	0.002	2.19448e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	F	schulze	robustness	0.1604	max	0.1604	spearman	0.5486654	0.5486654	0.002	2.59820e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	F	schulze	robustness	0.1662	max	0.1662	spearman	0.5181447	0.5181447	0.002	2.31650e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	F	simpleavg	robustness	0.1628	max	0.1628	spearman	0.5302909	0.5302909	0.002	1.09990e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	F	simpleavg	robustness	0.1726	max	0.1726	spearman	0.6619907	0.6619907	0.002	1.05238e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	F	simpleavg	robustness	0.1532	max	0.1532	spearman	0.5326644	0.5326644	0.002	2.07960e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	F	simpleavg	robustness	0.156	max	0.156	spearman	0.4756444	0.4756444	0.002	2.32540e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	F	simpleavg	robustness	0.1558	max	0.1558	spearman	0.5055824	0.5055824	0.002	2.39840e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	F	simpleavg	robustness	0.156	max	0.156	spearman	0.5662908	0.5662908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	F	simpleavg	robustness	0.1574	max	0.1574	spearman	0.5746449	0.5746449	0.002	2.25760e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	F	simpleavg	robustness	0.1514	max	0.1514	spearman	0.6124495	0.6124495	0.002	2.19448e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	F	simpleavg	robustness	0.1536	max	0.1536	spearman	0.5486654	0.5486654	0.002	2.59820e+05	bidled	Fulsmetric	Upperapproximation	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	F	simpleavg	robustness	0.1564	max	0.1564	spearman	0.5118147	0.5181185	0.002	2.0165e+05	bidled	Symmetric	Upperapprox	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	Fbar	borda	robustness	-0.1014	max	-0.1014	spearman	0.5300999	0.5602990	0.002	1.0999e+05	bidled	Falsmetric	Upperapprox	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	Fbar	borda	robustness	-0.0916	max	-0.0916	spearman	0.6611997	0.6611995	0.002	1.0528e+05	bidled	Falsmetric	Upperapprox	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	Fbar	borda	robustness	-0.1134	max	-0.1134	spearman	0.5326441	0.5636440	0.002	2.0796e+05	bidled	Falsmetric	Upperapprox	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	Fbar	borda	robustness	-0.13	max	-0.13	spearman	0.4756441	0.4756441	0.002	2.0254e+05	bidled	Falsmetric	Upperapprox	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	Fbar	borda	robustness	-0.1166	max	-0.1166	spearman	0.5058921	0.5058921	0.002	2.0988e+05	bidled	Falsmetric	Upperapprox	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	Fbar	borda	robustness	-0.1042	max	-0.1042	spearman	0.5602998	0.5602998	0.002	2.0177e+05	bidled	Falsmetric	Upperapprox	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	Fbar	borda	robustness	-0.1018	max	-0.1018	spearman	0.5746449	0.5746449	0.002	2.0576e+05	bidled	Falsmetric	Upperapprox	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	Fbar	borda	robustness	-0.0828	max	-0.0828	spearman	0.6124951	0.6124951	0.002	2.1948e+05	bidled	Falsmetric	Upperapprox	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	Fbar	borda	robustness	-0.097	max	-0.097	spearman	0.5486541	0.5486541	0.002	2.5982e+05	bidled	Falsmetric	Upperapprox	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	Fbar	borda	robustness	-0.0996	max	-0.0996	spearman	0.5118147	0.5181185	0.002	2.0165e+05	bidled	Symmetric	Upperapprox	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	Fbar	kemeny	robustness	-0.1014	max	-0.1014	spearman	0.5300999	0.5602990	0.002	1.0999e+05	bidled	Falsmetric	Upperapprox	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	Fbar	kemeny	robustness	-0.0548	max	-0.0548	spearman	0.6611997	0.6611995	0.002	1.0528e+05	bidled	Falsmetric	Upperapprox	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	Fbar	kemeny	robustness	-0.086	max	-0.086	spearman	0.5326441	0.5636440	0.002	2.0796e+05	bidled	Falsmetric	Upperapprox	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	Fbar	kemeny	robustness	-0.096	max	-0.096	spearman	0.4756441	0.4756441	0.002	2.0254e+05	bidled	Falsmetric	Upperapprox	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	Fbar	kemeny	robustness	-0.0776	max	-0.0776	spearman	0.5058921	0.5058921	0.002	2.0988e+05	bidled	Falsmetric	Upperapprox	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	Fbar	kemeny	robustness	-0.0702	max	-0.0702	spearman	0.5602998	0.5602998	0.002	2.0177e+05	bidled	Falsmetric	Upperapprox	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	Fbar	kemeny	robustness	-0.0758	max	-0.0758	spearman	0.5746449	0.5746449	0.002	2.0576e+05	bidled	Falsmetric	Upperapprox	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	Fbar	kemeny	robustness	-0.0522	max	-0.0522	spearman	0.6124951	0.6124951	0.002	2.1948e+05	bidled	Falsmetric	Upperapprox	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	Fbar	kemeny	robustness	-0.0712	max	-0.0712	spearman	0.5486541	0.5486541	0.002	2.5982e+05	bidled	Falsmetric	Upperapprox	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	Fbar	kemeny	robustness	-0.0684	max	-0.0684	spearman	0.5118147	0.5181185	0.002	2.0165e+05	bidled	Symmetric	Upperapprox	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	Fbar	rrf	robustness	-0.1048	max	-0.1048	spearman	0.5300999	0.5602990	0.002	1.0999e+05	bidled	Falsmetric	Upperapprox	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	Fbar	rrf	robustness	-0.0862	max	-0.0862	spearman	0.6611997	0.6611995	0.002	1.0528e+05	bidled	Falsmetric	Upperapprox	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	Fbar	rrf	robustness	-0.0984	max	-0.0984	spearman	0.5326441	0.5636440	0.002	2.0796e+05	bidled	Falsmetric	Upperapprox	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	Fbar	rrf	robustness	-0.1144	max	-0.1144	spearman	0.4756441	0.4756441	0.002	2.0254e+05	bidled	Falsmetric	Upperapprox	10

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	Fbar	rrf	robustness	-0.0966	max	-0.0966	spearman	0.5055824	0.5055824	0.002	2.3988e+05	bidled	Falsmetric	Upperapproxaticn	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	Fbar	rrf	robustness	-0.086	max	-0.086	spearman	0.5662908	0.5662908	0.002	2.21577e+05	bidled	Falsmetric	Upperapproxaticn	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	Fbar	rrf	robustness	-0.081	max	-0.081	spearman	0.574649	0.574649	0.002	2.2576e+05	bidled	Falsmetric	Upperapproxaticn	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	Fbar	rrf	robustness	-0.07	max	-0.07	spearman	0.612495	0.612495	0.002	2.1948e+05	bidled	Falsmetric	Upperapproxaticn	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	Fbar	rrf	robustness	-0.0842	max	-0.0842	spearman	0.548654	0.548654	0.002	2.5982e+05	bidled	Falsmetric	Upperapproxaticn	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	Fbar	rrf	robustness	-0.0776	max	-0.0776	spearman	0.518147	0.518147	0.002	2.3165e+05	bidled	Symmetric	Upperapproxaticn	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	Fbar	schulze	robustness	-0.1014	max	-0.1014	spearman	0.530299	0.530299	0.002	1.0999e+05	bidled	Falsmetric	Upperapproxaticn	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	Fbar	schulze	robustness	-0.068	max	-0.068	spearman	0.661997	0.661997	0.002	1.0528e+05	bidled	Falsmetric	Upperapproxaticn	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	Fbar	schulze	robustness	-0.0818	max	-0.0818	spearman	0.532644	0.532644	0.002	2.0796e+05	bidled	Falsmetric	Upperapproxaticn	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	Fbar	schulze	robustness	-0.1176	max	-0.1176	spearman	0.475644	0.475644	0.002	2.3254e+05	bidled	Falsmetric	Upperapproxaticn	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	Fbar	schulze	robustness	-0.0868	max	-0.0868	spearman	0.5055824	0.5055824	0.002	2.3988e+05	bidled	Falsmetric	Upperapproxaticn	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	Fbar	schulze	robustness	-0.0778	max	-0.0778	spearman	0.5662908	0.5662908	0.002	2.21577e+05	bidled	Falsmetric	Upperapproxaticn	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	Fbar	schulze	robustness	-0.0768	max	-0.0768	spearman	0.574649	0.574649	0.002	2.2576e+05	bidled	Falsmetric	Upperapproxaticn	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	Fbar	schulze	robustness	-0.0652	max	-0.0652	spearman	0.612495	0.612495	0.002	2.1948e+05	bidled	Falsmetric	Upperapproxaticn	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	Fbar	schulze	robustness	-0.0704	max	-0.0704	spearman	0.548654	0.548654	0.002	2.5982e+05	bidled	Falsmetric	Upperapproxaticn	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	Fbar	schulze	robustness	-0.0762	max	-0.0762	spearman	0.518147	0.518147	0.002	2.3165e+05	bidled	Symmetric	Upperapproxaticn	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	Fbar	simpleavg	robustness	-0.1008	max	-0.1008	spearman	0.530299	0.530299	0.002	1.0999e+05	bidled	Falsmetric	Upperapproxaticn	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	Fbar	simpleavg	robustness	-0.088	max	-0.088	spearman	0.661997	0.661997	0.002	1.0528e+05	bidled	Falsmetric	Upperapproxaticn	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	Fbar	simpleavg	robustness	-0.1178	max	-0.1178	spearman	0.532644	0.532644	0.002	2.0796e+05	bidled	Falsmetric	Upperapproxaticn	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	Fbar	simpleavg	robustness	-0.1262	max	-0.1262	spearman	0.475644	0.475644	0.002	2.3254e+05	bidled	Falsmetric	Upperapproxaticn	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	Fbar	simpleavg	robustness	-0.1238	max	-0.1238	spearman	0.5055824	0.5055824	0.002	2.3988e+05	bidled	Falsmetric	Upperapproxaticn	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	Fbar	simpleavg	robustness	-0.1152	max	-0.1152	spearman	0.5662908	0.5662908	0.002	2.21577e+05	bidled	Falsmetric	Upperapproxaticn	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	Fbar	simpleavg	robustness	-0.1124	max	-0.1124	spearman	0.574649	0.574649	0.002	2.2576e+05	bidled	Falsmetric	Upperapproxaticn	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	Fbar	simpleavg	robustness	-0.1096	max	-0.1096	spearman	0.612495	0.612495	0.002	2.1948e+05	bidled	Falsmetric	Upperapproxaticn	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	Fbar	simpleavg	robustness	-0.1128	max	-0.1128	spearman	0.548654	0.548654	0.002	2.5982e+05	bidled	Falsmetric	Upperapproxaticn	10

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	Fbar	simpleavg	robustness	-0.1118	max	-0.1118	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	C	borda	robustness	0.306	max	0.306	spearman	0.5303099	0.5602990	0.002	1.00990e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	C	borda	robustness	0.3084	max	0.3084	spearman	0.6611997	0.6619995	0.002	1.00528e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	C	borda	robustness	0.317	max	0.317	spearman	0.5326441	0.5636440	0.002	2.07960e+05	bidled	Fulsmetric	Upperapproximation	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	C	borda	robustness	0.3128	max	0.3128	spearman	0.4756441	0.4756440	0.002	2.02540e+05	bidled	Fulsmetric	Upperapproximation	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	C	borda	robustness	0.3188	max	0.3188	spearman	0.5055924	0.5055920	0.002	2.00880e+05	bidled	Fulsmetric	Upperapproximation	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	C	borda	robustness	0.3256	max	0.3256	spearman	0.5602008	0.5602998	0.002	2.01577e+05	bidled	Fulsmetric	Upperapproximation	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	C	borda	robustness	0.3172	max	0.3172	spearman	0.5746649	0.5746640	0.002	2.05576e+05	bidled	Fulsmetric	Upperapproximation	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	C	borda	robustness	0.3246	max	0.3246	spearman	0.6124051	0.6124950	0.002	2.19440e+05	bidled	Fulsmetric	Upperapproximation	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	C	borda	robustness	0.3168	max	0.3168	spearman	0.5486654	0.5486654	0.002	2.50820e+05	bidled	Fulsmetric	Upperapproximation	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	C	borda	robustness	0.3208	max	0.3208	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	C	kemeny	robustness	0.306	max	0.306	spearman	0.5303099	0.5602990	0.002	1.00990e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	C	kemeny	robustness	0.3164	max	0.3164	spearman	0.6611997	0.6619995	0.002	1.00528e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	C	kemeny	robustness	0.3108	max	0.3108	spearman	0.5326441	0.5636440	0.002	2.07960e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	C	kemeny	robustness	0.3156	max	0.3156	spearman	0.4756441	0.4756440	0.002	2.02540e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	C	kemeny	robustness	0.3072	max	0.3072	spearman	0.5055924	0.5055920	0.002	2.00880e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	C	kemeny	robustness	0.3166	max	0.3166	spearman	0.5602008	0.5602998	0.002	2.01577e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	C	kemeny	robustness	0.3216	max	0.3216	spearman	0.5746649	0.5746640	0.002	2.05576e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	C	kemeny	robustness	0.3186	max	0.3186	spearman	0.6124051	0.6124950	0.002	2.19440e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	C	kemeny	robustness	0.315	max	0.315	spearman	0.5486654	0.5486654	0.002	2.50820e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	C	kemeny	robustness	0.317	max	0.317	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	C	rrf	robustness	0.3058	max	0.3058	spearman	0.5303099	0.5602990	0.002	1.00990e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	C	rrf	robustness	0.3102	max	0.3102	spearman	0.6611997	0.6619995	0.002	1.00528e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	C	rrf	robustness	0.3196	max	0.3196	spearman	0.5326441	0.5636440	0.002	2.07960e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	C	rrf	robustness	0.3154	max	0.3154	spearman	0.4756441	0.4756440	0.002	2.02540e+05	bidled	Fulsmetric	Upperapproximation	6

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	C	rrf	robustness	0.321	max	0.321	spearman	0.5005824	0.505824	0.002	2.3984e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	C	rrf	robustness	0.3138	max	0.3138	spearman	0.5602908	0.5602908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	C	rrf	robustness	0.3126	max	0.3126	spearman	0.574649	0.574649	0.002	2.2576e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	C	rrf	robustness	0.3142	max	0.3142	spearman	0.612495	0.612495	0.002	2.1948e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	C	rrf	robustness	0.3128	max	0.3128	spearman	0.548654	0.548654	0.002	2.5982e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	C	rrf	robustness	0.3134	max	0.3134	spearman	0.518147	0.518147	0.002	2.3165e+05	bidled	Symmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	C	schulze	robustness	0.306	max	0.306	spearman	0.530299	0.530299	0.002	1.0999e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	C	schulze	robustness	0.3164	max	0.3164	spearman	0.661997	0.661997	0.002	1.0528e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	C	schulze	robustness	0.3178	max	0.3178	spearman	0.532644	0.532644	0.002	2.0796e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	C	schulze	robustness	0.321	max	0.321	spearman	0.475644	0.475644	0.002	2.3254e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	C	schulze	robustness	0.3148	max	0.3148	spearman	0.5005824	0.505824	0.002	2.3984e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	C	schulze	robustness	0.3126	max	0.3126	spearman	0.5602908	0.5602908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	C	schulze	robustness	0.3162	max	0.3162	spearman	0.574649	0.574649	0.002	2.2576e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	C	schulze	robustness	0.3202	max	0.3202	spearman	0.612495	0.612495	0.002	2.1948e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	C	schulze	robustness	0.3156	max	0.3156	spearman	0.548654	0.548654	0.002	2.5982e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	C	schulze	robustness	0.3124	max	0.3124	spearman	0.518147	0.518147	0.002	2.3165e+05	bidled	Symmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	C	simpleavg	robustness	0.2974	max	0.2974	spearman	0.530299	0.530299	0.002	1.0999e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	C	simpleavg	robustness	0.3082	max	0.3082	spearman	0.661997	0.661997	0.002	1.0528e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	C	simpleavg	robustness	0.3086	max	0.3086	spearman	0.532644	0.532644	0.002	2.0796e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	C	simpleavg	robustness	0.3086	max	0.3086	spearman	0.475644	0.475644	0.002	2.3254e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	C	simpleavg	robustness	0.3138	max	0.3138	spearman	0.5005824	0.505824	0.002	2.3984e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	C	simpleavg	robustness	0.3156	max	0.3156	spearman	0.5602908	0.5602908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	C	simpleavg	robustness	0.3218	max	0.3218	spearman	0.574649	0.574649	0.002	2.2576e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	C	simpleavg	robustness	0.314	max	0.314	spearman	0.612495	0.612495	0.002	2.1948e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	C	simpleavg	robustness	0.3182	max	0.3182	spearman	0.548654	0.548654	0.002	2.5982e+05	bidled	Fulsmetric	Upperapproximation	6

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	C	simpleavg	robustness	0.3152	max	0.3152	spearman	0.5118147	0.5181185	0.002	2.0165e+05	bidled	Symmetric	Upperapprox	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	Cbar	borda	robustness	-0.2824	max	-0.2824	spearman	0.5303099	0.5602990	0.002	1.0090e+05	bidled	Fullsmetric	Upperapprox	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	Cbar	borda	robustness	-0.2728	max	-0.2728	spearman	0.6611997	0.6611995	0.002	1.00528e+05	bidled	Fullsmetric	Upperapprox	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	Cbar	borda	robustness	-0.2998	max	-0.2998	spearman	0.5326441	0.5636440	0.002	2.0796e+05	bidled	Fullsmetric	Upperapprox	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	Cbar	borda	robustness	-0.3188	max	-0.3188	spearman	0.4756441	0.4756440	0.002	2.0254e+05	bidled	Fullsmetric	Upperapprox	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	Cbar	borda	robustness	-0.3068	max	-0.3068	spearman	0.5058921	0.5058920	0.002	2.0088e+05	bidled	Fullsmetric	Upperapprox	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	Cbar	borda	robustness	-0.2912	max	-0.2912	spearman	0.5602068	0.5602068	0.002	2.0177e+05	bidled	Fullsmetric	Upperapprox	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	Cbar	borda	robustness	-0.2854	max	-0.2854	spearman	0.5746449	0.5746440	0.002	2.0576e+05	bidled	Fullsmetric	Upperapprox	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	Cbar	borda	robustness	-0.2636	max	-0.2636	spearman	0.6124051	0.6124050	0.002	2.1948e+05	bidled	Fullsmetric	Upperapprox	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	Cbar	borda	robustness	-0.2778	max	-0.2778	spearman	0.5486541	0.5486540	0.002	2.5082e+05	bidled	Fullsmetric	Upperapprox	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	Cbar	borda	robustness	-0.2822	max	-0.2822	spearman	0.5118147	0.5181185	0.002	2.0165e+05	bidled	Symmetric	Upperapprox	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	Cbar	kemeny	robustness	-0.2824	max	-0.2824	spearman	0.5303099	0.5602990	0.002	1.0090e+05	bidled	Fullsmetric	Upperapprox	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	Cbar	kemeny	robustness	-0.2588	max	-0.2588	spearman	0.6611997	0.6611995	0.002	1.00528e+05	bidled	Fullsmetric	Upperapprox	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	Cbar	kemeny	robustness	-0.2756	max	-0.2756	spearman	0.5326441	0.5636440	0.002	2.0796e+05	bidled	Fullsmetric	Upperapprox	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	Cbar	kemeny	robustness	-0.2774	max	-0.2774	spearman	0.4756441	0.4756440	0.002	2.0254e+05	bidled	Fullsmetric	Upperapprox	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	Cbar	kemeny	robustness	-0.266	max	-0.266	spearman	0.5058921	0.5058920	0.002	2.0088e+05	bidled	Fullsmetric	Upperapprox	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	Cbar	kemeny	robustness	-0.2542	max	-0.2542	spearman	0.5602068	0.5602068	0.002	2.0177e+05	bidled	Fullsmetric	Upperapprox	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	Cbar	kemeny	robustness	-0.2624	max	-0.2624	spearman	0.5746449	0.5746440	0.002	2.0576e+05	bidled	Fullsmetric	Upperapprox	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	Cbar	kemeny	robustness	-0.2452	max	-0.2452	spearman	0.6124051	0.6124050	0.002	2.1948e+05	bidled	Fullsmetric	Upperapprox	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	Cbar	kemeny	robustness	-0.253	max	-0.253	spearman	0.5486541	0.5486540	0.002	2.5082e+05	bidled	Fullsmetric	Upperapprox	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	Cbar	kemeny	robustness	-0.2522	max	-0.2522	spearman	0.5118147	0.5181185	0.002	2.0165e+05	bidled	Symmetric	Upperapprox	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	Cbar	rrf	robustness	-0.2888	max	-0.2888	spearman	0.5303099	0.5602990	0.002	1.0090e+05	bidled	Fullsmetric	Upperapprox	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	Cbar	rrf	robustness	-0.2766	max	-0.2766	spearman	0.6611997	0.6611995	0.002	1.00528e+05	bidled	Fullsmetric	Upperapprox	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	Cbar	rrf	robustness	-0.284	max	-0.284	spearman	0.5326441	0.5636440	0.002	2.0796e+05	bidled	Fullsmetric	Upperapprox	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	Cbar	rrf	robustness	-0.3072	max	-0.3072	spearman	0.4756441	0.4756440	0.002	2.0254e+05	bidled	Fullsmetric	Upperapprox	11

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	Cbar	rrf	robustness	-0.2804	max	-0.2804	spearman	0.5005824	0.5005824	0.002	2.39880e+05	bidled	Fulsmetric	Upperapproxid0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	Cbar	rrf	robustness	-0.276	max	-0.276	spearman	0.5002908	0.5002908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproxid0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	Cbar	rrf	robustness	-0.2682	max	-0.2682	spearman	0.5174649	0.5174649	0.002	2.25576e+05	bidled	Fulsmetric	Upperapproxid0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	Cbar	rrf	robustness	-0.2524	max	-0.2524	spearman	0.612495	0.612495	0.002	2.19480e+05	bidled	Fulsmetric	Upperapproxid0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	Cbar	rrf	robustness	-0.2634	max	-0.2634	spearman	0.548654	0.548654	0.002	2.59820e+05	bidled	Fulsmetric	Upperapproxid0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	Cbar	rrf	robustness	-0.2654	max	-0.2654	spearman	0.518147	0.518147	0.002	2.21650e+05	bidled	Symmetric	Upperapproxid0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	Cbar	schulze	robustness	-0.2824	max	-0.2824	spearman	0.530290	0.530290	0.002	1.09990e+05	bidled	Fulsmetric	Upperapproxid0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	Cbar	schulze	robustness	-0.2646	max	-0.2646	spearman	0.661997	0.661997	0.002	1.00528e+05	bidled	Fulsmetric	Upperapproxid0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	Cbar	schulze	robustness	-0.2672	max	-0.2672	spearman	0.532644	0.532644	0.002	2.05960e+05	bidled	Fulsmetric	Upperapproxid0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	Cbar	schulze	robustness	-0.3072	max	-0.3072	spearman	0.475644	0.475644	0.002	2.32500e+05	bidled	Fulsmetric	Upperapproxid0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	Cbar	schulze	robustness	-0.2786	max	-0.2786	spearman	0.5005824	0.5005824	0.002	2.39880e+05	bidled	Fulsmetric	Upperapproxid0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	Cbar	schulze	robustness	-0.2766	max	-0.2766	spearman	0.5002908	0.5002908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproxid0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	Cbar	schulze	robustness	-0.2604	max	-0.2604	spearman	0.5174649	0.5174649	0.002	2.25576e+05	bidled	Fulsmetric	Upperapproxid0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	Cbar	schulze	robustness	-0.2536	max	-0.2536	spearman	0.612495	0.612495	0.002	2.19480e+05	bidled	Fulsmetric	Upperapproxid0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	Cbar	schulze	robustness	-0.2512	max	-0.2512	spearman	0.548654	0.548654	0.002	2.59820e+05	bidled	Fulsmetric	Upperapproxid0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	Cbar	schulze	robustness	-0.2696	max	-0.2696	spearman	0.518147	0.518147	0.002	2.21650e+05	bidled	Symmetric	Upperapproxid0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.2864	max	-0.2864	spearman	0.530290	0.530290	0.002	1.09990e+05	bidled	Fulsmetric	Upperapproxid0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.2764	max	-0.2764	spearman	0.661997	0.661997	0.002	1.00528e+05	bidled	Fulsmetric	Upperapproxid0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.3098	max	-0.3098	spearman	0.532644	0.532644	0.002	2.05960e+05	bidled	Fulsmetric	Upperapproxid0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.3174	max	-0.3174	spearman	0.475644	0.475644	0.002	2.32500e+05	bidled	Fulsmetric	Upperapproxid0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.3106	max	-0.3106	spearman	0.5005824	0.5005824	0.002	2.39880e+05	bidled	Fulsmetric	Upperapproxid0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.3076	max	-0.3076	spearman	0.5002908	0.5002908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproxid0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.2986	max	-0.2986	spearman	0.5174649	0.5174649	0.002	2.25576e+05	bidled	Fulsmetric	Upperapproxid0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.2934	max	-0.2934	spearman	0.612495	0.612495	0.002	2.19480e+05	bidled	Fulsmetric	Upperapproxid0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.2958	max	-0.2958	spearman	0.548654	0.548654	0.002	2.59820e+05	bidled	Fulsmetric	Upperapproxid0	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.2946	max	-0.2946	spearman	0.5118147	0.518148	0.002	2.0165e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	F	borda	robustness	0.1608	max	0.1608	spearman	0.5302099	0.5602990	0.002	1.00990e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	F	borda	robustness	0.1616	max	0.1616	spearman	0.6611997	0.6611997	0.002	1.00528e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	F	borda	robustness	0.1612	max	0.1612	spearman	0.532644	0.5636440	0.002	2.0796e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	F	borda	robustness	0.1502	max	0.1502	spearman	0.475644	0.475644	0.002	2.0254e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	F	borda	robustness	0.1598	max	0.1598	spearman	0.505824	0.505824	0.002	2.0088e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	F	borda	robustness	0.1656	max	0.1656	spearman	0.5602098	0.5602098	0.002	2.01577e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	F	borda	robustness	0.1664	max	0.1664	spearman	0.574644	0.574644	0.002	2.0576e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	F	borda	robustness	0.1662	max	0.1662	spearman	0.612495	0.612495	0.002	2.1948e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	F	borda	robustness	0.1576	max	0.1576	spearman	0.548654	0.548654	0.002	2.5082e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	F	borda	robustness	0.1624	max	0.1624	spearman	0.5118147	0.518148	0.002	2.0165e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	F	kemeny	robustness	0.1608	max	0.1608	spearman	0.5302099	0.5602990	0.002	1.00990e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	F	kemeny	robustness	0.1672	max	0.1672	spearman	0.6611997	0.6611997	0.002	1.00528e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	F	kemeny	robustness	0.1612	max	0.1612	spearman	0.532644	0.5636440	0.002	2.0796e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	F	kemeny	robustness	0.1628	max	0.1628	spearman	0.475644	0.475644	0.002	2.0254e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	F	kemeny	robustness	0.1542	max	0.1542	spearman	0.505824	0.505824	0.002	2.0088e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	F	kemeny	robustness	0.1604	max	0.1604	spearman	0.5602098	0.5602098	0.002	2.01577e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	F	kemeny	robustness	0.1656	max	0.1656	spearman	0.574644	0.574644	0.002	2.0576e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	F	kemeny	robustness	0.1652	max	0.1652	spearman	0.612495	0.612495	0.002	2.1948e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	F	kemeny	robustness	0.1568	max	0.1568	spearman	0.548654	0.548654	0.002	2.5082e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	F	kemeny	robustness	0.1614	max	0.1614	spearman	0.5118147	0.518148	0.002	2.0165e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	F	rrf	robustness	0.1606	max	0.1606	spearman	0.5302099	0.5602990	0.002	1.00990e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	F	rrf	robustness	0.1658	max	0.1658	spearman	0.6611997	0.6611997	0.002	1.00528e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	F	rrf	robustness	0.165	max	0.165	spearman	0.532644	0.5636440	0.002	2.0796e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	F	rrf	robustness	0.1572	max	0.1572	spearman	0.475644	0.475644	0.002	2.0254e+05	bidled	Falsimetric	Upperapproximation	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	F	rrf	robustness	0.1618	max	0.1618	spearman	0.5005824	0.5005824	0.002	2.39880e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	F	rrf	robustness	0.1568	max	0.1568	spearman	0.5602908	0.5602908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	F	rrf	robustness	0.1624	max	0.1624	spearman	0.5746449	0.5746449	0.002	2.25760e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	F	rrf	robustness	0.1598	max	0.1598	spearman	0.612495	0.612495	0.002	2.19480e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	F	rrf	robustness	0.1564	max	0.1564	spearman	0.548654	0.548654	0.002	2.59820e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	F	rrf	robustness	0.1624	max	0.1624	spearman	0.518147	0.518147	0.002	2.31650e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	F	schulze	robustness	0.1608	max	0.1608	spearman	0.530299	0.530299	0.002	1.09990e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	F	schulze	robustness	0.1698	max	0.1698	spearman	0.661997	0.661997	0.002	1.00528e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	F	schulze	robustness	0.1694	max	0.1694	spearman	0.532644	0.532644	0.002	2.07960e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	F	schulze	robustness	0.1578	max	0.1578	spearman	0.475644	0.475644	0.002	2.32500e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	F	schulze	robustness	0.1546	max	0.1546	spearman	0.5005824	0.5005824	0.002	2.39880e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	F	schulze	robustness	0.1638	max	0.1638	spearman	0.5602908	0.5602908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	F	schulze	robustness	0.1618	max	0.1618	spearman	0.5746449	0.5746449	0.002	2.25760e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	F	schulze	robustness	0.1616	max	0.1616	spearman	0.612495	0.612495	0.002	2.19480e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	F	schulze	robustness	0.1564	max	0.1564	spearman	0.548654	0.548654	0.002	2.59820e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	F	schulze	robustness	0.1592	max	0.1592	spearman	0.518147	0.518147	0.002	2.31650e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	F	simpleavg	robustness	0.1508	max	0.1508	spearman	0.530299	0.530299	0.002	1.09990e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	F	simpleavg	robustness	0.1618	max	0.1618	spearman	0.661997	0.661997	0.002	1.00528e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	F	simpleavg	robustness	0.1386	max	0.1386	spearman	0.532644	0.532644	0.002	2.07960e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	F	simpleavg	robustness	0.1294	max	0.1294	spearman	0.475644	0.475644	0.002	2.32500e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	F	simpleavg	robustness	0.1328	max	0.1328	spearman	0.5005824	0.5005824	0.002	2.39880e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	F	simpleavg	robustness	0.1382	max	0.1382	spearman	0.5602908	0.5602908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	F	simpleavg	robustness	0.1426	max	0.1426	spearman	0.5746449	0.5746449	0.002	2.25760e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	F	simpleavg	robustness	0.1372	max	0.1372	spearman	0.612495	0.612495	0.002	2.19480e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	F	simpleavg	robustness	0.1396	max	0.1396	spearman	0.548654	0.548654	0.002	2.59820e+05	bidled	Fulsmetric	Upperapproximation	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	F	simpleavg	robustness	0.1376	max	0.1376	spearman	0.5118147	0.5181185	0.002	2.0165e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	Fbar	borda	robustness	-0.0614	max	-0.0614	spearman	0.5300999	0.5002990	0.002	1.00990e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	Fbar	borda	robustness	-0.047	max	-0.047	spearman	0.6611997	0.6611995	0.002	1.00528e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	Fbar	borda	robustness	-0.0928	max	-0.0928	spearman	0.5326441	0.5030940	0.002	2.00796e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	Fbar	borda	robustness	-0.1106	max	-0.1106	spearman	0.4756441	0.4756441	0.002	2.02254e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	Fbar	borda	robustness	-0.0932	max	-0.0932	spearman	0.5055924	0.5055924	0.002	2.00984e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	Fbar	borda	robustness	-0.0788	max	-0.0788	spearman	0.5602998	0.5602998	0.002	2.02177e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	Fbar	borda	robustness	-0.0818	max	-0.0818	spearman	0.5746449	0.5746449	0.002	2.02576e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	Fbar	borda	robustness	-0.0624	max	-0.0624	spearman	0.612495	0.612495	0.002	2.01949e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	Fbar	borda	robustness	-0.0704	max	-0.0704	spearman	0.5486541	0.5486541	0.002	2.00982e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	Fbar	borda	robustness	-0.0788	max	-0.0788	spearman	0.5118147	0.5181185	0.002	2.0165e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	Fbar	kemeny	robustness	-0.0614	max	-0.0614	spearman	0.5300999	0.5002990	0.002	1.00990e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	Fbar	kemeny	robustness	-0.0356	max	-0.0356	spearman	0.6611997	0.6611995	0.002	1.00528e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	Fbar	kemeny	robustness	-0.0606	max	-0.0606	spearman	0.5326441	0.5030940	0.002	2.00796e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	Fbar	kemeny	robustness	-0.0684	max	-0.0684	spearman	0.4756441	0.4756441	0.002	2.02254e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	Fbar	kemeny	robustness	-0.0548	max	-0.0548	spearman	0.5055924	0.5055924	0.002	2.00984e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	Fbar	kemeny	robustness	-0.047	max	-0.047	spearman	0.5602998	0.5602998	0.002	2.02177e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	Fbar	kemeny	robustness	-0.053	max	-0.053	spearman	0.5746449	0.5746449	0.002	2.02576e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	Fbar	kemeny	robustness	-0.0396	max	-0.0396	spearman	0.612495	0.612495	0.002	2.01949e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	Fbar	kemeny	robustness	-0.047	max	-0.047	spearman	0.5486541	0.5486541	0.002	2.00982e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	Fbar	kemeny	robustness	-0.045	max	-0.045	spearman	0.5118147	0.5181185	0.002	2.0165e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	Fbar	rrf	robustness	-0.0702	max	-0.0702	spearman	0.5300999	0.5002990	0.002	1.00990e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	Fbar	rrf	robustness	-0.0532	max	-0.0532	spearman	0.6611997	0.6611995	0.002	1.00528e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	Fbar	rrf	robustness	-0.072	max	-0.072	spearman	0.5326441	0.5030940	0.002	2.00796e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	Fbar	rrf	robustness	-0.0966	max	-0.0966	spearman	0.4756441	0.4756441	0.002	2.02254e+05	bidled	Falsimetric	Upperapproximation	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	Fbar	rrf	robustness	-0.0732	max	-0.0732	spearman	0.5005824	0.505824	0.002	2.3984e+05	bid	Fulsmetric	Upperapprox	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	Fbar	rrf	robustness	-0.0686	max	-0.0686	spearman	0.5602908	0.5602908	0.002	2.21577e+05	bid	Fulsmetric	Upperapprox	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	Fbar	rrf	robustness	-0.0622	max	-0.0622	spearman	0.574649	0.574649	0.002	2.2576e+05	bid	Fulsmetric	Upperapprox	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	Fbar	rrf	robustness	-0.052	max	-0.052	spearman	0.612495	0.612495	0.002	2.1948e+05	bid	Fulsmetric	Upperapprox	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	Fbar	rrf	robustness	-0.06	max	-0.06	spearman	0.548654	0.548654	0.002	2.5982e+05	bid	Fulsmetric	Upperapprox	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	Fbar	rrf	robustness	-0.066	max	-0.066	spearman	0.518147	0.518147	0.002	2.3165e+05	bid	Symmetric	Upperapprox	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	Fbar	schulze	robustness	-0.0614	max	-0.0614	spearman	0.530299	0.530299	0.002	1.0999e+05	bid	Fulsmetric	Upperapprox	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	Fbar	schulze	robustness	-0.0382	max	-0.0382	spearman	0.661997	0.661997	0.002	1.0528e+05	bid	Fulsmetric	Upperapprox	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	Fbar	schulze	robustness	-0.0512	max	-0.0512	spearman	0.532644	0.532644	0.002	2.0796e+05	bid	Fulsmetric	Upperapprox	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	Fbar	schulze	robustness	-0.0996	max	-0.0996	spearman	0.475644	0.475644	0.002	2.3254e+05	bid	Fulsmetric	Upperapprox	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	Fbar	schulze	robustness	-0.0676	max	-0.0676	spearman	0.5005824	0.505824	0.002	2.3984e+05	bid	Fulsmetric	Upperapprox	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	Fbar	schulze	robustness	-0.0708	max	-0.0708	spearman	0.5602908	0.5602908	0.002	2.21577e+05	bid	Fulsmetric	Upperapprox	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	Fbar	schulze	robustness	-0.0566	max	-0.0566	spearman	0.574649	0.574649	0.002	2.2576e+05	bid	Fulsmetric	Upperapprox	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	Fbar	schulze	robustness	-0.0458	max	-0.0458	spearman	0.612495	0.612495	0.002	2.1948e+05	bid	Fulsmetric	Upperapprox	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	Fbar	schulze	robustness	-0.0486	max	-0.0486	spearman	0.548654	0.548654	0.002	2.5982e+05	bid	Fulsmetric	Upperapprox	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	Fbar	schulze	robustness	-0.0656	max	-0.0656	spearman	0.518147	0.518147	0.002	2.3165e+05	bid	Symmetric	Upperapprox	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.0646	max	-0.0646	spearman	0.530299	0.530299	0.002	1.0999e+05	bid	Fulsmetric	Upperapprox	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.0568	max	-0.0568	spearman	0.661997	0.661997	0.002	1.0528e+05	bid	Fulsmetric	Upperapprox	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.1034	max	-0.1034	spearman	0.532644	0.532644	0.002	2.0796e+05	bid	Fulsmetric	Upperapprox	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.107	max	-0.107	spearman	0.475644	0.475644	0.002	2.3254e+05	bid	Fulsmetric	Upperapprox	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.105	max	-0.105	spearman	0.5005824	0.505824	0.002	2.3984e+05	bid	Fulsmetric	Upperapprox	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.1	max	-0.1	spearman	0.5602908	0.5602908	0.002	2.21577e+05	bid	Fulsmetric	Upperapprox	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.0946	max	-0.0946	spearman	0.574649	0.574649	0.002	2.2576e+05	bid	Fulsmetric	Upperapprox	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.0888	max	-0.0888	spearman	0.612495	0.612495	0.002	2.1948e+05	bid	Fulsmetric	Upperapprox	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.0938	max	-0.0938	spearman	0.548654	0.548654	0.002	2.5982e+05	bid	Fulsmetric	Upperapprox	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.0916	max	-0.0916	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	C	borda	robustness	0.1106	max	0.1106	spearman	0.5300999	0.5602990	0.002	1.00990e+05	bidled	Falsmetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	C	borda	robustness	0.113	max	0.113	spearman	0.6611997	0.6619995	0.002	1.00528e+05	bidled	Falsmetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	C	borda	robustness	0.1176	max	0.1176	spearman	0.5326441	0.5636440	0.002	2.07960e+05	bidled	Falsmetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	C	borda	robustness	0.1138	max	0.1138	spearman	0.4756441	0.4756441	0.002	2.02500e+05	bidled	Falsmetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	C	borda	robustness	0.1164	max	0.1164	spearman	0.5055921	0.5055921	0.002	2.00980e+05	bidled	Falsmetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	C	borda	robustness	0.126	max	0.126	spearman	0.5602998	0.5602998	0.002	2.01570e+05	bidled	Falsmetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	C	borda	robustness	0.126	max	0.126	spearman	0.5746449	0.5746449	0.002	2.05760e+05	bidled	Falsmetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	C	borda	robustness	0.1238	max	0.1238	spearman	0.612495	0.612495	0.002	2.19480e+05	bidled	Falsmetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	C	borda	robustness	0.1204	max	0.1204	spearman	0.5486541	0.5486541	0.002	2.09820e+05	bidled	Falsmetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	C	borda	robustness	0.1142	max	0.1142	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	C	kemeny	robustness	0.1106	max	0.1106	spearman	0.5300999	0.5602990	0.002	1.00990e+05	bidled	Falsmetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	C	kemeny	robustness	0.1116	max	0.1116	spearman	0.6611997	0.6619995	0.002	1.00528e+05	bidled	Falsmetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	C	kemeny	robustness	0.1136	max	0.1136	spearman	0.5326441	0.5636440	0.002	2.07960e+05	bidled	Falsmetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	C	kemeny	robustness	0.1202	max	0.1202	spearman	0.4756441	0.4756441	0.002	2.02500e+05	bidled	Falsmetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	C	kemeny	robustness	0.1134	max	0.1134	spearman	0.5055921	0.5055921	0.002	2.00980e+05	bidled	Falsmetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	C	kemeny	robustness	0.121	max	0.121	spearman	0.5602998	0.5602998	0.002	2.01570e+05	bidled	Falsmetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	C	kemeny	robustness	0.1234	max	0.1234	spearman	0.5746449	0.5746449	0.002	2.05760e+05	bidled	Falsmetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	C	kemeny	robustness	0.1138	max	0.1138	spearman	0.612495	0.612495	0.002	2.19480e+05	bidled	Falsmetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	C	kemeny	robustness	0.1154	max	0.1154	spearman	0.5486541	0.5486541	0.002	2.09820e+05	bidled	Falsmetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	C	kemeny	robustness	0.1136	max	0.1136	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	C	rrf	robustness	0.107	max	0.107	spearman	0.5300999	0.5602990	0.002	1.00990e+05	bidled	Falsmetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	C	rrf	robustness	0.1108	max	0.1108	spearman	0.6611997	0.6619995	0.002	1.00528e+05	bidled	Falsmetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	C	rrf	robustness	0.1194	max	0.1194	spearman	0.5326441	0.5636440	0.002	2.07960e+05	bidled	Falsmetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	C	rrf	robustness	0.1146	max	0.1146	spearman	0.4756441	0.4756441	0.002	2.02500e+05	bidled	Falsmetric	Upperapproximation	1

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	C	rrf	robustness	0.1196	max	0.1196	spearman	0.5105824	0.5105824	0.002	2.39840e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	C	rrf	robustness	0.1262	max	0.1262	spearman	0.5602908	0.5602908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	C	rrf	robustness	0.1218	max	0.1218	spearman	0.574649	0.574649	0.002	2.25760e+05	bidled	Fulsmetric	Upperapproximation	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	C	rrf	robustness	0.1198	max	0.1198	spearman	0.612495	0.612495	0.002	2.19480e+05	bidled	Fulsmetric	Upperapproximation	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	C	rrf	robustness	0.1218	max	0.1218	spearman	0.548654	0.548654	0.002	2.59820e+05	bidled	Fulsmetric	Upperapproximation	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	C	rrf	robustness	0.1126	max	0.1126	spearman	0.518147	0.518147	0.002	2.31650e+05	bidled	Symmetric	Upperapproximation	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	C	schulze	robustness	0.1106	max	0.1106	spearman	0.530299	0.530299	0.002	1.09990e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	C	schulze	robustness	0.1134	max	0.1134	spearman	0.661997	0.661997	0.002	1.05280e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	C	schulze	robustness	0.1156	max	0.1156	spearman	0.532644	0.532644	0.002	2.07960e+05	bidled	Fulsmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	C	schulze	robustness	0.115	max	0.115	spearman	0.475644	0.475644	0.002	2.32540e+05	bidled	Fulsmetric	Upperapproximation	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	C	schulze	robustness	0.1206	max	0.1206	spearman	0.5105824	0.5105824	0.002	2.39840e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	C	schulze	robustness	0.115	max	0.115	spearman	0.5602908	0.5602908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	C	schulze	robustness	0.1204	max	0.1204	spearman	0.574649	0.574649	0.002	2.25760e+05	bidled	Fulsmetric	Upperapproximation	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	C	schulze	robustness	0.1196	max	0.1196	spearman	0.612495	0.612495	0.002	2.19480e+05	bidled	Fulsmetric	Upperapproximation	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	C	schulze	robustness	0.1148	max	0.1148	spearman	0.548654	0.548654	0.002	2.59820e+05	bidled	Fulsmetric	Upperapproximation	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	C	schulze	robustness	0.112	max	0.112	spearman	0.518147	0.518147	0.002	2.31650e+05	bidled	Symmetric	Upperapproximation	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	C	simpleavg	robustness	0.1022	max	0.1022	spearman	0.530299	0.530299	0.002	1.09990e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	C	simpleavg	robustness	0.1116	max	0.1116	spearman	0.661997	0.661997	0.002	1.05280e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	C	simpleavg	robustness	0.121	max	0.121	spearman	0.532644	0.532644	0.002	2.07960e+05	bidled	Fulsmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	C	simpleavg	robustness	0.1188	max	0.1188	spearman	0.475644	0.475644	0.002	2.32540e+05	bidled	Fulsmetric	Upperapproximation	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	C	simpleavg	robustness	0.12	max	0.12	spearman	0.5105824	0.5105824	0.002	2.39840e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	C	simpleavg	robustness	0.1168	max	0.1168	spearman	0.5602908	0.5602908	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	C	simpleavg	robustness	0.124	max	0.124	spearman	0.574649	0.574649	0.002	2.25760e+05	bidled	Fulsmetric	Upperapproximation	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	C	simpleavg	robustness	0.1174	max	0.1174	spearman	0.612495	0.612495	0.002	2.19480e+05	bidled	Fulsmetric	Upperapproximation	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	C	simpleavg	robustness	0.1198	max	0.1198	spearman	0.548654	0.548654	0.002	2.59820e+05	bidled	Fulsmetric	Upperapproximation	10

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	C	simpleavg	robustness	0.1192	max	0.1192	spearman	0.5118147	0.5181185	0.002	2.0165e+05	bidled	Symmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	Cbar	borda	robustness	-0.0906	max	-0.0906	spearman	0.5300999	0.5002990	0.002	1.0999e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	Cbar	borda	robustness	-0.0986	max	-0.0986	spearman	0.6611997	0.6611995	0.002	1.0528e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	Cbar	borda	robustness	-0.1024	max	-0.1024	spearman	0.5326441	0.5036940	0.002	2.0796e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	Cbar	borda	robustness	-0.1142	max	-0.1142	spearman	0.4756441	0.4756441	0.002	2.0254e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	Cbar	borda	robustness	-0.107	max	-0.107	spearman	0.5058921	0.5058921	0.002	2.0988e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	Cbar	borda	robustness	-0.1042	max	-0.1042	spearman	0.5602998	0.5602998	0.002	2.0177e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	Cbar	borda	robustness	-0.098	max	-0.098	spearman	0.5746449	0.5746449	0.002	2.0576e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	Cbar	borda	robustness	-0.0898	max	-0.0898	spearman	0.612495	0.612495	0.002	2.1948e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	Cbar	borda	robustness	-0.101	max	-0.101	spearman	0.5486541	0.5486541	0.002	2.5982e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	Cbar	borda	robustness	-0.103	max	-0.103	spearman	0.5118147	0.5181185	0.002	2.0165e+05	bidled	Symmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	Cbar	kemeny	robustness	-0.0906	max	-0.0906	spearman	0.5300999	0.5002990	0.002	1.0999e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	Cbar	kemeny	robustness	-0.0892	max	-0.0892	spearman	0.6611997	0.6611995	0.002	1.0528e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	Cbar	kemeny	robustness	-0.1016	max	-0.1016	spearman	0.5326441	0.5036940	0.002	2.0796e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	Cbar	kemeny	robustness	-0.1034	max	-0.1034	spearman	0.4756441	0.4756441	0.002	2.0254e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	Cbar	kemeny	robustness	-0.0882	max	-0.0882	spearman	0.5058921	0.5058921	0.002	2.0988e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	Cbar	kemeny	robustness	-0.0924	max	-0.0924	spearman	0.5602998	0.5602998	0.002	2.0177e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	Cbar	kemeny	robustness	-0.0986	max	-0.0986	spearman	0.5746449	0.5746449	0.002	2.0576e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	Cbar	kemeny	robustness	-0.0916	max	-0.0916	spearman	0.612495	0.612495	0.002	2.1948e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	Cbar	kemeny	robustness	-0.0904	max	-0.0904	spearman	0.5486541	0.5486541	0.002	2.5982e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	Cbar	kemeny	robustness	-0.0994	max	-0.0994	spearman	0.5118147	0.5181185	0.002	2.0165e+05	bidled	Symmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	Cbar	rrf	robustness	-0.1034	max	-0.1034	spearman	0.5300999	0.5002990	0.002	1.0999e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	Cbar	rrf	robustness	-0.0962	max	-0.0962	spearman	0.6611997	0.6611995	0.002	1.0528e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	Cbar	rrf	robustness	-0.102	max	-0.102	spearman	0.5326441	0.5036940	0.002	2.0796e+05	bidled	Falsimetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	Cbar	rrf	robustness	-0.108	max	-0.108	spearman	0.4756441	0.4756441	0.002	2.0254e+05	bidled	Falsimetric	Upperapproximation	6

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	Cbar	rrf	robustness	-0.0954	max	-0.0954	spearman	0.5005824	0.505824	0.002	2.3984e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	Cbar	rrf	robustness	-0.1004	max	-0.1004	spearman	0.5602968	0.5602968	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	Cbar	rrf	robustness	-0.0882	max	-0.0882	spearman	0.574649	0.574649	0.002	2.2576e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	Cbar	rrf	robustness	-0.0882	max	-0.0882	spearman	0.612495	0.612495	0.002	2.1948e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	Cbar	rrf	robustness	-0.0966	max	-0.0966	spearman	0.548654	0.548654	0.002	2.5982e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	Cbar	rrf	robustness	-0.0958	max	-0.0958	spearman	0.518147	0.518147	0.002	2.3165e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	Cbar	schulze	robustness	-0.0906	max	-0.0906	spearman	0.530299	0.530299	0.002	1.0999e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	Cbar	schulze	robustness	-0.0924	max	-0.0924	spearman	0.661997	0.661997	0.002	1.0528e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	Cbar	schulze	robustness	-0.0916	max	-0.0916	spearman	0.532644	0.532644	0.002	2.0796e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	Cbar	schulze	robustness	-0.111	max	-0.111	spearman	0.475644	0.475644	0.002	2.3254e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	Cbar	schulze	robustness	-0.0974	max	-0.0974	spearman	0.5005824	0.505824	0.002	2.3984e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	Cbar	schulze	robustness	-0.0946	max	-0.0946	spearman	0.5602968	0.5602968	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	Cbar	schulze	robustness	-0.0988	max	-0.0988	spearman	0.574649	0.574649	0.002	2.2576e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	Cbar	schulze	robustness	-0.1016	max	-0.1016	spearman	0.612495	0.612495	0.002	2.1948e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	Cbar	schulze	robustness	-0.0968	max	-0.0968	spearman	0.548654	0.548654	0.002	2.5982e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	Cbar	schulze	robustness	-0.0958	max	-0.0958	spearman	0.518147	0.518147	0.002	2.3165e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	Cbar	simpleavg	robustness	-0.1012	max	-0.1012	spearman	0.530299	0.530299	0.002	1.0999e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	Cbar	simpleavg	robustness	-0.0928	max	-0.0928	spearman	0.661997	0.661997	0.002	1.0528e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	Cbar	simpleavg	robustness	-0.1234	max	-0.1234	spearman	0.532644	0.532644	0.002	2.0796e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	Cbar	simpleavg	robustness	-0.13	max	-0.13	spearman	0.475644	0.475644	0.002	2.3254e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	Cbar	simpleavg	robustness	-0.1278	max	-0.1278	spearman	0.5005824	0.505824	0.002	2.3984e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	Cbar	simpleavg	robustness	-0.1252	max	-0.1252	spearman	0.5602968	0.5602968	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	Cbar	simpleavg	robustness	-0.1228	max	-0.1228	spearman	0.574649	0.574649	0.002	2.2576e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	Cbar	simpleavg	robustness	-0.1178	max	-0.1178	spearman	0.612495	0.612495	0.002	2.1948e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	Cbar	simpleavg	robustness	-0.1182	max	-0.1182	spearman	0.548654	0.548654	0.002	2.5982e+05	bidled	Fulsmetric	Upperapproximation	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	Cbar	simpleavg	robustness	-0.1196	max	-0.1196	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	F	borda	robustness	0.0816	max	0.0816	spearman	0.5303009	0.5602960	0.002	1.00906e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	F	borda	robustness	0.084	max	0.084	spearman	0.6611997	0.6611995	0.002	1.00528e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	F	borda	robustness	0.0798	max	0.0798	spearman	0.5326441	0.5636410	0.002	2.07960e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	F	borda	robustness	0.0764	max	0.0764	spearman	0.4756441	0.4756441	0.002	2.02540e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	F	borda	robustness	0.0764	max	0.0764	spearman	0.5055921	0.5055921	0.002	2.00880e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	F	borda	robustness	0.084	max	0.084	spearman	0.5602008	0.5602960	0.002	2.01577e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	F	borda	robustness	0.0866	max	0.0866	spearman	0.5746649	0.5746649	0.002	2.05760e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	F	borda	robustness	0.077	max	0.077	spearman	0.612405	0.612495	0.002	2.19480e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	F	borda	robustness	0.0756	max	0.0756	spearman	0.548654	0.548654	0.002	2.09820e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	F	borda	robustness	0.0748	max	0.0748	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	F	kemeny	robustness	0.0816	max	0.0816	spearman	0.5303009	0.5602960	0.002	1.00906e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	F	kemeny	robustness	0.0812	max	0.0812	spearman	0.6611997	0.6611995	0.002	1.00528e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	F	kemeny	robustness	0.0806	max	0.0806	spearman	0.5326441	0.5636410	0.002	2.07960e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	F	kemeny	robustness	0.0846	max	0.0846	spearman	0.4756441	0.4756441	0.002	2.02540e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	F	kemeny	robustness	0.081	max	0.081	spearman	0.5055921	0.5055921	0.002	2.00880e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	F	kemeny	robustness	0.0798	max	0.0798	spearman	0.5602008	0.5602960	0.002	2.01577e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	F	kemeny	robustness	0.0816	max	0.0816	spearman	0.5746649	0.5746649	0.002	2.05760e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	F	kemeny	robustness	0.0756	max	0.0756	spearman	0.612405	0.612495	0.002	2.19480e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	F	kemeny	robustness	0.0726	max	0.0726	spearman	0.548654	0.548654	0.002	2.09820e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	F	kemeny	robustness	0.0748	max	0.0748	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	F	rrf	robustness	0.0782	max	0.0782	spearman	0.5303009	0.5602960	0.002	1.00906e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	F	rrf	robustness	0.0804	max	0.0804	spearman	0.6611997	0.6611995	0.002	1.00528e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	F	rrf	robustness	0.0828	max	0.0828	spearman	0.5326441	0.5636410	0.002	2.07960e+05	bidled	Falsimetric	Upperapproximation	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	F	rrf	robustness	0.0822	max	0.0822	spearman	0.4756441	0.4756441	0.002	2.02540e+05	bidled	Falsimetric	Upperapproximation	1

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	F	rrf	robustness	0.0796	max	0.0796	spearman	0.505824	0.505824	0.002	2.3984e+05	bidled	Fulsmetric	Upperapproxioh	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	F	rrf	robustness	0.0858	max	0.0858	spearman	0.5662968	0.5662968	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproxioh	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	F	rrf	robustness	0.083	max	0.083	spearman	0.574649	0.574649	0.002	2.2576e+05	bidled	Fulsmetric	Upperapproxioh	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	F	rrf	robustness	0.074	max	0.074	spearman	0.612495	0.612495	0.002	2.1948e+05	bidled	Fulsmetric	Upperapproxioh	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	F	rrf	robustness	0.0752	max	0.0752	spearman	0.548654	0.548654	0.002	2.5982e+05	bidled	Fulsmetric	Upperapproxioh	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	F	rrf	robustness	0.0742	max	0.0742	spearman	0.518147	0.518147	0.002	2.3165e+05	bidled	Symmetric	Upperapproxioh	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	F	schulze	robustness	0.0816	max	0.0816	spearman	0.530299	0.530299	0.002	1.0999e+05	bidled	Fulsmetric	Upperapproxioh	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	F	schulze	robustness	0.0878	max	0.0878	spearman	0.661997	0.661997	0.002	1.0528e+05	bidled	Fulsmetric	Upperapproxioh	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	F	schulze	robustness	0.0876	max	0.0876	spearman	0.532644	0.532644	0.002	2.0796e+05	bidled	Fulsmetric	Upperapproxioh	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	F	schulze	robustness	0.0788	max	0.0788	spearman	0.475644	0.475644	0.002	2.3254e+05	bidled	Fulsmetric	Upperapproxioh	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	F	schulze	robustness	0.081	max	0.081	spearman	0.505824	0.505824	0.002	2.3984e+05	bidled	Fulsmetric	Upperapproxioh	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	F	schulze	robustness	0.0796	max	0.0796	spearman	0.5662968	0.5662968	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproxioh	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	F	schulze	robustness	0.0808	max	0.0808	spearman	0.574649	0.574649	0.002	2.2576e+05	bidled	Fulsmetric	Upperapproxioh	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	F	schulze	robustness	0.0772	max	0.0772	spearman	0.612495	0.612495	0.002	2.1948e+05	bidled	Fulsmetric	Upperapproxioh	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	F	schulze	robustness	0.0768	max	0.0768	spearman	0.548654	0.548654	0.002	2.5982e+05	bidled	Fulsmetric	Upperapproxioh	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	F	schulze	robustness	0.077	max	0.077	spearman	0.518147	0.518147	0.002	2.3165e+05	bidled	Symmetric	Upperapproxioh	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	F	simpleavg	robustness	0.0718	max	0.0718	spearman	0.530299	0.530299	0.002	1.0999e+05	bidled	Fulsmetric	Upperapproxioh	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	F	simpleavg	robustness	0.0768	max	0.0768	spearman	0.661997	0.661997	0.002	1.0528e+05	bidled	Fulsmetric	Upperapproxioh	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	F	simpleavg	robustness	0.08	max	0.08	spearman	0.532644	0.532644	0.002	2.0796e+05	bidled	Fulsmetric	Upperapproxioh	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	F	simpleavg	robustness	0.0722	max	0.0722	spearman	0.475644	0.475644	0.002	2.3254e+05	bidled	Fulsmetric	Upperapproxioh	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	F	simpleavg	robustness	0.0756	max	0.0756	spearman	0.505824	0.505824	0.002	2.3984e+05	bidled	Fulsmetric	Upperapproxioh	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	F	simpleavg	robustness	0.0736	max	0.0736	spearman	0.5662968	0.5662968	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproxioh	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	F	simpleavg	robustness	0.0774	max	0.0774	spearman	0.574649	0.574649	0.002	2.2576e+05	bidled	Fulsmetric	Upperapproxioh	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	F	simpleavg	robustness	0.0718	max	0.0718	spearman	0.612495	0.612495	0.002	2.1948e+05	bidled	Fulsmetric	Upperapproxioh	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	F	simpleavg	robustness	0.0736	max	0.0736	spearman	0.548654	0.548654	0.002	2.5982e+05	bidled	Fulsmetric	Upperapproxioh	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	F	simpleavg	robustness	0.0734	max	0.0734	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	Fbar	borda	robustness	-0.0278	max	-0.0278	spearman	0.5300000	0.5002960	0.002	1.00900e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	Fbar	borda	robustness	-0.0274	max	-0.0274	spearman	0.6611007	0.6619985	0.002	1.00528e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	Fbar	borda	robustness	-0.0402	max	-0.0402	spearman	0.5326441	0.5030410	0.002	2.07060e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	Fbar	borda	robustness	-0.051	max	-0.051	spearman	0.4756441	0.4756441	0.002	2.02500e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	Fbar	borda	robustness	-0.0426	max	-0.0426	spearman	0.5050021	0.5058210	0.002	2.00800e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	Fbar	borda	robustness	-0.0402	max	-0.0402	spearman	0.5600008	0.5602968	0.002	2.01570e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	Fbar	borda	robustness	-0.0396	max	-0.0396	spearman	0.5746040	0.5746040	0.002	2.05760e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	Fbar	borda	robustness	-0.028	max	-0.028	spearman	0.6124005	0.6124955	0.002	2.10400e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	Fbar	borda	robustness	-0.0368	max	-0.0368	spearman	0.5486541	0.5486541	0.002	2.05082e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	Fbar	borda	robustness	-0.0428	max	-0.0428	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	Fbar	kemeny	robustness	-0.0278	max	-0.0278	spearman	0.5300000	0.5002960	0.002	1.00900e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	Fbar	kemeny	robustness	-0.0222	max	-0.0222	spearman	0.6611007	0.6619985	0.002	1.00528e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	Fbar	kemeny	robustness	-0.0352	max	-0.0352	spearman	0.5326441	0.5030410	0.002	2.07060e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	Fbar	kemeny	robustness	-0.0446	max	-0.0446	spearman	0.4756441	0.4756441	0.002	2.02500e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	Fbar	kemeny	robustness	-0.0298	max	-0.0298	spearman	0.5050021	0.5058210	0.002	2.00800e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	Fbar	kemeny	robustness	-0.0288	max	-0.0288	spearman	0.5600008	0.5602968	0.002	2.01570e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	Fbar	kemeny	robustness	-0.0328	max	-0.0328	spearman	0.5746040	0.5746040	0.002	2.05760e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	Fbar	kemeny	robustness	-0.0288	max	-0.0288	spearman	0.6124005	0.6124955	0.002	2.10400e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	Fbar	kemeny	robustness	-0.0294	max	-0.0294	spearman	0.5486541	0.5486541	0.002	2.05082e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	Fbar	kemeny	robustness	-0.0362	max	-0.0362	spearman	0.5118147	0.5181185	0.002	2.01650e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	Fbar	rrf	robustness	-0.0366	max	-0.0366	spearman	0.5300000	0.5002960	0.002	1.00900e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	Fbar	rrf	robustness	-0.0276	max	-0.0276	spearman	0.6611007	0.6619985	0.002	1.00528e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	Fbar	rrf	robustness	-0.0386	max	-0.0386	spearman	0.5326441	0.5030410	0.002	2.07060e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	Fbar	rrf	robustness	-0.0468	max	-0.0468	spearman	0.4756441	0.4756441	0.002	2.02500e+05	bidled	Falsimetric	Upperapproximation	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	Fbar	rrf	robustness	-0.039	max	-0.039	spearman	0.505824	0.505824	0.002	2.3984e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	Fbar	rrf	robustness	-0.0366	max	-0.0366	spearman	0.5662968	0.5662968	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	Fbar	rrf	robustness	-0.0284	max	-0.0284	spearman	0.574649	0.574649	0.002	2.2576e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	Fbar	rrf	robustness	-0.032	max	-0.032	spearman	0.612495	0.612495	0.002	2.1948e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	Fbar	rrf	robustness	-0.0354	max	-0.0354	spearman	0.548654	0.548654	0.002	2.5982e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	Fbar	rrf	robustness	-0.0342	max	-0.0342	spearman	0.518147	0.518147	0.002	2.3165e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	Fbar	schulze	robustness	-0.0278	max	-0.0278	spearman	0.530299	0.530299	0.002	1.0999e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	Fbar	schulze	robustness	-0.0238	max	-0.0238	spearman	0.661997	0.661997	0.002	1.0528e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	Fbar	schulze	robustness	-0.028	max	-0.028	spearman	0.532644	0.532644	0.002	2.0796e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	Fbar	schulze	robustness	-0.049	max	-0.049	spearman	0.475644	0.475644	0.002	2.3254e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	Fbar	schulze	robustness	-0.039	max	-0.039	spearman	0.505824	0.505824	0.002	2.3984e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	Fbar	schulze	robustness	-0.0368	max	-0.0368	spearman	0.5662968	0.5662968	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	Fbar	schulze	robustness	-0.0354	max	-0.0354	spearman	0.574649	0.574649	0.002	2.2576e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	Fbar	schulze	robustness	-0.0356	max	-0.0356	spearman	0.612495	0.612495	0.002	2.1948e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	Fbar	schulze	robustness	-0.0386	max	-0.0386	spearman	0.548654	0.548654	0.002	2.5982e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	Fbar	schulze	robustness	-0.035	max	-0.035	spearman	0.518147	0.518147	0.002	2.3165e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	Fbar	simpleavg	robustness	-0.0368	max	-0.0368	spearman	0.530299	0.530299	0.002	1.0999e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	Fbar	simpleavg	robustness	-0.0282	max	-0.0282	spearman	0.661997	0.661997	0.002	1.0528e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	Fbar	simpleavg	robustness	-0.0688	max	-0.0688	spearman	0.532644	0.532644	0.002	2.0796e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	Fbar	simpleavg	robustness	-0.0666	max	-0.0666	spearman	0.475644	0.475644	0.002	2.3254e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	Fbar	simpleavg	robustness	-0.066	max	-0.066	spearman	0.505824	0.505824	0.002	2.3984e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	Fbar	simpleavg	robustness	-0.0588	max	-0.0588	spearman	0.5662968	0.5662968	0.002	2.21577e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	Fbar	simpleavg	robustness	-0.0638	max	-0.0638	spearman	0.574649	0.574649	0.002	2.2576e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	Fbar	simpleavg	robustness	-0.063	max	-0.063	spearman	0.612495	0.612495	0.002	2.1948e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	Fbar	simpleavg	robustness	-0.0646	max	-0.0646	spearman	0.548654	0.548654	0.002	2.5982e+05	bidled	Fulsmetric	Upperapproximation	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman	11	speckle- 0.15	Fbar	simpleavg	robustness	-0.0636	max	-0.0636	spearman	0.518147	0.518147	0.002	2.9165e+05	11	symmetric	Upper approximation	3

cell	dataset	model	distance model	q	condition	metric	is optimal q	q11 reference	method prefix
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	spearman	11	speckle- 0.15	Fbar	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]

Table 262: ImageNet–ResNet-18 results.

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversaria- sara-2- 255	C	borda	conditioned	0.992215	false	["GuidedBackprop", "DeepLiftShap"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversaria- sara-2- 255	C	borda	conditioned	0.985615	false	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversaria- sara-2- 255	C	borda	conditioned	0.105615	false	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversaria- sara-2- 255	C	borda	conditioned	0.409115	false	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	adversaria- sara-2- 255	C	borda	conditioned	0.101215	false	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	adversaria- sara-2- 255	C	borda	conditioned	0.996615	false	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	adversaria- sara-2- 255	C	borda	conditioned	0.990615	false	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	adversaria- sara-2- 255	C	borda	conditioned	0.989215	false	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	adversaria- sara-2- 255	C	borda	conditioned	0.988415	false	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversaria- sara-2- 255	C	borda	conditioned	0.987415	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversaria- sara-2- 255	C	kemeny	conditioned	0.992215	false	["GuidedBackprop", "DeepLiftShap"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversaria- sara-2- 255	C	kemeny	conditioned	0.982415	false	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversaria- sara-2- 255	C	kemeny	conditioned	0.993215	false	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversaria- sara-2- 255	C	kemeny	conditioned	0.105415	false	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	adversaria- sara-2- 255	C	kemeny	conditioned	0.998415	false	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	adversaria- sara-2- 255	C	kemeny	conditioned	0.994115	false	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	adversaria- sara-2- 255	C	kemeny	conditioned	0.991415	false	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	adversaria- sara-2- 255	C	kemeny	conditioned	0.985415	false	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	adversaria- sara-2- 255	C	kemeny	conditioned	0.987415	false	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversaria- sara-2- 255	C	kemeny	conditioned	0.992115	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversaria- sara-2- 255	C	rrf	conditioned	0.992215	false	["GuidedBackprop", "DeepLiftShap"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversaria- sara-2- 255	C	rrf	conditioned	0.985615	false	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversaria- sara-2- 255	C	rrf	conditioned	0.101815	false	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversaria- sara-2- 255	C	rrf	conditioned	0.110215	false	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

[illegible]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversaria- sara-2- 255	Cbar	simpleavg	conditioned	0.3408	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversaria- sara-2- 255	F	borda	conditioned	0.6658	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversaria- sara-2- 255	F	borda	conditioned	0.6612	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversaria- sara-2- 255	F	borda	conditioned	0.6756	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversaria- sara-2- 255	F	borda	conditioned	0.6768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	adversaria- sara-2- 255	F	borda	conditioned	0.6741	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	adversaria- sara-2- 255	F	borda	conditioned	0.6708	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	adversaria- sara-2- 255	F	borda	conditioned	0.6604	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	adversaria- sara-2- 255	F	borda	conditioned	0.6611	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	adversaria- sara-2- 255	F	borda	conditioned	0.6611	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversaria- sara-2- 255	F	borda	conditioned	0.6681	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversaria- sara-2- 255	F	kemeny	conditioned	0.6658	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversaria- sara-2- 255	F	kemeny	conditioned	0.6580	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversaria- sara-2- 255	F	kemeny	conditioned	0.6684	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversaria- sara-2- 255	F	kemeny	conditioned	0.6768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	adversaria- sara-2- 255	F	kemeny	conditioned	0.6700	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	adversaria- sara-2- 255	F	kemeny	conditioned	0.6681	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	adversaria- sara-2- 255	F	kemeny	conditioned	0.6661	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	adversaria- sara-2- 255	F	kemeny	conditioned	0.6602	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	adversaria- sara-2- 255	F	kemeny	conditioned	0.6628	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversaria- sara-2- 255	F	kemeny	conditioned	0.6652	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversaria- sara-2- 255	F	rrf	conditioned	0.6652	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversaria- sara-2- 255	F	rrf	conditioned	0.6622	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversaria- sara-2- 255	F	rrf	conditioned	0.6731	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversaria- sara-2- 255	F	rrf	conditioned	0.6784	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

[illegible]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversaria- sara-2- 255	F	simpleavg	conditioned	0.9782	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversaria- sara-2- 255	Fbar	borda	conditioned	0.4221	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversaria- sara-2- 255	Fbar	borda	conditioned	0.1364	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversaria- sara-2- 255	Fbar	borda	conditioned	0.1511	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversaria- sara-2- 255	Fbar	borda	conditioned	0.4721	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	adversaria- sara-2- 255	Fbar	borda	conditioned	0.1768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	adversaria- sara-2- 255	Fbar	borda	conditioned	0.1926	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	adversaria- sara-2- 255	Fbar	borda	conditioned	0.1998	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	adversaria- sara-2- 255	Fbar	borda	conditioned	0.2154	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	adversaria- sara-2- 255	Fbar	borda	conditioned	0.2070	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversaria- sara-2- 255	Fbar	borda	conditioned	0.1999	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversaria- sara-2- 255	Fbar	kemeny	conditioned	0.4221	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversaria- sara-2- 255	Fbar	kemeny	conditioned	0.1786	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversaria- sara-2- 255	Fbar	kemeny	conditioned	0.1562	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversaria- sara-2- 255	Fbar	kemeny	conditioned	0.1386	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	adversaria- sara-2- 255	Fbar	kemeny	conditioned	0.1508	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	adversaria- sara-2- 255	Fbar	kemeny	conditioned	0.4631	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	adversaria- sara-2- 255	Fbar	kemeny	conditioned	0.1864	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	adversaria- sara-2- 255	Fbar	kemeny	conditioned	0.2156	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	adversaria- sara-2- 255	Fbar	kemeny	conditioned	0.2066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversaria- sara-2- 255	Fbar	kemeny	conditioned	0.2081	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversaria- sara-2- 255	Fbar	rrf	conditioned	0.4191	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversaria- sara-2- 255	Fbar	rrf	conditioned	0.4141	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversaria- sara-2- 255	Fbar	rrf	conditioned	0.1366	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversaria- sara-2- 255	Fbar	rrf	conditioned	0.1548	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversaria- sara-2- 255	Fbar	simpleavg	conditioned	0.2472	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	C	borda	conditioned	0.6324	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	C	borda	conditioned	0.6241	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	C	borda	conditioned	0.6154	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	C	borda	conditioned	0.6223	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	gaussian- 0.15	C	borda	conditioned	0.6461	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	gaussian- 0.15	C	borda	conditioned	0.6342	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	gaussian- 0.15	C	borda	conditioned	0.6266	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	gaussian- 0.15	C	borda	conditioned	0.6196	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	gaussian- 0.15	C	borda	conditioned	0.6164	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	C	borda	conditioned	0.6441	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	C	kemeny	conditioned	0.6324	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	C	kemeny	conditioned	0.6196	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	C	kemeny	conditioned	0.6266	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	C	kemeny	conditioned	0.6148	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	gaussian- 0.15	C	kemeny	conditioned	0.6431	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	gaussian- 0.15	C	kemeny	conditioned	0.6242	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	gaussian- 0.15	C	kemeny	conditioned	0.6104	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	gaussian- 0.15	C	kemeny	conditioned	0.6192	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	gaussian- 0.15	C	kemeny	conditioned	0.5952	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	C	kemeny	conditioned	0.6006	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	C	rrf	conditioned	0.6324	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	C	rrf	conditioned	0.6178	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	C	rrf	conditioned	0.6396	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	C	rrf	conditioned	0.6504	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	C	simpleavg	conditioned	0.6304	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	Cbar	borda	conditioned	0.5791	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	Cbar	borda	conditioned	0.5820	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	Cbar	borda	conditioned	0.6266	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	Cbar	borda	conditioned	0.6704	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	gaussian- 0.15	Cbar	borda	conditioned	0.6682	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	gaussian- 0.15	Cbar	borda	conditioned	0.6684	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	gaussian- 0.15	Cbar	borda	conditioned	0.6688	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	gaussian- 0.15	Cbar	borda	conditioned	0.6606	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	gaussian- 0.15	Cbar	borda	conditioned	0.6654	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	Cbar	borda	conditioned	0.6672	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	Cbar	kemeny	conditioned	0.5791	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	Cbar	kemeny	conditioned	0.5820	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	Cbar	kemeny	conditioned	0.5858	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	Cbar	kemeny	conditioned	0.5904	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	gaussian- 0.15	Cbar	kemeny	conditioned	0.6008	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	gaussian- 0.15	Cbar	kemeny	conditioned	0.6151	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	gaussian- 0.15	Cbar	kemeny	conditioned	0.6281	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	gaussian- 0.15	Cbar	kemeny	conditioned	0.6376	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	gaussian- 0.15	Cbar	kemeny	conditioned	0.6362	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	Cbar	kemeny	conditioned	0.6266	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	Cbar	rrf	conditioned	0.5790	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	Cbar	rrf	conditioned	0.5818	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	Cbar	rrf	conditioned	0.5951	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	Cbar	rrf	conditioned	0.6118	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	F	simpleavg	conditioned	0.4291	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	Fbar	borda	conditioned	0.2466	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	Fbar	borda	conditioned	0.2502	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	Fbar	borda	conditioned	0.2906	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	Fbar	borda	conditioned	0.3282	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	gaussian- 0.15	Fbar	borda	conditioned	0.3258	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	gaussian- 0.15	Fbar	borda	conditioned	0.3284	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	gaussian- 0.15	Fbar	borda	conditioned	0.3214	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	gaussian- 0.15	Fbar	borda	conditioned	0.3216	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	gaussian- 0.15	Fbar	borda	conditioned	0.3254	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	Fbar	borda	conditioned	0.3182	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	Fbar	kemeny	conditioned	0.2466	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	Fbar	kemeny	conditioned	0.2452	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	Fbar	kemeny	conditioned	0.2511	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	Fbar	kemeny	conditioned	0.2618	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	gaussian- 0.15	Fbar	kemeny	conditioned	0.2604	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	gaussian- 0.15	Fbar	kemeny	conditioned	0.2791	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	gaussian- 0.15	Fbar	kemeny	conditioned	0.2856	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	gaussian- 0.15	Fbar	kemeny	conditioned	0.2916	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	gaussian- 0.15	Fbar	kemeny	conditioned	0.3004	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	Fbar	kemeny	conditioned	0.2918	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	Fbar	rrf	conditioned	0.2472	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	Fbar	rrf	conditioned	0.2474	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	Fbar	rrf	conditioned	0.2591	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	Fbar	rrf	conditioned	0.3012	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	Fbar	simpleavg	conditioned	0.3628	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	C	borda	conditioned	0.6141	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	C	borda	conditioned	0.6118	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	C	borda	conditioned	0.6266	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	C	borda	conditioned	0.6218	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	salt- pepper- 0.05	C	borda	conditioned	0.6174	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	salt- pepper- 0.05	C	borda	conditioned	0.6116	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	salt- pepper- 0.05	C	borda	conditioned	0.6116	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	salt- pepper- 0.05	C	borda	conditioned	0.6024	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	salt- pepper- 0.05	C	borda	conditioned	0.5961	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	C	borda	conditioned	0.5964	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	C	kemeny	conditioned	0.6141	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	C	kemeny	conditioned	0.6081	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	C	kemeny	conditioned	0.6066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	C	kemeny	conditioned	0.6254	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	salt- pepper- 0.05	C	kemeny	conditioned	0.6132	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	salt- pepper- 0.05	C	kemeny	conditioned	0.6051	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	salt- pepper- 0.05	C	kemeny	conditioned	0.6036	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	salt- pepper- 0.05	C	kemeny	conditioned	0.6031	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	salt- pepper- 0.05	C	kemeny	conditioned	0.5872	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	C	kemeny	conditioned	0.5881	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	C	rrf	conditioned	0.6132	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	C	rrf	conditioned	0.6124	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	C	rrf	conditioned	0.6262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	C	rrf	conditioned	0.6306	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	C	simpleavg	conditioned	0.6042	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	Cbar	borda	conditioned	0.5441	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	Cbar	borda	conditioned	0.5460	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	Cbar	borda	conditioned	0.6022	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	Cbar	borda	conditioned	0.6044	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	salt- pepper- 0.05	Cbar	borda	conditioned	0.6092	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	salt- pepper- 0.05	Cbar	borda	conditioned	0.6304	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	salt- pepper- 0.05	Cbar	borda	conditioned	0.6302	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	salt- pepper- 0.05	Cbar	borda	conditioned	0.6031	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	salt- pepper- 0.05	Cbar	borda	conditioned	0.6022	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	Cbar	borda	conditioned	0.6280	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	Cbar	kemeny	conditioned	0.5441	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	Cbar	kemeny	conditioned	0.5692	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	Cbar	kemeny	conditioned	0.5628	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	Cbar	kemeny	conditioned	0.5666	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	salt- pepper- 0.05	Cbar	kemeny	conditioned	0.5760	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	salt- pepper- 0.05	Cbar	kemeny	conditioned	0.5866	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	salt- pepper- 0.05	Cbar	kemeny	conditioned	0.5922	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	salt- pepper- 0.05	Cbar	kemeny	conditioned	0.6060	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	salt- pepper- 0.05	Cbar	kemeny	conditioned	0.6070	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	Cbar	kemeny	conditioned	0.6064	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	Cbar	rrf	conditioned	0.5448	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	Cbar	rrf	conditioned	0.5482	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	Cbar	rrf	conditioned	0.5588	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	Cbar	rrf	conditioned	0.6160	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	Cbar	simpleavg	conditioned	0.6808	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	F	borda	conditioned	0.3426	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	F	borda	conditioned	0.3372	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	F	borda	conditioned	0.3468	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	F	borda	conditioned	0.3378	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	salt- pepper- 0.05	F	borda	conditioned	0.3381	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	salt- pepper- 0.05	F	borda	conditioned	0.3354	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	salt- pepper- 0.05	F	borda	conditioned	0.3298	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	salt- pepper- 0.05	F	borda	conditioned	0.3281	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	salt- pepper- 0.05	F	borda	conditioned	0.3192	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	F	borda	conditioned	0.3204	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	F	kemeny	conditioned	0.3426	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	F	kemeny	conditioned	0.3372	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	F	kemeny	conditioned	0.3362	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	F	kemeny	conditioned	0.3502	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	salt- pepper- 0.05	F	kemeny	conditioned	0.3348	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	salt- pepper- 0.05	F	kemeny	conditioned	0.3321	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	salt- pepper- 0.05	F	kemeny	conditioned	0.3298	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	salt- pepper- 0.05	F	kemeny	conditioned	0.3226	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	salt- pepper- 0.05	F	kemeny	conditioned	0.3154	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	F	kemeny	conditioned	0.3171	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	F	rrf	conditioned	0.3418	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	F	rrf	conditioned	0.3421	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	F	rrf	conditioned	0.3484	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	F	rrf	conditioned	0.3458	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	F	simpleavg	conditioned	0.3402	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	Fbar	borda	conditioned	0.2666	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	Fbar	borda	conditioned	0.2666	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	Fbar	borda	conditioned	0.2731	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	Fbar	borda	conditioned	0.3088	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	salt- pepper- 0.05	Fbar	borda	conditioned	0.3024	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	salt- pepper- 0.05	Fbar	borda	conditioned	0.4081	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	salt- pepper- 0.05	Fbar	borda	conditioned	0.3004	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	salt- pepper- 0.05	Fbar	borda	conditioned	0.3402	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	salt- pepper- 0.05	Fbar	borda	conditioned	0.2688	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	Fbar	borda	conditioned	0.2674	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	Fbar	kemeny	conditioned	0.2666	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	Fbar	kemeny	conditioned	0.2666	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	Fbar	kemeny	conditioned	0.2656	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	Fbar	kemeny	conditioned	0.2842	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	salt- pepper- 0.05	Fbar	kemeny	conditioned	0.2440	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	salt- pepper- 0.05	Fbar	kemeny	conditioned	0.2558	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	salt- pepper- 0.05	Fbar	kemeny	conditioned	0.2628	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	salt- pepper- 0.05	Fbar	kemeny	conditioned	0.2761	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	salt- pepper- 0.05	Fbar	kemeny	conditioned	0.2762	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	Fbar	kemeny	conditioned	0.2684	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	Fbar	rrf	conditioned	0.2420	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	Fbar	rrf	conditioned	0.2444	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	Fbar	rrf	conditioned	0.2826	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	Fbar	rrf	conditioned	0.2834	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	6	salt-pepper-0.05	Fbar	rff	conditioned	0.2690	false	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	7	salt-pepper-0.05	Fbar	rff	conditioned	0.2733	false	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","IntegratedGradients"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	8	salt-pepper-0.05	Fbar	rff	conditioned	0.2698	false	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","IntegratedGradients","Saliency"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	9	salt-pepper-0.05	Fbar	rff	conditioned	0.2778	false	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","IntegratedGradients","Saliency","InputXGradient"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	10	salt-pepper-0.05	Fbar	rff	conditioned	0.2771	false	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","IntegratedGradients","Saliency","InputXGradient","Deconvolution"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	11	salt-pepper-0.05	Fbar	rff	conditioned	0.2690	true	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","IntegratedGradients","Saliency","InputXGradient","Deconvolution","LayerwiseTSA"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	2	salt-pepper-0.05	Fbar	schulze	conditioned	0.2660	false	["GuidedBackprop","DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	3	salt-pepper-0.05	Fbar	schulze	conditioned	0.2168	false	["GuidedBackprop","DeepLiftShap","DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	salt-pepper-0.05	Fbar	schulze	conditioned	0.2998	false	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt-pepper-0.05	Fbar	schulze	conditioned	0.3014	false	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	6	salt-pepper-0.05	Fbar	schulze	conditioned	0.2690	false	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	7	salt-pepper-0.05	Fbar	schulze	conditioned	0.2662	false	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","IntegratedGradients"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	8	salt-pepper-0.05	Fbar	schulze	conditioned	0.2694	false	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","IntegratedGradients","Saliency"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	9	salt-pepper-0.05	Fbar	schulze	conditioned	0.2816	false	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","IntegratedGradients","Saliency","InputXGradient"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	10	salt-pepper-0.05	Fbar	schulze	conditioned	0.2748	false	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","IntegratedGradients","Saliency","InputXGradient","Deconvolution"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	11	salt-pepper-0.05	Fbar	schulze	conditioned	0.2698	true	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","IntegratedGradients","Saliency","InputXGradient","Deconvolution","LayerwiseTSA"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	2	salt-pepper-0.05	Fbar	simpleavg	conditioned	0.2140	false	["GuidedBackprop","DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	3	salt-pepper-0.05	Fbar	simpleavg	conditioned	0.2990	false	["GuidedBackprop","DeepLiftShap","DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	salt-pepper-0.05	Fbar	simpleavg	conditioned	0.3414	false	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	salt-pepper-0.05	Fbar	simpleavg	conditioned	0.3768	false	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	6	salt-pepper-0.05	Fbar	simpleavg	conditioned	0.3682	false	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	7	salt-pepper-0.05	Fbar	simpleavg	conditioned	0.3692	false	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","IntegratedGradients"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	8	salt-pepper-0.05	Fbar	simpleavg	conditioned	0.3621	false	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","IntegratedGradients","Saliency"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	9	salt-pepper-0.05	Fbar	simpleavg	conditioned	0.3426	false	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","IntegratedGradients","Saliency","InputXGradient"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	10	salt-pepper-0.05	Fbar	simpleavg	conditioned	0.3492	false	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","IntegratedGradients","Saliency","InputXGradient","Deconvolution"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	Fbar	simpleavg	conditioned	0.3406	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	C	borda	conditioned	0.4186	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	C	borda	conditioned	0.4164	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	C	borda	conditioned	0.4092	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	C	borda	conditioned	0.4058	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	speckle- 0.15	C	borda	conditioned	0.4151	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	speckle- 0.15	C	borda	conditioned	0.4151	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	speckle- 0.15	C	borda	conditioned	0.4104	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	speckle- 0.15	C	borda	conditioned	0.4161	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	speckle- 0.15	C	borda	conditioned	0.3972	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	C	borda	conditioned	0.3898	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	C	kemeny	conditioned	0.4186	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	C	kemeny	conditioned	0.4092	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	C	kemeny	conditioned	0.4114	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	C	kemeny	conditioned	0.4133	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	speckle- 0.15	C	kemeny	conditioned	0.4194	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	speckle- 0.15	C	kemeny	conditioned	0.4094	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	speckle- 0.15	C	kemeny	conditioned	0.4054	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	speckle- 0.15	C	kemeny	conditioned	0.3882	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	speckle- 0.15	C	kemeny	conditioned	0.3876	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	C	kemeny	conditioned	0.3846	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	C	rrf	conditioned	0.4114	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	C	rrf	conditioned	0.4131	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	C	rrf	conditioned	0.4061	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	C	rrf	conditioned	0.4098	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	C	simpleavg	conditioned	0.4652	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	Cbar	borda	conditioned	0.3492	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	Cbar	borda	conditioned	0.3674	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	Cbar	borda	conditioned	0.4081	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	Cbar	borda	conditioned	0.4358	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	speckle- 0.15	Cbar	borda	conditioned	0.4394	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	speckle- 0.15	Cbar	borda	conditioned	0.4524	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	speckle- 0.15	Cbar	borda	conditioned	0.4428	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	speckle- 0.15	Cbar	borda	conditioned	0.4562	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	speckle- 0.15	Cbar	borda	conditioned	0.4594	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	Cbar	borda	conditioned	0.4494	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	Cbar	kemeny	conditioned	0.3492	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	Cbar	kemeny	conditioned	0.3693	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	Cbar	kemeny	conditioned	0.3768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	Cbar	kemeny	conditioned	0.3903	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	speckle- 0.15	Cbar	kemeny	conditioned	0.3938	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	speckle- 0.15	Cbar	kemeny	conditioned	0.4228	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	speckle- 0.15	Cbar	kemeny	conditioned	0.4284	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	speckle- 0.15	Cbar	kemeny	conditioned	0.4551	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	speckle- 0.15	Cbar	kemeny	conditioned	0.4451	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	Cbar	kemeny	conditioned	0.4480	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	Cbar	rrf	conditioned	0.3594	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	Cbar	rrf	conditioned	0.3678	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	Cbar	rrf	conditioned	0.3768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	Cbar	rrf	conditioned	0.4124	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	Cbar	simpleavg	conditioned	0.5658	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	F	borda	conditioned	0.2634	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	F	borda	conditioned	0.2602	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	F	borda	conditioned	0.2554	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	F	borda	conditioned	0.2641	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	speckle- 0.15	F	borda	conditioned	0.2540	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	speckle- 0.15	F	borda	conditioned	0.2538	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	speckle- 0.15	F	borda	conditioned	0.2511	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	speckle- 0.15	F	borda	conditioned	0.2388	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	speckle- 0.15	F	borda	conditioned	0.2372	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	F	borda	conditioned	0.2328	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	F	kemeny	conditioned	0.2634	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	F	kemeny	conditioned	0.2512	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	F	kemeny	conditioned	0.2550	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	F	kemeny	conditioned	0.2721	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	speckle- 0.15	F	kemeny	conditioned	0.2610	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	speckle- 0.15	F	kemeny	conditioned	0.2514	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	speckle- 0.15	F	kemeny	conditioned	0.2458	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	speckle- 0.15	F	kemeny	conditioned	0.2331	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	speckle- 0.15	F	kemeny	conditioned	0.2312	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	F	kemeny	conditioned	0.2304	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	F	rrf	conditioned	0.2594	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	F	rrf	conditioned	0.2660	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	F	rrf	conditioned	0.2662	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	F	rrf	conditioned	0.2708	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	F	simpleavg	conditioned	0.4661	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	Fbar	borda	conditioned	0.4731	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	Fbar	borda	conditioned	0.4661	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	Fbar	borda	conditioned	0.2904	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	Fbar	borda	conditioned	0.2492	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	speckle- 0.15	Fbar	borda	conditioned	0.2518	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	speckle- 0.15	Fbar	borda	conditioned	0.2604	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	speckle- 0.15	Fbar	borda	conditioned	0.2592	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	speckle- 0.15	Fbar	borda	conditioned	0.2668	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	speckle- 0.15	Fbar	borda	conditioned	0.2652	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	Fbar	borda	conditioned	0.2614	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	Fbar	kemeny	conditioned	0.4731	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	Fbar	kemeny	conditioned	0.2420	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	Fbar	kemeny	conditioned	0.2002	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	Fbar	kemeny	conditioned	0.2404	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	speckle- 0.15	Fbar	kemeny	conditioned	0.2460	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	speckle- 0.15	Fbar	kemeny	conditioned	0.2376	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	speckle- 0.15	Fbar	kemeny	conditioned	0.2420	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	speckle- 0.15	Fbar	kemeny	conditioned	0.2682	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	speckle- 0.15	Fbar	kemeny	conditioned	0.2680	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	Fbar	kemeny	conditioned	0.2590	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	Fbar	rrf	conditioned	0.4791	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	Fbar	rrf	conditioned	0.1888	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	Fbar	rrf	conditioned	0.1992	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	Fbar	rrf	conditioned	0.2300	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	Fbar	simpleavg	conditioned	0.3146	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	C	borda	quality	0.308	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	C	borda	quality	0.3034	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	C	borda	quality	0.3116	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	C	borda	quality	0.312	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	C	borda	quality	0.2986	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	C	borda	quality	0.289	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	C	borda	quality	0.2844	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	C	borda	quality	0.2778	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	C	borda	quality	0.2768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	C	borda	quality	0.2756	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	C	kemeny	quality	0.308	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	C	kemeny	quality	0.2916	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	C	kemeny	quality	0.2978	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	C	kemeny	quality	0.3128	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	C	kemeny	quality	0.306	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	C	kemeny	quality	0.2884	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	C	kemeny	quality	0.282	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	C	kemeny	quality	0.2744	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	C	kemeny	quality	0.2722	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	C	kemeny	quality	0.271	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	C	rrf	quality	0.3074	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	C	rrf	quality	0.3022	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	C	rrf	quality	0.3066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	C	rrf	quality	0.3152	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	C	rrf	quality	0.2986	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	C	rrf	quality	0.2912	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	C	rrf	quality	0.2878	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	C	rrf	quality	0.2798	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	C	rrf	quality	0.2772	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	C	rrf	quality	0.2812	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	C	schulze	quality	0.308	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	C	schulze	quality	0.2924	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	C	schulze	quality	0.2974	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	C	schulze	quality	0.312	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	C	schulze	quality	0.3008	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	C	schulze	quality	0.2966	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	C	schulze	quality	0.2844	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	C	schulze	quality	0.2694	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	C	schulze	quality	0.2758	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	C	schulze	quality	0.276	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	C	simpleavg	quality	0.3056	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	C	simpleavg	quality	0.2996	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	C	simpleavg	quality	0.3024	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	C	simpleavg	quality	0.2872	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	C	simpleavg	quality	0.2876	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	C	simpleavg	quality	0.2898	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	C	simpleavg	quality	0.285	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	C	simpleavg	quality	0.2882	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	C	simpleavg	quality	0.2858	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	C	simpleavg	quality	0.286	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	Cbar	borda	quality	0.2586	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	Cbar	borda	quality	0.2688	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	Cbar	borda	quality	0.3024	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	Cbar	borda	quality	0.3216	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	Cbar	borda	quality	0.3324	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	Cbar	borda	quality	0.3482	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	Cbar	borda	quality	0.3448	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	Cbar	borda	quality	0.3664	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	Cbar	borda	quality	0.3514	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	Cbar	borda	quality	0.3464	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	Cbar	kemeny	quality	0.2586	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	Cbar	kemeny	quality	0.3044	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	Cbar	kemeny	quality	0.2772	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	Cbar	kemeny	quality	0.2872	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	Cbar	kemeny	quality	0.3056	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	Cbar	kemeny	quality	0.3304	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	Cbar	kemeny	quality	0.3298	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	Cbar	kemeny	quality	0.3634	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	Cbar	kemeny	quality	0.3546	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	Cbar	kemeny	quality	0.3492	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	Cbar	rrf	quality	0.256	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	Cbar	rrf	quality	0.2716	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	Cbar	rrf	quality	0.2748	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	Cbar	rrf	quality	0.3094	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	Cbar	rrf	quality	0.318	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	Cbar	rrf	quality	0.323	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	Cbar	rrf	quality	0.3306	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	Cbar	rrf	quality	0.3552	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	Cbar	rrf	quality	0.3388	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	Cbar	rrf	quality	0.3424	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	Cbar	schulze	quality	0.2586	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	Cbar	schulze	quality	0.291	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	Cbar	schulze	quality	0.2872	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	Cbar	schulze	quality	0.3258	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	Cbar	schulze	quality	0.3152	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	Cbar	schulze	quality	0.3174	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	Cbar	schulze	quality	0.3316	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	Cbar	schulze	quality	0.3564	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	Cbar	schulze	quality	0.3522	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	Cbar	schulze	quality	0.3444	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	Cbar	simpleavg	quality	0.2646	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	Cbar	simpleavg	quality	0.2752	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	Cbar	simpleavg	quality	0.3706	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	Cbar	simpleavg	quality	0.4004	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	Cbar	simpleavg	quality	0.3954	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	Cbar	simpleavg	quality	0.3896	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	Cbar	simpleavg	quality	0.3894	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	Cbar	simpleavg	quality	0.3882	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	Cbar	simpleavg	quality	0.3858	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	Cbar	simpleavg	quality	0.3862	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	F	borda	quality	0.1818	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	F	borda	quality	0.1762	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	F	borda	quality	0.1856	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	F	borda	quality	0.1876	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	F	borda	quality	0.1782	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	F	borda	quality	0.1698	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	F	borda	quality	0.1634	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	F	borda	quality	0.1618	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	F	borda	quality	0.1616	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	F	borda	quality	0.158	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	F	kemeny	quality	0.1818	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	F	kemeny	quality	0.17	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	F	kemeny	quality	0.175	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	F	kemeny	quality	0.1874	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	F	kemeny	quality	0.1806	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	F	kemeny	quality	0.1716	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	F	kemeny	quality	0.1642	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	F	kemeny	quality	0.1574	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	F	kemeny	quality	0.1586	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	F	kemeny	quality	0.1556	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	F	rrf	quality	0.1812	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	F	rrf	quality	0.1762	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	F	rrf	quality	0.1834	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	F	rrf	quality	0.1886	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	F	rrf	quality	0.1798	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	F	rrf	quality	0.1728	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	F	rrf	quality	0.1682	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	F	rrf	quality	0.1644	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	F	rrf	quality	0.1638	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	F	rrf	quality	0.1612	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	F	schulze	quality	0.1818	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	F	schulze	quality	0.1658	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	F	schulze	quality	0.1704	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	F	schulze	quality	0.1876	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	F	schulze	quality	0.181	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	F	schulze	quality	0.175	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	F	schulze	quality	0.1672	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	F	schulze	quality	0.1578	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	F	schulze	quality	0.1618	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	F	schulze	quality	0.1576	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	F	simpleavg	quality	0.1814	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	F	simpleavg	quality	0.1762	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	F	simpleavg	quality	0.1804	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	F	simpleavg	quality	0.1726	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	F	simpleavg	quality	0.1738	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	F	simpleavg	quality	0.1742	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	F	simpleavg	quality	0.1724	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	F	simpleavg	quality	0.1748	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	F	simpleavg	quality	0.1736	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	F	simpleavg	quality	0.1726	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	Fbar	borda	quality	0.1452	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	Fbar	borda	quality	0.1586	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	Fbar	borda	quality	0.1802	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	Fbar	borda	quality	0.1982	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	Fbar	borda	quality	0.2092	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	Fbar	borda	quality	0.2242	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	Fbar	borda	quality	0.2196	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	Fbar	borda	quality	0.2388	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	Fbar	borda	quality	0.2284	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	Fbar	borda	quality	0.2186	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	Fbar	kemeny	quality	0.1452	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	Fbar	kemeny	quality	0.1904	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	Fbar	kemeny	quality	0.165	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	Fbar	kemeny	quality	0.1658	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	Fbar	kemeny	quality	0.1868	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	Fbar	kemeny	quality	0.2088	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	Fbar	kemeny	quality	0.2098	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	Fbar	kemeny	quality	0.2394	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	Fbar	kemeny	quality	0.2292	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	Fbar	kemeny	quality	0.2234	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	Fbar	rrf	quality	0.1424	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	Fbar	rrf	quality	0.1612	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	Fbar	rrf	quality	0.1606	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	Fbar	rrf	quality	0.1868	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	Fbar	rrf	quality	0.1964	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	Fbar	rrf	quality	0.2046	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	Fbar	rrf	quality	0.2076	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	Fbar	rrf	quality	0.2258	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	Fbar	rrf	quality	0.217	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	Fbar	rrf	quality	0.2176	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	Fbar	schulze	quality	0.1452	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	Fbar	schulze	quality	0.1786	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	Fbar	schulze	quality	0.1726	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	Fbar	schulze	quality	0.2018	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	Fbar	schulze	quality	0.1956	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	Fbar	schulze	quality	0.1954	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	Fbar	schulze	quality	0.2068	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	Fbar	schulze	quality	0.2342	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	Fbar	schulze	quality	0.2262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	Fbar	schulze	quality	0.2182	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	clean	Fbar	simpleavg	quality	0.15	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	clean	Fbar	simpleavg	quality	0.1638	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	clean	Fbar	simpleavg	quality	0.238	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	clean	Fbar	simpleavg	quality	0.2698	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	clean	Fbar	simpleavg	quality	0.2632	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	clean	Fbar	simpleavg	quality	0.2592	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	clean	Fbar	simpleavg	quality	0.2574	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	clean	Fbar	simpleavg	quality	0.2538	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	clean	Fbar	simpleavg	quality	0.2494	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	clean	Fbar	simpleavg	quality	0.251	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversaria	C	borda	robustness	0.2158	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversaria	C	borda	robustness	0.2178	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversaria	C	borda	robustness	0.206	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversaria	C	borda	robustness	0.203	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	adversaria	C	borda	robustness	0.1974	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	adversaria	C	borda	robustness	0.1924	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	adversaria	C	borda	robustness	0.1898	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	adversaria	C	borda	robustness	0.1886	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	adversaria	C	borda	robustness	0.1884	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversaria	C	borda	robustness	0.1882	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversaria	C	kemeny	robustness	0.2158	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversaria	C	kemeny	robustness	0.2092	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversaria	C	kemeny	robustness	0.2046	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversaria	C	kemeny	robustness	0.2054	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	adversaria	C	kemeny	robustness	0.2076	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	adversaria	C	kemeny	robustness	0.1944	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	adversaria	C	kemeny	robustness	0.1906	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	adversaria	C	kemeny	robustness	0.189	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	adversaria	C	kemeny	robustness	0.1848	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversaria	C	kemeny	robustness	0.179	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversaria	C	rrf	robustness	0.2148	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversaria	C	rrf	robustness	0.2164	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversaria	C	rrf	robustness	0.2048	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversaria	C	rrf	robustness	0.205	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversarial- sara-2- 255	C	simpleavg	robustness	0.1768	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversarial- sara-2- 255	Cbar	borda	robustness	0.0586	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversarial- sara-2- 255	Cbar	borda	robustness	0.0534	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversarial- sara-2- 255	Cbar	borda	robustness	0.0712	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversarial- sara-2- 255	Cbar	borda	robustness	0.072	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	adversarial- sara-2- 255	Cbar	borda	robustness	0.0676	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	adversarial- sara-2- 255	Cbar	borda	robustness	0.0694	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	adversarial- sara-2- 255	Cbar	borda	robustness	0.0584	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	adversarial- sara-2- 255	Cbar	borda	robustness	0.0596	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	adversarial- sara-2- 255	Cbar	borda	robustness	0.0496	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversarial- sara-2- 255	Cbar	borda	robustness	0.0532	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversarial- sara-2- 255	Cbar	kemeny	robustness	0.0586	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversarial- sara-2- 255	Cbar	kemeny	robustness	0.039	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversarial- sara-2- 255	Cbar	kemeny	robustness	0.0402	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversarial- sara-2- 255	Cbar	kemeny	robustness	0.0746	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	adversarial- sara-2- 255	Cbar	kemeny	robustness	0.0714	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	adversarial- sara-2- 255	Cbar	kemeny	robustness	0.0588	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	adversarial- sara-2- 255	Cbar	kemeny	robustness	0.0544	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	adversarial- sara-2- 255	Cbar	kemeny	robustness	0.0546	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	adversarial- sara-2- 255	Cbar	kemeny	robustness	0.0552	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversarial- sara-2- 255	Cbar	kemeny	robustness	0.0492	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversarial- sara-2- 255	Cbar	rrf	robustness	0.0606	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversarial- sara-2- 255	Cbar	rrf	robustness	0.0524	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversarial- sara-2- 255	Cbar	rrf	robustness	0.0638	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversarial- sara-2- 255	Cbar	rrf	robustness	0.0754	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversaria- sara-2- 255	Cbar	simpleavg	robustness	0.0754	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversaria- sara-2- 255	F	borda	robustness	0.116	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversaria- sara-2- 255	F	borda	robustness	0.115	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversaria- sara-2- 255	F	borda	robustness	0.11	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversaria- sara-2- 255	F	borda	robustness	0.1108	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	adversaria- sara-2- 255	F	borda	robustness	0.1042	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	adversaria- sara-2- 255	F	borda	robustness	0.099	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	adversaria- sara-2- 255	F	borda	robustness	0.094	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	adversaria- sara-2- 255	F	borda	robustness	0.0972	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	adversaria- sara-2- 255	F	borda	robustness	0.0972	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversaria- sara-2- 255	F	borda	robustness	0.095	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversaria- sara-2- 255	F	kemeny	robustness	0.116	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversaria- sara-2- 255	F	kemeny	robustness	0.114	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversaria- sara-2- 255	F	kemeny	robustness	0.1066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversaria- sara-2- 255	F	kemeny	robustness	0.1106	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	adversaria- sara-2- 255	F	kemeny	robustness	0.11	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	adversaria- sara-2- 255	F	kemeny	robustness	0.1036	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	adversaria- sara-2- 255	F	kemeny	robustness	0.0982	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	adversaria- sara-2- 255	F	kemeny	robustness	0.0972	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	adversaria- sara-2- 255	F	kemeny	robustness	0.0958	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversaria- sara-2- 255	F	kemeny	robustness	0.0904	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversaria- sara-2- 255	F	rrf	robustness	0.116	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversaria- sara-2- 255	F	rrf	robustness	0.114	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversaria- sara-2- 255	F	rrf	robustness	0.1104	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversaria- sara-2- 255	F	rrf	robustness	0.1102	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversarial sara-2- 255	F	simpleavg	robustness	0.0944	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversarial sara-2- 255	Fbar	borda	robustness	0.0232	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversarial sara-2- 255	Fbar	borda	robustness	0.0222	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversarial sara-2- 255	Fbar	borda	robustness	0.0302	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversarial sara-2- 255	Fbar	borda	robustness	0.0262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	adversarial sara-2- 255	Fbar	borda	robustness	0.0324	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	adversarial sara-2- 255	Fbar	borda	robustness	0.0316	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	adversarial sara-2- 255	Fbar	borda	robustness	0.0198	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	adversarial sara-2- 255	Fbar	borda	robustness	0.0234	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	adversarial sara-2- 255	Fbar	borda	robustness	0.0212	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversarial sara-2- 255	Fbar	borda	robustness	0.019	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversarial sara-2- 255	Fbar	kemeny	robustness	0.0232	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversarial sara-2- 255	Fbar	kemeny	robustness	0.0118	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversarial sara-2- 255	Fbar	kemeny	robustness	0.0088	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversarial sara-2- 255	Fbar	kemeny	robustness	0.0272	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	adversarial sara-2- 255	Fbar	kemeny	robustness	0.036	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	adversarial sara-2- 255	Fbar	kemeny	robustness	0.0258	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	adversarial sara-2- 255	Fbar	kemeny	robustness	0.0214	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	adversarial sara-2- 255	Fbar	kemeny	robustness	0.0238	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	adversarial sara-2- 255	Fbar	kemeny	robustness	0.0226	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversarial sara-2- 255	Fbar	kemeny	robustness	0.015	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	adversarial sara-2- 255	Fbar	rrf	robustness	0.0234	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	adversarial sara-2- 255	Fbar	rrf	robustness	0.0202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	adversarial sara-2- 255	Fbar	rrf	robustness	0.026	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	adversarial sara-2- 255	Fbar	rrf	robustness	0.032	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	adversaria- sara-2- 255	Fbar	simpleavg	robustness	0.0338	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	C	borda	robustness	0.3244	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	C	borda	robustness	0.3176	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	C	borda	robustness	0.3338	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	C	borda	robustness	0.3406	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	gaussian- 0.15	C	borda	robustness	0.3474	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	gaussian- 0.15	C	borda	robustness	0.3452	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	gaussian- 0.15	C	borda	robustness	0.3422	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	gaussian- 0.15	C	borda	robustness	0.3418	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	gaussian- 0.15	C	borda	robustness	0.3396	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	C	borda	robustness	0.3384	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	C	kemeny	robustness	0.3244	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	C	kemeny	robustness	0.328	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	C	kemeny	robustness	0.329	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	C	kemeny	robustness	0.332	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	gaussian- 0.15	C	kemeny	robustness	0.317	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	gaussian- 0.15	C	kemeny	robustness	0.3358	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	gaussian- 0.15	C	kemeny	robustness	0.3284	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	gaussian- 0.15	C	kemeny	robustness	0.3278	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	gaussian- 0.15	C	kemeny	robustness	0.323	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	C	kemeny	robustness	0.3296	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	C	rrf	robustness	0.327	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	C	rrf	robustness	0.3156	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	C	rrf	robustness	0.333	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	C	rrf	robustness	0.3352	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	C	simpleavg	robustness	0.3474	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	Cbar	borda	robustness	0.3204	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	Cbar	borda	robustness	0.3134	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	Cbar	borda	robustness	0.3262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	Cbar	borda	robustness	0.3498	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	gaussian- 0.15	Cbar	borda	robustness	0.3358	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	gaussian- 0.15	Cbar	borda	robustness	0.3202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	gaussian- 0.15	Cbar	borda	robustness	0.319	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	gaussian- 0.15	Cbar	borda	robustness	0.2942	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	gaussian- 0.15	Cbar	borda	robustness	0.314	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	Cbar	borda	robustness	0.3208	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	Cbar	kemeny	robustness	0.3204	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	Cbar	kemeny	robustness	0.2782	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	Cbar	kemeny	robustness	0.3086	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	Cbar	kemeny	robustness	0.3062	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	gaussian- 0.15	Cbar	kemeny	robustness	0.2952	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	gaussian- 0.15	Cbar	kemeny	robustness	0.2846	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	gaussian- 0.15	Cbar	kemeny	robustness	0.2932	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	gaussian- 0.15	Cbar	kemeny	robustness	0.2642	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	gaussian- 0.15	Cbar	kemeny	robustness	0.2816	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	Cbar	kemeny	robustness	0.2774	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	Cbar	rrf	robustness	0.3234	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	Cbar	rrf	robustness	0.3132	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	Cbar	rrf	robustness	0.3202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	Cbar	rrf	robustness	0.3324	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	Cbar	simpleavg	robustness	0.3208	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	F	borda	robustness	0.168	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	F	borda	robustness	0.1696	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	F	borda	robustness	0.1716	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	F	borda	robustness	0.1676	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	gaussian- 0.15	F	borda	robustness	0.1772	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	gaussian- 0.15	F	borda	robustness	0.178	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	gaussian- 0.15	F	borda	robustness	0.1742	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	gaussian- 0.15	F	borda	robustness	0.1716	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	gaussian- 0.15	F	borda	robustness	0.1686	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	F	borda	robustness	0.1692	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	F	kemeny	robustness	0.168	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	F	kemeny	robustness	0.175	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	F	kemeny	robustness	0.1706	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	F	kemeny	robustness	0.1704	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	gaussian- 0.15	F	kemeny	robustness	0.1634	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	gaussian- 0.15	F	kemeny	robustness	0.173	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	gaussian- 0.15	F	kemeny	robustness	0.168	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	gaussian- 0.15	F	kemeny	robustness	0.1688	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	gaussian- 0.15	F	kemeny	robustness	0.1632	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	F	kemeny	robustness	0.1668	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	F	rrf	robustness	0.1644	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	F	rrf	robustness	0.1688	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	F	rrf	robustness	0.1756	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	F	rrf	robustness	0.1646	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	F	simpleavg	robustness	0.1564	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	Fbar	borda	robustness	0.1014	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	Fbar	borda	robustness	0.0916	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	Fbar	borda	robustness	0.1134	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	Fbar	borda	robustness	0.13	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	gaussian- 0.15	Fbar	borda	robustness	0.1166	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	gaussian- 0.15	Fbar	borda	robustness	0.1042	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	gaussian- 0.15	Fbar	borda	robustness	0.1018	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	gaussian- 0.15	Fbar	borda	robustness	0.0828	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	gaussian- 0.15	Fbar	borda	robustness	0.097	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	Fbar	borda	robustness	0.0996	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	Fbar	kemeny	robustness	0.1014	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	Fbar	kemeny	robustness	0.0548	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	Fbar	kemeny	robustness	0.086	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	Fbar	kemeny	robustness	0.096	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	gaussian- 0.15	Fbar	kemeny	robustness	0.0776	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	gaussian- 0.15	Fbar	kemeny	robustness	0.0702	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	gaussian- 0.15	Fbar	kemeny	robustness	0.0758	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	gaussian- 0.15	Fbar	kemeny	robustness	0.0522	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	gaussian- 0.15	Fbar	kemeny	robustness	0.0712	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	Fbar	kemeny	robustness	0.0684	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	gaussian- 0.15	Fbar	rrf	robustness	0.1048	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	gaussian- 0.15	Fbar	rrf	robustness	0.0862	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	gaussian- 0.15	Fbar	rrf	robustness	0.0984	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	gaussian- 0.15	Fbar	rrf	robustness	0.1144	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	gaussian- 0.15	Fbar	simpleavg	robustness	0.1118	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	C	borda	robustness	0.306	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	C	borda	robustness	0.3084	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	C	borda	robustness	0.317	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	C	borda	robustness	0.3128	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	salt- pepper- 0.05	C	borda	robustness	0.3188	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	salt- pepper- 0.05	C	borda	robustness	0.3256	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	salt- pepper- 0.05	C	borda	robustness	0.3172	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	salt- pepper- 0.05	C	borda	robustness	0.3246	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	salt- pepper- 0.05	C	borda	robustness	0.3168	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	C	borda	robustness	0.3208	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	C	kemeny	robustness	0.306	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	C	kemeny	robustness	0.3164	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	C	kemeny	robustness	0.3108	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	C	kemeny	robustness	0.3156	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	salt- pepper- 0.05	C	kemeny	robustness	0.3072	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	salt- pepper- 0.05	C	kemeny	robustness	0.3166	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	salt- pepper- 0.05	C	kemeny	robustness	0.3216	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	salt- pepper- 0.05	C	kemeny	robustness	0.3186	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	salt- pepper- 0.05	C	kemeny	robustness	0.315	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	C	kemeny	robustness	0.317	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	C	rrf	robustness	0.3058	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	C	rrf	robustness	0.3102	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	C	rrf	robustness	0.3196	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	C	rrf	robustness	0.3154	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	C	simpleavg	robustness	0.3152	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	Cbar	borda	robustness	0.2824	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	Cbar	borda	robustness	0.2728	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	Cbar	borda	robustness	0.2998	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	Cbar	borda	robustness	0.3188	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	salt- pepper- 0.05	Cbar	borda	robustness	0.3068	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	salt- pepper- 0.05	Cbar	borda	robustness	0.2912	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	salt- pepper- 0.05	Cbar	borda	robustness	0.2854	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	salt- pepper- 0.05	Cbar	borda	robustness	0.2636	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	salt- pepper- 0.05	Cbar	borda	robustness	0.2778	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	Cbar	borda	robustness	0.2822	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	Cbar	kemeny	robustness	0.2824	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	Cbar	kemeny	robustness	0.2588	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	Cbar	kemeny	robustness	0.2756	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	Cbar	kemeny	robustness	0.2774	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	salt- pepper- 0.05	Cbar	kemeny	robustness	0.266	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	salt- pepper- 0.05	Cbar	kemeny	robustness	0.2542	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	salt- pepper- 0.05	Cbar	kemeny	robustness	0.2624	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	salt- pepper- 0.05	Cbar	kemeny	robustness	0.2452	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	salt- pepper- 0.05	Cbar	kemeny	robustness	0.253	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	Cbar	kemeny	robustness	0.2522	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	Cbar	rrf	robustness	0.2888	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	Cbar	rrf	robustness	0.2766	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	Cbar	rrf	robustness	0.284	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	Cbar	rrf	robustness	0.3072	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	Cbar	simpleavg	robustness	0.2946	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	F	borda	robustness	0.1608	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	F	borda	robustness	0.1616	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	F	borda	robustness	0.1612	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	F	borda	robustness	0.1502	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	salt- pepper- 0.05	F	borda	robustness	0.1598	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	salt- pepper- 0.05	F	borda	robustness	0.1656	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	salt- pepper- 0.05	F	borda	robustness	0.1664	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	salt- pepper- 0.05	F	borda	robustness	0.1662	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	salt- pepper- 0.05	F	borda	robustness	0.1576	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	F	borda	robustness	0.1624	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	F	kemeny	robustness	0.1608	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	F	kemeny	robustness	0.1672	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	F	kemeny	robustness	0.1612	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	F	kemeny	robustness	0.1628	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	salt- pepper- 0.05	F	kemeny	robustness	0.1542	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	salt- pepper- 0.05	F	kemeny	robustness	0.1604	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	salt- pepper- 0.05	F	kemeny	robustness	0.1656	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	salt- pepper- 0.05	F	kemeny	robustness	0.1652	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	salt- pepper- 0.05	F	kemeny	robustness	0.1568	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	F	kemeny	robustness	0.1614	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	F	rrf	robustness	0.1606	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	F	rrf	robustness	0.1658	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	F	rrf	robustness	0.165	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	F	rrf	robustness	0.1572	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	F	simpleavg	robustness	0.1376	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	Fbar	borda	robustness	0.0614	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	Fbar	borda	robustness	0.047	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	Fbar	borda	robustness	0.0928	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	Fbar	borda	robustness	0.1106	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	salt- pepper- 0.05	Fbar	borda	robustness	0.0932	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	salt- pepper- 0.05	Fbar	borda	robustness	0.0788	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	salt- pepper- 0.05	Fbar	borda	robustness	0.0818	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	salt- pepper- 0.05	Fbar	borda	robustness	0.0624	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	salt- pepper- 0.05	Fbar	borda	robustness	0.0704	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	Fbar	borda	robustness	0.0788	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	Fbar	kemeny	robustness	0.0614	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	Fbar	kemeny	robustness	0.0356	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	Fbar	kemeny	robustness	0.0606	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	Fbar	kemeny	robustness	0.0684	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	salt- pepper- 0.05	Fbar	kemeny	robustness	0.0548	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	salt- pepper- 0.05	Fbar	kemeny	robustness	0.047	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	salt- pepper- 0.05	Fbar	kemeny	robustness	0.053	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	salt- pepper- 0.05	Fbar	kemeny	robustness	0.0396	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	salt- pepper- 0.05	Fbar	kemeny	robustness	0.047	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	Fbar	kemeny	robustness	0.045	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	salt- pepper- 0.05	Fbar	rrf	robustness	0.0702	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	salt- pepper- 0.05	Fbar	rrf	robustness	0.0532	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	salt- pepper- 0.05	Fbar	rrf	robustness	0.072	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	salt- pepper- 0.05	Fbar	rrf	robustness	0.0966	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	salt- pepper- 0.05	Fbar	simpleavg	robustness	0.0916	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	C	borda	robustness	0.1106	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	C	borda	robustness	0.113	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	C	borda	robustness	0.1176	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	C	borda	robustness	0.1138	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	speckle- 0.15	C	borda	robustness	0.1164	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	speckle- 0.15	C	borda	robustness	0.126	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	speckle- 0.15	C	borda	robustness	0.126	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	speckle- 0.15	C	borda	robustness	0.1238	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	speckle- 0.15	C	borda	robustness	0.1204	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	C	borda	robustness	0.1142	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	C	kemeny	robustness	0.1106	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	C	kemeny	robustness	0.1116	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	C	kemeny	robustness	0.1136	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	C	kemeny	robustness	0.1202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	speckle- 0.15	C	kemeny	robustness	0.1134	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	speckle- 0.15	C	kemeny	robustness	0.121	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	speckle- 0.15	C	kemeny	robustness	0.1234	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	speckle- 0.15	C	kemeny	robustness	0.1138	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	speckle- 0.15	C	kemeny	robustness	0.1154	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	C	kemeny	robustness	0.1136	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	C	rrf	robustness	0.107	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	C	rrf	robustness	0.1108	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	C	rrf	robustness	0.1194	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	C	rrf	robustness	0.1146	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	6	speckle-0.15	C	rrf	robustness	0.1196	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	7	speckle-0.15	C	rrf	robustness	0.1262	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","IntegratedGradients"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	8	speckle-0.15	C	rrf	robustness	0.1218	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","IntegratedGradients","Saliency"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	9	speckle-0.15	C	rrf	robustness	0.1198	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","IntegratedGradients","Saliency","InputXGradient"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	10	speckle-0.15	C	rrf	robustness	0.1218	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","IntegratedGradients","Saliency","InputXGradient","Deconvolution"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	11	speckle-0.15	C	rrf	robustness	0.1126	True	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","IntegratedGradients","Saliency","InputXGradient","Deconvolution","L"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	2	speckle-0.15	C	schulze	robustness	0.1106	False	["GuidedBackprop","DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	3	speckle-0.15	C	schulze	robustness	0.1134	False	["GuidedBackprop","DeepLiftShap","DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	speckle-0.15	C	schulze	robustness	0.1156	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle-0.15	C	schulze	robustness	0.115	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	6	speckle-0.15	C	schulze	robustness	0.1206	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	7	speckle-0.15	C	schulze	robustness	0.115	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","IntegratedGradients"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	8	speckle-0.15	C	schulze	robustness	0.1204	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","IntegratedGradients","Saliency"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	9	speckle-0.15	C	schulze	robustness	0.1196	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","IntegratedGradients","Saliency","InputXGradient"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	10	speckle-0.15	C	schulze	robustness	0.1148	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","IntegratedGradients","Saliency","InputXGradient","Deconvolution"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	11	speckle-0.15	C	schulze	robustness	0.112	True	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","IntegratedGradients","Saliency","InputXGradient","Deconvolution","L"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	2	speckle-0.15	C	simpleavg	robustness	0.1022	False	["GuidedBackprop","DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	3	speckle-0.15	C	simpleavg	robustness	0.1116	False	["GuidedBackprop","DeepLiftShap","DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	speckle-0.15	C	simpleavg	robustness	0.121	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	speckle-0.15	C	simpleavg	robustness	0.1188	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	6	speckle-0.15	C	simpleavg	robustness	0.12	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	7	speckle-0.15	C	simpleavg	robustness	0.1168	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","IntegratedGradients"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	8	speckle-0.15	C	simpleavg	robustness	0.124	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","IntegratedGradients","Saliency"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	9	speckle-0.15	C	simpleavg	robustness	0.1174	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","IntegratedGradients","Saliency","InputXGradient"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	10	speckle-0.15	C	simpleavg	robustness	0.1198	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","IntegratedGradients","Saliency","InputXGradient","Deconvolution"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	C	simpleavg	robustness	0.1192	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	Cbar	borda	robustness	0.0906	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	Cbar	borda	robustness	0.0986	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	Cbar	borda	robustness	0.1024	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	Cbar	borda	robustness	0.1142	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	speckle- 0.15	Cbar	borda	robustness	0.107	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	speckle- 0.15	Cbar	borda	robustness	0.1042	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	speckle- 0.15	Cbar	borda	robustness	0.098	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	speckle- 0.15	Cbar	borda	robustness	0.0898	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	speckle- 0.15	Cbar	borda	robustness	0.101	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	Cbar	borda	robustness	0.103	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	Cbar	kemeny	robustness	0.0906	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	Cbar	kemeny	robustness	0.0892	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	Cbar	kemeny	robustness	0.1016	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	Cbar	kemeny	robustness	0.1034	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	speckle- 0.15	Cbar	kemeny	robustness	0.0882	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	speckle- 0.15	Cbar	kemeny	robustness	0.0924	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	speckle- 0.15	Cbar	kemeny	robustness	0.0986	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	speckle- 0.15	Cbar	kemeny	robustness	0.0916	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	speckle- 0.15	Cbar	kemeny	robustness	0.0904	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	Cbar	kemeny	robustness	0.0994	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	Cbar	rrf	robustness	0.1034	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	Cbar	rrf	robustness	0.0962	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	Cbar	rrf	robustness	0.102	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	Cbar	rrf	robustness	0.108	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	Cbar	simpleavg	robustness	0.1196	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	F	borda	robustness	0.0816	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	F	borda	robustness	0.084	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	F	borda	robustness	0.0798	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	F	borda	robustness	0.0764	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	speckle- 0.15	F	borda	robustness	0.0764	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	speckle- 0.15	F	borda	robustness	0.084	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	speckle- 0.15	F	borda	robustness	0.0866	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	speckle- 0.15	F	borda	robustness	0.077	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	speckle- 0.15	F	borda	robustness	0.0756	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	F	borda	robustness	0.0748	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	F	kemeny	robustness	0.0816	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	F	kemeny	robustness	0.0812	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	F	kemeny	robustness	0.0806	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	F	kemeny	robustness	0.0846	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	speckle- 0.15	F	kemeny	robustness	0.081	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	speckle- 0.15	F	kemeny	robustness	0.0798	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	speckle- 0.15	F	kemeny	robustness	0.0816	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	speckle- 0.15	F	kemeny	robustness	0.0756	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	speckle- 0.15	F	kemeny	robustness	0.0726	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	F	kemeny	robustness	0.0748	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	F	rrf	robustness	0.0782	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	F	rrf	robustness	0.0804	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	F	rrf	robustness	0.0828	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	F	rrf	robustness	0.0822	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	F	simpleavg	robustness	0.0734	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	Fbar	borda	robustness	0.0278	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	Fbar	borda	robustness	0.0274	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	Fbar	borda	robustness	0.0402	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	Fbar	borda	robustness	0.051	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	speckle- 0.15	Fbar	borda	robustness	0.0426	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	speckle- 0.15	Fbar	borda	robustness	0.0402	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	speckle- 0.15	Fbar	borda	robustness	0.0396	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	speckle- 0.15	Fbar	borda	robustness	0.028	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	speckle- 0.15	Fbar	borda	robustness	0.0368	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	Fbar	borda	robustness	0.0428	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	Fbar	kemeny	robustness	0.0278	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	Fbar	kemeny	robustness	0.0222	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	Fbar	kemeny	robustness	0.0352	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	Fbar	kemeny	robustness	0.0446	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	speckle- 0.15	Fbar	kemeny	robustness	0.0298	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	speckle- 0.15	Fbar	kemeny	robustness	0.0288	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	speckle- 0.15	Fbar	kemeny	robustness	0.0328	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	speckle- 0.15	Fbar	kemeny	robustness	0.0288	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	speckle- 0.15	Fbar	kemeny	robustness	0.0294	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	Fbar	kemeny	robustness	0.0362	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	speckle- 0.15	Fbar	rrf	robustness	0.0366	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	speckle- 0.15	Fbar	rrf	robustness	0.0276	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	speckle- 0.15	Fbar	rrf	robustness	0.0386	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	speckle- 0.15	Fbar	rrf	robustness	0.0468	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet– ImageNet– resnet18	ImageNet	ImageNet- resnet18	11	speckle- 0.15	Fbar	simpleavg	robustness	0.0636	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "L

Table 263: ImageNet-ResNet-18 results.

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	C	borda	quality	max	5	0.312	[5]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	Cbar	borda	quality	min	2	0.2586	[2]	smallest_q12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	F	borda	quality	max	5	0.1876	[5]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	Fbar	borda	quality	min	2	0.1452	[2]	smallest_q12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversarial-sara-2-255	C	borda	robustness	min	11	0.1882	[11]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversarial-sara-2-255	Cbar	borda	robustness	min	10	0.0496	[10]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversarial-sara-2-255	F	borda	robustness	min	8	0.094	[8]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversarial-sara-2-255	Fbar	borda	robustness	min	11	0.019	[11]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	C	borda	robustness	min	3	0.3176	[3]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	Cbar	borda	robustness	min	9	0.2942	[9]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	F	borda	robustness	min	5	0.1676	[5]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	Fbar	borda	robustness	min	9	0.0828	[9]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	C	borda	robustness	min	2	0.306	[2]	smallest_q12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	Cbar	borda	robustness	min	9	0.2636	[9]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	F	borda	robustness	min	5	0.1502	[5]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	Fbar	borda	robustness	min	3	0.047	[3]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	C	borda	robustness	min	2	0.1106	[2]	smallest_q12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	Cbar	borda	robustness	min	9	0.0898	[9]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	F	borda	robustness	min	11	0.0748	[11]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	Fbar	borda	robustness	min	3	0.0274	[3]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	C	kemeny	quality	max	5	0.3128	[5]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	Cbar	kemeny	quality	min	2	0.2586	[2]	smallest_q12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	F	kemeny	quality	max	5	0.1874	[5]	smallest_q12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	Fbar	kemeny	quality	min	2	0.1452	[2]	smallest_q12	["GuidedBackprop", "DeepLiftShap"]

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	adversaria- sara-2- 255	C	kemeny	robustness	min	11	0.179	[11]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	adversaria- sara-2- 255	Cbar	kemeny	robustness	min	3	0.039	[3]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	adversaria- sara-2- 255	F	kemeny	robustness	min	11	0.0904	[11]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	adversaria- sara-2- 255	Fbar	kemeny	robustness	min	4	0.0088	[4]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	gaussian- 0.15	C	kemeny	robustness	min	6	0.317	[6]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	gaussian- 0.15	Cbar	kemeny	robustness	min	9	0.2642	[9]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	gaussian- 0.15	F	kemeny	robustness	min	10	0.1632	[10]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	gaussian- 0.15	Fbar	kemeny	robustness	min	9	0.0522	[9]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	salt- pepper- 0.05	C	kemeny	robustness	min	2	0.306	[2]	smallest_q_12	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	salt- pepper- 0.05	Cbar	kemeny	robustness	min	9	0.2452	[9]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	salt- pepper- 0.05	F	kemeny	robustness	min	6	0.1542	[6]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	salt- pepper- 0.05	Fbar	kemeny	robustness	min	3	0.0356	[3]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	speckle- 0.15	C	kemeny	robustness	min	2	0.1106	[2]	smallest_q_12	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	speckle- 0.15	Cbar	kemeny	robustness	min	6	0.0882	[6]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	speckle- 0.15	F	kemeny	robustness	min	10	0.0726	[10]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	speckle- 0.15	Fbar	kemeny	robustness	min	3	0.0222	[3]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	clean	C	rrf	quality	max	5	0.3152	[5]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	clean	Cbar	rrf	quality	min	2	0.256	[2]	smallest_q_12	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	clean	F	rrf	quality	max	5	0.1886	[5]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	clean	Fbar	rrf	quality	min	2	0.1424	[2]	smallest_q_12	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	adversaria- sara-2- 255	C	rrf	robustness	min	10	0.1868	[10]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	adversaria- sara-2- 255	Cbar	rrf	robustness	min	10	0.0502	[10]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	adversaria- sara-2- 255	F	rrf	robustness	min	11	0.0956	[11]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	adversaria- sara-2- 255	Fbar	rrf	robustness	min	3	0.0202	[3,10]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	gaussian- 0.15	C	rrf	robustness	min	3	0.3156	[3]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	Cbar	rrf	robustness	min	9	0.2768	[9]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	F	rrf	robustness	min	2	0.1644	[2]	smallest_q_12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	Fbar	rrf	robustness	min	9	0.07	[9]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	C	rrf	robustness	min	2	0.3058	[2]	smallest_q_12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	Cbar	rrf	robustness	min	9	0.2524	[9]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	F	rrf	robustness	min	10	0.1564	[10]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	Fbar	rrf	robustness	min	9	0.052	[9]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	C	rrf	robustness	min	2	0.107	[2]	smallest_q_12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	Cbar	rrf	robustness	min	8	0.0882	[8,9]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	F	rrf	robustness	min	9	0.074	[9]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	Fbar	rrf	robustness	min	3	0.0276	[3]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	C	schulze	quality	max	5	0.312	[5]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	Cbar	schulze	quality	min	2	0.2586	[2]	smallest_q_12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	F	schulze	quality	max	5	0.1876	[5]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	Fbar	schulze	quality	min	2	0.1452	[2]	smallest_q_12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversarial-sara-2-255	C	schulze	robustness	min	9	0.1846	[9]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversarial-sara-2-255	Cbar	schulze	robustness	min	3	0.0358	[3]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversarial-sara-2-255	F	schulze	robustness	min	11	0.0926	[11]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversarial-sara-2-255	Fbar	schulze	robustness	min	3	0.0066	[3]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	C	schulze	robustness	min	4	0.3238	[4]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	Cbar	schulze	robustness	min	10	0.2776	[10]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	F	schulze	robustness	min	10	0.1604	[10]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	Fbar	schulze	robustness	min	9	0.0652	[9]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	C	schulze	robustness	min	2	0.306	[2]	smallest_q_12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	Cbar	schulze	robustness	min	10	0.2512	[10]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	F	schulze	robustness	min	6	0.1546	[6]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	Fbar	schulze	robustness	min	3	0.0382	[3]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	C	schulze	robustness	min	2	0.1106	[2]	smallest_q_12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	Cbar	schulze	robustness	min	2	0.0906	[2]	smallest_q_12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	F	schulze	robustness	min	10	0.0768	[10]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	Fbar	schulze	robustness	min	3	0.0238	[3]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	C	simpleavg	quality	max	2	0.3056	[2]	smallest_q_12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	Cbar	simpleavg	quality	min	2	0.2646	[2]	smallest_q_12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	F	simpleavg	quality	max	2	0.1814	[2]	smallest_q_12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	clean	Fbar	simpleavg	quality	min	2	0.15	[2]	smallest_q_12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversaria-sara-2-255	C	simpleavg	robustness	min	8	0.173	[8]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversaria-sara-2-255	Cbar	simpleavg	robustness	min	3	0.0534	[3]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversaria-sara-2-255	F	simpleavg	robustness	min	5	0.0908	[5]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	adversaria-sara-2-255	Fbar	simpleavg	robustness	min	3	0.0182	[3]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	C	simpleavg	robustness	min	2	0.3246	[2]	smallest_q_12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	Cbar	simpleavg	robustness	min	3	0.3048	[3]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	F	simpleavg	robustness	min	9	0.1514	[9]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputX"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	gaussian-0.15	Fbar	simpleavg	robustness	min	3	0.088	[3]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	C	simpleavg	robustness	min	2	0.2974	[2]	smallest_q_12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	Cbar	simpleavg	robustness	min	3	0.2764	[3]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	F	simpleavg	robustness	min	5	0.1294	[5]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	salt-pepper-0.05	Fbar	simpleavg	robustness	min	3	0.0568	[3]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	C	simpleavg	robustness	min	2	0.1022	[2]	smallest_q_12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	Cbar	simpleavg	robustness	min	3	0.0928	[3]	smallest_q_12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	speckle-0.15	F	simpleavg	robustness	min	2	0.0718	[2,9]	smallest_q_12	["GuidedBackprop", "DeepLiftShap"]

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	speckle- 0.15	Fbar	simpleavg	robustness	min	3	0.0282	[3]	smallest_ 12	GuidedBackprop, 10 DeepLiftShap, "DeepLift"]

Table 264: ImageNet-ResNet-18 results.

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	C	borda	quality	0.308	max	0.308	kendall_m	0.1267314	0.1267314	0.0002	2341.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	C	borda	quality	0.3034	max	0.3034	kendall_m	0.1657412	0.1657412	0.0002	1829.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	C	borda	quality	0.3116	max	0.3116	kendall_m	0.1539529	0.1539529	0.0002	3010.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	C	borda	quality	0.312	max	0.312	kendall_m	0.1245765	0.1245765	0.0002	3433	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	C	borda	quality	0.2986	max	0.2986	kendall_m	0.149653	0.149653	0.0002	3377.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	C	borda	quality	0.289	max	0.289	kendall_m	0.1498314	0.1498314	0.0002	3218.6	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	C	borda	quality	0.2844	max	0.2844	kendall_m	0.1484005	0.1484005	0.0002	3257.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	C	borda	quality	0.2778	max	0.2778	kendall_m	0.1507886	0.1507886	0.0002	3164.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	C	borda	quality	0.2768	max	0.2768	kendall_m	0.1485499	0.1485499	0.0002	3430.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	C	borda	quality	0.2756	max	0.2756	kendall_m	0.1470366	0.1470366	0.0002	3733	11	True	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	C	kemeny	quality	0.308	max	0.308	kendall_m	0.1267314	0.1267314	0.0002	2341.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	C	kemeny	quality	0.2916	max	0.2916	kendall_m	0.1657412	0.1657412	0.0002	1829.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	C	kemeny	quality	0.2978	max	0.2978	kendall_m	0.1539529	0.1539529	0.0002	3010.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	C	kemeny	quality	0.3128	max	0.3128	kendall_m	0.1245765	0.1245765	0.0002	3433	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	C	kemeny	quality	0.306	max	0.306	kendall_m	0.149653	0.149653	0.0002	3377.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	C	kemeny	quality	0.2884	max	0.2884	kendall_m	0.1498314	0.1498314	0.0002	3218.6	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	C	kemeny	quality	0.282	max	0.282	kendall_m	0.1484005	0.1484005	0.0002	3257.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	C	kemeny	quality	0.2744	max	0.2744	kendall_m	0.1507886	0.1507886	0.0002	3164.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	C	kemeny	quality	0.2722	max	0.2722	kendall_m	0.1485499	0.1485499	0.0002	3430.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	C	kemeny	quality	0.271	max	0.271	kendall_m	0.1470366	0.1470366	0.0002	3733	11	True	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	C	rrf	quality	0.3074	max	0.3074	kendall_m	0.1267314	0.1267314	0.0002	2341.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	C	rrf	quality	0.3022	max	0.3022	kendall_m	0.1657412	0.1657412	0.0002	1829.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	C	rrf	quality	0.3066	max	0.3066	kendall_m	0.1539529	0.1539529	0.0002	3010.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	C	rrf	quality	0.3152	max	0.3152	kendall_m	0.1245765	0.1245765	0.0002	3433	11	False	True	5

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	C	rrf	quality	0.2986	max	0.2986	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	C	rrf	quality	0.2912	max	0.2912	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	C	rrf	quality	0.2878	max	0.2878	kendall_m	0.494005e+01	0.84905e+00	0.002	3257.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	C	rrf	quality	0.2798	max	0.2798	kendall_m	0.507886e+01	0.07886e+00	0.002	3164.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	C	rrf	quality	0.2772	max	0.2772	kendall_m	0.485499e+01	0.485499e+00	0.002	3430.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	C	rrf	quality	0.2812	max	0.2812	kendall_m	0.470366e+01	0.70366e+00	0.002	3733	11	True	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	C	schulze	quality	0.308	max	0.308	kendall_m	0.267314e+01	0.267314e+00	0.002	2341.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	C	schulze	quality	0.2924	max	0.2924	kendall_m	0.657412e+01	0.657412e+00	0.002	1829.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	C	schulze	quality	0.2974	max	0.2974	kendall_m	0.539529e+01	0.523529e+00	0.002	3010.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	C	schulze	quality	0.312	max	0.312	kendall_m	0.245765e+01	0.345765e+00	0.002	3433	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	C	schulze	quality	0.3008	max	0.3008	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	C	schulze	quality	0.2966	max	0.2966	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	C	schulze	quality	0.2844	max	0.2844	kendall_m	0.494005e+01	0.84905e+00	0.002	3257.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	C	schulze	quality	0.2694	max	0.2694	kendall_m	0.507886e+01	0.07886e+00	0.002	3164.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	C	schulze	quality	0.2758	max	0.2758	kendall_m	0.485499e+01	0.485499e+00	0.002	3430.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	C	schulze	quality	0.276	max	0.276	kendall_m	0.470366e+01	0.70366e+00	0.002	3733	11	True	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	C	simpleavg	quality	0.3056	max	0.3056	kendall_m	0.267314e+01	0.267314e+00	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	C	simpleavg	quality	0.2996	max	0.2996	kendall_m	0.657412e+01	0.657412e+00	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	C	simpleavg	quality	0.3024	max	0.3024	kendall_m	0.539529e+01	0.523529e+00	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	C	simpleavg	quality	0.2872	max	0.2872	kendall_m	0.245765e+01	0.345765e+00	0.002	3433	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	C	simpleavg	quality	0.2876	max	0.2876	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	C	simpleavg	quality	0.2898	max	0.2898	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	C	simpleavg	quality	0.285	max	0.285	kendall_m	0.494005e+01	0.84905e+00	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	C	simpleavg	quality	0.2882	max	0.2882	kendall_m	0.507886e+01	0.07886e+00	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	C	simpleavg	quality	0.2858	max	0.2858	kendall_m	0.485499e+01	0.485499e+00	0.002	3430.5	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	C	simpleavg	quality	0.286	max	0.286	kendall_m	0.1470366	0.01470366	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	Cbar	borda	quality	0.2586	min	-0.2586	kendall_m	0.1267314	0.01267314	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	Cbar	borda	quality	0.2688	min	-0.2688	kendall_m	0.1657412	0.01657412	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	Cbar	borda	quality	0.3024	min	-0.3024	kendall_m	0.1533529	0.01533529	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	Cbar	borda	quality	0.3216	min	-0.3216	kendall_m	0.1245765	0.01245765	0.002	3433	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	Cbar	borda	quality	0.3324	min	-0.3324	kendall_m	0.149653	0.0149653	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	Cbar	borda	quality	0.3482	min	-0.3482	kendall_m	0.1498314	0.01498314	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	Cbar	borda	quality	0.3448	min	-0.3448	kendall_m	0.1434005	0.01434005	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	Cbar	borda	quality	0.3664	min	-0.3664	kendall_m	0.1507886	0.01507886	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	Cbar	borda	quality	0.3514	min	-0.3514	kendall_m	0.1435499	0.01435499	0.002	3430.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	Cbar	borda	quality	0.3464	min	-0.3464	kendall_m	0.1470366	0.01470366	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	Cbar	kemeny	quality	0.2586	min	-0.2586	kendall_m	0.1267314	0.01267314	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	Cbar	kemeny	quality	0.3044	min	-0.3044	kendall_m	0.1657412	0.01657412	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	Cbar	kemeny	quality	0.2772	min	-0.2772	kendall_m	0.1533529	0.01533529	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	Cbar	kemeny	quality	0.2872	min	-0.2872	kendall_m	0.1245765	0.01245765	0.002	3433	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	Cbar	kemeny	quality	0.3056	min	-0.3056	kendall_m	0.149653	0.0149653	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	Cbar	kemeny	quality	0.3304	min	-0.3304	kendall_m	0.1498314	0.01498314	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	Cbar	kemeny	quality	0.3298	min	-0.3298	kendall_m	0.1434005	0.01434005	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	Cbar	kemeny	quality	0.3634	min	-0.3634	kendall_m	0.1507886	0.01507886	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	Cbar	kemeny	quality	0.3546	min	-0.3546	kendall_m	0.1435499	0.01435499	0.002	3430.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	Cbar	kemeny	quality	0.3492	min	-0.3492	kendall_m	0.1470366	0.01470366	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	Cbar	rrf	quality	0.256	min	-0.256	kendall_m	0.1267314	0.01267314	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	Cbar	rrf	quality	0.2716	min	-0.2716	kendall_m	0.1657412	0.01657412	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	Cbar	rrf	quality	0.2748	min	-0.2748	kendall_m	0.1533529	0.01533529	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	Cbar	rrf	quality	0.3094	min	-0.3094	kendall_m	0.1245765	0.01245765	0.002	3433	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	Cbar	rrf	quality	0.318	min	-0.318	kendall_m	0.496531e+01	-0.496531e+01	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	Cbar	rrf	quality	0.323	min	-0.323	kendall_m	0.498314e+01	-0.498314e+01	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	Cbar	rrf	quality	0.3306	min	-0.3306	kendall_m	0.494005e+01	-0.494005e+01	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	Cbar	rrf	quality	0.3552	min	-0.3552	kendall_m	0.507886e+01	-0.507886e+01	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	Cbar	rrf	quality	0.3388	min	-0.3388	kendall_m	0.485499e+01	-0.485499e+01	0.002	3430.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	Cbar	rrf	quality	0.3424	min	-0.3424	kendall_m	0.470366e+01	-0.470366e+01	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	Cbar	schulze	quality	0.2586	min	-0.2586	kendall_m	0.267314e+01	-0.267314e+01	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	Cbar	schulze	quality	0.291	min	-0.291	kendall_m	0.657412e+01	-0.657412e+01	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	Cbar	schulze	quality	0.2872	min	-0.2872	kendall_m	0.539529e+01	-0.539529e+01	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	Cbar	schulze	quality	0.3258	min	-0.3258	kendall_m	0.245765e+01	-0.245765e+01	0.002	3433	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	Cbar	schulze	quality	0.3152	min	-0.3152	kendall_m	0.496531e+01	-0.496531e+01	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	Cbar	schulze	quality	0.3174	min	-0.3174	kendall_m	0.498314e+01	-0.498314e+01	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	Cbar	schulze	quality	0.3316	min	-0.3316	kendall_m	0.494005e+01	-0.494005e+01	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	Cbar	schulze	quality	0.3564	min	-0.3564	kendall_m	0.507886e+01	-0.507886e+01	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	Cbar	schulze	quality	0.3522	min	-0.3522	kendall_m	0.485499e+01	-0.485499e+01	0.002	3430.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	Cbar	schulze	quality	0.3444	min	-0.3444	kendall_m	0.470366e+01	-0.470366e+01	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	Cbar	simpleavg	quality	0.2646	min	-0.2646	kendall_m	0.267314e+01	-0.267314e+01	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	Cbar	simpleavg	quality	0.2752	min	-0.2752	kendall_m	0.657412e+01	-0.657412e+01	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	Cbar	simpleavg	quality	0.3706	min	-0.3706	kendall_m	0.539529e+01	-0.539529e+01	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	Cbar	simpleavg	quality	0.4004	min	-0.4004	kendall_m	0.245765e+01	-0.245765e+01	0.002	3433	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	Cbar	simpleavg	quality	0.3954	min	-0.3954	kendall_m	0.496531e+01	-0.496531e+01	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	Cbar	simpleavg	quality	0.3896	min	-0.3896	kendall_m	0.498314e+01	-0.498314e+01	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	Cbar	simpleavg	quality	0.3894	min	-0.3894	kendall_m	0.494005e+01	-0.494005e+01	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	Cbar	simpleavg	quality	0.3882	min	-0.3882	kendall_m	0.507886e+01	-0.507886e+01	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	Cbar	simpleavg	quality	0.3858	min	-0.3858	kendall_m	0.485499e+01	-0.485499e+01	0.002	3430.5	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	Cbar	simpleavg	quality	0.3862	min	-0.3862	kendall_m	0.1470366a01470366a0002	0.1470366a01470366a0002	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	F	borda	quality	0.1818	max	0.1818	kendall_m	0.1267314a01267314a0002	0.1267314a01267314a0002	0.002	2341.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	F	borda	quality	0.1762	max	0.1762	kendall_m	0.1657412a01657412a0002	0.1657412a01657412a0002	0.002	1829.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	F	borda	quality	0.1856	max	0.1856	kendall_m	0.1533529a01533529a0002	0.1533529a01533529a0002	0.002	3010.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	F	borda	quality	0.1876	max	0.1876	kendall_m	0.1245765a01245765a0002	0.1245765a01245765a0002	0.002	3433	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	F	borda	quality	0.1782	max	0.1782	kendall_m	0.1496531a01496531a0002	0.1496531a01496531a0002	0.002	3377.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	F	borda	quality	0.1698	max	0.1698	kendall_m	0.1498314a01498314a0002	0.1498314a01498314a0002	0.002	3218.6	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	F	borda	quality	0.1634	max	0.1634	kendall_m	0.1434005a01434005a0002	0.1434005a01434005a0002	0.002	3257.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	F	borda	quality	0.1618	max	0.1618	kendall_m	0.1507886a01507886a0002	0.1507886a01507886a0002	0.002	3164.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	F	borda	quality	0.1616	max	0.1616	kendall_m	0.1435499a01435499a0002	0.1435499a01435499a0002	0.002	3430.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	F	borda	quality	0.158	max	0.158	kendall_m	0.1470366a01470366a0002	0.1470366a01470366a0002	0.002	3733	11	True	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	F	kemeny	quality	0.1818	max	0.1818	kendall_m	0.1267314a01267314a0002	0.1267314a01267314a0002	0.002	2341.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	F	kemeny	quality	0.17	max	0.17	kendall_m	0.1657412a01657412a0002	0.1657412a01657412a0002	0.002	1829.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	F	kemeny	quality	0.175	max	0.175	kendall_m	0.1533529a01533529a0002	0.1533529a01533529a0002	0.002	3010.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	F	kemeny	quality	0.1874	max	0.1874	kendall_m	0.1245765a01245765a0002	0.1245765a01245765a0002	0.002	3433	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	F	kemeny	quality	0.1806	max	0.1806	kendall_m	0.1496531a01496531a0002	0.1496531a01496531a0002	0.002	3377.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	F	kemeny	quality	0.1716	max	0.1716	kendall_m	0.1498314a01498314a0002	0.1498314a01498314a0002	0.002	3218.6	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	F	kemeny	quality	0.1642	max	0.1642	kendall_m	0.1434005a01434005a0002	0.1434005a01434005a0002	0.002	3257.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	F	kemeny	quality	0.1574	max	0.1574	kendall_m	0.1507886a01507886a0002	0.1507886a01507886a0002	0.002	3164.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	F	kemeny	quality	0.1586	max	0.1586	kendall_m	0.1435499a01435499a0002	0.1435499a01435499a0002	0.002	3430.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	F	kemeny	quality	0.1556	max	0.1556	kendall_m	0.1470366a01470366a0002	0.1470366a01470366a0002	0.002	3733	11	True	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	F	rrf	quality	0.1812	max	0.1812	kendall_m	0.1267314a01267314a0002	0.1267314a01267314a0002	0.002	2341.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	F	rrf	quality	0.1762	max	0.1762	kendall_m	0.1657412a01657412a0002	0.1657412a01657412a0002	0.002	1829.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	F	rrf	quality	0.1834	max	0.1834	kendall_m	0.1533529a01533529a0002	0.1533529a01533529a0002	0.002	3010.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	F	rrf	quality	0.1886	max	0.1886	kendall_m	0.1245765a01245765a0002	0.1245765a01245765a0002	0.002	3433	11	False	True	5

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	F	rrf	quality	0.1798	max	0.1798	kendall_m	0.49653	0.43653	0.002	3377.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	F	rrf	quality	0.1728	max	0.1728	kendall_m	0.49831	0.49831	0.002	3218.6	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	F	rrf	quality	0.1682	max	0.1682	kendall_m	0.49400	0.48490	0.002	3257.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	F	rrf	quality	0.1644	max	0.1644	kendall_m	0.50788	0.50788	0.002	3164.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	F	rrf	quality	0.1638	max	0.1638	kendall_m	0.48549	0.48549	0.002	3430.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	F	rrf	quality	0.1612	max	0.1612	kendall_m	0.47036	0.47036	0.002	3733	11	True	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	F	schulze	quality	0.1818	max	0.1818	kendall_m	0.26731	0.26731	0.002	2341.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	F	schulze	quality	0.1658	max	0.1658	kendall_m	0.65741	0.65741	0.002	1829.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	F	schulze	quality	0.1704	max	0.1704	kendall_m	0.53952	0.52352	0.002	3010.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	F	schulze	quality	0.1876	max	0.1876	kendall_m	0.24576	0.24576	0.002	3433	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	F	schulze	quality	0.181	max	0.181	kendall_m	0.49653	0.43653	0.002	3377.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	F	schulze	quality	0.175	max	0.175	kendall_m	0.49831	0.49831	0.002	3218.6	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	F	schulze	quality	0.1672	max	0.1672	kendall_m	0.49400	0.48490	0.002	3257.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	F	schulze	quality	0.1578	max	0.1578	kendall_m	0.50788	0.50788	0.002	3164.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	F	schulze	quality	0.1618	max	0.1618	kendall_m	0.48549	0.48549	0.002	3430.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	F	schulze	quality	0.1576	max	0.1576	kendall_m	0.47036	0.47036	0.002	3733	11	True	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	F	simpleavg	quality	0.1814	max	0.1814	kendall_m	0.26731	0.26731	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	F	simpleavg	quality	0.1762	max	0.1762	kendall_m	0.65741	0.65741	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	F	simpleavg	quality	0.1804	max	0.1804	kendall_m	0.53952	0.52352	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	F	simpleavg	quality	0.1726	max	0.1726	kendall_m	0.24576	0.24576	0.002	3433	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	F	simpleavg	quality	0.1738	max	0.1738	kendall_m	0.49653	0.43653	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	F	simpleavg	quality	0.1742	max	0.1742	kendall_m	0.49831	0.49831	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	F	simpleavg	quality	0.1724	max	0.1724	kendall_m	0.49400	0.48490	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	F	simpleavg	quality	0.1748	max	0.1748	kendall_m	0.50788	0.50788	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	F	simpleavg	quality	0.1736	max	0.1736	kendall_m	0.48549	0.48549	0.002	3430.5	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	F	simpleavg	quality	0.1726	max	0.1726	kendall_m	0.1470366a01470366a0002	0.170366a01470366a0002	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	Fbar	borda	quality	0.1452	min	-0.1452	kendall_m	0.1267314a01367314a0002	0.1367314a01367314a0002	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	Fbar	borda	quality	0.1586	min	-0.1586	kendall_m	0.1657412a01657412a0002	0.1657412a01657412a0002	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	Fbar	borda	quality	0.1802	min	-0.1802	kendall_m	0.1533529a01533529a0002	0.1533529a01533529a0002	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	Fbar	borda	quality	0.1982	min	-0.1982	kendall_m	0.1245765a01345765a0002	0.1245765a01345765a0002	0.002	3433	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	Fbar	borda	quality	0.2092	min	-0.2092	kendall_m	0.149653a0149653a0002	0.149653a0149653a0002	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	Fbar	borda	quality	0.2242	min	-0.2242	kendall_m	0.1498314a01498314a0002	0.1498314a01498314a0002	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	Fbar	borda	quality	0.2196	min	-0.2196	kendall_m	0.1434005a01434005a0002	0.1434005a01434005a0002	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	Fbar	borda	quality	0.2388	min	-0.2388	kendall_m	0.1507886a01507886a0002	0.1507886a01507886a0002	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	Fbar	borda	quality	0.2284	min	-0.2284	kendall_m	0.1435499a01435499a0002	0.1435499a01435499a0002	0.002	3430.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	Fbar	borda	quality	0.2186	min	-0.2186	kendall_m	0.1470366a01470366a0002	0.1470366a01470366a0002	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	Fbar	kemeny	quality	0.1452	min	-0.1452	kendall_m	0.1267314a01367314a0002	0.1367314a01367314a0002	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	Fbar	kemeny	quality	0.1904	min	-0.1904	kendall_m	0.1657412a01657412a0002	0.1657412a01657412a0002	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	Fbar	kemeny	quality	0.165	min	-0.165	kendall_m	0.1533529a01533529a0002	0.1533529a01533529a0002	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	Fbar	kemeny	quality	0.1658	min	-0.1658	kendall_m	0.1245765a01345765a0002	0.1245765a01345765a0002	0.002	3433	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	Fbar	kemeny	quality	0.1868	min	-0.1868	kendall_m	0.149653a0149653a0002	0.149653a0149653a0002	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	Fbar	kemeny	quality	0.2088	min	-0.2088	kendall_m	0.1498314a01498314a0002	0.1498314a01498314a0002	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	Fbar	kemeny	quality	0.2098	min	-0.2098	kendall_m	0.1434005a01434005a0002	0.1434005a01434005a0002	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	Fbar	kemeny	quality	0.2394	min	-0.2394	kendall_m	0.1507886a01507886a0002	0.1507886a01507886a0002	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	Fbar	kemeny	quality	0.2292	min	-0.2292	kendall_m	0.1435499a01435499a0002	0.1435499a01435499a0002	0.002	3430.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	Fbar	kemeny	quality	0.2234	min	-0.2234	kendall_m	0.1470366a01470366a0002	0.1470366a01470366a0002	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	Fbar	rrf	quality	0.1424	min	-0.1424	kendall_m	0.1267314a01367314a0002	0.1367314a01367314a0002	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	Fbar	rrf	quality	0.1612	min	-0.1612	kendall_m	0.1657412a01657412a0002	0.1657412a01657412a0002	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	Fbar	rrf	quality	0.1606	min	-0.1606	kendall_m	0.1533529a01533529a0002	0.1533529a01533529a0002	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	Fbar	rrf	quality	0.1868	min	-0.1868	kendall_m	0.1245765a01345765a0002	0.1245765a01345765a0002	0.002	3433	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	Fbar	rrf	quality	0.1964	min	-0.1964	kendall_m	0.496531e+01	-0.496531e+01	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	Fbar	rrf	quality	0.2046	min	-0.2046	kendall_m	0.498314e+01	-0.498314e+01	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	Fbar	rrf	quality	0.2076	min	-0.2076	kendall_m	0.494005e+01	-0.494005e+01	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	Fbar	rrf	quality	0.2258	min	-0.2258	kendall_m	0.507886e+01	-0.507886e+01	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	Fbar	rrf	quality	0.217	min	-0.217	kendall_m	0.485499e+01	-0.485499e+01	0.002	3430.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	Fbar	rrf	quality	0.2176	min	-0.2176	kendall_m	0.470366e+01	-0.470366e+01	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	Fbar	schulze	quality	0.1452	min	-0.1452	kendall_m	0.126731e+01	-0.126731e+01	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	Fbar	schulze	quality	0.1786	min	-0.1786	kendall_m	0.165741e+01	-0.165741e+01	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	Fbar	schulze	quality	0.1726	min	-0.1726	kendall_m	0.153952e+01	-0.153952e+01	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	Fbar	schulze	quality	0.2018	min	-0.2018	kendall_m	0.124576e+01	-0.124576e+01	0.002	3433	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	Fbar	schulze	quality	0.1956	min	-0.1956	kendall_m	0.496531e+01	-0.496531e+01	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	Fbar	schulze	quality	0.1954	min	-0.1954	kendall_m	0.498314e+01	-0.498314e+01	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	Fbar	schulze	quality	0.2068	min	-0.2068	kendall_m	0.494005e+01	-0.494005e+01	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	Fbar	schulze	quality	0.2342	min	-0.2342	kendall_m	0.507886e+01	-0.507886e+01	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	Fbar	schulze	quality	0.2262	min	-0.2262	kendall_m	0.485499e+01	-0.485499e+01	0.002	3430.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	Fbar	schulze	quality	0.2182	min	-0.2182	kendall_m	0.470366e+01	-0.470366e+01	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	clean	Fbar	simpleavg	quality	0.15	min	-0.15	kendall_m	0.126731e+01	-0.126731e+01	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	clean	Fbar	simpleavg	quality	0.1638	min	-0.1638	kendall_m	0.165741e+01	-0.165741e+01	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	clean	Fbar	simpleavg	quality	0.238	min	-0.238	kendall_m	0.153952e+01	-0.153952e+01	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	clean	Fbar	simpleavg	quality	0.2698	min	-0.2698	kendall_m	0.124576e+01	-0.124576e+01	0.002	3433	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	clean	Fbar	simpleavg	quality	0.2632	min	-0.2632	kendall_m	0.496531e+01	-0.496531e+01	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	clean	Fbar	simpleavg	quality	0.2592	min	-0.2592	kendall_m	0.498314e+01	-0.498314e+01	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	clean	Fbar	simpleavg	quality	0.2574	min	-0.2574	kendall_m	0.494005e+01	-0.494005e+01	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	clean	Fbar	simpleavg	quality	0.2538	min	-0.2538	kendall_m	0.507886e+01	-0.507886e+01	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	clean	Fbar	simpleavg	quality	0.2494	min	-0.2494	kendall_m	0.485499e+01	-0.485499e+01	0.002	3430.5	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	clean	Fbar	simpleavg	quality	0.251	min	-0.251	kendall_m	0.1470366	0.1470366	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversarial-sara-2-255	C	borda	robustness	0.2158	min	-0.2158	kendall_m	0.1267314	0.1267314	0.002	2341.4	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversarial-sara-2-255	C	borda	robustness	0.2178	min	-0.2178	kendall_m	0.1657412	0.1657412	0.002	1829.8	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversarial-sara-2-255	C	borda	robustness	0.206	min	-0.206	kendall_m	0.1533529	0.1533529	0.002	3010.4	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversarial-sara-2-255	C	borda	robustness	0.203	min	-0.203	kendall_m	0.1245765	0.1245765	0.002	3433	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversarial-sara-2-255	C	borda	robustness	0.1974	min	-0.1974	kendall_m	0.149653	0.149653	0.002	3377.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversarial-sara-2-255	C	borda	robustness	0.1924	min	-0.1924	kendall_m	0.1498314	0.1498314	0.002	3218.6	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversarial-sara-2-255	C	borda	robustness	0.1898	min	-0.1898	kendall_m	0.1494005	0.1494005	0.002	3257.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversarial-sara-2-255	C	borda	robustness	0.1886	min	-0.1886	kendall_m	0.1507886	0.1507886	0.002	3164.8	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversarial-sara-2-255	C	borda	robustness	0.1884	min	-0.1884	kendall_m	0.1485499	0.1485499	0.002	3430.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversarial-sara-2-255	C	borda	robustness	0.1882	min	-0.1882	kendall_m	0.1470366	0.1470366	0.002	3733	11	True	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversarial-sara-2-255	C	kemeny	robustness	0.2158	min	-0.2158	kendall_m	0.1267314	0.1267314	0.002	2341.4	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversarial-sara-2-255	C	kemeny	robustness	0.2092	min	-0.2092	kendall_m	0.1657412	0.1657412	0.002	1829.8	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversarial-sara-2-255	C	kemeny	robustness	0.2046	min	-0.2046	kendall_m	0.1533529	0.1533529	0.002	3010.4	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversarial-sara-2-255	C	kemeny	robustness	0.2054	min	-0.2054	kendall_m	0.1245765	0.1245765	0.002	3433	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversarial-sara-2-255	C	kemeny	robustness	0.2076	min	-0.2076	kendall_m	0.149653	0.149653	0.002	3377.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversarial-sara-2-255	C	kemeny	robustness	0.1944	min	-0.1944	kendall_m	0.1498314	0.1498314	0.002	3218.6	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversarial-sara-2-255	C	kemeny	robustness	0.1906	min	-0.1906	kendall_m	0.1494005	0.1494005	0.002	3257.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversarial-sara-2-255	C	kemeny	robustness	0.189	min	-0.189	kendall_m	0.1507886	0.1507886	0.002	3164.8	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversarial-sara-2-255	C	kemeny	robustness	0.1848	min	-0.1848	kendall_m	0.1485499	0.1485499	0.002	3430.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversarial-sara-2-255	C	kemeny	robustness	0.179	min	-0.179	kendall_m	0.1470366	0.1470366	0.002	3733	11	True	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversarial-sara-2-255	C	rrf	robustness	0.2148	min	-0.2148	kendall_m	0.1267314	0.1267314	0.002	2341.4	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversarial-sara-2-255	C	rrf	robustness	0.2164	min	-0.2164	kendall_m	0.1657412	0.1657412	0.002	1829.8	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversarial-sara-2-255	C	rrf	robustness	0.2048	min	-0.2048	kendall_m	0.1533529	0.1533529	0.002	3010.4	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversarial-sara-2-255	C	rrf	robustness	0.205	min	-0.205	kendall_m	0.1245765	0.1245765	0.002	3433	11	False	True	10

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversaria-sara-2-255	C	rrf	robustness	0.1934	min	-0.1934	kendall_ma	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversaria-sara-2-255	C	rrf	robustness	0.193	min	-0.193	kendall_ma	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversaria-sara-2-255	C	rrf	robustness	0.1926	min	-0.1926	kendall_ma	0.494005e+01	0.84905e+00	0.002	3257.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversaria-sara-2-255	C	rrf	robustness	0.1872	min	-0.1872	kendall_ma	0.507886e+01	0.07886e+00	0.002	3164.8	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversaria-sara-2-255	C	rrf	robustness	0.1868	min	-0.1868	kendall_ma	0.485499e+01	0.85499e+00	0.002	3430.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversaria-sara-2-255	C	rrf	robustness	0.1914	min	-0.1914	kendall_ma	0.470366e+01	0.70366e+00	0.002	3733	11	True	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversaria-sara-2-255	C	schulze	robustness	0.2158	min	-0.2158	kendall_ma	0.126731e+01	0.6731e+00	0.002	2341.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversaria-sara-2-255	C	schulze	robustness	0.2092	min	-0.2092	kendall_ma	0.165741e+01	0.65741e+00	0.002	1829.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversaria-sara-2-255	C	schulze	robustness	0.206	min	-0.206	kendall_ma	0.153952e+01	0.523529e+00	0.002	3010.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversaria-sara-2-255	C	schulze	robustness	0.2016	min	-0.2016	kendall_ma	0.124576e+01	0.34576e+00	0.002	3433	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversaria-sara-2-255	C	schulze	robustness	0.2006	min	-0.2006	kendall_ma	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversaria-sara-2-255	C	schulze	robustness	0.1984	min	-0.1984	kendall_ma	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversaria-sara-2-255	C	schulze	robustness	0.1924	min	-0.1924	kendall_ma	0.494005e+01	0.84905e+00	0.002	3257.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversaria-sara-2-255	C	schulze	robustness	0.1846	min	-0.1846	kendall_ma	0.507886e+01	0.07886e+00	0.002	3164.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversaria-sara-2-255	C	schulze	robustness	0.187	min	-0.187	kendall_ma	0.485499e+01	0.85499e+00	0.002	3430.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversaria-sara-2-255	C	schulze	robustness	0.1864	min	-0.1864	kendall_ma	0.470366e+01	0.70366e+00	0.002	3733	11	True	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversaria-sara-2-255	C	simpleavg	robustness	0.2124	min	-0.2124	kendall_ma	0.126731e+01	0.6731e+00	0.002	2341.4	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversaria-sara-2-255	C	simpleavg	robustness	0.2144	min	-0.2144	kendall_ma	0.165741e+01	0.65741e+00	0.002	1829.8	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversaria-sara-2-255	C	simpleavg	robustness	0.1882	min	-0.1882	kendall_ma	0.153952e+01	0.523529e+00	0.002	3010.4	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversaria-sara-2-255	C	simpleavg	robustness	0.1732	min	-0.1732	kendall_ma	0.124576e+01	0.34576e+00	0.002	3433	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversaria-sara-2-255	C	simpleavg	robustness	0.175	min	-0.175	kendall_ma	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversaria-sara-2-255	C	simpleavg	robustness	0.1776	min	-0.1776	kendall_ma	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversaria-sara-2-255	C	simpleavg	robustness	0.173	min	-0.173	kendall_ma	0.494005e+01	0.84905e+00	0.002	3257.5	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversaria-sara-2-255	C	simpleavg	robustness	0.1804	min	-0.1804	kendall_ma	0.507886e+01	0.07886e+00	0.002	3164.8	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversaria-sara-2-255	C	simpleavg	robustness	0.1784	min	-0.1784	kendall_ma	0.485499e+01	0.85499e+00	0.002	3430.5	11	False	True	8

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversaria-sara-2-255	C	simpleavg	robustness	0.1768	min	-0.1768	kendall_m	0.1470366	0.01470366	0.002	3733	11	True	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversaria-sara-2-255	Cbar	borda	robustness	0.0586	min	-0.0586	kendall_m	0.1267314	0.01267314	0.002	2341.4	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversaria-sara-2-255	Cbar	borda	robustness	0.0534	min	-0.0534	kendall_m	0.1057412	0.01057412	0.002	1829.8	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversaria-sara-2-255	Cbar	borda	robustness	0.0712	min	-0.0712	kendall_m	0.1533529	0.01533529	0.002	3010.4	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversaria-sara-2-255	Cbar	borda	robustness	0.072	min	-0.072	kendall_m	0.1245765	0.01245765	0.002	3433	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversaria-sara-2-255	Cbar	borda	robustness	0.0676	min	-0.0676	kendall_m	0.139653	0.0139653	0.002	3377.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversaria-sara-2-255	Cbar	borda	robustness	0.0694	min	-0.0694	kendall_m	0.1498314	0.01498314	0.002	3218.6	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversaria-sara-2-255	Cbar	borda	robustness	0.0584	min	-0.0584	kendall_m	0.1434005	0.01434005	0.002	3257.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversaria-sara-2-255	Cbar	borda	robustness	0.0596	min	-0.0596	kendall_m	0.1507886	0.01507886	0.002	3164.8	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversaria-sara-2-255	Cbar	borda	robustness	0.0496	min	-0.0496	kendall_m	0.1435499	0.01435499	0.002	3430.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversaria-sara-2-255	Cbar	borda	robustness	0.0532	min	-0.0532	kendall_m	0.1470366	0.01470366	0.002	3733	11	True	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversaria-sara-2-255	Cbar	kemeny	robustness	0.0586	min	-0.0586	kendall_m	0.1267314	0.01267314	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversaria-sara-2-255	Cbar	kemeny	robustness	0.039	min	-0.039	kendall_m	0.1057412	0.01057412	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversaria-sara-2-255	Cbar	kemeny	robustness	0.0402	min	-0.0402	kendall_m	0.1533529	0.01533529	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversaria-sara-2-255	Cbar	kemeny	robustness	0.0746	min	-0.0746	kendall_m	0.1245765	0.01245765	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversaria-sara-2-255	Cbar	kemeny	robustness	0.0714	min	-0.0714	kendall_m	0.139653	0.0139653	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversaria-sara-2-255	Cbar	kemeny	robustness	0.0588	min	-0.0588	kendall_m	0.1498314	0.01498314	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversaria-sara-2-255	Cbar	kemeny	robustness	0.0544	min	-0.0544	kendall_m	0.1434005	0.01434005	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversaria-sara-2-255	Cbar	kemeny	robustness	0.0546	min	-0.0546	kendall_m	0.1507886	0.01507886	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversaria-sara-2-255	Cbar	kemeny	robustness	0.0552	min	-0.0552	kendall_m	0.1435499	0.01435499	0.002	3430.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversaria-sara-2-255	Cbar	kemeny	robustness	0.0492	min	-0.0492	kendall_m	0.1470366	0.01470366	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversaria-sara-2-255	Cbar	rrf	robustness	0.0606	min	-0.0606	kendall_m	0.1267314	0.01267314	0.002	2341.4	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversaria-sara-2-255	Cbar	rrf	robustness	0.0524	min	-0.0524	kendall_m	0.1057412	0.01057412	0.002	1829.8	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversaria-sara-2-255	Cbar	rrf	robustness	0.0638	min	-0.0638	kendall_m	0.1533529	0.01533529	0.002	3010.4	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversaria-sara-2-255	Cbar	rrf	robustness	0.0754	min	-0.0754	kendall_m	0.1245765	0.01245765	0.002	3433	11	False	True	10

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversaria-sara-2-255	Cbar	rrf	robustness	0.0784	min	-0.0784	kendall_ma	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversaria-sara-2-255	Cbar	rrf	robustness	0.0604	min	-0.0604	kendall_ma	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversaria-sara-2-255	Cbar	rrf	robustness	0.0644	min	-0.0644	kendall_ma	0.494005e+01	0.84905e+00	0.002	3257.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversaria-sara-2-255	Cbar	rrf	robustness	0.0634	min	-0.0634	kendall_ma	0.507886e+01	0.07886e+00	0.002	3164.8	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversaria-sara-2-255	Cbar	rrf	robustness	0.0502	min	-0.0502	kendall_ma	0.485499e+01	0.485499e+00	0.002	3430.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversaria-sara-2-255	Cbar	rrf	robustness	0.0608	min	-0.0608	kendall_ma	0.470366e+01	0.70366e+00	0.002	3733	11	True	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversaria-sara-2-255	Cbar	schulze	robustness	0.0586	min	-0.0586	kendall_ma	0.467314e+01	0.67314e+00	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversaria-sara-2-255	Cbar	schulze	robustness	0.0358	min	-0.0358	kendall_ma	0.657412e+01	0.657412e+00	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversaria-sara-2-255	Cbar	schulze	robustness	0.0508	min	-0.0508	kendall_ma	0.539529e+01	0.523529e+00	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversaria-sara-2-255	Cbar	schulze	robustness	0.0798	min	-0.0798	kendall_ma	0.445765e+01	0.345765e+00	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversaria-sara-2-255	Cbar	schulze	robustness	0.067	min	-0.067	kendall_ma	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversaria-sara-2-255	Cbar	schulze	robustness	0.063	min	-0.063	kendall_ma	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversaria-sara-2-255	Cbar	schulze	robustness	0.0582	min	-0.0582	kendall_ma	0.494005e+01	0.84905e+00	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversaria-sara-2-255	Cbar	schulze	robustness	0.0426	min	-0.0426	kendall_ma	0.507886e+01	0.07886e+00	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversaria-sara-2-255	Cbar	schulze	robustness	0.0486	min	-0.0486	kendall_ma	0.485499e+01	0.485499e+00	0.002	3430.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversaria-sara-2-255	Cbar	schulze	robustness	0.0506	min	-0.0506	kendall_ma	0.470366e+01	0.70366e+00	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversaria-sara-2-255	Cbar	simpleavg	robustness	0.0592	min	-0.0592	kendall_ma	0.467314e+01	0.67314e+00	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversaria-sara-2-255	Cbar	simpleavg	robustness	0.0534	min	-0.0534	kendall_ma	0.657412e+01	0.657412e+00	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversaria-sara-2-255	Cbar	simpleavg	robustness	0.0788	min	-0.0788	kendall_ma	0.539529e+01	0.523529e+00	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversaria-sara-2-255	Cbar	simpleavg	robustness	0.0784	min	-0.0784	kendall_ma	0.445765e+01	0.345765e+00	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversaria-sara-2-255	Cbar	simpleavg	robustness	0.0784	min	-0.0784	kendall_ma	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversaria-sara-2-255	Cbar	simpleavg	robustness	0.0756	min	-0.0756	kendall_ma	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversaria-sara-2-255	Cbar	simpleavg	robustness	0.0786	min	-0.0786	kendall_ma	0.494005e+01	0.84905e+00	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversaria-sara-2-255	Cbar	simpleavg	robustness	0.0746	min	-0.0746	kendall_ma	0.507886e+01	0.07886e+00	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversaria-sara-2-255	Cbar	simpleavg	robustness	0.0752	min	-0.0752	kendall_ma	0.485499e+01	0.485499e+00	0.002	3430.5	11	False	True	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversaria	Cbar	simpleavg	robustness	0.0754	min	-0.0754	kendall_m	0.1470366	0.1470366	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversaria	F	borda	robustness	0.116	min	-0.116	kendall_m	0.1267314	0.1267314	0.002	2341.4	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversaria	F	borda	robustness	0.115	min	-0.115	kendall_m	0.1657412	0.1657412	0.002	1829.8	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversaria	F	borda	robustness	0.11	min	-0.11	kendall_m	0.1533529	0.1533529	0.002	3010.4	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversaria	F	borda	robustness	0.1108	min	-0.1108	kendall_m	0.1245765	0.1245765	0.002	3433	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversaria	F	borda	robustness	0.1042	min	-0.1042	kendall_m	0.149653	0.149653	0.002	3377.5	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversaria	F	borda	robustness	0.099	min	-0.099	kendall_m	0.1498314	0.1498314	0.002	3218.6	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversaria	F	borda	robustness	0.094	min	-0.094	kendall_m	0.1494005	0.1494005	0.002	3257.5	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversaria	F	borda	robustness	0.0972	min	-0.0972	kendall_m	0.1507886	0.1507886	0.002	3164.8	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversaria	F	borda	robustness	0.0972	min	-0.0972	kendall_m	0.1485499	0.1485499	0.002	3430.5	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversaria	F	borda	robustness	0.095	min	-0.095	kendall_m	0.1470366	0.1470366	0.002	3733	11	True	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversaria	F	kemeny	robustness	0.116	min	-0.116	kendall_m	0.1267314	0.1267314	0.002	2341.4	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversaria	F	kemeny	robustness	0.1114	min	-0.1114	kendall_m	0.1657412	0.1657412	0.002	1829.8	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversaria	F	kemeny	robustness	0.1066	min	-0.1066	kendall_m	0.1533529	0.1533529	0.002	3010.4	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversaria	F	kemeny	robustness	0.1106	min	-0.1106	kendall_m	0.1245765	0.1245765	0.002	3433	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversaria	F	kemeny	robustness	0.11	min	-0.11	kendall_m	0.149653	0.149653	0.002	3377.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversaria	F	kemeny	robustness	0.1036	min	-0.1036	kendall_m	0.1498314	0.1498314	0.002	3218.6	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversaria	F	kemeny	robustness	0.0982	min	-0.0982	kendall_m	0.1494005	0.1494005	0.002	3257.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversaria	F	kemeny	robustness	0.0972	min	-0.0972	kendall_m	0.1507886	0.1507886	0.002	3164.8	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversaria	F	kemeny	robustness	0.0958	min	-0.0958	kendall_m	0.1485499	0.1485499	0.002	3430.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversaria	F	kemeny	robustness	0.0904	min	-0.0904	kendall_m	0.1470366	0.1470366	0.002	3733	11	True	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversaria	F	rrf	robustness	0.116	min	-0.116	kendall_m	0.1267314	0.1267314	0.002	2341.4	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversaria	F	rrf	robustness	0.114	min	-0.114	kendall_m	0.1657412	0.1657412	0.002	1829.8	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversaria	F	rrf	robustness	0.1104	min	-0.1104	kendall_m	0.1533529	0.1533529	0.002	3010.4	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversaria	F	rrf	robustness	0.1102	min	-0.1102	kendall_m	0.1245765	0.1245765	0.002	3433	11	False	True	11

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversarial	F	rrf	robustness	0.1032	min	-0.1032	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversarial	F	rrf	robustness	0.1004	min	-0.1004	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversarial	F	rrf	robustness	0.0994	min	-0.0994	kendall_m	0.494005e+01	0.84905e+00	0.002	3257.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversarial	F	rrf	robustness	0.097	min	-0.097	kendall_m	0.507886e+01	0.07886e+00	0.002	3164.8	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversarial	F	rrf	robustness	0.097	min	-0.097	kendall_m	0.485499e+01	0.85499e+00	0.002	3430.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversarial	F	rrf	robustness	0.0956	min	-0.0956	kendall_m	0.470366e+01	0.70366e+00	0.002	3733	11	True	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversarial	F	schulze	robustness	0.116	min	-0.116	kendall_m	0.267314e+01	0.67314e+00	0.002	2341.4	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversarial	F	schulze	robustness	0.1058	min	-0.1058	kendall_m	0.657412e+01	0.657412e+00	0.002	1829.8	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversarial	F	schulze	robustness	0.1046	min	-0.1046	kendall_m	0.539529e+01	0.523529e+00	0.002	3010.4	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversarial	F	schulze	robustness	0.1092	min	-0.1092	kendall_m	0.245765e+01	0.345765e+00	0.002	3433	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversarial	F	schulze	robustness	0.108	min	-0.108	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversarial	F	schulze	robustness	0.102	min	-0.102	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversarial	F	schulze	robustness	0.1004	min	-0.1004	kendall_m	0.494005e+01	0.84905e+00	0.002	3257.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversarial	F	schulze	robustness	0.0968	min	-0.0968	kendall_m	0.507886e+01	0.07886e+00	0.002	3164.8	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversarial	F	schulze	robustness	0.0974	min	-0.0974	kendall_m	0.485499e+01	0.85499e+00	0.002	3430.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversarial	F	schulze	robustness	0.0926	min	-0.0926	kendall_m	0.470366e+01	0.70366e+00	0.002	3733	11	True	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversarial	F	simpleavg	robustness	0.1148	min	-0.1148	kendall_m	0.267314e+01	0.67314e+00	0.002	2341.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversarial	F	simpleavg	robustness	0.1154	min	-0.1154	kendall_m	0.657412e+01	0.657412e+00	0.002	1829.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversarial	F	simpleavg	robustness	0.097	min	-0.097	kendall_m	0.539529e+01	0.523529e+00	0.002	3010.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversarial	F	simpleavg	robustness	0.0908	min	-0.0908	kendall_m	0.245765e+01	0.345765e+00	0.002	3433	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversarial	F	simpleavg	robustness	0.0934	min	-0.0934	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversarial	F	simpleavg	robustness	0.094	min	-0.094	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversarial	F	simpleavg	robustness	0.0912	min	-0.0912	kendall_m	0.494005e+01	0.84905e+00	0.002	3257.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversarial	F	simpleavg	robustness	0.0964	min	-0.0964	kendall_m	0.507886e+01	0.07886e+00	0.002	3164.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversarial	F	simpleavg	robustness	0.096	min	-0.096	kendall_m	0.485499e+01	0.85499e+00	0.002	3430.5	11	False	True	5

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversaria	F	simpleavg	robustness	0.0944	min	-0.0944	kendall_m	0.1470366	0.01470366	0.002	3733	11	True	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversaria	Fbar	borda	robustness	0.0232	min	-0.0232	kendall_m	0.1267314	0.01267314	0.002	2341.4	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversaria	Fbar	borda	robustness	0.0222	min	-0.0222	kendall_m	0.1657412	0.01657412	0.002	1829.8	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversaria	Fbar	borda	robustness	0.0302	min	-0.0302	kendall_m	0.1533529	0.01533529	0.002	3010.4	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversaria	Fbar	borda	robustness	0.0262	min	-0.0262	kendall_m	0.1245765	0.01245765	0.002	3433	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversaria	Fbar	borda	robustness	0.0324	min	-0.0324	kendall_m	0.149653	0.0149653	0.002	3377.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversaria	Fbar	borda	robustness	0.0316	min	-0.0316	kendall_m	0.1498314	0.01498314	0.002	3218.6	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversaria	Fbar	borda	robustness	0.0198	min	-0.0198	kendall_m	0.1434005	0.01434005	0.002	3257.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversaria	Fbar	borda	robustness	0.0234	min	-0.0234	kendall_m	0.1507886	0.01507886	0.002	3164.8	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversaria	Fbar	borda	robustness	0.0212	min	-0.0212	kendall_m	0.1435499	0.01435499	0.002	3430.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversaria	Fbar	borda	robustness	0.019	min	-0.019	kendall_m	0.1470366	0.01470366	0.002	3733	11	True	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversaria	Fbar	kemeny	robustness	0.0232	min	-0.0232	kendall_m	0.1267314	0.01267314	0.002	2341.4	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversaria	Fbar	kemeny	robustness	0.0118	min	-0.0118	kendall_m	0.1657412	0.01657412	0.002	1829.8	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversaria	Fbar	kemeny	robustness	0.0088	min	-0.0088	kendall_m	0.1533529	0.01533529	0.002	3010.4	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversaria	Fbar	kemeny	robustness	0.0272	min	-0.0272	kendall_m	0.1245765	0.01245765	0.002	3433	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversaria	Fbar	kemeny	robustness	0.036	min	-0.036	kendall_m	0.149653	0.0149653	0.002	3377.5	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversaria	Fbar	kemeny	robustness	0.0258	min	-0.0258	kendall_m	0.1498314	0.01498314	0.002	3218.6	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversaria	Fbar	kemeny	robustness	0.0214	min	-0.0214	kendall_m	0.1434005	0.01434005	0.002	3257.5	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversaria	Fbar	kemeny	robustness	0.0238	min	-0.0238	kendall_m	0.1507886	0.01507886	0.002	3164.8	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversaria	Fbar	kemeny	robustness	0.0226	min	-0.0226	kendall_m	0.1435499	0.01435499	0.002	3430.5	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversaria	Fbar	kemeny	robustness	0.015	min	-0.015	kendall_m	0.1470366	0.01470366	0.002	3733	11	True	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversaria	Fbar	rrf	robustness	0.0234	min	-0.0234	kendall_m	0.1267314	0.01267314	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversaria	Fbar	rrf	robustness	0.0202	min	-0.0202	kendall_m	0.1657412	0.01657412	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversaria	Fbar	rrf	robustness	0.026	min	-0.026	kendall_m	0.1533529	0.01533529	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversaria	Fbar	rrf	robustness	0.032	min	-0.032	kendall_m	0.1245765	0.01245765	0.002	3433	11	False	True	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversaria	Fbar	rrf	robustness	0.0382	min	-0.0382	kendall_m	0.496531	-0.436531	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversaria	Fbar	rrf	robustness	0.0252	min	-0.0252	kendall_m	0.498314	-0.498314	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversaria	Fbar	rrf	robustness	0.024	min	-0.024	kendall_m	0.494005	-0.484905	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversaria	Fbar	rrf	robustness	0.0232	min	-0.0232	kendall_m	0.507886	-0.507886	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversaria	Fbar	rrf	robustness	0.0202	min	-0.0202	kendall_m	0.485499	-0.485499	0.002	3430.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversaria	Fbar	rrf	robustness	0.0246	min	-0.0246	kendall_m	0.470366	-0.470366	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversaria	Fbar	schulze	robustness	0.0232	min	-0.0232	kendall_m	0.467314	-0.467314	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversaria	Fbar	schulze	robustness	0.0066	min	-0.0066	kendall_m	0.657412	-0.657412	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversaria	Fbar	schulze	robustness	0.0142	min	-0.0142	kendall_m	0.539529	-0.539529	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversaria	Fbar	schulze	robustness	0.0352	min	-0.0352	kendall_m	0.445765	-0.445765	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversaria	Fbar	schulze	robustness	0.0288	min	-0.0288	kendall_m	0.496531	-0.436531	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversaria	Fbar	schulze	robustness	0.0254	min	-0.0254	kendall_m	0.498314	-0.498314	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversaria	Fbar	schulze	robustness	0.0202	min	-0.0202	kendall_m	0.494005	-0.484905	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversaria	Fbar	schulze	robustness	0.014	min	-0.014	kendall_m	0.507886	-0.507886	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversaria	Fbar	schulze	robustness	0.0146	min	-0.0146	kendall_m	0.485499	-0.485499	0.002	3430.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversaria	Fbar	schulze	robustness	0.017	min	-0.017	kendall_m	0.470366	-0.470366	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	adversaria	Fbar	simpleavg	robustness	0.0244	min	-0.0244	kendall_m	0.467314	-0.467314	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	adversaria	Fbar	simpleavg	robustness	0.0182	min	-0.0182	kendall_m	0.657412	-0.657412	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	adversaria	Fbar	simpleavg	robustness	0.034	min	-0.034	kendall_m	0.539529	-0.539529	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	adversaria	Fbar	simpleavg	robustness	0.0428	min	-0.0428	kendall_m	0.445765	-0.445765	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	adversaria	Fbar	simpleavg	robustness	0.0414	min	-0.0414	kendall_m	0.496531	-0.436531	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	adversaria	Fbar	simpleavg	robustness	0.037	min	-0.037	kendall_m	0.498314	-0.498314	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	adversaria	Fbar	simpleavg	robustness	0.0394	min	-0.0394	kendall_m	0.494005	-0.484905	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	adversaria	Fbar	simpleavg	robustness	0.0338	min	-0.0338	kendall_m	0.507886	-0.507886	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	adversaria	Fbar	simpleavg	robustness	0.0324	min	-0.0324	kendall_m	0.485499	-0.485499	0.002	3430.5	11	False	True	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	adversarial	Fbar	simpleavg	robustness	0.0338	min	-0.0338	kendall_m	0.1470366	0.01470366	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	C	borda	robustness	0.3244	min	-0.3244	kendall_m	0.1267314	0.01267314	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	C	borda	robustness	0.3176	min	-0.3176	kendall_m	0.1657412	0.01657412	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	C	borda	robustness	0.3338	min	-0.3338	kendall_m	0.1539529	0.01539529	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	C	borda	robustness	0.3406	min	-0.3406	kendall_m	0.1245765	0.01245765	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	C	borda	robustness	0.3474	min	-0.3474	kendall_m	0.149653	0.0149653	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	C	borda	robustness	0.3452	min	-0.3452	kendall_m	0.1498314	0.01498314	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	C	borda	robustness	0.3422	min	-0.3422	kendall_m	0.1494005	0.01494005	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	C	borda	robustness	0.3418	min	-0.3418	kendall_m	0.1507886	0.01507886	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	C	borda	robustness	0.3396	min	-0.3396	kendall_m	0.1485499	0.01485499	0.002	3430.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	C	borda	robustness	0.3384	min	-0.3384	kendall_m	0.1470366	0.01470366	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	C	kemeny	robustness	0.3244	min	-0.3244	kendall_m	0.1267314	0.01267314	0.002	2341.4	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	C	kemeny	robustness	0.328	min	-0.328	kendall_m	0.1657412	0.01657412	0.002	1829.8	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	C	kemeny	robustness	0.329	min	-0.329	kendall_m	0.1539529	0.01539529	0.002	3010.4	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	C	kemeny	robustness	0.332	min	-0.332	kendall_m	0.1245765	0.01245765	0.002	3433	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	C	kemeny	robustness	0.317	min	-0.317	kendall_m	0.149653	0.0149653	0.002	3377.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	C	kemeny	robustness	0.3358	min	-0.3358	kendall_m	0.1498314	0.01498314	0.002	3218.6	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	C	kemeny	robustness	0.3284	min	-0.3284	kendall_m	0.1494005	0.01494005	0.002	3257.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	C	kemeny	robustness	0.3278	min	-0.3278	kendall_m	0.1507886	0.01507886	0.002	3164.8	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	C	kemeny	robustness	0.323	min	-0.323	kendall_m	0.1485499	0.01485499	0.002	3430.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	C	kemeny	robustness	0.3296	min	-0.3296	kendall_m	0.1470366	0.01470366	0.002	3733	11	True	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	C	rrf	robustness	0.327	min	-0.327	kendall_m	0.1267314	0.01267314	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	C	rrf	robustness	0.3156	min	-0.3156	kendall_m	0.1657412	0.01657412	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	C	rrf	robustness	0.333	min	-0.333	kendall_m	0.1539529	0.01539529	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	C	rrf	robustness	0.3352	min	-0.3352	kendall_m	0.1245765	0.01245765	0.002	3433	11	False	True	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	C	rrf	robustness	0.3436	min	-0.3436	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	C	rrf	robustness	0.337	min	-0.337	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	C	rrf	robustness	0.3348	min	-0.3348	kendall_m	0.494005e+01	0.84905e+00	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	C	rrf	robustness	0.3324	min	-0.3324	kendall_m	0.507886e+01	0.07886e+00	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	C	rrf	robustness	0.3322	min	-0.3322	kendall_m	0.485499e+01	0.485499e+00	0.002	3430.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	C	rrf	robustness	0.3286	min	-0.3286	kendall_m	0.470366e+01	0.70366e+00	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	C	schulze	robustness	0.3244	min	-0.3244	kendall_m	0.467314e+01	0.67314e+00	0.002	2341.4	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	C	schulze	robustness	0.3282	min	-0.3282	kendall_m	0.657412e+01	0.657412e+00	0.002	1829.8	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	C	schulze	robustness	0.3238	min	-0.3238	kendall_m	0.539529e+01	0.523529e+00	0.002	3010.4	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	C	schulze	robustness	0.337	min	-0.337	kendall_m	0.445765e+01	0.345765e+00	0.002	3433	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	C	schulze	robustness	0.339	min	-0.339	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	C	schulze	robustness	0.3246	min	-0.3246	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	C	schulze	robustness	0.325	min	-0.325	kendall_m	0.494005e+01	0.84905e+00	0.002	3257.5	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	C	schulze	robustness	0.3328	min	-0.3328	kendall_m	0.507886e+01	0.07886e+00	0.002	3164.8	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	C	schulze	robustness	0.3246	min	-0.3246	kendall_m	0.485499e+01	0.485499e+00	0.002	3430.5	11	False	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	C	schulze	robustness	0.3296	min	-0.3296	kendall_m	0.470366e+01	0.70366e+00	0.002	3733	11	True	True	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	C	simpleavg	robustness	0.3246	min	-0.3246	kendall_m	0.467314e+01	0.67314e+00	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	C	simpleavg	robustness	0.3284	min	-0.3284	kendall_m	0.657412e+01	0.657412e+00	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	C	simpleavg	robustness	0.3372	min	-0.3372	kendall_m	0.539529e+01	0.523529e+00	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	C	simpleavg	robustness	0.347	min	-0.347	kendall_m	0.445765e+01	0.345765e+00	0.002	3433	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	C	simpleavg	robustness	0.3478	min	-0.3478	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	C	simpleavg	robustness	0.3448	min	-0.3448	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	C	simpleavg	robustness	0.35	min	-0.35	kendall_m	0.494005e+01	0.84905e+00	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	C	simpleavg	robustness	0.3408	min	-0.3408	kendall_m	0.507886e+01	0.07886e+00	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	C	simpleavg	robustness	0.3452	min	-0.3452	kendall_m	0.485499e+01	0.485499e+00	0.002	3430.5	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	C	simpleavg	robustness	0.3474	min	-0.3474	kendall_m	0.1470366	0.01470366	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	Cbar	borda	robustness	0.3204	min	-0.3204	kendall_m	0.1267314	0.01267314	0.002	2341.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	Cbar	borda	robustness	0.3134	min	-0.3134	kendall_m	0.1657412	0.01657412	0.002	1829.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	Cbar	borda	robustness	0.3262	min	-0.3262	kendall_m	0.1533529	0.01533529	0.002	3010.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	Cbar	borda	robustness	0.3498	min	-0.3498	kendall_m	0.1245765	0.01245765	0.002	3433	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	Cbar	borda	robustness	0.3358	min	-0.3358	kendall_m	0.149653	0.0149653	0.002	3377.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	Cbar	borda	robustness	0.3202	min	-0.3202	kendall_m	0.1498314	0.01498314	0.002	3218.6	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	Cbar	borda	robustness	0.319	min	-0.319	kendall_m	0.1494005	0.01494005	0.002	3257.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	Cbar	borda	robustness	0.2942	min	-0.2942	kendall_m	0.1507886	0.01507886	0.002	3164.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	Cbar	borda	robustness	0.314	min	-0.314	kendall_m	0.1485499	0.01485499	0.002	3430.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	Cbar	borda	robustness	0.3208	min	-0.3208	kendall_m	0.1470366	0.01470366	0.002	3733	11	True	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	Cbar	kemeny	robustness	0.3204	min	-0.3204	kendall_m	0.1267314	0.01267314	0.002	2341.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	Cbar	kemeny	robustness	0.2782	min	-0.2782	kendall_m	0.1657412	0.01657412	0.002	1829.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	Cbar	kemeny	robustness	0.3086	min	-0.3086	kendall_m	0.1533529	0.01533529	0.002	3010.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	Cbar	kemeny	robustness	0.3062	min	-0.3062	kendall_m	0.1245765	0.01245765	0.002	3433	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	Cbar	kemeny	robustness	0.2952	min	-0.2952	kendall_m	0.149653	0.0149653	0.002	3377.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	Cbar	kemeny	robustness	0.2846	min	-0.2846	kendall_m	0.1498314	0.01498314	0.002	3218.6	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	Cbar	kemeny	robustness	0.2932	min	-0.2932	kendall_m	0.1494005	0.01494005	0.002	3257.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	Cbar	kemeny	robustness	0.2642	min	-0.2642	kendall_m	0.1507886	0.01507886	0.002	3164.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	Cbar	kemeny	robustness	0.2816	min	-0.2816	kendall_m	0.1485499	0.01485499	0.002	3430.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	Cbar	kemeny	robustness	0.2774	min	-0.2774	kendall_m	0.1470366	0.01470366	0.002	3733	11	True	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	Cbar	rrf	robustness	0.3234	min	-0.3234	kendall_m	0.1267314	0.01267314	0.002	2341.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	Cbar	rrf	robustness	0.3132	min	-0.3132	kendall_m	0.1657412	0.01657412	0.002	1829.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	Cbar	rrf	robustness	0.3202	min	-0.3202	kendall_m	0.1533529	0.01533529	0.002	3010.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	Cbar	rrf	robustness	0.3324	min	-0.3324	kendall_m	0.1245765	0.01245765	0.002	3433	11	False	True	9

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	Cbar	rrf	robustness	0.3132	min	-0.3132	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	Cbar	rrf	robustness	0.3066	min	-0.3066	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	Cbar	rrf	robustness	0.2962	min	-0.2962	kendall_m	0.494005e+01	0.849051e+00	0.002	3257.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	Cbar	rrf	robustness	0.2768	min	-0.2768	kendall_m	0.507886e+01	0.078861e+00	0.002	3164.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	Cbar	rrf	robustness	0.2968	min	-0.2968	kendall_m	0.485499e+01	0.854991e+00	0.002	3430.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	Cbar	rrf	robustness	0.2944	min	-0.2944	kendall_m	0.470366e+01	0.703661e+00	0.002	3733	11	True	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	Cbar	schulze	robustness	0.3204	min	-0.3204	kendall_m	0.426731e+01	0.673141e+00	0.002	2341.4	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	Cbar	schulze	robustness	0.29	min	-0.29	kendall_m	0.657412e+01	0.657412e+00	0.002	1829.8	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	Cbar	schulze	robustness	0.3004	min	-0.3004	kendall_m	0.539529e+01	0.523529e+00	0.002	3010.4	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	Cbar	schulze	robustness	0.3336	min	-0.3336	kendall_m	0.345765e+01	0.345765e+00	0.002	3433	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	Cbar	schulze	robustness	0.3034	min	-0.3034	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	Cbar	schulze	robustness	0.2934	min	-0.2934	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	Cbar	schulze	robustness	0.2872	min	-0.2872	kendall_m	0.494005e+01	0.849051e+00	0.002	3257.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	Cbar	schulze	robustness	0.2818	min	-0.2818	kendall_m	0.507886e+01	0.078861e+00	0.002	3164.8	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	Cbar	schulze	robustness	0.2776	min	-0.2776	kendall_m	0.485499e+01	0.854991e+00	0.002	3430.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	Cbar	schulze	robustness	0.288	min	-0.288	kendall_m	0.470366e+01	0.703661e+00	0.002	3733	11	True	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	Cbar	simpleavg	robustness	0.3152	min	-0.3152	kendall_m	0.426731e+01	0.673141e+00	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	Cbar	simpleavg	robustness	0.3048	min	-0.3048	kendall_m	0.657412e+01	0.657412e+00	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	Cbar	simpleavg	robustness	0.3282	min	-0.3282	kendall_m	0.539529e+01	0.523529e+00	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	Cbar	simpleavg	robustness	0.3426	min	-0.3426	kendall_m	0.345765e+01	0.345765e+00	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	Cbar	simpleavg	robustness	0.3366	min	-0.3366	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	Cbar	simpleavg	robustness	0.3314	min	-0.3314	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	Cbar	simpleavg	robustness	0.3256	min	-0.3256	kendall_m	0.494005e+01	0.849051e+00	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	Cbar	simpleavg	robustness	0.3202	min	-0.3202	kendall_m	0.507886e+01	0.078861e+00	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	Cbar	simpleavg	robustness	0.32	min	-0.32	kendall_m	0.485499e+01	0.854991e+00	0.002	3430.5	11	False	True	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	Cbar	simpleavg	robustness	0.3208	min	-0.3208	kendall_m	0.1470366	0.01470366	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	F	borda	robustness	0.168	min	-0.168	kendall_m	0.1267314	0.01267314	0.002	2341.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	F	borda	robustness	0.1696	min	-0.1696	kendall_m	0.1657412	0.01657412	0.002	1829.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	F	borda	robustness	0.1716	min	-0.1716	kendall_m	0.1533529	0.01533529	0.002	3010.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	F	borda	robustness	0.1676	min	-0.1676	kendall_m	0.1245765	0.01245765	0.002	3433	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	F	borda	robustness	0.1772	min	-0.1772	kendall_m	0.149653	0.0149653	0.002	3377.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	F	borda	robustness	0.178	min	-0.178	kendall_m	0.1498314	0.01498314	0.002	3218.6	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	F	borda	robustness	0.1742	min	-0.1742	kendall_m	0.1434005	0.01434005	0.002	3257.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	F	borda	robustness	0.1716	min	-0.1716	kendall_m	0.1507886	0.01507886	0.002	3164.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	F	borda	robustness	0.1686	min	-0.1686	kendall_m	0.1485499	0.01485499	0.002	3430.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	F	borda	robustness	0.1692	min	-0.1692	kendall_m	0.1470366	0.01470366	0.002	3733	11	True	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	F	kemeny	robustness	0.168	min	-0.168	kendall_m	0.1267314	0.01267314	0.002	2341.4	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	F	kemeny	robustness	0.175	min	-0.175	kendall_m	0.1657412	0.01657412	0.002	1829.8	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	F	kemeny	robustness	0.1706	min	-0.1706	kendall_m	0.1533529	0.01533529	0.002	3010.4	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	F	kemeny	robustness	0.1704	min	-0.1704	kendall_m	0.1245765	0.01245765	0.002	3433	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	F	kemeny	robustness	0.1634	min	-0.1634	kendall_m	0.149653	0.0149653	0.002	3377.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	F	kemeny	robustness	0.173	min	-0.173	kendall_m	0.1498314	0.01498314	0.002	3218.6	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	F	kemeny	robustness	0.168	min	-0.168	kendall_m	0.1434005	0.01434005	0.002	3257.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	F	kemeny	robustness	0.1688	min	-0.1688	kendall_m	0.1507886	0.01507886	0.002	3164.8	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	F	kemeny	robustness	0.1632	min	-0.1632	kendall_m	0.1485499	0.01485499	0.002	3430.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	F	kemeny	robustness	0.1668	min	-0.1668	kendall_m	0.1470366	0.01470366	0.002	3733	11	True	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	F	rrf	robustness	0.1644	min	-0.1644	kendall_m	0.1267314	0.01267314	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	F	rrf	robustness	0.1688	min	-0.1688	kendall_m	0.1657412	0.01657412	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	F	rrf	robustness	0.1756	min	-0.1756	kendall_m	0.1533529	0.01533529	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	F	rrf	robustness	0.1646	min	-0.1646	kendall_m	0.1245765	0.01245765	0.002	3433	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	F	rrf	robustness	0.1714	min	-0.1714	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	F	rrf	robustness	0.1696	min	-0.1696	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	F	rrf	robustness	0.1694	min	-0.1694	kendall_m	0.494005e+01	0.84905e+00	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	F	rrf	robustness	0.1702	min	-0.1702	kendall_m	0.507886e+01	0.07886e+00	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	F	rrf	robustness	0.1664	min	-0.1664	kendall_m	0.485499e+01	0.85499e+00	0.002	3430.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	F	rrf	robustness	0.1648	min	-0.1648	kendall_m	0.470366e+01	0.70366e+00	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	F	schulze	robustness	0.168	min	-0.168	kendall_m	0.467314e+01	0.67314e+00	0.002	2341.4	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	F	schulze	robustness	0.1794	min	-0.1794	kendall_m	0.657412e+01	0.657412e+00	0.002	1829.8	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	F	schulze	robustness	0.176	min	-0.176	kendall_m	0.539529e+01	0.523529e+00	0.002	3010.4	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	F	schulze	robustness	0.1686	min	-0.1686	kendall_m	0.445765e+01	0.345765e+00	0.002	3433	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	F	schulze	robustness	0.1668	min	-0.1668	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	F	schulze	robustness	0.167	min	-0.167	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	F	schulze	robustness	0.1658	min	-0.1658	kendall_m	0.494005e+01	0.84905e+00	0.002	3257.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	F	schulze	robustness	0.167	min	-0.167	kendall_m	0.507886e+01	0.07886e+00	0.002	3164.8	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	F	schulze	robustness	0.1604	min	-0.1604	kendall_m	0.485499e+01	0.85499e+00	0.002	3430.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	F	schulze	robustness	0.1662	min	-0.1662	kendall_m	0.470366e+01	0.70366e+00	0.002	3733	11	True	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	F	simpleavg	robustness	0.1628	min	-0.1628	kendall_m	0.467314e+01	0.67314e+00	0.002	2341.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	F	simpleavg	robustness	0.1726	min	-0.1726	kendall_m	0.657412e+01	0.657412e+00	0.002	1829.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	F	simpleavg	robustness	0.1532	min	-0.1532	kendall_m	0.539529e+01	0.523529e+00	0.002	3010.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	F	simpleavg	robustness	0.156	min	-0.156	kendall_m	0.445765e+01	0.345765e+00	0.002	3433	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	F	simpleavg	robustness	0.1558	min	-0.1558	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	F	simpleavg	robustness	0.156	min	-0.156	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	F	simpleavg	robustness	0.1574	min	-0.1574	kendall_m	0.494005e+01	0.84905e+00	0.002	3257.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	F	simpleavg	robustness	0.1514	min	-0.1514	kendall_m	0.507886e+01	0.07886e+00	0.002	3164.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	F	simpleavg	robustness	0.1536	min	-0.1536	kendall_m	0.485499e+01	0.85499e+00	0.002	3430.5	11	False	True	9

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	F	simpleavg	robustness	0.1564	min	-0.1564	kendall_m	0.1470366	0.470366	0.002	3733	11	True	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	Fbar	borda	robustness	0.1014	min	-0.1014	kendall_m	0.1267314	0.367314	0.002	2341.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	Fbar	borda	robustness	0.0916	min	-0.0916	kendall_m	0.1057412	0.657412	0.002	1829.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	Fbar	borda	robustness	0.1134	min	-0.1134	kendall_m	0.1533529	0.523529	0.002	3010.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	Fbar	borda	robustness	0.13	min	-0.13	kendall_m	0.1245765	0.345765	0.002	3433	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	Fbar	borda	robustness	0.1166	min	-0.1166	kendall_m	0.149653	0.43653	0.002	3377.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	Fbar	borda	robustness	0.1042	min	-0.1042	kendall_m	0.1498314	0.498314	0.002	3218.6	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	Fbar	borda	robustness	0.1018	min	-0.1018	kendall_m	0.1434005	0.843905	0.002	3257.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	Fbar	borda	robustness	0.0828	min	-0.0828	kendall_m	0.1507886	0.507886	0.002	3164.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	Fbar	borda	robustness	0.097	min	-0.097	kendall_m	0.1435499	0.485499	0.002	3430.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	Fbar	borda	robustness	0.0996	min	-0.0996	kendall_m	0.1470366	0.470366	0.002	3733	11	True	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	Fbar	kemeny	robustness	0.1014	min	-0.1014	kendall_m	0.1267314	0.367314	0.002	2341.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	Fbar	kemeny	robustness	0.0548	min	-0.0548	kendall_m	0.1057412	0.657412	0.002	1829.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	Fbar	kemeny	robustness	0.086	min	-0.086	kendall_m	0.1533529	0.523529	0.002	3010.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	Fbar	kemeny	robustness	0.096	min	-0.096	kendall_m	0.1245765	0.345765	0.002	3433	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	Fbar	kemeny	robustness	0.0776	min	-0.0776	kendall_m	0.149653	0.43653	0.002	3377.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	Fbar	kemeny	robustness	0.0702	min	-0.0702	kendall_m	0.1498314	0.498314	0.002	3218.6	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	Fbar	kemeny	robustness	0.0758	min	-0.0758	kendall_m	0.1434005	0.843905	0.002	3257.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	Fbar	kemeny	robustness	0.0522	min	-0.0522	kendall_m	0.1507886	0.507886	0.002	3164.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	Fbar	kemeny	robustness	0.0712	min	-0.0712	kendall_m	0.1435499	0.485499	0.002	3430.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	Fbar	kemeny	robustness	0.0684	min	-0.0684	kendall_m	0.1470366	0.470366	0.002	3733	11	True	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	Fbar	rrf	robustness	0.1048	min	-0.1048	kendall_m	0.1267314	0.367314	0.002	2341.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	Fbar	rrf	robustness	0.0862	min	-0.0862	kendall_m	0.1057412	0.657412	0.002	1829.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	Fbar	rrf	robustness	0.0984	min	-0.0984	kendall_m	0.1533529	0.523529	0.002	3010.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	Fbar	rrf	robustness	0.1144	min	-0.1144	kendall_m	0.1245765	0.345765	0.002	3433	11	False	True	9

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	Fbar	rrf	robustness	0.0966	min	-0.0966	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	Fbar	rrf	robustness	0.086	min	-0.086	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	Fbar	rrf	robustness	0.081	min	-0.081	kendall_m	0.494005e+01	0.84905e+00	0.002	3257.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	Fbar	rrf	robustness	0.07	min	-0.07	kendall_m	0.507886e+01	0.07886e+00	0.002	3164.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	Fbar	rrf	robustness	0.0842	min	-0.0842	kendall_m	0.485499e+01	0.85499e+00	0.002	3430.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	Fbar	rrf	robustness	0.0776	min	-0.0776	kendall_m	0.470366e+01	0.70366e+00	0.002	3733	11	True	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	Fbar	schulze	robustness	0.1014	min	-0.1014	kendall_m	0.126731e+01	0.67314e+00	0.002	2341.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	Fbar	schulze	robustness	0.068	min	-0.068	kendall_m	0.165741e+01	0.657412e+00	0.002	1829.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	Fbar	schulze	robustness	0.0818	min	-0.0818	kendall_m	0.153952e+01	0.523529e+00	0.002	3010.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	Fbar	schulze	robustness	0.1176	min	-0.1176	kendall_m	0.124576e+01	0.345765e+00	0.002	3433	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	Fbar	schulze	robustness	0.0868	min	-0.0868	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	Fbar	schulze	robustness	0.0778	min	-0.0778	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	Fbar	schulze	robustness	0.0768	min	-0.0768	kendall_m	0.494005e+01	0.84905e+00	0.002	3257.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	Fbar	schulze	robustness	0.0652	min	-0.0652	kendall_m	0.507886e+01	0.07886e+00	0.002	3164.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	Fbar	schulze	robustness	0.0704	min	-0.0704	kendall_m	0.485499e+01	0.85499e+00	0.002	3430.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	Fbar	schulze	robustness	0.0762	min	-0.0762	kendall_m	0.470366e+01	0.70366e+00	0.002	3733	11	True	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	gaussian-0.15	Fbar	simpleavg	robustness	0.1008	min	-0.1008	kendall_m	0.126731e+01	0.67314e+00	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	gaussian-0.15	Fbar	simpleavg	robustness	0.088	min	-0.088	kendall_m	0.165741e+01	0.657412e+00	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	gaussian-0.15	Fbar	simpleavg	robustness	0.1178	min	-0.1178	kendall_m	0.153952e+01	0.523529e+00	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	gaussian-0.15	Fbar	simpleavg	robustness	0.1262	min	-0.1262	kendall_m	0.124576e+01	0.345765e+00	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	gaussian-0.15	Fbar	simpleavg	robustness	0.1238	min	-0.1238	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	gaussian-0.15	Fbar	simpleavg	robustness	0.1152	min	-0.1152	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	gaussian-0.15	Fbar	simpleavg	robustness	0.1124	min	-0.1124	kendall_m	0.494005e+01	0.84905e+00	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	gaussian-0.15	Fbar	simpleavg	robustness	0.1096	min	-0.1096	kendall_m	0.507886e+01	0.07886e+00	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	gaussian-0.15	Fbar	simpleavg	robustness	0.1128	min	-0.1128	kendall_m	0.485499e+01	0.85499e+00	0.002	3430.5	11	False	True	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	gaussian-0.15	Fbar	simpleavg	robustness	0.1118	min	-0.1118	kendall_m	0.1470366	0.01470366	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	C	borda	robustness	0.306	min	-0.306	kendall_m	0.1267314	0.01267314	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	C	borda	robustness	0.3084	min	-0.3084	kendall_m	0.1657412	0.01657412	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	C	borda	robustness	0.317	min	-0.317	kendall_m	0.1533529	0.01533529	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	C	borda	robustness	0.3128	min	-0.3128	kendall_m	0.1245765	0.01245765	0.002	3433	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	C	borda	robustness	0.3188	min	-0.3188	kendall_m	0.149653	0.0149653	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	C	borda	robustness	0.3256	min	-0.3256	kendall_m	0.1498314	0.01498314	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	C	borda	robustness	0.3172	min	-0.3172	kendall_m	0.1434005	0.01434005	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	C	borda	robustness	0.3246	min	-0.3246	kendall_m	0.1507886	0.01507886	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	C	borda	robustness	0.3168	min	-0.3168	kendall_m	0.1435499	0.01435499	0.002	3430.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	C	borda	robustness	0.3208	min	-0.3208	kendall_m	0.1470366	0.01470366	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	C	kemeny	robustness	0.306	min	-0.306	kendall_m	0.1267314	0.01267314	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	C	kemeny	robustness	0.3164	min	-0.3164	kendall_m	0.1657412	0.01657412	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	C	kemeny	robustness	0.3108	min	-0.3108	kendall_m	0.1533529	0.01533529	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	C	kemeny	robustness	0.3156	min	-0.3156	kendall_m	0.1245765	0.01245765	0.002	3433	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	C	kemeny	robustness	0.3072	min	-0.3072	kendall_m	0.149653	0.0149653	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	C	kemeny	robustness	0.3166	min	-0.3166	kendall_m	0.1498314	0.01498314	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	C	kemeny	robustness	0.3216	min	-0.3216	kendall_m	0.1434005	0.01434005	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	C	kemeny	robustness	0.3186	min	-0.3186	kendall_m	0.1507886	0.01507886	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	C	kemeny	robustness	0.315	min	-0.315	kendall_m	0.1435499	0.01435499	0.002	3430.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	C	kemeny	robustness	0.317	min	-0.317	kendall_m	0.1470366	0.01470366	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	C	rrf	robustness	0.3058	min	-0.3058	kendall_m	0.1267314	0.01267314	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	C	rrf	robustness	0.3102	min	-0.3102	kendall_m	0.1657412	0.01657412	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	C	rrf	robustness	0.3196	min	-0.3196	kendall_m	0.1533529	0.01533529	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	C	rrf	robustness	0.3154	min	-0.3154	kendall_m	0.1245765	0.01245765	0.002	3433	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	C	rrf	robustness	0.321	min	-0.321	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	C	rrf	robustness	0.3138	min	-0.3138	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	C	rrf	robustness	0.3126	min	-0.3126	kendall_m	0.494005e+01	0.849051e+00	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	C	rrf	robustness	0.3142	min	-0.3142	kendall_m	0.507886e+01	0.078861e+00	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	C	rrf	robustness	0.3128	min	-0.3128	kendall_m	0.485199e+01	0.485199e+00	0.002	3430.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	C	rrf	robustness	0.3134	min	-0.3134	kendall_m	0.470366e+01	0.703661e+00	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	C	schulze	robustness	0.306	min	-0.306	kendall_m	0.267314e+01	0.267314e+00	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	C	schulze	robustness	0.3164	min	-0.3164	kendall_m	0.657412e+01	0.657412e+00	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	C	schulze	robustness	0.3178	min	-0.3178	kendall_m	0.539529e+01	0.523529e+00	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	C	schulze	robustness	0.321	min	-0.321	kendall_m	0.245765e+01	0.345765e+00	0.002	3433	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	C	schulze	robustness	0.3148	min	-0.3148	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	C	schulze	robustness	0.3126	min	-0.3126	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	C	schulze	robustness	0.3162	min	-0.3162	kendall_m	0.494005e+01	0.849051e+00	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	C	schulze	robustness	0.3202	min	-0.3202	kendall_m	0.507886e+01	0.078861e+00	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	C	schulze	robustness	0.3156	min	-0.3156	kendall_m	0.485199e+01	0.485199e+00	0.002	3430.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	C	schulze	robustness	0.3124	min	-0.3124	kendall_m	0.470366e+01	0.703661e+00	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	C	simpleavg	robustness	0.2974	min	-0.2974	kendall_m	0.267314e+01	0.267314e+00	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	C	simpleavg	robustness	0.3082	min	-0.3082	kendall_m	0.657412e+01	0.657412e+00	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	C	simpleavg	robustness	0.3086	min	-0.3086	kendall_m	0.539529e+01	0.523529e+00	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	C	simpleavg	robustness	0.3086	min	-0.3086	kendall_m	0.245765e+01	0.345765e+00	0.002	3433	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	C	simpleavg	robustness	0.3138	min	-0.3138	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	C	simpleavg	robustness	0.3156	min	-0.3156	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	C	simpleavg	robustness	0.3218	min	-0.3218	kendall_m	0.494005e+01	0.849051e+00	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	C	simpleavg	robustness	0.314	min	-0.314	kendall_m	0.507886e+01	0.078861e+00	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	C	simpleavg	robustness	0.3182	min	-0.3182	kendall_m	0.485199e+01	0.485199e+00	0.002	3430.5	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	C	simpleavg	robustness	0.3152	min	-0.3152	kendall_m	0.1470366	0.01470366	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	Cbar	borda	robustness	0.2824	min	-0.2824	kendall_m	0.1267314	0.01267314	0.002	2341.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	Cbar	borda	robustness	0.2728	min	-0.2728	kendall_m	0.1657412	0.01657412	0.002	1829.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	Cbar	borda	robustness	0.2998	min	-0.2998	kendall_m	0.1533529	0.01533529	0.002	3010.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	Cbar	borda	robustness	0.3188	min	-0.3188	kendall_m	0.1245765	0.01245765	0.002	3433	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	Cbar	borda	robustness	0.3068	min	-0.3068	kendall_m	0.149653	0.0149653	0.002	3377.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	Cbar	borda	robustness	0.2912	min	-0.2912	kendall_m	0.1498314	0.01498314	0.002	3218.6	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	Cbar	borda	robustness	0.2854	min	-0.2854	kendall_m	0.1434005	0.01434005	0.002	3257.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	Cbar	borda	robustness	0.2636	min	-0.2636	kendall_m	0.1507886	0.01507886	0.002	3164.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	Cbar	borda	robustness	0.2778	min	-0.2778	kendall_m	0.1435499	0.01435499	0.002	3430.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	Cbar	borda	robustness	0.2822	min	-0.2822	kendall_m	0.1470366	0.01470366	0.002	3733	11	True	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	Cbar	kemeny	robustness	0.2824	min	-0.2824	kendall_m	0.1267314	0.01267314	0.002	2341.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	Cbar	kemeny	robustness	0.2588	min	-0.2588	kendall_m	0.1657412	0.01657412	0.002	1829.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	Cbar	kemeny	robustness	0.2756	min	-0.2756	kendall_m	0.1533529	0.01533529	0.002	3010.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	Cbar	kemeny	robustness	0.2774	min	-0.2774	kendall_m	0.1245765	0.01245765	0.002	3433	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	Cbar	kemeny	robustness	0.266	min	-0.266	kendall_m	0.149653	0.0149653	0.002	3377.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	Cbar	kemeny	robustness	0.2542	min	-0.2542	kendall_m	0.1498314	0.01498314	0.002	3218.6	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	Cbar	kemeny	robustness	0.2624	min	-0.2624	kendall_m	0.1434005	0.01434005	0.002	3257.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	Cbar	kemeny	robustness	0.2452	min	-0.2452	kendall_m	0.1507886	0.01507886	0.002	3164.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	Cbar	kemeny	robustness	0.253	min	-0.253	kendall_m	0.1435499	0.01435499	0.002	3430.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	Cbar	kemeny	robustness	0.2522	min	-0.2522	kendall_m	0.1470366	0.01470366	0.002	3733	11	True	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	Cbar	rrf	robustness	0.2888	min	-0.2888	kendall_m	0.1267314	0.01267314	0.002	2341.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	Cbar	rrf	robustness	0.2766	min	-0.2766	kendall_m	0.1657412	0.01657412	0.002	1829.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	Cbar	rrf	robustness	0.284	min	-0.284	kendall_m	0.1533529	0.01533529	0.002	3010.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	Cbar	rrf	robustness	0.3072	min	-0.3072	kendall_m	0.1245765	0.01245765	0.002	3433	11	False	True	9

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	Cbar	rrf	robustness	0.2804	min	-0.2804	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	Cbar	rrf	robustness	0.276	min	-0.276	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	Cbar	rrf	robustness	0.2682	min	-0.2682	kendall_m	0.494005e+01	0.84905e+00	0.002	3257.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	Cbar	rrf	robustness	0.2524	min	-0.2524	kendall_m	0.507886e+01	0.07886e+00	0.002	3164.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	Cbar	rrf	robustness	0.2634	min	-0.2634	kendall_m	0.485499e+01	0.85499e+00	0.002	3430.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	Cbar	rrf	robustness	0.2654	min	-0.2654	kendall_m	0.470366e+01	0.70366e+00	0.002	3733	11	True	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	Cbar	schulze	robustness	0.2824	min	-0.2824	kendall_m	0.467314e+01	0.67314e+00	0.002	2341.4	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	Cbar	schulze	robustness	0.2646	min	-0.2646	kendall_m	0.657412e+01	0.657412e+00	0.002	1829.8	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	Cbar	schulze	robustness	0.2672	min	-0.2672	kendall_m	0.539529e+01	0.523529e+00	0.002	3010.4	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	Cbar	schulze	robustness	0.3072	min	-0.3072	kendall_m	0.345765e+01	0.345765e+00	0.002	3433	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	Cbar	schulze	robustness	0.2786	min	-0.2786	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	Cbar	schulze	robustness	0.2766	min	-0.2766	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	Cbar	schulze	robustness	0.2604	min	-0.2604	kendall_m	0.494005e+01	0.84905e+00	0.002	3257.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	Cbar	schulze	robustness	0.2536	min	-0.2536	kendall_m	0.507886e+01	0.07886e+00	0.002	3164.8	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	Cbar	schulze	robustness	0.2512	min	-0.2512	kendall_m	0.485499e+01	0.85499e+00	0.002	3430.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	Cbar	schulze	robustness	0.2696	min	-0.2696	kendall_m	0.470366e+01	0.70366e+00	0.002	3733	11	True	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	Cbar	simpleavg	robustness	0.2864	min	-0.2864	kendall_m	0.467314e+01	0.67314e+00	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	Cbar	simpleavg	robustness	0.2764	min	-0.2764	kendall_m	0.657412e+01	0.657412e+00	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	Cbar	simpleavg	robustness	0.3098	min	-0.3098	kendall_m	0.539529e+01	0.523529e+00	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	Cbar	simpleavg	robustness	0.3174	min	-0.3174	kendall_m	0.345765e+01	0.345765e+00	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	Cbar	simpleavg	robustness	0.3106	min	-0.3106	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	Cbar	simpleavg	robustness	0.3076	min	-0.3076	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	Cbar	simpleavg	robustness	0.2986	min	-0.2986	kendall_m	0.494005e+01	0.84905e+00	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	Cbar	simpleavg	robustness	0.2934	min	-0.2934	kendall_m	0.507886e+01	0.07886e+00	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	Cbar	simpleavg	robustness	0.2958	min	-0.2958	kendall_m	0.485499e+01	0.85499e+00	0.002	3430.5	11	False	True	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	Cbar	simpleavg	robustness	0.2946	min	-0.2946	kendall_m	0.1470366	0.01470366	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	F	borda	robustness	0.1608	min	-0.1608	kendall_m	0.1267314	0.01267314	0.002	2341.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	F	borda	robustness	0.1616	min	-0.1616	kendall_m	0.1657412	0.01657412	0.002	1829.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	F	borda	robustness	0.1612	min	-0.1612	kendall_m	0.1539529	0.01539529	0.002	3010.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	F	borda	robustness	0.1502	min	-0.1502	kendall_m	0.1245765	0.01245765	0.002	3433	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	F	borda	robustness	0.1598	min	-0.1598	kendall_m	0.149653	0.0149653	0.002	3377.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	F	borda	robustness	0.1656	min	-0.1656	kendall_m	0.1498314	0.01498314	0.002	3218.6	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	F	borda	robustness	0.1664	min	-0.1664	kendall_m	0.1494005	0.01494005	0.002	3257.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	F	borda	robustness	0.1662	min	-0.1662	kendall_m	0.1507886	0.01507886	0.002	3164.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	F	borda	robustness	0.1576	min	-0.1576	kendall_m	0.1485499	0.01485499	0.002	3430.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	F	borda	robustness	0.1624	min	-0.1624	kendall_m	0.1470366	0.01470366	0.002	3733	11	True	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	F	kemeny	robustness	0.1608	min	-0.1608	kendall_m	0.1267314	0.01267314	0.002	2341.4	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	F	kemeny	robustness	0.1672	min	-0.1672	kendall_m	0.1657412	0.01657412	0.002	1829.8	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	F	kemeny	robustness	0.1612	min	-0.1612	kendall_m	0.1539529	0.01539529	0.002	3010.4	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	F	kemeny	robustness	0.1628	min	-0.1628	kendall_m	0.1245765	0.01245765	0.002	3433	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	F	kemeny	robustness	0.1542	min	-0.1542	kendall_m	0.149653	0.0149653	0.002	3377.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	F	kemeny	robustness	0.1604	min	-0.1604	kendall_m	0.1498314	0.01498314	0.002	3218.6	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	F	kemeny	robustness	0.1656	min	-0.1656	kendall_m	0.1494005	0.01494005	0.002	3257.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	F	kemeny	robustness	0.1652	min	-0.1652	kendall_m	0.1507886	0.01507886	0.002	3164.8	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	F	kemeny	robustness	0.1568	min	-0.1568	kendall_m	0.1485499	0.01485499	0.002	3430.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	F	kemeny	robustness	0.1614	min	-0.1614	kendall_m	0.1470366	0.01470366	0.002	3733	11	True	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	F	rrf	robustness	0.1606	min	-0.1606	kendall_m	0.1267314	0.01267314	0.002	2341.4	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	F	rrf	robustness	0.1658	min	-0.1658	kendall_m	0.1657412	0.01657412	0.002	1829.8	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	F	rrf	robustness	0.165	min	-0.165	kendall_m	0.1539529	0.01539529	0.002	3010.4	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	F	rrf	robustness	0.1572	min	-0.1572	kendall_m	0.1245765	0.01245765	0.002	3433	11	False	True	10

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	F	rrf	robustness	0.1618	min	-0.1618	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	F	rrf	robustness	0.1568	min	-0.1568	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	F	rrf	robustness	0.1624	min	-0.1624	kendall_m	0.494005e+01	0.849051e+00	0.002	3257.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	F	rrf	robustness	0.1598	min	-0.1598	kendall_m	0.507886e+01	0.078861e+00	0.002	3164.8	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	F	rrf	robustness	0.1564	min	-0.1564	kendall_m	0.485499e+01	0.854991e+00	0.002	3430.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	F	rrf	robustness	0.1624	min	-0.1624	kendall_m	0.470366e+01	0.703661e+00	0.002	3733	11	True	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	F	schulze	robustness	0.1608	min	-0.1608	kendall_m	0.267314e+01	0.673141e+00	0.002	2341.4	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	F	schulze	robustness	0.1698	min	-0.1698	kendall_m	0.657412e+01	0.657412e+00	0.002	1829.8	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	F	schulze	robustness	0.1694	min	-0.1694	kendall_m	0.539529e+01	0.523529e+00	0.002	3010.4	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	F	schulze	robustness	0.1578	min	-0.1578	kendall_m	0.245765e+01	0.345765e+00	0.002	3433	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	F	schulze	robustness	0.1546	min	-0.1546	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	F	schulze	robustness	0.1638	min	-0.1638	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	F	schulze	robustness	0.1618	min	-0.1618	kendall_m	0.494005e+01	0.849051e+00	0.002	3257.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	F	schulze	robustness	0.1616	min	-0.1616	kendall_m	0.507886e+01	0.078861e+00	0.002	3164.8	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	F	schulze	robustness	0.1564	min	-0.1564	kendall_m	0.485499e+01	0.854991e+00	0.002	3430.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	F	schulze	robustness	0.1592	min	-0.1592	kendall_m	0.470366e+01	0.703661e+00	0.002	3733	11	True	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	F	simpleavg	robustness	0.1508	min	-0.1508	kendall_m	0.267314e+01	0.673141e+00	0.002	2341.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	F	simpleavg	robustness	0.1618	min	-0.1618	kendall_m	0.657412e+01	0.657412e+00	0.002	1829.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	F	simpleavg	robustness	0.1386	min	-0.1386	kendall_m	0.539529e+01	0.523529e+00	0.002	3010.4	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	F	simpleavg	robustness	0.1294	min	-0.1294	kendall_m	0.245765e+01	0.345765e+00	0.002	3433	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	F	simpleavg	robustness	0.1328	min	-0.1328	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	F	simpleavg	robustness	0.1382	min	-0.1382	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	F	simpleavg	robustness	0.1426	min	-0.1426	kendall_m	0.494005e+01	0.849051e+00	0.002	3257.5	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	F	simpleavg	robustness	0.1372	min	-0.1372	kendall_m	0.507886e+01	0.078861e+00	0.002	3164.8	11	False	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	F	simpleavg	robustness	0.1396	min	-0.1396	kendall_m	0.485499e+01	0.854991e+00	0.002	3430.5	11	False	True	5

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	F	simpleavg	robustness	0.1376	min	-0.1376	kendall_m	0.1470366	0.470366	0.002	3733	11	True	True	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	Fbar	borda	robustness	0.0614	min	-0.0614	kendall_m	0.1267314	0.367314	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	Fbar	borda	robustness	0.047	min	-0.047	kendall_m	0.1057412	0.657412	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	Fbar	borda	robustness	0.0928	min	-0.0928	kendall_m	0.1539529	0.523529	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	Fbar	borda	robustness	0.1106	min	-0.1106	kendall_m	0.1245765	0.345765	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	Fbar	borda	robustness	0.0932	min	-0.0932	kendall_m	0.149653	0.43653	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	Fbar	borda	robustness	0.0788	min	-0.0788	kendall_m	0.1498314	0.498314	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	Fbar	borda	robustness	0.0818	min	-0.0818	kendall_m	0.1494005	0.484905	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	Fbar	borda	robustness	0.0624	min	-0.0624	kendall_m	0.1507886	0.507886	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	Fbar	borda	robustness	0.0704	min	-0.0704	kendall_m	0.1485499	0.485499	0.002	3430.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	Fbar	borda	robustness	0.0788	min	-0.0788	kendall_m	0.1470366	0.470366	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	Fbar	kemeny	robustness	0.0614	min	-0.0614	kendall_m	0.1267314	0.367314	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	Fbar	kemeny	robustness	0.0356	min	-0.0356	kendall_m	0.1057412	0.657412	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	Fbar	kemeny	robustness	0.0606	min	-0.0606	kendall_m	0.1539529	0.523529	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	Fbar	kemeny	robustness	0.0684	min	-0.0684	kendall_m	0.1245765	0.345765	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	Fbar	kemeny	robustness	0.0548	min	-0.0548	kendall_m	0.149653	0.43653	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	Fbar	kemeny	robustness	0.047	min	-0.047	kendall_m	0.1498314	0.498314	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	Fbar	kemeny	robustness	0.053	min	-0.053	kendall_m	0.1494005	0.484905	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	Fbar	kemeny	robustness	0.0396	min	-0.0396	kendall_m	0.1507886	0.507886	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	Fbar	kemeny	robustness	0.047	min	-0.047	kendall_m	0.1485499	0.485499	0.002	3430.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	Fbar	kemeny	robustness	0.045	min	-0.045	kendall_m	0.1470366	0.470366	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	Fbar	rrf	robustness	0.0702	min	-0.0702	kendall_m	0.1267314	0.367314	0.002	2341.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	Fbar	rrf	robustness	0.0532	min	-0.0532	kendall_m	0.1057412	0.657412	0.002	1829.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	Fbar	rrf	robustness	0.072	min	-0.072	kendall_m	0.1539529	0.523529	0.002	3010.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	Fbar	rrf	robustness	0.0966	min	-0.0966	kendall_m	0.1245765	0.345765	0.002	3433	11	False	True	9

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	Fbar	rrf	robustness	0.0732	min	-0.0732	kendall_m	0.49652x-a0.43652x	-0.43652x	0.002	3377.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	Fbar	rrf	robustness	0.0686	min	-0.0686	kendall_m	0.498314x-a0.498314x	-0.498314x	0.002	3218.6	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	Fbar	rrf	robustness	0.0622	min	-0.0622	kendall_m	0.494005x-a0.484905x	-0.484905x	0.002	3257.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	Fbar	rrf	robustness	0.052	min	-0.052	kendall_m	0.507886x-a0.507886x	-0.507886x	0.002	3164.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	Fbar	rrf	robustness	0.06	min	-0.06	kendall_m	0.485499x-a0.485499x	-0.485499x	0.002	3430.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	Fbar	rrf	robustness	0.066	min	-0.066	kendall_m	0.470366x-a0.470366x	-0.470366x	0.002	3733	11	True	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	Fbar	schulze	robustness	0.0614	min	-0.0614	kendall_m	0.267314x-a0.267314x	-0.267314x	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	Fbar	schulze	robustness	0.0382	min	-0.0382	kendall_m	0.657412x-a0.657412x	-0.657412x	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	Fbar	schulze	robustness	0.0512	min	-0.0512	kendall_m	0.539529x-a0.523529x	-0.523529x	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	Fbar	schulze	robustness	0.0996	min	-0.0996	kendall_m	0.245765x-a0.245765x	-0.245765x	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	Fbar	schulze	robustness	0.0676	min	-0.0676	kendall_m	0.49652x-a0.43652x	-0.43652x	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	Fbar	schulze	robustness	0.0708	min	-0.0708	kendall_m	0.498314x-a0.498314x	-0.498314x	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	Fbar	schulze	robustness	0.0566	min	-0.0566	kendall_m	0.494005x-a0.484905x	-0.484905x	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	Fbar	schulze	robustness	0.0458	min	-0.0458	kendall_m	0.507886x-a0.507886x	-0.507886x	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	Fbar	schulze	robustness	0.0486	min	-0.0486	kendall_m	0.485499x-a0.485499x	-0.485499x	0.002	3430.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	Fbar	schulze	robustness	0.0656	min	-0.0656	kendall_m	0.470366x-a0.470366x	-0.470366x	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	salt-pepper-0.05	Fbar	simpleavg	robustness	0.0646	min	-0.0646	kendall_m	0.267314x-a0.267314x	-0.267314x	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	salt-pepper-0.05	Fbar	simpleavg	robustness	0.0568	min	-0.0568	kendall_m	0.657412x-a0.657412x	-0.657412x	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	salt-pepper-0.05	Fbar	simpleavg	robustness	0.1034	min	-0.1034	kendall_m	0.539529x-a0.523529x	-0.523529x	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	salt-pepper-0.05	Fbar	simpleavg	robustness	0.107	min	-0.107	kendall_m	0.245765x-a0.245765x	-0.245765x	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	salt-pepper-0.05	Fbar	simpleavg	robustness	0.105	min	-0.105	kendall_m	0.49652x-a0.43652x	-0.43652x	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	salt-pepper-0.05	Fbar	simpleavg	robustness	0.1	min	-0.1	kendall_m	0.498314x-a0.498314x	-0.498314x	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	salt-pepper-0.05	Fbar	simpleavg	robustness	0.0946	min	-0.0946	kendall_m	0.494005x-a0.484905x	-0.484905x	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	salt-pepper-0.05	Fbar	simpleavg	robustness	0.0888	min	-0.0888	kendall_m	0.507886x-a0.507886x	-0.507886x	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	salt-pepper-0.05	Fbar	simpleavg	robustness	0.0938	min	-0.0938	kendall_m	0.485499x-a0.485499x	-0.485499x	0.002	3430.5	11	False	True	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	salt-pepper-0.05	Fbar	simpleavg	robustness	0.0916	min	-0.0916	kendall_m	0.1470366	0.01470366	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	C	borda	robustness	0.1106	min	-0.1106	kendall_m	0.1267314	0.01267314	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	C	borda	robustness	0.113	min	-0.113	kendall_m	0.1657412	0.01657412	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	C	borda	robustness	0.1176	min	-0.1176	kendall_m	0.153529	0.0153529	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	C	borda	robustness	0.1138	min	-0.1138	kendall_m	0.1245765	0.01245765	0.002	3433	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	C	borda	robustness	0.1164	min	-0.1164	kendall_m	0.149653	0.0149653	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	C	borda	robustness	0.126	min	-0.126	kendall_m	0.1498314	0.01498314	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	C	borda	robustness	0.126	min	-0.126	kendall_m	0.1494005	0.01494005	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	C	borda	robustness	0.1238	min	-0.1238	kendall_m	0.1507886	0.01507886	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	C	borda	robustness	0.1204	min	-0.1204	kendall_m	0.1485499	0.01485499	0.002	3430.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	C	borda	robustness	0.1142	min	-0.1142	kendall_m	0.1470366	0.01470366	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	C	kemeny	robustness	0.1106	min	-0.1106	kendall_m	0.1267314	0.01267314	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	C	kemeny	robustness	0.1116	min	-0.1116	kendall_m	0.1657412	0.01657412	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	C	kemeny	robustness	0.1136	min	-0.1136	kendall_m	0.153529	0.0153529	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	C	kemeny	robustness	0.1202	min	-0.1202	kendall_m	0.1245765	0.01245765	0.002	3433	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	C	kemeny	robustness	0.1134	min	-0.1134	kendall_m	0.149653	0.0149653	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	C	kemeny	robustness	0.121	min	-0.121	kendall_m	0.1498314	0.01498314	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	C	kemeny	robustness	0.1234	min	-0.1234	kendall_m	0.1494005	0.01494005	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	C	kemeny	robustness	0.1138	min	-0.1138	kendall_m	0.1507886	0.01507886	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	C	kemeny	robustness	0.1154	min	-0.1154	kendall_m	0.1485499	0.01485499	0.002	3430.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	C	kemeny	robustness	0.1136	min	-0.1136	kendall_m	0.1470366	0.01470366	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	C	rrf	robustness	0.107	min	-0.107	kendall_m	0.1267314	0.01267314	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	C	rrf	robustness	0.1108	min	-0.1108	kendall_m	0.1657412	0.01657412	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	C	rrf	robustness	0.1194	min	-0.1194	kendall_m	0.153529	0.0153529	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	C	rrf	robustness	0.1146	min	-0.1146	kendall_m	0.1245765	0.01245765	0.002	3433	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	C	rrf	robustness	0.1196	min	-0.1196	kendall_ma	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	C	rrf	robustness	0.1262	min	-0.1262	kendall_ma	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	C	rrf	robustness	0.1218	min	-0.1218	kendall_ma	0.494005e+01	0.849051e+00	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	C	rrf	robustness	0.1198	min	-0.1198	kendall_ma	0.507886e+01	0.078861e+00	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	C	rrf	robustness	0.1218	min	-0.1218	kendall_ma	0.485499e+01	0.485499e+00	0.002	3430.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	C	rrf	robustness	0.1126	min	-0.1126	kendall_ma	0.470366e+01	0.703661e+00	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	C	schulze	robustness	0.1106	min	-0.1106	kendall_ma	0.126731e+01	0.673141e+00	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	C	schulze	robustness	0.1134	min	-0.1134	kendall_ma	0.165741e+01	0.657412e+00	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	C	schulze	robustness	0.1156	min	-0.1156	kendall_ma	0.153952e+01	0.523529e+00	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	C	schulze	robustness	0.115	min	-0.115	kendall_ma	0.124576e+01	0.345765e+00	0.002	3433	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	C	schulze	robustness	0.1206	min	-0.1206	kendall_ma	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	C	schulze	robustness	0.115	min	-0.115	kendall_ma	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	C	schulze	robustness	0.1204	min	-0.1204	kendall_ma	0.494005e+01	0.849051e+00	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	C	schulze	robustness	0.1196	min	-0.1196	kendall_ma	0.507886e+01	0.078861e+00	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	C	schulze	robustness	0.1148	min	-0.1148	kendall_ma	0.485499e+01	0.485499e+00	0.002	3430.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	C	schulze	robustness	0.112	min	-0.112	kendall_ma	0.470366e+01	0.703661e+00	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	C	simpleavg	robustness	0.1022	min	-0.1022	kendall_ma	0.126731e+01	0.673141e+00	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	C	simpleavg	robustness	0.1116	min	-0.1116	kendall_ma	0.165741e+01	0.657412e+00	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	C	simpleavg	robustness	0.121	min	-0.121	kendall_ma	0.153952e+01	0.523529e+00	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	C	simpleavg	robustness	0.1188	min	-0.1188	kendall_ma	0.124576e+01	0.345765e+00	0.002	3433	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	C	simpleavg	robustness	0.12	min	-0.12	kendall_ma	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	C	simpleavg	robustness	0.1168	min	-0.1168	kendall_ma	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	C	simpleavg	robustness	0.124	min	-0.124	kendall_ma	0.494005e+01	0.849051e+00	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	C	simpleavg	robustness	0.1174	min	-0.1174	kendall_ma	0.507886e+01	0.078861e+00	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	C	simpleavg	robustness	0.1198	min	-0.1198	kendall_ma	0.485499e+01	0.485499e+00	0.002	3430.5	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	C	simpleavg	robustness	0.1192	min	-0.1192	kendall_m	0.1470366	0.470366	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	Cbar	borda	robustness	0.0906	min	-0.0906	kendall_m	0.1267314	0.367314	0.002	2341.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	Cbar	borda	robustness	0.0986	min	-0.0986	kendall_m	0.1657412	0.657412	0.002	1829.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	Cbar	borda	robustness	0.1024	min	-0.1024	kendall_m	0.1533529	0.523529	0.002	3010.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	Cbar	borda	robustness	0.1142	min	-0.1142	kendall_m	0.1245765	0.345765	0.002	3433	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	Cbar	borda	robustness	0.107	min	-0.107	kendall_m	0.149653	0.4653	0.002	3377.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	Cbar	borda	robustness	0.1042	min	-0.1042	kendall_m	0.1498314	0.498314	0.002	3218.6	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	Cbar	borda	robustness	0.098	min	-0.098	kendall_m	0.1434005	0.43405	0.002	3257.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	Cbar	borda	robustness	0.0898	min	-0.0898	kendall_m	0.1507886	0.507886	0.002	3164.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	Cbar	borda	robustness	0.101	min	-0.101	kendall_m	0.1435499	0.45499	0.002	3430.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	Cbar	borda	robustness	0.103	min	-0.103	kendall_m	0.1470366	0.470366	0.002	3733	11	True	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	Cbar	kemeny	robustness	0.0906	min	-0.0906	kendall_m	0.1267314	0.367314	0.002	2341.4	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	Cbar	kemeny	robustness	0.0892	min	-0.0892	kendall_m	0.1657412	0.657412	0.002	1829.8	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	Cbar	kemeny	robustness	0.1016	min	-0.1016	kendall_m	0.1533529	0.523529	0.002	3010.4	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	Cbar	kemeny	robustness	0.1034	min	-0.1034	kendall_m	0.1245765	0.345765	0.002	3433	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	Cbar	kemeny	robustness	0.0882	min	-0.0882	kendall_m	0.149653	0.4653	0.002	3377.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	Cbar	kemeny	robustness	0.0924	min	-0.0924	kendall_m	0.1498314	0.498314	0.002	3218.6	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	Cbar	kemeny	robustness	0.0986	min	-0.0986	kendall_m	0.1434005	0.43405	0.002	3257.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	Cbar	kemeny	robustness	0.0916	min	-0.0916	kendall_m	0.1507886	0.507886	0.002	3164.8	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	Cbar	kemeny	robustness	0.0904	min	-0.0904	kendall_m	0.1435499	0.45499	0.002	3430.5	11	False	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	Cbar	kemeny	robustness	0.0994	min	-0.0994	kendall_m	0.1470366	0.470366	0.002	3733	11	True	True	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	Cbar	rrf	robustness	0.1034	min	-0.1034	kendall_m	0.1267314	0.367314	0.002	2341.4	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	Cbar	rrf	robustness	0.0962	min	-0.0962	kendall_m	0.1657412	0.657412	0.002	1829.8	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	Cbar	rrf	robustness	0.102	min	-0.102	kendall_m	0.1533529	0.523529	0.002	3010.4	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	Cbar	rrf	robustness	0.108	min	-0.108	kendall_m	0.1245765	0.345765	0.002	3433	11	False	True	8

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	Cbar	rrf	robustness	0.0954	min	-0.0954	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	Cbar	rrf	robustness	0.1004	min	-0.1004	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	Cbar	rrf	robustness	0.0882	min	-0.0882	kendall_m	0.494005e+01	0.849051e+00	0.002	3257.5	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	Cbar	rrf	robustness	0.0882	min	-0.0882	kendall_m	0.507886e+01	0.078861e+00	0.002	3164.8	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	Cbar	rrf	robustness	0.0966	min	-0.0966	kendall_m	0.485199e+01	0.485199e+00	0.002	3430.5	11	False	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	Cbar	rrf	robustness	0.0958	min	-0.0958	kendall_m	0.470366e+01	0.703661e+00	0.002	3733	11	True	True	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	Cbar	schulze	robustness	0.0906	min	-0.0906	kendall_m	0.126731e+01	0.367314e+00	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	Cbar	schulze	robustness	0.0924	min	-0.0924	kendall_m	0.165741e+01	0.657412e+00	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	Cbar	schulze	robustness	0.0916	min	-0.0916	kendall_m	0.153952e+01	0.523529e+00	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	Cbar	schulze	robustness	0.111	min	-0.111	kendall_m	0.124576e+01	0.345765e+00	0.002	3433	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	Cbar	schulze	robustness	0.0974	min	-0.0974	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	Cbar	schulze	robustness	0.0946	min	-0.0946	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	Cbar	schulze	robustness	0.0988	min	-0.0988	kendall_m	0.494005e+01	0.849051e+00	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	Cbar	schulze	robustness	0.1016	min	-0.1016	kendall_m	0.507886e+01	0.078861e+00	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	Cbar	schulze	robustness	0.0968	min	-0.0968	kendall_m	0.485199e+01	0.485199e+00	0.002	3430.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	Cbar	schulze	robustness	0.0958	min	-0.0958	kendall_m	0.470366e+01	0.703661e+00	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	Cbar	simpleavg	robustness	0.1012	min	-0.1012	kendall_m	0.126731e+01	0.367314e+00	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	Cbar	simpleavg	robustness	0.0928	min	-0.0928	kendall_m	0.165741e+01	0.657412e+00	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	Cbar	simpleavg	robustness	0.1234	min	-0.1234	kendall_m	0.153952e+01	0.523529e+00	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	Cbar	simpleavg	robustness	0.13	min	-0.13	kendall_m	0.124576e+01	0.345765e+00	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	Cbar	simpleavg	robustness	0.1278	min	-0.1278	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	Cbar	simpleavg	robustness	0.1252	min	-0.1252	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	Cbar	simpleavg	robustness	0.1228	min	-0.1228	kendall_m	0.494005e+01	0.849051e+00	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	Cbar	simpleavg	robustness	0.1178	min	-0.1178	kendall_m	0.507886e+01	0.078861e+00	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	Cbar	simpleavg	robustness	0.1182	min	-0.1182	kendall_m	0.485199e+01	0.485199e+00	0.002	3430.5	11	False	True	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	Cbar	simpleavg	robustness	0.1196	min	-0.1196	kendall_m	0.1470366	0.01470366	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	F	borda	robustness	0.0816	min	-0.0816	kendall_m	0.1267314	0.01267314	0.002	2341.4	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	F	borda	robustness	0.084	min	-0.084	kendall_m	0.1657412	0.01657412	0.002	1829.8	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	F	borda	robustness	0.0798	min	-0.0798	kendall_m	0.1539529	0.01539529	0.002	3010.4	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	F	borda	robustness	0.0764	min	-0.0764	kendall_m	0.1245765	0.01245765	0.002	3433	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	F	borda	robustness	0.0764	min	-0.0764	kendall_m	0.149653	0.0149653	0.002	3377.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	F	borda	robustness	0.084	min	-0.084	kendall_m	0.1498314	0.01498314	0.002	3218.6	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	F	borda	robustness	0.0866	min	-0.0866	kendall_m	0.1494005	0.01494005	0.002	3257.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	F	borda	robustness	0.077	min	-0.077	kendall_m	0.1507886	0.01507886	0.002	3164.8	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	F	borda	robustness	0.0756	min	-0.0756	kendall_m	0.1485499	0.01485499	0.002	3430.5	11	False	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	F	borda	robustness	0.0748	min	-0.0748	kendall_m	0.1470366	0.01470366	0.002	3733	11	True	True	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	F	kemeny	robustness	0.0816	min	-0.0816	kendall_m	0.1267314	0.01267314	0.002	2341.4	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	F	kemeny	robustness	0.0812	min	-0.0812	kendall_m	0.1657412	0.01657412	0.002	1829.8	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	F	kemeny	robustness	0.0806	min	-0.0806	kendall_m	0.1539529	0.01539529	0.002	3010.4	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	F	kemeny	robustness	0.0846	min	-0.0846	kendall_m	0.1245765	0.01245765	0.002	3433	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	F	kemeny	robustness	0.081	min	-0.081	kendall_m	0.149653	0.0149653	0.002	3377.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	F	kemeny	robustness	0.0798	min	-0.0798	kendall_m	0.1498314	0.01498314	0.002	3218.6	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	F	kemeny	robustness	0.0816	min	-0.0816	kendall_m	0.1494005	0.01494005	0.002	3257.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	F	kemeny	robustness	0.0756	min	-0.0756	kendall_m	0.1507886	0.01507886	0.002	3164.8	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	F	kemeny	robustness	0.0726	min	-0.0726	kendall_m	0.1485499	0.01485499	0.002	3430.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	F	kemeny	robustness	0.0748	min	-0.0748	kendall_m	0.1470366	0.01470366	0.002	3733	11	True	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	F	rrf	robustness	0.0782	min	-0.0782	kendall_m	0.1267314	0.01267314	0.002	2341.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	F	rrf	robustness	0.0804	min	-0.0804	kendall_m	0.1657412	0.01657412	0.002	1829.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	F	rrf	robustness	0.0828	min	-0.0828	kendall_m	0.1539529	0.01539529	0.002	3010.4	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	F	rrf	robustness	0.0822	min	-0.0822	kendall_m	0.1245765	0.01245765	0.002	3433	11	False	True	9

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	F	rrf	robustness	0.0796	min	-0.0796	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	F	rrf	robustness	0.0858	min	-0.0858	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	F	rrf	robustness	0.083	min	-0.083	kendall_m	0.494005e+01	0.84905e+00	0.002	3257.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	F	rrf	robustness	0.074	min	-0.074	kendall_m	0.507886e+01	0.07886e+00	0.002	3164.8	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	F	rrf	robustness	0.0752	min	-0.0752	kendall_m	0.485499e+01	0.85499e+00	0.002	3430.5	11	False	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	F	rrf	robustness	0.0742	min	-0.0742	kendall_m	0.470366e+01	0.70366e+00	0.002	3733	11	True	True	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	F	schulze	robustness	0.0816	min	-0.0816	kendall_m	0.467314e+01	0.67314e+00	0.002	2341.4	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	F	schulze	robustness	0.0878	min	-0.0878	kendall_m	0.657412e+01	0.657412e+00	0.002	1829.8	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	F	schulze	robustness	0.0876	min	-0.0876	kendall_m	0.539529e+01	0.523529e+00	0.002	3010.4	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	F	schulze	robustness	0.0788	min	-0.0788	kendall_m	0.445765e+01	0.345765e+00	0.002	3433	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	F	schulze	robustness	0.081	min	-0.081	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	F	schulze	robustness	0.0796	min	-0.0796	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	F	schulze	robustness	0.0808	min	-0.0808	kendall_m	0.494005e+01	0.84905e+00	0.002	3257.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	F	schulze	robustness	0.0772	min	-0.0772	kendall_m	0.507886e+01	0.07886e+00	0.002	3164.8	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	F	schulze	robustness	0.0768	min	-0.0768	kendall_m	0.485499e+01	0.85499e+00	0.002	3430.5	11	False	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	F	schulze	robustness	0.077	min	-0.077	kendall_m	0.470366e+01	0.70366e+00	0.002	3733	11	True	True	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	F	simpleavg	robustness	0.0718	min	-0.0718	kendall_m	0.467314e+01	0.67314e+00	0.002	2341.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	F	simpleavg	robustness	0.0768	min	-0.0768	kendall_m	0.657412e+01	0.657412e+00	0.002	1829.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	F	simpleavg	robustness	0.08	min	-0.08	kendall_m	0.539529e+01	0.523529e+00	0.002	3010.4	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	F	simpleavg	robustness	0.0722	min	-0.0722	kendall_m	0.445765e+01	0.345765e+00	0.002	3433	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	F	simpleavg	robustness	0.0756	min	-0.0756	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	F	simpleavg	robustness	0.0736	min	-0.0736	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	F	simpleavg	robustness	0.0774	min	-0.0774	kendall_m	0.494005e+01	0.84905e+00	0.002	3257.5	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	F	simpleavg	robustness	0.0718	min	-0.0718	kendall_m	0.507886e+01	0.07886e+00	0.002	3164.8	11	False	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	F	simpleavg	robustness	0.0736	min	-0.0736	kendall_m	0.485499e+01	0.85499e+00	0.002	3430.5	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	F	simpleavg	robustness	0.0734	min	-0.0734	kendall_m	0.1470366	0.1470366	0.002	3733	11	True	True	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	Fbar	borda	robustness	0.0278	min	-0.0278	kendall_m	0.1267314	0.1267314	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	Fbar	borda	robustness	0.0274	min	-0.0274	kendall_m	0.1657412	0.1657412	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	Fbar	borda	robustness	0.0402	min	-0.0402	kendall_m	0.1533529	0.1533529	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	Fbar	borda	robustness	0.051	min	-0.051	kendall_m	0.1245765	0.1245765	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	Fbar	borda	robustness	0.0426	min	-0.0426	kendall_m	0.149653	0.149653	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	Fbar	borda	robustness	0.0402	min	-0.0402	kendall_m	0.1498314	0.1498314	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	Fbar	borda	robustness	0.0396	min	-0.0396	kendall_m	0.1494005	0.1494005	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	Fbar	borda	robustness	0.028	min	-0.028	kendall_m	0.1507886	0.1507886	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	Fbar	borda	robustness	0.0368	min	-0.0368	kendall_m	0.1485499	0.1485499	0.002	3430.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	Fbar	borda	robustness	0.0428	min	-0.0428	kendall_m	0.1470366	0.1470366	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	Fbar	kemeny	robustness	0.0278	min	-0.0278	kendall_m	0.1267314	0.1267314	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	Fbar	kemeny	robustness	0.0222	min	-0.0222	kendall_m	0.1657412	0.1657412	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	Fbar	kemeny	robustness	0.0352	min	-0.0352	kendall_m	0.1533529	0.1533529	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	Fbar	kemeny	robustness	0.0446	min	-0.0446	kendall_m	0.1245765	0.1245765	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	Fbar	kemeny	robustness	0.0298	min	-0.0298	kendall_m	0.149653	0.149653	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	Fbar	kemeny	robustness	0.0288	min	-0.0288	kendall_m	0.1498314	0.1498314	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	Fbar	kemeny	robustness	0.0328	min	-0.0328	kendall_m	0.1494005	0.1494005	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	Fbar	kemeny	robustness	0.0288	min	-0.0288	kendall_m	0.1507886	0.1507886	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	Fbar	kemeny	robustness	0.0294	min	-0.0294	kendall_m	0.1485499	0.1485499	0.002	3430.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	Fbar	kemeny	robustness	0.0362	min	-0.0362	kendall_m	0.1470366	0.1470366	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	Fbar	rrf	robustness	0.0366	min	-0.0366	kendall_m	0.1267314	0.1267314	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	Fbar	rrf	robustness	0.0276	min	-0.0276	kendall_m	0.1657412	0.1657412	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	Fbar	rrf	robustness	0.0386	min	-0.0386	kendall_m	0.1533529	0.1533529	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	Fbar	rrf	robustness	0.0468	min	-0.0468	kendall_m	0.1245765	0.1245765	0.002	3433	11	False	True	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	Fbar	rrf	robustness	0.039	min	-0.039	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	Fbar	rrf	robustness	0.0366	min	-0.0366	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	Fbar	rrf	robustness	0.0284	min	-0.0284	kendall_m	0.494005e+01	0.849051e+00	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	Fbar	rrf	robustness	0.032	min	-0.032	kendall_m	0.507886e+01	0.078861e+00	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	Fbar	rrf	robustness	0.0354	min	-0.0354	kendall_m	0.485199e+01	0.851991e+00	0.002	3430.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	Fbar	rrf	robustness	0.0342	min	-0.0342	kendall_m	0.470366e+01	0.703661e+00	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	Fbar	schulze	robustness	0.0278	min	-0.0278	kendall_m	0.126731e+01	0.673141e+00	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	Fbar	schulze	robustness	0.0238	min	-0.0238	kendall_m	0.165741e+01	0.657412e+00	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	Fbar	schulze	robustness	0.028	min	-0.028	kendall_m	0.153952e+01	0.523529e+00	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	Fbar	schulze	robustness	0.049	min	-0.049	kendall_m	0.124576e+01	0.345765e+00	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	Fbar	schulze	robustness	0.039	min	-0.039	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	Fbar	schulze	robustness	0.0368	min	-0.0368	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	Fbar	schulze	robustness	0.0354	min	-0.0354	kendall_m	0.494005e+01	0.849051e+00	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	Fbar	schulze	robustness	0.0356	min	-0.0356	kendall_m	0.507886e+01	0.078861e+00	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	Fbar	schulze	robustness	0.0386	min	-0.0386	kendall_m	0.485199e+01	0.851991e+00	0.002	3430.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	Fbar	schulze	robustness	0.035	min	-0.035	kendall_m	0.470366e+01	0.703661e+00	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	speckle-0.15	Fbar	simpleavg	robustness	0.0368	min	-0.0368	kendall_m	0.126731e+01	0.673141e+00	0.002	2341.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	speckle-0.15	Fbar	simpleavg	robustness	0.0282	min	-0.0282	kendall_m	0.165741e+01	0.657412e+00	0.002	1829.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	speckle-0.15	Fbar	simpleavg	robustness	0.0688	min	-0.0688	kendall_m	0.153952e+01	0.523529e+00	0.002	3010.4	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	speckle-0.15	Fbar	simpleavg	robustness	0.0666	min	-0.0666	kendall_m	0.124576e+01	0.345765e+00	0.002	3433	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	speckle-0.15	Fbar	simpleavg	robustness	0.066	min	-0.066	kendall_m	0.496531e+01	0.436531e+00	0.002	3377.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	speckle-0.15	Fbar	simpleavg	robustness	0.0588	min	-0.0588	kendall_m	0.498314e+01	0.498314e+00	0.002	3218.6	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	speckle-0.15	Fbar	simpleavg	robustness	0.0638	min	-0.0638	kendall_m	0.494005e+01	0.849051e+00	0.002	3257.5	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	speckle-0.15	Fbar	simpleavg	robustness	0.063	min	-0.063	kendall_m	0.507886e+01	0.078861e+00	0.002	3164.8	11	False	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	speckle-0.15	Fbar	simpleavg	robustness	0.0646	min	-0.0646	kendall_m	0.485199e+01	0.851991e+00	0.002	3430.5	11	False	True	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	speckle-0.15	Fbar	simpleavg	robustness	0.0636	min	-0.0636	kendall_m	0.470366	0.470366	0.002	3733	11	True	True	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	C	borda	quality	0.308	max	0.308	spearman	0.530209	0.530209	0.002	10990	05	bidited	Falsmetric	Upperproximation
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	C	borda	quality	0.3034	max	0.3034	spearman	0.601997	0.601997	0.002	10523	06	bidited	Falsmetric	Upperproximation
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	C	borda	quality	0.3116	max	0.3116	spearman	0.532644	0.532644	0.002	20790	06	bidited	Falsmetric	Upperproximation
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	C	borda	quality	0.312	max	0.312	spearman	0.475614	0.475614	0.002	20254	06	bidited	Falsmetric	Upperproximation
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	C	borda	quality	0.2986	max	0.2986	spearman	0.505821	0.505821	0.002	20082	06	bidited	Falsmetric	Upperproximation
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	C	borda	quality	0.289	max	0.289	spearman	0.569208	0.569208	0.002	20177	06	bidited	Falsmetric	Upperproximation
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	C	borda	quality	0.2844	max	0.2844	spearman	0.574619	0.574619	0.002	20257	06	bidited	Falsmetric	Upperproximation
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	C	borda	quality	0.2778	max	0.2778	spearman	0.612495	0.612495	0.002	20194	06	bidited	Falsmetric	Upperproximation
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	C	borda	quality	0.2768	max	0.2768	spearman	0.538654	0.538654	0.002	20508	06	bidited	Falsmetric	Upperproximation
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	C	borda	quality	0.2756	max	0.2756	spearman	0.518147	0.518147	0.002	20165	06	bidited	Falsmetric	Upperproximation
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	C	kemeny	quality	0.308	max	0.308	spearman	0.530209	0.530209	0.002	10990	06	bidited	Falsmetric	Upperproximation
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	C	kemeny	quality	0.2916	max	0.2916	spearman	0.601997	0.601997	0.002	10523	06	bidited	Falsmetric	Upperproximation
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	C	kemeny	quality	0.2978	max	0.2978	spearman	0.532644	0.532644	0.002	20790	06	bidited	Falsmetric	Upperproximation
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	C	kemeny	quality	0.3128	max	0.3128	spearman	0.475614	0.475614	0.002	20254	06	bidited	Falsmetric	Upperproximation
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	C	kemeny	quality	0.306	max	0.306	spearman	0.505821	0.505821	0.002	20082	06	bidited	Falsmetric	Upperproximation
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	C	kemeny	quality	0.2884	max	0.2884	spearman	0.569208	0.569208	0.002	20177	06	bidited	Falsmetric	Upperproximation
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	C	kemeny	quality	0.282	max	0.282	spearman	0.574619	0.574619	0.002	20257	06	bidited	Falsmetric	Upperproximation
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	C	kemeny	quality	0.2744	max	0.2744	spearman	0.612495	0.612495	0.002	20194	06	bidited	Falsmetric	Upperproximation
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	C	kemeny	quality	0.2722	max	0.2722	spearman	0.538654	0.538654	0.002	20508	06	bidited	Falsmetric	Upperproximation
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	C	kemeny	quality	0.271	max	0.271	spearman	0.518147	0.518147	0.002	20165	06	bidited	Falsmetric	Upperproximation
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	C	rrf	quality	0.3074	max	0.3074	spearman	0.530209	0.530209	0.002	10990	06	bidited	Falsmetric	Upperproximation
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	C	rrf	quality	0.3022	max	0.3022	spearman	0.601997	0.601997	0.002	10523	06	bidited	Falsmetric	Upperproximation
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	C	rrf	quality	0.3066	max	0.3066	spearman	0.532644	0.532644	0.002	20790	06	bidited	Falsmetric	Upperproximation
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	C	rrf	quality	0.3152	max	0.3152	spearman	0.475614	0.475614	0.002	20254	06	bidited	Falsmetric	Upperproximation

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	C	rrf	quality	0.2986	max	0.2986	spearman	0.5115824	0.5105824	0.002	2.2084e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	C	rrf	quality	0.2912	max	0.2912	spearman	0.5109208	0.5109208	0.002	2.21177e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	C	rrf	quality	0.2878	max	0.2878	spearman	0.5174640	0.5171640	0.002	2.22576e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	C	rrf	quality	0.2798	max	0.2798	spearman	0.6112495	0.6112495	0.002	2.1949e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	C	rrf	quality	0.2772	max	0.2772	spearman	0.5118654	0.5118654	0.002	2.1982e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	C	rrf	quality	0.2812	max	0.2812	spearman	0.5118147	0.5118147	0.002	2.21165e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	C	schulze	quality	0.308	max	0.308	spearman	0.5130290	0.5130290	0.002	1.0990e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	C	schulze	quality	0.2924	max	0.2924	spearman	0.611697	0.611697	0.002	1.0523e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	C	schulze	quality	0.2974	max	0.2974	spearman	0.512644	0.513644	0.002	2.0799e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	C	schulze	quality	0.312	max	0.312	spearman	0.4715644	0.4715644	0.002	2.2264e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	C	schulze	quality	0.3008	max	0.3008	spearman	0.5115824	0.5105824	0.002	2.2084e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	C	schulze	quality	0.2966	max	0.2966	spearman	0.5109208	0.5109208	0.002	2.21177e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	C	schulze	quality	0.2844	max	0.2844	spearman	0.5174640	0.5171640	0.002	2.22576e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	C	schulze	quality	0.2694	max	0.2694	spearman	0.6112495	0.6112495	0.002	2.1949e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	C	schulze	quality	0.2758	max	0.2758	spearman	0.5118654	0.5118654	0.002	2.1982e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	C	schulze	quality	0.276	max	0.276	spearman	0.5118147	0.5118147	0.002	2.21165e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	C	simpleavg	quality	0.3056	max	0.3056	spearman	0.5130290	0.5130290	0.002	1.0990e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	C	simpleavg	quality	0.2996	max	0.2996	spearman	0.611697	0.611697	0.002	1.0523e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	C	simpleavg	quality	0.3024	max	0.3024	spearman	0.512644	0.513644	0.002	2.0799e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	C	simpleavg	quality	0.2872	max	0.2872	spearman	0.4715644	0.4715644	0.002	2.2264e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	C	simpleavg	quality	0.2876	max	0.2876	spearman	0.5115824	0.5105824	0.002	2.2084e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	C	simpleavg	quality	0.2898	max	0.2898	spearman	0.5109208	0.5109208	0.002	2.21177e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	C	simpleavg	quality	0.285	max	0.285	spearman	0.5174640	0.5171640	0.002	2.22576e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	C	simpleavg	quality	0.2882	max	0.2882	spearman	0.6112495	0.6112495	0.002	2.1949e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	C	simpleavg	quality	0.2858	max	0.2858	spearman	0.5118654	0.5118654	0.002	2.1982e+05	biddd	Fyalsmetric	Empproximatio	

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	C	simpleavg	quality	0.286	max	0.286	spearman	0.5118147	0.05418147	0.002	2.01650e+05	biddd	Symmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	Cbar	borda	quality	0.2586	min	-0.2586	spearman	0.5300200	0.0560299	0.002	1.00990e+05	biddd	Falsymmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	Cbar	borda	quality	0.2688	min	-0.2688	spearman	0.6011997	0.0619970	0.002	1.00523e+05	biddd	Falsymmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	Cbar	borda	quality	0.3024	min	-0.3024	spearman	0.5326641	0.0563641	0.002	2.00799e+05	biddd	Falsymmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	Cbar	borda	quality	0.3216	min	-0.3216	spearman	0.4715614	0.0475614	0.002	2.02254e+05	biddd	Falsymmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	Cbar	borda	quality	0.3324	min	-0.3324	spearman	0.5015821	0.0505821	0.002	2.02084e+05	biddd	Falsymmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	Cbar	borda	quality	0.3482	min	-0.3482	spearman	0.5609208	0.0569208	0.002	2.02177e+05	biddd	Falsymmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	Cbar	borda	quality	0.3448	min	-0.3448	spearman	0.5714610	0.0571610	0.002	2.02579e+05	biddd	Falsymmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	Cbar	borda	quality	0.3664	min	-0.3664	spearman	0.6112495	0.0612495	0.002	2.01949e+05	biddd	Falsymmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	Cbar	borda	quality	0.3514	min	-0.3514	spearman	0.5118147	0.05418147	0.002	2.05082e+05	biddd	Falsymmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	Cbar	borda	quality	0.3464	min	-0.3464	spearman	0.5118147	0.05418147	0.002	2.01650e+05	biddd	Symmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	Cbar	kemeny	quality	0.2586	min	-0.2586	spearman	0.5300200	0.0560299	0.002	1.00990e+05	biddd	Falsymmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	Cbar	kemeny	quality	0.3044	min	-0.3044	spearman	0.6011997	0.0619970	0.002	1.00523e+05	biddd	Falsymmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	Cbar	kemeny	quality	0.2772	min	-0.2772	spearman	0.5326641	0.0563641	0.002	2.00799e+05	biddd	Falsymmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	Cbar	kemeny	quality	0.2872	min	-0.2872	spearman	0.4715614	0.0475614	0.002	2.02254e+05	biddd	Falsymmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	Cbar	kemeny	quality	0.3056	min	-0.3056	spearman	0.5015821	0.0505821	0.002	2.02084e+05	biddd	Falsymmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	Cbar	kemeny	quality	0.3304	min	-0.3304	spearman	0.5609208	0.0569208	0.002	2.02177e+05	biddd	Falsymmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	Cbar	kemeny	quality	0.3298	min	-0.3298	spearman	0.5714610	0.0571610	0.002	2.02579e+05	biddd	Falsymmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	Cbar	kemeny	quality	0.3634	min	-0.3634	spearman	0.6112495	0.0612495	0.002	2.01949e+05	biddd	Falsymmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	Cbar	kemeny	quality	0.3546	min	-0.3546	spearman	0.5118147	0.05418147	0.002	2.05082e+05	biddd	Falsymmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	Cbar	kemeny	quality	0.3492	min	-0.3492	spearman	0.5118147	0.05418147	0.002	2.01650e+05	biddd	Symmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	Cbar	rrf	quality	0.256	min	-0.256	spearman	0.5300200	0.0560299	0.002	1.00990e+05	biddd	Falsymmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	Cbar	rrf	quality	0.2716	min	-0.2716	spearman	0.6011997	0.0619970	0.002	1.00523e+05	biddd	Falsymmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	Cbar	rrf	quality	0.2748	min	-0.2748	spearman	0.5326641	0.0563641	0.002	2.00799e+05	biddd	Falsymmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	Cbar	rrf	quality	0.3094	min	-0.3094	spearman	0.4715614	0.0475614	0.002	2.02254e+05	biddd	Falsymmetric	Upperproximatio	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	Cbar	rrf	quality	0.318	min	-0.318	spearman	0.5115824	0.0505824	0.002	2.20840e+05	biddd	Fyalsmetric	Empproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	Cbar	rrf	quality	0.323	min	-0.323	spearman	0.5115824	0.0505824	0.002	2.21177e+05	biddd	Fyalsmetric	Empproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	Cbar	rrf	quality	0.3306	min	-0.3306	spearman	0.5115824	0.0505824	0.002	2.2576e+05	biddd	Fyalsmetric	Empproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	Cbar	rrf	quality	0.3552	min	-0.3552	spearman	0.6112495	0.0412495	0.002	2.1949e+05	biddd	Fyalsmetric	Empproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	Cbar	rrf	quality	0.3388	min	-0.3388	spearman	0.5115824	0.0505824	0.002	2.5082e+05	biddd	Fyalsmetric	Empproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	Cbar	rrf	quality	0.3424	min	-0.3424	spearman	0.5115824	0.0505824	0.002	2.0165e+05	biddd	Fyalsmetric	Empproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	Cbar	schulze	quality	0.2586	min	-0.2586	spearman	0.5115824	0.0505824	0.002	1.0990e+05	biddd	Fyalsmetric	Empproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	Cbar	schulze	quality	0.291	min	-0.291	spearman	0.6112495	0.0412495	0.002	1.0523e+05	biddd	Fyalsmetric	Empproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	Cbar	schulze	quality	0.2872	min	-0.2872	spearman	0.5115824	0.0505824	0.002	2.0790e+05	biddd	Fyalsmetric	Empproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	Cbar	schulze	quality	0.3258	min	-0.3258	spearman	0.4115644	0.0415644	0.002	2.2254e+05	biddd	Fyalsmetric	Empproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	Cbar	schulze	quality	0.3152	min	-0.3152	spearman	0.5115824	0.0505824	0.002	2.20840e+05	biddd	Fyalsmetric	Empproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	Cbar	schulze	quality	0.3174	min	-0.3174	spearman	0.5115824	0.0505824	0.002	2.21177e+05	biddd	Fyalsmetric	Empproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	Cbar	schulze	quality	0.3316	min	-0.3316	spearman	0.5115824	0.0505824	0.002	2.2576e+05	biddd	Fyalsmetric	Empproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	Cbar	schulze	quality	0.3564	min	-0.3564	spearman	0.6112495	0.0412495	0.002	2.1949e+05	biddd	Fyalsmetric	Empproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	Cbar	schulze	quality	0.3522	min	-0.3522	spearman	0.5115824	0.0505824	0.002	2.5082e+05	biddd	Fyalsmetric	Empproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	Cbar	schulze	quality	0.3444	min	-0.3444	spearman	0.5115824	0.0505824	0.002	2.0165e+05	biddd	Fyalsmetric	Empproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	Cbar	simpleavg	quality	0.2646	min	-0.2646	spearman	0.5115824	0.0505824	0.002	1.0990e+05	biddd	Fyalsmetric	Empproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	Cbar	simpleavg	quality	0.2752	min	-0.2752	spearman	0.6112495	0.0412495	0.002	1.0523e+05	biddd	Fyalsmetric	Empproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	Cbar	simpleavg	quality	0.3706	min	-0.3706	spearman	0.5115824	0.0505824	0.002	2.0790e+05	biddd	Fyalsmetric	Empproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	Cbar	simpleavg	quality	0.4004	min	-0.4004	spearman	0.4115644	0.0415644	0.002	2.2254e+05	biddd	Fyalsmetric	Empproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	Cbar	simpleavg	quality	0.3954	min	-0.3954	spearman	0.5115824	0.0505824	0.002	2.20840e+05	biddd	Fyalsmetric	Empproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	Cbar	simpleavg	quality	0.3896	min	-0.3896	spearman	0.5115824	0.0505824	0.002	2.21177e+05	biddd	Fyalsmetric	Empproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	Cbar	simpleavg	quality	0.3894	min	-0.3894	spearman	0.5115824	0.0505824	0.002	2.2576e+05	biddd	Fyalsmetric	Empproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	Cbar	simpleavg	quality	0.3882	min	-0.3882	spearman	0.6112495	0.0412495	0.002	2.1949e+05	biddd	Fyalsmetric	Empproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	Cbar	simpleavg	quality	0.3858	min	-0.3858	spearman	0.5115824	0.0505824	0.002	2.5082e+05	biddd	Fyalsmetric	Empproximatic	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	Cbar	simpleavg	quality	0.3862	min	-0.3862	spearman	0.5118147	0.05418147	0.002	2.01650e+05	bidled	Symmetric	Approximation	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	F	borda	quality	0.1818	max	0.1818	spearman	0.530209	0.0560299	0.002	1.00990e+05	bidled	Falsmetric	Approximation	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	F	borda	quality	0.1762	max	0.1762	spearman	0.601697	0.0619970	0.002	1.05230e+05	bidled	Falsmetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	F	borda	quality	0.1856	max	0.1856	spearman	0.532644	0.0563644	0.002	2.07990e+05	bidled	Falsmetric	Approximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	F	borda	quality	0.1876	max	0.1876	spearman	0.4715644	0.0475644	0.002	2.22540e+05	bidled	Falsmetric	Approximation	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	F	borda	quality	0.1782	max	0.1782	spearman	0.5015821	0.0505821	0.002	2.20840e+05	bidled	Falsmetric	Approximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	F	borda	quality	0.1698	max	0.1698	spearman	0.560208	0.0560208	0.002	2.21770e+05	bidled	Falsmetric	Approximation	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	F	borda	quality	0.1634	max	0.1634	spearman	0.574649	0.0574649	0.002	2.25790e+05	bidled	Falsmetric	Approximation	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	F	borda	quality	0.1618	max	0.1618	spearman	0.612495	0.0612495	0.002	2.19490e+05	bidled	Falsmetric	Approximation	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	F	borda	quality	0.1616	max	0.1616	spearman	0.5118147	0.05418147	0.002	2.50820e+05	bidled	Falsmetric	Approximation	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	F	borda	quality	0.158	max	0.158	spearman	0.5118147	0.05418147	0.002	2.01650e+05	bidled	Symmetric	Approximation	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	F	kemeny	quality	0.1818	max	0.1818	spearman	0.530209	0.0560299	0.002	1.00990e+05	bidled	Falsmetric	Approximation	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	F	kemeny	quality	0.17	max	0.17	spearman	0.601697	0.0619970	0.002	1.05230e+05	bidled	Falsmetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	F	kemeny	quality	0.175	max	0.175	spearman	0.532644	0.0563644	0.002	2.07990e+05	bidled	Falsmetric	Approximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	F	kemeny	quality	0.1874	max	0.1874	spearman	0.4715644	0.0475644	0.002	2.22540e+05	bidled	Falsmetric	Approximation	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	F	kemeny	quality	0.1806	max	0.1806	spearman	0.5015821	0.0505821	0.002	2.20840e+05	bidled	Falsmetric	Approximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	F	kemeny	quality	0.1716	max	0.1716	spearman	0.560208	0.0560208	0.002	2.21770e+05	bidled	Falsmetric	Approximation	7
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	F	kemeny	quality	0.1642	max	0.1642	spearman	0.574649	0.0574649	0.002	2.25790e+05	bidled	Falsmetric	Approximation	8
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	F	kemeny	quality	0.1574	max	0.1574	spearman	0.612495	0.0612495	0.002	2.19490e+05	bidled	Falsmetric	Approximation	9
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	F	kemeny	quality	0.1586	max	0.1586	spearman	0.5118147	0.05418147	0.002	2.50820e+05	bidled	Falsmetric	Approximation	10
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	F	kemeny	quality	0.1556	max	0.1556	spearman	0.5118147	0.05418147	0.002	2.01650e+05	bidled	Symmetric	Approximation	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	F	rrf	quality	0.1812	max	0.1812	spearman	0.530209	0.0560299	0.002	1.00990e+05	bidled	Falsmetric	Approximation	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	F	rrf	quality	0.1762	max	0.1762	spearman	0.601697	0.0619970	0.002	1.05230e+05	bidled	Falsmetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	F	rrf	quality	0.1834	max	0.1834	spearman	0.532644	0.0563644	0.002	2.07990e+05	bidled	Falsmetric	Approximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	F	rrf	quality	0.1886	max	0.1886	spearman	0.4715644	0.0475644	0.002	2.22540e+05	bidled	Falsmetric	Approximation	5

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	F	rrf	quality	0.1798	max	0.1798	spearman	0.5115824	0.0505821	0.002	2.2084e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	F	rrf	quality	0.1728	max	0.1728	spearman	0.5109208	0.0509208	0.002	2.21177e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	F	rrf	quality	0.1682	max	0.1682	spearman	0.5174649	0.0571649	0.002	2.2576e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	F	rrf	quality	0.1644	max	0.1644	spearman	0.6112495	0.0412495	0.002	2.1949e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	F	rrf	quality	0.1638	max	0.1638	spearman	0.5118654	0.0518654	0.002	2.5082e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	F	rrf	quality	0.1612	max	0.1612	spearman	0.5118147	0.0518147	0.002	2.01165e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	F	schulze	quality	0.1818	max	0.1818	spearman	0.530290	0.050290	0.002	1.0990e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	F	schulze	quality	0.1658	max	0.1658	spearman	0.661697	0.061697	0.002	1.0523e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	F	schulze	quality	0.1704	max	0.1704	spearman	0.532644	0.053644	0.002	2.0799e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	F	schulze	quality	0.1876	max	0.1876	spearman	0.4715644	0.0575644	0.002	2.2264e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	F	schulze	quality	0.181	max	0.181	spearman	0.5115824	0.0505821	0.002	2.2084e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	F	schulze	quality	0.175	max	0.175	spearman	0.5109208	0.0509208	0.002	2.21177e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	F	schulze	quality	0.1672	max	0.1672	spearman	0.5174649	0.0571649	0.002	2.2576e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	F	schulze	quality	0.1578	max	0.1578	spearman	0.6112495	0.0412495	0.002	2.1949e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	F	schulze	quality	0.1618	max	0.1618	spearman	0.5118654	0.0518654	0.002	2.5082e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	F	schulze	quality	0.1576	max	0.1576	spearman	0.5118147	0.0518147	0.002	2.01165e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	F	simpleavg	quality	0.1814	max	0.1814	spearman	0.530290	0.050290	0.002	1.0990e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	F	simpleavg	quality	0.1762	max	0.1762	spearman	0.661697	0.061697	0.002	1.0523e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	F	simpleavg	quality	0.1804	max	0.1804	spearman	0.532644	0.053644	0.002	2.0799e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	F	simpleavg	quality	0.1726	max	0.1726	spearman	0.4715644	0.0575644	0.002	2.2264e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	F	simpleavg	quality	0.1738	max	0.1738	spearman	0.5115824	0.0505821	0.002	2.2084e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	F	simpleavg	quality	0.1742	max	0.1742	spearman	0.5109208	0.0509208	0.002	2.21177e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	F	simpleavg	quality	0.1724	max	0.1724	spearman	0.5174649	0.0571649	0.002	2.2576e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	F	simpleavg	quality	0.1748	max	0.1748	spearman	0.6112495	0.0412495	0.002	2.1949e+05	biddd	Fyalsmetric	Empproximatio	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	F	simpleavg	quality	0.1736	max	0.1736	spearman	0.5118654	0.0518654	0.002	2.5082e+05	biddd	Fyalsmetric	Empproximatio	

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	F	simpleavg	quality	0.1726	max	0.1726	spearman	0.5118147	0.0548147	0.002	2.01654e+05	biddd	Symmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	Fbar	borda	quality	0.1452	min	-0.1452	spearman	0.530209	0.0560299	0.002	1.00990e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	Fbar	borda	quality	0.1586	min	-0.1586	spearman	0.661697	0.0619979	0.002	1.00523e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	Fbar	borda	quality	0.1802	min	-0.1802	spearman	0.532644	0.0563644	0.002	2.00799e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	Fbar	borda	quality	0.1982	min	-0.1982	spearman	0.4715614	0.0475614	0.002	2.02254e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	Fbar	borda	quality	0.2092	min	-0.2092	spearman	0.5015821	0.0505821	0.002	2.02082e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	Fbar	borda	quality	0.2242	min	-0.2242	spearman	0.569208	0.0569208	0.002	2.02177e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	Fbar	borda	quality	0.2196	min	-0.2196	spearman	0.574619	0.0574619	0.002	2.02579e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	Fbar	borda	quality	0.2388	min	-0.2388	spearman	0.6112495	0.0612495	0.002	2.01949e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	Fbar	borda	quality	0.2284	min	-0.2284	spearman	0.5118147	0.0548147	0.002	2.05082e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	Fbar	borda	quality	0.2186	min	-0.2186	spearman	0.5118147	0.0548147	0.002	2.01654e+05	biddd	Symmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	Fbar	kemeny	quality	0.1452	min	-0.1452	spearman	0.530209	0.0560299	0.002	1.00990e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	Fbar	kemeny	quality	0.1904	min	-0.1904	spearman	0.661697	0.0619979	0.002	1.00523e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	Fbar	kemeny	quality	0.165	min	-0.165	spearman	0.532644	0.0563644	0.002	2.00799e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	Fbar	kemeny	quality	0.1658	min	-0.1658	spearman	0.4715614	0.0475614	0.002	2.02254e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	Fbar	kemeny	quality	0.1868	min	-0.1868	spearman	0.5015821	0.0505821	0.002	2.02082e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	Fbar	kemeny	quality	0.2088	min	-0.2088	spearman	0.569208	0.0569208	0.002	2.02177e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	Fbar	kemeny	quality	0.2098	min	-0.2098	spearman	0.574619	0.0574619	0.002	2.02579e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	Fbar	kemeny	quality	0.2394	min	-0.2394	spearman	0.6112495	0.0612495	0.002	2.01949e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	Fbar	kemeny	quality	0.2292	min	-0.2292	spearman	0.5118147	0.0548147	0.002	2.05082e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	Fbar	kemeny	quality	0.2234	min	-0.2234	spearman	0.5118147	0.0548147	0.002	2.01654e+05	biddd	Symmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	Fbar	rrf	quality	0.1424	min	-0.1424	spearman	0.530209	0.0560299	0.002	1.00990e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	Fbar	rrf	quality	0.1612	min	-0.1612	spearman	0.661697	0.0619979	0.002	1.00523e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	Fbar	rrf	quality	0.1606	min	-0.1606	spearman	0.532644	0.0563644	0.002	2.00799e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	Fbar	rrf	quality	0.1868	min	-0.1868	spearman	0.4715614	0.0475614	0.002	2.02254e+05	biddd	Falsmetric	Upperproximatio	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	Fbar	rrf	quality	0.1964	min	-0.1964	spearman	0.5115824	0.0505824	0.002	2.20824e+05	biddd	Fsymmetric	Empirical	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	Fbar	rrf	quality	0.2046	min	-0.2046	spearman	0.569208	0.0569208	0.002	2.21774e+05	biddd	Fsymmetric	Empirical	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	Fbar	rrf	quality	0.2076	min	-0.2076	spearman	0.574649	0.0574649	0.002	2.25764e+05	biddd	Fsymmetric	Empirical	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	Fbar	rrf	quality	0.2258	min	-0.2258	spearman	0.612495	0.0612495	0.002	2.19494e+05	biddd	Fsymmetric	Empirical	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	Fbar	rrf	quality	0.217	min	-0.217	spearman	0.5115824	0.0505824	0.002	2.50824e+05	biddd	Fsymmetric	Empirical	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	Fbar	rrf	quality	0.2176	min	-0.2176	spearman	0.5115824	0.0505824	0.002	2.01654e+05	biddd	Fsymmetric	Empirical	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	Fbar	schulze	quality	0.1452	min	-0.1452	spearman	0.530299	0.0530299	0.002	1.00904e+05	biddd	Fsymmetric	Empirical	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	Fbar	schulze	quality	0.1786	min	-0.1786	spearman	0.661997	0.0661997	0.002	1.05234e+05	biddd	Fsymmetric	Empirical	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	Fbar	schulze	quality	0.1726	min	-0.1726	spearman	0.532644	0.0532644	0.002	2.07964e+05	biddd	Fsymmetric	Empirical	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	Fbar	schulze	quality	0.2018	min	-0.2018	spearman	0.475644	0.0475644	0.002	2.22544e+05	biddd	Fsymmetric	Empirical	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	Fbar	schulze	quality	0.1956	min	-0.1956	spearman	0.5115824	0.0505824	0.002	2.20824e+05	biddd	Fsymmetric	Empirical	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	Fbar	schulze	quality	0.1954	min	-0.1954	spearman	0.569208	0.0569208	0.002	2.21774e+05	biddd	Fsymmetric	Empirical	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	Fbar	schulze	quality	0.2068	min	-0.2068	spearman	0.574649	0.0574649	0.002	2.25764e+05	biddd	Fsymmetric	Empirical	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	Fbar	schulze	quality	0.2342	min	-0.2342	spearman	0.612495	0.0612495	0.002	2.19494e+05	biddd	Fsymmetric	Empirical	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	Fbar	schulze	quality	0.2262	min	-0.2262	spearman	0.5115824	0.0505824	0.002	2.50824e+05	biddd	Fsymmetric	Empirical	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	Fbar	schulze	quality	0.2182	min	-0.2182	spearman	0.5115824	0.0505824	0.002	2.01654e+05	biddd	Fsymmetric	Empirical	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	clean	Fbar	simpleavg	quality	0.15	min	-0.15	spearman	0.530299	0.0530299	0.002	1.00904e+05	biddd	Fsymmetric	Empirical	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	clean	Fbar	simpleavg	quality	0.1638	min	-0.1638	spearman	0.661997	0.0661997	0.002	1.05234e+05	biddd	Fsymmetric	Empirical	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	clean	Fbar	simpleavg	quality	0.238	min	-0.238	spearman	0.532644	0.0532644	0.002	2.07964e+05	biddd	Fsymmetric	Empirical	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	clean	Fbar	simpleavg	quality	0.2698	min	-0.2698	spearman	0.475644	0.0475644	0.002	2.22544e+05	biddd	Fsymmetric	Empirical	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	clean	Fbar	simpleavg	quality	0.2632	min	-0.2632	spearman	0.5115824	0.0505824	0.002	2.20824e+05	biddd	Fsymmetric	Empirical	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	clean	Fbar	simpleavg	quality	0.2592	min	-0.2592	spearman	0.569208	0.0569208	0.002	2.21774e+05	biddd	Fsymmetric	Empirical	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	clean	Fbar	simpleavg	quality	0.2574	min	-0.2574	spearman	0.574649	0.0574649	0.002	2.25764e+05	biddd	Fsymmetric	Empirical	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	clean	Fbar	simpleavg	quality	0.2538	min	-0.2538	spearman	0.612495	0.0612495	0.002	2.19494e+05	biddd	Fsymmetric	Empirical	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	clean	Fbar	simpleavg	quality	0.2494	min	-0.2494	spearman	0.5115824	0.0505824	0.002	2.50824e+05	biddd	Fsymmetric	Empirical	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	clean	Fbar	simpleavg	quality	0.251	min	-0.251	spearman	0.5118147	0.0548147	0.002	2.01654e+05	bidled	Symmetric	Upperapproximated	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversarial-sara-2-255	C	borda	robustness	0.2158	min	-0.2158	spearman	0.5302090	0.0560290	0.002	1.00990e+05	bidled	Falsimetric	Upperapproximated	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversarial-sara-2-255	C	borda	robustness	0.2178	min	-0.2178	spearman	0.6016997	0.0619970	0.002	1.05230e+05	bidled	Falsimetric	Upperapproximated	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversarial-sara-2-255	C	borda	robustness	0.206	min	-0.206	spearman	0.532644	0.0563644	0.002	2.07990e+05	bidled	Falsimetric	Upperapproximated	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversarial-sara-2-255	C	borda	robustness	0.203	min	-0.203	spearman	0.475644	0.055644	0.002	2.22540e+05	bidled	Falsimetric	Upperapproximated	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversarial-sara-2-255	C	borda	robustness	0.1974	min	-0.1974	spearman	0.5058210	0.0558210	0.002	2.20840e+05	bidled	Falsimetric	Upperapproximated	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversarial-sara-2-255	C	borda	robustness	0.1924	min	-0.1924	spearman	0.560208	0.056208	0.002	2.21770e+05	bidled	Falsimetric	Upperapproximated	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversarial-sara-2-255	C	borda	robustness	0.1898	min	-0.1898	spearman	0.574649	0.0574649	0.002	2.25790e+05	bidled	Falsimetric	Upperapproximated	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversarial-sara-2-255	C	borda	robustness	0.1886	min	-0.1886	spearman	0.612495	0.062495	0.002	2.19490e+05	bidled	Falsimetric	Upperapproximated	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversarial-sara-2-255	C	borda	robustness	0.1884	min	-0.1884	spearman	0.5302090	0.0560290	0.002	2.56820e+05	bidled	Falsimetric	Upperapproximated	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversarial-sara-2-255	C	borda	robustness	0.1882	min	-0.1882	spearman	0.5118147	0.0548147	0.002	2.01654e+05	bidled	Symmetric	Upperapproximated	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversarial-sara-2-255	C	kemeny	robustness	0.2158	min	-0.2158	spearman	0.5302090	0.0560290	0.002	1.00990e+05	bidled	Falsimetric	Upperapproximated	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversarial-sara-2-255	C	kemeny	robustness	0.2092	min	-0.2092	spearman	0.6016997	0.0619970	0.002	1.05230e+05	bidled	Falsimetric	Upperapproximated	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversarial-sara-2-255	C	kemeny	robustness	0.2046	min	-0.2046	spearman	0.532644	0.0563644	0.002	2.07990e+05	bidled	Falsimetric	Upperapproximated	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversarial-sara-2-255	C	kemeny	robustness	0.2054	min	-0.2054	spearman	0.475644	0.055644	0.002	2.22540e+05	bidled	Falsimetric	Upperapproximated	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversarial-sara-2-255	C	kemeny	robustness	0.2076	min	-0.2076	spearman	0.5058210	0.0558210	0.002	2.20840e+05	bidled	Falsimetric	Upperapproximated	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversarial-sara-2-255	C	kemeny	robustness	0.1944	min	-0.1944	spearman	0.560208	0.056208	0.002	2.21770e+05	bidled	Falsimetric	Upperapproximated	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversarial-sara-2-255	C	kemeny	robustness	0.1906	min	-0.1906	spearman	0.574649	0.0574649	0.002	2.25790e+05	bidled	Falsimetric	Upperapproximated	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversarial-sara-2-255	C	kemeny	robustness	0.189	min	-0.189	spearman	0.612495	0.062495	0.002	2.19490e+05	bidled	Falsimetric	Upperapproximated	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversarial-sara-2-255	C	kemeny	robustness	0.1848	min	-0.1848	spearman	0.5302090	0.0560290	0.002	2.56820e+05	bidled	Falsimetric	Upperapproximated	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversarial-sara-2-255	C	kemeny	robustness	0.179	min	-0.179	spearman	0.5118147	0.0548147	0.002	2.01654e+05	bidled	Symmetric	Upperapproximated	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversarial-sara-2-255	C	rrf	robustness	0.2148	min	-0.2148	spearman	0.5302090	0.0560290	0.002	1.00990e+05	bidled	Falsimetric	Upperapproximated	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversarial-sara-2-255	C	rrf	robustness	0.2164	min	-0.2164	spearman	0.6016997	0.0619970	0.002	1.05230e+05	bidled	Falsimetric	Upperapproximated	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversarial-sara-2-255	C	rrf	robustness	0.2048	min	-0.2048	spearman	0.532644	0.0563644	0.002	2.07990e+05	bidled	Falsimetric	Upperapproximated	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversarial-sara-2-255	C	rrf	robustness	0.205	min	-0.205	spearman	0.475644	0.055644	0.002	2.22540e+05	bidled	Falsimetric	Upperapproximated	11

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria-sara-2-255	C	rrf	robustness	0.1934	min	-0.1934	spearman	0.5115824	0.0505821	0.002	2.2084e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria-sara-2-255	C	rrf	robustness	0.193	min	-0.193	spearman	0.5115824	0.0505821	0.002	2.21177e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria-sara-2-255	C	rrf	robustness	0.1926	min	-0.1926	spearman	0.5115824	0.0505821	0.002	2.2576e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria-sara-2-255	C	rrf	robustness	0.1872	min	-0.1872	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria-sara-2-255	C	rrf	robustness	0.1868	min	-0.1868	spearman	0.5115824	0.0505821	0.002	2.5082e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversaria-sara-2-255	C	rrf	robustness	0.1914	min	-0.1914	spearman	0.5115824	0.0505821	0.002	2.01165e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversaria-sara-2-255	C	schulze	robustness	0.2158	min	-0.2158	spearman	0.5115824	0.0505821	0.002	1.0090e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversaria-sara-2-255	C	schulze	robustness	0.2092	min	-0.2092	spearman	0.6112495	0.0412495	0.002	1.0523e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversaria-sara-2-255	C	schulze	robustness	0.206	min	-0.206	spearman	0.5115824	0.0505821	0.002	2.0790e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversaria-sara-2-255	C	schulze	robustness	0.2016	min	-0.2016	spearman	0.4115644	0.0415644	0.002	2.2254e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria-sara-2-255	C	schulze	robustness	0.2006	min	-0.2006	spearman	0.5115824	0.0505821	0.002	2.2084e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria-sara-2-255	C	schulze	robustness	0.1984	min	-0.1984	spearman	0.5115824	0.0505821	0.002	2.21177e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria-sara-2-255	C	schulze	robustness	0.1924	min	-0.1924	spearman	0.5115824	0.0505821	0.002	2.2576e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria-sara-2-255	C	schulze	robustness	0.1846	min	-0.1846	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria-sara-2-255	C	schulze	robustness	0.187	min	-0.187	spearman	0.5115824	0.0505821	0.002	2.5082e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversaria-sara-2-255	C	schulze	robustness	0.1864	min	-0.1864	spearman	0.5115824	0.0505821	0.002	2.01165e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversaria-sara-2-255	C	simpleavg	robustness	0.2124	min	-0.2124	spearman	0.5115824	0.0505821	0.002	1.0090e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversaria-sara-2-255	C	simpleavg	robustness	0.2144	min	-0.2144	spearman	0.6112495	0.0412495	0.002	1.0523e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversaria-sara-2-255	C	simpleavg	robustness	0.1882	min	-0.1882	spearman	0.5115824	0.0505821	0.002	2.0790e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversaria-sara-2-255	C	simpleavg	robustness	0.1732	min	-0.1732	spearman	0.4115644	0.0415644	0.002	2.2254e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria-sara-2-255	C	simpleavg	robustness	0.175	min	-0.175	spearman	0.5115824	0.0505821	0.002	2.2084e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria-sara-2-255	C	simpleavg	robustness	0.1776	min	-0.1776	spearman	0.5115824	0.0505821	0.002	2.21177e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria-sara-2-255	C	simpleavg	robustness	0.173	min	-0.173	spearman	0.5115824	0.0505821	0.002	2.2576e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria-sara-2-255	C	simpleavg	robustness	0.1804	min	-0.1804	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria-sara-2-255	C	simpleavg	robustness	0.1784	min	-0.1784	spearman	0.5115824	0.0505821	0.002	2.5082e+05	bidled	Falsmetric	Upperproximatio	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversaria	C	simpleavg	robustness	0.1768	min	-0.1768	spearman	0.5118147	0.048147	0.002	2.0165e+05	bidled	Symmetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversaria	Cbar	borda	robustness	0.0586	min	-0.0586	spearman	0.5302090	0.0602990	0.002	1.0090e+05	bidled	Falsimetric	Approximation	40
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversaria	Cbar	borda	robustness	0.0534	min	-0.0534	spearman	0.6019997	0.0619997	0.002	1.0523e+05	bidled	Falsimetric	Approximation	40
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversaria	Cbar	borda	robustness	0.0712	min	-0.0712	spearman	0.532644	0.063644	0.002	2.0790e+05	bidled	Falsimetric	Approximation	40
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversaria	Cbar	borda	robustness	0.072	min	-0.072	spearman	0.475644	0.075644	0.002	2.2254e+05	bidled	Falsimetric	Approximation	40
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria	Cbar	borda	robustness	0.0676	min	-0.0676	spearman	0.5058210	0.058210	0.002	2.2084e+05	bidled	Falsimetric	Approximation	40
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria	Cbar	borda	robustness	0.0694	min	-0.0694	spearman	0.560208	0.060208	0.002	2.2177e+05	bidled	Falsimetric	Approximation	40
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria	Cbar	borda	robustness	0.0584	min	-0.0584	spearman	0.574649	0.074649	0.002	2.2570e+05	bidled	Falsimetric	Approximation	40
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria	Cbar	borda	robustness	0.0596	min	-0.0596	spearman	0.612495	0.012495	0.002	2.1940e+05	bidled	Falsimetric	Approximation	40
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria	Cbar	borda	robustness	0.0496	min	-0.0496	spearman	0.548654	0.048654	0.002	2.5082e+05	bidled	Falsimetric	Approximation	40
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversaria	Cbar	borda	robustness	0.0532	min	-0.0532	spearman	0.5118147	0.048147	0.002	2.0165e+05	bidled	Symmetric	Approximation	40
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversaria	Cbar	kemeny	robustness	0.0586	min	-0.0586	spearman	0.5302090	0.0602990	0.002	1.0090e+05	bidled	Falsimetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversaria	Cbar	kemeny	robustness	0.039	min	-0.039	spearman	0.6019997	0.0619997	0.002	1.0523e+05	bidled	Falsimetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversaria	Cbar	kemeny	robustness	0.0402	min	-0.0402	spearman	0.532644	0.063644	0.002	2.0790e+05	bidled	Falsimetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversaria	Cbar	kemeny	robustness	0.0746	min	-0.0746	spearman	0.475644	0.075644	0.002	2.2254e+05	bidled	Falsimetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria	Cbar	kemeny	robustness	0.0714	min	-0.0714	spearman	0.5058210	0.058210	0.002	2.2084e+05	bidled	Falsimetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria	Cbar	kemeny	robustness	0.0588	min	-0.0588	spearman	0.560208	0.060208	0.002	2.2177e+05	bidled	Falsimetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria	Cbar	kemeny	robustness	0.0544	min	-0.0544	spearman	0.574649	0.074649	0.002	2.2570e+05	bidled	Falsimetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria	Cbar	kemeny	robustness	0.0546	min	-0.0546	spearman	0.612495	0.012495	0.002	2.1940e+05	bidled	Falsimetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria	Cbar	kemeny	robustness	0.0552	min	-0.0552	spearman	0.548654	0.048654	0.002	2.5082e+05	bidled	Falsimetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversaria	Cbar	kemeny	robustness	0.0492	min	-0.0492	spearman	0.5118147	0.048147	0.002	2.0165e+05	bidled	Symmetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversaria	Cbar	rrf	robustness	0.0606	min	-0.0606	spearman	0.5302090	0.0602990	0.002	1.0090e+05	bidled	Falsimetric	Approximation	40
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversaria	Cbar	rrf	robustness	0.0524	min	-0.0524	spearman	0.6019997	0.0619997	0.002	1.0523e+05	bidled	Falsimetric	Approximation	40
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversaria	Cbar	rrf	robustness	0.0638	min	-0.0638	spearman	0.532644	0.063644	0.002	2.0790e+05	bidled	Falsimetric	Approximation	40
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversaria	Cbar	rrf	robustness	0.0754	min	-0.0754	spearman	0.475644	0.075644	0.002	2.2254e+05	bidled	Falsimetric	Approximation	40

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria-sara-2-255	Cbar	rrf	robustness	0.0784	min	-0.0784	spearman	0.5115824	0.0505821	0.002	2.2082e+05	bidled	Fyalsmetric	Empproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria-sara-2-255	Cbar	rrf	robustness	0.0604	min	-0.0604	spearman	0.5115824	0.0505821	0.002	2.21177e+05	bidled	Fyalsmetric	Empproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria-sara-2-255	Cbar	rrf	robustness	0.0644	min	-0.0644	spearman	0.5115824	0.0505821	0.002	2.2576e+05	bidled	Fyalsmetric	Empproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria-sara-2-255	Cbar	rrf	robustness	0.0634	min	-0.0634	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Fyalsmetric	Empproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria-sara-2-255	Cbar	rrf	robustness	0.0502	min	-0.0502	spearman	0.5115824	0.0505821	0.002	2.5082e+05	bidled	Fyalsmetric	Empproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversaria-sara-2-255	Cbar	rrf	robustness	0.0608	min	-0.0608	spearman	0.5115824	0.0505821	0.002	2.01165e+05	bidled	Fyalsmetric	Empproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversaria-sara-2-255	Cbar	schulze	robustness	0.0586	min	-0.0586	spearman	0.5115824	0.0505821	0.002	1.0090e+05	bidled	Fyalsmetric	Empproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversaria-sara-2-255	Cbar	schulze	robustness	0.0358	min	-0.0358	spearman	0.6112495	0.0412495	0.002	1.0523e+05	bidled	Fyalsmetric	Empproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversaria-sara-2-255	Cbar	schulze	robustness	0.0508	min	-0.0508	spearman	0.5115824	0.0505821	0.002	2.0790e+05	bidled	Fyalsmetric	Empproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversaria-sara-2-255	Cbar	schulze	robustness	0.0798	min	-0.0798	spearman	0.4115644	0.0415644	0.002	2.2254e+05	bidled	Fyalsmetric	Empproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria-sara-2-255	Cbar	schulze	robustness	0.067	min	-0.067	spearman	0.5115824	0.0505821	0.002	2.2082e+05	bidled	Fyalsmetric	Empproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria-sara-2-255	Cbar	schulze	robustness	0.063	min	-0.063	spearman	0.5115824	0.0505821	0.002	2.21177e+05	bidled	Fyalsmetric	Empproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria-sara-2-255	Cbar	schulze	robustness	0.0582	min	-0.0582	spearman	0.5115824	0.0505821	0.002	2.2576e+05	bidled	Fyalsmetric	Empproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria-sara-2-255	Cbar	schulze	robustness	0.0426	min	-0.0426	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Fyalsmetric	Empproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria-sara-2-255	Cbar	schulze	robustness	0.0486	min	-0.0486	spearman	0.5115824	0.0505821	0.002	2.5082e+05	bidled	Fyalsmetric	Empproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversaria-sara-2-255	Cbar	schulze	robustness	0.0506	min	-0.0506	spearman	0.5115824	0.0505821	0.002	2.01165e+05	bidled	Fyalsmetric	Empproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversaria-sara-2-255	Cbar	simpleavg	robustness	0.0592	min	-0.0592	spearman	0.5115824	0.0505821	0.002	1.0090e+05	bidled	Fyalsmetric	Empproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversaria-sara-2-255	Cbar	simpleavg	robustness	0.0534	min	-0.0534	spearman	0.6112495	0.0412495	0.002	1.0523e+05	bidled	Fyalsmetric	Empproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversaria-sara-2-255	Cbar	simpleavg	robustness	0.0788	min	-0.0788	spearman	0.5115824	0.0505821	0.002	2.0790e+05	bidled	Fyalsmetric	Empproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversaria-sara-2-255	Cbar	simpleavg	robustness	0.0784	min	-0.0784	spearman	0.4115644	0.0415644	0.002	2.2254e+05	bidled	Fyalsmetric	Empproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria-sara-2-255	Cbar	simpleavg	robustness	0.0784	min	-0.0784	spearman	0.5115824	0.0505821	0.002	2.2082e+05	bidled	Fyalsmetric	Empproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria-sara-2-255	Cbar	simpleavg	robustness	0.0756	min	-0.0756	spearman	0.5115824	0.0505821	0.002	2.21177e+05	bidled	Fyalsmetric	Empproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria-sara-2-255	Cbar	simpleavg	robustness	0.0786	min	-0.0786	spearman	0.5115824	0.0505821	0.002	2.2576e+05	bidled	Fyalsmetric	Empproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria-sara-2-255	Cbar	simpleavg	robustness	0.0746	min	-0.0746	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Fyalsmetric	Empproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria-sara-2-255	Cbar	simpleavg	robustness	0.0752	min	-0.0752	spearman	0.5115824	0.0505821	0.002	2.5082e+05	bidled	Fyalsmetric	Empproximatio	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversaria	Cbar	simpleavg	robustness	0.0754	min	-0.0754	spearman	0.5118147	0.0548147	0.002	2.0165e+05	bidled	symmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversaria	F	borda	robustness	0.116	min	-0.116	spearman	0.5302090	0.0560290	0.002	1.00990e+05	bidled	Falsymmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversaria	F	borda	robustness	0.115	min	-0.115	spearman	0.601997	0.061997	0.002	1.0523e+05	bidled	Falsymmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversaria	F	borda	robustness	0.11	min	-0.11	spearman	0.532641	0.0563641	0.002	2.0799e+05	bidled	Falsymmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversaria	F	borda	robustness	0.1108	min	-0.1108	spearman	0.475614	0.055614	0.002	2.2254e+05	bidled	Falsymmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria	F	borda	robustness	0.1042	min	-0.1042	spearman	0.505821	0.055821	0.002	2.2084e+05	bidled	Falsymmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria	F	borda	robustness	0.099	min	-0.099	spearman	0.569208	0.0569208	0.002	2.2177e+05	bidled	Falsymmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria	F	borda	robustness	0.094	min	-0.094	spearman	0.574619	0.0574619	0.002	2.2579e+05	bidled	Falsymmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria	F	borda	robustness	0.0972	min	-0.0972	spearman	0.612495	0.0612495	0.002	2.1949e+05	bidled	Falsymmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria	F	borda	robustness	0.0972	min	-0.0972	spearman	0.5118147	0.0548147	0.002	2.5682e+05	bidled	Falsymmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversaria	F	borda	robustness	0.095	min	-0.095	spearman	0.5118147	0.0548147	0.002	2.0165e+05	bidled	symmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversaria	F	kemeny	robustness	0.116	min	-0.116	spearman	0.5302090	0.0560290	0.002	1.00990e+05	bidled	Falsymmetric	Upperapproximation	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversaria	F	kemeny	robustness	0.1114	min	-0.1114	spearman	0.601997	0.061997	0.002	1.0523e+05	bidled	Falsymmetric	Upperapproximation	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversaria	F	kemeny	robustness	0.1066	min	-0.1066	spearman	0.532641	0.0563641	0.002	2.0799e+05	bidled	Falsymmetric	Upperapproximation	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversaria	F	kemeny	robustness	0.1106	min	-0.1106	spearman	0.475614	0.055614	0.002	2.2254e+05	bidled	Falsymmetric	Upperapproximation	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria	F	kemeny	robustness	0.11	min	-0.11	spearman	0.505821	0.055821	0.002	2.2084e+05	bidled	Falsymmetric	Upperapproximation	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria	F	kemeny	robustness	0.1036	min	-0.1036	spearman	0.569208	0.0569208	0.002	2.2177e+05	bidled	Falsymmetric	Upperapproximation	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria	F	kemeny	robustness	0.0982	min	-0.0982	spearman	0.574619	0.0574619	0.002	2.2579e+05	bidled	Falsymmetric	Upperapproximation	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria	F	kemeny	robustness	0.0972	min	-0.0972	spearman	0.612495	0.0612495	0.002	2.1949e+05	bidled	Falsymmetric	Upperapproximation	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria	F	kemeny	robustness	0.0958	min	-0.0958	spearman	0.5118147	0.0548147	0.002	2.5682e+05	bidled	Falsymmetric	Upperapproximation	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversaria	F	kemeny	robustness	0.0904	min	-0.0904	spearman	0.5118147	0.0548147	0.002	2.0165e+05	bidled	symmetric	Upperapproximation	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversaria	F	rrf	robustness	0.116	min	-0.116	spearman	0.5302090	0.0560290	0.002	1.00990e+05	bidled	Falsymmetric	Upperapproximation	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversaria	F	rrf	robustness	0.114	min	-0.114	spearman	0.601997	0.061997	0.002	1.0523e+05	bidled	Falsymmetric	Upperapproximation	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversaria	F	rrf	robustness	0.1104	min	-0.1104	spearman	0.532641	0.0563641	0.002	2.0799e+05	bidled	Falsymmetric	Upperapproximation	11
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversaria	F	rrf	robustness	0.1102	min	-0.1102	spearman	0.475614	0.055614	0.002	2.2254e+05	bidled	Falsymmetric	Upperapproximation	11

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria	F	rrf	robustness	0.1032	min	-0.1032	spearman	0.5115824	0.0505821	0.002	2.2084e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria	F	rrf	robustness	0.1004	min	-0.1004	spearman	0.5115824	0.0505821	0.002	2.21177e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria	F	rrf	robustness	0.0994	min	-0.0994	spearman	0.5115824	0.0505821	0.002	2.2576e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria	F	rrf	robustness	0.097	min	-0.097	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria	F	rrf	robustness	0.097	min	-0.097	spearman	0.5115824	0.0505821	0.002	2.5082e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversaria	F	rrf	robustness	0.0956	min	-0.0956	spearman	0.5115824	0.0505821	0.002	2.0165e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversaria	F	schulze	robustness	0.116	min	-0.116	spearman	0.5115824	0.0505821	0.002	1.0990e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversaria	F	schulze	robustness	0.1058	min	-0.1058	spearman	0.6112495	0.0412495	0.002	1.0523e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversaria	F	schulze	robustness	0.1046	min	-0.1046	spearman	0.5115824	0.0505821	0.002	2.0799e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversaria	F	schulze	robustness	0.1092	min	-0.1092	spearman	0.4115644	0.0415644	0.002	2.2254e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria	F	schulze	robustness	0.108	min	-0.108	spearman	0.5115824	0.0505821	0.002	2.2084e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria	F	schulze	robustness	0.102	min	-0.102	spearman	0.5115824	0.0505821	0.002	2.21177e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria	F	schulze	robustness	0.1004	min	-0.1004	spearman	0.5115824	0.0505821	0.002	2.2576e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria	F	schulze	robustness	0.0968	min	-0.0968	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria	F	schulze	robustness	0.0974	min	-0.0974	spearman	0.5115824	0.0505821	0.002	2.5082e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversaria	F	schulze	robustness	0.0926	min	-0.0926	spearman	0.5115824	0.0505821	0.002	2.0165e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversaria	F	simpleavg	robustness	0.1148	min	-0.1148	spearman	0.5115824	0.0505821	0.002	1.0990e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversaria	F	simpleavg	robustness	0.1154	min	-0.1154	spearman	0.6112495	0.0412495	0.002	1.0523e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversaria	F	simpleavg	robustness	0.097	min	-0.097	spearman	0.5115824	0.0505821	0.002	2.0799e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversaria	F	simpleavg	robustness	0.0908	min	-0.0908	spearman	0.4115644	0.0415644	0.002	2.2254e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria	F	simpleavg	robustness	0.0934	min	-0.0934	spearman	0.5115824	0.0505821	0.002	2.2084e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria	F	simpleavg	robustness	0.094	min	-0.094	spearman	0.5115824	0.0505821	0.002	2.21177e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria	F	simpleavg	robustness	0.0912	min	-0.0912	spearman	0.5115824	0.0505821	0.002	2.2576e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria	F	simpleavg	robustness	0.0964	min	-0.0964	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria	F	simpleavg	robustness	0.096	min	-0.096	spearman	0.5115824	0.0505821	0.002	2.5082e+05	bidled	Falsmetric	Upperproximatio	d

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversaria	F	simpleavg	robustness	0.0944	min	-0.0944	spearman	0.5118147	0.0548147	0.002	2.0165e+05	bidled	Fsymmetric	Upperapproximation	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversaria	Fbar	borda	robustness	0.0232	min	-0.0232	spearman	0.5302090	0.0560290	0.002	1.00990e+05	bidled	Fsymmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversaria	Fbar	borda	robustness	0.0222	min	-0.0222	spearman	0.6019997	0.0619997	0.002	1.0523e+05	bidled	Fsymmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversaria	Fbar	borda	robustness	0.0302	min	-0.0302	spearman	0.532644	0.0563644	0.002	2.0799e+05	bidled	Fsymmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversaria	Fbar	borda	robustness	0.0262	min	-0.0262	spearman	0.475644	0.055644	0.002	2.2254e+05	bidled	Fsymmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria	Fbar	borda	robustness	0.0324	min	-0.0324	spearman	0.5058210	0.0558210	0.002	2.2084e+05	bidled	Fsymmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria	Fbar	borda	robustness	0.0316	min	-0.0316	spearman	0.569208	0.0569208	0.002	2.2177e+05	bidled	Fsymmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria	Fbar	borda	robustness	0.0198	min	-0.0198	spearman	0.574649	0.0574649	0.002	2.2579e+05	bidled	Fsymmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria	Fbar	borda	robustness	0.0234	min	-0.0234	spearman	0.612495	0.0612495	0.002	2.1949e+05	bidled	Fsymmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria	Fbar	borda	robustness	0.0212	min	-0.0212	spearman	0.538654	0.0548654	0.002	2.5682e+05	bidled	Fsymmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversaria	Fbar	borda	robustness	0.019	min	-0.019	spearman	0.5118147	0.0548147	0.002	2.0165e+05	bidled	Fsymmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversaria	Fbar	kemeny	robustness	0.0232	min	-0.0232	spearman	0.5302090	0.0560290	0.002	1.00990e+05	bidled	Fsymmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversaria	Fbar	kemeny	robustness	0.0118	min	-0.0118	spearman	0.6019997	0.0619997	0.002	1.0523e+05	bidled	Fsymmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversaria	Fbar	kemeny	robustness	0.0088	min	-0.0088	spearman	0.532644	0.0563644	0.002	2.0799e+05	bidled	Fsymmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversaria	Fbar	kemeny	robustness	0.0272	min	-0.0272	spearman	0.475644	0.055644	0.002	2.2254e+05	bidled	Fsymmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria	Fbar	kemeny	robustness	0.036	min	-0.036	spearman	0.5058210	0.0558210	0.002	2.2084e+05	bidled	Fsymmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria	Fbar	kemeny	robustness	0.0258	min	-0.0258	spearman	0.569208	0.0569208	0.002	2.2177e+05	bidled	Fsymmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria	Fbar	kemeny	robustness	0.0214	min	-0.0214	spearman	0.574649	0.0574649	0.002	2.2579e+05	bidled	Fsymmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria	Fbar	kemeny	robustness	0.0238	min	-0.0238	spearman	0.612495	0.0612495	0.002	2.1949e+05	bidled	Fsymmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria	Fbar	kemeny	robustness	0.0226	min	-0.0226	spearman	0.538654	0.0548654	0.002	2.5682e+05	bidled	Fsymmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversaria	Fbar	kemeny	robustness	0.015	min	-0.015	spearman	0.5118147	0.0548147	0.002	2.0165e+05	bidled	Fsymmetric	Upperapproximation	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversaria	Fbar	rrf	robustness	0.0234	min	-0.0234	spearman	0.5302090	0.0560290	0.002	1.00990e+05	bidled	Fsymmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversaria	Fbar	rrf	robustness	0.0202	min	-0.0202	spearman	0.6019997	0.0619997	0.002	1.0523e+05	bidled	Fsymmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversaria	Fbar	rrf	robustness	0.026	min	-0.026	spearman	0.532644	0.0563644	0.002	2.0799e+05	bidled	Fsymmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversaria	Fbar	rrf	robustness	0.032	min	-0.032	spearman	0.475644	0.055644	0.002	2.2254e+05	bidled	Fsymmetric	Upperapproximation	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria	Fbar	rrf	robustness	0.0382	min	-0.0382	spearman	0.5115824	0.0505824	0.002	2.2082e+05	bidled	Fsymmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria	Fbar	rrf	robustness	0.0252	min	-0.0252	spearman	0.5115824	0.0505824	0.002	2.21177e+05	bidled	Fsymmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria	Fbar	rrf	robustness	0.024	min	-0.024	spearman	0.5115824	0.0505824	0.002	2.2576e+05	bidled	Fsymmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria	Fbar	rrf	robustness	0.0232	min	-0.0232	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Fsymmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria	Fbar	rrf	robustness	0.0202	min	-0.0202	spearman	0.5115824	0.0505824	0.002	2.5082e+05	bidled	Fsymmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversaria	Fbar	rrf	robustness	0.0246	min	-0.0246	spearman	0.5115824	0.0505824	0.002	2.01165e+05	bidled	Fsymmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversaria	Fbar	schulze	robustness	0.0232	min	-0.0232	spearman	0.5115824	0.0505824	0.002	1.0090e+05	bidled	Fsymmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversaria	Fbar	schulze	robustness	0.0066	min	-0.0066	spearman	0.6112495	0.0412495	0.002	1.0523e+05	bidled	Fsymmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversaria	Fbar	schulze	robustness	0.0142	min	-0.0142	spearman	0.5115824	0.0505824	0.002	2.0796e+05	bidled	Fsymmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversaria	Fbar	schulze	robustness	0.0352	min	-0.0352	spearman	0.4115644	0.0415644	0.002	2.2254e+05	bidled	Fsymmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria	Fbar	schulze	robustness	0.0288	min	-0.0288	spearman	0.5115824	0.0505824	0.002	2.2082e+05	bidled	Fsymmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria	Fbar	schulze	robustness	0.0254	min	-0.0254	spearman	0.5115824	0.0505824	0.002	2.21177e+05	bidled	Fsymmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria	Fbar	schulze	robustness	0.0202	min	-0.0202	spearman	0.5115824	0.0505824	0.002	2.2576e+05	bidled	Fsymmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria	Fbar	schulze	robustness	0.014	min	-0.014	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Fsymmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria	Fbar	schulze	robustness	0.0146	min	-0.0146	spearman	0.5115824	0.0505824	0.002	2.5082e+05	bidled	Fsymmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversaria	Fbar	schulze	robustness	0.017	min	-0.017	spearman	0.5115824	0.0505824	0.002	2.01165e+05	bidled	Fsymmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	adversaria	Fbar	simpleavg	robustness	0.0244	min	-0.0244	spearman	0.5115824	0.0505824	0.002	1.0090e+05	bidled	Fsymmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	adversaria	Fbar	simpleavg	robustness	0.0182	min	-0.0182	spearman	0.6112495	0.0412495	0.002	1.0523e+05	bidled	Fsymmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	adversaria	Fbar	simpleavg	robustness	0.034	min	-0.034	spearman	0.5115824	0.0505824	0.002	2.0796e+05	bidled	Fsymmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	adversaria	Fbar	simpleavg	robustness	0.0428	min	-0.0428	spearman	0.4115644	0.0415644	0.002	2.2254e+05	bidled	Fsymmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	adversaria	Fbar	simpleavg	robustness	0.0414	min	-0.0414	spearman	0.5115824	0.0505824	0.002	2.2082e+05	bidled	Fsymmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	adversaria	Fbar	simpleavg	robustness	0.037	min	-0.037	spearman	0.5115824	0.0505824	0.002	2.21177e+05	bidled	Fsymmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	adversaria	Fbar	simpleavg	robustness	0.0394	min	-0.0394	spearman	0.5115824	0.0505824	0.002	2.2576e+05	bidled	Fsymmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	adversaria	Fbar	simpleavg	robustness	0.0338	min	-0.0338	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Fsymmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	adversaria	Fbar	simpleavg	robustness	0.0324	min	-0.0324	spearman	0.5115824	0.0505824	0.002	2.5082e+05	bidled	Fsymmetric	Upperproximatio	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	adversarial	Fbar	simpleavg	robustness	0.0338	min	-0.0338	spearman	0.5118147	0.0148147	0.002	2.01654e+05	bidder	symmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	C	borda	robustness	0.3244	min	-0.3244	spearman	0.530209	0.0160299	0.002	1.00900e+05	bidder	Falsymmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	C	borda	robustness	0.3176	min	-0.3176	spearman	0.601997	0.0161997	0.002	1.05230e+05	bidder	Falsymmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	C	borda	robustness	0.3338	min	-0.3338	spearman	0.532641	0.0163641	0.002	2.07990e+05	bidder	Falsymmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	C	borda	robustness	0.3406	min	-0.3406	spearman	0.475614	0.0175614	0.002	2.32540e+05	bidder	Falsymmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	C	borda	robustness	0.3474	min	-0.3474	spearman	0.505821	0.0105821	0.002	2.20840e+05	bidder	Falsymmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	C	borda	robustness	0.3452	min	-0.3452	spearman	0.569208	0.0169208	0.002	2.21770e+05	bidder	Falsymmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	C	borda	robustness	0.3422	min	-0.3422	spearman	0.574619	0.0174619	0.002	2.25790e+05	bidder	Falsymmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	C	borda	robustness	0.3418	min	-0.3418	spearman	0.612495	0.0142495	0.002	2.19490e+05	bidder	Falsymmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	C	borda	robustness	0.3396	min	-0.3396	spearman	0.538654	0.0148654	0.002	2.50820e+05	bidder	Falsymmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	C	borda	robustness	0.3384	min	-0.3384	spearman	0.5118147	0.0148147	0.002	2.01654e+05	bidder	symmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	C	kemeny	robustness	0.3244	min	-0.3244	spearman	0.530209	0.0160299	0.002	1.00900e+05	bidder	Falsymmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	C	kemeny	robustness	0.328	min	-0.328	spearman	0.601997	0.0161997	0.002	1.05230e+05	bidder	Falsymmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	C	kemeny	robustness	0.329	min	-0.329	spearman	0.532641	0.0163641	0.002	2.07990e+05	bidder	Falsymmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	C	kemeny	robustness	0.332	min	-0.332	spearman	0.475614	0.0175614	0.002	2.32540e+05	bidder	Falsymmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	C	kemeny	robustness	0.317	min	-0.317	spearman	0.505821	0.0105821	0.002	2.20840e+05	bidder	Falsymmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	C	kemeny	robustness	0.3358	min	-0.3358	spearman	0.569208	0.0169208	0.002	2.21770e+05	bidder	Falsymmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	C	kemeny	robustness	0.3284	min	-0.3284	spearman	0.574619	0.0174619	0.002	2.25790e+05	bidder	Falsymmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	C	kemeny	robustness	0.3278	min	-0.3278	spearman	0.612495	0.0142495	0.002	2.19490e+05	bidder	Falsymmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	C	kemeny	robustness	0.323	min	-0.323	spearman	0.538654	0.0148654	0.002	2.50820e+05	bidder	Falsymmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	C	kemeny	robustness	0.3296	min	-0.3296	spearman	0.5118147	0.0148147	0.002	2.01654e+05	bidder	symmetric	Upperapproximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	C	rrf	robustness	0.327	min	-0.327	spearman	0.530209	0.0160299	0.002	1.00900e+05	bidder	Falsymmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	C	rrf	robustness	0.3156	min	-0.3156	spearman	0.601997	0.0161997	0.002	1.05230e+05	bidder	Falsymmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	C	rrf	robustness	0.333	min	-0.333	spearman	0.532641	0.0163641	0.002	2.07990e+05	bidder	Falsymmetric	Upperapproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	C	rrf	robustness	0.3352	min	-0.3352	spearman	0.475614	0.0175614	0.002	2.32540e+05	bidder	Falsymmetric	Upperapproximation	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	C	rrf	robustness	0.3436	min	-0.3436	spearman	0.5115824	0.0505824	0.002	2.2084e+05	bidled	FishMetric	Upperproximation3	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	C	rrf	robustness	0.337	min	-0.337	spearman	0.5109208	0.0509208	0.002	2.2177e+05	bidled	FishMetric	Upperproximation3	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	C	rrf	robustness	0.3348	min	-0.3348	spearman	0.5174649	0.0571649	0.002	2.2576e+05	bidled	FishMetric	Upperproximation3	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	C	rrf	robustness	0.3324	min	-0.3324	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	FishMetric	Upperproximation3	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	C	rrf	robustness	0.3322	min	-0.3322	spearman	0.5118654	0.0518654	0.002	2.5082e+05	bidled	FishMetric	Upperproximation3	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	C	rrf	robustness	0.3286	min	-0.3286	spearman	0.5118147	0.0518147	0.002	2.0165e+05	bidled	FishMetric	Upperproximation3	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	C	schulze	robustness	0.3244	min	-0.3244	spearman	0.530290	0.050290	0.002	1.0990e+05	bidled	FishMetric	Upperproximation4	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	C	schulze	robustness	0.3282	min	-0.3282	spearman	0.611697	0.061197	0.002	1.0523e+05	bidled	FishMetric	Upperproximation4	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	C	schulze	robustness	0.3238	min	-0.3238	spearman	0.532644	0.053644	0.002	2.0799e+05	bidled	FishMetric	Upperproximation4	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	C	schulze	robustness	0.337	min	-0.337	spearman	0.4715644	0.0475644	0.002	2.2254e+05	bidled	FishMetric	Upperproximation4	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	C	schulze	robustness	0.339	min	-0.339	spearman	0.5115824	0.0505824	0.002	2.2084e+05	bidled	FishMetric	Upperproximation4	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	C	schulze	robustness	0.3246	min	-0.3246	spearman	0.5109208	0.0509208	0.002	2.2177e+05	bidled	FishMetric	Upperproximation4	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	C	schulze	robustness	0.325	min	-0.325	spearman	0.5174649	0.0571649	0.002	2.2576e+05	bidled	FishMetric	Upperproximation4	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	C	schulze	robustness	0.3328	min	-0.3328	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	FishMetric	Upperproximation4	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	C	schulze	robustness	0.3246	min	-0.3246	spearman	0.5118654	0.0518654	0.002	2.5082e+05	bidled	FishMetric	Upperproximation4	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	C	schulze	robustness	0.3296	min	-0.3296	spearman	0.5118147	0.0518147	0.002	2.0165e+05	bidled	FishMetric	Upperproximation4	4
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	C	simpleavg	robustness	0.3246	min	-0.3246	spearman	0.530290	0.050290	0.002	1.0990e+05	bidled	FishMetric	Upperproximation2	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	C	simpleavg	robustness	0.3284	min	-0.3284	spearman	0.611697	0.061197	0.002	1.0523e+05	bidled	FishMetric	Upperproximation2	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	C	simpleavg	robustness	0.3372	min	-0.3372	spearman	0.532644	0.053644	0.002	2.0799e+05	bidled	FishMetric	Upperproximation2	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	C	simpleavg	robustness	0.347	min	-0.347	spearman	0.4715644	0.0475644	0.002	2.2254e+05	bidled	FishMetric	Upperproximation2	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	C	simpleavg	robustness	0.3478	min	-0.3478	spearman	0.5115824	0.0505824	0.002	2.2084e+05	bidled	FishMetric	Upperproximation2	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	C	simpleavg	robustness	0.3448	min	-0.3448	spearman	0.5109208	0.0509208	0.002	2.2177e+05	bidled	FishMetric	Upperproximation2	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	C	simpleavg	robustness	0.35	min	-0.35	spearman	0.5174649	0.0571649	0.002	2.2576e+05	bidled	FishMetric	Upperproximation2	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	C	simpleavg	robustness	0.3408	min	-0.3408	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	FishMetric	Upperproximation2	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	C	simpleavg	robustness	0.3452	min	-0.3452	spearman	0.5118654	0.0518654	0.002	2.5082e+05	bidled	FishMetric	Upperproximation2	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	C	simpleavg	robustness	0.3474	min	-0.3474	spearman	0.5118147	0.0148147	0.002	2.01654e+05	bidled	Symmetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	Cbar	borda	robustness	0.3204	min	-0.3204	spearman	0.5300200	0.0160299	0.002	1.00990e+05	bidled	Falsmetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	Cbar	borda	robustness	0.3134	min	-0.3134	spearman	0.6011997	0.0161997	0.002	1.00523e+05	bidled	Falsmetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	Cbar	borda	robustness	0.3262	min	-0.3262	spearman	0.532644	0.0163644	0.002	2.00799e+05	bidled	Falsmetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	Cbar	borda	robustness	0.3498	min	-0.3498	spearman	0.4715614	0.0175614	0.002	2.02254e+05	bidled	Falsmetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	Cbar	borda	robustness	0.3358	min	-0.3358	spearman	0.5015821	0.0158210	0.002	2.02084e+05	bidled	Falsmetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	Cbar	borda	robustness	0.3202	min	-0.3202	spearman	0.5600208	0.0160208	0.002	2.02177e+05	bidled	Falsmetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	Cbar	borda	robustness	0.319	min	-0.319	spearman	0.574610	0.0174610	0.002	2.02579e+05	bidled	Falsmetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	Cbar	borda	robustness	0.2942	min	-0.2942	spearman	0.6112495	0.0112495	0.002	2.01949e+05	bidled	Falsmetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	Cbar	borda	robustness	0.314	min	-0.314	spearman	0.5118147	0.0148147	0.002	2.05082e+05	bidled	Falsmetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	Cbar	borda	robustness	0.3208	min	-0.3208	spearman	0.5118147	0.0148147	0.002	2.01654e+05	bidled	Symmetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	Cbar	kemeny	robustness	0.3204	min	-0.3204	spearman	0.5300200	0.0160299	0.002	1.00990e+05	bidled	Falsmetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	Cbar	kemeny	robustness	0.2782	min	-0.2782	spearman	0.6011997	0.0161997	0.002	1.00523e+05	bidled	Falsmetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	Cbar	kemeny	robustness	0.3086	min	-0.3086	spearman	0.532644	0.0163644	0.002	2.00799e+05	bidled	Falsmetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	Cbar	kemeny	robustness	0.3062	min	-0.3062	spearman	0.4715614	0.0175614	0.002	2.02254e+05	bidled	Falsmetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	Cbar	kemeny	robustness	0.2952	min	-0.2952	spearman	0.5015821	0.0158210	0.002	2.02084e+05	bidled	Falsmetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	Cbar	kemeny	robustness	0.2846	min	-0.2846	spearman	0.5600208	0.0160208	0.002	2.02177e+05	bidled	Falsmetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	Cbar	kemeny	robustness	0.2932	min	-0.2932	spearman	0.574610	0.0174610	0.002	2.02579e+05	bidled	Falsmetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	Cbar	kemeny	robustness	0.2642	min	-0.2642	spearman	0.6112495	0.0112495	0.002	2.01949e+05	bidled	Falsmetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	Cbar	kemeny	robustness	0.2816	min	-0.2816	spearman	0.5118147	0.0148147	0.002	2.05082e+05	bidled	Falsmetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	Cbar	kemeny	robustness	0.2774	min	-0.2774	spearman	0.5118147	0.0148147	0.002	2.01654e+05	bidled	Symmetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	Cbar	rrf	robustness	0.3234	min	-0.3234	spearman	0.5300200	0.0160299	0.002	1.00990e+05	bidled	Falsmetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	Cbar	rrf	robustness	0.3132	min	-0.3132	spearman	0.6011997	0.0161997	0.002	1.00523e+05	bidled	Falsmetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	Cbar	rrf	robustness	0.3202	min	-0.3202	spearman	0.532644	0.0163644	0.002	2.00799e+05	bidled	Falsmetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	Cbar	rrf	robustness	0.3324	min	-0.3324	spearman	0.4715614	0.0175614	0.002	2.02254e+05	bidled	Falsmetric	Upperproximation	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	Cbar	rrf	robustness	0.3132	min	-0.3132	spearman	0.5115824	0.0505824	0.002	2.2084e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	Cbar	rrf	robustness	0.3066	min	-0.3066	spearman	0.5109208	0.0509208	0.002	2.2177e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	Cbar	rrf	robustness	0.2962	min	-0.2962	spearman	0.5174640	0.0571640	0.002	2.2576e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	Cbar	rrf	robustness	0.2768	min	-0.2768	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	Cbar	rrf	robustness	0.2968	min	-0.2968	spearman	0.5118654	0.0518654	0.002	2.5082e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	Cbar	rrf	robustness	0.2944	min	-0.2944	spearman	0.5118147	0.0518147	0.002	2.0165e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	Cbar	schulze	robustness	0.3204	min	-0.3204	spearman	0.5302090	0.0502090	0.002	1.0990e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	Cbar	schulze	robustness	0.29	min	-0.29	spearman	0.661697	0.061697	0.002	1.0523e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	Cbar	schulze	robustness	0.3004	min	-0.3004	spearman	0.532644	0.053644	0.002	2.0799e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	Cbar	schulze	robustness	0.3336	min	-0.3336	spearman	0.4715644	0.0475644	0.002	2.2254e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	Cbar	schulze	robustness	0.3034	min	-0.3034	spearman	0.5115824	0.0505824	0.002	2.2084e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	Cbar	schulze	robustness	0.2934	min	-0.2934	spearman	0.5109208	0.0509208	0.002	2.2177e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	Cbar	schulze	robustness	0.2872	min	-0.2872	spearman	0.5174640	0.0571640	0.002	2.2576e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	Cbar	schulze	robustness	0.2818	min	-0.2818	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	Cbar	schulze	robustness	0.2776	min	-0.2776	spearman	0.5118654	0.0518654	0.002	2.5082e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	Cbar	schulze	robustness	0.288	min	-0.288	spearman	0.5118147	0.0518147	0.002	2.0165e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	Cbar	simpleavg	robustness	0.3152	min	-0.3152	spearman	0.5302090	0.0502090	0.002	1.0990e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	Cbar	simpleavg	robustness	0.3048	min	-0.3048	spearman	0.661697	0.061697	0.002	1.0523e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	Cbar	simpleavg	robustness	0.3282	min	-0.3282	spearman	0.532644	0.053644	0.002	2.0799e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	Cbar	simpleavg	robustness	0.3426	min	-0.3426	spearman	0.4715644	0.0475644	0.002	2.2254e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	Cbar	simpleavg	robustness	0.3366	min	-0.3366	spearman	0.5115824	0.0505824	0.002	2.2084e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	Cbar	simpleavg	robustness	0.3314	min	-0.3314	spearman	0.5109208	0.0509208	0.002	2.2177e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	Cbar	simpleavg	robustness	0.3256	min	-0.3256	spearman	0.5174640	0.0571640	0.002	2.2576e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	Cbar	simpleavg	robustness	0.3202	min	-0.3202	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	Cbar	simpleavg	robustness	0.32	min	-0.32	spearman	0.5118654	0.0518654	0.002	2.5082e+05	bidled	Falsmetric	Upperproximati	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	Cbar	simpleavg	robustness	0.3208	min	-0.3208	spearman	0.5118147	0.0148147	0.002	2.01654e+05	bidled	Symmetric	Upperproximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	F	borda	robustness	0.168	min	-0.168	spearman	0.530209	0.0160299	0.002	1.00900e+05	bidled	Falsmetric	Upperproximation	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	F	borda	robustness	0.1696	min	-0.1696	spearman	0.601697	0.0161997	0.002	1.00523e+05	bidled	Falsmetric	Upperproximation	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	F	borda	robustness	0.1716	min	-0.1716	spearman	0.532641	0.0163641	0.002	2.00790e+05	bidled	Falsmetric	Upperproximation	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	F	borda	robustness	0.1676	min	-0.1676	spearman	0.4715614	0.0175614	0.002	2.02254e+05	bidled	Falsmetric	Upperproximation	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	F	borda	robustness	0.1772	min	-0.1772	spearman	0.5015893	0.0105821	0.002	2.02084e+05	bidled	Falsmetric	Upperproximation	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	F	borda	robustness	0.178	min	-0.178	spearman	0.560208	0.0160208	0.002	2.02177e+05	bidled	Falsmetric	Upperproximation	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	F	borda	robustness	0.1742	min	-0.1742	spearman	0.574619	0.0171619	0.002	2.02579e+05	bidled	Falsmetric	Upperproximation	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	F	borda	robustness	0.1716	min	-0.1716	spearman	0.6112495	0.0162495	0.002	2.01940e+05	bidled	Falsmetric	Upperproximation	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	F	borda	robustness	0.1686	min	-0.1686	spearman	0.5118147	0.0148147	0.002	2.05082e+05	bidled	Falsmetric	Upperproximation	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	F	borda	robustness	0.1692	min	-0.1692	spearman	0.5118147	0.0148147	0.002	2.01654e+05	bidled	Symmetric	Upperproximation	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	F	kemeny	robustness	0.168	min	-0.168	spearman	0.530209	0.0160299	0.002	1.00900e+05	bidled	Falsmetric	Upperproximation	40
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	F	kemeny	robustness	0.175	min	-0.175	spearman	0.601697	0.0161997	0.002	1.00523e+05	bidled	Falsmetric	Upperproximation	40
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	F	kemeny	robustness	0.1706	min	-0.1706	spearman	0.532641	0.0163641	0.002	2.00790e+05	bidled	Falsmetric	Upperproximation	40
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	F	kemeny	robustness	0.1704	min	-0.1704	spearman	0.4715614	0.0175614	0.002	2.02254e+05	bidled	Falsmetric	Upperproximation	40
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	F	kemeny	robustness	0.1634	min	-0.1634	spearman	0.5015893	0.0105821	0.002	2.02084e+05	bidled	Falsmetric	Upperproximation	40
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	F	kemeny	robustness	0.173	min	-0.173	spearman	0.560208	0.0160208	0.002	2.02177e+05	bidled	Falsmetric	Upperproximation	40
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	F	kemeny	robustness	0.168	min	-0.168	spearman	0.574619	0.0171619	0.002	2.02579e+05	bidled	Falsmetric	Upperproximation	40
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	F	kemeny	robustness	0.1688	min	-0.1688	spearman	0.6112495	0.0162495	0.002	2.01940e+05	bidled	Falsmetric	Upperproximation	40
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	F	kemeny	robustness	0.1632	min	-0.1632	spearman	0.5118147	0.0148147	0.002	2.05082e+05	bidled	Falsmetric	Upperproximation	40
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	F	kemeny	robustness	0.1668	min	-0.1668	spearman	0.5118147	0.0148147	0.002	2.01654e+05	bidled	Symmetric	Upperproximation	40
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	F	rrf	robustness	0.1644	min	-0.1644	spearman	0.530209	0.0160299	0.002	1.00900e+05	bidled	Falsmetric	Upperproximation	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	F	rrf	robustness	0.1688	min	-0.1688	spearman	0.601697	0.0161997	0.002	1.00523e+05	bidled	Falsmetric	Upperproximation	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	F	rrf	robustness	0.1756	min	-0.1756	spearman	0.532641	0.0163641	0.002	2.00790e+05	bidled	Falsmetric	Upperproximation	2
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	F	rrf	robustness	0.1646	min	-0.1646	spearman	0.4715614	0.0175614	0.002	2.02254e+05	bidled	Falsmetric	Upperproximation	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	F	rrf	robustness	0.1714	min	-0.1714	spearman	0.5115824	0.0505824	0.002	2.2084e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	F	rrf	robustness	0.1696	min	-0.1696	spearman	0.5109208	0.0509208	0.002	2.2177e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	F	rrf	robustness	0.1694	min	-0.1694	spearman	0.5174649	0.0571649	0.002	2.2576e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	F	rrf	robustness	0.1702	min	-0.1702	spearman	0.6112495	0.0412495	0.002	2.1949e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	F	rrf	robustness	0.1664	min	-0.1664	spearman	0.5118654	0.0518654	0.002	2.5082e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	F	rrf	robustness	0.1648	min	-0.1648	spearman	0.5118147	0.0518147	0.002	2.0165e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	F	schulze	robustness	0.168	min	-0.168	spearman	0.5302090	0.0502090	0.002	1.0990e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	F	schulze	robustness	0.1794	min	-0.1794	spearman	0.661697	0.061697	0.002	1.0523e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	F	schulze	robustness	0.176	min	-0.176	spearman	0.532644	0.053644	0.002	2.0799e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	F	schulze	robustness	0.1686	min	-0.1686	spearman	0.4715644	0.0475644	0.002	2.2254e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	F	schulze	robustness	0.1668	min	-0.1668	spearman	0.5115824	0.0505824	0.002	2.2084e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	F	schulze	robustness	0.167	min	-0.167	spearman	0.5109208	0.0509208	0.002	2.2177e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	F	schulze	robustness	0.1658	min	-0.1658	spearman	0.5174649	0.0571649	0.002	2.2576e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	F	schulze	robustness	0.167	min	-0.167	spearman	0.6112495	0.0412495	0.002	2.1949e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	F	schulze	robustness	0.1604	min	-0.1604	spearman	0.5118654	0.0518654	0.002	2.5082e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	F	schulze	robustness	0.1662	min	-0.1662	spearman	0.5118147	0.0518147	0.002	2.0165e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	F	simpleavg	robustness	0.1628	min	-0.1628	spearman	0.5302090	0.0502090	0.002	1.0990e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	F	simpleavg	robustness	0.1726	min	-0.1726	spearman	0.661697	0.061697	0.002	1.0523e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	F	simpleavg	robustness	0.1532	min	-0.1532	spearman	0.532644	0.053644	0.002	2.0799e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	F	simpleavg	robustness	0.156	min	-0.156	spearman	0.4715644	0.0475644	0.002	2.2254e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	F	simpleavg	robustness	0.1558	min	-0.1558	spearman	0.5115824	0.0505824	0.002	2.2084e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	F	simpleavg	robustness	0.156	min	-0.156	spearman	0.5109208	0.0509208	0.002	2.2177e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	F	simpleavg	robustness	0.1574	min	-0.1574	spearman	0.5174649	0.0571649	0.002	2.2576e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	F	simpleavg	robustness	0.1514	min	-0.1514	spearman	0.6112495	0.0412495	0.002	2.1949e+05	biddd	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	F	simpleavg	robustness	0.1536	min	-0.1536	spearman	0.5118654	0.0518654	0.002	2.5082e+05	biddd	Falsmetric	Upperproximatio	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	F	simpleavg	robustness	0.1564	min	-0.1564	spearman	0.5118147	0.0148147	0.002	2.01654e+05	bidled	Symmetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	Fbar	borda	robustness	0.1014	min	-0.1014	spearman	0.530209	0.0160299	0.002	1.00990e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	Fbar	borda	robustness	0.0916	min	-0.0916	spearman	0.601697	0.0161997	0.002	1.0523e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	Fbar	borda	robustness	0.1134	min	-0.1134	spearman	0.532641	0.0163641	0.002	2.0799e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	Fbar	borda	robustness	0.13	min	-0.13	spearman	0.475614	0.0175614	0.002	2.2254e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	Fbar	borda	robustness	0.1166	min	-0.1166	spearman	0.505893	0.0158219	0.002	2.2084e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	Fbar	borda	robustness	0.1042	min	-0.1042	spearman	0.569208	0.0169208	0.002	2.2177e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	Fbar	borda	robustness	0.1018	min	-0.1018	spearman	0.574619	0.0171619	0.002	2.2579e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	Fbar	borda	robustness	0.0828	min	-0.0828	spearman	0.612495	0.012495	0.002	2.1949e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	Fbar	borda	robustness	0.097	min	-0.097	spearman	0.508654	0.0148654	0.002	2.5082e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	Fbar	borda	robustness	0.0996	min	-0.0996	spearman	0.5118147	0.0148147	0.002	2.01654e+05	bidled	Symmetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	Fbar	kemeny	robustness	0.1014	min	-0.1014	spearman	0.530209	0.0160299	0.002	1.00990e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	Fbar	kemeny	robustness	0.0548	min	-0.0548	spearman	0.601697	0.0161997	0.002	1.0523e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	Fbar	kemeny	robustness	0.086	min	-0.086	spearman	0.532641	0.0163641	0.002	2.0799e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	Fbar	kemeny	robustness	0.096	min	-0.096	spearman	0.475614	0.0175614	0.002	2.2254e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	Fbar	kemeny	robustness	0.0776	min	-0.0776	spearman	0.505893	0.0158219	0.002	2.2084e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	Fbar	kemeny	robustness	0.0702	min	-0.0702	spearman	0.569208	0.0169208	0.002	2.2177e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	Fbar	kemeny	robustness	0.0758	min	-0.0758	spearman	0.574619	0.0171619	0.002	2.2579e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	Fbar	kemeny	robustness	0.0522	min	-0.0522	spearman	0.612495	0.012495	0.002	2.1949e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	Fbar	kemeny	robustness	0.0712	min	-0.0712	spearman	0.508654	0.0148654	0.002	2.5082e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	Fbar	kemeny	robustness	0.0684	min	-0.0684	spearman	0.5118147	0.0148147	0.002	2.01654e+05	bidled	Symmetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	Fbar	rrf	robustness	0.1048	min	-0.1048	spearman	0.530209	0.0160299	0.002	1.00990e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	Fbar	rrf	robustness	0.0862	min	-0.0862	spearman	0.601697	0.0161997	0.002	1.0523e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	Fbar	rrf	robustness	0.0984	min	-0.0984	spearman	0.532641	0.0163641	0.002	2.0799e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	Fbar	rrf	robustness	0.1144	min	-0.1144	spearman	0.475614	0.0175614	0.002	2.2254e+05	bidled	Falsimetric	Upperproximation	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	Fbar	rrf	robustness	0.0966	min	-0.0966	spearman	0.5115824	0.0505821	0.002	2.2082e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	Fbar	rrf	robustness	0.086	min	-0.086	spearman	0.5109208	0.0502208	0.002	2.2177e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	Fbar	rrf	robustness	0.081	min	-0.081	spearman	0.514649	0.0516161	0.002	2.2576e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	Fbar	rrf	robustness	0.07	min	-0.07	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	Fbar	rrf	robustness	0.0842	min	-0.0842	spearman	0.5118654	0.0518654	0.002	2.5082e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	Fbar	rrf	robustness	0.0776	min	-0.0776	spearman	0.5118147	0.0518147	0.002	2.2165e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	Fbar	schulze	robustness	0.1014	min	-0.1014	spearman	0.530209	0.0502290	0.002	1.0990e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	Fbar	schulze	robustness	0.068	min	-0.068	spearman	0.611697	0.0611997	0.002	1.0523e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	Fbar	schulze	robustness	0.0818	min	-0.0818	spearman	0.532644	0.0536440	0.002	2.0799e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	Fbar	schulze	robustness	0.1176	min	-0.1176	spearman	0.4715614	0.0475614	0.002	2.2254e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	Fbar	schulze	robustness	0.0868	min	-0.0868	spearman	0.5115824	0.0505821	0.002	2.2082e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	Fbar	schulze	robustness	0.0778	min	-0.0778	spearman	0.5109208	0.0502208	0.002	2.2177e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	Fbar	schulze	robustness	0.0768	min	-0.0768	spearman	0.514649	0.0516161	0.002	2.2576e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	Fbar	schulze	robustness	0.0652	min	-0.0652	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	Fbar	schulze	robustness	0.0704	min	-0.0704	spearman	0.5118654	0.0518654	0.002	2.5082e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	Fbar	schulze	robustness	0.0762	min	-0.0762	spearman	0.5118147	0.0518147	0.002	2.2165e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	gaussian-0.15	Fbar	simpleavg	robustness	0.1008	min	-0.1008	spearman	0.530209	0.0502290	0.002	1.0990e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	gaussian-0.15	Fbar	simpleavg	robustness	0.088	min	-0.088	spearman	0.611697	0.0611997	0.002	1.0523e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	gaussian-0.15	Fbar	simpleavg	robustness	0.1178	min	-0.1178	spearman	0.532644	0.0536440	0.002	2.0799e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	gaussian-0.15	Fbar	simpleavg	robustness	0.1262	min	-0.1262	spearman	0.4715614	0.0475614	0.002	2.2254e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	gaussian-0.15	Fbar	simpleavg	robustness	0.1238	min	-0.1238	spearman	0.5115824	0.0505821	0.002	2.2082e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	gaussian-0.15	Fbar	simpleavg	robustness	0.1152	min	-0.1152	spearman	0.5109208	0.0502208	0.002	2.2177e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	gaussian-0.15	Fbar	simpleavg	robustness	0.1124	min	-0.1124	spearman	0.514649	0.0516161	0.002	2.2576e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	gaussian-0.15	Fbar	simpleavg	robustness	0.1096	min	-0.1096	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	gaussian-0.15	Fbar	simpleavg	robustness	0.1128	min	-0.1128	spearman	0.5118654	0.0518654	0.002	2.5082e+05	bidled	Falsmetric	Upperproximatio	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	gaussian-0.15	Fbar	simpleavg	robustness	0.1118	min	-0.1118	spearman	0.5118147	0.0548147	0.002	2.0165e+05	bidled	Symmetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	C	borda	robustness	0.306	min	-0.306	spearman	0.530209	0.0560299	0.002	1.0090e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	C	borda	robustness	0.3084	min	-0.3084	spearman	0.661697	0.0619970	0.002	1.0523e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	C	borda	robustness	0.317	min	-0.317	spearman	0.532641	0.0563641	0.002	2.0790e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	C	borda	robustness	0.3128	min	-0.3128	spearman	0.475614	0.0475614	0.002	2.3254e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	C	borda	robustness	0.3188	min	-0.3188	spearman	0.505821	0.0505821	0.002	2.2084e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	C	borda	robustness	0.3256	min	-0.3256	spearman	0.569208	0.0569208	0.002	2.2177e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	C	borda	robustness	0.3172	min	-0.3172	spearman	0.574619	0.0574619	0.002	2.2579e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	C	borda	robustness	0.3246	min	-0.3246	spearman	0.612495	0.0612495	0.002	2.1940e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	C	borda	robustness	0.3168	min	-0.3168	spearman	0.548054	0.0548054	0.002	2.5082e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	C	borda	robustness	0.3208	min	-0.3208	spearman	0.5118147	0.0548147	0.002	2.0165e+05	bidled	Symmetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	C	kemeny	robustness	0.306	min	-0.306	spearman	0.530209	0.0560299	0.002	1.0090e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	C	kemeny	robustness	0.3164	min	-0.3164	spearman	0.661697	0.0619970	0.002	1.0523e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	C	kemeny	robustness	0.3108	min	-0.3108	spearman	0.532641	0.0563641	0.002	2.0790e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	C	kemeny	robustness	0.3156	min	-0.3156	spearman	0.475614	0.0475614	0.002	2.3254e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	C	kemeny	robustness	0.3072	min	-0.3072	spearman	0.505821	0.0505821	0.002	2.2084e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	C	kemeny	robustness	0.3166	min	-0.3166	spearman	0.569208	0.0569208	0.002	2.2177e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	C	kemeny	robustness	0.3216	min	-0.3216	spearman	0.574619	0.0574619	0.002	2.2579e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	C	kemeny	robustness	0.3186	min	-0.3186	spearman	0.612495	0.0612495	0.002	2.1940e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	C	kemeny	robustness	0.315	min	-0.315	spearman	0.548054	0.0548054	0.002	2.5082e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	C	kemeny	robustness	0.317	min	-0.317	spearman	0.5118147	0.0548147	0.002	2.0165e+05	bidled	Symmetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	C	rrf	robustness	0.3058	min	-0.3058	spearman	0.530209	0.0560299	0.002	1.0090e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	C	rrf	robustness	0.3102	min	-0.3102	spearman	0.661697	0.0619970	0.002	1.0523e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	C	rrf	robustness	0.3196	min	-0.3196	spearman	0.532641	0.0563641	0.002	2.0790e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	C	rrf	robustness	0.3154	min	-0.3154	spearman	0.475614	0.0475614	0.002	2.3254e+05	bidled	Falsimetric	Approximation	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	C	rrf	robustness	0.321	min	-0.321	spearman	0.5115824	0.0505821	0.002	2.2084e+05	bidled	FishMetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	C	rrf	robustness	0.3138	min	-0.3138	spearman	0.5109208	0.050208	0.002	2.2177e+05	bidled	FishMetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	C	rrf	robustness	0.3126	min	-0.3126	spearman	0.5174649	0.0571649	0.002	2.2576e+05	bidled	FishMetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	C	rrf	robustness	0.3142	min	-0.3142	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	FishMetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	C	rrf	robustness	0.3128	min	-0.3128	spearman	0.5118654	0.0518654	0.002	2.5082e+05	bidled	FishMetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	C	rrf	robustness	0.3134	min	-0.3134	spearman	0.5118147	0.0518147	0.002	2.0165e+05	bidled	FishMetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	C	schulze	robustness	0.306	min	-0.306	spearman	0.5302090	0.0502090	0.002	1.0990e+05	bidled	FishMetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	C	schulze	robustness	0.3164	min	-0.3164	spearman	0.6116997	0.0611997	0.002	1.0523e+05	bidled	FishMetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	C	schulze	robustness	0.3178	min	-0.3178	spearman	0.5322644	0.0532644	0.002	2.0799e+05	bidled	FishMetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	C	schulze	robustness	0.321	min	-0.321	spearman	0.4715614	0.0475614	0.002	2.2254e+05	bidled	FishMetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	C	schulze	robustness	0.3148	min	-0.3148	spearman	0.5115824	0.0505821	0.002	2.2084e+05	bidled	FishMetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	C	schulze	robustness	0.3126	min	-0.3126	spearman	0.5109208	0.050208	0.002	2.2177e+05	bidled	FishMetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	C	schulze	robustness	0.3162	min	-0.3162	spearman	0.5174649	0.0571649	0.002	2.2576e+05	bidled	FishMetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	C	schulze	robustness	0.3202	min	-0.3202	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	FishMetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	C	schulze	robustness	0.3156	min	-0.3156	spearman	0.5118654	0.0518654	0.002	2.5082e+05	bidled	FishMetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	C	schulze	robustness	0.3124	min	-0.3124	spearman	0.5118147	0.0518147	0.002	2.0165e+05	bidled	FishMetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	C	simpleavg	robustness	0.2974	min	-0.2974	spearman	0.5302090	0.0502090	0.002	1.0990e+05	bidled	FishMetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	C	simpleavg	robustness	0.3082	min	-0.3082	spearman	0.6116997	0.0611997	0.002	1.0523e+05	bidled	FishMetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	C	simpleavg	robustness	0.3086	min	-0.3086	spearman	0.5322644	0.0532644	0.002	2.0799e+05	bidled	FishMetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	C	simpleavg	robustness	0.3086	min	-0.3086	spearman	0.4715614	0.0475614	0.002	2.2254e+05	bidled	FishMetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	C	simpleavg	robustness	0.3138	min	-0.3138	spearman	0.5115824	0.0505821	0.002	2.2084e+05	bidled	FishMetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	C	simpleavg	robustness	0.3156	min	-0.3156	spearman	0.5109208	0.050208	0.002	2.2177e+05	bidled	FishMetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	C	simpleavg	robustness	0.3218	min	-0.3218	spearman	0.5174649	0.0571649	0.002	2.2576e+05	bidled	FishMetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	C	simpleavg	robustness	0.314	min	-0.314	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	FishMetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	C	simpleavg	robustness	0.3182	min	-0.3182	spearman	0.5118654	0.0518654	0.002	2.5082e+05	bidled	FishMetric	Approximation	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	C	simpleavg	robustness	0.3152	min	-0.3152	spearman	0.5118147	0.048147	0.002	2.01654e+05	bidled	Symmetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	Cbar	borda	robustness	0.2824	min	-0.2824	spearman	0.5302090	0.0560290	0.002	1.00990e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	Cbar	borda	robustness	0.2728	min	-0.2728	spearman	0.6616997	0.0619970	0.002	1.05230e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	Cbar	borda	robustness	0.2998	min	-0.2998	spearman	0.532644	0.0636440	0.002	2.07990e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	Cbar	borda	robustness	0.3188	min	-0.3188	spearman	0.475644	0.0556440	0.002	2.22540e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	Cbar	borda	robustness	0.3068	min	-0.3068	spearman	0.5058210	0.0582100	0.002	2.20840e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	Cbar	borda	robustness	0.2912	min	-0.2912	spearman	0.569208	0.0692080	0.002	2.21770e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	Cbar	borda	robustness	0.2854	min	-0.2854	spearman	0.574649	0.0574649	0.002	2.25790e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	Cbar	borda	robustness	0.2636	min	-0.2636	spearman	0.612495	0.0624950	0.002	2.19490e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	Cbar	borda	robustness	0.2778	min	-0.2778	spearman	0.548654	0.0486540	0.002	2.50820e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	Cbar	borda	robustness	0.2822	min	-0.2822	spearman	0.5118147	0.0481470	0.002	2.01654e+05	bidled	Symmetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	Cbar	kemeny	robustness	0.2824	min	-0.2824	spearman	0.5302090	0.0560290	0.002	1.00990e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	Cbar	kemeny	robustness	0.2588	min	-0.2588	spearman	0.6616997	0.0619970	0.002	1.05230e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	Cbar	kemeny	robustness	0.2756	min	-0.2756	spearman	0.532644	0.0636440	0.002	2.07990e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	Cbar	kemeny	robustness	0.2774	min	-0.2774	spearman	0.475644	0.0556440	0.002	2.22540e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	Cbar	kemeny	robustness	0.266	min	-0.266	spearman	0.5058210	0.0582100	0.002	2.20840e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	Cbar	kemeny	robustness	0.2542	min	-0.2542	spearman	0.569208	0.0692080	0.002	2.21770e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	Cbar	kemeny	robustness	0.2624	min	-0.2624	spearman	0.574649	0.0574649	0.002	2.25790e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	Cbar	kemeny	robustness	0.2452	min	-0.2452	spearman	0.612495	0.0624950	0.002	2.19490e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	Cbar	kemeny	robustness	0.253	min	-0.253	spearman	0.548654	0.0486540	0.002	2.50820e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	Cbar	kemeny	robustness	0.2522	min	-0.2522	spearman	0.5118147	0.0481470	0.002	2.01654e+05	bidled	Symmetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	Cbar	rrf	robustness	0.2888	min	-0.2888	spearman	0.5302090	0.0560290	0.002	1.00990e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	Cbar	rrf	robustness	0.2766	min	-0.2766	spearman	0.6616997	0.0619970	0.002	1.05230e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	Cbar	rrf	robustness	0.284	min	-0.284	spearman	0.532644	0.0636440	0.002	2.07990e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	Cbar	rrf	robustness	0.3072	min	-0.3072	spearman	0.475644	0.0556440	0.002	2.22540e+05	bidled	Falsimetric	Approximation	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	Cbar	rrf	robustness	0.2804	min	-0.2804	spearman	0.5115824	0.0505824	0.002	2.2082e+05	bidled	Fishmetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	Cbar	rrf	robustness	0.276	min	-0.276	spearman	0.5103208	0.0503208	0.002	2.2177e+05	bidled	Fishmetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	Cbar	rrf	robustness	0.2682	min	-0.2682	spearman	0.5174649	0.0571649	0.002	2.2576e+05	bidled	Fishmetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	Cbar	rrf	robustness	0.2524	min	-0.2524	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Fishmetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	Cbar	rrf	robustness	0.2634	min	-0.2634	spearman	0.5118654	0.0518654	0.002	2.5082e+05	bidled	Fishmetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	Cbar	rrf	robustness	0.2654	min	-0.2654	spearman	0.5118147	0.0518147	0.002	2.0165e+05	bidled	Fishmetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	Cbar	schulze	robustness	0.2824	min	-0.2824	spearman	0.530309	0.050309	0.002	1.0990e+05	bidled	Fishmetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	Cbar	schulze	robustness	0.2646	min	-0.2646	spearman	0.661697	0.061697	0.002	1.0523e+05	bidled	Fishmetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	Cbar	schulze	robustness	0.2672	min	-0.2672	spearman	0.532364	0.053364	0.002	2.0799e+05	bidled	Fishmetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	Cbar	schulze	robustness	0.3072	min	-0.3072	spearman	0.471564	0.057564	0.002	2.2254e+05	bidled	Fishmetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	Cbar	schulze	robustness	0.2786	min	-0.2786	spearman	0.5115824	0.0505824	0.002	2.2082e+05	bidled	Fishmetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	Cbar	schulze	robustness	0.2766	min	-0.2766	spearman	0.5103208	0.0503208	0.002	2.2177e+05	bidled	Fishmetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	Cbar	schulze	robustness	0.2604	min	-0.2604	spearman	0.5174649	0.0571649	0.002	2.2576e+05	bidled	Fishmetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	Cbar	schulze	robustness	0.2536	min	-0.2536	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Fishmetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	Cbar	schulze	robustness	0.2512	min	-0.2512	spearman	0.5118654	0.0518654	0.002	2.5082e+05	bidled	Fishmetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	Cbar	schulze	robustness	0.2696	min	-0.2696	spearman	0.5118147	0.0518147	0.002	2.0165e+05	bidled	Fishmetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	Cbar	simpleavg	robustness	0.2864	min	-0.2864	spearman	0.530309	0.050309	0.002	1.0990e+05	bidled	Fishmetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	Cbar	simpleavg	robustness	0.2764	min	-0.2764	spearman	0.661697	0.061697	0.002	1.0523e+05	bidled	Fishmetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	Cbar	simpleavg	robustness	0.3098	min	-0.3098	spearman	0.532364	0.053364	0.002	2.0799e+05	bidled	Fishmetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	Cbar	simpleavg	robustness	0.3174	min	-0.3174	spearman	0.471564	0.057564	0.002	2.2254e+05	bidled	Fishmetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	Cbar	simpleavg	robustness	0.3106	min	-0.3106	spearman	0.5115824	0.0505824	0.002	2.2082e+05	bidled	Fishmetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	Cbar	simpleavg	robustness	0.3076	min	-0.3076	spearman	0.5103208	0.0503208	0.002	2.2177e+05	bidled	Fishmetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	Cbar	simpleavg	robustness	0.2986	min	-0.2986	spearman	0.5174649	0.0571649	0.002	2.2576e+05	bidled	Fishmetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	Cbar	simpleavg	robustness	0.2934	min	-0.2934	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Fishmetric	Approximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	Cbar	simpleavg	robustness	0.2958	min	-0.2958	spearman	0.5118654	0.0518654	0.002	2.5082e+05	bidled	Fishmetric	Approximation	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	Cbar	simpleavg	robustness	0.2946	min	-0.2946	spearman	0.5118147	0.0548147	0.002	2.01654e+05	bidled	Symmetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	F	borda	robustness	0.1608	min	-0.1608	spearman	0.5302090	0.0560290	0.002	1.00990e+05	bidled	Falsimetric	Approximation	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	F	borda	robustness	0.1616	min	-0.1616	spearman	0.6611997	0.0611997	0.002	1.05230e+05	bidled	Falsimetric	Approximation	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	F	borda	robustness	0.1612	min	-0.1612	spearman	0.532644	0.0563644	0.002	2.07990e+05	bidled	Falsimetric	Approximation	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	F	borda	robustness	0.1502	min	-0.1502	spearman	0.475644	0.055644	0.002	2.22540e+05	bidled	Falsimetric	Approximation	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	F	borda	robustness	0.1598	min	-0.1598	spearman	0.5058210	0.0558210	0.002	2.20840e+05	bidled	Falsimetric	Approximation	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	F	borda	robustness	0.1656	min	-0.1656	spearman	0.569208	0.0569208	0.002	2.21770e+05	bidled	Falsimetric	Approximation	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	F	borda	robustness	0.1664	min	-0.1664	spearman	0.574649	0.0574649	0.002	2.25790e+05	bidled	Falsimetric	Approximation	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	F	borda	robustness	0.1662	min	-0.1662	spearman	0.612495	0.0612495	0.002	2.19490e+05	bidled	Falsimetric	Approximation	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	F	borda	robustness	0.1576	min	-0.1576	spearman	0.548654	0.0548654	0.002	2.50820e+05	bidled	Falsimetric	Approximation	5
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	F	borda	robustness	0.1624	min	-0.1624	spearman	0.5118147	0.0548147	0.002	2.01654e+05	bidled	Symmetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	F	kemeny	robustness	0.1608	min	-0.1608	spearman	0.5302090	0.0560290	0.002	1.00990e+05	bidled	Falsimetric	Approximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	F	kemeny	robustness	0.1672	min	-0.1672	spearman	0.6611997	0.0611997	0.002	1.05230e+05	bidled	Falsimetric	Approximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	F	kemeny	robustness	0.1612	min	-0.1612	spearman	0.532644	0.0563644	0.002	2.07990e+05	bidled	Falsimetric	Approximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	F	kemeny	robustness	0.1628	min	-0.1628	spearman	0.475644	0.055644	0.002	2.22540e+05	bidled	Falsimetric	Approximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	F	kemeny	robustness	0.1542	min	-0.1542	spearman	0.5058210	0.0558210	0.002	2.20840e+05	bidled	Falsimetric	Approximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	F	kemeny	robustness	0.1604	min	-0.1604	spearman	0.569208	0.0569208	0.002	2.21770e+05	bidled	Falsimetric	Approximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	F	kemeny	robustness	0.1656	min	-0.1656	spearman	0.574649	0.0574649	0.002	2.25790e+05	bidled	Falsimetric	Approximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	F	kemeny	robustness	0.1652	min	-0.1652	spearman	0.612495	0.0612495	0.002	2.19490e+05	bidled	Falsimetric	Approximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	F	kemeny	robustness	0.1568	min	-0.1568	spearman	0.548654	0.0548654	0.002	2.50820e+05	bidled	Falsimetric	Approximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	F	kemeny	robustness	0.1614	min	-0.1614	spearman	0.5118147	0.0548147	0.002	2.01654e+05	bidled	Symmetric	Approximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	F	rrf	robustness	0.1606	min	-0.1606	spearman	0.5302090	0.0560290	0.002	1.00990e+05	bidled	Falsimetric	Approximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	F	rrf	robustness	0.1658	min	-0.1658	spearman	0.6611997	0.0611997	0.002	1.05230e+05	bidled	Falsimetric	Approximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	F	rrf	robustness	0.165	min	-0.165	spearman	0.532644	0.0563644	0.002	2.07990e+05	bidled	Falsimetric	Approximation	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	F	rrf	robustness	0.1572	min	-0.1572	spearman	0.475644	0.055644	0.002	2.22540e+05	bidled	Falsimetric	Approximation	6

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	F	rrf	robustness	0.1618	min	-0.1618	spearman	0.5115824	0.0505821	0.002	2.2084e+05	bidled	Fyalsmetric	Empproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	F	rrf	robustness	0.1568	min	-0.1568	spearman	0.5103208	0.0502208	0.002	2.2177e+05	bidled	Fyalsmetric	Empproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	F	rrf	robustness	0.1624	min	-0.1624	spearman	0.5174649	0.0571649	0.002	2.2576e+05	bidled	Fyalsmetric	Empproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	F	rrf	robustness	0.1598	min	-0.1598	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Fyalsmetric	Empproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	F	rrf	robustness	0.1564	min	-0.1564	spearman	0.5118654	0.0518654	0.002	2.5082e+05	bidled	Fyalsmetric	Empproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	F	rrf	robustness	0.1624	min	-0.1624	spearman	0.5118147	0.0518147	0.002	2.2165e+05	bidled	Fyalsmetric	Empproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	F	schulze	robustness	0.1608	min	-0.1608	spearman	0.5303090	0.0503290	0.002	1.0990e+05	bidled	Fyalsmetric	Empproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	F	schulze	robustness	0.1698	min	-0.1698	spearman	0.6611997	0.0611997	0.002	1.0523e+05	bidled	Fyalsmetric	Empproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	F	schulze	robustness	0.1694	min	-0.1694	spearman	0.5323644	0.0533644	0.002	2.0799e+05	bidled	Fyalsmetric	Empproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	F	schulze	robustness	0.1578	min	-0.1578	spearman	0.4715644	0.0475644	0.002	2.2254e+05	bidled	Fyalsmetric	Empproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	F	schulze	robustness	0.1546	min	-0.1546	spearman	0.5115824	0.0505821	0.002	2.2084e+05	bidled	Fyalsmetric	Empproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	F	schulze	robustness	0.1638	min	-0.1638	spearman	0.5103208	0.0502208	0.002	2.2177e+05	bidled	Fyalsmetric	Empproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	F	schulze	robustness	0.1618	min	-0.1618	spearman	0.5174649	0.0571649	0.002	2.2576e+05	bidled	Fyalsmetric	Empproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	F	schulze	robustness	0.1616	min	-0.1616	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Fyalsmetric	Empproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	F	schulze	robustness	0.1564	min	-0.1564	spearman	0.5118654	0.0518654	0.002	2.5082e+05	bidled	Fyalsmetric	Empproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	F	schulze	robustness	0.1592	min	-0.1592	spearman	0.5118147	0.0518147	0.002	2.2165e+05	bidled	Fyalsmetric	Empproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	F	simpleavg	robustness	0.1508	min	-0.1508	spearman	0.5303090	0.0503290	0.002	1.0990e+05	bidled	Fyalsmetric	Empproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	F	simpleavg	robustness	0.1618	min	-0.1618	spearman	0.6611997	0.0611997	0.002	1.0523e+05	bidled	Fyalsmetric	Empproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	F	simpleavg	robustness	0.1386	min	-0.1386	spearman	0.5323644	0.0533644	0.002	2.0799e+05	bidled	Fyalsmetric	Empproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	F	simpleavg	robustness	0.1294	min	-0.1294	spearman	0.4715644	0.0475644	0.002	2.2254e+05	bidled	Fyalsmetric	Empproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	F	simpleavg	robustness	0.1328	min	-0.1328	spearman	0.5115824	0.0505821	0.002	2.2084e+05	bidled	Fyalsmetric	Empproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	F	simpleavg	robustness	0.1382	min	-0.1382	spearman	0.5103208	0.0502208	0.002	2.2177e+05	bidled	Fyalsmetric	Empproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	F	simpleavg	robustness	0.1426	min	-0.1426	spearman	0.5174649	0.0571649	0.002	2.2576e+05	bidled	Fyalsmetric	Empproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	F	simpleavg	robustness	0.1372	min	-0.1372	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Fyalsmetric	Empproximatio	6
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	F	simpleavg	robustness	0.1396	min	-0.1396	spearman	0.5118654	0.0518654	0.002	2.5082e+05	bidled	Fyalsmetric	Empproximatio	6

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	F	simpleavg	robustness	0.1376	min	-0.1376	spearman	0.5118147	0.0548147	0.002	2.01654e+05	bidled	Symmetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	Fbar	borda	robustness	0.0614	min	-0.0614	spearman	0.5302090	0.0560290	0.002	1.00990e+05	bidled	Falsimetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	Fbar	borda	robustness	0.047	min	-0.047	spearman	0.6611997	0.0619970	0.002	1.05230e+05	bidled	Falsimetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	Fbar	borda	robustness	0.0928	min	-0.0928	spearman	0.532644	0.0563644	0.002	2.07990e+05	bidled	Falsimetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	Fbar	borda	robustness	0.1106	min	-0.1106	spearman	0.475644	0.055644	0.002	2.22540e+05	bidled	Falsimetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	Fbar	borda	robustness	0.0932	min	-0.0932	spearman	0.5058210	0.0558210	0.002	2.20840e+05	bidled	Falsimetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	Fbar	borda	robustness	0.0788	min	-0.0788	spearman	0.569208	0.0569208	0.002	2.21770e+05	bidled	Falsimetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	Fbar	borda	robustness	0.0818	min	-0.0818	spearman	0.574649	0.0574649	0.002	2.25790e+05	bidled	Falsimetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	Fbar	borda	robustness	0.0624	min	-0.0624	spearman	0.612495	0.0624950	0.002	2.19490e+05	bidled	Falsimetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	Fbar	borda	robustness	0.0704	min	-0.0704	spearman	0.548654	0.0548654	0.002	2.50820e+05	bidled	Falsimetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	Fbar	borda	robustness	0.0788	min	-0.0788	spearman	0.5118147	0.0548147	0.002	2.01654e+05	bidled	Symmetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	Fbar	kemeny	robustness	0.0614	min	-0.0614	spearman	0.5302090	0.0560290	0.002	1.00990e+05	bidled	Falsimetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	Fbar	kemeny	robustness	0.0356	min	-0.0356	spearman	0.6611997	0.0619970	0.002	1.05230e+05	bidled	Falsimetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	Fbar	kemeny	robustness	0.0606	min	-0.0606	spearman	0.532644	0.0563644	0.002	2.07990e+05	bidled	Falsimetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	Fbar	kemeny	robustness	0.0684	min	-0.0684	spearman	0.475644	0.055644	0.002	2.22540e+05	bidled	Falsimetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	Fbar	kemeny	robustness	0.0548	min	-0.0548	spearman	0.5058210	0.0558210	0.002	2.20840e+05	bidled	Falsimetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	Fbar	kemeny	robustness	0.047	min	-0.047	spearman	0.569208	0.0569208	0.002	2.21770e+05	bidled	Falsimetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	Fbar	kemeny	robustness	0.053	min	-0.053	spearman	0.574649	0.0574649	0.002	2.25790e+05	bidled	Falsimetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	Fbar	kemeny	robustness	0.0396	min	-0.0396	spearman	0.612495	0.0624950	0.002	2.19490e+05	bidled	Falsimetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	Fbar	kemeny	robustness	0.047	min	-0.047	spearman	0.548654	0.0548654	0.002	2.50820e+05	bidled	Falsimetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	Fbar	kemeny	robustness	0.045	min	-0.045	spearman	0.5118147	0.0548147	0.002	2.01654e+05	bidled	Symmetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	Fbar	rrf	robustness	0.0702	min	-0.0702	spearman	0.5302090	0.0560290	0.002	1.00990e+05	bidled	Falsimetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	Fbar	rrf	robustness	0.0532	min	-0.0532	spearman	0.6611997	0.0619970	0.002	1.05230e+05	bidled	Falsimetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	Fbar	rrf	robustness	0.072	min	-0.072	spearman	0.532644	0.0563644	0.002	2.07990e+05	bidled	Falsimetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	Fbar	rrf	robustness	0.0966	min	-0.0966	spearman	0.475644	0.055644	0.002	2.22540e+05	bidled	Falsimetric	Approximation	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	Fbar	rrf	robustness	0.0732	min	-0.0732	spearman	0.5115824	0.0505821	0.002	2.2082e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	Fbar	rrf	robustness	0.0686	min	-0.0686	spearman	0.5115824	0.0505821	0.002	2.21177e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	Fbar	rrf	robustness	0.0622	min	-0.0622	spearman	0.5115824	0.0505821	0.002	2.2576e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	Fbar	rrf	robustness	0.052	min	-0.052	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	Fbar	rrf	robustness	0.06	min	-0.06	spearman	0.5115824	0.0505821	0.002	2.5082e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	Fbar	rrf	robustness	0.066	min	-0.066	spearman	0.5115824	0.0505821	0.002	2.01165e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	Fbar	schulze	robustness	0.0614	min	-0.0614	spearman	0.5115824	0.0505821	0.002	1.0090e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	Fbar	schulze	robustness	0.0382	min	-0.0382	spearman	0.6112495	0.0412495	0.002	1.0523e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	Fbar	schulze	robustness	0.0512	min	-0.0512	spearman	0.5115824	0.0505821	0.002	2.0790e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	Fbar	schulze	robustness	0.0996	min	-0.0996	spearman	0.4115824	0.0115821	0.002	2.2254e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	Fbar	schulze	robustness	0.0676	min	-0.0676	spearman	0.5115824	0.0505821	0.002	2.2082e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	Fbar	schulze	robustness	0.0708	min	-0.0708	spearman	0.5115824	0.0505821	0.002	2.21177e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	Fbar	schulze	robustness	0.0566	min	-0.0566	spearman	0.5115824	0.0505821	0.002	2.2576e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	Fbar	schulze	robustness	0.0458	min	-0.0458	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	Fbar	schulze	robustness	0.0486	min	-0.0486	spearman	0.5115824	0.0505821	0.002	2.5082e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	Fbar	schulze	robustness	0.0656	min	-0.0656	spearman	0.5115824	0.0505821	0.002	2.01165e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	salt-pepper-0.05	Fbar	simpleavg	robustness	0.0646	min	-0.0646	spearman	0.5115824	0.0505821	0.002	1.0090e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	salt-pepper-0.05	Fbar	simpleavg	robustness	0.0568	min	-0.0568	spearman	0.6112495	0.0412495	0.002	1.0523e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	salt-pepper-0.05	Fbar	simpleavg	robustness	0.1034	min	-0.1034	spearman	0.5115824	0.0505821	0.002	2.0790e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	salt-pepper-0.05	Fbar	simpleavg	robustness	0.107	min	-0.107	spearman	0.4115824	0.0115821	0.002	2.2254e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	salt-pepper-0.05	Fbar	simpleavg	robustness	0.105	min	-0.105	spearman	0.5115824	0.0505821	0.002	2.2082e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	salt-pepper-0.05	Fbar	simpleavg	robustness	0.1	min	-0.1	spearman	0.5115824	0.0505821	0.002	2.21177e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	salt-pepper-0.05	Fbar	simpleavg	robustness	0.0946	min	-0.0946	spearman	0.5115824	0.0505821	0.002	2.2576e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	salt-pepper-0.05	Fbar	simpleavg	robustness	0.0888	min	-0.0888	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	salt-pepper-0.05	Fbar	simpleavg	robustness	0.0938	min	-0.0938	spearman	0.5115824	0.0505821	0.002	2.5082e+05	bidled	Falsmetric	Upperproximatio	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	salt-pepper-0.05	Fbar	simpleavg	robustness	0.0916	min	-0.0916	spearman	0.5118147	0.0548147	0.002	2.01654e+05	bidled	Symmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	C	borda	robustness	0.1106	min	-0.1106	spearman	0.5302090	0.0560290	0.002	1.00900e+05	bidled	Fyalsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	C	borda	robustness	0.113	min	-0.113	spearman	0.6616997	0.0619970	0.002	1.05230e+05	bidled	Fyalsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	C	borda	robustness	0.1176	min	-0.1176	spearman	0.5326641	0.0563641	0.002	2.07900e+05	bidled	Fyalsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	C	borda	robustness	0.1138	min	-0.1138	spearman	0.4756614	0.0556614	0.002	2.02640e+05	bidled	Fyalsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	C	borda	robustness	0.1164	min	-0.1164	spearman	0.5058210	0.0558210	0.002	2.00840e+05	bidled	Fyalsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	C	borda	robustness	0.126	min	-0.126	spearman	0.569208	0.060208	0.002	2.01770e+05	bidled	Fyalsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	C	borda	robustness	0.126	min	-0.126	spearman	0.5746619	0.0574661	0.002	2.02570e+05	bidled	Fyalsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	C	borda	robustness	0.1238	min	-0.1238	spearman	0.6112495	0.0612495	0.002	2.01940e+05	bidled	Fyalsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	C	borda	robustness	0.1204	min	-0.1204	spearman	0.5302090	0.0560290	0.002	2.05082e+05	bidled	Fyalsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	C	borda	robustness	0.1142	min	-0.1142	spearman	0.5118147	0.0548147	0.002	2.01654e+05	bidled	Symmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	C	kemeny	robustness	0.1106	min	-0.1106	spearman	0.5302090	0.0560290	0.002	1.00900e+05	bidled	Fyalsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	C	kemeny	robustness	0.1116	min	-0.1116	spearman	0.6616997	0.0619970	0.002	1.05230e+05	bidled	Fyalsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	C	kemeny	robustness	0.1136	min	-0.1136	spearman	0.5326641	0.0563641	0.002	2.07900e+05	bidled	Fyalsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	C	kemeny	robustness	0.1202	min	-0.1202	spearman	0.4756614	0.0556614	0.002	2.02640e+05	bidled	Fyalsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	C	kemeny	robustness	0.1134	min	-0.1134	spearman	0.5058210	0.0558210	0.002	2.00840e+05	bidled	Fyalsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	C	kemeny	robustness	0.121	min	-0.121	spearman	0.569208	0.060208	0.002	2.01770e+05	bidled	Fyalsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	C	kemeny	robustness	0.1234	min	-0.1234	spearman	0.5746619	0.0574661	0.002	2.02570e+05	bidled	Fyalsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	C	kemeny	robustness	0.1138	min	-0.1138	spearman	0.6112495	0.0612495	0.002	2.01940e+05	bidled	Fyalsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	C	kemeny	robustness	0.1154	min	-0.1154	spearman	0.5302090	0.0560290	0.002	2.05082e+05	bidled	Fyalsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	C	kemeny	robustness	0.1136	min	-0.1136	spearman	0.5118147	0.0548147	0.002	2.01654e+05	bidled	Symmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	C	rrf	robustness	0.107	min	-0.107	spearman	0.5302090	0.0560290	0.002	1.00900e+05	bidled	Fyalsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	C	rrf	robustness	0.1108	min	-0.1108	spearman	0.6616997	0.0619970	0.002	1.05230e+05	bidled	Fyalsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	C	rrf	robustness	0.1194	min	-0.1194	spearman	0.5326641	0.0563641	0.002	2.07900e+05	bidled	Fyalsmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	C	rrf	robustness	0.1146	min	-0.1146	spearman	0.4756614	0.0556614	0.002	2.02640e+05	bidled	Fyalsmetric	Upperproximatio	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	C	rrf	robustness	0.1196	min	-0.1196	spearman	0.5115824	0.0505821	0.002	2.2084e+05	bidled	Fishmetric	Upperproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	C	rrf	robustness	0.1262	min	-0.1262	spearman	0.5109208	0.050208	0.002	2.2177e+05	bidled	Fishmetric	Upperproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	C	rrf	robustness	0.1218	min	-0.1218	spearman	0.5174649	0.0571649	0.002	2.2576e+05	bidled	Fishmetric	Upperproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	C	rrf	robustness	0.1198	min	-0.1198	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Fishmetric	Upperproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	C	rrf	robustness	0.1218	min	-0.1218	spearman	0.5115824	0.0505821	0.002	2.2084e+05	bidled	Fishmetric	Upperproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	C	rrf	robustness	0.1126	min	-0.1126	spearman	0.5118147	0.0418147	0.002	2.2165e+05	bidled	Fishmetric	Upperproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	C	schulze	robustness	0.1106	min	-0.1106	spearman	0.5130299	0.050299	0.002	1.0990e+05	bidled	Fishmetric	Upperproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	C	schulze	robustness	0.1134	min	-0.1134	spearman	0.611697	0.041997	0.002	1.0523e+05	bidled	Fishmetric	Upperproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	C	schulze	robustness	0.1156	min	-0.1156	spearman	0.5122644	0.0503644	0.002	2.0799e+05	bidled	Fishmetric	Upperproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	C	schulze	robustness	0.115	min	-0.115	spearman	0.4715644	0.0475644	0.002	2.2254e+05	bidled	Fishmetric	Upperproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	C	schulze	robustness	0.1206	min	-0.1206	spearman	0.5115824	0.0505821	0.002	2.2084e+05	bidled	Fishmetric	Upperproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	C	schulze	robustness	0.115	min	-0.115	spearman	0.5109208	0.050208	0.002	2.2177e+05	bidled	Fishmetric	Upperproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	C	schulze	robustness	0.1204	min	-0.1204	spearman	0.5174649	0.0571649	0.002	2.2576e+05	bidled	Fishmetric	Upperproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	C	schulze	robustness	0.1196	min	-0.1196	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Fishmetric	Upperproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	C	schulze	robustness	0.1148	min	-0.1148	spearman	0.5115824	0.0505821	0.002	2.2084e+05	bidled	Fishmetric	Upperproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	C	schulze	robustness	0.112	min	-0.112	spearman	0.5118147	0.0418147	0.002	2.2165e+05	bidled	Fishmetric	Upperproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	C	simpleavg	robustness	0.1022	min	-0.1022	spearman	0.5130299	0.050299	0.002	1.0990e+05	bidled	Fishmetric	Upperproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	C	simpleavg	robustness	0.1116	min	-0.1116	spearman	0.611697	0.041997	0.002	1.0523e+05	bidled	Fishmetric	Upperproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	C	simpleavg	robustness	0.121	min	-0.121	spearman	0.5122644	0.0503644	0.002	2.0799e+05	bidled	Fishmetric	Upperproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	C	simpleavg	robustness	0.1188	min	-0.1188	spearman	0.4715644	0.0475644	0.002	2.2254e+05	bidled	Fishmetric	Upperproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	C	simpleavg	robustness	0.12	min	-0.12	spearman	0.5115824	0.0505821	0.002	2.2084e+05	bidled	Fishmetric	Upperproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	C	simpleavg	robustness	0.1168	min	-0.1168	spearman	0.5109208	0.050208	0.002	2.2177e+05	bidled	Fishmetric	Upperproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	C	simpleavg	robustness	0.124	min	-0.124	spearman	0.5174649	0.0571649	0.002	2.2576e+05	bidled	Fishmetric	Upperproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	C	simpleavg	robustness	0.1174	min	-0.1174	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Fishmetric	Upperproximatic	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	C	simpleavg	robustness	0.1198	min	-0.1198	spearman	0.5115824	0.0505821	0.002	2.2084e+05	bidled	Fishmetric	Upperproximatic	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	C	simpleavg	robustness	0.1192	min	-0.1192	spearman	0.5118147	0.0148147	0.002	2.01654e+05	biddd	Symmetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	Cbar	borda	robustness	0.0906	min	-0.0906	spearman	0.5302090	0.0160290	0.002	1.00990e+05	biddd	Falsimetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	Cbar	borda	robustness	0.0986	min	-0.0986	spearman	0.6016997	0.0161997	0.002	1.00523e+05	biddd	Falsimetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	Cbar	borda	robustness	0.1024	min	-0.1024	spearman	0.5326644	0.0163644	0.002	2.00799e+05	biddd	Falsimetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	Cbar	borda	robustness	0.1142	min	-0.1142	spearman	0.4715614	0.0175614	0.002	2.02254e+05	biddd	Falsimetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	Cbar	borda	robustness	0.107	min	-0.107	spearman	0.5015821	0.0158210	0.002	2.02084e+05	biddd	Falsimetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	Cbar	borda	robustness	0.1042	min	-0.1042	spearman	0.560208	0.0160208	0.002	2.02177e+05	biddd	Falsimetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	Cbar	borda	robustness	0.098	min	-0.098	spearman	0.574619	0.0171619	0.002	2.02579e+05	biddd	Falsimetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	Cbar	borda	robustness	0.0898	min	-0.0898	spearman	0.6112495	0.0162495	0.002	2.01949e+05	biddd	Falsimetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	Cbar	borda	robustness	0.101	min	-0.101	spearman	0.5118147	0.0148147	0.002	2.05082e+05	biddd	Falsimetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	Cbar	borda	robustness	0.103	min	-0.103	spearman	0.5118147	0.0148147	0.002	2.01654e+05	biddd	Symmetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	Cbar	kemeny	robustness	0.0906	min	-0.0906	spearman	0.5302090	0.0160290	0.002	1.00990e+05	biddd	Falsimetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	Cbar	kemeny	robustness	0.0892	min	-0.0892	spearman	0.6016997	0.0161997	0.002	1.00523e+05	biddd	Falsimetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	Cbar	kemeny	robustness	0.1016	min	-0.1016	spearman	0.5326644	0.0163644	0.002	2.00799e+05	biddd	Falsimetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	Cbar	kemeny	robustness	0.1034	min	-0.1034	spearman	0.4715614	0.0175614	0.002	2.02254e+05	biddd	Falsimetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	Cbar	kemeny	robustness	0.0882	min	-0.0882	spearman	0.5015821	0.0158210	0.002	2.02084e+05	biddd	Falsimetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	Cbar	kemeny	robustness	0.0924	min	-0.0924	spearman	0.560208	0.0160208	0.002	2.02177e+05	biddd	Falsimetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	Cbar	kemeny	robustness	0.0986	min	-0.0986	spearman	0.574619	0.0171619	0.002	2.02579e+05	biddd	Falsimetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	Cbar	kemeny	robustness	0.0916	min	-0.0916	spearman	0.6112495	0.0162495	0.002	2.01949e+05	biddd	Falsimetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	Cbar	kemeny	robustness	0.0904	min	-0.0904	spearman	0.5118147	0.0148147	0.002	2.05082e+05	biddd	Falsimetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	Cbar	kemeny	robustness	0.0994	min	-0.0994	spearman	0.5118147	0.0148147	0.002	2.01654e+05	biddd	Symmetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	Cbar	rrf	robustness	0.1034	min	-0.1034	spearman	0.5302090	0.0160290	0.002	1.00990e+05	biddd	Falsimetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	Cbar	rrf	robustness	0.0962	min	-0.0962	spearman	0.6016997	0.0161997	0.002	1.00523e+05	biddd	Falsimetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	Cbar	rrf	robustness	0.102	min	-0.102	spearman	0.5326644	0.0163644	0.002	2.00799e+05	biddd	Falsimetric	Upperapproximation	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	Cbar	rrf	robustness	0.108	min	-0.108	spearman	0.4715614	0.0175614	0.002	2.02254e+05	biddd	Falsimetric	Upperapproximation	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	Cbar	rrf	robustness	0.0954	min	-0.0954	spearman	0.5115824	0.0505821	0.002	2.2084e+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	Cbar	rrf	robustness	0.1004	min	-0.1004	spearman	0.5103208	0.0502208	0.002	2.2177e+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	Cbar	rrf	robustness	0.0882	min	-0.0882	spearman	0.514649	0.051649	0.002	2.2576e+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	Cbar	rrf	robustness	0.0882	min	-0.0882	spearman	0.612495	0.042495	0.002	2.1949e+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	Cbar	rrf	robustness	0.0966	min	-0.0966	spearman	0.5118654	0.048654	0.002	2.5082e+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	Cbar	rrf	robustness	0.0958	min	-0.0958	spearman	0.5118147	0.048147	0.002	2.0165e+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	Cbar	schulze	robustness	0.0906	min	-0.0906	spearman	0.530399	0.050299	0.002	1.0990e+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	Cbar	schulze	robustness	0.0924	min	-0.0924	spearman	0.611697	0.061997	0.002	1.0523e+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	Cbar	schulze	robustness	0.0916	min	-0.0916	spearman	0.532644	0.053644	0.002	2.0799e+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	Cbar	schulze	robustness	0.111	min	-0.111	spearman	0.4715644	0.055644	0.002	2.2254e+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	Cbar	schulze	robustness	0.0974	min	-0.0974	spearman	0.5115824	0.0505821	0.002	2.2084e+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	Cbar	schulze	robustness	0.0946	min	-0.0946	spearman	0.5103208	0.0502208	0.002	2.2177e+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	Cbar	schulze	robustness	0.0988	min	-0.0988	spearman	0.514649	0.051649	0.002	2.2576e+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	Cbar	schulze	robustness	0.1016	min	-0.1016	spearman	0.612495	0.042495	0.002	2.1949e+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	Cbar	schulze	robustness	0.0968	min	-0.0968	spearman	0.5118654	0.048654	0.002	2.5082e+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	Cbar	schulze	robustness	0.0958	min	-0.0958	spearman	0.5118147	0.048147	0.002	2.0165e+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	Cbar	simpleavg	robustness	0.1012	min	-0.1012	spearman	0.530399	0.050299	0.002	1.0990e+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	Cbar	simpleavg	robustness	0.0928	min	-0.0928	spearman	0.611697	0.061997	0.002	1.0523e+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	Cbar	simpleavg	robustness	0.1234	min	-0.1234	spearman	0.532644	0.053644	0.002	2.0799e+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	Cbar	simpleavg	robustness	0.13	min	-0.13	spearman	0.4715644	0.055644	0.002	2.2254e+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	Cbar	simpleavg	robustness	0.1278	min	-0.1278	spearman	0.5115824	0.0505821	0.002	2.2084e+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	Cbar	simpleavg	robustness	0.1252	min	-0.1252	spearman	0.5103208	0.0502208	0.002	2.2177e+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	Cbar	simpleavg	robustness	0.1228	min	-0.1228	spearman	0.514649	0.051649	0.002	2.2576e+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	Cbar	simpleavg	robustness	0.1178	min	-0.1178	spearman	0.612495	0.042495	0.002	2.1949e+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	Cbar	simpleavg	robustness	0.1182	min	-0.1182	spearman	0.5118654	0.048654	0.002	2.5082e+05	bidled	Falsmetric	Upperproximatio	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	Cbar	simpleavg	robustness	0.1196	min	-0.1196	spearman	0.5118147	0.0148147	0.002	2.01654e+05	bidled	Symmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	F	borda	robustness	0.0816	min	-0.0816	spearman	0.5302090	0.0160290	0.002	1.00900e+05	bidled	Falsimetric	Upperproximatio	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	F	borda	robustness	0.084	min	-0.084	spearman	0.6016997	0.0161997	0.002	1.05230e+05	bidled	Falsimetric	Upperproximatio	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	F	borda	robustness	0.0798	min	-0.0798	spearman	0.5326641	0.0163641	0.002	2.07990e+05	bidled	Falsimetric	Upperproximatio	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	F	borda	robustness	0.0764	min	-0.0764	spearman	0.4756041	0.0175641	0.002	2.22540e+05	bidled	Falsimetric	Upperproximatio	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	F	borda	robustness	0.0764	min	-0.0764	spearman	0.5058210	0.0158210	0.002	2.20840e+05	bidled	Falsimetric	Upperproximatio	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	F	borda	robustness	0.084	min	-0.084	spearman	0.560208	0.0160208	0.002	2.21770e+05	bidled	Falsimetric	Upperproximatio	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	F	borda	robustness	0.0866	min	-0.0866	spearman	0.5746040	0.0174640	0.002	2.25790e+05	bidled	Falsimetric	Upperproximatio	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	F	borda	robustness	0.077	min	-0.077	spearman	0.612495	0.0162495	0.002	2.19490e+05	bidled	Falsimetric	Upperproximatio	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	F	borda	robustness	0.0756	min	-0.0756	spearman	0.5080654	0.01480654	0.002	2.50820e+05	bidled	Falsimetric	Upperproximatio	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	F	borda	robustness	0.0748	min	-0.0748	spearman	0.5118147	0.0148147	0.002	2.01654e+05	bidled	Symmetric	Upperproximatio	1
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	F	kemeny	robustness	0.0816	min	-0.0816	spearman	0.5302090	0.0160290	0.002	1.00900e+05	bidled	Falsimetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	F	kemeny	robustness	0.0812	min	-0.0812	spearman	0.6016997	0.0161997	0.002	1.05230e+05	bidled	Falsimetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	F	kemeny	robustness	0.0806	min	-0.0806	spearman	0.5326641	0.0163641	0.002	2.07990e+05	bidled	Falsimetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	F	kemeny	robustness	0.0846	min	-0.0846	spearman	0.4756041	0.0175641	0.002	2.22540e+05	bidled	Falsimetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	F	kemeny	robustness	0.081	min	-0.081	spearman	0.5058210	0.0158210	0.002	2.20840e+05	bidled	Falsimetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	F	kemeny	robustness	0.0798	min	-0.0798	spearman	0.560208	0.0160208	0.002	2.21770e+05	bidled	Falsimetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	F	kemeny	robustness	0.0816	min	-0.0816	spearman	0.5746040	0.0174640	0.002	2.25790e+05	bidled	Falsimetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	F	kemeny	robustness	0.0756	min	-0.0756	spearman	0.612495	0.0162495	0.002	2.19490e+05	bidled	Falsimetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	F	kemeny	robustness	0.0726	min	-0.0726	spearman	0.5080654	0.01480654	0.002	2.50820e+05	bidled	Falsimetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	F	kemeny	robustness	0.0748	min	-0.0748	spearman	0.5118147	0.0148147	0.002	2.01654e+05	bidled	Symmetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	F	rrf	robustness	0.0782	min	-0.0782	spearman	0.5302090	0.0160290	0.002	1.00900e+05	bidled	Falsimetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	F	rrf	robustness	0.0804	min	-0.0804	spearman	0.6016997	0.0161997	0.002	1.05230e+05	bidled	Falsimetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	F	rrf	robustness	0.0828	min	-0.0828	spearman	0.5326641	0.0163641	0.002	2.07990e+05	bidled	Falsimetric	Upperproximatio	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	F	rrf	robustness	0.0822	min	-0.0822	spearman	0.4756041	0.0175641	0.002	2.22540e+05	bidled	Falsimetric	Upperproximatio	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	F	rrf	robustness	0.0796	min	-0.0796	spearman	0.5115824	0.0505821	0.002	2.2084e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	F	rrf	robustness	0.0858	min	-0.0858	spearman	0.5103208	0.050208	0.002	2.2177e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	F	rrf	robustness	0.083	min	-0.083	spearman	0.514649	0.051649	0.002	2.2576e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	F	rrf	robustness	0.074	min	-0.074	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	F	rrf	robustness	0.0752	min	-0.0752	spearman	0.5118654	0.0518654	0.002	2.5082e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	F	rrf	robustness	0.0742	min	-0.0742	spearman	0.5118147	0.0518147	0.002	2.0165e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	F	schulze	robustness	0.0816	min	-0.0816	spearman	0.5103209	0.050209	0.002	1.0990e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	F	schulze	robustness	0.0878	min	-0.0878	spearman	0.6611997	0.0611997	0.002	1.0523e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	F	schulze	robustness	0.0876	min	-0.0876	spearman	0.5122644	0.05183644	0.002	2.0799e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	F	schulze	robustness	0.0788	min	-0.0788	spearman	0.4715644	0.0475644	0.002	2.2254e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	F	schulze	robustness	0.081	min	-0.081	spearman	0.5115824	0.0505821	0.002	2.2084e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	F	schulze	robustness	0.0796	min	-0.0796	spearman	0.5103208	0.050208	0.002	2.2177e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	F	schulze	robustness	0.0808	min	-0.0808	spearman	0.514649	0.051649	0.002	2.2576e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	F	schulze	robustness	0.0772	min	-0.0772	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	F	schulze	robustness	0.0768	min	-0.0768	spearman	0.5118654	0.0518654	0.002	2.5082e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	F	schulze	robustness	0.077	min	-0.077	spearman	0.5118147	0.0518147	0.002	2.0165e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	F	simpleavg	robustness	0.0718	min	-0.0718	spearman	0.5103209	0.050209	0.002	1.0990e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	F	simpleavg	robustness	0.0768	min	-0.0768	spearman	0.6611997	0.0611997	0.002	1.0523e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	F	simpleavg	robustness	0.08	min	-0.08	spearman	0.5122644	0.05183644	0.002	2.0799e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	F	simpleavg	robustness	0.0722	min	-0.0722	spearman	0.4715644	0.0475644	0.002	2.2254e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	F	simpleavg	robustness	0.0756	min	-0.0756	spearman	0.5115824	0.0505821	0.002	2.2084e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	F	simpleavg	robustness	0.0736	min	-0.0736	spearman	0.5103208	0.050208	0.002	2.2177e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	F	simpleavg	robustness	0.0774	min	-0.0774	spearman	0.514649	0.051649	0.002	2.2576e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	F	simpleavg	robustness	0.0718	min	-0.0718	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	F	simpleavg	robustness	0.0736	min	-0.0736	spearman	0.5118654	0.0518654	0.002	2.5082e+05	bidled	Falsmetric	Upperproximati	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	F	simpleavg	robustness	0.0734	min	-0.0734	spearman	0.5118147	0.0148147	0.002	2.01654e+05	biddd	Symmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	Fbar	borda	robustness	0.0278	min	-0.0278	spearman	0.5302090	0.0160290	0.002	1.00900e+05	biddd	Fyalsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	Fbar	borda	robustness	0.0274	min	-0.0274	spearman	0.6011997	0.0161997	0.002	1.00523e+05	biddd	Fyalsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	Fbar	borda	robustness	0.0402	min	-0.0402	spearman	0.5326641	0.0163641	0.002	2.00790e+05	biddd	Fyalsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	Fbar	borda	robustness	0.051	min	-0.051	spearman	0.4715614	0.0175614	0.002	2.02254e+05	biddd	Fyalsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	Fbar	borda	robustness	0.0426	min	-0.0426	spearman	0.5015821	0.015821	0.002	2.02084e+05	biddd	Fyalsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	Fbar	borda	robustness	0.0402	min	-0.0402	spearman	0.500208	0.0160208	0.002	2.02177e+05	biddd	Fyalsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	Fbar	borda	robustness	0.0396	min	-0.0396	spearman	0.574619	0.0171619	0.002	2.02579e+05	biddd	Fyalsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	Fbar	borda	robustness	0.028	min	-0.028	spearman	0.6112495	0.0142495	0.002	2.01940e+05	biddd	Fyalsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	Fbar	borda	robustness	0.0368	min	-0.0368	spearman	0.5088654	0.0148654	0.002	2.05082e+05	biddd	Fyalsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	Fbar	borda	robustness	0.0428	min	-0.0428	spearman	0.5118147	0.0148147	0.002	2.01654e+05	biddd	Symmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	Fbar	kemeny	robustness	0.0278	min	-0.0278	spearman	0.5302090	0.0160290	0.002	1.00900e+05	biddd	Fyalsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	Fbar	kemeny	robustness	0.0222	min	-0.0222	spearman	0.6011997	0.0161997	0.002	1.00523e+05	biddd	Fyalsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	Fbar	kemeny	robustness	0.0352	min	-0.0352	spearman	0.5326641	0.0163641	0.002	2.00790e+05	biddd	Fyalsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	Fbar	kemeny	robustness	0.0446	min	-0.0446	spearman	0.4715614	0.0175614	0.002	2.02254e+05	biddd	Fyalsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	Fbar	kemeny	robustness	0.0298	min	-0.0298	spearman	0.5015821	0.015821	0.002	2.02084e+05	biddd	Fyalsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	Fbar	kemeny	robustness	0.0288	min	-0.0288	spearman	0.500208	0.0160208	0.002	2.02177e+05	biddd	Fyalsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	Fbar	kemeny	robustness	0.0328	min	-0.0328	spearman	0.574619	0.0171619	0.002	2.02579e+05	biddd	Fyalsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	Fbar	kemeny	robustness	0.0288	min	-0.0288	spearman	0.6112495	0.0142495	0.002	2.01940e+05	biddd	Fyalsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	Fbar	kemeny	robustness	0.0294	min	-0.0294	spearman	0.5088654	0.0148654	0.002	2.05082e+05	biddd	Fyalsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	Fbar	kemeny	robustness	0.0362	min	-0.0362	spearman	0.5118147	0.0148147	0.002	2.01654e+05	biddd	Symmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	Fbar	rrf	robustness	0.0366	min	-0.0366	spearman	0.5302090	0.0160290	0.002	1.00900e+05	biddd	Fyalsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	Fbar	rrf	robustness	0.0276	min	-0.0276	spearman	0.6011997	0.0161997	0.002	1.00523e+05	biddd	Fyalsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	Fbar	rrf	robustness	0.0386	min	-0.0386	spearman	0.5326641	0.0163641	0.002	2.00790e+05	biddd	Fyalsmetric	Upperproximatio	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	Fbar	rrf	robustness	0.0468	min	-0.0468	spearman	0.4715614	0.0175614	0.002	2.02254e+05	biddd	Fyalsmetric	Upperproximatio	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	Fbar	rrf	robustness	0.039	min	-0.039	spearman	0.5115824	0.0505821	0.002	2.2084e+05	bidled	Falsmetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	Fbar	rrf	robustness	0.0366	min	-0.0366	spearman	0.5103208	0.0502208	0.002	2.2177e+05	bidled	Falsmetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	Fbar	rrf	robustness	0.0284	min	-0.0284	spearman	0.514649	0.051649	0.002	2.2576e+05	bidled	Falsmetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	Fbar	rrf	robustness	0.032	min	-0.032	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Falsmetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	Fbar	rrf	robustness	0.0354	min	-0.0354	spearman	0.5118654	0.048654	0.002	2.5082e+05	bidled	Falsmetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	Fbar	rrf	robustness	0.0342	min	-0.0342	spearman	0.5118147	0.048147	0.002	2.5165e+05	bidled	Falsmetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	Fbar	schulze	robustness	0.0278	min	-0.0278	spearman	0.530399	0.050299	0.002	1.0990e+05	bidled	Falsmetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	Fbar	schulze	robustness	0.0238	min	-0.0238	spearman	0.661697	0.061997	0.002	1.0523e+05	bidled	Falsmetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	Fbar	schulze	robustness	0.028	min	-0.028	spearman	0.532644	0.058644	0.002	2.0799e+05	bidled	Falsmetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	Fbar	schulze	robustness	0.049	min	-0.049	spearman	0.4715644	0.055644	0.002	2.3254e+05	bidled	Falsmetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	Fbar	schulze	robustness	0.039	min	-0.039	spearman	0.5115824	0.0505821	0.002	2.2084e+05	bidled	Falsmetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	Fbar	schulze	robustness	0.0368	min	-0.0368	spearman	0.5103208	0.0502208	0.002	2.2177e+05	bidled	Falsmetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	Fbar	schulze	robustness	0.0354	min	-0.0354	spearman	0.514649	0.051649	0.002	2.2576e+05	bidled	Falsmetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	Fbar	schulze	robustness	0.0356	min	-0.0356	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Falsmetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	Fbar	schulze	robustness	0.0386	min	-0.0386	spearman	0.5118654	0.048654	0.002	2.5082e+05	bidled	Falsmetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	speckle-0.15	Fbar	schulze	robustness	0.035	min	-0.035	spearman	0.5118147	0.048147	0.002	2.5165e+05	bidled	Falsmetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	2	speckle-0.15	Fbar	simpleavg	robustness	0.0368	min	-0.0368	spearman	0.530399	0.050299	0.002	1.0990e+05	bidled	Falsmetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	speckle-0.15	Fbar	simpleavg	robustness	0.0282	min	-0.0282	spearman	0.661697	0.061997	0.002	1.0523e+05	bidled	Falsmetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	speckle-0.15	Fbar	simpleavg	robustness	0.0688	min	-0.0688	spearman	0.532644	0.058644	0.002	2.0799e+05	bidled	Falsmetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	speckle-0.15	Fbar	simpleavg	robustness	0.0666	min	-0.0666	spearman	0.4715644	0.055644	0.002	2.3254e+05	bidled	Falsmetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	speckle-0.15	Fbar	simpleavg	robustness	0.066	min	-0.066	spearman	0.5115824	0.0505821	0.002	2.2084e+05	bidled	Falsmetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	speckle-0.15	Fbar	simpleavg	robustness	0.0588	min	-0.0588	spearman	0.5103208	0.0502208	0.002	2.2177e+05	bidled	Falsmetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	speckle-0.15	Fbar	simpleavg	robustness	0.0638	min	-0.0638	spearman	0.514649	0.051649	0.002	2.2576e+05	bidled	Falsmetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	speckle-0.15	Fbar	simpleavg	robustness	0.063	min	-0.063	spearman	0.6112495	0.0412495	0.002	2.1949e+05	bidled	Falsmetric	Approximation	3
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	speckle-0.15	Fbar	simpleavg	robustness	0.0646	min	-0.0646	spearman	0.5118654	0.048654	0.002	2.5082e+05	bidled	Falsmetric	Approximation	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman	11	speckle- 0.15	Fbar	simpleavg	robustness	0.0636	min	-0.0636	spearman	0.5118147	0.5118147	0.002	2.9165e+05	binned	Symmetric	Approximation	3

Table 265: ImageNet-ResNet-18 results.

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

cell	dataset	model	distance model	q	condition	metric	is optimal q	q11 reference	method prefix
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	spearman	11	speckle- 0.15	Fbar	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]

Table 266: ImageNet-ResNet-18 results.

cell	q	rule	predicted score	theta	mean distance	actual F	predicted q	NOISE q	actual regret	actual near optimal 95
ImageNet-ImageNet-resnet18	2	borda	0.171067	4.239551	5.7148	0.1818	4	5	0.002	True
ImageNet-ImageNet-resnet18	3	borda	0.171443	4.386417	5.364533	0.1762	4	5	0.002	False
ImageNet-ImageNet-resnet18	4	borda	0.176989	3.54931	7.57135	0.1856	4	5	0.002	True
ImageNet-ImageNet-resnet18	5	borda	0.172512	3.457704	7.84256	0.1876	4	5	0.002	True
ImageNet-ImageNet-resnet18	6	borda	0.170775	3.41039	7.984733	0.1782	4	5	0.002	False
ImageNet-ImageNet-resnet18	7	borda	0.169595	3.427477	7.933229	0.1698	4	5	0.002	False
ImageNet-ImageNet-resnet18	8	borda	0.164607	3.392996	8.03735	0.1634	4	5	0.002	False
ImageNet-ImageNet-resnet18	9	borda	0.157607	3.42122	7.952067	0.1618	4	5	0.002	False
ImageNet-ImageNet-resnet18	10	borda	0.160269	3.193735	8.65292	0.1616	4	5	0.002	False
ImageNet-ImageNet-resnet18	11	borda	0.160312	2.9804	9.335673	0.158	4	5	0.002	False
ImageNet-ImageNet-resnet18	2	kemeny	0.171067	4.239551	5.7148	0.1818	5	5	0	True
ImageNet-ImageNet-resnet18	3	kemeny	0.169673	5.013329	4.046133	0.17	5	5	0	False
ImageNet-ImageNet-resnet18	4	kemeny	0.170446	3.987173	6.3539	0.175	5	5	0	False
ImageNet-ImageNet-resnet18	5	kemeny	0.179783	3.694213	7.15368	0.1874	5	5	0	True
ImageNet-ImageNet-resnet18	6	kemeny	0.173703	3.657112	7.259267	0.1806	5	5	0	True
ImageNet-ImageNet-resnet18	7	kemeny	0.167547	3.749178	6.999	0.1716	5	5	0	False
ImageNet-ImageNet-resnet18	8	kemeny	0.162094	3.678705	7.1977	0.1642	5	5	0	False
ImageNet-ImageNet-resnet18	9	kemeny	0.151663	3.719726	7.081622	0.1574	5	5	0	False
ImageNet-ImageNet-resnet18	10	kemeny	0.151761	3.455865	7.84806	0.1586	5	5	0	False
ImageNet-ImageNet-resnet18	11	kemeny	0.153802	3.223616	8.559164	0.1556	5	5	0	False

Table 267: ImageNet–ResNet-18 results.

dataset	model	architecture	replit	method	sample count	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s
ImageNet	ImageNet- resnet18	cnn	test	best_individual	5000	0.1716	0.1752	0.292	0.2952	0.078	0.0108	0.2344	0.184	0.0442	0.0086	0.2042	0.1848	0.0238	0.0004	0.0644
ImageNet	ImageNet- resnet18	cnn	test	simpleavg	5000	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192
ImageNet	ImageNet- resnet18	cnn	test	borda	5000	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142
ImageNet	ImageNet- resnet18	cnn	test	kemeny	5000	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136
ImageNet	ImageNet- resnet18	cnn	test	rrf	5000	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126
ImageNet	ImageNet- resnet18	cnn	test	schulze	5000	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112

Table 268: ImageNet-ResNet-18 results.

dataset	model	architecture	split	method	R Cbar s	R F a	R Fbar a	R C a	R Cbar a	selected sources
ImageNet	ImageNet-resnet18	cnn	test	best_individual	0.047	0.036	0.0026	0.1048	0.002	3102f14a e28876c5 74f83678 7c1c0863 1f7d7356 54dddc7d 798c951c f86d73f3
ImageNet	ImageNet-resnet18	cnn	test	simpleavg	0.1196	0.0944	0.0338	0.1768	0.0754	
ImageNet	ImageNet-resnet18	cnn	test	borda	0.103	0.095	0.019	0.1882	0.0532	
ImageNet	ImageNet-resnet18	cnn	test	kemeny	0.0994	0.0904	0.015	0.179	0.0492	
ImageNet	ImageNet-resnet18	cnn	test	rrf	0.0958	0.0956	0.0246	0.1914	0.0608	
ImageNet	ImageNet-resnet18	cnn	test	schulze	0.0958	0.0926	0.017	0.1864	0.0506	

Table 269: ImageNet–ResNet-18 results.

dataset	model	architecture	replit	method	sample count	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s
ImageNet	ImageNet-resnet18	cnn	test	best_individual	5000	0.1716	0.1752	0.292	0.2952	0.078	0.0108	0.2344	0.184	0.0442	0.0086	0.2042	0.1848	0.0238	0.0004	0.0644
ImageNet	ImageNet-resnet18	cnn	test	simpleavg	5000	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192
ImageNet	ImageNet-resnet18	cnn	test	borda	5000	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142
ImageNet	ImageNet-resnet18	cnn	test	kemeny	5000	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136
ImageNet	ImageNet-resnet18	cnn	test	rrf	5000	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126
ImageNet	ImageNet-resnet18	cnn	test	schulze	5000	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112

Table 270: ImageNet–ResNet-18 results.

dataset	model	architecture	split	method	R Cbar s	R F a	R Fbar a	R C a	R Cbar a	selected sources
ImageNet	ImageNet-resnet18	cnn	test	best_individual	0.047	0.036	0.0026	0.1048	0.002	3102f14a e28876c5 74f83678 7c1c0863 1f7d7356 54dddc7d 798c951c f86d73f3
ImageNet	ImageNet-resnet18	cnn	test	simpleavg	0.1196	0.0944	0.0338	0.1768	0.0754	
ImageNet	ImageNet-resnet18	cnn	test	borda	0.103	0.095	0.019	0.1882	0.0532	
ImageNet	ImageNet-resnet18	cnn	test	kemeny	0.0994	0.0904	0.015	0.179	0.0492	
ImageNet	ImageNet-resnet18	cnn	test	rrf	0.0958	0.0956	0.0246	0.1914	0.0608	
ImageNet	ImageNet-resnet18	cnn	test	schulze	0.0958	0.0926	0.017	0.1864	0.0506	

Table 271: ImageNet-ResNet-18 results.

dataset	model	method	scope	group	comparison cells	wins	vs best better	vs best equal	vs best worse	vs simpleavg better	vs simpleavg equal	vs simpleavg worse
ImageNet	ImageNet- resnet18	best_indiv	dataset_model	dataset_model	20	19						
ImageNet	ImageNet- resnet18	simpleavg	dataset_model	dataset_model	20	1	1	0	19			
ImageNet	ImageNet- resnet18	borda	dataset_model	dataset_model	20	0	0	0	20	11	1	8
ImageNet	ImageNet- resnet18	kemeny	dataset_model	dataset_model	20	0	0	0	20	13	0	7
ImageNet	ImageNet- resnet18	rrf	dataset_model	dataset_model	20	0	0	0	20	13	0	7
ImageNet	ImageNet- resnet18	schulze	dataset_model	dataset_model	20	0	0	0	20	14	0	6
ImageNet	ImageNet- resnet18	best_indiv	dataset_model	dataset_model	4	3						
ImageNet	ImageNet- resnet18	simpleavg	dataset_model	dataset_model	4	1	1	0	3			
ImageNet	ImageNet- resnet18	borda	dataset_model	dataset_model	4	0	0	0	4	2	0	2
ImageNet	ImageNet- resnet18	kemeny	dataset_model	dataset_model	4	0	0	0	4	2	0	2
ImageNet	ImageNet- resnet18	rrf	dataset_model	dataset_model	4	0	0	0	4	2	0	2
ImageNet	ImageNet- resnet18	schulze	dataset_model	dataset_model	4	0	0	0	4	2	0	2
ImageNet	ImageNet- resnet18	best_indiv	dataset_model	dataset_model	16	16						
ImageNet	ImageNet- resnet18	simpleavg	dataset_model	dataset_model	16	0	0	0	16			
ImageNet	ImageNet- resnet18	borda	dataset_model	dataset_model	16	0	0	0	16	9	1	6
ImageNet	ImageNet- resnet18	kemeny	dataset_model	dataset_model	16	0	0	0	16	11	0	5
ImageNet	ImageNet- resnet18	rrf	dataset_model	dataset_model	16	0	0	0	16	11	0	5
ImageNet	ImageNet- resnet18	schulze	dataset_model	dataset_model	16	0	0	0	16	12	0	4
ImageNet	ImageNet- resnet18	best_indiv	dataset_model	dataset_model	4	4						
ImageNet	ImageNet- resnet18	simpleavg	dataset_model	dataset_model	4	0	0	0	4			
ImageNet	ImageNet- resnet18	borda	dataset_model	dataset_model	4	0	0	0	4	2	1	1
ImageNet	ImageNet- resnet18	kemeny	dataset_model	dataset_model	4	0	0	0	4	3	0	1
ImageNet	ImageNet- resnet18	rrf	dataset_model	dataset_model	4	0	0	0	4	3	0	1
ImageNet	ImageNet- resnet18	schulze	dataset_model	dataset_model	4	0	0	0	4	3	0	1
ImageNet	ImageNet- resnet18	best_indiv	dataset_model	dataset_model	4	4						
ImageNet	ImageNet- resnet18	simpleavg	dataset_model	dataset_model	4	0	0	0	4			
ImageNet	ImageNet- resnet18	borda	dataset_model	dataset_model	4	0	0	0	4	2	0	2
ImageNet	ImageNet- resnet18	kemeny	dataset_model	dataset_model	4	0	0	0	4	2	0	2
ImageNet	ImageNet- resnet18	rrf	dataset_model	dataset_model	4	0	0	0	4	3	0	1
ImageNet	ImageNet- resnet18	schulze	dataset_model	dataset_model	4	0	0	0	4	3	0	1
ImageNet	ImageNet- resnet18	best_indiv	dataset_model	dataset_model	4	4						
ImageNet	ImageNet- resnet18	simpleavg	dataset_model	dataset_model	4	0	0	0	4			
ImageNet	ImageNet- resnet18	borda	dataset_model	dataset_model	4	0	0	0	4	3	0	1
ImageNet	ImageNet- resnet18	kemeny	dataset_model	dataset_model	4	0	0	0	4	3	0	1
ImageNet	ImageNet- resnet18	rrf	dataset_model	dataset_model	4	0	0	0	4	3	0	1
ImageNet	ImageNet- resnet18	schulze	dataset_model	dataset_model	4	0	0	0	4	3	0	1

dataset	model	method	scope	group	comparison cells	vs wins	vs best better	vs best equal	vs best worse	vs simpleavg better	vs simpleavg equal	vs simpleavg worse
ImageNet	ImageNet- resnet18	best_indiv	dataset_m	adversarial	4	4						
ImageNet	ImageNet- resnet18	simpleavg	dataset_m	adversarial	4	0	0	0	4			
ImageNet	ImageNet- resnet18	borda	dataset_m	adversarial	4	0	0	0	4	2	0	2
ImageNet	ImageNet- resnet18	kemeny	dataset_m	adversarial	4	0	0	0	4	3	0	1
ImageNet	ImageNet- resnet18	rrf	dataset_m	adversarial	4	0	0	0	4	2	0	2
ImageNet	ImageNet- resnet18	schulze	dataset_m	adversarial	4	0	0	0	4	3	0	1
		best_indiv	overall	all	80	75						
		simpleavg	overall	all	80	2	2	1	77			
		borda	overall	all	80	1	3	0	77	44	1	35
		kemeny	overall	all	80	1	1	0	79	41	4	35
		rrf	overall	all	80	3	3	1	76	43	1	36
		schulze	overall	all	80	0	2	0	78	46	1	33
		best_indiv	quality	all	16	15						
		simpleavg	quality	all	16	1	1	0	15			
		borda	quality	all	16	0	0	0	16	5	0	11
		kemeny	quality	all	16	0	0	0	16	4	1	11
		rrf	quality	all	16	0	0	0	16	6	0	10
		schulze	quality	all	16	0	0	0	16	8	0	8
		best_indiv	robustness_all	64	60							
		simpleavg	robustness_all	64	1	1	1	62				
		borda	robustness_all	64	1	3	0	61	39	1	24	
		kemeny	robustness_all	64	1	1	0	63	37	3	24	
		rrf	robustness_all	64	3	3	1	60	37	1	26	
		schulze	robustness_all	64	0	2	0	62	38	1	25	
		best_indiv	gaussian	all	16	15						
		simpleavg	gaussian	all	16	0	0	1	15			
		borda	gaussian	all	16	0	1	0	15	11	1	4
		kemeny	gaussian	all	16	0	0	0	16	9	1	6
		rrf	gaussian	all	16	2	1	1	14	9	0	7
		schulze	gaussian	all	16	0	0	0	16	8	0	8
		best_indiv	salt_pepper	all	16	15						
		simpleavg	salt_pepper	all	16	0	0	0	16			
		borda	salt_pepper	all	16	0	1	0	15	7	0	9
		kemeny	salt_pepper	all	16	1	1	0	15	6	2	8
		rrf	salt_pepper	all	16	0	1	0	15	10	1	5
		schulze	salt_pepper	all	16	0	1	0	15	8	1	7
		best_indiv	speckle	all	16	14						
		simpleavg	speckle	all	16	1	1	0	15			
		borda	speckle	all	16	1	1	0	15	12	0	4
		kemeny	speckle	all	16	0	0	0	16	12	0	4
		rrf	speckle	all	16	1	1	0	15	10	0	6
		schulze	speckle	all	16	0	1	0	15	12	0	4
		best_indiv	adversarial	all	16	16						
		simpleavg	adversarial	all	16	0	0	0	16			
		borda	adversarial	all	16	0	0	0	16	9	0	7
		kemeny	adversarial	all	16	0	0	0	16	10	0	6
		rrf	adversarial	all	16	0	0	0	16	8	0	8
		schulze	adversarial	all	16	0	0	0	16	10	0	6

Table 272: ImageNet–ViT-B/16 results.

cell	dataset	model	method	setting	q	selection rule	methods	F	Fbar	C	Cbar	R F g	R C g	R F p	R C p	R F s	R C s	R F a	R C a	R Fbar g
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	best_individual	best_individual			57bb17968	0.0638	0.0990	0.1336	0.1426	0.0866	0.3222	0.0758	0.0832	0.002	0.0078	0.0224	0.0334	0.1072
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	simpleavg	naive	11			0.0642	0.1174	0.1032	0.1744	0.0774	0.1104	0.0672	0.096	0.024	0.0322	0.0632	0.0788	0.2488
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	simpleavg	NOISE	3	kemeny	["Gradient	0.0734	0.1017	0.1108	0.178	0.0828	0.108	0.0684	0.086	0.0306	0.0322	0.0752	0.0928	0.2322
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	borda	naive	11			0.0478	0.2256	0.0802	0.2866	0.0786	0.1126	0.0692	0.1014	0.0266	0.0368	0.0736	0.095	0.1832
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	borda	NOISE	3	kemeny	["Gradient	0.0506	0.1026	0.0956	0.178	0.0796	0.1028	0.0636	0.0904	0.0238	0.0236	0.1022	0.1214	0.2524
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	kemeny	naive	11			0.05	0.2684	0.0856	0.3318	0.0846	0.1174	0.0764	0.1036	0.0324	0.04	0.0714	0.0926	0.161
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	kemeny	NOISE	3	kemeny	["Gradient	0.0714	0.1016	0.1302	0.174	0.0716	0.0906	0.0576	0.079	0.0268	0.0268	0.077	0.0926	0.2204
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	rrf	naive	11			0.0538	0.2172	0.0892	0.2798	0.0834	0.1182	0.0744	0.1036	0.0308	0.04	0.0696	0.0886	0.1912
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	rrf	NOISE	3	kemeny	["Gradient	0.0726	0.1016	0.123	0.178	0.0816	0.1028	0.068	0.0858	0.0308	0.028	0.086	0.1024	0.224
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	schulze	naive	11			0.0488	0.2336	0.0848	0.2966	0.0862	0.1186	0.0756	0.1018	0.0342	0.041	0.072	0.0904	0.1718
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	schulze	NOISE	3	kemeny	["Gradient	0.0704	0.1078	0.125	0.174	0.0742	0.0963	0.0672	0.0828	0.0228	0.0234	0.079	0.0968	0.2358

Table 273: ImageNet–ViT-B/16 results.

cell	dataset	model	method	setting	q	R Cbar g	R Fbar p	R Cbar p	R Fbar s	R Cbar s	R Fbar a	R Cbar a
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	best_individual	best_individual	11	0.133	0.0742	0.104	0.013	0.0198	0.0758	0.0766
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	simpleavg	naive	11	0.2906	0.1808	0.2214	0.066	0.0812	0.2696	0.2848
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	simpleavg	NOISE	3	0.2798	0.1738	0.22	0.0568	0.0762	0.1992	0.2038
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	borda	naive	11	0.2226	0.1228	0.1616	0.04	0.0544	0.2438	0.2556
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	borda	NOISE	3	0.3032	0.1874	0.2354	0.0666	0.0886	0.1906	0.201
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	kemeny	naive	11	0.1992	0.1096	0.1464	0.0378	0.048	0.2106	0.2166
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	kemeny	NOISE	3	0.2712	0.1678	0.2136	0.0592	0.077	0.207	0.2164
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	rrf	naive	11	0.2304	0.132	0.172	0.0516	0.066	0.238	0.2434
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	rrf	NOISE	3	0.273	0.1558	0.205	0.0494	0.0708	0.2022	0.2064
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	schulze	naive	11	0.2112	0.1222	0.1586	0.0466	0.056	0.2358	0.2418
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	schulze	NOISE	3	0.2864	0.175	0.224	0.0614	0.079	0.191	0.1992

Table 274: ImageNet–ViT-B/16 results.

cell	dataset	model	method	setting	q	selection rule	methods	F	Fbar	C	Cbar	R F g	R C g	R F p	R C p	R F s	R C s	R F a	R C a	R Fbar g
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	best_individual	best_individual			57bb17968	0.0638	0.0991	0.1336	0.1426	0.0656	0.3222	0.0758	0.5032	0.002	0.0078	0.0224	0.0334	0.1072
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	simpleavg	naive	11			0.0642	0.1174	0.1032	0.1744	0.0774	0.1104	0.0672	0.096	0.024	0.0322	0.0632	0.0788	0.2488
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	simpleavg	NOISE	2	borda	["Gradient	0.0652	0.0996	0.132	0.144	0.0672	0.322	0.0548	0.0714	0.0234	0.0214	0.0772	0.0934	0.2204
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	borda	naive	11			0.0478	0.2256	0.0802	0.2866	0.0786	0.1126	0.0692	0.1014	0.0266	0.0368	0.0736	0.095	0.1832
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	borda	NOISE	2	borda	["Gradient	0.0664	0.0928	0.1352	0.146	0.0736	0.325	0.0544	0.0684	0.0288	0.0252	0.076	0.091	0.223
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	kemeny	naive	11			0.05	0.2684	0.0856	0.3318	0.0846	0.1174	0.0764	0.1036	0.0324	0.04	0.0714	0.0926	0.161
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	kemeny	NOISE	2	borda	["Gradient	0.0664	0.0928	0.1352	0.146	0.0736	0.325	0.0544	0.0684	0.0288	0.0252	0.076	0.091	0.223
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	rrf	naive	11			0.0538	0.2172	0.0892	0.2798	0.0834	0.1182	0.0744	0.1036	0.0308	0.04	0.0696	0.0886	0.1912
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	rrf	NOISE	2	borda	["Gradient	0.0672	0.0912	0.1356	0.142	0.0768	0.326	0.0526	0.0676	0.026	0.0224	0.0764	0.0902	0.2246
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	schulze	naive	11			0.0488	0.2336	0.0848	0.2966	0.0862	0.1186	0.0756	0.1018	0.0342	0.041	0.072	0.0904	0.1718
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	schulze	NOISE	2	borda	["Gradient	0.0664	0.0928	0.1352	0.146	0.0736	0.325	0.0544	0.0684	0.0288	0.0252	0.076	0.091	0.223

Table 275: ImageNet–ViT-B/16 results.

cell	dataset	model	method	setting	q	R Cbar g	R Fbar p	R Cbar p	R Fbar s	R Cbar s	R Fbar a	R Cbar a
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	best_individual	best_individual	11	0.133	0.0742	0.104	0.013	0.0198	0.0758	0.0766
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	simpleavg	naive	11	0.2906	0.1808	0.2214	0.066	0.0812	0.2696	0.2848
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	simpleavg	NOISE	2	0.2718	0.1706	0.2192	0.0636	0.0818	0.198	0.2052
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	borda	naive	11	0.2226	0.1228	0.1616	0.04	0.0544	0.2438	0.2556
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	borda	NOISE	2	0.272	0.1684	0.2136	0.0616	0.081	0.2034	0.2096
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	kemeny	naive	11	0.1992	0.1096	0.1464	0.0378	0.048	0.2106	0.2166
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	kemeny	NOISE	2	0.272	0.1684	0.2136	0.0616	0.081	0.2034	0.2096
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	rrf	naive	11	0.2304	0.132	0.172	0.0516	0.066	0.238	0.2434
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	rrf	NOISE	2	0.2736	0.1692	0.2162	0.0642	0.0828	0.204	0.2102
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	schulze	naive	11	0.2112	0.1222	0.1586	0.0466	0.056	0.2358	0.2418
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	schulze	NOISE	2	0.272	0.1684	0.2136	0.0616	0.081	0.2034	0.2096

Table 276: ImageNet–ViT-B/16 results.

cell	dataset	model	rule	F	F q	Fbar	Fbar q	C	C q	Cbar	Cbar q	R F g	R F g q	R Fbar g	R Fbar g q	R C g	R C g q	R Cbar g	R Cbar g q	R F p
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	simpleavg	0.0852	2	0.0956	4	0.132	2	0.147	4	0.0672	2	0.2204	2	0.0826	2	0.2718	2	0.0548
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	borda	0.0864	2	0.0928	2	0.1352	2	0.146	2	0.0722	7	0.1832	11	0.0846	2	0.2226	11	0.0544
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	kemeny	0.0874	3	0.0922	4	0.1362	3	0.1458	4	0.0716	3	0.161	11	0.0846	2	0.1992	11	0.0544
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	rrf	0.0872	2	0.092	2	0.1356	2	0.1442	2	0.0736	2	0.1912	11	0.0862	2	0.2304	11	0.0526
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	schulze	0.0874	4	0.0928	2	0.1368	4	0.1458	4	0.073	2	0.1678	10	0.0846	2	0.209	10	0.0544

Table 277: ImageNet–ViT-B/16 results.

cell	dataset	model	R F p q	R Fbar p	R Fbar p q	R C p	R C p q	R Cbar p	R Cbar p q	R F s	R F s q	R Fbar s	R Fbar s q	R C s	R C s q	R Cbar s	R Cbar s q	R F a	R F a q	R Fbar a
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	2	0.1706	2	0.0714	2	0.2168	4	0.0234	2	0.0568	3	0.0214	2	0.0762	3	0.0632	11	0.198
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	2	0.1228	11	0.0684	2	0.1616	11	0.0238	3	0.04	11	0.0236	3	0.0544	11	0.0718	9	0.1906
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	2	0.1042	10	0.0684	2	0.1414	10	0.026	8	0.0378	11	0.0252	2	0.048	11	0.0622	8	0.2034
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	2	0.1296	10	0.0676	2	0.1702	10	0.0256	5	0.0494	3	0.0224	2	0.066	11	0.065	8	0.2022
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	2	0.1122	10	0.0684	2	0.1476	10	0.0228	3	0.044	10	0.0234	3	0.056	11	0.0642	9	0.191

Table 278: ImageNet–ViT-B/16 results.

cell	dataset	model	R Fbar a q	R C a	R C a q	R Cbar a	R Cbar a q
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	2	0.078	6	0.2038	3
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	3	0.0886	7	0.201	3
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	2	0.0808	8	0.2096	2
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	3	0.0834	6	0.2064	3
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	3	0.0804	7	0.1992	3

Table 279: ImageNet–ViT-B/16 results.

cell	dataset	model	q	rule	methods	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	2	simpleavg	["Gradient	0.0852	0.1006	0.1328	0.1484	0.0672	0.0226	0.0826	0.2718	0.0548	0.1706	0.0714	0.2192	0.0234	0.0636	0.0214
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	2	borda	["Gradient	0.0864	0.1028	0.1352	0.1468	0.0736	0.0223	0.0846	0.272	0.0544	0.1684	0.0684	0.2136	0.0288	0.0616	0.0252
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	3	kemeny	["Gradient	0.0874	0.1046	0.1362	0.1464	0.0746	0.0226	0.0906	0.2732	0.0576	0.1678	0.079	0.2136	0.0268	0.0592	0.0268
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	2	rrf	["Gradient	0.0872	0.1012	0.1366	0.1442	0.0736	0.0224	0.0862	0.2736	0.0526	0.1692	0.0676	0.2162	0.026	0.0642	0.0224
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet– vit-b16	4	schulze	["Gradient	0.0874	0.1032	0.1368	0.1458	0.0856	0.0213	0.096	0.2594	0.0668	0.1682	0.0876	0.2042	0.0272	0.056	0.0278

Table 280: ImageNet–ViT-B/16 results.

cell	dataset	model	q	R Cbar s	R F a	R Fbar a	R C a	R Cbar a
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet- vit-b16	2	0.0818	0.0772	0.198	0.0934	0.2052
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet- vit-b16	2	0.081	0.076	0.2034	0.091	0.2096
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet- vit-b16	3	0.077	0.077	0.207	0.0926	0.2164
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet- vit-b16	2	0.0828	0.0764	0.204	0.0902	0.2102
ImageNet– ImageNet– vit-b16	ImageNet	ImageNet- vit-b16	4	0.0732	0.0706	0.225	0.0834	0.2324

1196

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	speckle- 0.15	Fbar	simpleavg	conditioned	0.4834	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	C	borda	quality	0.1352	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	clean	C	borda	quality	0.0956	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	clean	C	borda	quality	0.1034	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	clean	C	borda	quality	0.1068	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	6	clean	C	borda	quality	0.1044	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	clean	C	borda	quality	0.1068	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	clean	C	borda	quality	0.0956	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	clean	C	borda	quality	0.0912	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	clean	C	borda	quality	0.0844	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	clean	C	borda	quality	0.0802	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	C	kemeny	quality	0.1352	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	clean	C	kemeny	quality	0.1362	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	clean	C	kemeny	quality	0.1362	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	clean	C	kemeny	quality	0.1234	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	6	clean	C	kemeny	quality	0.1142	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	clean	C	kemeny	quality	0.1134	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	clean	C	kemeny	quality	0.1136	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	clean	C	kemeny	quality	0.0994	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	clean	C	kemeny	quality	0.0912	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	clean	C	kemeny	quality	0.0856	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	C	rrf	quality	0.1356	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	clean	C	rrf	quality	0.123	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	clean	C	rrf	quality	0.1276	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	clean	C	rrf	quality	0.1196	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP"]	

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	clean	C	simpleavg	quality	0.1032	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	Cbar	borda	quality	0.146	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	clean	Cbar	borda	quality	0.1508	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	clean	Cbar	borda	quality	0.1572	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	clean	Cbar	borda	quality	0.1632	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	6	clean	Cbar	borda	quality	0.1876	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	clean	Cbar	borda	quality	0.1864	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	clean	Cbar	borda	quality	0.1866	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	clean	Cbar	borda	quality	0.2224	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	clean	Cbar	borda	quality	0.2628	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	clean	Cbar	borda	quality	0.2866	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	Cbar	kemeny	quality	0.146	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	clean	Cbar	kemeny	quality	0.1464	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	clean	Cbar	kemeny	quality	0.1458	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	clean	Cbar	kemeny	quality	0.1714	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	6	clean	Cbar	kemeny	quality	0.2028	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	clean	Cbar	kemeny	quality	0.2112	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	clean	Cbar	kemeny	quality	0.201	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	clean	Cbar	kemeny	quality	0.2544	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	clean	Cbar	kemeny	quality	0.317	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	clean	Cbar	kemeny	quality	0.3318	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	Cbar	rrf	quality	0.1442	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	clean	Cbar	rrf	quality	0.1468	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	clean	Cbar	rrf	quality	0.1462	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	clean	Cbar	rrf	quality	0.1572	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	clean	Cbar	simpleavg	quality	0.1744	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	F	borda	quality	0.0864	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	clean	F	borda	quality	0.0506	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	clean	F	borda	quality	0.0572	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	clean	F	borda	quality	0.0634	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	6	clean	F	borda	quality	0.0604	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	clean	F	borda	quality	0.066	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	clean	F	borda	quality	0.0582	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	clean	F	borda	quality	0.0552	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	clean	F	borda	quality	0.0494	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	clean	F	borda	quality	0.0478	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	F	kemeny	quality	0.0864	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	clean	F	kemeny	quality	0.0874	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	clean	F	kemeny	quality	0.087	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	clean	F	kemeny	quality	0.0796	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	6	clean	F	kemeny	quality	0.0728	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	clean	F	kemeny	quality	0.0716	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	clean	F	kemeny	quality	0.0738	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	clean	F	kemeny	quality	0.0624	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	clean	F	kemeny	quality	0.0542	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	clean	F	kemeny	quality	0.05	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	F	rrf	quality	0.0872	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	clean	F	rrf	quality	0.0726	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	clean	F	rrf	quality	0.0804	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	clean	F	rrf	quality	0.0762	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP"]	

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	adversaria- sara-2- 255	Fbar	simpleavg	robustness	-0.2696	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian- 0.15	C	borda	robustness	0.0846	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	gaussian- 0.15	C	borda	robustness	0.1022	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	gaussian- 0.15	C	borda	robustness	0.1066	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	gaussian- 0.15	C	borda	robustness	0.1024	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	6	gaussian- 0.15	C	borda	robustness	0.1052	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	gaussian- 0.15	C	borda	robustness	0.0982	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	gaussian- 0.15	C	borda	robustness	0.1064	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	gaussian- 0.15	C	borda	robustness	0.11	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	gaussian- 0.15	C	borda	robustness	0.119	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	gaussian- 0.15	C	borda	robustness	0.1126	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian- 0.15	C	kemeny	robustness	0.0846	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	gaussian- 0.15	C	kemeny	robustness	0.0906	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	gaussian- 0.15	C	kemeny	robustness	0.0984	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	gaussian- 0.15	C	kemeny	robustness	0.0962	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	6	gaussian- 0.15	C	kemeny	robustness	0.111	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	gaussian- 0.15	C	kemeny	robustness	0.1052	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	gaussian- 0.15	C	kemeny	robustness	0.1076	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	gaussian- 0.15	C	kemeny	robustness	0.1174	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	gaussian- 0.15	C	kemeny	robustness	0.119	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	gaussian- 0.15	C	kemeny	robustness	0.1174	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblatio
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian- 0.15	C	rrf	robustness	0.0862	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	gaussian- 0.15	C	rrf	robustness	0.1028	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	gaussian- 0.15	C	rrf	robustness	0.1046	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	gaussian- 0.15	C	rrf	robustness	0.1008	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	speckle- 0.15	Fbar	simpleavg	robustness	-0.066	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]

Table 282: ImageNet-ViT-B/16 results.

cell	dataset	model	distance model	q	aggregation	mean distance	n distances	fit model	fit statistic	fit p value	fit theta	selected q	selected by noise	forced fallback	methods	selection task id	selection task digest	gof json
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	kemeny	1301.6	10000	kendall_ma	0.24901x	0.00256	0.12167	11	False	True	["GradientAttentionR	d8f42b5961	d8f42b5961	0.00256
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	kemeny	3573	15000	kendall_ma	0.165686x	0.00256	0.12167	11	False	True	["GradientAttentionR	d8f42b5961	d8f42b5961	0.00256
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	kemeny	4662	20000	kendall_ma	0.149627x	0.00256	0.12167	11	False	True	["GradientAttentionR	d8f42b5961	d8f42b5961	0.00256
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	kemeny	4759.3	25000	kendall_ma	0.145833x	0.00256	0.12167	11	False	True	["GradientAttentionR	d8f42b5961	d8f42b5961	0.00256
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	kemeny	5098.7	30000	kendall_ma	0.139570x	0.00256	0.12167	11	False	True	["GradientAttentionR	d8f42b5961	d8f42b5961	0.00256
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	kemeny	5036.4	35000	kendall_ma	0.143566x	0.00256	0.12167	11	False	True	["GradientAttentionR	d8f42b5961	d8f42b5961	0.00256
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	kemeny	5469.8	40000	kendall_ma	0.140468x	0.00256	0.12167	11	False	True	["GradientAttentionR	d8f42b5961	d8f42b5961	0.00256
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	kemeny	5646.5	45000	kendall_ma	0.138513x	0.00256	0.12167	11	False	True	["GradientAttentionR	d8f42b5961	d8f42b5961	0.00256
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	kemeny	5641.2	50000	kendall_ma	0.138921x	0.00256	0.12167	11	False	True	["GradientAttentionR	d8f42b5961	d8f42b5961	0.00256
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	kemeny	5940.5	55000	kendall_ma	0.139977x	0.00256	0.12167	11	True	True	["GradientAttentionR	d8f42b5961	d8f42b5961	0.00256
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	borda	40627	10000	spearman	0.586068	0.002	0.002094	1	False	True	["GradientAttentionR	d8f42b5961	d8f42b5961	0.00256
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	borda	3.1086e+05	15000	spearman	0.617746	0.002	0.000496	1	False	True	["GradientAttentionR	d8f42b5961	d8f42b5961	0.00256

cell	dataset	model	distance model	q	aggregation	mean distance	n distances	fit model	fit statistic	fit P value	fit theta	selected q	selected by noise	forced fallback	methods	selection task id	selection task digest	gof json	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	borda	4.3612e+05	20000	spearman	0.412366	0.002	0.660433	_importance	Falibenned	Symmetric	[%prodim	AttentionR-ImageNet-ImageNet-vit-b16-spearman-80045daad3	80045d1683fe87499f877667a7754d084070fba3752445135466e6081c91e2764a	1ImportanceBin	_importance_bin
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	borda	4.5228e+05	25000	spearman	0.412366	0.002	0.660433	_importance	Falibenned	Symmetric	[%prodim	AttentionR-ImageNet-ImageNet-vit-b16-spearman-80045daad3	80045d1683fe87499f877667a7754d084070fba3752445135466e6081c91e2764a	1ImportanceBin	_ImportanceBin"
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	borda	4.8013e+05	30000	spearman	0.412366	0.002	0.660433	_importance	Falibenned	Symmetric	[%prodim	AttentionR-ImageNet-ImageNet-vit-b16-spearman-80045daad3	80045d1683fe87499f877667a7754d084070fba3752445135466e6081c91e2764a	1ImportanceBin	_ImportanceBin"
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	borda	4.8111e+05	35000	spearman	0.412366	0.002	0.660433	_importance	Falibenned	Symmetric	[%prodim	AttentionR-ImageNet-ImageNet-vit-b16-spearman-80045daad3	80045d1683fe87499f877667a7754d084070fba3752445135466e6081c91e2764a	1ImportanceBin	_ImportanceBin"
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	borda	5.4566e+05	40000	spearman	0.412366	0.002	0.660433	_importance	Falibenned	Symmetric	[%prodim	AttentionR-ImageNet-ImageNet-vit-b16-spearman-80045daad3	80045d1683fe87499f877667a7754d084070fba3752445135466e6081c91e2764a	1ImportanceBin	_ImportanceBin"
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	borda	5.6729e+05	45000	spearman	0.412366	0.002	0.660433	_importance	Falibenned	Symmetric	[%prodim	AttentionR-ImageNet-ImageNet-vit-b16-spearman-80045daad3	80045d1683fe87499f877667a7754d084070fba3752445135466e6081c91e2764a	1ImportanceBin	_ImportanceBin"
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	borda	5.606e+05	50000	spearman	0.412366	0.002	0.660433	_importance	Falibenned	Symmetric	[%prodim	AttentionR-ImageNet-ImageNet-vit-b16-spearman-80045daad3	80045d1683fe87499f877667a7754d084070fba3752445135466e6081c91e2764a	1ImportanceBin	_ImportanceBin"
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	borda	6.1235e+05	55000	spearman	0.412366	0.002	0.660433	_importance	Falibenned	Symmetric	[%prodim	AttentionR-ImageNet-ImageNet-vit-b16-spearman-80045daad3	80045d1683fe87499f877667a7754d084070fba3752445135466e6081c91e2764a	1ImportanceBin	_ImportanceBin"

Table 283: ImageNet–ViT-B/16 results.

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	clean	C	borda	quality	max	2	0.1352	[2]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	clean	Cbar	borda	quality	min	2	0.146	[2]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	clean	F	borda	quality	max	2	0.0864	[2]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	clean	Fbar	borda	quality	min	2	0.0928	[2]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	adversarial-sara-2-255	C	borda	robustness	max	3	0.1214	[3]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	adversarial-sara-2-255	Cbar	borda	robustness	max	3	-0.201	[3]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	adversarial-sara-2-255	F	borda	robustness	max	3	0.1022	[3]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	adversarial-sara-2-255	Fbar	borda	robustness	max	3	-0.1906	[3]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	gaussian-0.15	C	borda	robustness	max	10	0.119	[10]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	gaussian-0.15	Cbar	borda	robustness	max	11	-0.2226	[11]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	gaussian-0.15	F	borda	robustness	max	4	0.0838	[4]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	gaussian-0.15	Fbar	borda	robustness	max	11	-0.1832	[11]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	salt-pepper-0.05	C	borda	robustness	max	10	0.1044	[10]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	salt-pepper-0.05	Cbar	borda	robustness	max	11	-0.1616	[11]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	salt-pepper-0.05	F	borda	robustness	max	6	0.0752	[6]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	salt-pepper-0.05	Fbar	borda	robustness	max	11	-0.1228	[11]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	speckle-0.15	C	borda	robustness	max	11	0.0368	[11]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	speckle-0.15	Cbar	borda	robustness	max	11	-0.0544	[11]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	speckle-0.15	F	borda	robustness	max	6	0.033	[6]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	speckle-0.15	Fbar	borda	robustness	max	11	-0.04	[11]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	clean	C	kemeny	quality	max	3	0.1362	[3,4]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	clean	Cbar	kemeny	quality	min	4	0.1458	[4]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	clean	F	kemeny	quality	max	3	0.0874	[3]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	clean	Fbar	kemeny	quality	min	4	0.0922	[4]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	C	kemeny	robustness	max	3	0.0926	[3,11]	smallest_q 12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	Cbar	kemeny	robustness	max	2	-0.2096	[2]	smallest_q 12	["GradientAscent", "Rollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	F	kemeny	robustness	max	3	0.077	[3]	smallest_q 12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	Fbar	kemeny	robustness	max	2	-0.2034	[2]	smallest_q 12	["GradientAscent", "Rollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	gaussian- 0.15	C	kemeny	robustness	max	10	0.119	[10]	smallest_q 12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	gaussian- 0.15	Cbar	kemeny	robustness	max	11	-0.1992	[11]	smallest_q 12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	gaussian- 0.15	F	kemeny	robustness	max	10	0.0866	[10]	smallest_q 12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	gaussian- 0.15	Fbar	kemeny	robustness	max	11	-0.161	[11]	smallest_q 12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	salt- pepper- 0.05	C	kemeny	robustness	max	10	0.1054	[10]	smallest_q 12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	salt- pepper- 0.05	Cbar	kemeny	robustness	max	10	-0.1414	[10]	smallest_q 12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	salt- pepper- 0.05	F	kemeny	robustness	max	10	0.079	[10]	smallest_q 12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	salt- pepper- 0.05	Fbar	kemeny	robustness	max	10	-0.1042	[10]	smallest_q 12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	speckle- 0.15	C	kemeny	robustness	max	9	0.042	[9]	smallest_q 12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	speckle- 0.15	Cbar	kemeny	robustness	max	11	-0.048	[11]	smallest_q 12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	speckle- 0.15	F	kemeny	robustness	max	9	0.035	[9]	smallest_q 12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	speckle- 0.15	Fbar	kemeny	robustness	max	11	-0.0378	[11]	smallest_q 12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	clean	C	rrf	quality	max	2	0.1356	[2]	smallest_q 12	["GradientAscent", "Rollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	clean	Cbar	rrf	quality	min	2	0.1442	[2]	smallest_q 12	["GradientAscent", "Rollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	clean	F	rrf	quality	max	2	0.0872	[2]	smallest_q 12	["GradientAscent", "Rollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	clean	Fbar	rrf	quality	min	2	0.092	[2]	smallest_q 12	["GradientAscent", "Rollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	C	rrf	robustness	max	3	0.1024	[3]	smallest_q 12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	Cbar	rrf	robustness	max	3	-0.2064	[3]	smallest_q 12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	F	rrf	robustness	max	3	0.086	[3]	smallest_q 12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	Fbar	rrf	robustness	max	3	-0.2022	[3]	smallest_q 12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	gaussian- 0.15	C	rrf	robustness	max	11	0.1182	[11]	smallest_q 12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	salt- pepper- 0.05	F	schulze	robustness	max	11	0.0756	[11]	smallest_q 12	["GradientAscent", "GradientDescent", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	salt- pepper- 0.05	Fbar	schulze	robustness	max	10	-0.1122	[10]	smallest_q 12	["GradientAscent", "GradientDescent", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	speckle- 0.15	C	schulze	robustness	max	11	0.041	[11]	smallest_q 12	["GradientAscent", "GradientDescent", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	speckle- 0.15	Cbar	schulze	robustness	max	11	-0.056	[11]	smallest_q 12	["GradientAscent", "GradientDescent", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	speckle- 0.15	F	schulze	robustness	max	11	0.0342	[11]	smallest_q 12	["GradientAscent", "GradientDescent", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	speckle- 0.15	Fbar	schulze	robustness	max	10	-0.044	[10]	smallest_q 12	["GradientAscent", "GradientDescent", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	clean	C	simpleavg	quality	max	2	0.132	[2]	smallest_q 12	["GradientAscent", "GradientDescent", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	clean	Cbar	simpleavg	quality	min	4	0.147	[4]	smallest_q 12	["GradientAscent", "GradientDescent", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	clean	F	simpleavg	quality	max	2	0.0852	[2]	smallest_q 12	["GradientAscent", "GradientDescent", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	clean	Fbar	simpleavg	quality	min	4	0.0956	[4]	smallest_q 12	["GradientAscent", "GradientDescent", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	C	simpleavg	robustness	max	2	0.0934	[2]	smallest_q 12	["GradientAscent", "GradientDescent", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	Cbar	simpleavg	robustness	max	3	-0.2038	[3]	smallest_q 12	["GradientAscent", "GradientDescent", "CheferTransformerAttribution", "Occlusion"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	F	simpleavg	robustness	max	2	0.0772	[2]	smallest_q 12	["GradientAscent", "GradientDescent", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	Fbar	simpleavg	robustness	max	2	-0.198	[2]	smallest_q 12	["GradientAscent", "GradientDescent", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	gaussian- 0.15	C	simpleavg	robustness	max	9	0.1136	[9]	smallest_q 12	["GradientAscent", "GradientDescent", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	gaussian- 0.15	Cbar	simpleavg	robustness	max	2	-0.2718	[2]	smallest_q 12	["GradientAscent", "GradientDescent", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	gaussian- 0.15	F	simpleavg	robustness	max	4	0.0834	[4]	smallest_q 12	["GradientAscent", "GradientDescent", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	gaussian- 0.15	Fbar	simpleavg	robustness	max	2	-0.2204	[2]	smallest_q 12	["GradientAscent", "GradientDescent", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	salt- pepper- 0.05	C	simpleavg	robustness	max	9	0.0986	[9]	smallest_q 12	["GradientAscent", "GradientDescent", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	salt- pepper- 0.05	Cbar	simpleavg	robustness	max	4	-0.2168	[4]	smallest_q 12	["GradientAscent", "GradientDescent", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	salt- pepper- 0.05	F	simpleavg	robustness	max	6	0.0758	[6]	smallest_q 12	["GradientAscent", "GradientDescent", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	salt- pepper- 0.05	Fbar	simpleavg	robustness	max	2	-0.1706	[2]	smallest_q 12	["GradientAscent", "GradientDescent", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	speckle- 0.15	C	simpleavg	robustness	max	5	0.0352	[5]	smallest_q 12	["GradientAscent", "GradientDescent", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	speckle- 0.15	Cbar	simpleavg	robustness	max	3	-0.0762	[3]	smallest_q 12	["GradientAscent", "GradientDescent", "CheferTransformerAttribution", "Occlusion"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	speckle- 0.15	F	simpleavg	robustness	max	6	0.0348	[6]	smallest_q 12	["GradientAscent", "GradientDescent", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap"]

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	speckle- 0.15	Fbar	simpleavg	robustness	max	3	-0.0568	[3]	smallest_ 12	["GradientAscent", "GradientDescent", "GradientDescentRollout", "CheferTransformerAttribution", "Occlusion"]

Table 284: ImageNet–ViT-B/16 results.

cell	dataset	model	q	rule	q11 reference	method prefix	F clean	Fbar clean	C clean	Cbar clean	F perturbed gaussian-0.15	Fbar perturbed gaussian-0.15	C perturbed gaussian-0.15	Cbar perturbed gaussian-0.15	F perturbed salt-pepper-0.05	Fbar perturbed salt-pepper-0.05	C perturbed salt-pepper-0.05	Cbar perturbed salt-pepper-0.05	F perturbed speckle-0.15	Fbar perturbed speckle-0.15
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	simpleavg	False	["GradientA010833onR011005", "C010833Trans011005Attrib011005"]	0.317	0.317	0.2146	0.2146	0.4202	0.4202	0.14	0.14	0.2672	0.2672	0.2034	0.2034	0.1086	0.1086
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	borda	False	["GradientA010833onR011005", "C010833Trans011005Attrib011005"]	0.3158	0.3158	0.2198	0.2198	0.418	0.418	0.1408	0.1408	0.2612	0.2612	0.2036	0.2036	0.1152	0.1152
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	rrf	False	["GradientA010833onR011005", "C010833Trans011005Attrib011005"]	0.3166	0.3166	0.2218	0.2218	0.4178	0.4178	0.1398	0.1398	0.2612	0.2612	0.2032	0.2032	0.1132	0.1132
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	kemeny	False	["GradientA010833onR011005", "C010833Trans011005Attrib011005"]	0.3158	0.3158	0.2198	0.2198	0.418	0.418	0.1408	0.1408	0.2612	0.2612	0.2036	0.2036	0.1152	0.1152
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	schulze	False	["GradientA010833onR011005", "C010833Trans011005Attrib011005"]	0.3158	0.3158	0.2198	0.2198	0.418	0.418	0.1408	0.1408	0.2612	0.2612	0.2036	0.2036	0.1152	0.1152
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	simpleavg	False	["GradientA010733onR011007", "C010733Trans011007Attrib011007"]	0.3292	0.3292	0.2278	0.2278	0.4276	0.4276	0.1418	0.1418	0.2708	0.2708	0.2134	0.2134	0.104	0.104
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	borda	False	["GradientA010506onR011005", "C010506Trans011005Attrib011005"]	0.35	0.35	0.1978	0.1978	0.454	0.454	0.1142	0.1142	0.29	0.29	0.186	0.186	0.0744	0.0744
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	rrf	False	["GradientA010726onR011006", "C010726Trans011006Attrib011006"]	0.32	0.32	0.2258	0.2258	0.4198	0.4198	0.1406	0.1406	0.2518	0.2518	0.2088	0.2088	0.1034	0.1034
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	kemeny	False	["GradientA010833onR011005", "C010833Trans011005Attrib011005"]	0.3158	0.3158	0.2198	0.2198	0.4176	0.4176	0.145	0.145	0.2624	0.2624	0.2152	0.2152	0.1142	0.1142
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	schulze	False	["GradientA010733onR011007", "C010733Trans011007Attrib011007"]	0.336	0.336	0.2212	0.2212	0.4348	0.4348	0.1384	0.1384	0.2728	0.2728	0.2078	0.2078	0.0992	0.0992
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	simpleavg	False	["GradientA010748onR011005", "C010748Trans011005Attrib011005"]	0.426	0.426	0.25	0.25	0.46	0.46	0.1454	0.1454	0.2672	0.2672	0.2164	0.2164	0.1062	0.1062
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	borda	False	["GradientA010572onR011005", "C010572Trans011005Attrib011005"]	0.441	0.441	0.25	0.25	0.46	0.46	0.126	0.126	0.2766	0.2766	0.1994	0.1994	0.0884	0.0884
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	rrf	False	["GradientA010504onR011006", "C010504Trans011006Attrib011006"]	0.405	0.405	0.206	0.206	0.43	0.43	0.1492	0.1492	0.2466	0.2466	0.2222	0.2222	0.1094	0.1094
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	kemeny	False	["GradientA010833onR011005", "C010833Trans011005Attrib011005"]	0.3994	0.3994	0.2216	0.2216	0.438	0.438	0.1522	0.1522	0.2544	0.2544	0.2216	0.2216	0.1148	0.1148
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	schulze	False	["GradientA010833onR011005", "C010833Trans011005Attrib011005"]	0.4052	0.4052	0.2244	0.2244	0.438	0.438	0.1542	0.1542	0.2534	0.2534	0.2244	0.2244	0.1146	0.1146
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	simpleavg	False	["GradientA010686onR011002", "C010686Trans011002Attrib011002"]	0.438	0.438	0.22	0.22	0.46	0.46	0.1434	0.1434	0.284	0.284	0.2122	0.2122	0.1026	0.1026
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	borda	False	["GradientA010634onR011004", "C010634Trans011004Attrib011004"]	0.402	0.402	0.208	0.208	0.44	0.44	0.1322	0.1322	0.2862	0.2862	0.2008	0.2008	0.0908	0.0908
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	rrf	False	["GradientA010769onR011005", "C010769Trans011005Attrib011005"]	0.432	0.432	0.22	0.22	0.46	0.46	0.1458	0.1458	0.2716	0.2716	0.2126	0.2126	0.1018	0.1018
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	kemeny	False	["GradientA010796onR011004", "C010796Trans011004Attrib011004"]	0.43	0.43	0.216	0.216	0.44	0.44	0.1426	0.1426	0.2872	0.2872	0.2074	0.2074	0.1088	0.1088
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	schulze	False	["GradientA010743onR011009", "C010743Trans011009Attrib011009"]	0.442	0.442	0.23	0.23	0.46	0.46	0.1404	0.1404	0.2778	0.2778	0.2054	0.2054	0.1054	0.1054
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	6	simpleavg	False	["GradientA010692onR011005", "C010692Trans011005Attrib011005"]	0.476	0.476	0.24	0.24	0.46	0.46	0.2818	0.2818	0.2142	0.2142	0.3788	0.3788	0.104	0.104
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	6	borda	False	["GradientA010604onR011005", "C010604Trans011005Attrib011005"]	0.439	0.439	0.245	0.245	0.46	0.46	0.2838	0.2838	0.1996	0.1996	0.3808	0.3808	0.0934	0.0934
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	6	rrf	False	["GradientA010738onR011005", "C010738Trans011005Attrib011005"]	0.437	0.437	0.23	0.23	0.46	0.46	0.2776	0.2776	0.2114	0.2114	0.3752	0.3752	0.1018	0.1018
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	6	kemeny	False	["GradientA010728onR011004", "C010728Trans011004Attrib011004"]	0.47	0.47	0.24	0.24	0.46	0.46	0.2918	0.2918	0.2106	0.2106	0.387	0.387	0.1014	0.1014

Table 285: ImageNet–ViT-B/16 results.

cell	dataset	model	q	C perturbed speckle-0.15	Cbar perturbed speckle-0.15	F perturbed adversarial-sara-2-255	Fbar perturbed adversarial-sara-2-255	C perturbed adversarial-sara-2-255	Cbar perturbed adversarial-sara-2-255	R F gaussian-0.15	R Fbar gaussian-0.15	R C gaussian-0.15	R Cbar gaussian-0.15	R F salt-pepper-0.05	R Fbar salt-pepper-0.05	R C salt-pepper-0.05
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	0.1534	0.2302	0.1624	0.2946	0.2254	0.3536	0.0672	-0.2204	0.0826	-0.2718	0.0548	-0.1706	0.0714
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	0.1604	0.227	0.1624	0.2962	0.2262	0.3556	0.073	-0.223	0.0846	-0.272	0.0544	-0.1684	0.0684
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	0.158	0.227	0.1636	0.296	0.2258	0.3544	0.0736	-0.2246	0.0862	-0.2736	0.0526	-0.1692	0.0676
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	0.1604	0.227	0.1624	0.2962	0.2262	0.3556	0.073	-0.223	0.0846	-0.272	0.0544	-0.1684	0.0684
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	0.1604	0.227	0.1624	0.2962	0.2262	0.3556	0.073	-0.223	0.0846	-0.272	0.0544	-0.1684	0.0684
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	0.152	0.224	0.1486	0.2962	0.2126	0.3516	0.0828	-0.2322	0.108	-0.2798	0.0684	-0.1738	0.0936
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	0.1192	0.2394	0.1528	0.2932	0.217	0.3518	0.0796	-0.2524	0.1022	-0.3032	0.0636	-0.1874	0.0904
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	0.151	0.2176	0.1586	0.2982	0.2254	0.3532	0.0816	-0.224	0.1028	-0.273	0.068	-0.1558	0.0858
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	0.163	0.2234	0.1644	0.3016	0.2288	0.3628	0.0716	-0.2204	0.0906	-0.2712	0.0576	-0.1678	0.079
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	0.1484	0.2274	0.1554	0.2888	0.2218	0.3476	0.0742	-0.2358	0.0962	-0.2864	0.062	-0.175	0.0828
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	4	0.1554	0.2266	0.1424	0.309	0.2046	0.3674	0.0834	-0.2312	0.1106	-0.279	0.0706	-0.1716	0.0948
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	4	0.136	0.2312	0.1474	0.3318	0.2076	0.393	0.0838	-0.2212	0.1066	-0.27	0.0688	-0.169	0.096
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	4	0.1574	0.2126	0.1538	0.3222	0.2192	0.3834	0.0812	-0.2104	0.1046	-0.2588	0.0688	-0.1506	0.0946
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	4	0.1648	0.2128	0.1636	0.3266	0.2278	0.3848	0.079	-0.2088	0.0984	-0.2536	0.0652	-0.1622	0.0854
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	4	0.1646	0.219	0.158	0.3202	0.2202	0.3782	0.085	-0.2116	0.1046	-0.2594	0.0668	-0.1582	0.0876
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	5	0.1498	0.236	0.1374	0.3446	0.1982	0.4056	0.077	-0.2478	0.1064	-0.292	0.0748	-0.1838	0.0976
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	5	0.1392	0.2416	0.1416	0.3594	0.203	0.4204	0.0762	-0.2288	0.1024	-0.278	0.0688	-0.1748	0.094
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	5	0.1494	0.2318	0.144	0.3596	0.206	0.4252	0.0754	-0.2274	0.1008	-0.276	0.0696	-0.1666	0.093
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	5	0.1556	0.2492	0.1484	0.357	0.2104	0.4212	0.0748	-0.2326	0.0962	-0.277	0.063	-0.1718	0.084
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	5	0.1534	0.2378	0.1486	0.3576	0.2094	0.421	0.0766	-0.2256	0.101	-0.2744	0.0662	-0.1688	0.0872
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	6	0.1496	0.232	0.134	0.3504	0.1938	0.4152	0.0784	-0.2418	0.108	-0.2868	0.0758	-0.182	0.0984
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	6	0.1398	0.2614	0.1382	0.3886	0.1964	0.4516	0.0786	-0.213	0.1052	-0.2582	0.0752	-0.1512	0.0952
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	6	0.15	0.2602	0.14	0.3772	0.1998	0.4448	0.0816	-0.2132	0.1096	-0.2604	0.0672	-0.153	0.095
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	6	0.1496	0.2684	0.14	0.385	0.1998	0.4514	0.0842	-0.2006	0.111	-0.2466	0.0722	-0.1454	0.0964

cell	dataset	model	q	C perturbed speckle-0.15	Cbar perturbed speckle-0.15	F perturbed adversarial-sara-2-255	Fbar perturbed adversarial-sara-2-255	C perturbed adversarial-sara-2-255	Cbar perturbed adversarial-sara-2-255	R F gaussian-0.15	R Fbar gaussian-0.15	R C gaussian-0.15	R Cbar gaussian-0.15	R F salt-pepper-0.05	R Fbar salt-pepper-0.05	R C salt-pepper-0.05
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	6	0.146	0.2594	0.1396	0.3872	0.1982	0.4556	0.0826	-0.2084	0.1136	-0.252	0.0712	-0.1506	0.0958
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	0.1452	0.2456	0.1342	0.365	0.1954	0.4298	0.0742	-0.2496	0.0994	-0.294	0.067	-0.1876	0.0884
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	0.1346	0.269	0.1386	0.3872	0.1954	0.455	0.0722	-0.2164	0.0982	-0.2622	0.063	-0.1562	0.087
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	0.1446	0.2714	0.1402	0.3782	0.2	0.4466	0.0766	-0.2264	0.1044	-0.2706	0.0636	-0.1616	0.0906
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	0.1476	0.278	0.1404	0.3802	0.201	0.4488	0.0822	-0.215	0.1052	-0.2566	0.0664	-0.1602	0.0902
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	0.1462	0.2704	0.1376	0.3814	0.1956	0.4502	0.0786	-0.2172	0.0978	-0.266	0.0682	-0.171	0.0932
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	0.1394	0.2514	0.1334	0.3626	0.1878	0.4282	0.0762	-0.2428	0.1098	-0.2862	0.0688	-0.1786	0.0956
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	0.1278	0.2674	0.139	0.382	0.1954	0.452	0.075	-0.22	0.1064	-0.2684	0.0656	-0.158	0.0958
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	0.1404	0.276	0.1338	0.3728	0.194	0.4426	0.0814	-0.2196	0.1142	-0.2622	0.0666	-0.1652	0.093
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	0.1448	0.279	0.136	0.3786	0.1944	0.4496	0.082	-0.2158	0.1076	-0.2588	0.063	-0.1646	0.0896
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	0.1414	0.2748	0.1376	0.3796	0.1938	0.4506	0.0784	-0.2206	0.109	-0.2628	0.0622	-0.1696	0.0956
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	0.1376	0.2512	0.132	0.3776	0.1874	0.446	0.0792	-0.2444	0.1136	-0.2884	0.0692	-0.1818	0.0986
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	0.1244	0.295	0.127	0.4204	0.1836	0.4888	0.0758	-0.1984	0.11	-0.2422	0.0698	-0.138	0.1006
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	0.1402	0.3092	0.1294	0.4168	0.1876	0.4872	0.0822	-0.2016	0.1166	-0.2428	0.0704	-0.1444	0.0998
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	0.1414	0.3164	0.1262	0.4316	0.1844	0.5004	0.0848	-0.1886	0.1174	-0.2306	0.0744	-0.1324	0.103
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	0.1362	0.3022	0.1256	0.4182	0.1832	0.489	0.0848	-0.193	0.1158	-0.2388	0.0708	-0.1286	0.0998
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	0.137	0.2546	0.129	0.3874	0.183	0.4578	0.0784	-0.2488	0.112	-0.292	0.069	-0.1798	0.0976
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	0.119	0.3262	0.1212	0.4552	0.1778	0.5254	0.0834	-0.1898	0.119	-0.2304	0.074	-0.1326	0.1044
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	0.1324	0.3392	0.124	0.4512	0.1792	0.5202	0.0794	-0.1936	0.1136	-0.2338	0.072	-0.1296	0.1014
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	0.1288	0.3714	0.1196	0.4808	0.1752	0.551	0.0866	-0.1636	0.119	-0.2028	0.079	-0.1042	0.1054
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	0.1296	0.3518	0.1204	0.47	0.1764	0.5396	0.084	-0.1678	0.1166	-0.209	0.0708	-0.1122	0.0984
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	0.1354	0.2556	0.1274	0.387	0.182	0.4592	0.0774	-0.2488	0.1104	-0.2906	0.0672	-0.1808	0.096
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	0.117	0.341	0.1214	0.4694	0.1752	0.5422	0.0786	-0.1832	0.1126	-0.2226	0.0692	-0.1228	0.1014
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	0.1292	0.3458	0.1234	0.4552	0.1778	0.5232	0.0834	-0.1912	0.1182	-0.2304	0.0744	-0.132	0.1036
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	0.1256	0.3798	0.1214	0.479	0.1782	0.5484	0.0846	-0.161	0.1174	-0.1992	0.0764	-0.1096	0.1036

cell	dataset	model	q	C perturbed speckle-0.15	Cbar perturbed speckle-0.15	F perturbed adversarial-sara-2-255	Fbar perturbed adversarial-sara-2-255	C perturbed adversarial-sara-2-255	Cbar perturbed adversarial-sara-2-255	R F gaussian-0.15	R Fbar gaussian-0.15	R C gaussian-0.15	R Cbar gaussian-0.15	R F salt-pepper-0.05	R Fbar salt-pepper-0.05	R C salt-pepper-0.05
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	0.1258	0.3526	0.1208	0.4694	0.1752	0.5384	0.0862	-0.1718	0.1186	-0.2112	0.0756	-0.1222	0.1018

Table 286: ImageNet–ViT-B/16 results.

cell	dataset	model	q	R Cbar speckle-0.15	R F adversarial-sara-2-255	R Fbar adversarial-sara-2-255	R C adversarial-sara-2-255	R Cbar adversarial-sara-2-255
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	-0.0818	0.0772	-0.198	0.0934	-0.2052
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	-0.081	0.076	-0.2034	0.091	-0.2096
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	-0.0828	0.0764	-0.204	0.0902	-0.2102
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	-0.081	0.076	-0.2034	0.091	-0.2096
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	-0.081	0.076	-0.2034	0.091	-0.2096
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	-0.0762	0.0752	-0.1992	0.0928	-0.2038
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	-0.0886	0.1022	-0.1906	0.1214	-0.201
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	-0.0708	0.086	-0.2022	0.1024	-0.2064
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	-0.077	0.077	-0.207	0.0926	-0.2164
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	-0.079	0.079	-0.191	0.0968	-0.1992
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	4	-0.0796	0.0676	-0.2134	0.083	-0.2204
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	4	-0.074	0.0902	-0.2242	0.1042	-0.2358
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	4	-0.0664	0.0734	-0.2262	0.0916	-0.2372
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	4	-0.067	0.0766	-0.2344	0.0916	-0.239
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	4	-0.0732	0.0706	-0.225	0.0834	-0.2324
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	5	-0.0836	0.0688	-0.2444	0.0836	-0.2532
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	5	-0.0784	0.0782	-0.248	0.0962	-0.2572
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	5	-0.0746	0.0678	-0.2546	0.0864	-0.268
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	5	-0.0778	0.0688	-0.2416	0.087	-0.2498
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	5	-0.0742	0.0744	-0.2486	0.0912	-0.2574
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	6	-0.0788	0.0648	-0.2506	0.078	-0.262
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	6	-0.0738	0.0778	-0.256	0.092	-0.264
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	6	-0.082	0.0662	-0.2526	0.0834	-0.2666
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	6	-0.0656	0.0672	-0.2386	0.0856	-0.2486

cell	dataset	model	q	R Cbar speckle-0.15	R F adversarial-sara-2-255	R Fbar adversarial-sara-2-255	R C adversarial-sara-2-255	R Cbar adversarial-sara-2-255
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	6	-0.0708	0.0698	-0.2534	0.0856	-0.267
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	-0.088	0.0646	-0.2612	0.0782	-0.2722
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	-0.0826	0.0726	-0.2546	0.0886	-0.2686
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	-0.0862	0.0672	-0.2504	0.0876	-0.2614
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	-0.0668	0.0688	-0.2282	0.0876	-0.2376
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	-0.0874	0.065	-0.2512	0.0804	-0.2672
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	-0.0808	0.0672	-0.2474	0.0822	-0.2576
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	-0.0808	0.0808	-0.2486	0.0998	-0.2654
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	-0.0906	0.065	-0.2458	0.0866	-0.2572
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	-0.078	0.0622	-0.2356	0.0808	-0.2486
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	-0.0858	0.0692	-0.2494	0.0892	-0.2616
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	-0.079	0.0672	-0.2612	0.0842	-0.2738
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	-0.0726	0.0718	-0.257	0.0924	-0.2664
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	-0.0856	0.066	-0.2544	0.0862	-0.2636
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	-0.062	0.0638	-0.2382	0.085	-0.246
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	-0.0728	0.0642	-0.2456	0.083	-0.2596
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	-0.0808	0.065	-0.2698	0.08	-0.284
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	-0.0634	0.0718	-0.254	0.0934	-0.2626
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	-0.0692	0.0666	-0.2426	0.0846	-0.2502
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	-0.0544	0.0654	-0.2262	0.084	-0.234
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	-0.0562	0.0652	-0.2358	0.0852	-0.244
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	-0.0812	0.0632	-0.2696	0.0788	-0.2848
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	-0.0544	0.0736	-0.2438	0.095	-0.2556
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	-0.066	0.0696	-0.238	0.0886	-0.2434
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	-0.048	0.0714	-0.2106	0.0926	-0.2166

cell	dataset	model		R Cbar speckle-0.15	R F adversarial-sara-2-255	R Fbar adversarial-sara-2-255	R C adversarial-sara-2-255	R Cbar adversarial-sara-2-255
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	-0.056	0.072	-0.2358	0.0904	-0.2418

Table 287: ImageNet-ViT-B/16 results.

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	C	borda	quality	0.1352	max	0.1352	kendall_ma	0.34901	0.34901	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	C	borda	quality	0.0956	max	0.0956	kendall_ma	0.656867	0.656867	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	C	borda	quality	0.1034	max	0.1034	kendall_ma	0.496275	0.496275	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	C	borda	quality	0.1068	max	0.1068	kendall_ma	0.458338	0.458338	0.002	4759.3	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	C	borda	quality	0.1044	max	0.1044	kendall_ma	0.295705	0.295705	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	C	borda	quality	0.1068	max	0.1068	kendall_ma	0.423565	0.423565	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	C	borda	quality	0.0956	max	0.0956	kendall_ma	0.404688	0.404688	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	C	borda	quality	0.0912	max	0.0912	kendall_ma	0.287434	0.287434	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	C	borda	quality	0.0844	max	0.0844	kendall_ma	0.389212	0.389212	0.002	5641.2	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	C	borda	quality	0.0802	max	0.0802	kendall_ma	0.299779	0.299779	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	C	kemeny	quality	0.1352	max	0.1352	kendall_ma	0.34901	0.34901	0.002	1301.6	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	C	kemeny	quality	0.1362	max	0.1362	kendall_ma	0.656867	0.656867	0.002	3573	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	C	kemeny	quality	0.1362	max	0.1362	kendall_ma	0.496275	0.496275	0.002	4662	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	C	kemeny	quality	0.1234	max	0.1234	kendall_ma	0.458338	0.458338	0.002	4759.3	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	C	kemeny	quality	0.1142	max	0.1142	kendall_ma	0.295705	0.295705	0.002	5098.7	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	C	kemeny	quality	0.1134	max	0.1134	kendall_ma	0.423565	0.423565	0.002	5036.4	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	C	kemeny	quality	0.1136	max	0.1136	kendall_ma	0.404688	0.404688	0.002	5469.8	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	C	kemeny	quality	0.0994	max	0.0994	kendall_ma	0.287434	0.287434	0.002	5646.5	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	C	kemeny	quality	0.0912	max	0.0912	kendall_ma	0.389212	0.389212	0.002	5641.2	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	C	kemeny	quality	0.0856	max	0.0856	kendall_ma	0.299779	0.299779	0.002	5940.5	11	True	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	C	rrf	quality	0.1356	max	0.1356	kendall_ma	0.34901	0.34901	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	C	rrf	quality	0.123	max	0.123	kendall_ma	0.656867	0.656867	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	C	rrf	quality	0.1276	max	0.1276	kendall_ma	0.496275	0.496275	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	C	rrf	quality	0.1196	max	0.1196	kendall_ma	0.458338	0.458338	0.002	4759.3	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	C	rrf	quality	0.1164	max	0.1164	kendall_ma	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	C	rrf	quality	0.1124	max	0.1124	kendall_ma	11423565a01423565a0002	11423565a01423565a0002	5036.4	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	C	rrf	quality	0.1074	max	0.1074	kendall_ma	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	C	rrf	quality	0.1014	max	0.1014	kendall_ma	11237513a0137513a0002	11237513a0137513a0002	5646.5	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	C	rrf	quality	0.0946	max	0.0946	kendall_ma	11239212a0139212a0002	11239212a0139212a0002	5641.2	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	C	rrf	quality	0.0892	max	0.0892	kendall_ma	11299779a01399779a0002	11299779a01399779a0002	5940.5	11	True	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	C	schulze	quality	0.1352	max	0.1352	kendall_ma	1134901xa0134901xa0002	1134901xa0134901xa0002	1301.6	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	C	schulze	quality	0.125	max	0.125	kendall_ma	11656867a01656867a0002	11656867a01656867a0002	3573	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	C	schulze	quality	0.1368	max	0.1368	kendall_ma	11496275a01496275a0002	11496275a01496275a0002	4662	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	C	schulze	quality	0.1182	max	0.1182	kendall_ma	11458338a01458338a0002	11458338a01458338a0002	4759.3	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	C	schulze	quality	0.1126	max	0.1126	kendall_ma	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	C	schulze	quality	0.1152	max	0.1152	kendall_ma	11423565a01423565a0002	11423565a01423565a0002	5036.4	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	C	schulze	quality	0.1046	max	0.1046	kendall_ma	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	C	schulze	quality	0.1002	max	0.1002	kendall_ma	11237513a0137513a0002	11237513a0137513a0002	5646.5	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	C	schulze	quality	0.0912	max	0.0912	kendall_ma	11239212a0139212a0002	11239212a0139212a0002	5641.2	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	C	schulze	quality	0.0848	max	0.0848	kendall_ma	11299779a01399779a0002	11299779a01399779a0002	5940.5	11	True	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	C	simpleavg	quality	0.132	max	0.132	kendall_ma	1134901xa0134901xa0002	1134901xa0134901xa0002	1301.6	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	C	simpleavg	quality	0.1198	max	0.1198	kendall_ma	11656867a01656867a0002	11656867a01656867a0002	3573	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	C	simpleavg	quality	0.1216	max	0.1216	kendall_ma	11496275a01496275a0002	11496275a01496275a0002	4662	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	C	simpleavg	quality	0.1146	max	0.1146	kendall_ma	11458338a01458338a0002	11458338a01458338a0002	4759.3	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	C	simpleavg	quality	0.1158	max	0.1158	kendall_ma	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	C	simpleavg	quality	0.1172	max	0.1172	kendall_ma	11423565a01423565a0002	11423565a01423565a0002	5036.4	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	C	simpleavg	quality	0.1056	max	0.1056	kendall_ma	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	C	simpleavg	quality	0.1032	max	0.1032	kendall_ma	11237513a0137513a0002	11237513a0137513a0002	5646.5	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	C	simpleavg	quality	0.103	max	0.103	kendall_ma	11239212a0139212a0002	11239212a0139212a0002	5641.2	11	False	True	2	

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	C	simpleavg	quality	0.1032	max	0.1032	kendall_ma	1.29977e-013	99779	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	Cbar	borda	quality	0.146	min	-0.146	kendall_ma	1.34901e-013	4901	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	Cbar	borda	quality	0.1508	min	-0.1508	kendall_ma	1.65686e-016	56867	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	Cbar	borda	quality	0.1572	min	-0.1572	kendall_ma	1.49627e-014	96275	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	Cbar	borda	quality	0.1632	min	-0.1632	kendall_ma	1.45833e-014	58333	0.002	4759.3	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	Cbar	borda	quality	0.1876	min	-0.1876	kendall_ma	1.29570e-013	95705	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	Cbar	borda	quality	0.1864	min	-0.1864	kendall_ma	1.42356e-014	23565	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	Cbar	borda	quality	0.1866	min	-0.1866	kendall_ma	1.40468e-014	4683	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	Cbar	borda	quality	0.2224	min	-0.2224	kendall_ma	1.23743e-013	7434	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	Cbar	borda	quality	0.2628	min	-0.2628	kendall_ma	1.23921e-013	9212	0.002	5641.2	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	Cbar	borda	quality	0.2866	min	-0.2866	kendall_ma	1.29977e-013	99779	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	Cbar	kemeny	quality	0.146	min	-0.146	kendall_ma	1.34901e-013	4901	0.002	1301.6	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	Cbar	kemeny	quality	0.1464	min	-0.1464	kendall_ma	1.65686e-016	56867	0.002	3573	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	Cbar	kemeny	quality	0.1458	min	-0.1458	kendall_ma	1.49627e-014	96275	0.002	4662	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	Cbar	kemeny	quality	0.1714	min	-0.1714	kendall_ma	1.45833e-014	58333	0.002	4759.3	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	Cbar	kemeny	quality	0.2028	min	-0.2028	kendall_ma	1.29570e-013	95705	0.002	5098.7	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	Cbar	kemeny	quality	0.2112	min	-0.2112	kendall_ma	1.42356e-014	23565	0.002	5036.4	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	Cbar	kemeny	quality	0.201	min	-0.201	kendall_ma	1.40468e-014	4683	0.002	5469.8	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	Cbar	kemeny	quality	0.2544	min	-0.2544	kendall_ma	1.23743e-013	7434	0.002	5646.5	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	Cbar	kemeny	quality	0.317	min	-0.317	kendall_ma	1.23921e-013	9212	0.002	5641.2	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	Cbar	kemeny	quality	0.3318	min	-0.3318	kendall_ma	1.29977e-013	99779	0.002	5940.5	11	True	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	Cbar	rrf	quality	0.1442	min	-0.1442	kendall_ma	1.34901e-013	4901	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	Cbar	rrf	quality	0.1468	min	-0.1468	kendall_ma	1.65686e-016	56867	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	Cbar	rrf	quality	0.1462	min	-0.1462	kendall_ma	1.49627e-014	96275	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	Cbar	rrf	quality	0.1572	min	-0.1572	kendall_ma	1.45833e-014	58333	0.002	4759.3	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	Cbar	rrf	quality	0.1782	min	-0.1782	kendall_ma	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	Cbar	rrf	quality	0.1852	min	-0.1852	kendall_ma	11423565a01423565a0002	11423565a01423565a0002	5036.4	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	Cbar	rrf	quality	0.1854	min	-0.1854	kendall_ma	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	Cbar	rrf	quality	0.2236	min	-0.2236	kendall_ma	11235713a0135713a0002	11235713a0135713a0002	5646.5	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	Cbar	rrf	quality	0.27	min	-0.27	kendall_ma	11399212a01399212a0002	11399212a01399212a0002	5641.2	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	Cbar	rrf	quality	0.2798	min	-0.2798	kendall_ma	11299779a01399779a0002	11299779a01399779a0002	5940.5	11	True	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	Cbar	schulze	quality	0.146	min	-0.146	kendall_ma	1134901xa0134901xa0002	1134901xa0134901xa0002	1301.6	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	Cbar	schulze	quality	0.1484	min	-0.1484	kendall_ma	11656867a01656867a0002	11656867a01656867a0002	3573	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	Cbar	schulze	quality	0.1458	min	-0.1458	kendall_ma	11496275a01496275a0002	11496275a01496275a0002	4662	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	Cbar	schulze	quality	0.1636	min	-0.1636	kendall_ma	11458338a01458338a0002	11458338a01458338a0002	4759.3	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	Cbar	schulze	quality	0.1886	min	-0.1886	kendall_ma	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	Cbar	schulze	quality	0.183	min	-0.183	kendall_ma	11423565a01423565a0002	11423565a01423565a0002	5036.4	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	Cbar	schulze	quality	0.189	min	-0.189	kendall_ma	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	Cbar	schulze	quality	0.2294	min	-0.2294	kendall_ma	11235713a0135713a0002	11235713a0135713a0002	5646.5	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	Cbar	schulze	quality	0.2956	min	-0.2956	kendall_ma	11399212a01399212a0002	11399212a01399212a0002	5641.2	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	Cbar	schulze	quality	0.2966	min	-0.2966	kendall_ma	11299779a01399779a0002	11299779a01399779a0002	5940.5	11	True	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	Cbar	simpleavg	quality	0.1484	min	-0.1484	kendall_ma	1134901xa0134901xa0002	1134901xa0134901xa0002	1301.6	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	Cbar	simpleavg	quality	0.1478	min	-0.1478	kendall_ma	11656867a01656867a0002	11656867a01656867a0002	3573	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	Cbar	simpleavg	quality	0.147	min	-0.147	kendall_ma	11496275a01496275a0002	11496275a01496275a0002	4662	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	Cbar	simpleavg	quality	0.1524	min	-0.1524	kendall_ma	11458338a01458338a0002	11458338a01458338a0002	4759.3	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	Cbar	simpleavg	quality	0.1532	min	-0.1532	kendall_ma	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	Cbar	simpleavg	quality	0.1576	min	-0.1576	kendall_ma	11423565a01423565a0002	11423565a01423565a0002	5036.4	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	Cbar	simpleavg	quality	0.1706	min	-0.1706	kendall_ma	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	Cbar	simpleavg	quality	0.1722	min	-0.1722	kendall_ma	11235713a0135713a0002	11235713a0135713a0002	5646.5	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	Cbar	simpleavg	quality	0.1738	min	-0.1738	kendall_ma	11399212a01399212a0002	11399212a01399212a0002	5641.2	11	False	True	4	

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	Cbar	simpleavg	quality	0.1744	min	-0.1744	kendall_ma	0.1299776	0.399779	0.002	5940.5	11	True	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	F	borda	quality	0.0864	max	0.0864	kendall_ma	0.134901	0.34901	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	F	borda	quality	0.0506	max	0.0506	kendall_ma	0.1656867	0.656867	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	F	borda	quality	0.0572	max	0.0572	kendall_ma	0.1496276	0.496275	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	F	borda	quality	0.0634	max	0.0634	kendall_ma	0.1458338	0.458338	0.002	4759.3	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	F	borda	quality	0.0604	max	0.0604	kendall_ma	0.1295705	0.395705	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	F	borda	quality	0.066	max	0.066	kendall_ma	0.1433565	0.423565	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	F	borda	quality	0.0582	max	0.0582	kendall_ma	0.1404688	0.404688	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	F	borda	quality	0.0552	max	0.0552	kendall_ma	0.1397434	0.387434	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	F	borda	quality	0.0494	max	0.0494	kendall_ma	0.1399216	0.389212	0.002	5641.2	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	F	borda	quality	0.0478	max	0.0478	kendall_ma	0.1299776	0.399779	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	F	kemeny	quality	0.0864	max	0.0864	kendall_ma	0.134901	0.34901	0.002	1301.6	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	F	kemeny	quality	0.0874	max	0.0874	kendall_ma	0.1656867	0.656867	0.002	3573	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	F	kemeny	quality	0.087	max	0.087	kendall_ma	0.1496276	0.496275	0.002	4662	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	F	kemeny	quality	0.0796	max	0.0796	kendall_ma	0.1458338	0.458338	0.002	4759.3	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	F	kemeny	quality	0.0728	max	0.0728	kendall_ma	0.1295705	0.395705	0.002	5098.7	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	F	kemeny	quality	0.0716	max	0.0716	kendall_ma	0.1433565	0.423565	0.002	5036.4	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	F	kemeny	quality	0.0738	max	0.0738	kendall_ma	0.1404688	0.404688	0.002	5469.8	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	F	kemeny	quality	0.0624	max	0.0624	kendall_ma	0.1397434	0.387434	0.002	5646.5	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	F	kemeny	quality	0.0542	max	0.0542	kendall_ma	0.1399216	0.389212	0.002	5641.2	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	F	kemeny	quality	0.05	max	0.05	kendall_ma	0.1299776	0.399779	0.002	5940.5	11	True	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	F	rrf	quality	0.0872	max	0.0872	kendall_ma	0.134901	0.34901	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	F	rrf	quality	0.0726	max	0.0726	kendall_ma	0.1656867	0.656867	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	F	rrf	quality	0.0804	max	0.0804	kendall_ma	0.1496276	0.496275	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	F	rrf	quality	0.0762	max	0.0762	kendall_ma	0.1458338	0.458338	0.002	4759.3	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	F	rrf	quality	0.0738	max	0.0738	kendall_ma	11295705a01395705a01395705a01395705	0.002	5098.7	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	F	rrf	quality	0.073	max	0.073	kendall_ma	11423565a01423565a01423565a01423565	0.002	5036.4	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	F	rrf	quality	0.0688	max	0.0688	kendall_ma	11404688a01404688a01404688a01404688	0.002	5469.8	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	F	rrf	quality	0.0634	max	0.0634	kendall_ma	11237513a0137513a0137513a0137513a	0.002	5646.5	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	F	rrf	quality	0.0574	max	0.0574	kendall_ma	11239212a01389212a01389212a01389212	0.002	5641.2	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	F	rrf	quality	0.0538	max	0.0538	kendall_ma	11299779a01399779a01399779a01399779	0.002	5940.5	11	True	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	F	schulze	quality	0.0864	max	0.0864	kendall_ma	11349011a01349011a01349011a01349011	0.002	1301.6	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	F	schulze	quality	0.0764	max	0.0764	kendall_ma	11656867a01656867a01656867a01656867	0.002	3573	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	F	schulze	quality	0.0874	max	0.0874	kendall_ma	11496275a01496275a01496275a01496275	0.002	4662	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	F	schulze	quality	0.0742	max	0.0742	kendall_ma	11458338a01458338a01458338a01458338	0.002	4759.3	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	F	schulze	quality	0.0698	max	0.0698	kendall_ma	11295705a01395705a01395705a01395705	0.002	5098.7	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	F	schulze	quality	0.0726	max	0.0726	kendall_ma	11423565a01423565a01423565a01423565	0.002	5036.4	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	F	schulze	quality	0.0684	max	0.0684	kendall_ma	11404688a01404688a01404688a01404688	0.002	5469.8	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	F	schulze	quality	0.0614	max	0.0614	kendall_ma	11237513a0137513a0137513a0137513a	0.002	5646.5	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	F	schulze	quality	0.0552	max	0.0552	kendall_ma	11239212a01389212a01389212a01389212	0.002	5641.2	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	F	schulze	quality	0.0488	max	0.0488	kendall_ma	11299779a01399779a01399779a01399779	0.002	5940.5	11	True	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	F	simpleavg	quality	0.0852	max	0.0852	kendall_ma	11349011a01349011a01349011a01349011	0.002	1301.6	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	F	simpleavg	quality	0.0734	max	0.0734	kendall_ma	11656867a01656867a01656867a01656867	0.002	3573	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	F	simpleavg	quality	0.0748	max	0.0748	kendall_ma	11496275a01496275a01496275a01496275	0.002	4662	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	F	simpleavg	quality	0.0686	max	0.0686	kendall_ma	11458338a01458338a01458338a01458338	0.002	4759.3	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	F	simpleavg	quality	0.0692	max	0.0692	kendall_ma	11295705a01395705a01395705a01395705	0.002	5098.7	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	F	simpleavg	quality	0.0696	max	0.0696	kendall_ma	11423565a01423565a01423565a01423565	0.002	5036.4	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	F	simpleavg	quality	0.0662	max	0.0662	kendall_ma	11404688a01404688a01404688a01404688	0.002	5469.8	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	F	simpleavg	quality	0.0648	max	0.0648	kendall_ma	11237513a0137513a0137513a0137513a	0.002	5646.5	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	F	simpleavg	quality	0.064	max	0.064	kendall_ma	11239212a01389212a01389212a01389212	0.002	5641.2	11	False	True	2	

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	F	simpleavg	quality	0.0642	max	0.0642	kendall_ma	1.29977e-03	0.399779	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	Fbar	borda	quality	0.0928	min	-0.0928	kendall_ma	1.34901e-03	0.349011	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	Fbar	borda	quality	0.1026	min	-0.1026	kendall_ma	1.65686e-03	0.656867	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	Fbar	borda	quality	0.1076	min	-0.1076	kendall_ma	1.49627e-03	0.496275	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	Fbar	borda	quality	0.1114	min	-0.1114	kendall_ma	1.45833e-03	0.458333	0.002	4759.3	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	Fbar	borda	quality	0.1326	min	-0.1326	kendall_ma	1.29570e-03	0.395705	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	Fbar	borda	quality	0.1326	min	-0.1326	kendall_ma	1.42356e-03	0.423565	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	Fbar	borda	quality	0.1334	min	-0.1334	kendall_ma	1.40468e-03	0.404683	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	Fbar	borda	quality	0.1634	min	-0.1634	kendall_ma	1.23743e-03	0.37434	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	Fbar	borda	quality	0.2012	min	-0.2012	kendall_ma	1.23921e-03	0.389212	0.002	5641.2	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	Fbar	borda	quality	0.2256	min	-0.2256	kendall_ma	1.29977e-03	0.399779	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	Fbar	kemeny	quality	0.0928	min	-0.0928	kendall_ma	1.34901e-03	0.349011	0.002	1301.6	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	Fbar	kemeny	quality	0.0946	min	-0.0946	kendall_ma	1.65686e-03	0.656867	0.002	3573	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	Fbar	kemeny	quality	0.0922	min	-0.0922	kendall_ma	1.49627e-03	0.496275	0.002	4662	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	Fbar	kemeny	quality	0.1154	min	-0.1154	kendall_ma	1.45833e-03	0.458333	0.002	4759.3	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	Fbar	kemeny	quality	0.1464	min	-0.1464	kendall_ma	1.29570e-03	0.395705	0.002	5098.7	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	Fbar	kemeny	quality	0.152	min	-0.152	kendall_ma	1.42356e-03	0.423565	0.002	5036.4	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	Fbar	kemeny	quality	0.143	min	-0.143	kendall_ma	1.40468e-03	0.404683	0.002	5469.8	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	Fbar	kemeny	quality	0.1934	min	-0.1934	kendall_ma	1.23743e-03	0.37434	0.002	5646.5	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	Fbar	kemeny	quality	0.2546	min	-0.2546	kendall_ma	1.23921e-03	0.389212	0.002	5641.2	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	Fbar	kemeny	quality	0.2684	min	-0.2684	kendall_ma	1.29977e-03	0.399779	0.002	5940.5	11	True	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	Fbar	rrf	quality	0.092	min	-0.092	kendall_ma	1.34901e-03	0.349011	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	Fbar	rrf	quality	0.096	min	-0.096	kendall_ma	1.65686e-03	0.656867	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	Fbar	rrf	quality	0.096	min	-0.096	kendall_ma	1.49627e-03	0.496275	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	Fbar	rrf	quality	0.105	min	-0.105	kendall_ma	1.45833e-03	0.458333	0.002	4759.3	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	Fbar	rrf	quality	0.1246	min	-0.1246	kendall_ma	11295705a01395705a01395705a01395705	0.002	5098.7	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	Fbar	rrf	quality	0.1278	min	-0.1278	kendall_ma	11423565a01423565a01423565a01423565	0.002	5036.4	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	Fbar	rrf	quality	0.127	min	-0.127	kendall_ma	11404688a01404688a01404688a01404688	0.002	5469.8	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	Fbar	rrf	quality	0.1624	min	-0.1624	kendall_ma	11237513a01387134a01387134a01387134	0.002	5646.5	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	Fbar	rrf	quality	0.2086	min	-0.2086	kendall_ma	11239212a01389212a01389212a01389212	0.002	5641.2	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	Fbar	rrf	quality	0.2172	min	-0.2172	kendall_ma	11299779a01399779a01399779a01399779	0.002	5940.5	11	True	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	Fbar	schulze	quality	0.0928	min	-0.0928	kendall_ma	11349011a01349011a01349011a01349011	0.002	1301.6	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	Fbar	schulze	quality	0.0978	min	-0.0978	kendall_ma	11656867a01656867a01656867a01656867	0.002	3573	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	Fbar	schulze	quality	0.0952	min	-0.0952	kendall_ma	11496275a01496275a01496275a01496275	0.002	4662	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	Fbar	schulze	quality	0.109	min	-0.109	kendall_ma	11458333a01458333a01458333a01458333	0.002	4759.3	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	Fbar	schulze	quality	0.1338	min	-0.1338	kendall_ma	11295705a01395705a01395705a01395705	0.002	5098.7	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	Fbar	schulze	quality	0.1302	min	-0.1302	kendall_ma	11423565a01423565a01423565a01423565	0.002	5036.4	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	Fbar	schulze	quality	0.1302	min	-0.1302	kendall_ma	11404688a01404688a01404688a01404688	0.002	5469.8	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	Fbar	schulze	quality	0.1726	min	-0.1726	kendall_ma	11237513a01387134a01387134a01387134	0.002	5646.5	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	Fbar	schulze	quality	0.2342	min	-0.2342	kendall_ma	11239212a01389212a01389212a01389212	0.002	5641.2	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	Fbar	schulze	quality	0.2336	min	-0.2336	kendall_ma	11299779a01399779a01399779a01399779	0.002	5940.5	11	True	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	Fbar	simpleavg	quality	0.0966	min	-0.0966	kendall_ma	11349011a01349011a01349011a01349011	0.002	1301.6	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	Fbar	simpleavg	quality	0.097	min	-0.097	kendall_ma	11656867a01656867a01656867a01656867	0.002	3573	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	Fbar	simpleavg	quality	0.0956	min	-0.0956	kendall_ma	11496275a01496275a01496275a01496275	0.002	4662	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	Fbar	simpleavg	quality	0.1002	min	-0.1002	kendall_ma	11458333a01458333a01458333a01458333	0.002	4759.3	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	Fbar	simpleavg	quality	0.0998	min	-0.0998	kendall_ma	11295705a01395705a01395705a01395705	0.002	5098.7	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	Fbar	simpleavg	quality	0.1038	min	-0.1038	kendall_ma	11423565a01423565a01423565a01423565	0.002	5036.4	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	Fbar	simpleavg	quality	0.1152	min	-0.1152	kendall_ma	11404688a01404688a01404688a01404688	0.002	5469.8	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	Fbar	simpleavg	quality	0.1164	min	-0.1164	kendall_ma	11237513a01387134a01387134a01387134	0.002	5646.5	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	Fbar	simpleavg	quality	0.1176	min	-0.1176	kendall_ma	11239212a01389212a01389212a01389212	0.002	5641.2	11	False	True	4	

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	Fbar	simpleavg	quality	0.1174	min	-0.1174	kendall_ma	0.1299776	0.399779	0.002	5940.5	11	True	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversarial-sara-2-255	C	borda	robustness	0.091	max	0.091	kendall_ma	0.134901	0.34901	0.002	1301.6	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversarial-sara-2-255	C	borda	robustness	0.1214	max	0.1214	kendall_ma	0.1656867	0.656867	0.002	3573	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversarial-sara-2-255	C	borda	robustness	0.1042	max	0.1042	kendall_ma	0.1496276	0.496275	0.002	4662	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversarial-sara-2-255	C	borda	robustness	0.0962	max	0.0962	kendall_ma	0.1458338	0.458338	0.002	4759.3	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversarial-sara-2-255	C	borda	robustness	0.092	max	0.092	kendall_ma	0.1295705	0.395705	0.002	5098.7	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversarial-sara-2-255	C	borda	robustness	0.0886	max	0.0886	kendall_ma	0.1423565	0.423565	0.002	5036.4	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversarial-sara-2-255	C	borda	robustness	0.0998	max	0.0998	kendall_ma	0.1404688	0.404688	0.002	5469.8	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversarial-sara-2-255	C	borda	robustness	0.0924	max	0.0924	kendall_ma	0.1237434	0.37434	0.002	5646.5	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversarial-sara-2-255	C	borda	robustness	0.0934	max	0.0934	kendall_ma	0.1299216	0.39212	0.002	5641.2	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversarial-sara-2-255	C	borda	robustness	0.095	max	0.095	kendall_ma	0.1299776	0.399779	0.002	5940.5	11	True	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversarial-sara-2-255	C	kemeny	robustness	0.091	max	0.091	kendall_ma	0.134901	0.34901	0.002	1301.6	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversarial-sara-2-255	C	kemeny	robustness	0.0926	max	0.0926	kendall_ma	0.1656867	0.656867	0.002	3573	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversarial-sara-2-255	C	kemeny	robustness	0.0916	max	0.0916	kendall_ma	0.1496276	0.496275	0.002	4662	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversarial-sara-2-255	C	kemeny	robustness	0.087	max	0.087	kendall_ma	0.1458338	0.458338	0.002	4759.3	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversarial-sara-2-255	C	kemeny	robustness	0.0856	max	0.0856	kendall_ma	0.1295705	0.395705	0.002	5098.7	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversarial-sara-2-255	C	kemeny	robustness	0.0876	max	0.0876	kendall_ma	0.1423565	0.423565	0.002	5036.4	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversarial-sara-2-255	C	kemeny	robustness	0.0808	max	0.0808	kendall_ma	0.1404688	0.404688	0.002	5469.8	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversarial-sara-2-255	C	kemeny	robustness	0.085	max	0.085	kendall_ma	0.1237434	0.37434	0.002	5646.5	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversarial-sara-2-255	C	kemeny	robustness	0.084	max	0.084	kendall_ma	0.1299216	0.39212	0.002	5641.2	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversarial-sara-2-255	C	kemeny	robustness	0.0926	max	0.0926	kendall_ma	0.1299776	0.399779	0.002	5940.5	11	True	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversarial-sara-2-255	C	rrf	robustness	0.0902	max	0.0902	kendall_ma	0.134901	0.34901	0.002	1301.6	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversarial-sara-2-255	C	rrf	robustness	0.1024	max	0.1024	kendall_ma	0.1656867	0.656867	0.002	3573	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversarial-sara-2-255	C	rrf	robustness	0.0916	max	0.0916	kendall_ma	0.1496276	0.496275	0.002	4662	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversarial-sara-2-255	C	rrf	robustness	0.0864	max	0.0864	kendall_ma	0.1458338	0.458338	0.002	4759.3	11	False	True	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversarial	C	rrf	robustness	0.0834	max	0.0834	kendall_ma	1.295705e+03	95705.0	0.002	5098.7	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversarial	C	rrf	robustness	0.0876	max	0.0876	kendall_ma	1.423565e+04	23565.0	0.002	5036.4	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversarial	C	rrf	robustness	0.0866	max	0.0866	kendall_ma	1.404688e+04	4688.0	0.002	5469.8	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversarial	C	rrf	robustness	0.0862	max	0.0862	kendall_ma	1.237513e+03	7513.0	0.002	5646.5	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversarial	C	rrf	robustness	0.0846	max	0.0846	kendall_ma	1.239212e+03	39212.0	0.002	5641.2	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversarial	C	rrf	robustness	0.0886	max	0.0886	kendall_ma	1.299779e+03	9779.0	0.002	5940.5	11	True	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversarial	C	schulze	robustness	0.091	max	0.091	kendall_ma	1.349011e+03	4901.0	0.002	1301.6	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversarial	C	schulze	robustness	0.0968	max	0.0968	kendall_ma	1.656867e+06	56867.0	0.002	3573	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversarial	C	schulze	robustness	0.0834	max	0.0834	kendall_ma	1.496275e+04	96275.0	0.002	4662	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversarial	C	schulze	robustness	0.0912	max	0.0912	kendall_ma	1.458333e+04	5833.0	0.002	4759.3	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversarial	C	schulze	robustness	0.0856	max	0.0856	kendall_ma	1.295705e+03	95705.0	0.002	5098.7	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversarial	C	schulze	robustness	0.0804	max	0.0804	kendall_ma	1.423565e+04	23565.0	0.002	5036.4	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversarial	C	schulze	robustness	0.0892	max	0.0892	kendall_ma	1.404688e+04	4688.0	0.002	5469.8	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversarial	C	schulze	robustness	0.083	max	0.083	kendall_ma	1.237513e+03	7513.0	0.002	5646.5	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversarial	C	schulze	robustness	0.0852	max	0.0852	kendall_ma	1.239212e+03	39212.0	0.002	5641.2	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversarial	C	schulze	robustness	0.0904	max	0.0904	kendall_ma	1.299779e+03	9779.0	0.002	5940.5	11	True	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversarial	C	simpleavg	robustness	0.0934	max	0.0934	kendall_ma	1.349011e+03	4901.0	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversarial	C	simpleavg	robustness	0.0928	max	0.0928	kendall_ma	1.656867e+06	56867.0	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversarial	C	simpleavg	robustness	0.083	max	0.083	kendall_ma	1.496275e+04	96275.0	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversarial	C	simpleavg	robustness	0.0836	max	0.0836	kendall_ma	1.458333e+04	5833.0	0.002	4759.3	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversarial	C	simpleavg	robustness	0.078	max	0.078	kendall_ma	1.295705e+03	95705.0	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversarial	C	simpleavg	robustness	0.0782	max	0.0782	kendall_ma	1.423565e+04	23565.0	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversarial	C	simpleavg	robustness	0.0822	max	0.0822	kendall_ma	1.404688e+04	4688.0	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversarial	C	simpleavg	robustness	0.0842	max	0.0842	kendall_ma	1.237513e+03	7513.0	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversarial	C	simpleavg	robustness	0.08	max	0.08	kendall_ma	1.239212e+03	39212.0	0.002	5641.2	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversarial-sara-2-255	C	simpleavg	robustness	0.0788	max	0.0788	kendall_ma	0.1299776	0.399779	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversarial-sara-2-255	Cbar	borda	robustness	-0.2096	max	-0.2096	kendall_ma	0.134901	0.34901	0.002	1301.6	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversarial-sara-2-255	Cbar	borda	robustness	-0.201	max	-0.201	kendall_ma	0.1656867	0.1656867	0.002	3573	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversarial-sara-2-255	Cbar	borda	robustness	-0.2358	max	-0.2358	kendall_ma	0.1496276	0.1496275	0.002	4662	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversarial-sara-2-255	Cbar	borda	robustness	-0.2572	max	-0.2572	kendall_ma	0.1458338	0.1458338	0.002	4759.3	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversarial-sara-2-255	Cbar	borda	robustness	-0.264	max	-0.264	kendall_ma	0.1295705	0.1395705	0.002	5098.7	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversarial-sara-2-255	Cbar	borda	robustness	-0.2686	max	-0.2686	kendall_ma	0.1423565	0.1423565	0.002	5036.4	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversarial-sara-2-255	Cbar	borda	robustness	-0.2654	max	-0.2654	kendall_ma	0.1404688	0.1404688	0.002	5469.8	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversarial-sara-2-255	Cbar	borda	robustness	-0.2664	max	-0.2664	kendall_ma	0.1237434	0.137434	0.002	5646.5	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversarial-sara-2-255	Cbar	borda	robustness	-0.2626	max	-0.2626	kendall_ma	0.1299216	0.139212	0.002	5641.2	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversarial-sara-2-255	Cbar	borda	robustness	-0.2556	max	-0.2556	kendall_ma	0.1299776	0.399779	0.002	5940.5	11	True	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversarial-sara-2-255	Cbar	kemeny	robustness	-0.2096	max	-0.2096	kendall_ma	0.134901	0.34901	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversarial-sara-2-255	Cbar	kemeny	robustness	-0.2164	max	-0.2164	kendall_ma	0.1656867	0.1656867	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversarial-sara-2-255	Cbar	kemeny	robustness	-0.239	max	-0.239	kendall_ma	0.1496276	0.1496275	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversarial-sara-2-255	Cbar	kemeny	robustness	-0.2498	max	-0.2498	kendall_ma	0.1458338	0.1458338	0.002	4759.3	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversarial-sara-2-255	Cbar	kemeny	robustness	-0.2486	max	-0.2486	kendall_ma	0.1295705	0.1395705	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversarial-sara-2-255	Cbar	kemeny	robustness	-0.2376	max	-0.2376	kendall_ma	0.1423565	0.1423565	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversarial-sara-2-255	Cbar	kemeny	robustness	-0.2486	max	-0.2486	kendall_ma	0.1404688	0.1404688	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversarial-sara-2-255	Cbar	kemeny	robustness	-0.246	max	-0.246	kendall_ma	0.1237434	0.137434	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversarial-sara-2-255	Cbar	kemeny	robustness	-0.234	max	-0.234	kendall_ma	0.1299216	0.139212	0.002	5641.2	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversarial-sara-2-255	Cbar	kemeny	robustness	-0.2166	max	-0.2166	kendall_ma	0.1299776	0.399779	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversarial-sara-2-255	Cbar	rrf	robustness	-0.2102	max	-0.2102	kendall_ma	0.134901	0.34901	0.002	1301.6	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversarial-sara-2-255	Cbar	rrf	robustness	-0.2064	max	-0.2064	kendall_ma	0.1656867	0.1656867	0.002	3573	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversarial-sara-2-255	Cbar	rrf	robustness	-0.2372	max	-0.2372	kendall_ma	0.1496276	0.1496275	0.002	4662	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversarial-sara-2-255	Cbar	rrf	robustness	-0.268	max	-0.268	kendall_ma	0.1458338	0.1458338	0.002	4759.3	11	False	True	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversaria	Cbar	rrf	robustness	-0.2666	max	-0.2666	kendall_ma	11295705a01395705a01395705a01395705	0.002	5098.7	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversaria	Cbar	rrf	robustness	-0.2614	max	-0.2614	kendall_ma	11423565a01423565a01423565a01423565	0.002	5036.4	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversaria	Cbar	rrf	robustness	-0.2572	max	-0.2572	kendall_ma	11404688a01404688a01404688a01404688	0.002	5469.8	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversaria	Cbar	rrf	robustness	-0.2636	max	-0.2636	kendall_ma	11237513a01387134a01387134a01387134	0.002	5646.5	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversaria	Cbar	rrf	robustness	-0.2502	max	-0.2502	kendall_ma	11239212a01389212a01389212a01389212	0.002	5641.2	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversaria	Cbar	rrf	robustness	-0.2434	max	-0.2434	kendall_ma	11299779a01399779a01399779a01399779	0.002	5940.5	11	True	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversaria	Cbar	schulze	robustness	-0.2096	max	-0.2096	kendall_ma	1134901xa0134901xa0134901xa0134901x	0.002	1301.6	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversaria	Cbar	schulze	robustness	-0.1992	max	-0.1992	kendall_ma	11656867a01656867a01656867a01656867	0.002	3573	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversaria	Cbar	schulze	robustness	-0.2324	max	-0.2324	kendall_ma	11496275a01496275a01496275a01496275	0.002	4662	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversaria	Cbar	schulze	robustness	-0.2574	max	-0.2574	kendall_ma	11458338a01458338a01458338a01458338	0.002	4759.3	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversaria	Cbar	schulze	robustness	-0.267	max	-0.267	kendall_ma	11295705a01395705a01395705a01395705	0.002	5098.7	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversaria	Cbar	schulze	robustness	-0.2672	max	-0.2672	kendall_ma	11423565a01423565a01423565a01423565	0.002	5036.4	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversaria	Cbar	schulze	robustness	-0.2616	max	-0.2616	kendall_ma	11404688a01404688a01404688a01404688	0.002	5469.8	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversaria	Cbar	schulze	robustness	-0.2596	max	-0.2596	kendall_ma	11237513a01387134a01387134a01387134	0.002	5646.5	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversaria	Cbar	schulze	robustness	-0.244	max	-0.244	kendall_ma	11239212a01389212a01389212a01389212	0.002	5641.2	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversaria	Cbar	schulze	robustness	-0.2418	max	-0.2418	kendall_ma	11299779a01399779a01399779a01399779	0.002	5940.5	11	True	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversaria	Cbar	simpleavg	robustness	-0.2052	max	-0.2052	kendall_ma	1134901xa0134901xa0134901xa0134901x	0.002	1301.6	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversaria	Cbar	simpleavg	robustness	-0.2038	max	-0.2038	kendall_ma	11656867a01656867a01656867a01656867	0.002	3573	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversaria	Cbar	simpleavg	robustness	-0.2204	max	-0.2204	kendall_ma	11496275a01496275a01496275a01496275	0.002	4662	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversaria	Cbar	simpleavg	robustness	-0.2532	max	-0.2532	kendall_ma	11458338a01458338a01458338a01458338	0.002	4759.3	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversaria	Cbar	simpleavg	robustness	-0.262	max	-0.262	kendall_ma	11295705a01395705a01395705a01395705	0.002	5098.7	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversaria	Cbar	simpleavg	robustness	-0.2722	max	-0.2722	kendall_ma	11423565a01423565a01423565a01423565	0.002	5036.4	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversaria	Cbar	simpleavg	robustness	-0.2576	max	-0.2576	kendall_ma	11404688a01404688a01404688a01404688	0.002	5469.8	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversaria	Cbar	simpleavg	robustness	-0.2738	max	-0.2738	kendall_ma	11237513a01387134a01387134a01387134	0.002	5646.5	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversaria	Cbar	simpleavg	robustness	-0.284	max	-0.284	kendall_ma	11239212a01389212a01389212a01389212	0.002	5641.2	11	False	True	3	

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversarial	Cbar	simpleavg	robustness	-0.2848	max	-0.2848	kendall_ma	0.1299776	0.399779	0.002	5940.5	11	True	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversarial	F	borda	robustness	0.076	max	0.076	kendall_ma	0.134901	0.34901	0.002	1301.6	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversarial	F	borda	robustness	0.1022	max	0.1022	kendall_ma	0.1656867	0.1656867	0.002	3573	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversarial	F	borda	robustness	0.0902	max	0.0902	kendall_ma	0.1496276	0.1496275	0.002	4662	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversarial	F	borda	robustness	0.0782	max	0.0782	kendall_ma	0.1458338	0.1458338	0.002	4759.3	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversarial	F	borda	robustness	0.0778	max	0.0778	kendall_ma	0.1295705	0.1395705	0.002	5098.7	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversarial	F	borda	robustness	0.0726	max	0.0726	kendall_ma	0.1423565	0.1423565	0.002	5036.4	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversarial	F	borda	robustness	0.0808	max	0.0808	kendall_ma	0.1404688	0.1404688	0.002	5469.8	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversarial	F	borda	robustness	0.0718	max	0.0718	kendall_ma	0.1237434	0.137434	0.002	5646.5	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversarial	F	borda	robustness	0.0718	max	0.0718	kendall_ma	0.1299216	0.1399212	0.002	5641.2	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversarial	F	borda	robustness	0.0736	max	0.0736	kendall_ma	0.1299776	0.1399779	0.002	5940.5	11	True	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversarial	F	kemeny	robustness	0.076	max	0.076	kendall_ma	0.134901	0.34901	0.002	1301.6	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversarial	F	kemeny	robustness	0.077	max	0.077	kendall_ma	0.1656867	0.1656867	0.002	3573	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversarial	F	kemeny	robustness	0.0766	max	0.0766	kendall_ma	0.1496276	0.1496275	0.002	4662	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversarial	F	kemeny	robustness	0.0688	max	0.0688	kendall_ma	0.1458338	0.1458338	0.002	4759.3	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversarial	F	kemeny	robustness	0.0672	max	0.0672	kendall_ma	0.1295705	0.1395705	0.002	5098.7	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversarial	F	kemeny	robustness	0.0688	max	0.0688	kendall_ma	0.1423565	0.1423565	0.002	5036.4	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversarial	F	kemeny	robustness	0.0622	max	0.0622	kendall_ma	0.1404688	0.1404688	0.002	5469.8	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversarial	F	kemeny	robustness	0.0638	max	0.0638	kendall_ma	0.1237434	0.137434	0.002	5646.5	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversarial	F	kemeny	robustness	0.0654	max	0.0654	kendall_ma	0.1299216	0.1399212	0.002	5641.2	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversarial	F	kemeny	robustness	0.0714	max	0.0714	kendall_ma	0.1299776	0.1399779	0.002	5940.5	11	True	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversarial	F	rrf	robustness	0.0764	max	0.0764	kendall_ma	0.134901	0.34901	0.002	1301.6	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversarial	F	rrf	robustness	0.086	max	0.086	kendall_ma	0.1656867	0.1656867	0.002	3573	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversarial	F	rrf	robustness	0.0734	max	0.0734	kendall_ma	0.1496276	0.1496275	0.002	4662	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversarial	F	rrf	robustness	0.0678	max	0.0678	kendall_ma	0.1458338	0.1458338	0.002	4759.3	11	False	True	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversarial	F	rrf	robustness	0.0662	max	0.0662	kendall_ma	1.295705e+03	95705.0002	5098.7	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversarial	F	rrf	robustness	0.0672	max	0.0672	kendall_ma	1.423565e+04	23565.0002	5036.4	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversarial	F	rrf	robustness	0.065	max	0.065	kendall_ma	1.404688e+04	4688.0002	5469.8	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversarial	F	rrf	robustness	0.066	max	0.066	kendall_ma	1.237513e+03	7513.0002	5646.5	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversarial	F	rrf	robustness	0.0666	max	0.0666	kendall_ma	1.339212e+03	9212.0002	5641.2	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversarial	F	rrf	robustness	0.0696	max	0.0696	kendall_ma	1.299779e+03	9779.0002	5940.5	11	True	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversarial	F	schulze	robustness	0.076	max	0.076	kendall_ma	1.349011e+03	4901.0002	1301.6	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversarial	F	schulze	robustness	0.079	max	0.079	kendall_ma	1.656867e+06	56867.0002	3573	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversarial	F	schulze	robustness	0.0706	max	0.0706	kendall_ma	1.496275e+04	96275.0002	4662	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversarial	F	schulze	robustness	0.0744	max	0.0744	kendall_ma	1.458333e+04	58333.0002	4759.3	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversarial	F	schulze	robustness	0.0698	max	0.0698	kendall_ma	1.295705e+03	95705.0002	5098.7	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversarial	F	schulze	robustness	0.065	max	0.065	kendall_ma	1.423565e+04	23565.0002	5036.4	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversarial	F	schulze	robustness	0.0692	max	0.0692	kendall_ma	1.404688e+04	4688.0002	5469.8	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversarial	F	schulze	robustness	0.0642	max	0.0642	kendall_ma	1.237513e+03	7513.0002	5646.5	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversarial	F	schulze	robustness	0.0652	max	0.0652	kendall_ma	1.339212e+03	9212.0002	5641.2	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversarial	F	schulze	robustness	0.072	max	0.072	kendall_ma	1.299779e+03	9779.0002	5940.5	11	True	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversarial	F	simpleavg	robustness	0.0772	max	0.0772	kendall_ma	1.349011e+03	4901.0002	1301.6	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversarial	F	simpleavg	robustness	0.0752	max	0.0752	kendall_ma	1.656867e+06	56867.0002	3573	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversarial	F	simpleavg	robustness	0.0676	max	0.0676	kendall_ma	1.496275e+04	96275.0002	4662	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversarial	F	simpleavg	robustness	0.0688	max	0.0688	kendall_ma	1.458333e+04	58333.0002	4759.3	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversarial	F	simpleavg	robustness	0.0648	max	0.0648	kendall_ma	1.295705e+03	95705.0002	5098.7	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversarial	F	simpleavg	robustness	0.0646	max	0.0646	kendall_ma	1.423565e+04	23565.0002	5036.4	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversarial	F	simpleavg	robustness	0.0672	max	0.0672	kendall_ma	1.404688e+04	4688.0002	5469.8	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversarial	F	simpleavg	robustness	0.0672	max	0.0672	kendall_ma	1.237513e+03	7513.0002	5646.5	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversarial	F	simpleavg	robustness	0.065	max	0.065	kendall_ma	1.339212e+03	9212.0002	5641.2	11	False	True	2	

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversarial	F	simpleavg	robustness	0.0632	max	0.0632	kendall_ma	0.1299776	0.399779	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversarial	Fbar	borda	robustness	-0.2034	max	-0.2034	kendall_ma	0.134901	0.34901	0.002	1301.6	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversarial	Fbar	borda	robustness	-0.1906	max	-0.1906	kendall_ma	0.1656867	0.1656867	0.002	3573	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversarial	Fbar	borda	robustness	-0.2242	max	-0.2242	kendall_ma	0.1496276	0.1496275	0.002	4662	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversarial	Fbar	borda	robustness	-0.248	max	-0.248	kendall_ma	0.1458338	0.1458338	0.002	4759.3	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversarial	Fbar	borda	robustness	-0.256	max	-0.256	kendall_ma	0.1295705	0.1395705	0.002	5098.7	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversarial	Fbar	borda	robustness	-0.2546	max	-0.2546	kendall_ma	0.1423565	0.1423565	0.002	5036.4	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversarial	Fbar	borda	robustness	-0.2486	max	-0.2486	kendall_ma	0.1404688	0.1404688	0.002	5469.8	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversarial	Fbar	borda	robustness	-0.257	max	-0.257	kendall_ma	0.1237434	0.137434	0.002	5646.5	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversarial	Fbar	borda	robustness	-0.254	max	-0.254	kendall_ma	0.1299216	0.1399212	0.002	5641.2	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversarial	Fbar	borda	robustness	-0.2438	max	-0.2438	kendall_ma	0.1299776	0.399779	0.002	5940.5	11	True	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversarial	Fbar	kemeny	robustness	-0.2034	max	-0.2034	kendall_ma	0.134901	0.34901	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversarial	Fbar	kemeny	robustness	-0.207	max	-0.207	kendall_ma	0.1656867	0.1656867	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversarial	Fbar	kemeny	robustness	-0.2344	max	-0.2344	kendall_ma	0.1496276	0.1496275	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversarial	Fbar	kemeny	robustness	-0.2416	max	-0.2416	kendall_ma	0.1458338	0.1458338	0.002	4759.3	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversarial	Fbar	kemeny	robustness	-0.2386	max	-0.2386	kendall_ma	0.1295705	0.1395705	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversarial	Fbar	kemeny	robustness	-0.2282	max	-0.2282	kendall_ma	0.1423565	0.1423565	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversarial	Fbar	kemeny	robustness	-0.2356	max	-0.2356	kendall_ma	0.1404688	0.1404688	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversarial	Fbar	kemeny	robustness	-0.2382	max	-0.2382	kendall_ma	0.1237434	0.137434	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversarial	Fbar	kemeny	robustness	-0.2262	max	-0.2262	kendall_ma	0.1299216	0.1399212	0.002	5641.2	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversarial	Fbar	kemeny	robustness	-0.2106	max	-0.2106	kendall_ma	0.1299776	0.399779	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversarial	Fbar	rrf	robustness	-0.204	max	-0.204	kendall_ma	0.134901	0.34901	0.002	1301.6	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversarial	Fbar	rrf	robustness	-0.2022	max	-0.2022	kendall_ma	0.1656867	0.1656867	0.002	3573	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversarial	Fbar	rrf	robustness	-0.2262	max	-0.2262	kendall_ma	0.1496276	0.1496275	0.002	4662	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversarial	Fbar	rrf	robustness	-0.2546	max	-0.2546	kendall_ma	0.1458338	0.1458338	0.002	4759.3	11	False	True	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversarial	Fbar	rrf	robustness	-0.2526	max	-0.2526	kendall_ma	11295705a01395705a01395705a01395705	0.002	5098.7	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversarial	Fbar	rrf	robustness	-0.2504	max	-0.2504	kendall_ma	11423565a01423565a01423565a01423565	0.002	5036.4	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversarial	Fbar	rrf	robustness	-0.2458	max	-0.2458	kendall_ma	11404688a01404688a01404688a01404688	0.002	5469.8	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversarial	Fbar	rrf	robustness	-0.2544	max	-0.2544	kendall_ma	11237513a01387134a01387134a01387134	0.002	5646.5	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversarial	Fbar	rrf	robustness	-0.2426	max	-0.2426	kendall_ma	11239212a01389212a01389212a01389212	0.002	5641.2	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversarial	Fbar	rrf	robustness	-0.238	max	-0.238	kendall_ma	11299779a01399779a01399779a01399779	0.002	5940.5	11	True	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversarial	Fbar	schulze	robustness	-0.2034	max	-0.2034	kendall_ma	1134901xa0134901xa0134901xa0134901x	0.002	1301.6	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversarial	Fbar	schulze	robustness	-0.191	max	-0.191	kendall_ma	11656867a01656867a01656867a01656867	0.002	3573	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversarial	Fbar	schulze	robustness	-0.225	max	-0.225	kendall_ma	11496275a01496275a01496275a01496275	0.002	4662	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversarial	Fbar	schulze	robustness	-0.2486	max	-0.2486	kendall_ma	11458338a01458338a01458338a01458338	0.002	4759.3	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversarial	Fbar	schulze	robustness	-0.2534	max	-0.2534	kendall_ma	11295705a01395705a01395705a01395705	0.002	5098.7	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversarial	Fbar	schulze	robustness	-0.2512	max	-0.2512	kendall_ma	11423565a01423565a01423565a01423565	0.002	5036.4	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversarial	Fbar	schulze	robustness	-0.2494	max	-0.2494	kendall_ma	11404688a01404688a01404688a01404688	0.002	5469.8	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversarial	Fbar	schulze	robustness	-0.2456	max	-0.2456	kendall_ma	11237513a01387134a01387134a01387134	0.002	5646.5	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversarial	Fbar	schulze	robustness	-0.2358	max	-0.2358	kendall_ma	11239212a01389212a01389212a01389212	0.002	5641.2	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversarial	Fbar	schulze	robustness	-0.2358	max	-0.2358	kendall_ma	11299779a01399779a01399779a01399779	0.002	5940.5	11	True	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversarial	Fbar	simpleavg	robustness	-0.198	max	-0.198	kendall_ma	1134901xa0134901xa0134901xa0134901x	0.002	1301.6	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversarial	Fbar	simpleavg	robustness	-0.1992	max	-0.1992	kendall_ma	11656867a01656867a01656867a01656867	0.002	3573	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversarial	Fbar	simpleavg	robustness	-0.2134	max	-0.2134	kendall_ma	11496275a01496275a01496275a01496275	0.002	4662	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversarial	Fbar	simpleavg	robustness	-0.2444	max	-0.2444	kendall_ma	11458338a01458338a01458338a01458338	0.002	4759.3	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversarial	Fbar	simpleavg	robustness	-0.2506	max	-0.2506	kendall_ma	11295705a01395705a01395705a01395705	0.002	5098.7	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversarial	Fbar	simpleavg	robustness	-0.2612	max	-0.2612	kendall_ma	11423565a01423565a01423565a01423565	0.002	5036.4	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversarial	Fbar	simpleavg	robustness	-0.2474	max	-0.2474	kendall_ma	11404688a01404688a01404688a01404688	0.002	5469.8	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversarial	Fbar	simpleavg	robustness	-0.2612	max	-0.2612	kendall_ma	11237513a01387134a01387134a01387134	0.002	5646.5	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversarial	Fbar	simpleavg	robustness	-0.2698	max	-0.2698	kendall_ma	11239212a01389212a01389212a01389212	0.002	5641.2	11	False	True	2	

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversarial	Fbar	simpleavg	robustness	-0.2696	max	-0.2696	kendall_ma	0.1299779	0.399779	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	C	borda	robustness	0.0846	max	0.0846	kendall_ma	0.134901	0.34901	0.002	1301.6	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	C	borda	robustness	0.1022	max	0.1022	kendall_ma	0.1656867	0.656867	0.002	3573	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	C	borda	robustness	0.1066	max	0.1066	kendall_ma	0.1496275	0.496275	0.002	4662	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	C	borda	robustness	0.1024	max	0.1024	kendall_ma	0.1458338	0.458338	0.002	4759.3	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	C	borda	robustness	0.1052	max	0.1052	kendall_ma	0.1295705	0.395705	0.002	5098.7	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	C	borda	robustness	0.0982	max	0.0982	kendall_ma	0.1423565	0.423565	0.002	5036.4	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	C	borda	robustness	0.1064	max	0.1064	kendall_ma	0.1404688	0.404688	0.002	5469.8	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	C	borda	robustness	0.11	max	0.11	kendall_ma	0.1237434	0.37434	0.002	5646.5	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	C	borda	robustness	0.119	max	0.119	kendall_ma	0.1239212	0.39212	0.002	5641.2	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	C	borda	robustness	0.1126	max	0.1126	kendall_ma	0.1299779	0.399779	0.002	5940.5	11	True	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	C	kemeny	robustness	0.0846	max	0.0846	kendall_ma	0.134901	0.34901	0.002	1301.6	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	C	kemeny	robustness	0.0906	max	0.0906	kendall_ma	0.1656867	0.656867	0.002	3573	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	C	kemeny	robustness	0.0984	max	0.0984	kendall_ma	0.1496275	0.496275	0.002	4662	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	C	kemeny	robustness	0.0962	max	0.0962	kendall_ma	0.1458338	0.458338	0.002	4759.3	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	C	kemeny	robustness	0.111	max	0.111	kendall_ma	0.1295705	0.395705	0.002	5098.7	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	C	kemeny	robustness	0.1052	max	0.1052	kendall_ma	0.1423565	0.423565	0.002	5036.4	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	C	kemeny	robustness	0.1076	max	0.1076	kendall_ma	0.1404688	0.404688	0.002	5469.8	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	C	kemeny	robustness	0.1174	max	0.1174	kendall_ma	0.1237434	0.37434	0.002	5646.5	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	C	kemeny	robustness	0.119	max	0.119	kendall_ma	0.1239212	0.39212	0.002	5641.2	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	C	kemeny	robustness	0.1174	max	0.1174	kendall_ma	0.1299779	0.399779	0.002	5940.5	11	True	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	C	rrf	robustness	0.0862	max	0.0862	kendall_ma	0.134901	0.34901	0.002	1301.6	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	C	rrf	robustness	0.1028	max	0.1028	kendall_ma	0.1656867	0.656867	0.002	3573	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	C	rrf	robustness	0.1046	max	0.1046	kendall_ma	0.1496275	0.496275	0.002	4662	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	C	rrf	robustness	0.1008	max	0.1008	kendall_ma	0.1458338	0.458338	0.002	4759.3	11	False	True	11

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	C	rrf	robustness	0.1096	max	0.1096	kendall_ma	1.295705e+03	95705.0002	5098.7	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	C	rrf	robustness	0.1044	max	0.1044	kendall_ma	1.423565e+04	23565.0002	5036.4	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	C	rrf	robustness	0.1142	max	0.1142	kendall_ma	1.404688e+04	4688.0002	5469.8	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	C	rrf	robustness	0.1166	max	0.1166	kendall_ma	1.237513e+03	7513.0002	5646.5	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	C	rrf	robustness	0.1136	max	0.1136	kendall_ma	1.239212e+03	39212.0002	5641.2	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	C	rrf	robustness	0.1182	max	0.1182	kendall_ma	1.299779e+03	9779.0002	5940.5	11	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	C	schulze	robustness	0.0846	max	0.0846	kendall_ma	1.349011e+03	4901.0002	1301.6	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	C	schulze	robustness	0.0962	max	0.0962	kendall_ma	1.656867e+06	56867.0002	3573	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	C	schulze	robustness	0.1046	max	0.1046	kendall_ma	1.496275e+04	96275.0002	4662	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	C	schulze	robustness	0.101	max	0.101	kendall_ma	1.458333e+04	5833.0002	4759.3	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	C	schulze	robustness	0.1136	max	0.1136	kendall_ma	1.295705e+03	95705.0002	5098.7	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	C	schulze	robustness	0.0978	max	0.0978	kendall_ma	1.423565e+04	23565.0002	5036.4	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	C	schulze	robustness	0.109	max	0.109	kendall_ma	1.404688e+04	4688.0002	5469.8	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	C	schulze	robustness	0.1158	max	0.1158	kendall_ma	1.237513e+03	7513.0002	5646.5	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	C	schulze	robustness	0.1166	max	0.1166	kendall_ma	1.239212e+03	39212.0002	5641.2	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	C	schulze	robustness	0.1186	max	0.1186	kendall_ma	1.299779e+03	9779.0002	5940.5	11	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	C	simpleavg	robustness	0.0826	max	0.0826	kendall_ma	1.349011e+03	4901.0002	1301.6	11	False	True	9	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	C	simpleavg	robustness	0.108	max	0.108	kendall_ma	1.656867e+06	56867.0002	3573	11	False	True	9	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	C	simpleavg	robustness	0.1106	max	0.1106	kendall_ma	1.496275e+04	96275.0002	4662	11	False	True	9	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	C	simpleavg	robustness	0.1064	max	0.1064	kendall_ma	1.458333e+04	5833.0002	4759.3	11	False	True	9	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	C	simpleavg	robustness	0.108	max	0.108	kendall_ma	1.295705e+03	95705.0002	5098.7	11	False	True	9	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	C	simpleavg	robustness	0.0994	max	0.0994	kendall_ma	1.423565e+04	23565.0002	5036.4	11	False	True	9	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	C	simpleavg	robustness	0.1098	max	0.1098	kendall_ma	1.404688e+04	4688.0002	5469.8	11	False	True	9	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	C	simpleavg	robustness	0.1136	max	0.1136	kendall_ma	1.237513e+03	7513.0002	5646.5	11	False	True	9	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	C	simpleavg	robustness	0.112	max	0.112	kendall_ma	1.239212e+03	39212.0002	5641.2	11	False	True	9	

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	C	simpleavg	robustness	0.1104	max	0.1104	kendall_ma	0.1299776	0.399779	0.002	5940.5	11	True	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	Cbar	borda	robustness	-0.272	max	-0.272	kendall_ma	0.134901	0.34901	0.002	1301.6	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	Cbar	borda	robustness	-0.3032	max	-0.3032	kendall_ma	0.1656867	0.1656867	0.002	3573	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	Cbar	borda	robustness	-0.27	max	-0.27	kendall_ma	0.1496276	0.1496275	0.002	4662	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	Cbar	borda	robustness	-0.278	max	-0.278	kendall_ma	0.1458338	0.1458338	0.002	4759.3	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	Cbar	borda	robustness	-0.2582	max	-0.2582	kendall_ma	0.1295705	0.1395705	0.002	5098.7	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	Cbar	borda	robustness	-0.2622	max	-0.2622	kendall_ma	0.1423565	0.1423565	0.002	5036.4	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	Cbar	borda	robustness	-0.2684	max	-0.2684	kendall_ma	0.1404688	0.1404688	0.002	5469.8	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	Cbar	borda	robustness	-0.2422	max	-0.2422	kendall_ma	0.1237434	0.137434	0.002	5646.5	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	Cbar	borda	robustness	-0.2304	max	-0.2304	kendall_ma	0.1299216	0.139212	0.002	5641.2	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	Cbar	borda	robustness	-0.2226	max	-0.2226	kendall_ma	0.1299776	0.399779	0.002	5940.5	11	True	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	Cbar	kemeny	robustness	-0.272	max	-0.272	kendall_ma	0.134901	0.34901	0.002	1301.6	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	Cbar	kemeny	robustness	-0.2712	max	-0.2712	kendall_ma	0.1656867	0.1656867	0.002	3573	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	Cbar	kemeny	robustness	-0.2536	max	-0.2536	kendall_ma	0.1496276	0.1496275	0.002	4662	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	Cbar	kemeny	robustness	-0.277	max	-0.277	kendall_ma	0.1458338	0.1458338	0.002	4759.3	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	Cbar	kemeny	robustness	-0.2466	max	-0.2466	kendall_ma	0.1295705	0.1395705	0.002	5098.7	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	Cbar	kemeny	robustness	-0.2566	max	-0.2566	kendall_ma	0.1423565	0.1423565	0.002	5036.4	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	Cbar	kemeny	robustness	-0.2588	max	-0.2588	kendall_ma	0.1404688	0.1404688	0.002	5469.8	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	Cbar	kemeny	robustness	-0.2306	max	-0.2306	kendall_ma	0.1237434	0.137434	0.002	5646.5	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	Cbar	kemeny	robustness	-0.2028	max	-0.2028	kendall_ma	0.1299216	0.139212	0.002	5641.2	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	Cbar	kemeny	robustness	-0.1992	max	-0.1992	kendall_ma	0.1299776	0.399779	0.002	5940.5	11	True	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	Cbar	rrf	robustness	-0.2736	max	-0.2736	kendall_ma	0.134901	0.34901	0.002	1301.6	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	Cbar	rrf	robustness	-0.273	max	-0.273	kendall_ma	0.1656867	0.1656867	0.002	3573	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	Cbar	rrf	robustness	-0.2588	max	-0.2588	kendall_ma	0.1496276	0.1496275	0.002	4662	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	Cbar	rrf	robustness	-0.276	max	-0.276	kendall_ma	0.1458338	0.1458338	0.002	4759.3	11	False	True	11

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	Cbar	rrf	robustness	-0.2604	max	-0.2604	kendall_ma	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	Cbar	rrf	robustness	-0.2706	max	-0.2706	kendall_ma	11423565a01423565a0002	11423565a01423565a0002	5036.4	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	Cbar	rrf	robustness	-0.2622	max	-0.2622	kendall_ma	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	Cbar	rrf	robustness	-0.2428	max	-0.2428	kendall_ma	11237513a0137513a0002	11237513a0137513a0002	5646.5	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	Cbar	rrf	robustness	-0.2338	max	-0.2338	kendall_ma	11239212a01389212a0002	11239212a01389212a0002	5641.2	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	Cbar	rrf	robustness	-0.2304	max	-0.2304	kendall_ma	11299779a01399779a0002	11299779a01399779a0002	5940.5	11	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	Cbar	schulze	robustness	-0.272	max	-0.272	kendall_ma	1134901xa0134901xa0002	1134901xa0134901xa0002	1301.6	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	Cbar	schulze	robustness	-0.2864	max	-0.2864	kendall_ma	11656867a01656867a0002	11656867a01656867a0002	3573	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	Cbar	schulze	robustness	-0.2594	max	-0.2594	kendall_ma	11496275a01496275a0002	11496275a01496275a0002	4662	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	Cbar	schulze	robustness	-0.2744	max	-0.2744	kendall_ma	11458338a01458338a0002	11458338a01458338a0002	4759.3	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	Cbar	schulze	robustness	-0.252	max	-0.252	kendall_ma	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	Cbar	schulze	robustness	-0.266	max	-0.266	kendall_ma	11423565a01423565a0002	11423565a01423565a0002	5036.4	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	Cbar	schulze	robustness	-0.2628	max	-0.2628	kendall_ma	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	Cbar	schulze	robustness	-0.2388	max	-0.2388	kendall_ma	11237513a0137513a0002	11237513a0137513a0002	5646.5	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	Cbar	schulze	robustness	-0.209	max	-0.209	kendall_ma	11239212a01389212a0002	11239212a01389212a0002	5641.2	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	Cbar	schulze	robustness	-0.2112	max	-0.2112	kendall_ma	11299779a01399779a0002	11299779a01399779a0002	5940.5	11	True	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	Cbar	simpleavg	robustness	-0.2718	max	-0.2718	kendall_ma	1134901xa0134901xa0002	1134901xa0134901xa0002	1301.6	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	Cbar	simpleavg	robustness	-0.2798	max	-0.2798	kendall_ma	11656867a01656867a0002	11656867a01656867a0002	3573	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	Cbar	simpleavg	robustness	-0.279	max	-0.279	kendall_ma	11496275a01496275a0002	11496275a01496275a0002	4662	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	Cbar	simpleavg	robustness	-0.292	max	-0.292	kendall_ma	11458338a01458338a0002	11458338a01458338a0002	4759.3	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	Cbar	simpleavg	robustness	-0.2868	max	-0.2868	kendall_ma	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	Cbar	simpleavg	robustness	-0.294	max	-0.294	kendall_ma	11423565a01423565a0002	11423565a01423565a0002	5036.4	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	Cbar	simpleavg	robustness	-0.2862	max	-0.2862	kendall_ma	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	Cbar	simpleavg	robustness	-0.2884	max	-0.2884	kendall_ma	11237513a0137513a0002	11237513a0137513a0002	5646.5	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	Cbar	simpleavg	robustness	-0.292	max	-0.292	kendall_ma	11239212a01389212a0002	11239212a01389212a0002	5641.2	11	False	True	2	

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	Cbar	simpleavg	robustness	-0.2906	max	-0.2906	kendall_ma	0.1299779	0.399779	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	F	borda	robustness	0.073	max	0.073	kendall_ma	0.134901	0.34901	0.002	1301.6	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	F	borda	robustness	0.0796	max	0.0796	kendall_ma	0.1656867	0.1656867	0.002	3573	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	F	borda	robustness	0.0838	max	0.0838	kendall_ma	0.1496275	0.1496275	0.002	4662	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	F	borda	robustness	0.0762	max	0.0762	kendall_ma	0.1458338	0.1458338	0.002	4759.3	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	F	borda	robustness	0.0786	max	0.0786	kendall_ma	0.1295705	0.1295705	0.002	5098.7	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	F	borda	robustness	0.0722	max	0.0722	kendall_ma	0.1433565	0.1433565	0.002	5036.4	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	F	borda	robustness	0.075	max	0.075	kendall_ma	0.1404688	0.1404688	0.002	5469.8	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	F	borda	robustness	0.0758	max	0.0758	kendall_ma	0.1237434	0.1237434	0.002	5646.5	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	F	borda	robustness	0.0834	max	0.0834	kendall_ma	0.1299212	0.1299212	0.002	5641.2	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	F	borda	robustness	0.0786	max	0.0786	kendall_ma	0.1299779	0.399779	0.002	5940.5	11	True	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	F	kemeny	robustness	0.073	max	0.073	kendall_ma	0.134901	0.34901	0.002	1301.6	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	F	kemeny	robustness	0.0716	max	0.0716	kendall_ma	0.1656867	0.1656867	0.002	3573	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	F	kemeny	robustness	0.079	max	0.079	kendall_ma	0.1496275	0.1496275	0.002	4662	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	F	kemeny	robustness	0.0748	max	0.0748	kendall_ma	0.1458338	0.1458338	0.002	4759.3	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	F	kemeny	robustness	0.0842	max	0.0842	kendall_ma	0.1295705	0.1295705	0.002	5098.7	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	F	kemeny	robustness	0.0822	max	0.0822	kendall_ma	0.1433565	0.1433565	0.002	5036.4	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	F	kemeny	robustness	0.082	max	0.082	kendall_ma	0.1404688	0.1404688	0.002	5469.8	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	F	kemeny	robustness	0.0848	max	0.0848	kendall_ma	0.1237434	0.1237434	0.002	5646.5	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	F	kemeny	robustness	0.0866	max	0.0866	kendall_ma	0.1299212	0.1299212	0.002	5641.2	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	F	kemeny	robustness	0.0846	max	0.0846	kendall_ma	0.1299779	0.399779	0.002	5940.5	11	True	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	F	rrf	robustness	0.0736	max	0.0736	kendall_ma	0.134901	0.34901	0.002	1301.6	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	F	rrf	robustness	0.0816	max	0.0816	kendall_ma	0.1656867	0.1656867	0.002	3573	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	F	rrf	robustness	0.0812	max	0.0812	kendall_ma	0.1496275	0.1496275	0.002	4662	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	F	rrf	robustness	0.0754	max	0.0754	kendall_ma	0.1458338	0.1458338	0.002	4759.3	11	False	True	11

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	F	rrf	robustness	0.0816	max	0.0816	kendall_ma	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	F	rrf	robustness	0.0766	max	0.0766	kendall_ma	11423565a01423565a0002	11423565a01423565a0002	5036.4	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	F	rrf	robustness	0.0814	max	0.0814	kendall_ma	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	F	rrf	robustness	0.0822	max	0.0822	kendall_ma	11237513a01387134a0002	11237513a01387134a0002	5646.5	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	F	rrf	robustness	0.0794	max	0.0794	kendall_ma	11239212a01389212a0002	11239212a01389212a0002	5641.2	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	F	rrf	robustness	0.0834	max	0.0834	kendall_ma	11299779a01399779a0002	11299779a01399779a0002	5940.5	11	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	F	schulze	robustness	0.073	max	0.073	kendall_ma	1134901xa0134901xa0002	1134901xa0134901xa0002	1301.6	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	F	schulze	robustness	0.0742	max	0.0742	kendall_ma	11656867a01656867a0002	11656867a01656867a0002	3573	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	F	schulze	robustness	0.085	max	0.085	kendall_ma	11496275a01496275a0002	11496275a01496275a0002	4662	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	F	schulze	robustness	0.0766	max	0.0766	kendall_ma	11458338a01458338a0002	11458338a01458338a0002	4759.3	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	F	schulze	robustness	0.0826	max	0.0826	kendall_ma	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	F	schulze	robustness	0.0786	max	0.0786	kendall_ma	11423565a01423565a0002	11423565a01423565a0002	5036.4	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	F	schulze	robustness	0.0784	max	0.0784	kendall_ma	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	F	schulze	robustness	0.0848	max	0.0848	kendall_ma	11237513a01387134a0002	11237513a01387134a0002	5646.5	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	F	schulze	robustness	0.084	max	0.084	kendall_ma	11239212a01389212a0002	11239212a01389212a0002	5641.2	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	F	schulze	robustness	0.0862	max	0.0862	kendall_ma	11299779a01399779a0002	11299779a01399779a0002	5940.5	11	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	F	simpleavg	robustness	0.0672	max	0.0672	kendall_ma	1134901xa0134901xa0002	1134901xa0134901xa0002	1301.6	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	F	simpleavg	robustness	0.0828	max	0.0828	kendall_ma	11656867a01656867a0002	11656867a01656867a0002	3573	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	F	simpleavg	robustness	0.0834	max	0.0834	kendall_ma	11496275a01496275a0002	11496275a01496275a0002	4662	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	F	simpleavg	robustness	0.077	max	0.077	kendall_ma	11458338a01458338a0002	11458338a01458338a0002	4759.3	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	F	simpleavg	robustness	0.0784	max	0.0784	kendall_ma	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	F	simpleavg	robustness	0.0742	max	0.0742	kendall_ma	11423565a01423565a0002	11423565a01423565a0002	5036.4	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	F	simpleavg	robustness	0.0762	max	0.0762	kendall_ma	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	F	simpleavg	robustness	0.0792	max	0.0792	kendall_ma	11237513a01387134a0002	11237513a01387134a0002	5646.5	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	F	simpleavg	robustness	0.0784	max	0.0784	kendall_ma	11239212a01389212a0002	11239212a01389212a0002	5641.2	11	False	True	4	

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	Fbar	rrf	robustness	-0.2132	max	-0.2132	kendall_max	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	Fbar	rrf	robustness	-0.2264	max	-0.2264	kendall_max	11423565a01423565a0002	11423565a01423565a0002	5036.4	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	Fbar	rrf	robustness	-0.2196	max	-0.2196	kendall_max	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	Fbar	rrf	robustness	-0.2016	max	-0.2016	kendall_max	11237513a01387134a0002	11237513a01387134a0002	5646.5	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	Fbar	rrf	robustness	-0.1936	max	-0.1936	kendall_max	11239212a01389212a0002	11239212a01389212a0002	5641.2	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	Fbar	rrf	robustness	-0.1912	max	-0.1912	kendall_max	11299779a01399779a0002	11299779a01399779a0002	5940.5	11	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	Fbar	schulze	robustness	-0.223	max	-0.223	kendall_max	1134901xa0134901xa0002	1134901xa0134901xa0002	1301.6	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	Fbar	schulze	robustness	-0.2358	max	-0.2358	kendall_max	11656867a01656867a0002	11656867a01656867a0002	3573	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	Fbar	schulze	robustness	-0.2116	max	-0.2116	kendall_max	11496275a01496275a0002	11496275a01496275a0002	4662	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	Fbar	schulze	robustness	-0.2256	max	-0.2256	kendall_max	11458338a01458338a0002	11458338a01458338a0002	4759.3	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	Fbar	schulze	robustness	-0.2084	max	-0.2084	kendall_max	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	Fbar	schulze	robustness	-0.2172	max	-0.2172	kendall_max	11423565a01423565a0002	11423565a01423565a0002	5036.4	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	Fbar	schulze	robustness	-0.2206	max	-0.2206	kendall_max	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	Fbar	schulze	robustness	-0.193	max	-0.193	kendall_max	11237513a01387134a0002	11237513a01387134a0002	5646.5	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	Fbar	schulze	robustness	-0.1678	max	-0.1678	kendall_max	11239212a01389212a0002	11239212a01389212a0002	5641.2	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	Fbar	schulze	robustness	-0.1718	max	-0.1718	kendall_max	11299779a01399779a0002	11299779a01399779a0002	5940.5	11	True	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	Fbar	simpleavg	robustness	-0.2204	max	-0.2204	kendall_max	1134901xa0134901xa0002	1134901xa0134901xa0002	1301.6	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	Fbar	simpleavg	robustness	-0.2322	max	-0.2322	kendall_max	11656867a01656867a0002	11656867a01656867a0002	3573	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	Fbar	simpleavg	robustness	-0.2312	max	-0.2312	kendall_max	11496275a01496275a0002	11496275a01496275a0002	4662	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	Fbar	simpleavg	robustness	-0.2478	max	-0.2478	kendall_max	11458338a01458338a0002	11458338a01458338a0002	4759.3	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	Fbar	simpleavg	robustness	-0.2418	max	-0.2418	kendall_max	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	Fbar	simpleavg	robustness	-0.2496	max	-0.2496	kendall_max	11423565a01423565a0002	11423565a01423565a0002	5036.4	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	Fbar	simpleavg	robustness	-0.2428	max	-0.2428	kendall_max	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	Fbar	simpleavg	robustness	-0.2444	max	-0.2444	kendall_max	11237513a01387134a0002	11237513a01387134a0002	5646.5	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	Fbar	simpleavg	robustness	-0.2488	max	-0.2488	kendall_max	11239212a01389212a0002	11239212a01389212a0002	5641.2	11	False	True	2	

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	salt-pepper-0.05	C	rrf	robustness	0.095	max	0.095	kendall_ma	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	salt-pepper-0.05	C	rrf	robustness	0.0906	max	0.0906	kendall_ma	11423565a01423565a0002	11423565a01423565a0002	5036.4	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	salt-pepper-0.05	C	rrf	robustness	0.093	max	0.093	kendall_ma	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	salt-pepper-0.05	C	rrf	robustness	0.0998	max	0.0998	kendall_ma	11237513a01387134a0002	11237513a01387134a0002	5646.5	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	salt-pepper-0.05	C	rrf	robustness	0.1014	max	0.1014	kendall_ma	11239212a01389212a0002	11239212a01389212a0002	5641.2	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	salt-pepper-0.05	C	rrf	robustness	0.1036	max	0.1036	kendall_ma	11299779a01399779a0002	11299779a01399779a0002	5940.5	11	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	salt-pepper-0.05	C	schulze	robustness	0.0684	max	0.0684	kendall_ma	11349011a01349011a0002	11349011a01349011a0002	1301.6	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	salt-pepper-0.05	C	schulze	robustness	0.0828	max	0.0828	kendall_ma	11656867a01656867a0002	11656867a01656867a0002	3573	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	salt-pepper-0.05	C	schulze	robustness	0.0876	max	0.0876	kendall_ma	11496275a01496275a0002	11496275a01496275a0002	4662	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	salt-pepper-0.05	C	schulze	robustness	0.0872	max	0.0872	kendall_ma	11458338a01458338a0002	11458338a01458338a0002	4759.3	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	salt-pepper-0.05	C	schulze	robustness	0.0958	max	0.0958	kendall_ma	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	salt-pepper-0.05	C	schulze	robustness	0.0932	max	0.0932	kendall_ma	11423565a01423565a0002	11423565a01423565a0002	5036.4	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	salt-pepper-0.05	C	schulze	robustness	0.0956	max	0.0956	kendall_ma	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	salt-pepper-0.05	C	schulze	robustness	0.0998	max	0.0998	kendall_ma	11237513a01387134a0002	11237513a01387134a0002	5646.5	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	salt-pepper-0.05	C	schulze	robustness	0.0984	max	0.0984	kendall_ma	11239212a01389212a0002	11239212a01389212a0002	5641.2	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	salt-pepper-0.05	C	schulze	robustness	0.1018	max	0.1018	kendall_ma	11299779a01399779a0002	11299779a01399779a0002	5940.5	11	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	salt-pepper-0.05	C	simpleavg	robustness	0.0714	max	0.0714	kendall_ma	11349011a01349011a0002	11349011a01349011a0002	1301.6	11	False	True	9	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	salt-pepper-0.05	C	simpleavg	robustness	0.0936	max	0.0936	kendall_ma	11656867a01656867a0002	11656867a01656867a0002	3573	11	False	True	9	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	salt-pepper-0.05	C	simpleavg	robustness	0.0948	max	0.0948	kendall_ma	11496275a01496275a0002	11496275a01496275a0002	4662	11	False	True	9	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	salt-pepper-0.05	C	simpleavg	robustness	0.0976	max	0.0976	kendall_ma	11458338a01458338a0002	11458338a01458338a0002	4759.3	11	False	True	9	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	salt-pepper-0.05	C	simpleavg	robustness	0.0984	max	0.0984	kendall_ma	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	9	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	salt-pepper-0.05	C	simpleavg	robustness	0.0884	max	0.0884	kendall_ma	11423565a01423565a0002	11423565a01423565a0002	5036.4	11	False	True	9	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	salt-pepper-0.05	C	simpleavg	robustness	0.0956	max	0.0956	kendall_ma	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	9	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	salt-pepper-0.05	C	simpleavg	robustness	0.0986	max	0.0986	kendall_ma	11237513a01387134a0002	11237513a01387134a0002	5646.5	11	False	True	9	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	salt-pepper-0.05	C	simpleavg	robustness	0.0976	max	0.0976	kendall_ma	11239212a01389212a0002	11239212a01389212a0002	5641.2	11	False	True	9	

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	salt-pepper-0.05	Cbar	rrf	robustness	-0.197	max	-0.197	kendall_ma	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	salt-pepper-0.05	Cbar	rrf	robustness	-0.202	max	-0.202	kendall_ma	11423565a01423565a0002	11423565a01423565a0002	5036.4	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	salt-pepper-0.05	Cbar	rrf	robustness	-0.2052	max	-0.2052	kendall_ma	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	salt-pepper-0.05	Cbar	rrf	robustness	-0.1812	max	-0.1812	kendall_ma	11237513a0137513a0002	11237513a0137513a0002	5646.5	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	salt-pepper-0.05	Cbar	rrf	robustness	-0.1702	max	-0.1702	kendall_ma	11239212a0139212a0002	11239212a0139212a0002	5641.2	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	salt-pepper-0.05	Cbar	rrf	robustness	-0.172	max	-0.172	kendall_ma	11299779a01399779a0002	11299779a01399779a0002	5940.5	11	True	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	salt-pepper-0.05	Cbar	schulze	robustness	-0.2136	max	-0.2136	kendall_ma	1134901xa0134901xa0002	1134901xa0134901xa0002	1301.6	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	salt-pepper-0.05	Cbar	schulze	robustness	-0.224	max	-0.224	kendall_ma	11656867a01656867a0002	11656867a01656867a0002	3573	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	salt-pepper-0.05	Cbar	schulze	robustness	-0.2042	max	-0.2042	kendall_ma	11496275a01496275a0002	11496275a01496275a0002	4662	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	salt-pepper-0.05	Cbar	schulze	robustness	-0.209	max	-0.209	kendall_ma	11458338a01458338a0002	11458338a01458338a0002	4759.3	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	salt-pepper-0.05	Cbar	schulze	robustness	-0.1912	max	-0.1912	kendall_ma	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	salt-pepper-0.05	Cbar	schulze	robustness	-0.2144	max	-0.2144	kendall_ma	11423565a01423565a0002	11423565a01423565a0002	5036.4	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	salt-pepper-0.05	Cbar	schulze	robustness	-0.2084	max	-0.2084	kendall_ma	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	salt-pepper-0.05	Cbar	schulze	robustness	-0.1674	max	-0.1674	kendall_ma	11237513a0137513a0002	11237513a0137513a0002	5646.5	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	salt-pepper-0.05	Cbar	schulze	robustness	-0.1476	max	-0.1476	kendall_ma	11239212a0139212a0002	11239212a0139212a0002	5641.2	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	salt-pepper-0.05	Cbar	schulze	robustness	-0.1586	max	-0.1586	kendall_ma	11299779a01399779a0002	11299779a01399779a0002	5940.5	11	True	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.2192	max	-0.2192	kendall_ma	1134901xa0134901xa0002	1134901xa0134901xa0002	1301.6	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.22	max	-0.22	kendall_ma	11656867a01656867a0002	11656867a01656867a0002	3573	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.2168	max	-0.2168	kendall_ma	11496275a01496275a0002	11496275a01496275a0002	4662	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.2268	max	-0.2268	kendall_ma	11458338a01458338a0002	11458338a01458338a0002	4759.3	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.2256	max	-0.2256	kendall_ma	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.232	max	-0.232	kendall_ma	11423565a01423565a0002	11423565a01423565a0002	5036.4	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.221	max	-0.221	kendall_ma	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.2226	max	-0.2226	kendall_ma	11237513a0137513a0002	11237513a0137513a0002	5646.5	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.2214	max	-0.2214	kendall_ma	11239212a0139212a0002	11239212a0139212a0002	5641.2	11	False	True	4	

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.2214	max	-0.2214	kendall_ma	11299779a01399779a0002	0.399779	0.002	5940.5	11	True	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	salt-pepper-0.05	F	borda	robustness	0.0544	max	0.0544	kendall_ma	11299779a01399779a0002	0.399779	0.002	1301.6	11	False	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	salt-pepper-0.05	F	borda	robustness	0.0636	max	0.0636	kendall_ma	11656867a01656867a0002	0.656867	0.002	3573	11	False	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	salt-pepper-0.05	F	borda	robustness	0.0688	max	0.0688	kendall_ma	11496275a01496275a0002	0.496275	0.002	4662	11	False	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	salt-pepper-0.05	F	borda	robustness	0.0688	max	0.0688	kendall_ma	11458338a01458338a0002	0.458338	0.002	4759.3	11	False	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	salt-pepper-0.05	F	borda	robustness	0.0752	max	0.0752	kendall_ma	11295705a01395705a0002	0.395705	0.002	5098.7	11	False	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	salt-pepper-0.05	F	borda	robustness	0.063	max	0.063	kendall_ma	11423565a01423565a0002	0.423565	0.002	5036.4	11	False	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	salt-pepper-0.05	F	borda	robustness	0.0656	max	0.0656	kendall_ma	11404688a01404688a0002	0.404688	0.002	5469.8	11	False	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	salt-pepper-0.05	F	borda	robustness	0.0698	max	0.0698	kendall_ma	11237434a0137434a0002	0.37434	0.002	5646.5	11	False	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	salt-pepper-0.05	F	borda	robustness	0.074	max	0.074	kendall_ma	11299212a01399212a0002	0.399212	0.002	5641.2	11	False	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	salt-pepper-0.05	F	borda	robustness	0.0692	max	0.0692	kendall_ma	11299779a01399779a0002	0.399779	0.002	5940.5	11	True	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	salt-pepper-0.05	F	kemeny	robustness	0.0544	max	0.0544	kendall_ma	11299779a01399779a0002	0.399779	0.002	1301.6	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	salt-pepper-0.05	F	kemeny	robustness	0.0576	max	0.0576	kendall_ma	11656867a01656867a0002	0.656867	0.002	3573	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	salt-pepper-0.05	F	kemeny	robustness	0.0652	max	0.0652	kendall_ma	11496275a01496275a0002	0.496275	0.002	4662	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	salt-pepper-0.05	F	kemeny	robustness	0.063	max	0.063	kendall_ma	11458338a01458338a0002	0.458338	0.002	4759.3	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	salt-pepper-0.05	F	kemeny	robustness	0.0722	max	0.0722	kendall_ma	11295705a01395705a0002	0.395705	0.002	5098.7	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	salt-pepper-0.05	F	kemeny	robustness	0.0664	max	0.0664	kendall_ma	11423565a01423565a0002	0.423565	0.002	5036.4	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	salt-pepper-0.05	F	kemeny	robustness	0.063	max	0.063	kendall_ma	11404688a01404688a0002	0.404688	0.002	5469.8	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	salt-pepper-0.05	F	kemeny	robustness	0.0744	max	0.0744	kendall_ma	11237434a0137434a0002	0.37434	0.002	5646.5	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	salt-pepper-0.05	F	kemeny	robustness	0.079	max	0.079	kendall_ma	11299212a01399212a0002	0.399212	0.002	5641.2	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	salt-pepper-0.05	F	kemeny	robustness	0.0764	max	0.0764	kendall_ma	11299779a01399779a0002	0.399779	0.002	5940.5	11	True	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	salt-pepper-0.05	F	rrf	robustness	0.0526	max	0.0526	kendall_ma	11299779a01399779a0002	0.399779	0.002	1301.6	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	salt-pepper-0.05	F	rrf	robustness	0.068	max	0.068	kendall_ma	11656867a01656867a0002	0.656867	0.002	3573	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	salt-pepper-0.05	F	rrf	robustness	0.0688	max	0.0688	kendall_ma	11496275a01496275a0002	0.496275	0.002	4662	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	salt-pepper-0.05	F	rrf	robustness	0.0696	max	0.0696	kendall_ma	11458338a01458338a0002	0.458338	0.002	4759.3	11	False	True	11

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	salt-pepper-0.05	F	rrf	robustness	0.0672	max	0.0672	kendall_ma	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	salt-pepper-0.05	F	rrf	robustness	0.0636	max	0.0636	kendall_ma	11423565a01423565a0002	11423565a01423565a0002	5036.4	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	salt-pepper-0.05	F	rrf	robustness	0.0666	max	0.0666	kendall_ma	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	salt-pepper-0.05	F	rrf	robustness	0.0704	max	0.0704	kendall_ma	11237513a01387134a0002	11237513a01387134a0002	5646.5	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	salt-pepper-0.05	F	rrf	robustness	0.072	max	0.072	kendall_ma	11239212a01389212a0002	11239212a01389212a0002	5641.2	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	salt-pepper-0.05	F	rrf	robustness	0.0744	max	0.0744	kendall_ma	11299779a01399779a0002	11299779a01399779a0002	5940.5	11	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	salt-pepper-0.05	F	schulze	robustness	0.0544	max	0.0544	kendall_ma	1134901xa0134901xa0002	1134901xa0134901xa0002	1301.6	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	salt-pepper-0.05	F	schulze	robustness	0.062	max	0.062	kendall_ma	11656867a01656867a0002	11656867a01656867a0002	3573	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	salt-pepper-0.05	F	schulze	robustness	0.0668	max	0.0668	kendall_ma	11496275a01496275a0002	11496275a01496275a0002	4662	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	salt-pepper-0.05	F	schulze	robustness	0.0662	max	0.0662	kendall_ma	11458338a01458338a0002	11458338a01458338a0002	4759.3	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	salt-pepper-0.05	F	schulze	robustness	0.0712	max	0.0712	kendall_ma	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	salt-pepper-0.05	F	schulze	robustness	0.0682	max	0.0682	kendall_ma	11423565a01423565a0002	11423565a01423565a0002	5036.4	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	salt-pepper-0.05	F	schulze	robustness	0.0622	max	0.0622	kendall_ma	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	salt-pepper-0.05	F	schulze	robustness	0.0708	max	0.0708	kendall_ma	11237513a01387134a0002	11237513a01387134a0002	5646.5	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	salt-pepper-0.05	F	schulze	robustness	0.0708	max	0.0708	kendall_ma	11239212a01389212a0002	11239212a01389212a0002	5641.2	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	salt-pepper-0.05	F	schulze	robustness	0.0756	max	0.0756	kendall_ma	11299779a01399779a0002	11299779a01399779a0002	5940.5	11	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	salt-pepper-0.05	F	simpleavg	robustness	0.0548	max	0.0548	kendall_ma	1134901xa0134901xa0002	1134901xa0134901xa0002	1301.6	11	False	True	6	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	salt-pepper-0.05	F	simpleavg	robustness	0.0684	max	0.0684	kendall_ma	11656867a01656867a0002	11656867a01656867a0002	3573	11	False	True	6	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	salt-pepper-0.05	F	simpleavg	robustness	0.0706	max	0.0706	kendall_ma	11496275a01496275a0002	11496275a01496275a0002	4662	11	False	True	6	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	salt-pepper-0.05	F	simpleavg	robustness	0.0748	max	0.0748	kendall_ma	11458338a01458338a0002	11458338a01458338a0002	4759.3	11	False	True	6	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	salt-pepper-0.05	F	simpleavg	robustness	0.0758	max	0.0758	kendall_ma	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	6	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	salt-pepper-0.05	F	simpleavg	robustness	0.067	max	0.067	kendall_ma	11423565a01423565a0002	11423565a01423565a0002	5036.4	11	False	True	6	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	salt-pepper-0.05	F	simpleavg	robustness	0.0688	max	0.0688	kendall_ma	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	6	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	salt-pepper-0.05	F	simpleavg	robustness	0.0692	max	0.0692	kendall_ma	11237513a01387134a0002	11237513a01387134a0002	5646.5	11	False	True	6	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	salt-pepper-0.05	F	simpleavg	robustness	0.069	max	0.069	kendall_ma	11239212a01389212a0002	11239212a01389212a0002	5641.2	11	False	True	6	

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	salt-pepper-0.05	F	simpleavg	robustness	0.0672	max	0.0672	kendall_ma	0.399779	0.399779	0.002	5940.5	11	True	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	salt-pepper-0.05	Fbar	borda	robustness	-0.1684	max	-0.1684	kendall_ma	0.34901	0.34901	0.002	1301.6	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	salt-pepper-0.05	Fbar	borda	robustness	-0.1874	max	-0.1874	kendall_ma	0.1656867	0.1656867	0.002	3573	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	salt-pepper-0.05	Fbar	borda	robustness	-0.169	max	-0.169	kendall_ma	0.496275	0.496275	0.002	4662	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	salt-pepper-0.05	Fbar	borda	robustness	-0.1748	max	-0.1748	kendall_ma	0.458338	0.458338	0.002	4759.3	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	salt-pepper-0.05	Fbar	borda	robustness	-0.1512	max	-0.1512	kendall_ma	0.295705	0.295705	0.002	5098.7	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	salt-pepper-0.05	Fbar	borda	robustness	-0.1562	max	-0.1562	kendall_ma	0.423565	0.423565	0.002	5036.4	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	salt-pepper-0.05	Fbar	borda	robustness	-0.158	max	-0.158	kendall_ma	0.404688	0.404688	0.002	5469.8	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	salt-pepper-0.05	Fbar	borda	robustness	-0.138	max	-0.138	kendall_ma	0.237434	0.237434	0.002	5646.5	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	salt-pepper-0.05	Fbar	borda	robustness	-0.1326	max	-0.1326	kendall_ma	0.389212	0.389212	0.002	5641.2	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	salt-pepper-0.05	Fbar	borda	robustness	-0.1228	max	-0.1228	kendall_ma	0.299779	0.299779	0.002	5940.5	11	True	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	salt-pepper-0.05	Fbar	kemeny	robustness	-0.1684	max	-0.1684	kendall_ma	0.34901	0.34901	0.002	1301.6	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	salt-pepper-0.05	Fbar	kemeny	robustness	-0.1678	max	-0.1678	kendall_ma	0.1656867	0.1656867	0.002	3573	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	salt-pepper-0.05	Fbar	kemeny	robustness	-0.1622	max	-0.1622	kendall_ma	0.496275	0.496275	0.002	4662	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	salt-pepper-0.05	Fbar	kemeny	robustness	-0.1718	max	-0.1718	kendall_ma	0.458338	0.458338	0.002	4759.3	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	salt-pepper-0.05	Fbar	kemeny	robustness	-0.1454	max	-0.1454	kendall_ma	0.295705	0.295705	0.002	5098.7	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	salt-pepper-0.05	Fbar	kemeny	robustness	-0.1602	max	-0.1602	kendall_ma	0.423565	0.423565	0.002	5036.4	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	salt-pepper-0.05	Fbar	kemeny	robustness	-0.1646	max	-0.1646	kendall_ma	0.404688	0.404688	0.002	5469.8	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	salt-pepper-0.05	Fbar	kemeny	robustness	-0.1324	max	-0.1324	kendall_ma	0.237434	0.237434	0.002	5646.5	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	salt-pepper-0.05	Fbar	kemeny	robustness	-0.1042	max	-0.1042	kendall_ma	0.389212	0.389212	0.002	5641.2	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	salt-pepper-0.05	Fbar	kemeny	robustness	-0.1096	max	-0.1096	kendall_ma	0.299779	0.299779	0.002	5940.5	11	True	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	salt-pepper-0.05	Fbar	rrf	robustness	-0.1692	max	-0.1692	kendall_ma	0.34901	0.34901	0.002	1301.6	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	salt-pepper-0.05	Fbar	rrf	robustness	-0.1558	max	-0.1558	kendall_ma	0.1656867	0.1656867	0.002	3573	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	salt-pepper-0.05	Fbar	rrf	robustness	-0.1506	max	-0.1506	kendall_ma	0.496275	0.496275	0.002	4662	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	salt-pepper-0.05	Fbar	rrf	robustness	-0.1666	max	-0.1666	kendall_ma	0.458338	0.458338	0.002	4759.3	11	False	True	10

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	salt-pepper-0.05	Fbar	rrf	robustness	-0.153	max	-0.153	kendall_ma	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	salt-pepper-0.05	Fbar	rrf	robustness	-0.1616	max	-0.1616	kendall_ma	11423565a01423565a0002	11423565a01423565a0002	5036.4	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	salt-pepper-0.05	Fbar	rrf	robustness	-0.1652	max	-0.1652	kendall_ma	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	salt-pepper-0.05	Fbar	rrf	robustness	-0.1444	max	-0.1444	kendall_ma	11237513a0137513a0002	11237513a0137513a0002	5646.5	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	salt-pepper-0.05	Fbar	rrf	robustness	-0.1296	max	-0.1296	kendall_ma	11239212a0139212a0002	11239212a0139212a0002	5641.2	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	salt-pepper-0.05	Fbar	rrf	robustness	-0.132	max	-0.132	kendall_ma	11299779a01399779a0002	11299779a01399779a0002	5940.5	11	True	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	salt-pepper-0.05	Fbar	schulze	robustness	-0.1684	max	-0.1684	kendall_ma	1134901xa0134901xa0002	1134901xa0134901xa0002	1301.6	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	salt-pepper-0.05	Fbar	schulze	robustness	-0.175	max	-0.175	kendall_ma	11656867a01656867a0002	11656867a01656867a0002	3573	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	salt-pepper-0.05	Fbar	schulze	robustness	-0.1582	max	-0.1582	kendall_ma	11496275a01496275a0002	11496275a01496275a0002	4662	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	salt-pepper-0.05	Fbar	schulze	robustness	-0.1688	max	-0.1688	kendall_ma	11458338a01458338a0002	11458338a01458338a0002	4759.3	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	salt-pepper-0.05	Fbar	schulze	robustness	-0.1506	max	-0.1506	kendall_ma	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	salt-pepper-0.05	Fbar	schulze	robustness	-0.171	max	-0.171	kendall_ma	11423565a01423565a0002	11423565a01423565a0002	5036.4	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	salt-pepper-0.05	Fbar	schulze	robustness	-0.1696	max	-0.1696	kendall_ma	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	salt-pepper-0.05	Fbar	schulze	robustness	-0.1286	max	-0.1286	kendall_ma	11237513a0137513a0002	11237513a0137513a0002	5646.5	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	salt-pepper-0.05	Fbar	schulze	robustness	-0.1122	max	-0.1122	kendall_ma	11239212a0139212a0002	11239212a0139212a0002	5641.2	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	salt-pepper-0.05	Fbar	schulze	robustness	-0.1222	max	-0.1222	kendall_ma	11299779a01399779a0002	11299779a01399779a0002	5940.5	11	True	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.1706	max	-0.1706	kendall_ma	1134901xa0134901xa0002	1134901xa0134901xa0002	1301.6	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.1738	max	-0.1738	kendall_ma	11656867a01656867a0002	11656867a01656867a0002	3573	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.1716	max	-0.1716	kendall_ma	11496275a01496275a0002	11496275a01496275a0002	4662	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.1838	max	-0.1838	kendall_ma	11458338a01458338a0002	11458338a01458338a0002	4759.3	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.182	max	-0.182	kendall_ma	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.1876	max	-0.1876	kendall_ma	11423565a01423565a0002	11423565a01423565a0002	5036.4	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.1786	max	-0.1786	kendall_ma	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.1818	max	-0.1818	kendall_ma	11237513a0137513a0002	11237513a0137513a0002	5646.5	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.1798	max	-0.1798	kendall_ma	11239212a0139212a0002	11239212a0139212a0002	5641.2	11	False	True	2	

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.1808	max	-0.1808	kendall_ma	0.1299776	0.399779	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	C	borda	robustness	0.0252	max	0.0252	kendall_ma	0.134901	0.34901	0.002	1301.6	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	C	borda	robustness	0.0236	max	0.0236	kendall_ma	0.1656867	0.1656867	0.002	3573	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	C	borda	robustness	0.0326	max	0.0326	kendall_ma	0.1496276	0.1496275	0.002	4662	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	C	borda	robustness	0.0324	max	0.0324	kendall_ma	0.1458338	0.1458338	0.002	4759.3	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	C	borda	robustness	0.0354	max	0.0354	kendall_ma	0.1295705	0.1295705	0.002	5098.7	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	C	borda	robustness	0.0278	max	0.0278	kendall_ma	0.1423565	0.1423565	0.002	5036.4	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	C	borda	robustness	0.0322	max	0.0322	kendall_ma	0.1404688	0.1404688	0.002	5469.8	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	C	borda	robustness	0.0332	max	0.0332	kendall_ma	0.1237434	0.1237434	0.002	5646.5	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	C	borda	robustness	0.0346	max	0.0346	kendall_ma	0.1239212	0.1239212	0.002	5641.2	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	C	borda	robustness	0.0368	max	0.0368	kendall_ma	0.1299776	0.399779	0.002	5940.5	11	True	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	C	kemeny	robustness	0.0252	max	0.0252	kendall_ma	0.134901	0.34901	0.002	1301.6	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	C	kemeny	robustness	0.0268	max	0.0268	kendall_ma	0.1656867	0.1656867	0.002	3573	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	C	kemeny	robustness	0.0286	max	0.0286	kendall_ma	0.1496276	0.1496275	0.002	4662	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	C	kemeny	robustness	0.0322	max	0.0322	kendall_ma	0.1458338	0.1458338	0.002	4759.3	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	C	kemeny	robustness	0.0354	max	0.0354	kendall_ma	0.1295705	0.1295705	0.002	5098.7	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	C	kemeny	robustness	0.0342	max	0.0342	kendall_ma	0.1423565	0.1423565	0.002	5036.4	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	C	kemeny	robustness	0.0312	max	0.0312	kendall_ma	0.1404688	0.1404688	0.002	5469.8	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	C	kemeny	robustness	0.042	max	0.042	kendall_ma	0.1237434	0.1237434	0.002	5646.5	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	C	kemeny	robustness	0.0376	max	0.0376	kendall_ma	0.1239212	0.1239212	0.002	5641.2	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	C	kemeny	robustness	0.04	max	0.04	kendall_ma	0.1299776	0.399779	0.002	5940.5	11	True	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	C	rrf	robustness	0.0224	max	0.0224	kendall_ma	0.134901	0.34901	0.002	1301.6	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	C	rrf	robustness	0.028	max	0.028	kendall_ma	0.1656867	0.1656867	0.002	3573	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	C	rrf	robustness	0.0298	max	0.0298	kendall_ma	0.1496276	0.1496275	0.002	4662	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	C	rrf	robustness	0.0298	max	0.0298	kendall_ma	0.1458338	0.1458338	0.002	4759.3	11	False	True	11

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	C	rrf	robustness	0.0336	max	0.0336	kendall_ma	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	C	rrf	robustness	0.0322	max	0.0322	kendall_ma	11423565a01423565a0002	11423565a01423565a0002	5036.4	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	C	rrf	robustness	0.033	max	0.033	kendall_ma	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	C	rrf	robustness	0.0388	max	0.0388	kendall_ma	11237513a01387513a0002	11237513a01387513a0002	5646.5	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	C	rrf	robustness	0.0378	max	0.0378	kendall_ma	11239212a01389212a0002	11239212a01389212a0002	5641.2	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	C	rrf	robustness	0.04	max	0.04	kendall_ma	11299779a01399779a0002	11299779a01399779a0002	5940.5	11	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	C	schulze	robustness	0.0252	max	0.0252	kendall_ma	1134901xa0134901xa0002	1134901xa0134901xa0002	1301.6	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	C	schulze	robustness	0.0234	max	0.0234	kendall_ma	11656867a01656867a0002	11656867a01656867a0002	3573	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	C	schulze	robustness	0.0278	max	0.0278	kendall_ma	11496275a01496275a0002	11496275a01496275a0002	4662	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	C	schulze	robustness	0.0352	max	0.0352	kendall_ma	11458338a01458338a0002	11458338a01458338a0002	4759.3	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	C	schulze	robustness	0.0334	max	0.0334	kendall_ma	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	C	schulze	robustness	0.031	max	0.031	kendall_ma	11423565a01423565a0002	11423565a01423565a0002	5036.4	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	C	schulze	robustness	0.0368	max	0.0368	kendall_ma	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	C	schulze	robustness	0.036	max	0.036	kendall_ma	11237513a01387513a0002	11237513a01387513a0002	5646.5	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	C	schulze	robustness	0.0384	max	0.0384	kendall_ma	11239212a01389212a0002	11239212a01389212a0002	5641.2	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	C	schulze	robustness	0.041	max	0.041	kendall_ma	11299779a01399779a0002	11299779a01399779a0002	5940.5	11	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	C	simpleavg	robustness	0.0214	max	0.0214	kendall_ma	1134901xa0134901xa0002	1134901xa0134901xa0002	1301.6	11	False	True	5	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	C	simpleavg	robustness	0.0322	max	0.0322	kendall_ma	11656867a01656867a0002	11656867a01656867a0002	3573	11	False	True	5	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	C	simpleavg	robustness	0.0338	max	0.0338	kendall_ma	11496275a01496275a0002	11496275a01496275a0002	4662	11	False	True	5	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	C	simpleavg	robustness	0.0352	max	0.0352	kendall_ma	11458338a01458338a0002	11458338a01458338a0002	4759.3	11	False	True	5	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	C	simpleavg	robustness	0.0338	max	0.0338	kendall_ma	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	5	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	C	simpleavg	robustness	0.028	max	0.028	kendall_ma	11423565a01423565a0002	11423565a01423565a0002	5036.4	11	False	True	5	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	C	simpleavg	robustness	0.0338	max	0.0338	kendall_ma	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	5	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	C	simpleavg	robustness	0.0344	max	0.0344	kendall_ma	11237513a01387513a0002	11237513a01387513a0002	5646.5	11	False	True	5	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	C	simpleavg	robustness	0.034	max	0.034	kendall_ma	11239212a01389212a0002	11239212a01389212a0002	5641.2	11	False	True	5	

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	C	simpleavg	robustness	0.0322	max	0.0322	kendall_ma	0.1299776	0.399779	0.002	5940.5	11	True	True	5
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	Cbar	borda	robustness	-0.081	max	-0.081	kendall_ma	0.134901	0.34901	0.002	1301.6	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	Cbar	borda	robustness	-0.0886	max	-0.0886	kendall_ma	0.1656867	0.1656867	0.002	3573	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	Cbar	borda	robustness	-0.074	max	-0.074	kendall_ma	0.1496276	0.1496275	0.002	4662	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	Cbar	borda	robustness	-0.0784	max	-0.0784	kendall_ma	0.1458338	0.1458338	0.002	4759.3	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	Cbar	borda	robustness	-0.0738	max	-0.0738	kendall_ma	0.1295705	0.395705	0.002	5098.7	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	Cbar	borda	robustness	-0.0826	max	-0.0826	kendall_ma	0.1433565	0.1423565	0.002	5036.4	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	Cbar	borda	robustness	-0.0808	max	-0.0808	kendall_ma	0.1404688	0.1404688	0.002	5469.8	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	Cbar	borda	robustness	-0.0726	max	-0.0726	kendall_ma	0.1237434	0.387434	0.002	5646.5	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	Cbar	borda	robustness	-0.0634	max	-0.0634	kendall_ma	0.1299216	0.389212	0.002	5641.2	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	Cbar	borda	robustness	-0.0544	max	-0.0544	kendall_ma	0.1299776	0.399779	0.002	5940.5	11	True	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	Cbar	kemeny	robustness	-0.081	max	-0.081	kendall_ma	0.134901	0.34901	0.002	1301.6	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	Cbar	kemeny	robustness	-0.077	max	-0.077	kendall_ma	0.1656867	0.1656867	0.002	3573	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	Cbar	kemeny	robustness	-0.067	max	-0.067	kendall_ma	0.1496276	0.1496275	0.002	4662	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	Cbar	kemeny	robustness	-0.0778	max	-0.0778	kendall_ma	0.1458338	0.1458338	0.002	4759.3	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	Cbar	kemeny	robustness	-0.0656	max	-0.0656	kendall_ma	0.1295705	0.395705	0.002	5098.7	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	Cbar	kemeny	robustness	-0.0668	max	-0.0668	kendall_ma	0.1433565	0.1423565	0.002	5036.4	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	Cbar	kemeny	robustness	-0.078	max	-0.078	kendall_ma	0.1404688	0.1404688	0.002	5469.8	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	Cbar	kemeny	robustness	-0.062	max	-0.062	kendall_ma	0.1237434	0.387434	0.002	5646.5	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	Cbar	kemeny	robustness	-0.0544	max	-0.0544	kendall_ma	0.1299216	0.389212	0.002	5641.2	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	Cbar	kemeny	robustness	-0.048	max	-0.048	kendall_ma	0.1299776	0.399779	0.002	5940.5	11	True	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	Cbar	rrf	robustness	-0.0828	max	-0.0828	kendall_ma	0.134901	0.34901	0.002	1301.6	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	Cbar	rrf	robustness	-0.0708	max	-0.0708	kendall_ma	0.1656867	0.1656867	0.002	3573	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	Cbar	rrf	robustness	-0.0664	max	-0.0664	kendall_ma	0.1496276	0.1496275	0.002	4662	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	Cbar	rrf	robustness	-0.0746	max	-0.0746	kendall_ma	0.1458338	0.1458338	0.002	4759.3	11	False	True	11

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	Cbar	rrf	robustness	-0.082	max	-0.082	kendall_ma	11295705a01395705a0002	11295705a01395705a0002	0.002	5098.7	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	Cbar	rrf	robustness	-0.0862	max	-0.0862	kendall_ma	11423565a01423565a0002	11423565a01423565a0002	0.002	5036.4	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	Cbar	rrf	robustness	-0.0906	max	-0.0906	kendall_ma	11404688a01404688a0002	11404688a01404688a0002	0.002	5469.8	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	Cbar	rrf	robustness	-0.0856	max	-0.0856	kendall_ma	11237513a0137513a0002	11237513a0137513a0002	0.002	5646.5	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	Cbar	rrf	robustness	-0.0692	max	-0.0692	kendall_ma	11239212a0139212a0002	11239212a0139212a0002	0.002	5641.2	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	Cbar	rrf	robustness	-0.066	max	-0.066	kendall_ma	11299779a01399779a0002	11299779a01399779a0002	0.002	5940.5	11	True	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	Cbar	schulze	robustness	-0.081	max	-0.081	kendall_ma	1134901xa0134901xa0002	1134901xa0134901xa0002	0.002	1301.6	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	Cbar	schulze	robustness	-0.079	max	-0.079	kendall_ma	11656867a01656867a0002	11656867a01656867a0002	0.002	3573	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	Cbar	schulze	robustness	-0.0732	max	-0.0732	kendall_ma	11496275a01496275a0002	11496275a01496275a0002	0.002	4662	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	Cbar	schulze	robustness	-0.0742	max	-0.0742	kendall_ma	11458338a01458338a0002	11458338a01458338a0002	0.002	4759.3	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	Cbar	schulze	robustness	-0.0708	max	-0.0708	kendall_ma	11295705a01395705a0002	11295705a01395705a0002	0.002	5098.7	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	Cbar	schulze	robustness	-0.0874	max	-0.0874	kendall_ma	11423565a01423565a0002	11423565a01423565a0002	0.002	5036.4	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	Cbar	schulze	robustness	-0.0858	max	-0.0858	kendall_ma	11404688a01404688a0002	11404688a01404688a0002	0.002	5469.8	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	Cbar	schulze	robustness	-0.0728	max	-0.0728	kendall_ma	11237513a0137513a0002	11237513a0137513a0002	0.002	5646.5	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	Cbar	schulze	robustness	-0.0562	max	-0.0562	kendall_ma	11239212a0139212a0002	11239212a0139212a0002	0.002	5641.2	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	Cbar	schulze	robustness	-0.056	max	-0.056	kendall_ma	11299779a01399779a0002	11299779a01399779a0002	0.002	5940.5	11	True	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	Cbar	simpleavg	robustness	-0.0818	max	-0.0818	kendall_ma	1134901xa0134901xa0002	1134901xa0134901xa0002	0.002	1301.6	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	Cbar	simpleavg	robustness	-0.0762	max	-0.0762	kendall_ma	11656867a01656867a0002	11656867a01656867a0002	0.002	3573	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	Cbar	simpleavg	robustness	-0.0796	max	-0.0796	kendall_ma	11496275a01496275a0002	11496275a01496275a0002	0.002	4662	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	Cbar	simpleavg	robustness	-0.0836	max	-0.0836	kendall_ma	11458338a01458338a0002	11458338a01458338a0002	0.002	4759.3	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	Cbar	simpleavg	robustness	-0.0788	max	-0.0788	kendall_ma	11295705a01395705a0002	11295705a01395705a0002	0.002	5098.7	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	Cbar	simpleavg	robustness	-0.088	max	-0.088	kendall_ma	11423565a01423565a0002	11423565a01423565a0002	0.002	5036.4	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	Cbar	simpleavg	robustness	-0.0808	max	-0.0808	kendall_ma	11404688a01404688a0002	11404688a01404688a0002	0.002	5469.8	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	Cbar	simpleavg	robustness	-0.079	max	-0.079	kendall_ma	11237513a0137513a0002	11237513a0137513a0002	0.002	5646.5	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	Cbar	simpleavg	robustness	-0.0808	max	-0.0808	kendall_ma	11239212a0139212a0002	11239212a0139212a0002	0.002	5641.2	11	False	True	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	Cbar	simpleavg	robustness	-0.0812	max	-0.0812	kendall_ma	0.1299776	0.399779	0.002	5940.5	11	True	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	F	borda	robustness	0.0288	max	0.0288	kendall_ma	0.134901	0.34901	0.002	1301.6	11	False	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	F	borda	robustness	0.0238	max	0.0238	kendall_ma	0.1656867	0.1656867	0.002	3573	11	False	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	F	borda	robustness	0.0312	max	0.0312	kendall_ma	0.1496276	0.1496275	0.002	4662	11	False	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	F	borda	robustness	0.0274	max	0.0274	kendall_ma	0.1458338	0.1458338	0.002	4759.3	11	False	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	F	borda	robustness	0.033	max	0.033	kendall_ma	0.1295705	0.1395705	0.002	5098.7	11	False	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	F	borda	robustness	0.0262	max	0.0262	kendall_ma	0.1433565	0.1423565	0.002	5036.4	11	False	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	F	borda	robustness	0.0254	max	0.0254	kendall_ma	0.1404688	0.1404688	0.002	5469.8	11	False	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	F	borda	robustness	0.027	max	0.027	kendall_ma	0.1397434	0.1387434	0.002	5646.5	11	False	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	F	borda	robustness	0.032	max	0.032	kendall_ma	0.1399216	0.1399212	0.002	5641.2	11	False	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	F	borda	robustness	0.0266	max	0.0266	kendall_ma	0.1299776	0.1399779	0.002	5940.5	11	True	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	F	kemeny	robustness	0.0288	max	0.0288	kendall_ma	0.134901	0.34901	0.002	1301.6	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	F	kemeny	robustness	0.0268	max	0.0268	kendall_ma	0.1656867	0.1656867	0.002	3573	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	F	kemeny	robustness	0.0278	max	0.0278	kendall_ma	0.1496276	0.1496275	0.002	4662	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	F	kemeny	robustness	0.0292	max	0.0292	kendall_ma	0.1458338	0.1458338	0.002	4759.3	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	F	kemeny	robustness	0.0286	max	0.0286	kendall_ma	0.1295705	0.1395705	0.002	5098.7	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	F	kemeny	robustness	0.0324	max	0.0324	kendall_ma	0.1433565	0.1423565	0.002	5036.4	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	F	kemeny	robustness	0.026	max	0.026	kendall_ma	0.1404688	0.1404688	0.002	5469.8	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	F	kemeny	robustness	0.035	max	0.035	kendall_ma	0.1397434	0.1387434	0.002	5646.5	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	F	kemeny	robustness	0.0328	max	0.0328	kendall_ma	0.1399216	0.1399212	0.002	5641.2	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	F	kemeny	robustness	0.0324	max	0.0324	kendall_ma	0.1299776	0.1399779	0.002	5940.5	11	True	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	F	rrf	robustness	0.026	max	0.026	kendall_ma	0.134901	0.34901	0.002	1301.6	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	F	rrf	robustness	0.0308	max	0.0308	kendall_ma	0.1656867	0.1656867	0.002	3573	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	F	rrf	robustness	0.029	max	0.029	kendall_ma	0.1496276	0.1496275	0.002	4662	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	F	rrf	robustness	0.0256	max	0.0256	kendall_ma	0.1458338	0.1458338	0.002	4759.3	11	False	True	9

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	F	rrf	robustness	0.028	max	0.028	kendall_ma	1.295705e+0395705	0.002	5098.7	11	False	True	9	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	F	rrf	robustness	0.0268	max	0.0268	kendall_ma	1.423565e+0423565	0.002	5036.4	11	False	True	9	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	F	rrf	robustness	0.0268	max	0.0268	kendall_ma	1.404688e+0404688	0.002	5469.8	11	False	True	9	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	F	rrf	robustness	0.0312	max	0.0312	kendall_ma	1.237513e+0387513	0.002	5646.5	11	False	True	9	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	F	rrf	robustness	0.0304	max	0.0304	kendall_ma	1.239212e+0389212	0.002	5641.2	11	False	True	9	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	F	rrf	robustness	0.0308	max	0.0308	kendall_ma	1.299779e+0399779	0.002	5940.5	11	True	True	9	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	F	schulze	robustness	0.0288	max	0.0288	kendall_ma	1.349011e+0349011	0.002	1301.6	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	F	schulze	robustness	0.0228	max	0.0228	kendall_ma	1.656867e+0656867	0.002	3573	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	F	schulze	robustness	0.0272	max	0.0272	kendall_ma	1.496275e+0496275	0.002	4662	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	F	schulze	robustness	0.0312	max	0.0312	kendall_ma	1.458333e+0458333	0.002	4759.3	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	F	schulze	robustness	0.029	max	0.029	kendall_ma	1.295705e+0395705	0.002	5098.7	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	F	schulze	robustness	0.0288	max	0.0288	kendall_ma	1.423565e+0423565	0.002	5036.4	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	F	schulze	robustness	0.0304	max	0.0304	kendall_ma	1.404688e+0404688	0.002	5469.8	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	F	schulze	robustness	0.0326	max	0.0326	kendall_ma	1.237513e+0387513	0.002	5646.5	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	F	schulze	robustness	0.0326	max	0.0326	kendall_ma	1.239212e+0389212	0.002	5641.2	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	F	schulze	robustness	0.0342	max	0.0342	kendall_ma	1.299779e+0399779	0.002	5940.5	11	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	F	simpleavg	robustness	0.0234	max	0.0234	kendall_ma	1.349011e+0349011	0.002	1301.6	11	False	True	6	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	F	simpleavg	robustness	0.0306	max	0.0306	kendall_ma	1.656867e+0656867	0.002	3573	11	False	True	6	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	F	simpleavg	robustness	0.0314	max	0.0314	kendall_ma	1.496275e+0496275	0.002	4662	11	False	True	6	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	F	simpleavg	robustness	0.034	max	0.034	kendall_ma	1.458333e+0458333	0.002	4759.3	11	False	True	6	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	F	simpleavg	robustness	0.0348	max	0.0348	kendall_ma	1.295705e+0395705	0.002	5098.7	11	False	True	6	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	F	simpleavg	robustness	0.031	max	0.031	kendall_ma	1.423565e+0423565	0.002	5036.4	11	False	True	6	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	F	simpleavg	robustness	0.0244	max	0.0244	kendall_ma	1.404688e+0404688	0.002	5469.8	11	False	True	6	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	F	simpleavg	robustness	0.0248	max	0.0248	kendall_ma	1.237513e+0387513	0.002	5646.5	11	False	True	6	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	F	simpleavg	robustness	0.025	max	0.025	kendall_ma	1.239212e+0389212	0.002	5641.2	11	False	True	6	

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	Fbar	rrf	robustness	-0.0648	max	-0.0648	kendall_ma	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	Fbar	rrf	robustness	-0.0728	max	-0.0728	kendall_ma	11423565a01423565a0002	11423565a01423565a0002	5036.4	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	Fbar	rrf	robustness	-0.076	max	-0.076	kendall_ma	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	Fbar	rrf	robustness	-0.0722	max	-0.0722	kendall_ma	11237513a01387134a0002	11237513a01387134a0002	5646.5	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	Fbar	rrf	robustness	-0.057	max	-0.057	kendall_ma	11239212a01389212a0002	11239212a01389212a0002	5641.2	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	Fbar	rrf	robustness	-0.0516	max	-0.0516	kendall_ma	11299779a01399779a0002	11299779a01399779a0002	5940.5	11	True	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	Fbar	schulze	robustness	-0.0616	max	-0.0616	kendall_ma	1134901xa0134901xa0002	1134901xa0134901xa0002	1301.6	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	Fbar	schulze	robustness	-0.0614	max	-0.0614	kendall_ma	11656867a01656867a0002	11656867a01656867a0002	3573	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	Fbar	schulze	robustness	-0.056	max	-0.056	kendall_ma	11496275a01496275a0002	11496275a01496275a0002	4662	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	Fbar	schulze	robustness	-0.0584	max	-0.0584	kendall_ma	11458338a01458338a0002	11458338a01458338a0002	4759.3	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	Fbar	schulze	robustness	-0.051	max	-0.051	kendall_ma	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	Fbar	schulze	robustness	-0.0728	max	-0.0728	kendall_ma	11423565a01423565a0002	11423565a01423565a0002	5036.4	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	Fbar	schulze	robustness	-0.073	max	-0.073	kendall_ma	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	Fbar	schulze	robustness	-0.0588	max	-0.0588	kendall_ma	11237513a01387134a0002	11237513a01387134a0002	5646.5	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	Fbar	schulze	robustness	-0.044	max	-0.044	kendall_ma	11239212a01389212a0002	11239212a01389212a0002	5641.2	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	Fbar	schulze	robustness	-0.0466	max	-0.0466	kendall_ma	11299779a01399779a0002	11299779a01399779a0002	5940.5	11	True	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	Fbar	simpleavg	robustness	-0.0636	max	-0.0636	kendall_ma	1134901xa0134901xa0002	1134901xa0134901xa0002	1301.6	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	Fbar	simpleavg	robustness	-0.0568	max	-0.0568	kendall_ma	11656867a01656867a0002	11656867a01656867a0002	3573	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	Fbar	simpleavg	robustness	-0.0616	max	-0.0616	kendall_ma	11496275a01496275a0002	11496275a01496275a0002	4662	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	Fbar	simpleavg	robustness	-0.0662	max	-0.0662	kendall_ma	11458338a01458338a0002	11458338a01458338a0002	4759.3	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	Fbar	simpleavg	robustness	-0.0624	max	-0.0624	kendall_ma	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	Fbar	simpleavg	robustness	-0.069	max	-0.069	kendall_ma	11423565a01423565a0002	11423565a01423565a0002	5036.4	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	Fbar	simpleavg	robustness	-0.063	max	-0.063	kendall_ma	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	Fbar	simpleavg	robustness	-0.063	max	-0.063	kendall_ma	11237513a01387134a0002	11237513a01387134a0002	5646.5	11	False	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	Fbar	simpleavg	robustness	-0.0654	max	-0.0654	kendall_ma	11239212a01389212a0002	11239212a01389212a0002	5641.2	11	False	True	3	

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	Fbar	simpleavg	robustness	-0.066	max	-0.066	kendall_m	0.1299776	0.1399779	0.002	5940.5	11	True	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	clean	C	borda	quality	0.1352	max	0.1352	spearman	0.586008	0.586098	0.002	imp0662nce	bidled	Fulsmetric	Upperproximatic	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	clean	C	borda	quality	0.0956	max	0.0956	spearman	0.6417046	0.6467046	0.002	3e1986nce	bidled	Fulsmetric	Upperproximatic	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	clean	C	borda	quality	0.1034	max	0.1034	spearman	0.470553	0.470553	0.002	4e3642nce	bidled	Fulsmetric	Upperproximatic	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	clean	C	borda	quality	0.1068	max	0.1068	spearman	0.469363	0.469363	0.002	4e5228nce	bidled	Fulsmetric	Upperproximatic	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	clean	C	borda	quality	0.1044	max	0.1044	spearman	0.4112669	0.4112669	0.002	4e8948nce	bidled	Fulsmetric	Upperproximatic	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	clean	C	borda	quality	0.1068	max	0.1068	spearman	0.4412666	0.4412666	0.002	4e8144nce	bidled	Fulsmetric	Upperproximatic	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	clean	C	borda	quality	0.0956	max	0.0956	spearman	0.4112669	0.4113699	0.002	5e4566nce	bidled	Fulsmetric	Upperproximatic	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	clean	C	borda	quality	0.0912	max	0.0912	spearman	0.399149	0.399149	0.002	5e6728nce	bidled	Fulsmetric	Upperproximatic	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	clean	C	borda	quality	0.0844	max	0.0844	spearman	0.403753	0.403753	0.002	5e6064nce	bidled	Fulsmetric	Upperproximatic	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	clean	C	borda	quality	0.0802	max	0.0802	spearman	0.411662	0.411662	0.002	6e1235nce	bidled	Symmetric	Upperproximatic	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	clean	C	kemeny	quality	0.1352	max	0.1352	spearman	0.586008	0.586098	0.002	imp0662nce	bidled	Fulsmetric	Upperproximatic	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	clean	C	kemeny	quality	0.1362	max	0.1362	spearman	0.6417046	0.6467046	0.002	3e1986nce	bidled	Fulsmetric	Upperproximatic	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	clean	C	kemeny	quality	0.1362	max	0.1362	spearman	0.470553	0.470553	0.002	4e3642nce	bidled	Fulsmetric	Upperproximatic	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	clean	C	kemeny	quality	0.1234	max	0.1234	spearman	0.469363	0.469363	0.002	4e5228nce	bidled	Fulsmetric	Upperproximatic	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	clean	C	kemeny	quality	0.1142	max	0.1142	spearman	0.4112669	0.4112669	0.002	4e8948nce	bidled	Fulsmetric	Upperproximatic	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	clean	C	kemeny	quality	0.1134	max	0.1134	spearman	0.4412666	0.4412666	0.002	4e8144nce	bidled	Fulsmetric	Upperproximatic	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	clean	C	kemeny	quality	0.1136	max	0.1136	spearman	0.4112669	0.4113699	0.002	5e4566nce	bidled	Fulsmetric	Upperproximatic	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	clean	C	kemeny	quality	0.0994	max	0.0994	spearman	0.399149	0.399149	0.002	5e6728nce	bidled	Fulsmetric	Upperproximatic	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	clean	C	kemeny	quality	0.0912	max	0.0912	spearman	0.403753	0.403753	0.002	5e6064nce	bidled	Fulsmetric	Upperproximatic	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	clean	C	kemeny	quality	0.0856	max	0.0856	spearman	0.411662	0.411662	0.002	6e1235nce	bidled	Symmetric	Upperproximatic	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	clean	C	rrf	quality	0.1356	max	0.1356	spearman	0.586008	0.586098	0.002	imp0662nce	bidled	Fulsmetric	Upperproximatic	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	clean	C	rrf	quality	0.123	max	0.123	spearman	0.6417046	0.6467046	0.002	3e1986nce	bidled	Fulsmetric	Upperproximatic	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	clean	C	rrf	quality	0.1276	max	0.1276	spearman	0.470553	0.470553	0.002	4e3642nce	bidled	Fulsmetric	Upperproximatic	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	clean	C	rrf	quality	0.1196	max	0.1196	spearman	0.469363	0.469363	0.002	4e5228nce	bidled	Fulsmetric	Upperproximatic	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	clean	C	rrf	quality	0.1164	max	0.1164	spearman	0.412369	0.412369	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	clean	C	rrf	quality	0.1124	max	0.1124	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	clean	C	rrf	quality	0.1074	max	0.1074	spearman	0.412669	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	clean	C	rrf	quality	0.1014	max	0.1014	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	clean	C	rrf	quality	0.0946	max	0.0946	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	clean	C	rrf	quality	0.0892	max	0.0892	spearman	0.411602	0.411602	0.002	6.12335e+05	bidled	Symmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	clean	C	schulze	quality	0.1352	max	0.1352	spearman	0.586008	0.586098	0.002	imp062nce	bidled	Fulsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	clean	C	schulze	quality	0.125	max	0.125	spearman	0.6117046	0.617046	0.002	3.19880e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	clean	C	schulze	quality	0.1368	max	0.1368	spearman	0.470553	0.470553	0.002	4.36420e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	clean	C	schulze	quality	0.1182	max	0.1182	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	clean	C	schulze	quality	0.1126	max	0.1126	spearman	0.412369	0.412369	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	clean	C	schulze	quality	0.1152	max	0.1152	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	clean	C	schulze	quality	0.1046	max	0.1046	spearman	0.412669	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	clean	C	schulze	quality	0.1002	max	0.1002	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	clean	C	schulze	quality	0.0912	max	0.0912	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	clean	C	schulze	quality	0.0848	max	0.0848	spearman	0.411602	0.411602	0.002	6.12335e+05	bidled	Symmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	clean	C	simpleavg	quality	0.132	max	0.132	spearman	0.586008	0.586098	0.002	imp062nce	bidled	Fulsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	clean	C	simpleavg	quality	0.1198	max	0.1198	spearman	0.6117046	0.617046	0.002	3.19880e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	clean	C	simpleavg	quality	0.1216	max	0.1216	spearman	0.470553	0.470553	0.002	4.36420e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	clean	C	simpleavg	quality	0.1146	max	0.1146	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	clean	C	simpleavg	quality	0.1158	max	0.1158	spearman	0.412369	0.412369	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	clean	C	simpleavg	quality	0.1172	max	0.1172	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	clean	C	simpleavg	quality	0.1056	max	0.1056	spearman	0.412669	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	clean	C	simpleavg	quality	0.1032	max	0.1032	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	clean	C	simpleavg	quality	0.103	max	0.103	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximation	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	clean	C	simpleavg	quality	0.1032	max	0.1032	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	clean	Cbar	borda	quality	0.146	min	-0.146	spearman	0.586008	0.586008	0.002	imp062nce	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	clean	Cbar	borda	quality	0.1508	min	-0.1508	spearman	0.6117046	0.6117046	0.002	3.19860e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	clean	Cbar	borda	quality	0.1572	min	-0.1572	spearman	0.470553	0.470553	0.002	4.36420e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	clean	Cbar	borda	quality	0.1632	min	-0.1632	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	clean	Cbar	borda	quality	0.1876	min	-0.1876	spearman	0.4112369	0.4112369	0.002	4.89480e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	clean	Cbar	borda	quality	0.1864	min	-0.1864	spearman	0.4112366	0.4112366	0.002	4.89480e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	clean	Cbar	borda	quality	0.1866	min	-0.1866	spearman	0.4112699	0.4112699	0.002	5.04560e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	clean	Cbar	borda	quality	0.2224	min	-0.2224	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	clean	Cbar	borda	quality	0.2628	min	-0.2628	spearman	0.403753	0.403753	0.002	5.06640e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	clean	Cbar	borda	quality	0.2866	min	-0.2866	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	clean	Cbar	kemeny	quality	0.146	min	-0.146	spearman	0.586008	0.586008	0.002	imp062nce	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	clean	Cbar	kemeny	quality	0.1464	min	-0.1464	spearman	0.6117046	0.6117046	0.002	3.19860e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	clean	Cbar	kemeny	quality	0.1458	min	-0.1458	spearman	0.470553	0.470553	0.002	4.36420e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	clean	Cbar	kemeny	quality	0.1714	min	-0.1714	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	clean	Cbar	kemeny	quality	0.2028	min	-0.2028	spearman	0.4112369	0.4112369	0.002	4.89480e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	clean	Cbar	kemeny	quality	0.2112	min	-0.2112	spearman	0.4112366	0.4112366	0.002	4.89480e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	clean	Cbar	kemeny	quality	0.201	min	-0.201	spearman	0.4112699	0.4112699	0.002	5.04560e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	clean	Cbar	kemeny	quality	0.2544	min	-0.2544	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	clean	Cbar	kemeny	quality	0.317	min	-0.317	spearman	0.403753	0.403753	0.002	5.06640e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	clean	Cbar	kemeny	quality	0.3318	min	-0.3318	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	clean	Cbar	rrf	quality	0.1442	min	-0.1442	spearman	0.586008	0.586008	0.002	imp062nce	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	clean	Cbar	rrf	quality	0.1468	min	-0.1468	spearman	0.6117046	0.6117046	0.002	3.19860e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	clean	Cbar	rrf	quality	0.1462	min	-0.1462	spearman	0.470553	0.470553	0.002	4.36420e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	clean	Cbar	rrf	quality	0.1572	min	-0.1572	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Falsmetric	Upperapproximation	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	6	clean	Cbar	rrf	quality	0.1782	min	-0.1782	spearman	0.4123669	0.4123669	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	7	clean	Cbar	rrf	quality	0.1852	min	-0.1852	spearman	0.4123666	0.4123666	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	8	clean	Cbar	rrf	quality	0.1854	min	-0.1854	spearman	0.4126699	0.4136999	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	9	clean	Cbar	rrf	quality	0.2236	min	-0.2236	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	10	clean	Cbar	rrf	quality	0.27	min	-0.27	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	11	clean	Cbar	rrf	quality	0.2798	min	-0.2798	spearman	0.4111602	0.411602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximation	2
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	2	clean	Cbar	schulze	quality	0.146	min	-0.146	spearman	0.586008	0.586098	0.002	imp0625nce	bidled	Fulsmetric	Upperapproximation	2
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	3	clean	Cbar	schulze	quality	0.1484	min	-0.1484	spearman	0.617046	0.617046	0.002	3.19880e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	4	clean	Cbar	schulze	quality	0.1458	min	-0.1458	spearman	0.470553	0.470553	0.002	4.36420e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	5	clean	Cbar	schulze	quality	0.1636	min	-0.1636	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	6	clean	Cbar	schulze	quality	0.1886	min	-0.1886	spearman	0.4123669	0.4123669	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	7	clean	Cbar	schulze	quality	0.183	min	-0.183	spearman	0.4123666	0.4123666	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	8	clean	Cbar	schulze	quality	0.189	min	-0.189	spearman	0.4126699	0.4136999	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	9	clean	Cbar	schulze	quality	0.2294	min	-0.2294	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	10	clean	Cbar	schulze	quality	0.2956	min	-0.2956	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	11	clean	Cbar	schulze	quality	0.2966	min	-0.2966	spearman	0.4111602	0.411602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximation	2
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	2	clean	Cbar	simpleavg	quality	0.1484	min	-0.1484	spearman	0.586008	0.586098	0.002	imp0625nce	bidled	Fulsmetric	Upperapproximation	2
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	3	clean	Cbar	simpleavg	quality	0.1478	min	-0.1478	spearman	0.617046	0.617046	0.002	3.19880e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	4	clean	Cbar	simpleavg	quality	0.147	min	-0.147	spearman	0.470553	0.470553	0.002	4.36420e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	5	clean	Cbar	simpleavg	quality	0.1524	min	-0.1524	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	6	clean	Cbar	simpleavg	quality	0.1532	min	-0.1532	spearman	0.4123669	0.4123669	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	7	clean	Cbar	simpleavg	quality	0.1576	min	-0.1576	spearman	0.4123666	0.4123666	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	8	clean	Cbar	simpleavg	quality	0.1706	min	-0.1706	spearman	0.4126699	0.4136999	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	9	clean	Cbar	simpleavg	quality	0.1722	min	-0.1722	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	10	clean	Cbar	simpleavg	quality	0.1738	min	-0.1738	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximation	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	clean	Cbar	simpleavg	quality	0.1744	min	-0.1744	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximation	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	clean	F	borda	quality	0.0864	max	0.0864	spearman	0.5860068	0.5860068	0.002	imp0662nce	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	clean	F	borda	quality	0.0506	max	0.0506	spearman	0.6417046	0.6417046	0.002	3.19860e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	clean	F	borda	quality	0.0572	max	0.0572	spearman	0.470553	0.470553	0.002	4.36420e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	clean	F	borda	quality	0.0634	max	0.0634	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	clean	F	borda	quality	0.0604	max	0.0604	spearman	0.412269	0.412269	0.002	4.89480e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	clean	F	borda	quality	0.066	max	0.066	spearman	0.442266	0.442266	0.002	4.81440e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	clean	F	borda	quality	0.0582	max	0.0582	spearman	0.412699	0.412699	0.002	5.45660e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	clean	F	borda	quality	0.0552	max	0.0552	spearman	0.399149	0.399149	0.002	5.67290e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	clean	F	borda	quality	0.0494	max	0.0494	spearman	0.403753	0.403753	0.002	5.06640e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	clean	F	borda	quality	0.0478	max	0.0478	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	clean	F	kemeny	quality	0.0864	max	0.0864	spearman	0.5860068	0.5860068	0.002	imp0662nce	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	clean	F	kemeny	quality	0.0874	max	0.0874	spearman	0.6417046	0.6417046	0.002	3.19860e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	clean	F	kemeny	quality	0.087	max	0.087	spearman	0.470553	0.470553	0.002	4.36420e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	clean	F	kemeny	quality	0.0796	max	0.0796	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	clean	F	kemeny	quality	0.0728	max	0.0728	spearman	0.412269	0.412269	0.002	4.89480e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	clean	F	kemeny	quality	0.0716	max	0.0716	spearman	0.442266	0.442266	0.002	4.81440e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	clean	F	kemeny	quality	0.0738	max	0.0738	spearman	0.412699	0.412699	0.002	5.45660e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	clean	F	kemeny	quality	0.0624	max	0.0624	spearman	0.399149	0.399149	0.002	5.67290e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	clean	F	kemeny	quality	0.0542	max	0.0542	spearman	0.403753	0.403753	0.002	5.06640e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	clean	F	kemeny	quality	0.05	max	0.05	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	clean	F	rrf	quality	0.0872	max	0.0872	spearman	0.5860068	0.5860068	0.002	imp0662nce	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	clean	F	rrf	quality	0.0726	max	0.0726	spearman	0.6417046	0.6417046	0.002	3.19860e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	clean	F	rrf	quality	0.0804	max	0.0804	spearman	0.470553	0.470553	0.002	4.36420e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	clean	F	rrf	quality	0.0762	max	0.0762	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Falsmetric	Upperapproximation	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	clean	F	rrf	quality	0.0738	max	0.0738	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	2
	ImageNet	ImageNet-vit-b16	spearman	7	clean	F	rrf	quality	0.073	max	0.073	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	2
	ImageNet	ImageNet-vit-b16	spearman	8	clean	F	rrf	quality	0.0688	max	0.0688	spearman	0.412669	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximation	2
	ImageNet	ImageNet-vit-b16	spearman	9	clean	F	rrf	quality	0.0634	max	0.0634	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximation	2
	ImageNet	ImageNet-vit-b16	spearman	10	clean	F	rrf	quality	0.0574	max	0.0574	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximation	2
	ImageNet	ImageNet-vit-b16	spearman	11	clean	F	rrf	quality	0.0538	max	0.0538	spearman	0.4111602	0.411692	0.002	6.12335e+05	bidled	Symmetric	Upperapproximation	2
	ImageNet	ImageNet-vit-b16	spearman	2	clean	F	schulze	quality	0.0864	max	0.0864	spearman	0.586008	0.586098	0.002	imp0625nce	bidled	Fulsmetric	Upperapproximation	2
	ImageNet	ImageNet-vit-b16	spearman	3	clean	F	schulze	quality	0.0764	max	0.0764	spearman	0.6417046	0.647046	0.002	3.19880e+05	bidled	Fulsmetric	Upperapproximation	2
	ImageNet	ImageNet-vit-b16	spearman	4	clean	F	schulze	quality	0.0874	max	0.0874	spearman	0.470553	0.470553	0.002	4.36420e+05	bidled	Fulsmetric	Upperapproximation	2
	ImageNet	ImageNet-vit-b16	spearman	5	clean	F	schulze	quality	0.0742	max	0.0742	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximation	2
	ImageNet	ImageNet-vit-b16	spearman	6	clean	F	schulze	quality	0.0698	max	0.0698	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	2
	ImageNet	ImageNet-vit-b16	spearman	7	clean	F	schulze	quality	0.0726	max	0.0726	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	2
	ImageNet	ImageNet-vit-b16	spearman	8	clean	F	schulze	quality	0.0684	max	0.0684	spearman	0.412669	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximation	2
	ImageNet	ImageNet-vit-b16	spearman	9	clean	F	schulze	quality	0.0614	max	0.0614	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximation	2
	ImageNet	ImageNet-vit-b16	spearman	10	clean	F	schulze	quality	0.0552	max	0.0552	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximation	2
	ImageNet	ImageNet-vit-b16	spearman	11	clean	F	schulze	quality	0.0488	max	0.0488	spearman	0.4111602	0.411692	0.002	6.12335e+05	bidled	Symmetric	Upperapproximation	2
	ImageNet	ImageNet-vit-b16	spearman	2	clean	F	simpleavg	quality	0.0852	max	0.0852	spearman	0.586008	0.586098	0.002	imp0625nce	bidled	Fulsmetric	Upperapproximation	2
	ImageNet	ImageNet-vit-b16	spearman	3	clean	F	simpleavg	quality	0.0734	max	0.0734	spearman	0.6417046	0.647046	0.002	3.19880e+05	bidled	Fulsmetric	Upperapproximation	2
	ImageNet	ImageNet-vit-b16	spearman	4	clean	F	simpleavg	quality	0.0748	max	0.0748	spearman	0.470553	0.470553	0.002	4.36420e+05	bidled	Fulsmetric	Upperapproximation	2
	ImageNet	ImageNet-vit-b16	spearman	5	clean	F	simpleavg	quality	0.0686	max	0.0686	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	clean	F	simpleavg	quality	0.0692	max	0.0692	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	2
	ImageNet	ImageNet-vit-b16	spearman	7	clean	F	simpleavg	quality	0.0696	max	0.0696	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	2
	ImageNet	ImageNet-vit-b16	spearman	8	clean	F	simpleavg	quality	0.0662	max	0.0662	spearman	0.412669	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximation	2
	ImageNet	ImageNet-vit-b16	spearman	9	clean	F	simpleavg	quality	0.0648	max	0.0648	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximation	2
	ImageNet	ImageNet-vit-b16	spearman	10	clean	F	simpleavg	quality	0.064	max	0.064	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximation	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	clean	F	simpleavg	quality	0.0642	max	0.0642	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	clean	Fbar	borda	quality	0.0928	min	-0.0928	spearman	0.586008	0.586008	0.002	imp0662nce	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	clean	Fbar	borda	quality	0.1026	min	-0.1026	spearman	0.6117046	0.6117046	0.002	3.19860e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	clean	Fbar	borda	quality	0.1076	min	-0.1076	spearman	0.470553	0.470553	0.002	4.36420e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	clean	Fbar	borda	quality	0.1114	min	-0.1114	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	clean	Fbar	borda	quality	0.1326	min	-0.1326	spearman	0.412269	0.412269	0.002	4.89480e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	clean	Fbar	borda	quality	0.1326	min	-0.1326	spearman	0.412266	0.412266	0.002	4.89480e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	clean	Fbar	borda	quality	0.1334	min	-0.1334	spearman	0.412699	0.412699	0.002	5.04560e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	clean	Fbar	borda	quality	0.1634	min	-0.1634	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	clean	Fbar	borda	quality	0.2012	min	-0.2012	spearman	0.403753	0.403753	0.002	5.06640e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	clean	Fbar	borda	quality	0.2256	min	-0.2256	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	clean	Fbar	kemeny	quality	0.0928	min	-0.0928	spearman	0.586008	0.586008	0.002	imp0662nce	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	clean	Fbar	kemeny	quality	0.0946	min	-0.0946	spearman	0.6117046	0.6117046	0.002	3.19860e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	clean	Fbar	kemeny	quality	0.0922	min	-0.0922	spearman	0.470553	0.470553	0.002	4.36420e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	clean	Fbar	kemeny	quality	0.1154	min	-0.1154	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	clean	Fbar	kemeny	quality	0.1464	min	-0.1464	spearman	0.412269	0.412269	0.002	4.89480e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	clean	Fbar	kemeny	quality	0.152	min	-0.152	spearman	0.412266	0.412266	0.002	4.89480e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	clean	Fbar	kemeny	quality	0.143	min	-0.143	spearman	0.412699	0.412699	0.002	5.04560e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	clean	Fbar	kemeny	quality	0.1934	min	-0.1934	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	clean	Fbar	kemeny	quality	0.2546	min	-0.2546	spearman	0.403753	0.403753	0.002	5.06640e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	clean	Fbar	kemeny	quality	0.2684	min	-0.2684	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	clean	Fbar	rrf	quality	0.092	min	-0.092	spearman	0.586008	0.586008	0.002	imp0662nce	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	clean	Fbar	rrf	quality	0.096	min	-0.096	spearman	0.6117046	0.6117046	0.002	3.19860e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	clean	Fbar	rrf	quality	0.096	min	-0.096	spearman	0.470553	0.470553	0.002	4.36420e+05	bidled	Falsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	clean	Fbar	rrf	quality	0.105	min	-0.105	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Falsmetric	Upperapproximation	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	clean	Fbar	rrf	quality	0.1246	min	-0.1246	spearman	0.412369	0.412369	0.002	4.89438e+05	bidled	Fulsmetric	Upperproximatio	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	clean	Fbar	rrf	quality	0.1278	min	-0.1278	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperproximatio	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	clean	Fbar	rrf	quality	0.127	min	-0.127	spearman	0.412669	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperproximatio	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	clean	Fbar	rrf	quality	0.1624	min	-0.1624	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperproximatio	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	clean	Fbar	rrf	quality	0.2086	min	-0.2086	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperproximatio	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	clean	Fbar	rrf	quality	0.2172	min	-0.2172	spearman	0.4111602	0.411692	0.002	6.12350e+05	bidled	Symmetric	Upperproximatio	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	clean	Fbar	schulze	quality	0.0928	min	-0.0928	spearman	0.586008	0.586098	0.002	imp062nce	bidled	Fulsmetric	Upperproximatio	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	clean	Fbar	schulze	quality	0.0978	min	-0.0978	spearman	0.617946	0.617946	0.002	3.19880e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	clean	Fbar	schulze	quality	0.0952	min	-0.0952	spearman	0.470553	0.470553	0.002	4.36420e+05	bidled	Fulsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	clean	Fbar	schulze	quality	0.109	min	-0.109	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperproximatio	5
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	clean	Fbar	schulze	quality	0.1338	min	-0.1338	spearman	0.412369	0.412369	0.002	4.89438e+05	bidled	Fulsmetric	Upperproximatio	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	clean	Fbar	schulze	quality	0.1302	min	-0.1302	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperproximatio	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	clean	Fbar	schulze	quality	0.1302	min	-0.1302	spearman	0.412669	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperproximatio	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	clean	Fbar	schulze	quality	0.1726	min	-0.1726	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperproximatio	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	clean	Fbar	schulze	quality	0.2342	min	-0.2342	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperproximatio	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	clean	Fbar	schulze	quality	0.2336	min	-0.2336	spearman	0.4111602	0.411692	0.002	6.12350e+05	bidled	Symmetric	Upperproximatio	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	clean	Fbar	simpleavg	quality	0.0966	min	-0.0966	spearman	0.586008	0.586098	0.002	imp062nce	bidled	Fulsmetric	Upperproximatio	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	clean	Fbar	simpleavg	quality	0.097	min	-0.097	spearman	0.617946	0.617946	0.002	3.19880e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	clean	Fbar	simpleavg	quality	0.0956	min	-0.0956	spearman	0.470553	0.470553	0.002	4.36420e+05	bidled	Fulsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	clean	Fbar	simpleavg	quality	0.1002	min	-0.1002	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperproximatio	5
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	clean	Fbar	simpleavg	quality	0.0998	min	-0.0998	spearman	0.412369	0.412369	0.002	4.89438e+05	bidled	Fulsmetric	Upperproximatio	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	clean	Fbar	simpleavg	quality	0.1038	min	-0.1038	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperproximatio	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	clean	Fbar	simpleavg	quality	0.1152	min	-0.1152	spearman	0.412669	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperproximatio	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	clean	Fbar	simpleavg	quality	0.1164	min	-0.1164	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperproximatio	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	clean	Fbar	simpleavg	quality	0.1176	min	-0.1176	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperproximatio	10

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	clean	Fbar	simpleavg	quality	0.1174	min	-0.1174	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bid	Symmetric	Upper approximation	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversarial-sara-2-255	C	borda	robustness	0.091	max	0.091	spearman	0.5860008	0.5860008	0.002	imp0602nce	bid	Full metric	Upper approximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversarial-sara-2-255	C	borda	robustness	0.1214	max	0.1214	spearman	0.6117046	0.6117046	0.002	3.19860e+05	bid	Full metric	Upper approximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversarial-sara-2-255	C	borda	robustness	0.1042	max	0.1042	spearman	0.470553	0.470553	0.002	4.36320e+05	bid	Full metric	Upper approximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversarial-sara-2-255	C	borda	robustness	0.0962	max	0.0962	spearman	0.469363	0.469363	0.002	4.52280e+05	bid	Full metric	Upper approximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversarial-sara-2-255	C	borda	robustness	0.092	max	0.092	spearman	0.412269	0.412269	0.002	4.89380e+05	bid	Full metric	Upper approximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversarial-sara-2-255	C	borda	robustness	0.0886	max	0.0886	spearman	0.412266	0.412266	0.002	4.81330e+05	bid	Full metric	Upper approximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversarial-sara-2-255	C	borda	robustness	0.0998	max	0.0998	spearman	0.412699	0.412699	0.002	5.45660e+05	bid	Full metric	Upper approximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversarial-sara-2-255	C	borda	robustness	0.0924	max	0.0924	spearman	0.399149	0.399149	0.002	5.67290e+05	bid	Full metric	Upper approximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversarial-sara-2-255	C	borda	robustness	0.0934	max	0.0934	spearman	0.403753	0.403753	0.002	5.60640e+05	bid	Full metric	Upper approximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversarial-sara-2-255	C	borda	robustness	0.095	max	0.095	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bid	Symmetric	Upper approximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversarial-sara-2-255	C	kemeny	robustness	0.091	max	0.091	spearman	0.5860008	0.5860008	0.002	imp0602nce	bid	Full metric	Upper approximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversarial-sara-2-255	C	kemeny	robustness	0.0926	max	0.0926	spearman	0.6117046	0.6117046	0.002	3.19860e+05	bid	Full metric	Upper approximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversarial-sara-2-255	C	kemeny	robustness	0.0916	max	0.0916	spearman	0.470553	0.470553	0.002	4.36320e+05	bid	Full metric	Upper approximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversarial-sara-2-255	C	kemeny	robustness	0.087	max	0.087	spearman	0.469363	0.469363	0.002	4.52280e+05	bid	Full metric	Upper approximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversarial-sara-2-255	C	kemeny	robustness	0.0856	max	0.0856	spearman	0.412269	0.412269	0.002	4.89380e+05	bid	Full metric	Upper approximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversarial-sara-2-255	C	kemeny	robustness	0.0876	max	0.0876	spearman	0.412266	0.412266	0.002	4.81330e+05	bid	Full metric	Upper approximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversarial-sara-2-255	C	kemeny	robustness	0.0808	max	0.0808	spearman	0.412699	0.412699	0.002	5.45660e+05	bid	Full metric	Upper approximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversarial-sara-2-255	C	kemeny	robustness	0.085	max	0.085	spearman	0.399149	0.399149	0.002	5.67290e+05	bid	Full metric	Upper approximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversarial-sara-2-255	C	kemeny	robustness	0.084	max	0.084	spearman	0.403753	0.403753	0.002	5.60640e+05	bid	Full metric	Upper approximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversarial-sara-2-255	C	kemeny	robustness	0.0926	max	0.0926	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bid	Symmetric	Upper approximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversarial-sara-2-255	C	rrf	robustness	0.0902	max	0.0902	spearman	0.5860008	0.5860008	0.002	imp0602nce	bid	Full metric	Upper approximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversarial-sara-2-255	C	rrf	robustness	0.1024	max	0.1024	spearman	0.6117046	0.6117046	0.002	3.19860e+05	bid	Full metric	Upper approximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversarial-sara-2-255	C	rrf	robustness	0.0916	max	0.0916	spearman	0.470553	0.470553	0.002	4.36320e+05	bid	Full metric	Upper approximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversarial-sara-2-255	C	rrf	robustness	0.0864	max	0.0864	spearman	0.469363	0.469363	0.002	4.52280e+05	bid	Full metric	Upper approximation	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversaria-sara-2-255	C	rrf	robustness	0.0834	max	0.0834	spearman	0.4122669	0.4122669	0.002	4.89438e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversaria-sara-2-255	C	rrf	robustness	0.0876	max	0.0876	spearman	0.4122666	0.4122666	0.002	4.89438e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversaria-sara-2-255	C	rrf	robustness	0.0866	max	0.0866	spearman	0.4126699	0.4126699	0.002	5.45660e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversaria-sara-2-255	C	rrf	robustness	0.0862	max	0.0862	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversaria-sara-2-255	C	rrf	robustness	0.0846	max	0.0846	spearman	0.402753	0.402753	0.002	5.60664e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversaria-sara-2-255	C	rrf	robustness	0.0886	max	0.0886	spearman	0.411602	0.411602	0.002	6.12350e+05	bidled	Symmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversaria-sara-2-255	C	schulze	robustness	0.091	max	0.091	spearman	0.586008	0.586008	0.002	imp062nce	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversaria-sara-2-255	C	schulze	robustness	0.0968	max	0.0968	spearman	0.617046	0.617046	0.002	3.19880e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversaria-sara-2-255	C	schulze	robustness	0.0834	max	0.0834	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversaria-sara-2-255	C	schulze	robustness	0.0912	max	0.0912	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversaria-sara-2-255	C	schulze	robustness	0.0856	max	0.0856	spearman	0.4122669	0.4122669	0.002	4.89438e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversaria-sara-2-255	C	schulze	robustness	0.0804	max	0.0804	spearman	0.4122666	0.4122666	0.002	4.89438e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversaria-sara-2-255	C	schulze	robustness	0.0892	max	0.0892	spearman	0.4126699	0.4126699	0.002	5.45660e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversaria-sara-2-255	C	schulze	robustness	0.083	max	0.083	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversaria-sara-2-255	C	schulze	robustness	0.0852	max	0.0852	spearman	0.402753	0.402753	0.002	5.60664e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversaria-sara-2-255	C	schulze	robustness	0.0904	max	0.0904	spearman	0.411602	0.411602	0.002	6.12350e+05	bidled	Symmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversaria-sara-2-255	C	simpleavg	robustness	0.0934	max	0.0934	spearman	0.586008	0.586008	0.002	imp062nce	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversaria-sara-2-255	C	simpleavg	robustness	0.0928	max	0.0928	spearman	0.617046	0.617046	0.002	3.19880e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversaria-sara-2-255	C	simpleavg	robustness	0.083	max	0.083	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversaria-sara-2-255	C	simpleavg	robustness	0.0836	max	0.0836	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversaria-sara-2-255	C	simpleavg	robustness	0.078	max	0.078	spearman	0.4122669	0.4122669	0.002	4.89438e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversaria-sara-2-255	C	simpleavg	robustness	0.0782	max	0.0782	spearman	0.4122666	0.4122666	0.002	4.89438e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversaria-sara-2-255	C	simpleavg	robustness	0.0822	max	0.0822	spearman	0.4126699	0.4126699	0.002	5.45660e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversaria-sara-2-255	C	simpleavg	robustness	0.0842	max	0.0842	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversaria-sara-2-255	C	simpleavg	robustness	0.08	max	0.08	spearman	0.402753	0.402753	0.002	5.60664e+05	bidled	Fulsmetric	Upperproximatio	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversaria-sara-2-255	C	simpleavg	robustness	0.0788	max	0.0788	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversaria-sara-2-255	Cbar	borda	robustness	-0.2096	max	-0.2096	spearman	0.5860008	0.5860008	0.002	imp0602nce	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversaria-sara-2-255	Cbar	borda	robustness	-0.201	max	-0.201	spearman	0.6117046	0.6117046	0.002	3.19860e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversaria-sara-2-255	Cbar	borda	robustness	-0.2358	max	-0.2358	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversaria-sara-2-255	Cbar	borda	robustness	-0.2572	max	-0.2572	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversaria-sara-2-255	Cbar	borda	robustness	-0.264	max	-0.264	spearman	0.412269	0.412269	0.002	4.89330e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversaria-sara-2-255	Cbar	borda	robustness	-0.2686	max	-0.2686	spearman	0.412266	0.412266	0.002	4.89330e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversaria-sara-2-255	Cbar	borda	robustness	-0.2654	max	-0.2654	spearman	0.412699	0.412699	0.002	5.45660e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversaria-sara-2-255	Cbar	borda	robustness	-0.2664	max	-0.2664	spearman	0.399149	0.399149	0.002	5.67290e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversaria-sara-2-255	Cbar	borda	robustness	-0.2626	max	-0.2626	spearman	0.403753	0.403753	0.002	5.60640e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversaria-sara-2-255	Cbar	borda	robustness	-0.2556	max	-0.2556	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversaria-sara-2-255	Cbar	kemeny	robustness	-0.2096	max	-0.2096	spearman	0.5860008	0.5860008	0.002	imp0602nce	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversaria-sara-2-255	Cbar	kemeny	robustness	-0.2164	max	-0.2164	spearman	0.6117046	0.6117046	0.002	3.19860e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversaria-sara-2-255	Cbar	kemeny	robustness	-0.239	max	-0.239	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversaria-sara-2-255	Cbar	kemeny	robustness	-0.2498	max	-0.2498	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversaria-sara-2-255	Cbar	kemeny	robustness	-0.2486	max	-0.2486	spearman	0.412269	0.412269	0.002	4.89330e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversaria-sara-2-255	Cbar	kemeny	robustness	-0.2376	max	-0.2376	spearman	0.412266	0.412266	0.002	4.89330e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversaria-sara-2-255	Cbar	kemeny	robustness	-0.2486	max	-0.2486	spearman	0.412699	0.412699	0.002	5.45660e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversaria-sara-2-255	Cbar	kemeny	robustness	-0.246	max	-0.246	spearman	0.399149	0.399149	0.002	5.67290e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversaria-sara-2-255	Cbar	kemeny	robustness	-0.234	max	-0.234	spearman	0.403753	0.403753	0.002	5.60640e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversaria-sara-2-255	Cbar	kemeny	robustness	-0.2166	max	-0.2166	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversaria-sara-2-255	Cbar	rrf	robustness	-0.2102	max	-0.2102	spearman	0.5860008	0.5860008	0.002	imp0602nce	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversaria-sara-2-255	Cbar	rrf	robustness	-0.2064	max	-0.2064	spearman	0.6117046	0.6117046	0.002	3.19860e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversaria-sara-2-255	Cbar	rrf	robustness	-0.2372	max	-0.2372	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversaria-sara-2-255	Cbar	rrf	robustness	-0.268	max	-0.268	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Falsmetric	Upperapproximation	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversaria-sara-2-255	Cbar	rrf	robustness	-0.2666	max	-0.2666	spearman	0.412369	0.412369	0.002	4.89048e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversaria-sara-2-255	Cbar	rrf	robustness	-0.2614	max	-0.2614	spearman	0.412366	0.412366	0.002	4.89141e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversaria-sara-2-255	Cbar	rrf	robustness	-0.2572	max	-0.2572	spearman	0.412669	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversaria-sara-2-255	Cbar	rrf	robustness	-0.2636	max	-0.2636	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversaria-sara-2-255	Cbar	rrf	robustness	-0.2502	max	-0.2502	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversaria-sara-2-255	Cbar	rrf	robustness	-0.2434	max	-0.2434	spearman	0.411602	0.411602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversaria-sara-2-255	Cbar	schulze	robustness	-0.2096	max	-0.2096	spearman	0.586008	0.586098	0.002	imp0625nce	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversaria-sara-2-255	Cbar	schulze	robustness	-0.1992	max	-0.1992	spearman	0.617046	0.617046	0.002	3.19880e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversaria-sara-2-255	Cbar	schulze	robustness	-0.2324	max	-0.2324	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversaria-sara-2-255	Cbar	schulze	robustness	-0.2574	max	-0.2574	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversaria-sara-2-255	Cbar	schulze	robustness	-0.267	max	-0.267	spearman	0.412369	0.412369	0.002	4.89048e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversaria-sara-2-255	Cbar	schulze	robustness	-0.2672	max	-0.2672	spearman	0.412366	0.412366	0.002	4.89141e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversaria-sara-2-255	Cbar	schulze	robustness	-0.2616	max	-0.2616	spearman	0.412669	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversaria-sara-2-255	Cbar	schulze	robustness	-0.2596	max	-0.2596	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversaria-sara-2-255	Cbar	schulze	robustness	-0.244	max	-0.244	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversaria-sara-2-255	Cbar	schulze	robustness	-0.2418	max	-0.2418	spearman	0.411602	0.411602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversaria-sara-2-255	Cbar	simpleavg	robustness	-0.2052	max	-0.2052	spearman	0.586008	0.586098	0.002	imp0625nce	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversaria-sara-2-255	Cbar	simpleavg	robustness	-0.2038	max	-0.2038	spearman	0.617046	0.617046	0.002	3.19880e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversaria-sara-2-255	Cbar	simpleavg	robustness	-0.2204	max	-0.2204	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversaria-sara-2-255	Cbar	simpleavg	robustness	-0.2532	max	-0.2532	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversaria-sara-2-255	Cbar	simpleavg	robustness	-0.262	max	-0.262	spearman	0.412369	0.412369	0.002	4.89048e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversaria-sara-2-255	Cbar	simpleavg	robustness	-0.2722	max	-0.2722	spearman	0.412366	0.412366	0.002	4.89141e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversaria-sara-2-255	Cbar	simpleavg	robustness	-0.2576	max	-0.2576	spearman	0.412669	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversaria-sara-2-255	Cbar	simpleavg	robustness	-0.2738	max	-0.2738	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversaria-sara-2-255	Cbar	simpleavg	robustness	-0.284	max	-0.284	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximation	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversaria-sara-2-255	Cbar	simpleavg	robustness	-0.2848	max	-0.2848	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversaria-sara-2-255	F	borda	robustness	0.076	max	0.076	spearman	0.586008	0.586008	0.002	imp062nce	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversaria-sara-2-255	F	borda	robustness	0.1022	max	0.1022	spearman	0.6117046	0.6117046	0.002	3.19860e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversaria-sara-2-255	F	borda	robustness	0.0902	max	0.0902	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversaria-sara-2-255	F	borda	robustness	0.0782	max	0.0782	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversaria-sara-2-255	F	borda	robustness	0.0778	max	0.0778	spearman	0.4112369	0.4112369	0.002	4.89330e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversaria-sara-2-255	F	borda	robustness	0.0726	max	0.0726	spearman	0.4112366	0.4112366	0.002	4.81330e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversaria-sara-2-255	F	borda	robustness	0.0808	max	0.0808	spearman	0.4112699	0.4112699	0.002	5.45660e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversaria-sara-2-255	F	borda	robustness	0.0718	max	0.0718	spearman	0.399149	0.399149	0.002	5.67290e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversaria-sara-2-255	F	borda	robustness	0.0718	max	0.0718	spearman	0.403753	0.403753	0.002	5.60640e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversaria-sara-2-255	F	borda	robustness	0.0736	max	0.0736	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversaria-sara-2-255	F	kemeny	robustness	0.076	max	0.076	spearman	0.586008	0.586008	0.002	imp062nce	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversaria-sara-2-255	F	kemeny	robustness	0.077	max	0.077	spearman	0.6117046	0.6117046	0.002	3.19860e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversaria-sara-2-255	F	kemeny	robustness	0.0766	max	0.0766	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversaria-sara-2-255	F	kemeny	robustness	0.0688	max	0.0688	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversaria-sara-2-255	F	kemeny	robustness	0.0672	max	0.0672	spearman	0.4112369	0.4112369	0.002	4.89330e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversaria-sara-2-255	F	kemeny	robustness	0.0688	max	0.0688	spearman	0.4112366	0.4112366	0.002	4.81330e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversaria-sara-2-255	F	kemeny	robustness	0.0622	max	0.0622	spearman	0.4112699	0.4112699	0.002	5.45660e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversaria-sara-2-255	F	kemeny	robustness	0.0638	max	0.0638	spearman	0.399149	0.399149	0.002	5.67290e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversaria-sara-2-255	F	kemeny	robustness	0.0654	max	0.0654	spearman	0.403753	0.403753	0.002	5.60640e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversaria-sara-2-255	F	kemeny	robustness	0.0714	max	0.0714	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversaria-sara-2-255	F	rrf	robustness	0.0764	max	0.0764	spearman	0.586008	0.586008	0.002	imp062nce	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversaria-sara-2-255	F	rrf	robustness	0.086	max	0.086	spearman	0.6117046	0.6117046	0.002	3.19860e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversaria-sara-2-255	F	rrf	robustness	0.0734	max	0.0734	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Falsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversaria-sara-2-255	F	rrf	robustness	0.0678	max	0.0678	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Falsmetric	Upperapproximation	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversaria-sara-2-255	F	rrf	robustness	0.0662	max	0.0662	spearman	0.412369	0.412369	0.002	4.89438e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversaria-sara-2-255	F	rrf	robustness	0.0672	max	0.0672	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversaria-sara-2-255	F	rrf	robustness	0.065	max	0.065	spearman	0.412699	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversaria-sara-2-255	F	rrf	robustness	0.066	max	0.066	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversaria-sara-2-255	F	rrf	robustness	0.0666	max	0.0666	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversaria-sara-2-255	F	rrf	robustness	0.0696	max	0.0696	spearman	0.411692	0.411692	0.002	6.12350e+05	bidled	Symmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversaria-sara-2-255	F	schulze	robustness	0.076	max	0.076	spearman	0.586008	0.586098	0.002	imp0662nce	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversaria-sara-2-255	F	schulze	robustness	0.079	max	0.079	spearman	0.617946	0.617946	0.002	3.19880e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversaria-sara-2-255	F	schulze	robustness	0.0706	max	0.0706	spearman	0.470553	0.470553	0.002	4.36420e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversaria-sara-2-255	F	schulze	robustness	0.0744	max	0.0744	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversaria-sara-2-255	F	schulze	robustness	0.0698	max	0.0698	spearman	0.412369	0.412369	0.002	4.89438e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversaria-sara-2-255	F	schulze	robustness	0.065	max	0.065	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversaria-sara-2-255	F	schulze	robustness	0.0692	max	0.0692	spearman	0.412699	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversaria-sara-2-255	F	schulze	robustness	0.0642	max	0.0642	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversaria-sara-2-255	F	schulze	robustness	0.0652	max	0.0652	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversaria-sara-2-255	F	schulze	robustness	0.072	max	0.072	spearman	0.411692	0.411692	0.002	6.12350e+05	bidled	Symmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversaria-sara-2-255	F	simpleavg	robustness	0.0772	max	0.0772	spearman	0.586008	0.586098	0.002	imp0662nce	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversaria-sara-2-255	F	simpleavg	robustness	0.0752	max	0.0752	spearman	0.617946	0.617946	0.002	3.19880e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversaria-sara-2-255	F	simpleavg	robustness	0.0676	max	0.0676	spearman	0.470553	0.470553	0.002	4.36420e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversaria-sara-2-255	F	simpleavg	robustness	0.0688	max	0.0688	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversaria-sara-2-255	F	simpleavg	robustness	0.0648	max	0.0648	spearman	0.412369	0.412369	0.002	4.89438e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversaria-sara-2-255	F	simpleavg	robustness	0.0646	max	0.0646	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversaria-sara-2-255	F	simpleavg	robustness	0.0672	max	0.0672	spearman	0.412699	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversaria-sara-2-255	F	simpleavg	robustness	0.0672	max	0.0672	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversaria-sara-2-255	F	simpleavg	robustness	0.065	max	0.065	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperproximatio	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversaria	F	simpleavg	robustness	0.0632	max	0.0632	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximati	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversaria	Fbar	borda	robustness	-0.2034	max	-0.2034	spearman	0.5860008	0.5860008	0.002	imp0602nce	bidled	Fulsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversaria	Fbar	borda	robustness	-0.1906	max	-0.1906	spearman	0.6117046	0.6117046	0.002	3.19860e+05	bidled	Fulsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversaria	Fbar	borda	robustness	-0.2242	max	-0.2242	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Fulsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversaria	Fbar	borda	robustness	-0.248	max	-0.248	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversaria	Fbar	borda	robustness	-0.256	max	-0.256	spearman	0.412269	0.412269	0.002	4.89330e+05	bidled	Fulsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversaria	Fbar	borda	robustness	-0.2546	max	-0.2546	spearman	0.412266	0.412266	0.002	4.89330e+05	bidled	Fulsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversaria	Fbar	borda	robustness	-0.2486	max	-0.2486	spearman	0.412699	0.412699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversaria	Fbar	borda	robustness	-0.257	max	-0.257	spearman	0.399149	0.399149	0.002	5.67290e+05	bidled	Fulsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversaria	Fbar	borda	robustness	-0.254	max	-0.254	spearman	0.403753	0.403753	0.002	5.60640e+05	bidled	Fulsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversaria	Fbar	borda	robustness	-0.2438	max	-0.2438	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximati	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversaria	Fbar	kemeny	robustness	-0.2034	max	-0.2034	spearman	0.5860008	0.5860008	0.002	imp0602nce	bidled	Fulsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversaria	Fbar	kemeny	robustness	-0.207	max	-0.207	spearman	0.6117046	0.6117046	0.002	3.19860e+05	bidled	Fulsmetric	Upperapproximati	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversaria	Fbar	kemeny	robustness	-0.2344	max	-0.2344	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Fulsmetric	Upperapproximati	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversaria	Fbar	kemeny	robustness	-0.2416	max	-0.2416	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximati	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversaria	Fbar	kemeny	robustness	-0.2386	max	-0.2386	spearman	0.412269	0.412269	0.002	4.89330e+05	bidled	Fulsmetric	Upperapproximati	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversaria	Fbar	kemeny	robustness	-0.2282	max	-0.2282	spearman	0.412266	0.412266	0.002	4.89330e+05	bidled	Fulsmetric	Upperapproximati	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversaria	Fbar	kemeny	robustness	-0.2356	max	-0.2356	spearman	0.412699	0.412699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximati	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversaria	Fbar	kemeny	robustness	-0.2382	max	-0.2382	spearman	0.399149	0.399149	0.002	5.67290e+05	bidled	Fulsmetric	Upperapproximati	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversaria	Fbar	kemeny	robustness	-0.2262	max	-0.2262	spearman	0.403753	0.403753	0.002	5.60640e+05	bidled	Fulsmetric	Upperapproximati	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversaria	Fbar	kemeny	robustness	-0.2106	max	-0.2106	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximati	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversaria	Fbar	rrf	robustness	-0.204	max	-0.204	spearman	0.5860008	0.5860008	0.002	imp0602nce	bidled	Fulsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversaria	Fbar	rrf	robustness	-0.2022	max	-0.2022	spearman	0.6117046	0.6117046	0.002	3.19860e+05	bidled	Fulsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversaria	Fbar	rrf	robustness	-0.2262	max	-0.2262	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Fulsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversaria	Fbar	rrf	robustness	-0.2546	max	-0.2546	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximati	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversaria	Fbar	rrf	robustness	-0.2526	max	-0.2526	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversaria	Fbar	rrf	robustness	-0.2504	max	-0.2504	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversaria	Fbar	rrf	robustness	-0.2458	max	-0.2458	spearman	0.412366	0.412366	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversaria	Fbar	rrf	robustness	-0.2544	max	-0.2544	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversaria	Fbar	rrf	robustness	-0.2426	max	-0.2426	spearman	0.402753	0.402753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversaria	Fbar	rrf	robustness	-0.238	max	-0.238	spearman	0.411602	0.411602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversaria	Fbar	schulze	robustness	-0.2034	max	-0.2034	spearman	0.586008	0.586008	0.002	imp062nce	bidled	Fulsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversaria	Fbar	schulze	robustness	-0.191	max	-0.191	spearman	0.617046	0.617046	0.002	3.19880e+05	bidled	Fulsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversaria	Fbar	schulze	robustness	-0.225	max	-0.225	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Fulsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversaria	Fbar	schulze	robustness	-0.2486	max	-0.2486	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversaria	Fbar	schulze	robustness	-0.2534	max	-0.2534	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversaria	Fbar	schulze	robustness	-0.2512	max	-0.2512	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversaria	Fbar	schulze	robustness	-0.2494	max	-0.2494	spearman	0.412366	0.412366	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversaria	Fbar	schulze	robustness	-0.2456	max	-0.2456	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversaria	Fbar	schulze	robustness	-0.2358	max	-0.2358	spearman	0.402753	0.402753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversaria	Fbar	schulze	robustness	-0.2358	max	-0.2358	spearman	0.411602	0.411602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversaria	Fbar	simpleavg	robustness	-0.198	max	-0.198	spearman	0.586008	0.586008	0.002	imp062nce	bidled	Fulsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversaria	Fbar	simpleavg	robustness	-0.1992	max	-0.1992	spearman	0.617046	0.617046	0.002	3.19880e+05	bidled	Fulsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversaria	Fbar	simpleavg	robustness	-0.2134	max	-0.2134	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Fulsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversaria	Fbar	simpleavg	robustness	-0.2444	max	-0.2444	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversaria	Fbar	simpleavg	robustness	-0.2506	max	-0.2506	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversaria	Fbar	simpleavg	robustness	-0.2612	max	-0.2612	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversaria	Fbar	simpleavg	robustness	-0.2474	max	-0.2474	spearman	0.412366	0.412366	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversaria	Fbar	simpleavg	robustness	-0.2612	max	-0.2612	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversaria	Fbar	simpleavg	robustness	-0.2698	max	-0.2698	spearman	0.402753	0.402753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximati	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversarial-sara-2-255	Fbar	simpleavg	robustness	-0.2696	max	-0.2696	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upper	approximate	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	C	borda	robustness	0.0846	max	0.0846	spearman	0.586008	0.586098	0.002	imp062	nce	bidled	Fulsmetric	Upper	approximate
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	C	borda	robustness	0.1022	max	0.1022	spearman	0.6417046	0.647046	0.002	3.19860e+05	bidled	Fulsmetric	Upper	approximate	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	C	borda	robustness	0.1066	max	0.1066	spearman	0.470553	0.470553	0.002	4.36420e+05	bidled	Fulsmetric	Upper	approximate	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	C	borda	robustness	0.1024	max	0.1024	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upper	approximate	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	C	borda	robustness	0.1052	max	0.1052	spearman	0.412269	0.412269	0.002	4.89430e+05	bidled	Fulsmetric	Upper	approximate	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	C	borda	robustness	0.0982	max	0.0982	spearman	0.442266	0.443266	0.002	4.81440e+05	bidled	Fulsmetric	Upper	approximate	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	C	borda	robustness	0.1064	max	0.1064	spearman	0.412699	0.413699	0.002	5.04560e+05	bidled	Fulsmetric	Upper	approximate	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	C	borda	robustness	0.11	max	0.11	spearman	0.399149	0.399149	0.002	5.07290e+05	bidled	Fulsmetric	Upper	approximate	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	C	borda	robustness	0.119	max	0.119	spearman	0.403753	0.403753	0.002	5.06640e+05	bidled	Fulsmetric	Upper	approximate	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	C	borda	robustness	0.1126	max	0.1126	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upper	approximate	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	C	kemeny	robustness	0.0846	max	0.0846	spearman	0.586008	0.586098	0.002	imp062	nce	bidled	Fulsmetric	Upper	approximate
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	C	kemeny	robustness	0.0906	max	0.0906	spearman	0.6417046	0.647046	0.002	3.19860e+05	bidled	Fulsmetric	Upper	approximate	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	C	kemeny	robustness	0.0984	max	0.0984	spearman	0.470553	0.470553	0.002	4.36420e+05	bidled	Fulsmetric	Upper	approximate	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	C	kemeny	robustness	0.0962	max	0.0962	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upper	approximate	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	C	kemeny	robustness	0.111	max	0.111	spearman	0.412269	0.412269	0.002	4.89430e+05	bidled	Fulsmetric	Upper	approximate	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	C	kemeny	robustness	0.1052	max	0.1052	spearman	0.442266	0.443266	0.002	4.81440e+05	bidled	Fulsmetric	Upper	approximate	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	C	kemeny	robustness	0.1076	max	0.1076	spearman	0.412699	0.413699	0.002	5.04560e+05	bidled	Fulsmetric	Upper	approximate	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	C	kemeny	robustness	0.1174	max	0.1174	spearman	0.399149	0.399149	0.002	5.07290e+05	bidled	Fulsmetric	Upper	approximate	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	C	kemeny	robustness	0.119	max	0.119	spearman	0.403753	0.403753	0.002	5.06640e+05	bidled	Fulsmetric	Upper	approximate	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	C	kemeny	robustness	0.1174	max	0.1174	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upper	approximate	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	C	rrf	robustness	0.0862	max	0.0862	spearman	0.586008	0.586098	0.002	imp062	nce	bidled	Fulsmetric	Upper	approximate
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	C	rrf	robustness	0.1028	max	0.1028	spearman	0.6417046	0.647046	0.002	3.19860e+05	bidled	Fulsmetric	Upper	approximate	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	C	rrf	robustness	0.1046	max	0.1046	spearman	0.470553	0.470553	0.002	4.36420e+05	bidled	Fulsmetric	Upper	approximate	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	C	rrf	robustness	0.1008	max	0.1008	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upper	approximate	

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	C	rrf	robustness	0.1096	max	0.1096	spearman	0.412369	0.412369	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	C	rrf	robustness	0.1044	max	0.1044	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	C	rrf	robustness	0.1142	max	0.1142	spearman	0.412669	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	C	rrf	robustness	0.1166	max	0.1166	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	C	rrf	robustness	0.1136	max	0.1136	spearman	0.402753	0.403753	0.002	5.06644e+05	bidled	Fulsmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	C	rrf	robustness	0.1182	max	0.1182	spearman	0.411602	0.411602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	C	schulze	robustness	0.0846	max	0.0846	spearman	0.586008	0.586098	0.002	imp0602nce	bidled	Fulsmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	C	schulze	robustness	0.0962	max	0.0962	spearman	0.617046	0.617046	0.002	3.19880e+05	bidled	Fulsmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	C	schulze	robustness	0.1046	max	0.1046	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Fulsmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	C	schulze	robustness	0.101	max	0.101	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	C	schulze	robustness	0.1136	max	0.1136	spearman	0.412369	0.412369	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	C	schulze	robustness	0.0978	max	0.0978	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	C	schulze	robustness	0.109	max	0.109	spearman	0.412669	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	C	schulze	robustness	0.1158	max	0.1158	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	C	schulze	robustness	0.1166	max	0.1166	spearman	0.402753	0.403753	0.002	5.06644e+05	bidled	Fulsmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	C	schulze	robustness	0.1186	max	0.1186	spearman	0.411602	0.411602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	C	simpleavg	robustness	0.0826	max	0.0826	spearman	0.586008	0.586098	0.002	imp0602nce	bidled	Fulsmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	C	simpleavg	robustness	0.108	max	0.108	spearman	0.617046	0.617046	0.002	3.19880e+05	bidled	Fulsmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	C	simpleavg	robustness	0.1106	max	0.1106	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Fulsmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	C	simpleavg	robustness	0.1064	max	0.1064	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximated	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	C	simpleavg	robustness	0.108	max	0.108	spearman	0.412369	0.412369	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	C	simpleavg	robustness	0.0994	max	0.0994	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	C	simpleavg	robustness	0.1098	max	0.1098	spearman	0.412669	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	C	simpleavg	robustness	0.1136	max	0.1136	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	C	simpleavg	robustness	0.112	max	0.112	spearman	0.402753	0.403753	0.002	5.06644e+05	bidled	Fulsmetric	Upperapproximated	1

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	C	simpleavg	robustness	0.1104	max	0.1104	spearman	0.4111602	0.4111602	0.002	6.1235e+05	bidled	Symmetric	Upperapproximati	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	Cbar	borda	robustness	-0.272	max	-0.272	spearman	0.586008	0.586008	0.002	imp062nce	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	Cbar	borda	robustness	-0.3032	max	-0.3032	spearman	0.6417046	0.6417046	0.002	3.1986e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	Cbar	borda	robustness	-0.27	max	-0.27	spearman	0.470553	0.470553	0.002	4.3642e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	Cbar	borda	robustness	-0.278	max	-0.278	spearman	0.469363	0.469363	0.002	4.5228e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	Cbar	borda	robustness	-0.2582	max	-0.2582	spearman	0.412269	0.412269	0.002	4.8948e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	Cbar	borda	robustness	-0.2622	max	-0.2622	spearman	0.412266	0.412266	0.002	4.8144e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	Cbar	borda	robustness	-0.2684	max	-0.2684	spearman	0.412699	0.412699	0.002	5.4566e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	Cbar	borda	robustness	-0.2422	max	-0.2422	spearman	0.399149	0.399149	0.002	5.6729e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	Cbar	borda	robustness	-0.2304	max	-0.2304	spearman	0.403753	0.403753	0.002	5.6064e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	Cbar	borda	robustness	-0.2226	max	-0.2226	spearman	0.4111602	0.4111602	0.002	6.1235e+05	bidled	Symmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	Cbar	kemeny	robustness	-0.272	max	-0.272	spearman	0.586008	0.586008	0.002	imp062nce	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	Cbar	kemeny	robustness	-0.2712	max	-0.2712	spearman	0.6417046	0.6417046	0.002	3.1986e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	Cbar	kemeny	robustness	-0.2536	max	-0.2536	spearman	0.470553	0.470553	0.002	4.3642e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	Cbar	kemeny	robustness	-0.277	max	-0.277	spearman	0.469363	0.469363	0.002	4.5228e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	Cbar	kemeny	robustness	-0.2466	max	-0.2466	spearman	0.412269	0.412269	0.002	4.8948e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	Cbar	kemeny	robustness	-0.2566	max	-0.2566	spearman	0.412266	0.412266	0.002	4.8144e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	Cbar	kemeny	robustness	-0.2588	max	-0.2588	spearman	0.412699	0.412699	0.002	5.4566e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	Cbar	kemeny	robustness	-0.2306	max	-0.2306	spearman	0.399149	0.399149	0.002	5.6729e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	Cbar	kemeny	robustness	-0.2028	max	-0.2028	spearman	0.403753	0.403753	0.002	5.6064e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	Cbar	kemeny	robustness	-0.1992	max	-0.1992	spearman	0.4111602	0.4111602	0.002	6.1235e+05	bidled	Symmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	Cbar	rrf	robustness	-0.2736	max	-0.2736	spearman	0.586008	0.586008	0.002	imp062nce	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	Cbar	rrf	robustness	-0.273	max	-0.273	spearman	0.6417046	0.6417046	0.002	3.1986e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	Cbar	rrf	robustness	-0.2588	max	-0.2588	spearman	0.470553	0.470553	0.002	4.3642e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	Cbar	rrf	robustness	-0.276	max	-0.276	spearman	0.469363	0.469363	0.002	4.5228e+05	bidled	Fulsmetric	Upperapproximati	1

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	Cbar	rrf	robustness	-0.2604	max	-0.2604	spearman	0.412369	0.412369	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximated	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	Cbar	rrf	robustness	-0.2706	max	-0.2706	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximated	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	Cbar	rrf	robustness	-0.2622	max	-0.2622	spearman	0.412669	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximated	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	Cbar	rrf	robustness	-0.2428	max	-0.2428	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximated	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	Cbar	rrf	robustness	-0.2338	max	-0.2338	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximated	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	Cbar	rrf	robustness	-0.2304	max	-0.2304	spearman	0.411602	0.411602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximated	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	Cbar	schulze	robustness	-0.272	max	-0.272	spearman	0.586008	0.586098	0.002	imp062nce	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	Cbar	schulze	robustness	-0.2864	max	-0.2864	spearman	0.6417046	0.647046	0.002	3.19880e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	Cbar	schulze	robustness	-0.2594	max	-0.2594	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	Cbar	schulze	robustness	-0.2744	max	-0.2744	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	Cbar	schulze	robustness	-0.252	max	-0.252	spearman	0.412369	0.412369	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	Cbar	schulze	robustness	-0.266	max	-0.266	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	Cbar	schulze	robustness	-0.2628	max	-0.2628	spearman	0.412669	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	Cbar	schulze	robustness	-0.2388	max	-0.2388	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	Cbar	schulze	robustness	-0.209	max	-0.209	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	Cbar	schulze	robustness	-0.2112	max	-0.2112	spearman	0.411602	0.411602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	Cbar	simpleavg	robustness	-0.2718	max	-0.2718	spearman	0.586008	0.586098	0.002	imp062nce	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	Cbar	simpleavg	robustness	-0.2798	max	-0.2798	spearman	0.6417046	0.647046	0.002	3.19880e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	Cbar	simpleavg	robustness	-0.279	max	-0.279	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	Cbar	simpleavg	robustness	-0.292	max	-0.292	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	Cbar	simpleavg	robustness	-0.2868	max	-0.2868	spearman	0.412369	0.412369	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	Cbar	simpleavg	robustness	-0.294	max	-0.294	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	Cbar	simpleavg	robustness	-0.2862	max	-0.2862	spearman	0.412669	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	Cbar	simpleavg	robustness	-0.2884	max	-0.2884	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	Cbar	simpleavg	robustness	-0.292	max	-0.292	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximated	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	Cbar	simpleavg	robustness	-0.2906	max	-0.2906	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upperapproxid	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	F	borda	robustness	0.073	max	0.073	spearman	0.586008	0.586008	0.002	imp0602nce	bidled	Fulsmetric	Upperapproxid	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	F	borda	robustness	0.0796	max	0.0796	spearman	0.6417046	0.6417046	0.002	3.19860e+05	bidled	Fulsmetric	Upperapproxid	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	F	borda	robustness	0.0838	max	0.0838	spearman	0.470553	0.470553	0.002	4.26420e+05	bidled	Fulsmetric	Upperapproxid	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	F	borda	robustness	0.0762	max	0.0762	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproxid	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	F	borda	robustness	0.0786	max	0.0786	spearman	0.412269	0.412269	0.002	4.89480e+05	bidled	Fulsmetric	Upperapproxid	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	F	borda	robustness	0.0722	max	0.0722	spearman	0.442266	0.442266	0.002	4.81440e+05	bidled	Fulsmetric	Upperapproxid	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	F	borda	robustness	0.075	max	0.075	spearman	0.412699	0.412699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproxid	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	F	borda	robustness	0.0758	max	0.0758	spearman	0.399149	0.399149	0.002	5.67290e+05	bidled	Fulsmetric	Upperapproxid	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	F	borda	robustness	0.0834	max	0.0834	spearman	0.403753	0.403753	0.002	5.06640e+05	bidled	Fulsmetric	Upperapproxid	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	F	borda	robustness	0.0786	max	0.0786	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upperapproxid	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	F	kemeny	robustness	0.073	max	0.073	spearman	0.586008	0.586008	0.002	imp0602nce	bidled	Fulsmetric	Upperapproxid	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	F	kemeny	robustness	0.0716	max	0.0716	spearman	0.6417046	0.6417046	0.002	3.19860e+05	bidled	Fulsmetric	Upperapproxid	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	F	kemeny	robustness	0.079	max	0.079	spearman	0.470553	0.470553	0.002	4.26420e+05	bidled	Fulsmetric	Upperapproxid	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	F	kemeny	robustness	0.0748	max	0.0748	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproxid	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	F	kemeny	robustness	0.0842	max	0.0842	spearman	0.412269	0.412269	0.002	4.89480e+05	bidled	Fulsmetric	Upperapproxid	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	F	kemeny	robustness	0.0822	max	0.0822	spearman	0.442266	0.442266	0.002	4.81440e+05	bidled	Fulsmetric	Upperapproxid	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	F	kemeny	robustness	0.082	max	0.082	spearman	0.412699	0.412699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproxid	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	F	kemeny	robustness	0.0848	max	0.0848	spearman	0.399149	0.399149	0.002	5.67290e+05	bidled	Fulsmetric	Upperapproxid	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	F	kemeny	robustness	0.0866	max	0.0866	spearman	0.403753	0.403753	0.002	5.06640e+05	bidled	Fulsmetric	Upperapproxid	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	F	kemeny	robustness	0.0846	max	0.0846	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upperapproxid	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	F	rrf	robustness	0.0736	max	0.0736	spearman	0.586008	0.586008	0.002	imp0602nce	bidled	Fulsmetric	Upperapproxid	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	F	rrf	robustness	0.0816	max	0.0816	spearman	0.6417046	0.6417046	0.002	3.19860e+05	bidled	Fulsmetric	Upperapproxid	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	F	rrf	robustness	0.0812	max	0.0812	spearman	0.470553	0.470553	0.002	4.26420e+05	bidled	Fulsmetric	Upperapproxid	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	F	rrf	robustness	0.0754	max	0.0754	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproxid	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	F	rrf	robustness	0.0816	max	0.0816	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	F	rrf	robustness	0.0766	max	0.0766	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	F	rrf	robustness	0.0814	max	0.0814	spearman	0.412366	0.412366	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	F	rrf	robustness	0.0822	max	0.0822	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	F	rrf	robustness	0.0794	max	0.0794	spearman	0.402753	0.402753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	F	rrf	robustness	0.0834	max	0.0834	spearman	0.411602	0.411602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	F	schulze	robustness	0.073	max	0.073	spearman	0.586008	0.586008	0.002	imp0602nce	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	F	schulze	robustness	0.0742	max	0.0742	spearman	0.6417046	0.6417046	0.002	3.19880e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	F	schulze	robustness	0.085	max	0.085	spearman	0.470553	0.470553	0.002	4.36420e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	F	schulze	robustness	0.0766	max	0.0766	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	F	schulze	robustness	0.0826	max	0.0826	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	F	schulze	robustness	0.0786	max	0.0786	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	F	schulze	robustness	0.0784	max	0.0784	spearman	0.412366	0.412366	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	F	schulze	robustness	0.0848	max	0.0848	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	F	schulze	robustness	0.084	max	0.084	spearman	0.402753	0.402753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	F	schulze	robustness	0.0862	max	0.0862	spearman	0.411602	0.411602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	F	simpleavg	robustness	0.0672	max	0.0672	spearman	0.586008	0.586008	0.002	imp0602nce	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	F	simpleavg	robustness	0.0828	max	0.0828	spearman	0.6417046	0.6417046	0.002	3.19880e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	F	simpleavg	robustness	0.0834	max	0.0834	spearman	0.470553	0.470553	0.002	4.36420e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	F	simpleavg	robustness	0.077	max	0.077	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	F	simpleavg	robustness	0.0784	max	0.0784	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	F	simpleavg	robustness	0.0742	max	0.0742	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	F	simpleavg	robustness	0.0762	max	0.0762	spearman	0.412366	0.412366	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	F	simpleavg	robustness	0.0792	max	0.0792	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	F	simpleavg	robustness	0.0784	max	0.0784	spearman	0.402753	0.402753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximation	1

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	F	simpleavg	robustness	0.0774	max	0.0774	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upper approximation	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	Fbar	borda	robustness	-0.223	max	-0.223	spearman	0.586008	0.586008	0.002	imp0625nce	bidled	Fulsmetric	Upper approximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	Fbar	borda	robustness	-0.2524	max	-0.2524	spearman	0.6417046	0.6417046	0.002	3.19860e+05	bidled	Fulsmetric	Upper approximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	Fbar	borda	robustness	-0.2212	max	-0.2212	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Fulsmetric	Upper approximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	Fbar	borda	robustness	-0.2288	max	-0.2288	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upper approximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	Fbar	borda	robustness	-0.213	max	-0.213	spearman	0.412269	0.412269	0.002	4.89330e+05	bidled	Fulsmetric	Upper approximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	Fbar	borda	robustness	-0.2164	max	-0.2164	spearman	0.442266	0.442266	0.002	4.81330e+05	bidled	Fulsmetric	Upper approximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	Fbar	borda	robustness	-0.22	max	-0.22	spearman	0.412699	0.412699	0.002	5.04560e+05	bidled	Fulsmetric	Upper approximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	Fbar	borda	robustness	-0.1984	max	-0.1984	spearman	0.399149	0.399149	0.002	5.06720e+05	bidled	Fulsmetric	Upper approximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	Fbar	borda	robustness	-0.1898	max	-0.1898	spearman	0.402753	0.402753	0.002	5.06640e+05	bidled	Fulsmetric	Upper approximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	Fbar	borda	robustness	-0.1832	max	-0.1832	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upper approximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	Fbar	kemeny	robustness	-0.223	max	-0.223	spearman	0.586008	0.586008	0.002	imp0625nce	bidled	Fulsmetric	Upper approximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	Fbar	kemeny	robustness	-0.2204	max	-0.2204	spearman	0.6417046	0.6417046	0.002	3.19860e+05	bidled	Fulsmetric	Upper approximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	Fbar	kemeny	robustness	-0.2088	max	-0.2088	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Fulsmetric	Upper approximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	Fbar	kemeny	robustness	-0.2326	max	-0.2326	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upper approximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	Fbar	kemeny	robustness	-0.2006	max	-0.2006	spearman	0.412269	0.412269	0.002	4.89330e+05	bidled	Fulsmetric	Upper approximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	Fbar	kemeny	robustness	-0.215	max	-0.215	spearman	0.442266	0.442266	0.002	4.81330e+05	bidled	Fulsmetric	Upper approximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	Fbar	kemeny	robustness	-0.2158	max	-0.2158	spearman	0.412699	0.412699	0.002	5.04560e+05	bidled	Fulsmetric	Upper approximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	Fbar	kemeny	robustness	-0.1886	max	-0.1886	spearman	0.399149	0.399149	0.002	5.06720e+05	bidled	Fulsmetric	Upper approximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	Fbar	kemeny	robustness	-0.1636	max	-0.1636	spearman	0.402753	0.402753	0.002	5.06640e+05	bidled	Fulsmetric	Upper approximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	Fbar	kemeny	robustness	-0.161	max	-0.161	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upper approximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	Fbar	rrf	robustness	-0.2246	max	-0.2246	spearman	0.586008	0.586008	0.002	imp0625nce	bidled	Fulsmetric	Upper approximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	Fbar	rrf	robustness	-0.224	max	-0.224	spearman	0.6417046	0.6417046	0.002	3.19860e+05	bidled	Fulsmetric	Upper approximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	Fbar	rrf	robustness	-0.2104	max	-0.2104	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Fulsmetric	Upper approximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	Fbar	rrf	robustness	-0.2274	max	-0.2274	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upper approximation	1

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	Fbar	rrf	robustness	-0.2132	max	-0.2132	spearman	0.4122669	0.4122669	0.002	4.89048e+05	bidled	Fulsmetric	Upperapproximated	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	Fbar	rrf	robustness	-0.2264	max	-0.2264	spearman	0.4122666	0.4122666	0.002	4.89048e+05	bidled	Fulsmetric	Upperapproximated	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	Fbar	rrf	robustness	-0.2196	max	-0.2196	spearman	0.4126699	0.4136999	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximated	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	Fbar	rrf	robustness	-0.2016	max	-0.2016	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximated	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	Fbar	rrf	robustness	-0.1936	max	-0.1936	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximated	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	Fbar	rrf	robustness	-0.1912	max	-0.1912	spearman	0.4111602	0.411602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximated	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	Fbar	schulze	robustness	-0.223	max	-0.223	spearman	0.586008	0.586098	0.002	imp062nce	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	Fbar	schulze	robustness	-0.2358	max	-0.2358	spearman	0.617046	0.617046	0.002	3.19880e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	Fbar	schulze	robustness	-0.2116	max	-0.2116	spearman	0.470553	0.470553	0.002	4.36420e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	Fbar	schulze	robustness	-0.2256	max	-0.2256	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	Fbar	schulze	robustness	-0.2084	max	-0.2084	spearman	0.4122669	0.4122669	0.002	4.89048e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	Fbar	schulze	robustness	-0.2172	max	-0.2172	spearman	0.4122666	0.4122666	0.002	4.89048e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	Fbar	schulze	robustness	-0.2206	max	-0.2206	spearman	0.4126699	0.4136999	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	Fbar	schulze	robustness	-0.193	max	-0.193	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	Fbar	schulze	robustness	-0.1678	max	-0.1678	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	Fbar	schulze	robustness	-0.1718	max	-0.1718	spearman	0.4111602	0.411602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	Fbar	simpleavg	robustness	-0.2204	max	-0.2204	spearman	0.586008	0.586098	0.002	imp062nce	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	Fbar	simpleavg	robustness	-0.2322	max	-0.2322	spearman	0.617046	0.617046	0.002	3.19880e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	Fbar	simpleavg	robustness	-0.2312	max	-0.2312	spearman	0.470553	0.470553	0.002	4.36420e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	Fbar	simpleavg	robustness	-0.2478	max	-0.2478	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	Fbar	simpleavg	robustness	-0.2418	max	-0.2418	spearman	0.4122669	0.4122669	0.002	4.89048e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	Fbar	simpleavg	robustness	-0.2496	max	-0.2496	spearman	0.4122666	0.4122666	0.002	4.89048e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	Fbar	simpleavg	robustness	-0.2428	max	-0.2428	spearman	0.4126699	0.4136999	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	Fbar	simpleavg	robustness	-0.2444	max	-0.2444	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	Fbar	simpleavg	robustness	-0.2488	max	-0.2488	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximated	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	Fbar	simpleavg	robustness	-0.2488	max	-0.2488	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximated	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	C	borda	robustness	0.0684	max	0.0684	spearman	0.586008	0.586008	0.002	imp0602nce	bidled	Fulsmetric	Upperapproximated	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	C	borda	robustness	0.0904	max	0.0904	spearman	0.6117046	0.6117046	0.002	3.19860e+05	bidled	Fulsmetric	Upperapproximated	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	C	borda	robustness	0.096	max	0.096	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Fulsmetric	Upperapproximated	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	C	borda	robustness	0.094	max	0.094	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximated	5
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	C	borda	robustness	0.0952	max	0.0952	spearman	0.412269	0.412269	0.002	4.89380e+05	bidled	Fulsmetric	Upperapproximated	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	C	borda	robustness	0.087	max	0.087	spearman	0.412266	0.412266	0.002	4.81330e+05	bidled	Fulsmetric	Upperapproximated	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	C	borda	robustness	0.0958	max	0.0958	spearman	0.412699	0.412699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximated	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	C	borda	robustness	0.1006	max	0.1006	spearman	0.399149	0.399149	0.002	5.67290e+05	bidled	Fulsmetric	Upperapproximated	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	C	borda	robustness	0.1044	max	0.1044	spearman	0.402753	0.402753	0.002	5.60640e+05	bidled	Fulsmetric	Upperapproximated	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	C	borda	robustness	0.1014	max	0.1014	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximated	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	C	kemeny	robustness	0.0684	max	0.0684	spearman	0.586008	0.586008	0.002	imp0602nce	bidled	Fulsmetric	Upperapproximated	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	C	kemeny	robustness	0.079	max	0.079	spearman	0.6117046	0.6117046	0.002	3.19860e+05	bidled	Fulsmetric	Upperapproximated	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	C	kemeny	robustness	0.0854	max	0.0854	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Fulsmetric	Upperapproximated	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	C	kemeny	robustness	0.084	max	0.084	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximated	5
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	C	kemeny	robustness	0.0964	max	0.0964	spearman	0.412269	0.412269	0.002	4.89380e+05	bidled	Fulsmetric	Upperapproximated	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	C	kemeny	robustness	0.0902	max	0.0902	spearman	0.412266	0.412266	0.002	4.81330e+05	bidled	Fulsmetric	Upperapproximated	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	C	kemeny	robustness	0.0896	max	0.0896	spearman	0.412699	0.412699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximated	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	C	kemeny	robustness	0.103	max	0.103	spearman	0.399149	0.399149	0.002	5.67290e+05	bidled	Fulsmetric	Upperapproximated	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	C	kemeny	robustness	0.1054	max	0.1054	spearman	0.402753	0.402753	0.002	5.60640e+05	bidled	Fulsmetric	Upperapproximated	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	C	kemeny	robustness	0.1036	max	0.1036	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximated	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	C	rrf	robustness	0.0676	max	0.0676	spearman	0.586008	0.586008	0.002	imp0602nce	bidled	Fulsmetric	Upperapproximated	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	C	rrf	robustness	0.0858	max	0.0858	spearman	0.6117046	0.6117046	0.002	3.19860e+05	bidled	Fulsmetric	Upperapproximated	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	C	rrf	robustness	0.0946	max	0.0946	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Fulsmetric	Upperapproximated	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	C	rrf	robustness	0.093	max	0.093	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximated	5

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	C	rrf	robustness	0.095	max	0.095	spearman	0.412369	0.412369	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	C	rrf	robustness	0.0906	max	0.0906	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	C	rrf	robustness	0.093	max	0.093	spearman	0.412669	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	C	rrf	robustness	0.0998	max	0.0998	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	C	rrf	robustness	0.1014	max	0.1014	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	C	rrf	robustness	0.1036	max	0.1036	spearman	0.4111602	0.411692	0.002	6.12350e+05	bidled	Symmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	C	schulze	robustness	0.0684	max	0.0684	spearman	0.586008	0.586098	0.002	imp0602nce	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	C	schulze	robustness	0.0828	max	0.0828	spearman	0.6117046	0.6167046	0.002	3.19880e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	C	schulze	robustness	0.0876	max	0.0876	spearman	0.470553	0.470553	0.002	4.36420e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	C	schulze	robustness	0.0872	max	0.0872	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	C	schulze	robustness	0.0958	max	0.0958	spearman	0.412369	0.412369	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	C	schulze	robustness	0.0932	max	0.0932	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	C	schulze	robustness	0.0956	max	0.0956	spearman	0.412669	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	C	schulze	robustness	0.0998	max	0.0998	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	C	schulze	robustness	0.0984	max	0.0984	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	C	schulze	robustness	0.1018	max	0.1018	spearman	0.4111602	0.411692	0.002	6.12350e+05	bidled	Symmetric	Upperapproximati	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	C	simpleavg	robustness	0.0714	max	0.0714	spearman	0.586008	0.586098	0.002	imp0602nce	bidled	Fulsmetric	Upperapproximati	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	C	simpleavg	robustness	0.0936	max	0.0936	spearman	0.6117046	0.6167046	0.002	3.19880e+05	bidled	Fulsmetric	Upperapproximati	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	C	simpleavg	robustness	0.0948	max	0.0948	spearman	0.470553	0.470553	0.002	4.36420e+05	bidled	Fulsmetric	Upperapproximati	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	C	simpleavg	robustness	0.0976	max	0.0976	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximati	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	C	simpleavg	robustness	0.0984	max	0.0984	spearman	0.412369	0.412369	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximati	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	C	simpleavg	robustness	0.0884	max	0.0884	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximati	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	C	simpleavg	robustness	0.0956	max	0.0956	spearman	0.412669	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximati	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	C	simpleavg	robustness	0.0986	max	0.0986	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximati	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	C	simpleavg	robustness	0.0976	max	0.0976	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximati	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	C	simpleavg	robustness	0.096	max	0.096	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upper approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	Cbar	borda	robustness	-0.2136	max	-0.2136	spearman	0.5860008	0.5860008	0.002	imp0602nce	bidled	Falsmetric	Upper approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	Cbar	borda	robustness	-0.2354	max	-0.2354	spearman	0.6117046	0.6117046	0.002	3.19860e+05	bidled	Falsmetric	Upper approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	Cbar	borda	robustness	-0.2144	max	-0.2144	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Falsmetric	Upper approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	Cbar	borda	robustness	-0.2212	max	-0.2212	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Falsmetric	Upper approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	Cbar	borda	robustness	-0.1932	max	-0.1932	spearman	0.412266	0.412266	0.002	4.89380e+05	bidled	Falsmetric	Upper approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	Cbar	borda	robustness	-0.2024	max	-0.2024	spearman	0.412266	0.412266	0.002	4.89380e+05	bidled	Falsmetric	Upper approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	Cbar	borda	robustness	-0.2006	max	-0.2006	spearman	0.412669	0.412669	0.002	5.45660e+05	bidled	Falsmetric	Upper approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	Cbar	borda	robustness	-0.1756	max	-0.1756	spearman	0.399149	0.399149	0.002	5.67260e+05	bidled	Falsmetric	Upper approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	Cbar	borda	robustness	-0.1668	max	-0.1668	spearman	0.402753	0.402753	0.002	5.60640e+05	bidled	Falsmetric	Upper approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	Cbar	borda	robustness	-0.1616	max	-0.1616	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upper approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	Cbar	kemeny	robustness	-0.2136	max	-0.2136	spearman	0.5860008	0.5860008	0.002	imp0602nce	bidled	Falsmetric	Upper approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	Cbar	kemeny	robustness	-0.2136	max	-0.2136	spearman	0.6117046	0.6117046	0.002	3.19860e+05	bidled	Falsmetric	Upper approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	Cbar	kemeny	robustness	-0.2022	max	-0.2022	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Falsmetric	Upper approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	Cbar	kemeny	robustness	-0.2104	max	-0.2104	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Falsmetric	Upper approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	Cbar	kemeny	robustness	-0.1842	max	-0.1842	spearman	0.412266	0.412266	0.002	4.89380e+05	bidled	Falsmetric	Upper approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	Cbar	kemeny	robustness	-0.195	max	-0.195	spearman	0.412266	0.412266	0.002	4.89380e+05	bidled	Falsmetric	Upper approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	Cbar	kemeny	robustness	-0.203	max	-0.203	spearman	0.412669	0.412669	0.002	5.45660e+05	bidled	Falsmetric	Upper approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	Cbar	kemeny	robustness	-0.1702	max	-0.1702	spearman	0.399149	0.399149	0.002	5.67260e+05	bidled	Falsmetric	Upper approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	Cbar	kemeny	robustness	-0.1414	max	-0.1414	spearman	0.402753	0.402753	0.002	5.60640e+05	bidled	Falsmetric	Upper approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	Cbar	kemeny	robustness	-0.1464	max	-0.1464	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upper approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	Cbar	rrf	robustness	-0.2162	max	-0.2162	spearman	0.5860008	0.5860008	0.002	imp0602nce	bidled	Falsmetric	Upper approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	Cbar	rrf	robustness	-0.205	max	-0.205	spearman	0.6117046	0.6117046	0.002	3.19860e+05	bidled	Falsmetric	Upper approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	Cbar	rrf	robustness	-0.196	max	-0.196	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Falsmetric	Upper approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	Cbar	rrf	robustness	-0.2082	max	-0.2082	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Falsmetric	Upper approximation	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	Cbar	rrf	robustness	-0.197	max	-0.197	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	Cbar	rrf	robustness	-0.202	max	-0.202	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	Cbar	rrf	robustness	-0.2052	max	-0.2052	spearman	0.412366	0.412366	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximation	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	Cbar	rrf	robustness	-0.1812	max	-0.1812	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximation	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	Cbar	rrf	robustness	-0.1702	max	-0.1702	spearman	0.402753	0.402753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximation	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	Cbar	rrf	robustness	-0.172	max	-0.172	spearman	0.411160	0.411160	0.002	6.12350e+05	bidled	Symmetric	Upperapproximation	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	Cbar	schulze	robustness	-0.2136	max	-0.2136	spearman	0.586008	0.586008	0.002	imp0625nce	bidled	Fulsmetric	Upperapproximation	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	Cbar	schulze	robustness	-0.224	max	-0.224	spearman	0.611704	0.611704	0.002	3.19880e+05	bidled	Fulsmetric	Upperapproximation	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	Cbar	schulze	robustness	-0.2042	max	-0.2042	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Fulsmetric	Upperapproximation	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	Cbar	schulze	robustness	-0.209	max	-0.209	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximation	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	Cbar	schulze	robustness	-0.1912	max	-0.1912	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	Cbar	schulze	robustness	-0.2144	max	-0.2144	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	Cbar	schulze	robustness	-0.2084	max	-0.2084	spearman	0.412366	0.412366	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximation	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	Cbar	schulze	robustness	-0.1674	max	-0.1674	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximation	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	Cbar	schulze	robustness	-0.1476	max	-0.1476	spearman	0.402753	0.402753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximation	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	Cbar	schulze	robustness	-0.1586	max	-0.1586	spearman	0.411160	0.411160	0.002	6.12350e+05	bidled	Symmetric	Upperapproximation	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.2192	max	-0.2192	spearman	0.586008	0.586008	0.002	imp0625nce	bidled	Fulsmetric	Upperapproximation	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.22	max	-0.22	spearman	0.611704	0.611704	0.002	3.19880e+05	bidled	Fulsmetric	Upperapproximation	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.2168	max	-0.2168	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Fulsmetric	Upperapproximation	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.2268	max	-0.2268	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximation	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.2256	max	-0.2256	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.232	max	-0.232	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.221	max	-0.221	spearman	0.412366	0.412366	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximation	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.2226	max	-0.2226	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximation	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.2214	max	-0.2214	spearman	0.402753	0.402753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximation	10

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	Cbar	simpleavg	robustness	-0.2214	max	-0.2214	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upper approximation	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	F	borda	robustness	0.0544	max	0.0544	spearman	0.586008	0.586008	0.002	imp0662nce	bidled	Falsimetric	Upper approximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	F	borda	robustness	0.0636	max	0.0636	spearman	0.6417046	0.6417046	0.002	3.19860e+05	bidled	Falsimetric	Upper approximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	F	borda	robustness	0.0688	max	0.0688	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Falsimetric	Upper approximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	F	borda	robustness	0.0688	max	0.0688	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Falsimetric	Upper approximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	F	borda	robustness	0.0752	max	0.0752	spearman	0.412269	0.412269	0.002	4.89380e+05	bidled	Falsimetric	Upper approximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	F	borda	robustness	0.063	max	0.063	spearman	0.442266	0.442266	0.002	4.81330e+05	bidled	Falsimetric	Upper approximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	F	borda	robustness	0.0656	max	0.0656	spearman	0.412699	0.412699	0.002	5.45660e+05	bidled	Falsimetric	Upper approximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	F	borda	robustness	0.0698	max	0.0698	spearman	0.399149	0.399149	0.002	5.67290e+05	bidled	Falsimetric	Upper approximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	F	borda	robustness	0.074	max	0.074	spearman	0.402753	0.402753	0.002	5.60640e+05	bidled	Falsimetric	Upper approximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	F	borda	robustness	0.0692	max	0.0692	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upper approximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	F	kemeny	robustness	0.0544	max	0.0544	spearman	0.586008	0.586008	0.002	imp0662nce	bidled	Falsimetric	Upper approximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	F	kemeny	robustness	0.0576	max	0.0576	spearman	0.6417046	0.6417046	0.002	3.19860e+05	bidled	Falsimetric	Upper approximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	F	kemeny	robustness	0.0652	max	0.0652	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Falsimetric	Upper approximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	F	kemeny	robustness	0.063	max	0.063	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Falsimetric	Upper approximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	F	kemeny	robustness	0.0722	max	0.0722	spearman	0.412269	0.412269	0.002	4.89380e+05	bidled	Falsimetric	Upper approximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	F	kemeny	robustness	0.0664	max	0.0664	spearman	0.442266	0.442266	0.002	4.81330e+05	bidled	Falsimetric	Upper approximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	F	kemeny	robustness	0.063	max	0.063	spearman	0.412699	0.412699	0.002	5.45660e+05	bidled	Falsimetric	Upper approximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	F	kemeny	robustness	0.0744	max	0.0744	spearman	0.399149	0.399149	0.002	5.67290e+05	bidled	Falsimetric	Upper approximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	F	kemeny	robustness	0.079	max	0.079	spearman	0.402753	0.402753	0.002	5.60640e+05	bidled	Falsimetric	Upper approximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	F	kemeny	robustness	0.0764	max	0.0764	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upper approximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	F	rrf	robustness	0.0526	max	0.0526	spearman	0.586008	0.586008	0.002	imp0662nce	bidled	Falsimetric	Upper approximation	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	F	rrf	robustness	0.068	max	0.068	spearman	0.6417046	0.6417046	0.002	3.19860e+05	bidled	Falsimetric	Upper approximation	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	F	rrf	robustness	0.0688	max	0.0688	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Falsimetric	Upper approximation	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	F	rrf	robustness	0.0696	max	0.0696	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Falsimetric	Upper approximation	11

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	F	rrf	robustness	0.0672	max	0.0672	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximated	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	F	rrf	robustness	0.0636	max	0.0636	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximated	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	F	rrf	robustness	0.0666	max	0.0666	spearman	0.412669	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximated	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	F	rrf	robustness	0.0704	max	0.0704	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximated	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	F	rrf	robustness	0.072	max	0.072	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximated	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	F	rrf	robustness	0.0744	max	0.0744	spearman	0.4111602	0.411692	0.002	6.12350e+05	bidled	Symmetric	Upperapproximated	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	F	schulze	robustness	0.0544	max	0.0544	spearman	0.586008	0.586098	0.002	imp0625nce	bidled	Fulsmetric	Upperapproximated	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	F	schulze	robustness	0.062	max	0.062	spearman	0.6117046	0.6167046	0.002	3.19880e+05	bidled	Fulsmetric	Upperapproximated	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	F	schulze	robustness	0.0668	max	0.0668	spearman	0.470553	0.470553	0.002	4.36420e+05	bidled	Fulsmetric	Upperapproximated	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	F	schulze	robustness	0.0662	max	0.0662	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximated	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	F	schulze	robustness	0.0712	max	0.0712	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximated	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	F	schulze	robustness	0.0682	max	0.0682	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximated	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	F	schulze	robustness	0.0622	max	0.0622	spearman	0.412669	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximated	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	F	schulze	robustness	0.0708	max	0.0708	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximated	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	F	schulze	robustness	0.0708	max	0.0708	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximated	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	F	schulze	robustness	0.0756	max	0.0756	spearman	0.4111602	0.411692	0.002	6.12350e+05	bidled	Symmetric	Upperapproximated	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	F	simpleavg	robustness	0.0548	max	0.0548	spearman	0.586008	0.586098	0.002	imp0625nce	bidled	Fulsmetric	Upperapproximated	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	F	simpleavg	robustness	0.0684	max	0.0684	spearman	0.6117046	0.6167046	0.002	3.19880e+05	bidled	Fulsmetric	Upperapproximated	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	F	simpleavg	robustness	0.0706	max	0.0706	spearman	0.470553	0.470553	0.002	4.36420e+05	bidled	Fulsmetric	Upperapproximated	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	F	simpleavg	robustness	0.0748	max	0.0748	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximated	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	F	simpleavg	robustness	0.0758	max	0.0758	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximated	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	F	simpleavg	robustness	0.067	max	0.067	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximated	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	F	simpleavg	robustness	0.0688	max	0.0688	spearman	0.412669	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximated	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	F	simpleavg	robustness	0.0692	max	0.0692	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximated	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	F	simpleavg	robustness	0.069	max	0.069	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximated	6

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	F	simpleavg	robustness	0.0672	max	0.0672	spearman	0.4111602	0.4111602	0.002	6.1235e+05	bidled	Symmetric	Upperapproximati	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	Fbar	borda	robustness	-0.1684	max	-0.1684	spearman	0.586008	0.586008	0.002	imp0662nce	bidled	Fulsmetric	Upperapproximati	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	Fbar	borda	robustness	-0.1874	max	-0.1874	spearman	0.6417046	0.6417046	0.002	3.1986e+05	bidled	Fulsmetric	Upperapproximati	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	Fbar	borda	robustness	-0.169	max	-0.169	spearman	0.470553	0.470553	0.002	4.3642e+05	bidled	Fulsmetric	Upperapproximati	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	Fbar	borda	robustness	-0.1748	max	-0.1748	spearman	0.469363	0.469363	0.002	4.5228e+05	bidled	Fulsmetric	Upperapproximati	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	Fbar	borda	robustness	-0.1512	max	-0.1512	spearman	0.412269	0.412269	0.002	4.8948e+05	bidled	Fulsmetric	Upperapproximati	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	Fbar	borda	robustness	-0.1562	max	-0.1562	spearman	0.442266	0.442266	0.002	4.8144e+05	bidled	Fulsmetric	Upperapproximati	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	Fbar	borda	robustness	-0.158	max	-0.158	spearman	0.412699	0.412699	0.002	5.4566e+05	bidled	Fulsmetric	Upperapproximati	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	Fbar	borda	robustness	-0.138	max	-0.138	spearman	0.399149	0.399149	0.002	5.6729e+05	bidled	Fulsmetric	Upperapproximati	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	Fbar	borda	robustness	-0.1326	max	-0.1326	spearman	0.402753	0.402753	0.002	5.6064e+05	bidled	Fulsmetric	Upperapproximati	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	Fbar	borda	robustness	-0.1228	max	-0.1228	spearman	0.4111602	0.4111602	0.002	6.1235e+05	bidled	Symmetric	Upperapproximati	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	Fbar	kemeny	robustness	-0.1684	max	-0.1684	spearman	0.586008	0.586008	0.002	imp0662nce	bidled	Fulsmetric	Upperapproximati	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	Fbar	kemeny	robustness	-0.1678	max	-0.1678	spearman	0.6417046	0.6417046	0.002	3.1986e+05	bidled	Fulsmetric	Upperapproximati	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	Fbar	kemeny	robustness	-0.1622	max	-0.1622	spearman	0.470553	0.470553	0.002	4.3642e+05	bidled	Fulsmetric	Upperapproximati	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	Fbar	kemeny	robustness	-0.1718	max	-0.1718	spearman	0.469363	0.469363	0.002	4.5228e+05	bidled	Fulsmetric	Upperapproximati	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	Fbar	kemeny	robustness	-0.1454	max	-0.1454	spearman	0.412269	0.412269	0.002	4.8948e+05	bidled	Fulsmetric	Upperapproximati	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	Fbar	kemeny	robustness	-0.1602	max	-0.1602	spearman	0.442266	0.442266	0.002	4.8144e+05	bidled	Fulsmetric	Upperapproximati	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	Fbar	kemeny	robustness	-0.1646	max	-0.1646	spearman	0.412699	0.412699	0.002	5.4566e+05	bidled	Fulsmetric	Upperapproximati	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	Fbar	kemeny	robustness	-0.1324	max	-0.1324	spearman	0.399149	0.399149	0.002	5.6729e+05	bidled	Fulsmetric	Upperapproximati	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	Fbar	kemeny	robustness	-0.1042	max	-0.1042	spearman	0.402753	0.402753	0.002	5.6064e+05	bidled	Fulsmetric	Upperapproximati	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	Fbar	kemeny	robustness	-0.1096	max	-0.1096	spearman	0.4111602	0.4111602	0.002	6.1235e+05	bidled	Symmetric	Upperapproximati	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	Fbar	rrf	robustness	-0.1692	max	-0.1692	spearman	0.586008	0.586008	0.002	imp0662nce	bidled	Fulsmetric	Upperapproximati	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	Fbar	rrf	robustness	-0.1558	max	-0.1558	spearman	0.6417046	0.6417046	0.002	3.1986e+05	bidled	Fulsmetric	Upperapproximati	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	Fbar	rrf	robustness	-0.1506	max	-0.1506	spearman	0.470553	0.470553	0.002	4.3642e+05	bidled	Fulsmetric	Upperapproximati	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	Fbar	rrf	robustness	-0.1666	max	-0.1666	spearman	0.469363	0.469363	0.002	4.5228e+05	bidled	Fulsmetric	Upperapproximati	11

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	Fbar	rrf	robustness	-0.153	max	-0.153	spearman	0.4122669	0.4122669	0.002	4.89048e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	Fbar	rrf	robustness	-0.1616	max	-0.1616	spearman	0.4122666	0.4122666	0.002	4.89048e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	Fbar	rrf	robustness	-0.1652	max	-0.1652	spearman	0.4126699	0.4136999	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	Fbar	rrf	robustness	-0.1444	max	-0.1444	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	Fbar	rrf	robustness	-0.1296	max	-0.1296	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	Fbar	rrf	robustness	-0.132	max	-0.132	spearman	0.4111602	0.411692	0.002	6.12350e+05	bidled	Symmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	Fbar	schulze	robustness	-0.1684	max	-0.1684	spearman	0.586008	0.586098	0.002	imp0625nce	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	Fbar	schulze	robustness	-0.175	max	-0.175	spearman	0.6117046	0.6167046	0.002	3.19880e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	Fbar	schulze	robustness	-0.1582	max	-0.1582	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	Fbar	schulze	robustness	-0.1688	max	-0.1688	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	Fbar	schulze	robustness	-0.1506	max	-0.1506	spearman	0.4122669	0.4122669	0.002	4.89048e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	Fbar	schulze	robustness	-0.171	max	-0.171	spearman	0.4122666	0.4122666	0.002	4.89048e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	Fbar	schulze	robustness	-0.1696	max	-0.1696	spearman	0.4126699	0.4136999	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	Fbar	schulze	robustness	-0.1286	max	-0.1286	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	Fbar	schulze	robustness	-0.1122	max	-0.1122	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	Fbar	schulze	robustness	-0.1222	max	-0.1222	spearman	0.4111602	0.411692	0.002	6.12350e+05	bidled	Symmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.1706	max	-0.1706	spearman	0.586008	0.586098	0.002	imp0625nce	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.1738	max	-0.1738	spearman	0.6117046	0.6167046	0.002	3.19880e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.1716	max	-0.1716	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.1838	max	-0.1838	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.182	max	-0.182	spearman	0.4122669	0.4122669	0.002	4.89048e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.1876	max	-0.1876	spearman	0.4122666	0.4122666	0.002	4.89048e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.1786	max	-0.1786	spearman	0.4126699	0.4136999	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.1818	max	-0.1818	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximated	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.1798	max	-0.1798	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximated	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	Fbar	simpleavg	robustness	-0.1808	max	-0.1808	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximation	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	C	borda	robustness	0.0252	max	0.0252	spearman	0.586008	0.586008	0.002	imp062nce	bidled	Fulsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	C	borda	robustness	0.0236	max	0.0236	spearman	0.6417046	0.6417046	0.002	3.19860e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	C	borda	robustness	0.0326	max	0.0326	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Fulsmetric	Upperapproximation	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	C	borda	robustness	0.0324	max	0.0324	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximation	5
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	C	borda	robustness	0.0354	max	0.0354	spearman	0.412269	0.412269	0.002	4.89380e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	C	borda	robustness	0.0278	max	0.0278	spearman	0.442266	0.442266	0.002	4.81330e+05	bidled	Fulsmetric	Upperapproximation	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	C	borda	robustness	0.0322	max	0.0322	spearman	0.412699	0.412699	0.002	5.04560e+05	bidled	Fulsmetric	Upperapproximation	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	C	borda	robustness	0.0332	max	0.0332	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximation	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	C	borda	robustness	0.0346	max	0.0346	spearman	0.402753	0.402753	0.002	5.06640e+05	bidled	Fulsmetric	Upperapproximation	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	C	borda	robustness	0.0368	max	0.0368	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximation	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	C	kemeny	robustness	0.0252	max	0.0252	spearman	0.586008	0.586008	0.002	imp062nce	bidled	Fulsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	C	kemeny	robustness	0.0268	max	0.0268	spearman	0.6417046	0.6417046	0.002	3.19860e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	C	kemeny	robustness	0.0286	max	0.0286	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Fulsmetric	Upperapproximation	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	C	kemeny	robustness	0.0322	max	0.0322	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximation	5
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	C	kemeny	robustness	0.0354	max	0.0354	spearman	0.412269	0.412269	0.002	4.89380e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	C	kemeny	robustness	0.0342	max	0.0342	spearman	0.442266	0.442266	0.002	4.81330e+05	bidled	Fulsmetric	Upperapproximation	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	C	kemeny	robustness	0.0312	max	0.0312	spearman	0.412699	0.412699	0.002	5.04560e+05	bidled	Fulsmetric	Upperapproximation	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	C	kemeny	robustness	0.042	max	0.042	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximation	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	C	kemeny	robustness	0.0376	max	0.0376	spearman	0.402753	0.402753	0.002	5.06640e+05	bidled	Fulsmetric	Upperapproximation	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	C	kemeny	robustness	0.04	max	0.04	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximation	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	C	rrf	robustness	0.0224	max	0.0224	spearman	0.586008	0.586008	0.002	imp062nce	bidled	Fulsmetric	Upperapproximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	C	rrf	robustness	0.028	max	0.028	spearman	0.6417046	0.6417046	0.002	3.19860e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	C	rrf	robustness	0.0298	max	0.0298	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Fulsmetric	Upperapproximation	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	C	rrf	robustness	0.0298	max	0.0298	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximation	5

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	C	rrf	robustness	0.0336	max	0.0336	spearman	0.4122669	0.4122669	0.002	4.89048e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	C	rrf	robustness	0.0322	max	0.0322	spearman	0.4122666	0.4122666	0.002	4.89048e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	C	rrf	robustness	0.033	max	0.033	spearman	0.4126699	0.4136999	0.002	5.4566e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	C	rrf	robustness	0.0388	max	0.0388	spearman	0.399149	0.399149	0.002	5.6728e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	C	rrf	robustness	0.0378	max	0.0378	spearman	0.402753	0.403753	0.002	5.6066e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	C	rrf	robustness	0.04	max	0.04	spearman	0.4116692	0.4116992	0.002	6.1235e+05	bidled	Symmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	C	schulze	robustness	0.0252	max	0.0252	spearman	0.586008	0.586098	0.002	imp062nce	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	C	schulze	robustness	0.0234	max	0.0234	spearman	0.6417946	0.647046	0.002	3.1988e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	C	schulze	robustness	0.0278	max	0.0278	spearman	0.470553	0.470553	0.002	4.3642e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	C	schulze	robustness	0.0352	max	0.0352	spearman	0.469363	0.469363	0.002	4.5228e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	C	schulze	robustness	0.0334	max	0.0334	spearman	0.4122669	0.4122669	0.002	4.89048e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	C	schulze	robustness	0.031	max	0.031	spearman	0.4122666	0.4122666	0.002	4.89048e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	C	schulze	robustness	0.0368	max	0.0368	spearman	0.4126699	0.4136999	0.002	5.4566e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	C	schulze	robustness	0.036	max	0.036	spearman	0.399149	0.399149	0.002	5.6728e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	C	schulze	robustness	0.0384	max	0.0384	spearman	0.402753	0.403753	0.002	5.6066e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	C	schulze	robustness	0.041	max	0.041	spearman	0.4116692	0.4116992	0.002	6.1235e+05	bidled	Symmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	C	simpleavg	robustness	0.0214	max	0.0214	spearman	0.586008	0.586098	0.002	imp062nce	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	C	simpleavg	robustness	0.0322	max	0.0322	spearman	0.6417946	0.647046	0.002	3.1988e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	C	simpleavg	robustness	0.0338	max	0.0338	spearman	0.470553	0.470553	0.002	4.3642e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	C	simpleavg	robustness	0.0352	max	0.0352	spearman	0.469363	0.469363	0.002	4.5228e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	C	simpleavg	robustness	0.0338	max	0.0338	spearman	0.4122669	0.4122669	0.002	4.89048e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	C	simpleavg	robustness	0.028	max	0.028	spearman	0.4122666	0.4122666	0.002	4.89048e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	C	simpleavg	robustness	0.0338	max	0.0338	spearman	0.4126699	0.4136999	0.002	5.4566e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	C	simpleavg	robustness	0.0344	max	0.0344	spearman	0.399149	0.399149	0.002	5.6728e+05	bidled	Fulsmetric	Upperapproximation	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	C	simpleavg	robustness	0.034	max	0.034	spearman	0.402753	0.403753	0.002	5.6066e+05	bidled	Fulsmetric	Upperapproximation	1

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	C	simpleavg	robustness	0.0322	max	0.0322	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upper approximation	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	Cbar	borda	robustness	-0.081	max	-0.081	spearman	0.586008	0.586008	0.002	imp0625nce	bidled	Fulsmetric	Upper approximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	Cbar	borda	robustness	-0.0886	max	-0.0886	spearman	0.6417046	0.6417046	0.002	3.19860e+05	bidled	Fulsmetric	Upper approximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	Cbar	borda	robustness	-0.074	max	-0.074	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Fulsmetric	Upper approximation	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	Cbar	borda	robustness	-0.0784	max	-0.0784	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upper approximation	5
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	Cbar	borda	robustness	-0.0738	max	-0.0738	spearman	0.412269	0.412269	0.002	4.89380e+05	bidled	Fulsmetric	Upper approximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	Cbar	borda	robustness	-0.0826	max	-0.0826	spearman	0.442266	0.442266	0.002	4.81330e+05	bidled	Fulsmetric	Upper approximation	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	Cbar	borda	robustness	-0.0808	max	-0.0808	spearman	0.412699	0.412699	0.002	5.45660e+05	bidled	Fulsmetric	Upper approximation	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	Cbar	borda	robustness	-0.0726	max	-0.0726	spearman	0.399149	0.399149	0.002	5.67290e+05	bidled	Fulsmetric	Upper approximation	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	Cbar	borda	robustness	-0.0634	max	-0.0634	spearman	0.402753	0.402753	0.002	5.60640e+05	bidled	Fulsmetric	Upper approximation	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	Cbar	borda	robustness	-0.0544	max	-0.0544	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upper approximation	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	Cbar	kemeny	robustness	-0.081	max	-0.081	spearman	0.586008	0.586008	0.002	imp0625nce	bidled	Fulsmetric	Upper approximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	Cbar	kemeny	robustness	-0.077	max	-0.077	spearman	0.6417046	0.6417046	0.002	3.19860e+05	bidled	Fulsmetric	Upper approximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	Cbar	kemeny	robustness	-0.067	max	-0.067	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Fulsmetric	Upper approximation	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	Cbar	kemeny	robustness	-0.0778	max	-0.0778	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upper approximation	5
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	Cbar	kemeny	robustness	-0.0656	max	-0.0656	spearman	0.412269	0.412269	0.002	4.89380e+05	bidled	Fulsmetric	Upper approximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	Cbar	kemeny	robustness	-0.0668	max	-0.0668	spearman	0.442266	0.442266	0.002	4.81330e+05	bidled	Fulsmetric	Upper approximation	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	Cbar	kemeny	robustness	-0.078	max	-0.078	spearman	0.412699	0.412699	0.002	5.45660e+05	bidled	Fulsmetric	Upper approximation	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	Cbar	kemeny	robustness	-0.062	max	-0.062	spearman	0.399149	0.399149	0.002	5.67290e+05	bidled	Fulsmetric	Upper approximation	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	Cbar	kemeny	robustness	-0.0544	max	-0.0544	spearman	0.402753	0.402753	0.002	5.60640e+05	bidled	Fulsmetric	Upper approximation	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	Cbar	kemeny	robustness	-0.048	max	-0.048	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upper approximation	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	Cbar	rrf	robustness	-0.0828	max	-0.0828	spearman	0.586008	0.586008	0.002	imp0625nce	bidled	Fulsmetric	Upper approximation	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	Cbar	rrf	robustness	-0.0708	max	-0.0708	spearman	0.6417046	0.6417046	0.002	3.19860e+05	bidled	Fulsmetric	Upper approximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	Cbar	rrf	robustness	-0.0664	max	-0.0664	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Fulsmetric	Upper approximation	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	Cbar	rrf	robustness	-0.0746	max	-0.0746	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upper approximation	5

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	Cbar	rrf	robustness	-0.082	max	-0.082	spearman	0.412369	0.412369	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	Cbar	rrf	robustness	-0.0862	max	-0.0862	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	Cbar	rrf	robustness	-0.0906	max	-0.0906	spearman	0.412669	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	Cbar	rrf	robustness	-0.0856	max	-0.0856	spearman	0.399149	0.439914	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	Cbar	rrf	robustness	-0.0692	max	-0.0692	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	Cbar	rrf	robustness	-0.066	max	-0.066	spearman	0.411602	0.411602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	Cbar	schulze	robustness	-0.081	max	-0.081	spearman	0.586008	0.586098	0.002	imp062nce	bidled	Fulsmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	Cbar	schulze	robustness	-0.079	max	-0.079	spearman	0.641704	0.647046	0.002	3.19880e+05	bidled	Fulsmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	Cbar	schulze	robustness	-0.0732	max	-0.0732	spearman	0.470553	0.470553	0.002	4.36420e+05	bidled	Fulsmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	Cbar	schulze	robustness	-0.0742	max	-0.0742	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	Cbar	schulze	robustness	-0.0708	max	-0.0708	spearman	0.412369	0.412369	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	Cbar	schulze	robustness	-0.0874	max	-0.0874	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	Cbar	schulze	robustness	-0.0858	max	-0.0858	spearman	0.412669	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	Cbar	schulze	robustness	-0.0728	max	-0.0728	spearman	0.399149	0.439914	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	Cbar	schulze	robustness	-0.0562	max	-0.0562	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	Cbar	schulze	robustness	-0.056	max	-0.056	spearman	0.411602	0.411602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximated	1
	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	Cbar	simpleavg	robustness	-0.0818	max	-0.0818	spearman	0.586008	0.586098	0.002	imp062nce	bidled	Fulsmetric	Upperapproximated	3
	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	Cbar	simpleavg	robustness	-0.0762	max	-0.0762	spearman	0.641704	0.647046	0.002	3.19880e+05	bidled	Fulsmetric	Upperapproximated	3
	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	Cbar	simpleavg	robustness	-0.0796	max	-0.0796	spearman	0.470553	0.470553	0.002	4.36420e+05	bidled	Fulsmetric	Upperapproximated	3
	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	Cbar	simpleavg	robustness	-0.0836	max	-0.0836	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximated	3
	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	Cbar	simpleavg	robustness	-0.0788	max	-0.0788	spearman	0.412369	0.412369	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximated	3
	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	Cbar	simpleavg	robustness	-0.088	max	-0.088	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximated	3
	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	Cbar	simpleavg	robustness	-0.0808	max	-0.0808	spearman	0.412669	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximated	3
	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	Cbar	simpleavg	robustness	-0.079	max	-0.079	spearman	0.399149	0.439914	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximated	3
	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	Cbar	simpleavg	robustness	-0.0808	max	-0.0808	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximated	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	Cbar	simpleavg	robustness	-0.0812	max	-0.0812	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	F	borda	robustness	0.0288	max	0.0288	spearman	0.586008	0.586008	0.002	imp062nce	bidled	Falsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	F	borda	robustness	0.0238	max	0.0238	spearman	0.6417046	0.6417046	0.002	3.19860e+05	bidled	Falsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	F	borda	robustness	0.0312	max	0.0312	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Falsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	F	borda	robustness	0.0274	max	0.0274	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Falsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	F	borda	robustness	0.033	max	0.033	spearman	0.412269	0.412269	0.002	4.89380e+05	bidled	Falsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	F	borda	robustness	0.0262	max	0.0262	spearman	0.442266	0.442266	0.002	4.81330e+05	bidled	Falsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	F	borda	robustness	0.0254	max	0.0254	spearman	0.412699	0.412699	0.002	5.45660e+05	bidled	Falsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	F	borda	robustness	0.027	max	0.027	spearman	0.399149	0.399149	0.002	5.67290e+05	bidled	Falsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	F	borda	robustness	0.032	max	0.032	spearman	0.403753	0.403753	0.002	5.60640e+05	bidled	Falsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	F	borda	robustness	0.0266	max	0.0266	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	F	kemeny	robustness	0.0288	max	0.0288	spearman	0.586008	0.586008	0.002	imp062nce	bidled	Falsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	F	kemeny	robustness	0.0268	max	0.0268	spearman	0.6417046	0.6417046	0.002	3.19860e+05	bidled	Falsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	F	kemeny	robustness	0.0278	max	0.0278	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Falsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	F	kemeny	robustness	0.0292	max	0.0292	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Falsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	F	kemeny	robustness	0.0286	max	0.0286	spearman	0.412269	0.412269	0.002	4.89380e+05	bidled	Falsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	F	kemeny	robustness	0.0324	max	0.0324	spearman	0.442266	0.442266	0.002	4.81330e+05	bidled	Falsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	F	kemeny	robustness	0.026	max	0.026	spearman	0.412699	0.412699	0.002	5.45660e+05	bidled	Falsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	F	kemeny	robustness	0.035	max	0.035	spearman	0.399149	0.399149	0.002	5.67290e+05	bidled	Falsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	F	kemeny	robustness	0.0328	max	0.0328	spearman	0.403753	0.403753	0.002	5.60640e+05	bidled	Falsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	F	kemeny	robustness	0.0324	max	0.0324	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	F	rrf	robustness	0.026	max	0.026	spearman	0.586008	0.586008	0.002	imp062nce	bidled	Falsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	F	rrf	robustness	0.0308	max	0.0308	spearman	0.6417046	0.6417046	0.002	3.19860e+05	bidled	Falsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	F	rrf	robustness	0.029	max	0.029	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Falsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	F	rrf	robustness	0.0256	max	0.0256	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Falsmetric	Upperapproximation	6

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	F	rrf	robustness	0.028	max	0.028	spearman	0.412369	0.412369	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	F	rrf	robustness	0.0268	max	0.0268	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	F	rrf	robustness	0.0268	max	0.0268	spearman	0.412669	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	F	rrf	robustness	0.0312	max	0.0312	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	F	rrf	robustness	0.0304	max	0.0304	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	F	rrf	robustness	0.0308	max	0.0308	spearman	0.4111602	0.411692	0.002	6.12350e+05	bidled	Symmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	F	schulze	robustness	0.0288	max	0.0288	spearman	0.586008	0.586098	0.002	imp0625ice	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	F	schulze	robustness	0.0228	max	0.0228	spearman	0.6417046	0.647046	0.002	3.19880e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	F	schulze	robustness	0.0272	max	0.0272	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	F	schulze	robustness	0.0312	max	0.0312	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	F	schulze	robustness	0.029	max	0.029	spearman	0.412369	0.412369	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	F	schulze	robustness	0.0288	max	0.0288	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	F	schulze	robustness	0.0304	max	0.0304	spearman	0.412669	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	F	schulze	robustness	0.0326	max	0.0326	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	F	schulze	robustness	0.0326	max	0.0326	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	F	schulze	robustness	0.0342	max	0.0342	spearman	0.4111602	0.411692	0.002	6.12350e+05	bidled	Symmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	F	simpleavg	robustness	0.0234	max	0.0234	spearman	0.586008	0.586098	0.002	imp0625ice	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	F	simpleavg	robustness	0.0306	max	0.0306	spearman	0.6417046	0.647046	0.002	3.19880e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	F	simpleavg	robustness	0.0314	max	0.0314	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	F	simpleavg	robustness	0.034	max	0.034	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	F	simpleavg	robustness	0.0348	max	0.0348	spearman	0.412369	0.412369	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	F	simpleavg	robustness	0.031	max	0.031	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	F	simpleavg	robustness	0.0244	max	0.0244	spearman	0.412669	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	F	simpleavg	robustness	0.0248	max	0.0248	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximation	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	F	simpleavg	robustness	0.025	max	0.025	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximation	6

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	F	simpleavg	robustness	0.024	max	0.024	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximati	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	Fbar	borda	robustness	-0.0616	max	-0.0616	spearman	0.586008	0.586008	0.002	imp0602nce	bidled	Falsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	Fbar	borda	robustness	-0.0666	max	-0.0666	spearman	0.6417046	0.6417046	0.002	3.19860e+05	bidled	Falsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	Fbar	borda	robustness	-0.0542	max	-0.0542	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Falsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	Fbar	borda	robustness	-0.0578	max	-0.0578	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Falsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	Fbar	borda	robustness	-0.0564	max	-0.0564	spearman	0.412269	0.412269	0.002	4.89380e+05	bidled	Falsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	Fbar	borda	robustness	-0.0646	max	-0.0646	spearman	0.442266	0.442266	0.002	4.81330e+05	bidled	Falsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	Fbar	borda	robustness	-0.0612	max	-0.0612	spearman	0.412699	0.412699	0.002	5.45660e+05	bidled	Falsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	Fbar	borda	robustness	-0.0616	max	-0.0616	spearman	0.399149	0.399149	0.002	5.67290e+05	bidled	Falsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	Fbar	borda	robustness	-0.0518	max	-0.0518	spearman	0.403753	0.403753	0.002	5.60640e+05	bidled	Falsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	Fbar	borda	robustness	-0.04	max	-0.04	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	Fbar	kemeny	robustness	-0.0616	max	-0.0616	spearman	0.586008	0.586008	0.002	imp0602nce	bidled	Falsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	Fbar	kemeny	robustness	-0.0592	max	-0.0592	spearman	0.6417046	0.6417046	0.002	3.19860e+05	bidled	Falsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	Fbar	kemeny	robustness	-0.0514	max	-0.0514	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Falsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	Fbar	kemeny	robustness	-0.0612	max	-0.0612	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Falsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	Fbar	kemeny	robustness	-0.0486	max	-0.0486	spearman	0.412269	0.412269	0.002	4.89380e+05	bidled	Falsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	Fbar	kemeny	robustness	-0.0562	max	-0.0562	spearman	0.442266	0.442266	0.002	4.81330e+05	bidled	Falsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	Fbar	kemeny	robustness	-0.065	max	-0.065	spearman	0.412699	0.412699	0.002	5.45660e+05	bidled	Falsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	Fbar	kemeny	robustness	-0.0518	max	-0.0518	spearman	0.399149	0.399149	0.002	5.67290e+05	bidled	Falsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	Fbar	kemeny	robustness	-0.043	max	-0.043	spearman	0.403753	0.403753	0.002	5.60640e+05	bidled	Falsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	Fbar	kemeny	robustness	-0.0378	max	-0.0378	spearman	0.4111602	0.4111602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	Fbar	rrf	robustness	-0.0642	max	-0.0642	spearman	0.586008	0.586008	0.002	imp0602nce	bidled	Falsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	Fbar	rrf	robustness	-0.0494	max	-0.0494	spearman	0.6417046	0.6417046	0.002	3.19860e+05	bidled	Falsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	Fbar	rrf	robustness	-0.05	max	-0.05	spearman	0.470553	0.470553	0.002	4.36320e+05	bidled	Falsmetric	Upperapproximati	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	Fbar	rrf	robustness	-0.0556	max	-0.0556	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Falsmetric	Upperapproximati	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	Fbar	rrf	robustness	-0.0648	max	-0.0648	spearman	0.412369	0.412369	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	3
	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	Fbar	rrf	robustness	-0.0728	max	-0.0728	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	3
	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	Fbar	rrf	robustness	-0.076	max	-0.076	spearman	0.412669	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximation	3
	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	Fbar	rrf	robustness	-0.0722	max	-0.0722	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximation	3
	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	Fbar	rrf	robustness	-0.057	max	-0.057	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximation	3
	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	Fbar	rrf	robustness	-0.0516	max	-0.0516	spearman	0.411602	0.411602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximation	3
	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	Fbar	schulze	robustness	-0.0616	max	-0.0616	spearman	0.586008	0.586098	0.002	imp062nce	bidled	Fulsmetric	Upperapproximation	10
	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	Fbar	schulze	robustness	-0.0614	max	-0.0614	spearman	0.617046	0.617046	0.002	3.19880e+05	bidled	Fulsmetric	Upperapproximation	10
	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	Fbar	schulze	robustness	-0.056	max	-0.056	spearman	0.470553	0.470553	0.002	4.36420e+05	bidled	Fulsmetric	Upperapproximation	10
	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	Fbar	schulze	robustness	-0.0584	max	-0.0584	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximation	10
	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	Fbar	schulze	robustness	-0.051	max	-0.051	spearman	0.412369	0.412369	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	10
	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	Fbar	schulze	robustness	-0.0728	max	-0.0728	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	10
	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	Fbar	schulze	robustness	-0.073	max	-0.073	spearman	0.412669	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximation	10
	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	Fbar	schulze	robustness	-0.0588	max	-0.0588	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximation	10
	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	Fbar	schulze	robustness	-0.044	max	-0.044	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximation	10
	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	Fbar	schulze	robustness	-0.0466	max	-0.0466	spearman	0.411602	0.411602	0.002	6.12350e+05	bidled	Symmetric	Upperapproximation	10
	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	Fbar	simpleavg	robustness	-0.0636	max	-0.0636	spearman	0.586008	0.586098	0.002	imp062nce	bidled	Fulsmetric	Upperapproximation	3
	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	Fbar	simpleavg	robustness	-0.0568	max	-0.0568	spearman	0.617046	0.617046	0.002	3.19880e+05	bidled	Fulsmetric	Upperapproximation	3
	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	Fbar	simpleavg	robustness	-0.0616	max	-0.0616	spearman	0.470553	0.470553	0.002	4.36420e+05	bidled	Fulsmetric	Upperapproximation	3
	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	Fbar	simpleavg	robustness	-0.0662	max	-0.0662	spearman	0.469363	0.469363	0.002	4.52280e+05	bidled	Fulsmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	Fbar	simpleavg	robustness	-0.0624	max	-0.0624	spearman	0.412369	0.412369	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	3
	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	Fbar	simpleavg	robustness	-0.069	max	-0.069	spearman	0.412366	0.412366	0.002	4.89438e+05	bidled	Fulsmetric	Upperapproximation	3
	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	Fbar	simpleavg	robustness	-0.063	max	-0.063	spearman	0.412669	0.413699	0.002	5.45660e+05	bidled	Fulsmetric	Upperapproximation	3
	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	Fbar	simpleavg	robustness	-0.063	max	-0.063	spearman	0.399149	0.399149	0.002	5.67280e+05	bidled	Fulsmetric	Upperapproximation	3
	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	Fbar	simpleavg	robustness	-0.0654	max	-0.0654	spearman	0.402753	0.403753	0.002	5.60664e+05	bidled	Fulsmetric	Upperapproximation	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit P value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	11	speckle- 0.15	Fbar	simpleavg	robustness	-0.066	max	-0.066	spearman	0.411602	-0.411602	0.002	6.1235e+05	binhd	Symmetric	Approximation	3

1366

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

cell	dataset	model	distance model	q	condition	metric	is optimal q	q11 reference	method prefix
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	11	speckle- 0.15	Fbar	False	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation", "Salic

Table 289: ImageNet–ViT-B/16 results.

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	C	borda	conditioned	0.2262	False	["GradientAttentionRollout","CheferTransformerAttribution"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	adversarial	C	borda	conditioned	0.2417	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	4	adversarial	C	borda	conditioned	0.2076	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	5	adversarial	C	borda	conditioned	0.2081	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients","PartialLRP"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	6	adversarial	C	borda	conditioned	0.1964	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients","PartialLRP","GradientShap"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	7	adversarial	C	borda	conditioned	0.1954	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients","PartialLRP","GradientShap","AttentionGradCAM"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	8	adversarial	C	borda	conditioned	0.1954	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients","PartialLRP","GradientShap","AttentionGradCAM","FeatureAblation"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	9	adversarial	C	borda	conditioned	0.1896	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients","PartialLRP","GradientShap","AttentionGradCAM","FeatureAblation"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	10	adversarial	C	borda	conditioned	0.1778	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients","PartialLRP","GradientShap","AttentionGradCAM","FeatureAblation"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	11	adversarial	C	borda	conditioned	0.1752	True	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients","PartialLRP","GradientShap","AttentionGradCAM","FeatureAblation"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	C	kemeny	conditioned	0.2262	False	["GradientAttentionRollout","CheferTransformerAttribution"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	adversarial	C	kemeny	conditioned	0.2288	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	4	adversarial	C	kemeny	conditioned	0.2278	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	5	adversarial	C	kemeny	conditioned	0.2104	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients","PartialLRP"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	6	adversarial	C	kemeny	conditioned	0.1998	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients","PartialLRP","GradientShap"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	7	adversarial	C	kemeny	conditioned	0.2041	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients","PartialLRP","GradientShap","AttentionGradCAM"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	8	adversarial	C	kemeny	conditioned	0.1944	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients","PartialLRP","GradientShap","AttentionGradCAM","FeatureAblation"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	9	adversarial	C	kemeny	conditioned	0.1844	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients","PartialLRP","GradientShap","AttentionGradCAM","FeatureAblation"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	10	adversarial	C	kemeny	conditioned	0.1752	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients","PartialLRP","GradientShap","AttentionGradCAM","FeatureAblation"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	11	adversarial	C	kemeny	conditioned	0.1782	True	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients","PartialLRP","GradientShap","AttentionGradCAM","FeatureAblation"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	adversarial	C	rrf	conditioned	0.2258	False	["GradientAttentionRollout","CheferTransformerAttribution"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	adversarial	C	rrf	conditioned	0.2254	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	4	adversarial	C	rrf	conditioned	0.2192	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients"]
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	5	adversarial	C	rrf	conditioned	0.2061	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients","PartialLRP"]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-sara-2-255	11	adversarial	Fbar	simplify	conditioned	0.4871	True	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients","PartialLRP","GradientShap","AttentionGradCAM","FeatureAblation"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian-0.15	C	borda	conditioned	0.2198	False	["GradientAttentionRollout","CheferTransformerAttribution"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	gaussian-0.15	C	borda	conditioned	0.1978	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	4	gaussian-0.15	C	borda	conditioned	0.2111	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	5	gaussian-0.15	C	borda	conditioned	0.2992	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients","PartialLRP"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	6	gaussian-0.15	C	borda	conditioned	0.2996	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients","PartialLRP","GradientShap"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	7	gaussian-0.15	C	borda	conditioned	0.4051	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients","PartialLRP","GradientShap","AttentionGradCAM"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	8	gaussian-0.15	C	borda	conditioned	0.4021	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients","PartialLRP","GradientShap","AttentionGradCAM","FeatureAblation"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	9	gaussian-0.15	C	borda	conditioned	0.2919	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients","PartialLRP","GradientShap","AttentionGradCAM","FeatureAblation"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	10	gaussian-0.15	C	borda	conditioned	0.2994	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients","PartialLRP","GradientShap","AttentionGradCAM","FeatureAblation"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	11	gaussian-0.15	C	borda	conditioned	0.1928	True	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients","PartialLRP","GradientShap","AttentionGradCAM","FeatureAblation"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian-0.15	C	kemeny	conditioned	0.2198	False	["GradientAttentionRollout","CheferTransformerAttribution"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	gaussian-0.15	C	kemeny	conditioned	0.2268	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	4	gaussian-0.15	C	kemeny	conditioned	0.2340	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	5	gaussian-0.15	C	kemeny	conditioned	0.2199	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients","PartialLRP"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	6	gaussian-0.15	C	kemeny	conditioned	0.2252	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients","PartialLRP","GradientShap"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	7	gaussian-0.15	C	kemeny	conditioned	0.2189	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients","PartialLRP","GradientShap","AttentionGradCAM"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	8	gaussian-0.15	C	kemeny	conditioned	0.2219	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients","PartialLRP","GradientShap","AttentionGradCAM","FeatureAblation"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	9	gaussian-0.15	C	kemeny	conditioned	0.2168	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients","PartialLRP","GradientShap","AttentionGradCAM","FeatureAblation"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	10	gaussian-0.15	C	kemeny	conditioned	0.2192	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients","PartialLRP","GradientShap","AttentionGradCAM","FeatureAblation"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	11	gaussian-0.15	C	kemeny	conditioned	0.4031	True	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients","PartialLRP","GradientShap","AttentionGradCAM","FeatureAblation"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	gaussian-0.15	C	rrf	conditioned	0.2118	False	["GradientAttentionRollout","CheferTransformerAttribution"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	gaussian-0.15	C	rrf	conditioned	0.2258	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	4	gaussian-0.15	C	rrf	conditioned	0.2322	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients"]
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	5	gaussian-0.15	C	rrf	conditioned	0.2204	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients","PartialLRP"]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

cell	dataset	model	q	condition	metric	rule	value	kind	value	q11	reference	method
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	11	speckle-0.15	F	simpleavg	conditioned_0.9883	True	0.9883	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle-0.15	Fbar	borda	conditioned_0.1544	False	0.1544	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	speckle-0.15	Fbar	borda	conditioned_0.1692	False	0.1692	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	4	speckle-0.15	Fbar	borda	conditioned_0.1648	False	0.1648	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	5	speckle-0.15	Fbar	borda	conditioned_0.1692	False	0.1692	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP"]	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	6	speckle-0.15	Fbar	borda	conditioned_0.4691	False	0.4691	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap"]	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	7	speckle-0.15	Fbar	borda	conditioned_0.1972	False	0.1972	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM"]	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	8	speckle-0.15	Fbar	borda	conditioned_0.1946	False	0.1946	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	9	speckle-0.15	Fbar	borda	conditioned_0.4251	False	0.4251	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	10	speckle-0.15	Fbar	borda	conditioned_0.4531	False	0.4531	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	11	speckle-0.15	Fbar	borda	conditioned_0.2650	True	0.2650	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle-0.15	Fbar	kemeny	conditioned_0.1544	False	0.1544	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	speckle-0.15	Fbar	kemeny	conditioned_0.1598	False	0.1598	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	4	speckle-0.15	Fbar	kemeny	conditioned_0.1436	False	0.1436	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	5	speckle-0.15	Fbar	kemeny	conditioned_0.1766	False	0.1766	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP"]	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	6	speckle-0.15	Fbar	kemeny	conditioned_0.4451	False	0.4451	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap"]	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	7	speckle-0.15	Fbar	kemeny	conditioned_0.2082	False	0.2082	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM"]	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	8	speckle-0.15	Fbar	kemeny	conditioned_0.4081	False	0.4081	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	9	speckle-0.15	Fbar	kemeny	conditioned_0.2452	False	0.2452	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	10	speckle-0.15	Fbar	kemeny	conditioned_0.2976	False	0.2976	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	11	speckle-0.15	Fbar	kemeny	conditioned_0.3662	True	0.3662	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	speckle-0.15	Fbar	rrf	conditioned_0.1562	False	0.1562	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	3	speckle-0.15	Fbar	rrf	conditioned_0.1454	False	0.1454	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	4	speckle-0.15	Fbar	rrf	conditioned_0.4461	False	0.4461	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	5	speckle-0.15	Fbar	rrf	conditioned_0.1606	False	0.1606	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP"]	

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	speckle- 0.15	Fbar	simpleavg	conditioned	0.1804	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	C	borda	quality	0.1352	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	clean	C	borda	quality	0.0956	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	clean	C	borda	quality	0.1034	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	clean	C	borda	quality	0.1068	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	6	clean	C	borda	quality	0.1044	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	clean	C	borda	quality	0.1068	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	clean	C	borda	quality	0.0956	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	clean	C	borda	quality	0.0912	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	clean	C	borda	quality	0.0844	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	clean	C	borda	quality	0.0802	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	C	kemeny	quality	0.1352	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	clean	C	kemeny	quality	0.1362	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	clean	C	kemeny	quality	0.1362	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	clean	C	kemeny	quality	0.1234	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	6	clean	C	kemeny	quality	0.1142	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	clean	C	kemeny	quality	0.1134	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	clean	C	kemeny	quality	0.1136	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	clean	C	kemeny	quality	0.0994	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	clean	C	kemeny	quality	0.0912	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	clean	C	kemeny	quality	0.0856	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	C	rrf	quality	0.1356	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	clean	C	rrf	quality	0.123	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	clean	C	rrf	quality	0.1276	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	clean	C	rrf	quality	0.1196	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP"]	

[illegible]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	clean	C	simpleavg	quality	0.1032	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	Cbar	borda	quality	0.146	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	clean	Cbar	borda	quality	0.1508	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	clean	Cbar	borda	quality	0.1572	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	clean	Cbar	borda	quality	0.1632	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	6	clean	Cbar	borda	quality	0.1876	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	clean	Cbar	borda	quality	0.1864	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	clean	Cbar	borda	quality	0.1866	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	clean	Cbar	borda	quality	0.2224	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	clean	Cbar	borda	quality	0.2628	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	clean	Cbar	borda	quality	0.2866	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	Cbar	kemeny	quality	0.146	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	clean	Cbar	kemeny	quality	0.1464	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	clean	Cbar	kemeny	quality	0.1458	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	clean	Cbar	kemeny	quality	0.1714	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	6	clean	Cbar	kemeny	quality	0.2028	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	clean	Cbar	kemeny	quality	0.2112	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	clean	Cbar	kemeny	quality	0.201	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	clean	Cbar	kemeny	quality	0.2544	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	clean	Cbar	kemeny	quality	0.317	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	clean	Cbar	kemeny	quality	0.3318	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	Cbar	rrf	quality	0.1442	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	clean	Cbar	rrf	quality	0.1468	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	clean	Cbar	rrf	quality	0.1462	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	clean	Cbar	rrf	quality	0.1572	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP"]	

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	clean	Cbar	simpleavg	quality	0.1744	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	F	borda	quality	0.0864	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	clean	F	borda	quality	0.0506	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	clean	F	borda	quality	0.0572	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	clean	F	borda	quality	0.0634	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	6	clean	F	borda	quality	0.0604	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	clean	F	borda	quality	0.066	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	clean	F	borda	quality	0.0582	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	clean	F	borda	quality	0.0552	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	clean	F	borda	quality	0.0494	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	clean	F	borda	quality	0.0478	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	F	kemeny	quality	0.0864	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	clean	F	kemeny	quality	0.0874	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	clean	F	kemeny	quality	0.087	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	clean	F	kemeny	quality	0.0796	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	6	clean	F	kemeny	quality	0.0728	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	clean	F	kemeny	quality	0.0716	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	clean	F	kemeny	quality	0.0738	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	clean	F	kemeny	quality	0.0624	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	clean	F	kemeny	quality	0.0542	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	clean	F	kemeny	quality	0.05	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	clean	F	rrf	quality	0.0872	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	clean	F	rrf	quality	0.0726	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	clean	F	rrf	quality	0.0804	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	clean	F	rrf	quality	0.0762	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP"]	

[illegible]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	adversaria- sara-2- 255	Fbar	simpleavg	robustness	0.2696	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian- 0.15	C	borda	robustness	0.0846	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	gaussian- 0.15	C	borda	robustness	0.1022	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	gaussian- 0.15	C	borda	robustness	0.1066	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	gaussian- 0.15	C	borda	robustness	0.1024	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	6	gaussian- 0.15	C	borda	robustness	0.1052	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	gaussian- 0.15	C	borda	robustness	0.0982	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	gaussian- 0.15	C	borda	robustness	0.1064	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	gaussian- 0.15	C	borda	robustness	0.11	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	gaussian- 0.15	C	borda	robustness	0.119	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	gaussian- 0.15	C	borda	robustness	0.1126	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian- 0.15	C	kemeny	robustness	0.0846	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	gaussian- 0.15	C	kemeny	robustness	0.0906	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	gaussian- 0.15	C	kemeny	robustness	0.0984	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	gaussian- 0.15	C	kemeny	robustness	0.0962	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	6	gaussian- 0.15	C	kemeny	robustness	0.111	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	7	gaussian- 0.15	C	kemeny	robustness	0.1052	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	8	gaussian- 0.15	C	kemeny	robustness	0.1076	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	9	gaussian- 0.15	C	kemeny	robustness	0.1174	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	10	gaussian- 0.15	C	kemeny	robustness	0.119	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	gaussian- 0.15	C	kemeny	robustness	0.1174	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	2	gaussian- 0.15	C	rrf	robustness	0.0862	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	3	gaussian- 0.15	C	rrf	robustness	0.1028	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	4	gaussian- 0.15	C	rrf	robustness	0.1046	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]	
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	5	gaussian- 0.15	C	rrf	robustness	0.1008	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP"]	

[illegible]

[illegible]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	11	speckle- 0.15	Fbar	simpleavg	robustness	0.066	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionGradCAM", "FeatureAblation"]

Table 290: ImageNet–ViT-B/16 results.

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	clean	C	borda	quality	max	2	0.1352	[2]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution"]
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	clean	Cbar	borda	quality	min	2	0.146	[2]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution"]
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	clean	F	borda	quality	max	2	0.0864	[2]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution"]
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	clean	Fbar	borda	quality	min	2	0.0928	[2]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution"]
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	adversarial-sara-2-255	C	borda	robustness	min	7	0.0886	[7]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	adversarial-sara-2-255	Cbar	borda	robustness	min	3	0.201	[3]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	adversarial-sara-2-255	F	borda	robustness	min	9	0.0718	[9,10]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	adversarial-sara-2-255	Fbar	borda	robustness	min	3	0.1906	[3]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	gaussian-0.15	C	borda	robustness	min	2	0.0846	[2]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution"]
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	gaussian-0.15	Cbar	borda	robustness	min	11	0.2226	[11]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	gaussian-0.15	F	borda	robustness	min	7	0.0722	[7]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	gaussian-0.15	Fbar	borda	robustness	min	11	0.1832	[11]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	salt-pepper-0.05	C	borda	robustness	min	2	0.0684	[2]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution"]
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	salt-pepper-0.05	Cbar	borda	robustness	min	11	0.1616	[11]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	salt-pepper-0.05	F	borda	robustness	min	2	0.0544	[2]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution"]
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	salt-pepper-0.05	Fbar	borda	robustness	min	11	0.1228	[11]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	speckle-0.15	C	borda	robustness	min	3	0.0236	[3]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	speckle-0.15	Cbar	borda	robustness	min	11	0.0544	[11]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	speckle-0.15	F	borda	robustness	min	3	0.0238	[3]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	speckle-0.15	Fbar	borda	robustness	min	11	0.04	[11]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	clean	C	kemeny	quality	max	3	0.1362	[3,4]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	clean	Cbar	kemeny	quality	min	4	0.1458	[4]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	clean	F	kemeny	quality	max	3	0.0874	[3]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet–ImageNet–vit-b16	ImageNet	ImageNet–vit-b16	clean	Fbar	kemeny	quality	min	4	0.0922	[4]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	C	kemeny	robustness	min	8	0.0808	[8]	smallest_q 12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	Cbar	kemeny	robustness	min	2	0.2096	[2]	smallest_q 12	["GradientAscent", "Occlusion", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	F	kemeny	robustness	min	8	0.0622	[8]	smallest_q 12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	Fbar	kemeny	robustness	min	2	0.2034	[2]	smallest_q 12	["GradientAscent", "Occlusion", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	gaussian- 0.15	C	kemeny	robustness	min	2	0.0846	[2]	smallest_q 12	["GradientAscent", "Occlusion", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	gaussian- 0.15	Cbar	kemeny	robustness	min	11	0.1992	[11]	smallest_q 12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	gaussian- 0.15	F	kemeny	robustness	min	3	0.0716	[3]	smallest_q 12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "Occlusion"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	gaussian- 0.15	Fbar	kemeny	robustness	min	11	0.161	[11]	smallest_q 12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	salt- pepper- 0.05	C	kemeny	robustness	min	2	0.0684	[2]	smallest_q 12	["GradientAscent", "Occlusion", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	salt- pepper- 0.05	Cbar	kemeny	robustness	min	10	0.1414	[10]	smallest_q 12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	salt- pepper- 0.05	F	kemeny	robustness	min	2	0.0544	[2]	smallest_q 12	["GradientAscent", "Occlusion", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	salt- pepper- 0.05	Fbar	kemeny	robustness	min	10	0.1042	[10]	smallest_q 12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	speckle- 0.15	C	kemeny	robustness	min	2	0.0252	[2]	smallest_q 12	["GradientAscent", "Occlusion", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	speckle- 0.15	Cbar	kemeny	robustness	min	11	0.048	[11]	smallest_q 12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	speckle- 0.15	F	kemeny	robustness	min	8	0.026	[8]	smallest_q 12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	speckle- 0.15	Fbar	kemeny	robustness	min	11	0.0378	[11]	smallest_q 12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	clean	C	rrf	quality	max	2	0.1356	[2]	smallest_q 12	["GradientAscent", "Occlusion", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	clean	Cbar	rrf	quality	min	2	0.1442	[2]	smallest_q 12	["GradientAscent", "Occlusion", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	clean	F	rrf	quality	max	2	0.0872	[2]	smallest_q 12	["GradientAscent", "Occlusion", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	clean	Fbar	rrf	quality	min	2	0.092	[2]	smallest_q 12	["GradientAscent", "Occlusion", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	C	rrf	robustness	min	6	0.0834	[6]	smallest_q 12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	Cbar	rrf	robustness	min	3	0.2064	[3]	smallest_q 12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "Occlusion"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	F	rrf	robustness	min	8	0.065	[8]	smallest_q 12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	Fbar	rrf	robustness	min	3	0.2022	[3]	smallest_q 12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "Occlusion"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	gaussian- 0.15	C	rrf	robustness	min	2	0.0862	[2]	smallest_q 12	["GradientAscent", "Occlusion", "CheferTransformerAttribution"]

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	gaussian- 0.15	Cbar	rrf	robustness	min	11	0.2304	[11]	smallest_q 12	["GradientAscent", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	gaussian- 0.15	F	rrf	robustness	min	2	0.0736	[2]	smallest_q 12	["GradientAscent", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	gaussian- 0.15	Fbar	rrf	robustness	min	11	0.1912	[11]	smallest_q 12	["GradientAscent", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	salt- pepper- 0.05	C	rrf	robustness	min	2	0.0676	[2]	smallest_q 12	["GradientAscent", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	salt- pepper- 0.05	Cbar	rrf	robustness	min	10	0.1702	[10]	smallest_q 12	["GradientAscent", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	salt- pepper- 0.05	F	rrf	robustness	min	2	0.0526	[2]	smallest_q 12	["GradientAscent", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	salt- pepper- 0.05	Fbar	rrf	robustness	min	10	0.1296	[10]	smallest_q 12	["GradientAscent", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	speckle- 0.15	C	rrf	robustness	min	2	0.0224	[2]	smallest_q 12	["GradientAscent", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	speckle- 0.15	Cbar	rrf	robustness	min	11	0.066	[11]	smallest_q 12	["GradientAscent", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	speckle- 0.15	F	rrf	robustness	min	5	0.0256	[5]	smallest_q 12	["GradientAscent", "Occlusion", "IntegratedGradients", "PartialLRP"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	speckle- 0.15	Fbar	rrf	robustness	min	3	0.0494	[3]	smallest_q 12	["GradientAscent", "Occlusion"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	clean	C	schulze	quality	max	4	0.1368	[4]	smallest_q 12	["GradientAscent", "Occlusion", "IntegratedGradients"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	clean	Cbar	schulze	quality	min	4	0.1458	[4]	smallest_q 12	["GradientAscent", "Occlusion", "IntegratedGradients"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	clean	F	schulze	quality	max	4	0.0874	[4]	smallest_q 12	["GradientAscent", "Occlusion", "IntegratedGradients"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	clean	Fbar	schulze	quality	min	2	0.0928	[2]	smallest_q 12	["GradientAscent", "Occlusion"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	C	schulze	robustness	min	7	0.0804	[7]	smallest_q 12	["GradientAscent", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	Cbar	schulze	robustness	min	3	0.1992	[3]	smallest_q 12	["GradientAscent", "Occlusion"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	F	schulze	robustness	min	9	0.0642	[9]	smallest_q 12	["GradientAscent", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	Fbar	schulze	robustness	min	3	0.191	[3]	smallest_q 12	["GradientAscent", "Occlusion"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	gaussian- 0.15	C	schulze	robustness	min	2	0.0846	[2]	smallest_q 12	["GradientAscent", "Occlusion"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	gaussian- 0.15	Cbar	schulze	robustness	min	10	0.209	[10]	smallest_q 12	["GradientAscent", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	gaussian- 0.15	F	schulze	robustness	min	2	0.073	[2]	smallest_q 12	["GradientAscent", "Occlusion"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	gaussian- 0.15	Fbar	schulze	robustness	min	10	0.1678	[10]	smallest_q 12	["GradientAscent", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	salt- pepper- 0.05	C	schulze	robustness	min	2	0.0684	[2]	smallest_q 12	["GradientAscent", "Occlusion"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	salt- pepper- 0.05	Cbar	schulze	robustness	min	10	0.1476	[10]	smallest_q 12	["GradientAscent", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "AttentionRollout", "CheferTransformerAttribution"]

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	salt- pepper- 0.05	F	schulze	robustness	min	2	0.0544	[2]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	salt- pepper- 0.05	Fbar	schulze	robustness	min	10	0.1122	[10]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	speckle- 0.15	C	schulze	robustness	min	3	0.0234	[3]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution", "Occlusion"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	speckle- 0.15	Cbar	schulze	robustness	min	11	0.056	[11]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	speckle- 0.15	F	schulze	robustness	min	3	0.0228	[3]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution", "Occlusion"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	speckle- 0.15	Fbar	schulze	robustness	min	10	0.044	[10]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	clean	C	simpleavg	quality	max	2	0.132	[2]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	clean	Cbar	simpleavg	quality	min	4	0.147	[4]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	clean	F	simpleavg	quality	max	2	0.0852	[2]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	clean	Fbar	simpleavg	quality	min	4	0.0956	[4]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	C	simpleavg	robustness	min	6	0.078	[6]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	Cbar	simpleavg	robustness	min	3	0.2038	[3]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution", "Occlusion"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	F	simpleavg	robustness	min	11	0.0632	[11]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients", "PartialLRP", "GradientShap", "Attention"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	adversaria- sara-2- 255	Fbar	simpleavg	robustness	min	2	0.198	[2]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	gaussian- 0.15	C	simpleavg	robustness	min	2	0.0826	[2]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	gaussian- 0.15	Cbar	simpleavg	robustness	min	2	0.2718	[2]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	gaussian- 0.15	F	simpleavg	robustness	min	2	0.0672	[2]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	gaussian- 0.15	Fbar	simpleavg	robustness	min	2	0.2204	[2]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	salt- pepper- 0.05	C	simpleavg	robustness	min	2	0.0714	[2]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	salt- pepper- 0.05	Cbar	simpleavg	robustness	min	4	0.2168	[4]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution", "Occlusion", "IntegratedGradients"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	salt- pepper- 0.05	F	simpleavg	robustness	min	2	0.0548	[2]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	salt- pepper- 0.05	Fbar	simpleavg	robustness	min	2	0.1706	[2]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	speckle- 0.15	C	simpleavg	robustness	min	2	0.0214	[2]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	speckle- 0.15	Cbar	simpleavg	robustness	min	3	0.0762	[3]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution", "Occlusion"]
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	speckle- 0.15	F	simpleavg	robustness	min	2	0.0234	[2]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution"]

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	speckle- 0.15	Fbar	simpleavg	robustness	min	3	0.0568	[3]	smallest_ 12	["GradientAscent", "GradientDescent", "Evolutionary", "Rollout", "CheferTransformerAttribution", "Occlusion"]

Table 291: ImageNet-ViT-B/16 results.

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	C	borda	quality	0.1352	max	0.1352	kendall_ma	0.34901e+01	0.34901e+01	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	C	borda	quality	0.0956	max	0.0956	kendall_ma	0.1656867e+01	0.1656867e+01	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	C	borda	quality	0.1034	max	0.1034	kendall_ma	0.1496275e+01	0.1496275e+01	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	C	borda	quality	0.1068	max	0.1068	kendall_ma	0.1455333e+01	0.1455333e+01	0.002	4759.3	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	C	borda	quality	0.1044	max	0.1044	kendall_ma	0.1295705e+01	0.1295705e+01	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	C	borda	quality	0.1068	max	0.1068	kendall_ma	0.1433565e+01	0.1433565e+01	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	C	borda	quality	0.0956	max	0.0956	kendall_ma	0.1404658e+01	0.1404658e+01	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	C	borda	quality	0.0912	max	0.0912	kendall_ma	0.1287434e+01	0.1287434e+01	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	C	borda	quality	0.0844	max	0.0844	kendall_ma	0.1289212e+01	0.1289212e+01	0.002	5641.2	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	C	borda	quality	0.0802	max	0.0802	kendall_ma	0.1299779e+01	0.1299779e+01	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	C	kemeny	quality	0.1352	max	0.1352	kendall_ma	0.34901e+01	0.34901e+01	0.002	1301.6	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	C	kemeny	quality	0.1362	max	0.1362	kendall_ma	0.1656867e+01	0.1656867e+01	0.002	3573	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	C	kemeny	quality	0.1362	max	0.1362	kendall_ma	0.1496275e+01	0.1496275e+01	0.002	4662	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	C	kemeny	quality	0.1234	max	0.1234	kendall_ma	0.1455333e+01	0.1455333e+01	0.002	4759.3	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	C	kemeny	quality	0.1142	max	0.1142	kendall_ma	0.1295705e+01	0.1295705e+01	0.002	5098.7	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	C	kemeny	quality	0.1134	max	0.1134	kendall_ma	0.1433565e+01	0.1433565e+01	0.002	5036.4	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	C	kemeny	quality	0.1136	max	0.1136	kendall_ma	0.1404658e+01	0.1404658e+01	0.002	5469.8	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	C	kemeny	quality	0.0994	max	0.0994	kendall_ma	0.1287434e+01	0.1287434e+01	0.002	5646.5	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	C	kemeny	quality	0.0912	max	0.0912	kendall_ma	0.1289212e+01	0.1289212e+01	0.002	5641.2	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	C	kemeny	quality	0.0856	max	0.0856	kendall_ma	0.1299779e+01	0.1299779e+01	0.002	5940.5	11	True	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	C	rrf	quality	0.1356	max	0.1356	kendall_ma	0.34901e+01	0.34901e+01	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	C	rrf	quality	0.123	max	0.123	kendall_ma	0.1656867e+01	0.1656867e+01	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	C	rrf	quality	0.1276	max	0.1276	kendall_ma	0.1496275e+01	0.1496275e+01	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	C	rrf	quality	0.1196	max	0.1196	kendall_ma	0.1455333e+01	0.1455333e+01	0.002	4759.3	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	C	rrf	quality	0.1164	max	0.1164	kendall_m	0.1295705	0.1395705	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	C	rrf	quality	0.1124	max	0.1124	kendall_m	0.129565	0.123565	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	C	rrf	quality	0.1074	max	0.1074	kendall_m	0.1404688	0.104688	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	C	rrf	quality	0.1014	max	0.1014	kendall_m	0.1287434	0.1387434	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	C	rrf	quality	0.0946	max	0.0946	kendall_m	0.1289212	0.1389212	0.002	5641.2	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	C	rrf	quality	0.0892	max	0.0892	kendall_m	0.1299779	0.1399779	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	C	schulze	quality	0.1352	max	0.1352	kendall_m	0.134901	0.134901	0.002	1301.6	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	C	schulze	quality	0.125	max	0.125	kendall_m	0.1656867	0.1656867	0.002	3573	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	C	schulze	quality	0.1368	max	0.1368	kendall_m	0.1496275	0.1496275	0.002	4662	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	C	schulze	quality	0.1182	max	0.1182	kendall_m	0.1455333	0.1455333	0.002	4759.3	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	C	schulze	quality	0.1126	max	0.1126	kendall_m	0.1295705	0.1395705	0.002	5098.7	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	C	schulze	quality	0.1152	max	0.1152	kendall_m	0.129565	0.123565	0.002	5036.4	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	C	schulze	quality	0.1046	max	0.1046	kendall_m	0.1404688	0.104688	0.002	5469.8	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	C	schulze	quality	0.1002	max	0.1002	kendall_m	0.1287434	0.1387434	0.002	5646.5	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	C	schulze	quality	0.0912	max	0.0912	kendall_m	0.1289212	0.1389212	0.002	5641.2	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	C	schulze	quality	0.0848	max	0.0848	kendall_m	0.1299779	0.1399779	0.002	5940.5	11	True	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	C	simpleavg	quality	0.132	max	0.132	kendall_m	0.134901	0.134901	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	C	simpleavg	quality	0.1198	max	0.1198	kendall_m	0.1656867	0.1656867	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	C	simpleavg	quality	0.1216	max	0.1216	kendall_m	0.1496275	0.1496275	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	C	simpleavg	quality	0.1146	max	0.1146	kendall_m	0.1455333	0.1455333	0.002	4759.3	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	C	simpleavg	quality	0.1158	max	0.1158	kendall_m	0.1295705	0.1395705	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	C	simpleavg	quality	0.1172	max	0.1172	kendall_m	0.129565	0.123565	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	C	simpleavg	quality	0.1056	max	0.1056	kendall_m	0.1404688	0.104688	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	C	simpleavg	quality	0.1032	max	0.1032	kendall_m	0.1287434	0.1387434	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	C	simpleavg	quality	0.103	max	0.103	kendall_m	0.1289212	0.1389212	0.002	5641.2	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	C	simpleavg	quality	0.1032	max	0.1032	kendall_m	0.1299779a0t399779a0e002	0.1299779a0t399779a0e002	0.1299779a0t399779a0e002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	Cbar	borda	quality	0.146	min	-0.146	kendall_m	0.149018a0t399779a0e002	0.149018a0t399779a0e002	0.149018a0t399779a0e002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	Cbar	borda	quality	0.1508	min	-0.1508	kendall_m	0.1656867a0t656867a0e002	0.1656867a0t656867a0e002	0.1656867a0t656867a0e002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	Cbar	borda	quality	0.1572	min	-0.1572	kendall_m	0.1496275a0t496275a0e002	0.1496275a0t496275a0e002	0.1496275a0t496275a0e002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	Cbar	borda	quality	0.1632	min	-0.1632	kendall_m	0.1455333a0t455333a0e002	0.1455333a0t455333a0e002	0.1455333a0t455333a0e002	4759.3	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	Cbar	borda	quality	0.1876	min	-0.1876	kendall_m	0.1295705a0t395705a0e002	0.1295705a0t395705a0e002	0.1295705a0t395705a0e002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	Cbar	borda	quality	0.1864	min	-0.1864	kendall_m	0.1423565a0t423565a0e002	0.1423565a0t423565a0e002	0.1423565a0t423565a0e002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	Cbar	borda	quality	0.1866	min	-0.1866	kendall_m	0.1404658a0t404658a0e002	0.1404658a0t404658a0e002	0.1404658a0t404658a0e002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	Cbar	borda	quality	0.2224	min	-0.2224	kendall_m	0.1287434a0t387434a0e002	0.1287434a0t387434a0e002	0.1287434a0t387434a0e002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	Cbar	borda	quality	0.2628	min	-0.2628	kendall_m	0.1289212a0t389212a0e002	0.1289212a0t389212a0e002	0.1289212a0t389212a0e002	5641.2	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	Cbar	borda	quality	0.2866	min	-0.2866	kendall_m	0.1299779a0t399779a0e002	0.1299779a0t399779a0e002	0.1299779a0t399779a0e002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	Cbar	kemeny	quality	0.146	min	-0.146	kendall_m	0.149018a0t399779a0e002	0.149018a0t399779a0e002	0.149018a0t399779a0e002	1301.6	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	Cbar	kemeny	quality	0.1464	min	-0.1464	kendall_m	0.1656867a0t656867a0e002	0.1656867a0t656867a0e002	0.1656867a0t656867a0e002	3573	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	Cbar	kemeny	quality	0.1458	min	-0.1458	kendall_m	0.1496275a0t496275a0e002	0.1496275a0t496275a0e002	0.1496275a0t496275a0e002	4662	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	Cbar	kemeny	quality	0.1714	min	-0.1714	kendall_m	0.1455333a0t455333a0e002	0.1455333a0t455333a0e002	0.1455333a0t455333a0e002	4759.3	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	Cbar	kemeny	quality	0.2028	min	-0.2028	kendall_m	0.1295705a0t395705a0e002	0.1295705a0t395705a0e002	0.1295705a0t395705a0e002	5098.7	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	Cbar	kemeny	quality	0.2112	min	-0.2112	kendall_m	0.1423565a0t423565a0e002	0.1423565a0t423565a0e002	0.1423565a0t423565a0e002	5036.4	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	Cbar	kemeny	quality	0.201	min	-0.201	kendall_m	0.1404658a0t404658a0e002	0.1404658a0t404658a0e002	0.1404658a0t404658a0e002	5469.8	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	Cbar	kemeny	quality	0.2544	min	-0.2544	kendall_m	0.1287434a0t387434a0e002	0.1287434a0t387434a0e002	0.1287434a0t387434a0e002	5646.5	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	Cbar	kemeny	quality	0.317	min	-0.317	kendall_m	0.1289212a0t389212a0e002	0.1289212a0t389212a0e002	0.1289212a0t389212a0e002	5641.2	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	Cbar	kemeny	quality	0.3318	min	-0.3318	kendall_m	0.1299779a0t399779a0e002	0.1299779a0t399779a0e002	0.1299779a0t399779a0e002	5940.5	11	True	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	Cbar	rrf	quality	0.1442	min	-0.1442	kendall_m	0.149018a0t399779a0e002	0.149018a0t399779a0e002	0.149018a0t399779a0e002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	Cbar	rrf	quality	0.1468	min	-0.1468	kendall_m	0.1656867a0t656867a0e002	0.1656867a0t656867a0e002	0.1656867a0t656867a0e002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	Cbar	rrf	quality	0.1462	min	-0.1462	kendall_m	0.1496275a0t496275a0e002	0.1496275a0t496275a0e002	0.1496275a0t496275a0e002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	Cbar	rrf	quality	0.1572	min	-0.1572	kendall_m	0.1455333a0t455333a0e002	0.1455333a0t455333a0e002	0.1455333a0t455333a0e002	4759.3	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	Cbar	rrf	quality	0.1782	min	-0.1782	kendall_m	0.1295705a0t395705a0	0.002	5098.7	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	Cbar	rrf	quality	0.1852	min	-0.1852	kendall_m	0.1295705a0t395705a0	0.002	5036.4	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	Cbar	rrf	quality	0.1854	min	-0.1854	kendall_m	0.1404688a0t04688a0	0.002	5469.8	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	Cbar	rrf	quality	0.2236	min	-0.2236	kendall_m	0.1287434a0t387434a0	0.002	5646.5	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	Cbar	rrf	quality	0.27	min	-0.27	kendall_m	0.1289212a0t389212a0	0.002	5641.2	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	Cbar	rrf	quality	0.2798	min	-0.2798	kendall_m	0.1299779a0t399779a0	0.002	5940.5	11	True	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	Cbar	schulze	quality	0.146	min	-0.146	kendall_m	0.134901a0t034901a0	0.002	1301.6	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	Cbar	schulze	quality	0.1484	min	-0.1484	kendall_m	0.1656867a0t656867a0	0.002	3573	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	Cbar	schulze	quality	0.1458	min	-0.1458	kendall_m	0.1496275a0t496275a0	0.002	4662	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	Cbar	schulze	quality	0.1636	min	-0.1636	kendall_m	0.1455333a0t455333a0	0.002	4759.3	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	Cbar	schulze	quality	0.1886	min	-0.1886	kendall_m	0.1295705a0t395705a0	0.002	5098.7	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	Cbar	schulze	quality	0.183	min	-0.183	kendall_m	0.1295705a0t395705a0	0.002	5036.4	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	Cbar	schulze	quality	0.189	min	-0.189	kendall_m	0.1404688a0t04688a0	0.002	5469.8	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	Cbar	schulze	quality	0.2294	min	-0.2294	kendall_m	0.1287434a0t387434a0	0.002	5646.5	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	Cbar	schulze	quality	0.2956	min	-0.2956	kendall_m	0.1289212a0t389212a0	0.002	5641.2	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	Cbar	schulze	quality	0.2966	min	-0.2966	kendall_m	0.1299779a0t399779a0	0.002	5940.5	11	True	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	Cbar	simpleavg	quality	0.1484	min	-0.1484	kendall_m	0.134901a0t034901a0	0.002	1301.6	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	Cbar	simpleavg	quality	0.1478	min	-0.1478	kendall_m	0.1656867a0t656867a0	0.002	3573	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	Cbar	simpleavg	quality	0.147	min	-0.147	kendall_m	0.1496275a0t496275a0	0.002	4662	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	Cbar	simpleavg	quality	0.1524	min	-0.1524	kendall_m	0.1455333a0t455333a0	0.002	4759.3	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	Cbar	simpleavg	quality	0.1532	min	-0.1532	kendall_m	0.1295705a0t395705a0	0.002	5098.7	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	Cbar	simpleavg	quality	0.1576	min	-0.1576	kendall_m	0.1295705a0t395705a0	0.002	5036.4	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	Cbar	simpleavg	quality	0.1706	min	-0.1706	kendall_m	0.1404688a0t04688a0	0.002	5469.8	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	Cbar	simpleavg	quality	0.1722	min	-0.1722	kendall_m	0.1287434a0t387434a0	0.002	5646.5	11	False	True	4	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	Cbar	simpleavg	quality	0.1738	min	-0.1738	kendall_m	0.1289212a0t389212a0	0.002	5641.2	11	False	True	4	

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	Cbar	simpleavg	quality	0.1744	min	-0.1744	kendall_m	0.1299779a0t399779a0c002	0.1299779a0t399779a0c002	0.1299779a0t399779a0c002	5940.5	11	True	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	F	borda	quality	0.0864	max	0.0864	kendall_m	0.1349013a0t349013a0c002	0.1349013a0t349013a0c002	0.1349013a0t349013a0c002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	F	borda	quality	0.0506	max	0.0506	kendall_m	0.1656867a0t656867a0c002	0.1656867a0t656867a0c002	0.1656867a0t656867a0c002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	F	borda	quality	0.0572	max	0.0572	kendall_m	0.1496275a0t496275a0c002	0.1496275a0t496275a0c002	0.1496275a0t496275a0c002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	F	borda	quality	0.0634	max	0.0634	kendall_m	0.1455333a0t455333a0c002	0.1455333a0t455333a0c002	0.1455333a0t455333a0c002	4759.3	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	F	borda	quality	0.0604	max	0.0604	kendall_m	0.1295705a0t395705a0c002	0.1295705a0t395705a0c002	0.1295705a0t395705a0c002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	F	borda	quality	0.066	max	0.066	kendall_m	0.1423565a0t423565a0c002	0.1423565a0t423565a0c002	0.1423565a0t423565a0c002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	F	borda	quality	0.0582	max	0.0582	kendall_m	0.1404658a0t404658a0c002	0.1404658a0t404658a0c002	0.1404658a0t404658a0c002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	F	borda	quality	0.0552	max	0.0552	kendall_m	0.1287434a0t387434a0c002	0.1287434a0t387434a0c002	0.1287434a0t387434a0c002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	F	borda	quality	0.0494	max	0.0494	kendall_m	0.1289212a0t389212a0c002	0.1289212a0t389212a0c002	0.1289212a0t389212a0c002	5641.2	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	F	borda	quality	0.0478	max	0.0478	kendall_m	0.1299779a0t399779a0c002	0.1299779a0t399779a0c002	0.1299779a0t399779a0c002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	F	kemeny	quality	0.0864	max	0.0864	kendall_m	0.1349013a0t349013a0c002	0.1349013a0t349013a0c002	0.1349013a0t349013a0c002	1301.6	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	F	kemeny	quality	0.0874	max	0.0874	kendall_m	0.1656867a0t656867a0c002	0.1656867a0t656867a0c002	0.1656867a0t656867a0c002	3573	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	F	kemeny	quality	0.087	max	0.087	kendall_m	0.1496275a0t496275a0c002	0.1496275a0t496275a0c002	0.1496275a0t496275a0c002	4662	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	F	kemeny	quality	0.0796	max	0.0796	kendall_m	0.1455333a0t455333a0c002	0.1455333a0t455333a0c002	0.1455333a0t455333a0c002	4759.3	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	F	kemeny	quality	0.0728	max	0.0728	kendall_m	0.1295705a0t395705a0c002	0.1295705a0t395705a0c002	0.1295705a0t395705a0c002	5098.7	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	F	kemeny	quality	0.0716	max	0.0716	kendall_m	0.1423565a0t423565a0c002	0.1423565a0t423565a0c002	0.1423565a0t423565a0c002	5036.4	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	F	kemeny	quality	0.0738	max	0.0738	kendall_m	0.1404658a0t404658a0c002	0.1404658a0t404658a0c002	0.1404658a0t404658a0c002	5469.8	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	F	kemeny	quality	0.0624	max	0.0624	kendall_m	0.1287434a0t387434a0c002	0.1287434a0t387434a0c002	0.1287434a0t387434a0c002	5646.5	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	F	kemeny	quality	0.0542	max	0.0542	kendall_m	0.1289212a0t389212a0c002	0.1289212a0t389212a0c002	0.1289212a0t389212a0c002	5641.2	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	F	kemeny	quality	0.05	max	0.05	kendall_m	0.1299779a0t399779a0c002	0.1299779a0t399779a0c002	0.1299779a0t399779a0c002	5940.5	11	True	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	F	rrf	quality	0.0872	max	0.0872	kendall_m	0.1349013a0t349013a0c002	0.1349013a0t349013a0c002	0.1349013a0t349013a0c002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	F	rrf	quality	0.0726	max	0.0726	kendall_m	0.1656867a0t656867a0c002	0.1656867a0t656867a0c002	0.1656867a0t656867a0c002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	F	rrf	quality	0.0804	max	0.0804	kendall_m	0.1496275a0t496275a0c002	0.1496275a0t496275a0c002	0.1496275a0t496275a0c002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	F	rrf	quality	0.0762	max	0.0762	kendall_m	0.1455333a0t455333a0c002	0.1455333a0t455333a0c002	0.1455333a0t455333a0c002	4759.3	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	F	rrf	quality	0.0738	max	0.0738	kendall_m	0.1295705	0.01395705	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	F	rrf	quality	0.073	max	0.073	kendall_m	0.129565	0.0123565	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	F	rrf	quality	0.0688	max	0.0688	kendall_m	0.1404688	0.0104688	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	F	rrf	quality	0.0634	max	0.0634	kendall_m	0.1387434	0.01387434	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	F	rrf	quality	0.0574	max	0.0574	kendall_m	0.1389212	0.01389212	0.002	5641.2	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	F	rrf	quality	0.0538	max	0.0538	kendall_m	0.1399779	0.01399779	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	F	schulze	quality	0.0864	max	0.0864	kendall_m	0.134901	0.0134901	0.002	1301.6	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	F	schulze	quality	0.0764	max	0.0764	kendall_m	0.1656867	0.01656867	0.002	3573	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	F	schulze	quality	0.0874	max	0.0874	kendall_m	0.1496275	0.01496275	0.002	4662	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	F	schulze	quality	0.0742	max	0.0742	kendall_m	0.1455333	0.01455333	0.002	4759.3	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	F	schulze	quality	0.0698	max	0.0698	kendall_m	0.1295705	0.01395705	0.002	5098.7	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	F	schulze	quality	0.0726	max	0.0726	kendall_m	0.129565	0.0123565	0.002	5036.4	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	F	schulze	quality	0.0684	max	0.0684	kendall_m	0.1404688	0.0104688	0.002	5469.8	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	F	schulze	quality	0.0614	max	0.0614	kendall_m	0.1387434	0.01387434	0.002	5646.5	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	F	schulze	quality	0.0552	max	0.0552	kendall_m	0.1389212	0.01389212	0.002	5641.2	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	F	schulze	quality	0.0488	max	0.0488	kendall_m	0.1399779	0.01399779	0.002	5940.5	11	True	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	F	simpleavg	quality	0.0852	max	0.0852	kendall_m	0.134901	0.0134901	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	F	simpleavg	quality	0.0734	max	0.0734	kendall_m	0.1656867	0.01656867	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	F	simpleavg	quality	0.0748	max	0.0748	kendall_m	0.1496275	0.01496275	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	F	simpleavg	quality	0.0686	max	0.0686	kendall_m	0.1455333	0.01455333	0.002	4759.3	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	F	simpleavg	quality	0.0692	max	0.0692	kendall_m	0.1295705	0.01395705	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	F	simpleavg	quality	0.0696	max	0.0696	kendall_m	0.129565	0.0123565	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	F	simpleavg	quality	0.0662	max	0.0662	kendall_m	0.1404688	0.0104688	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	F	simpleavg	quality	0.0648	max	0.0648	kendall_m	0.1387434	0.01387434	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	F	simpleavg	quality	0.064	max	0.064	kendall_m	0.1389212	0.01389212	0.002	5641.2	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	F	simpleavg	quality	0.0642	max	0.0642	kendall_m	0.1299779a0t399779a0	0.399779a0	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	Fbar	borda	quality	0.0928	min	-0.0928	kendall_m	0.1349013a0t349013a0	0.349013a0	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	Fbar	borda	quality	0.1026	min	-0.1026	kendall_m	0.1656867a0t656867a0	0.656867a0	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	Fbar	borda	quality	0.1076	min	-0.1076	kendall_m	0.1496275a0t496275a0	0.496275a0	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	Fbar	borda	quality	0.1114	min	-0.1114	kendall_m	0.1455333a0t455333a0	0.455333a0	0.002	4759.3	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	Fbar	borda	quality	0.1326	min	-0.1326	kendall_m	0.1295705a0t395705a0	0.395705a0	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	Fbar	borda	quality	0.1326	min	-0.1326	kendall_m	0.1423565a0t423565a0	0.423565a0	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	Fbar	borda	quality	0.1334	min	-0.1334	kendall_m	0.1404658a0t404658a0	0.404658a0	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	Fbar	borda	quality	0.1634	min	-0.1634	kendall_m	0.1287434a0t387434a0	0.387434a0	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	Fbar	borda	quality	0.2012	min	-0.2012	kendall_m	0.1289212a0t389212a0	0.389212a0	0.002	5641.2	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	Fbar	borda	quality	0.2256	min	-0.2256	kendall_m	0.1299779a0t399779a0	0.399779a0	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	Fbar	kemeny	quality	0.0928	min	-0.0928	kendall_m	0.1349013a0t349013a0	0.349013a0	0.002	1301.6	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	Fbar	kemeny	quality	0.0946	min	-0.0946	kendall_m	0.1656867a0t656867a0	0.656867a0	0.002	3573	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	Fbar	kemeny	quality	0.0922	min	-0.0922	kendall_m	0.1496275a0t496275a0	0.496275a0	0.002	4662	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	Fbar	kemeny	quality	0.1154	min	-0.1154	kendall_m	0.1455333a0t455333a0	0.455333a0	0.002	4759.3	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	Fbar	kemeny	quality	0.1464	min	-0.1464	kendall_m	0.1295705a0t395705a0	0.395705a0	0.002	5098.7	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	Fbar	kemeny	quality	0.152	min	-0.152	kendall_m	0.1423565a0t423565a0	0.423565a0	0.002	5036.4	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	Fbar	kemeny	quality	0.143	min	-0.143	kendall_m	0.1404658a0t404658a0	0.404658a0	0.002	5469.8	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	Fbar	kemeny	quality	0.1934	min	-0.1934	kendall_m	0.1287434a0t387434a0	0.387434a0	0.002	5646.5	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	Fbar	kemeny	quality	0.2546	min	-0.2546	kendall_m	0.1289212a0t389212a0	0.389212a0	0.002	5641.2	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	Fbar	kemeny	quality	0.2684	min	-0.2684	kendall_m	0.1299779a0t399779a0	0.399779a0	0.002	5940.5	11	True	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	Fbar	rrf	quality	0.092	min	-0.092	kendall_m	0.1349013a0t349013a0	0.349013a0	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	Fbar	rrf	quality	0.096	min	-0.096	kendall_m	0.1656867a0t656867a0	0.656867a0	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	Fbar	rrf	quality	0.096	min	-0.096	kendall_m	0.1496275a0t496275a0	0.496275a0	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	Fbar	rrf	quality	0.105	min	-0.105	kendall_m	0.1455333a0t455333a0	0.455333a0	0.002	4759.3	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	Fbar	rrf	quality	0.1246	min	-0.1246	kendall_m	0.1295705	0.395705	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	Fbar	rrf	quality	0.1278	min	-0.1278	kendall_m	0.1433565	0.423565	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	Fbar	rrf	quality	0.127	min	-0.127	kendall_m	0.1404688	0.404688	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	Fbar	rrf	quality	0.1624	min	-0.1624	kendall_m	0.1387434	0.387434	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	Fbar	rrf	quality	0.2086	min	-0.2086	kendall_m	0.1389212	0.389212	0.002	5641.2	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	Fbar	rrf	quality	0.2172	min	-0.2172	kendall_m	0.1399779	0.399779	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	Fbar	schulze	quality	0.0928	min	-0.0928	kendall_m	0.134901	0.34901	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	Fbar	schulze	quality	0.0978	min	-0.0978	kendall_m	0.1656867	0.656867	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	Fbar	schulze	quality	0.0952	min	-0.0952	kendall_m	0.1496275	0.496275	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	Fbar	schulze	quality	0.109	min	-0.109	kendall_m	0.1455333	0.453333	0.002	4759.3	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	Fbar	schulze	quality	0.1338	min	-0.1338	kendall_m	0.1295705	0.395705	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	Fbar	schulze	quality	0.1302	min	-0.1302	kendall_m	0.1433565	0.423565	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	Fbar	schulze	quality	0.1302	min	-0.1302	kendall_m	0.1404688	0.404688	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	Fbar	schulze	quality	0.1726	min	-0.1726	kendall_m	0.1387434	0.387434	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	Fbar	schulze	quality	0.2342	min	-0.2342	kendall_m	0.1389212	0.389212	0.002	5641.2	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	Fbar	schulze	quality	0.2336	min	-0.2336	kendall_m	0.1399779	0.399779	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	clean	Fbar	simpleavg	quality	0.0966	min	-0.0966	kendall_m	0.134901	0.34901	0.002	1301.6	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	clean	Fbar	simpleavg	quality	0.097	min	-0.097	kendall_m	0.1656867	0.656867	0.002	3573	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	clean	Fbar	simpleavg	quality	0.0956	min	-0.0956	kendall_m	0.1496275	0.496275	0.002	4662	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	clean	Fbar	simpleavg	quality	0.1002	min	-0.1002	kendall_m	0.1455333	0.453333	0.002	4759.3	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	clean	Fbar	simpleavg	quality	0.0998	min	-0.0998	kendall_m	0.1295705	0.395705	0.002	5098.7	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	clean	Fbar	simpleavg	quality	0.1038	min	-0.1038	kendall_m	0.1433565	0.423565	0.002	5036.4	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	clean	Fbar	simpleavg	quality	0.1152	min	-0.1152	kendall_m	0.1404688	0.404688	0.002	5469.8	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	clean	Fbar	simpleavg	quality	0.1164	min	-0.1164	kendall_m	0.1387434	0.387434	0.002	5646.5	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	clean	Fbar	simpleavg	quality	0.1176	min	-0.1176	kendall_m	0.1389212	0.389212	0.002	5641.2	11	False	True	4

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	clean	Fbar	simpleavg	quality	0.1174	min	-0.1174	kendall_m	0.1299779a0t399779a0	0.399779a0	0.002	5940.5	11	True	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversarial-sara-2-255	C	borda	robustness	0.091	min	-0.091	kendall_m	0.1299779a0t399779a0	0.399779a0	0.002	1301.6	11	False	True	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversarial-sara-2-255	C	borda	robustness	0.1214	min	-0.1214	kendall_m	0.1656867a0t656867a0	0.656867a0	0.002	3573	11	False	True	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversarial-sara-2-255	C	borda	robustness	0.1042	min	-0.1042	kendall_m	0.1496275a0t496275a0	0.496275a0	0.002	4662	11	False	True	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversarial-sara-2-255	C	borda	robustness	0.0962	min	-0.0962	kendall_m	0.1455333a0t455333a0	0.455333a0	0.002	4759.3	11	False	True	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversarial-sara-2-255	C	borda	robustness	0.092	min	-0.092	kendall_m	0.1295705a0t395705a0	0.395705a0	0.002	5098.7	11	False	True	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversarial-sara-2-255	C	borda	robustness	0.0886	min	-0.0886	kendall_m	0.1423565a0t423565a0	0.423565a0	0.002	5036.4	11	False	True	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversarial-sara-2-255	C	borda	robustness	0.0998	min	-0.0998	kendall_m	0.1404658a0t404658a0	0.404658a0	0.002	5469.8	11	False	True	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversarial-sara-2-255	C	borda	robustness	0.0924	min	-0.0924	kendall_m	0.1287434a0t387434a0	0.387434a0	0.002	5646.5	11	False	True	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversarial-sara-2-255	C	borda	robustness	0.0934	min	-0.0934	kendall_m	0.1289212a0t389212a0	0.389212a0	0.002	5641.2	11	False	True	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversarial-sara-2-255	C	borda	robustness	0.095	min	-0.095	kendall_m	0.1299779a0t399779a0	0.399779a0	0.002	5940.5	11	True	True	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversarial-sara-2-255	C	kemeny	robustness	0.091	min	-0.091	kendall_m	0.1299779a0t399779a0	0.399779a0	0.002	1301.6	11	False	True	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversarial-sara-2-255	C	kemeny	robustness	0.0926	min	-0.0926	kendall_m	0.1656867a0t656867a0	0.656867a0	0.002	3573	11	False	True	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversarial-sara-2-255	C	kemeny	robustness	0.0916	min	-0.0916	kendall_m	0.1496275a0t496275a0	0.496275a0	0.002	4662	11	False	True	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversarial-sara-2-255	C	kemeny	robustness	0.087	min	-0.087	kendall_m	0.1455333a0t455333a0	0.455333a0	0.002	4759.3	11	False	True	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversarial-sara-2-255	C	kemeny	robustness	0.0856	min	-0.0856	kendall_m	0.1295705a0t395705a0	0.395705a0	0.002	5098.7	11	False	True	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversarial-sara-2-255	C	kemeny	robustness	0.0876	min	-0.0876	kendall_m	0.1423565a0t423565a0	0.423565a0	0.002	5036.4	11	False	True	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversarial-sara-2-255	C	kemeny	robustness	0.0808	min	-0.0808	kendall_m	0.1404658a0t404658a0	0.404658a0	0.002	5469.8	11	False	True	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversarial-sara-2-255	C	kemeny	robustness	0.085	min	-0.085	kendall_m	0.1287434a0t387434a0	0.387434a0	0.002	5646.5	11	False	True	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversarial-sara-2-255	C	kemeny	robustness	0.084	min	-0.084	kendall_m	0.1289212a0t389212a0	0.389212a0	0.002	5641.2	11	False	True	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversarial-sara-2-255	C	kemeny	robustness	0.0926	min	-0.0926	kendall_m	0.1299779a0t399779a0	0.399779a0	0.002	5940.5	11	True	True	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversarial-sara-2-255	C	rrf	robustness	0.0902	min	-0.0902	kendall_m	0.1299779a0t399779a0	0.399779a0	0.002	1301.6	11	False	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversarial-sara-2-255	C	rrf	robustness	0.1024	min	-0.1024	kendall_m	0.1656867a0t656867a0	0.656867a0	0.002	3573	11	False	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversarial-sara-2-255	C	rrf	robustness	0.0916	min	-0.0916	kendall_m	0.1496275a0t496275a0	0.496275a0	0.002	4662	11	False	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversarial-sara-2-255	C	rrf	robustness	0.0864	min	-0.0864	kendall_m	0.1455333a0t455333a0	0.455333a0	0.002	4759.3	11	False	True	6

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversaria	C	rrf	robustness	0.0834	min	-0.0834	kendall_m	0.1295705	0.01395705	0.002	5098.7	11	False	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversaria	C	rrf	robustness	0.0876	min	-0.0876	kendall_m	0.1439565	0.01423565	0.002	5036.4	11	False	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversaria	C	rrf	robustness	0.0866	min	-0.0866	kendall_m	0.1404688	0.01404688	0.002	5469.8	11	False	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversaria	C	rrf	robustness	0.0862	min	-0.0862	kendall_m	0.1387434	0.01387434	0.002	5646.5	11	False	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversaria	C	rrf	robustness	0.0846	min	-0.0846	kendall_m	0.1389212	0.01389212	0.002	5641.2	11	False	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversaria	C	rrf	robustness	0.0886	min	-0.0886	kendall_m	0.1399779	0.01399779	0.002	5940.5	11	True	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversaria	C	schulze	robustness	0.091	min	-0.091	kendall_m	0.134901x	0.0134901x	0.002	1301.6	11	False	True	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversaria	C	schulze	robustness	0.0968	min	-0.0968	kendall_m	0.1656867	0.01656867	0.002	3573	11	False	True	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversaria	C	schulze	robustness	0.0834	min	-0.0834	kendall_m	0.1496275	0.01496275	0.002	4662	11	False	True	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversaria	C	schulze	robustness	0.0912	min	-0.0912	kendall_m	0.1455333	0.01455333	0.002	4759.3	11	False	True	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversaria	C	schulze	robustness	0.0856	min	-0.0856	kendall_m	0.1295705	0.01395705	0.002	5098.7	11	False	True	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversaria	C	schulze	robustness	0.0804	min	-0.0804	kendall_m	0.1439565	0.01423565	0.002	5036.4	11	False	True	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversaria	C	schulze	robustness	0.0892	min	-0.0892	kendall_m	0.1404688	0.01404688	0.002	5469.8	11	False	True	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversaria	C	schulze	robustness	0.083	min	-0.083	kendall_m	0.1387434	0.01387434	0.002	5646.5	11	False	True	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversaria	C	schulze	robustness	0.0852	min	-0.0852	kendall_m	0.1389212	0.01389212	0.002	5641.2	11	False	True	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversaria	C	schulze	robustness	0.0904	min	-0.0904	kendall_m	0.1399779	0.01399779	0.002	5940.5	11	True	True	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversaria	C	simpleavg	robustness	0.0934	min	-0.0934	kendall_m	0.134901x	0.0134901x	0.002	1301.6	11	False	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversaria	C	simpleavg	robustness	0.0928	min	-0.0928	kendall_m	0.1656867	0.01656867	0.002	3573	11	False	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversaria	C	simpleavg	robustness	0.083	min	-0.083	kendall_m	0.1496275	0.01496275	0.002	4662	11	False	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversaria	C	simpleavg	robustness	0.0836	min	-0.0836	kendall_m	0.1455333	0.01455333	0.002	4759.3	11	False	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversaria	C	simpleavg	robustness	0.078	min	-0.078	kendall_m	0.1295705	0.01395705	0.002	5098.7	11	False	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversaria	C	simpleavg	robustness	0.0782	min	-0.0782	kendall_m	0.1439565	0.01423565	0.002	5036.4	11	False	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversaria	C	simpleavg	robustness	0.0822	min	-0.0822	kendall_m	0.1404688	0.01404688	0.002	5469.8	11	False	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversaria	C	simpleavg	robustness	0.0842	min	-0.0842	kendall_m	0.1387434	0.01387434	0.002	5646.5	11	False	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversaria	C	simpleavg	robustness	0.08	min	-0.08	kendall_m	0.1389212	0.01389212	0.002	5641.2	11	False	True	6

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversaria-sara-2-255	C	simpleavg	robustness	0.0788	min	-0.0788	kendall_ma	0.1299779a0t399779a0	0.399779a0	0.002	5940.5	11	True	True	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversaria-sara-2-255	Cbar	borda	robustness	0.2096	min	-0.2096	kendall_ma	0.134901a0t34901a0	0.34901a0	0.002	1301.6	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversaria-sara-2-255	Cbar	borda	robustness	0.201	min	-0.201	kendall_ma	0.1656867a0t656867a0	0.656867a0	0.002	3573	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversaria-sara-2-255	Cbar	borda	robustness	0.2358	min	-0.2358	kendall_ma	0.1496275a0t496275a0	0.496275a0	0.002	4662	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversaria-sara-2-255	Cbar	borda	robustness	0.2572	min	-0.2572	kendall_ma	0.1458338a0t458338a0	0.58338a0	0.002	4759.3	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversaria-sara-2-255	Cbar	borda	robustness	0.264	min	-0.264	kendall_ma	0.1295705a0t395705a0	0.395705a0	0.002	5098.7	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversaria-sara-2-255	Cbar	borda	robustness	0.2686	min	-0.2686	kendall_ma	0.1428565a0t428565a0	0.428565a0	0.002	5036.4	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversaria-sara-2-255	Cbar	borda	robustness	0.2654	min	-0.2654	kendall_ma	0.1404688a0t404688a0	0.404688a0	0.002	5469.8	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversaria-sara-2-255	Cbar	borda	robustness	0.2664	min	-0.2664	kendall_ma	0.1287434a0t387434a0	0.387434a0	0.002	5646.5	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversaria-sara-2-255	Cbar	borda	robustness	0.2626	min	-0.2626	kendall_ma	0.1289212a0t389212a0	0.389212a0	0.002	5641.2	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversaria-sara-2-255	Cbar	borda	robustness	0.2556	min	-0.2556	kendall_ma	0.1299779a0t399779a0	0.399779a0	0.002	5940.5	11	True	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversaria-sara-2-255	Cbar	kemeny	robustness	0.2096	min	-0.2096	kendall_ma	0.134901a0t34901a0	0.34901a0	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversaria-sara-2-255	Cbar	kemeny	robustness	0.2164	min	-0.2164	kendall_ma	0.1656867a0t656867a0	0.656867a0	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversaria-sara-2-255	Cbar	kemeny	robustness	0.239	min	-0.239	kendall_ma	0.1496275a0t496275a0	0.496275a0	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversaria-sara-2-255	Cbar	kemeny	robustness	0.2498	min	-0.2498	kendall_ma	0.1458338a0t458338a0	0.58338a0	0.002	4759.3	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversaria-sara-2-255	Cbar	kemeny	robustness	0.2486	min	-0.2486	kendall_ma	0.1295705a0t395705a0	0.395705a0	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversaria-sara-2-255	Cbar	kemeny	robustness	0.2376	min	-0.2376	kendall_ma	0.1428565a0t428565a0	0.428565a0	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversaria-sara-2-255	Cbar	kemeny	robustness	0.2486	min	-0.2486	kendall_ma	0.1404688a0t404688a0	0.404688a0	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversaria-sara-2-255	Cbar	kemeny	robustness	0.246	min	-0.246	kendall_ma	0.1287434a0t387434a0	0.387434a0	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversaria-sara-2-255	Cbar	kemeny	robustness	0.234	min	-0.234	kendall_ma	0.1289212a0t389212a0	0.389212a0	0.002	5641.2	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversaria-sara-2-255	Cbar	kemeny	robustness	0.2166	min	-0.2166	kendall_ma	0.1299779a0t399779a0	0.399779a0	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversaria-sara-2-255	Cbar	rrf	robustness	0.2102	min	-0.2102	kendall_ma	0.134901a0t34901a0	0.34901a0	0.002	1301.6	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversaria-sara-2-255	Cbar	rrf	robustness	0.2064	min	-0.2064	kendall_ma	0.1656867a0t656867a0	0.656867a0	0.002	3573	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversaria-sara-2-255	Cbar	rrf	robustness	0.2372	min	-0.2372	kendall_ma	0.1496275a0t496275a0	0.496275a0	0.002	4662	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversaria-sara-2-255	Cbar	rrf	robustness	0.268	min	-0.268	kendall_ma	0.1458338a0t458338a0	0.58338a0	0.002	4759.3	11	False	True	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversaria	Cbar	rrf	robustness	0.2666	min	-0.2666	kendall_m	0.1295705	0.01395705	0.002	5098.7	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversaria	Cbar	rrf	robustness	0.2614	min	-0.2614	kendall_m	0.1439565	0.01423565	0.002	5036.4	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversaria	Cbar	rrf	robustness	0.2572	min	-0.2572	kendall_m	0.1404688	0.01404688	0.002	5469.8	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversaria	Cbar	rrf	robustness	0.2636	min	-0.2636	kendall_m	0.1387434	0.01387434	0.002	5646.5	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversaria	Cbar	rrf	robustness	0.2502	min	-0.2502	kendall_m	0.1389212	0.01389212	0.002	5641.2	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversaria	Cbar	rrf	robustness	0.2434	min	-0.2434	kendall_m	0.1399779	0.01399779	0.002	5940.5	11	True	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversaria	Cbar	schulze	robustness	0.2096	min	-0.2096	kendall_m	0.134901x	0.0134901x	0.002	1301.6	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversaria	Cbar	schulze	robustness	0.1992	min	-0.1992	kendall_m	0.1656867	0.01656867	0.002	3573	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversaria	Cbar	schulze	robustness	0.2324	min	-0.2324	kendall_m	0.1496275	0.01496275	0.002	4662	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversaria	Cbar	schulze	robustness	0.2574	min	-0.2574	kendall_m	0.1455333	0.01455333	0.002	4759.3	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversaria	Cbar	schulze	robustness	0.267	min	-0.267	kendall_m	0.1295705	0.01395705	0.002	5098.7	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversaria	Cbar	schulze	robustness	0.2672	min	-0.2672	kendall_m	0.1439565	0.01423565	0.002	5036.4	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversaria	Cbar	schulze	robustness	0.2616	min	-0.2616	kendall_m	0.1404688	0.01404688	0.002	5469.8	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversaria	Cbar	schulze	robustness	0.2596	min	-0.2596	kendall_m	0.1387434	0.01387434	0.002	5646.5	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversaria	Cbar	schulze	robustness	0.244	min	-0.244	kendall_m	0.1389212	0.01389212	0.002	5641.2	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversaria	Cbar	schulze	robustness	0.2418	min	-0.2418	kendall_m	0.1399779	0.01399779	0.002	5940.5	11	True	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversaria	Cbar	simpleavg	robustness	0.2052	min	-0.2052	kendall_m	0.134901x	0.0134901x	0.002	1301.6	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversaria	Cbar	simpleavg	robustness	0.2038	min	-0.2038	kendall_m	0.1656867	0.01656867	0.002	3573	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversaria	Cbar	simpleavg	robustness	0.2204	min	-0.2204	kendall_m	0.1496275	0.01496275	0.002	4662	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversaria	Cbar	simpleavg	robustness	0.2532	min	-0.2532	kendall_m	0.1455333	0.01455333	0.002	4759.3	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversaria	Cbar	simpleavg	robustness	0.262	min	-0.262	kendall_m	0.1295705	0.01395705	0.002	5098.7	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversaria	Cbar	simpleavg	robustness	0.2722	min	-0.2722	kendall_m	0.1439565	0.01423565	0.002	5036.4	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversaria	Cbar	simpleavg	robustness	0.2576	min	-0.2576	kendall_m	0.1404688	0.01404688	0.002	5469.8	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversaria	Cbar	simpleavg	robustness	0.2738	min	-0.2738	kendall_m	0.1387434	0.01387434	0.002	5646.5	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversaria	Cbar	simpleavg	robustness	0.284	min	-0.284	kendall_m	0.1389212	0.01389212	0.002	5641.2	11	False	True	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversaria	Cbar	simpleavg	robustness	0.2848	min	-0.2848	kendall_m	0.1299779	0.1399779	0.002	5940.5	11	True	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversaria	F	borda	robustness	0.076	min	-0.076	kendall_m	0.134901	0.134901	0.002	1301.6	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversaria	F	borda	robustness	0.1022	min	-0.1022	kendall_m	0.1656867	0.1656867	0.002	3573	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversaria	F	borda	robustness	0.0902	min	-0.0902	kendall_m	0.1496275	0.1496275	0.002	4662	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversaria	F	borda	robustness	0.0782	min	-0.0782	kendall_m	0.1455333	0.1455333	0.002	4759.3	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversaria	F	borda	robustness	0.0778	min	-0.0778	kendall_m	0.1295705	0.1395705	0.002	5098.7	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversaria	F	borda	robustness	0.0726	min	-0.0726	kendall_m	0.1423565	0.1423565	0.002	5036.4	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversaria	F	borda	robustness	0.0808	min	-0.0808	kendall_m	0.1404658	0.1404658	0.002	5469.8	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversaria	F	borda	robustness	0.0718	min	-0.0718	kendall_m	0.1287434	0.1387434	0.002	5646.5	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversaria	F	borda	robustness	0.0718	min	-0.0718	kendall_m	0.1289212	0.1389212	0.002	5641.2	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversaria	F	borda	robustness	0.0736	min	-0.0736	kendall_m	0.1299779	0.1399779	0.002	5940.5	11	True	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversaria	F	kemeny	robustness	0.076	min	-0.076	kendall_m	0.134901	0.134901	0.002	1301.6	11	False	True	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversaria	F	kemeny	robustness	0.077	min	-0.077	kendall_m	0.1656867	0.1656867	0.002	3573	11	False	True	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversaria	F	kemeny	robustness	0.0766	min	-0.0766	kendall_m	0.1496275	0.1496275	0.002	4662	11	False	True	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversaria	F	kemeny	robustness	0.0688	min	-0.0688	kendall_m	0.1455333	0.1455333	0.002	4759.3	11	False	True	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversaria	F	kemeny	robustness	0.0672	min	-0.0672	kendall_m	0.1295705	0.1395705	0.002	5098.7	11	False	True	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversaria	F	kemeny	robustness	0.0688	min	-0.0688	kendall_m	0.1423565	0.1423565	0.002	5036.4	11	False	True	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversaria	F	kemeny	robustness	0.0622	min	-0.0622	kendall_m	0.1404658	0.1404658	0.002	5469.8	11	False	True	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversaria	F	kemeny	robustness	0.0638	min	-0.0638	kendall_m	0.1287434	0.1387434	0.002	5646.5	11	False	True	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversaria	F	kemeny	robustness	0.0654	min	-0.0654	kendall_m	0.1289212	0.1389212	0.002	5641.2	11	False	True	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversaria	F	kemeny	robustness	0.0714	min	-0.0714	kendall_m	0.1299779	0.1399779	0.002	5940.5	11	True	True	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversaria	F	rrf	robustness	0.0764	min	-0.0764	kendall_m	0.134901	0.134901	0.002	1301.6	11	False	True	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversaria	F	rrf	robustness	0.086	min	-0.086	kendall_m	0.1656867	0.1656867	0.002	3573	11	False	True	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversaria	F	rrf	robustness	0.0734	min	-0.0734	kendall_m	0.1496275	0.1496275	0.002	4662	11	False	True	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversaria	F	rrf	robustness	0.0678	min	-0.0678	kendall_m	0.1455333	0.1455333	0.002	4759.3	11	False	True	8

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversaria	F	rrf	robustness	0.0662	min	-0.0662	kendall_m	0.1295705	0.01395705	0.002	5098.7	11	False	True	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversaria	F	rrf	robustness	0.0672	min	-0.0672	kendall_m	0.1439565	0.01423565	0.002	5036.4	11	False	True	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversaria	F	rrf	robustness	0.065	min	-0.065	kendall_m	0.1404688	0.01404688	0.002	5469.8	11	False	True	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversaria	F	rrf	robustness	0.066	min	-0.066	kendall_m	0.1387434	0.01387434	0.002	5646.5	11	False	True	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversaria	F	rrf	robustness	0.0666	min	-0.0666	kendall_m	0.1389212	0.01389212	0.002	5641.2	11	False	True	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversaria	F	rrf	robustness	0.0696	min	-0.0696	kendall_m	0.1399779	0.01399779	0.002	5940.5	11	True	True	8
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversaria	F	schulze	robustness	0.076	min	-0.076	kendall_m	0.134901x	0.0134901x	0.002	1301.6	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversaria	F	schulze	robustness	0.079	min	-0.079	kendall_m	0.1656867	0.01656867	0.002	3573	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversaria	F	schulze	robustness	0.0706	min	-0.0706	kendall_m	0.1496275	0.01496275	0.002	4662	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversaria	F	schulze	robustness	0.0744	min	-0.0744	kendall_m	0.1455333	0.01455333	0.002	4759.3	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversaria	F	schulze	robustness	0.0698	min	-0.0698	kendall_m	0.1295705	0.01395705	0.002	5098.7	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversaria	F	schulze	robustness	0.065	min	-0.065	kendall_m	0.1439565	0.01423565	0.002	5036.4	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversaria	F	schulze	robustness	0.0692	min	-0.0692	kendall_m	0.1404688	0.01404688	0.002	5469.8	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversaria	F	schulze	robustness	0.0642	min	-0.0642	kendall_m	0.1387434	0.01387434	0.002	5646.5	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversaria	F	schulze	robustness	0.0652	min	-0.0652	kendall_m	0.1389212	0.01389212	0.002	5641.2	11	False	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversaria	F	schulze	robustness	0.072	min	-0.072	kendall_m	0.1399779	0.01399779	0.002	5940.5	11	True	True	9
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversaria	F	simpleavg	robustness	0.0772	min	-0.0772	kendall_m	0.134901x	0.0134901x	0.002	1301.6	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversaria	F	simpleavg	robustness	0.0752	min	-0.0752	kendall_m	0.1656867	0.01656867	0.002	3573	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversaria	F	simpleavg	robustness	0.0676	min	-0.0676	kendall_m	0.1496275	0.01496275	0.002	4662	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversaria	F	simpleavg	robustness	0.0688	min	-0.0688	kendall_m	0.1455333	0.01455333	0.002	4759.3	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversaria	F	simpleavg	robustness	0.0648	min	-0.0648	kendall_m	0.1295705	0.01395705	0.002	5098.7	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversaria	F	simpleavg	robustness	0.0646	min	-0.0646	kendall_m	0.1439565	0.01423565	0.002	5036.4	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversaria	F	simpleavg	robustness	0.0672	min	-0.0672	kendall_m	0.1404688	0.01404688	0.002	5469.8	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversaria	F	simpleavg	robustness	0.0672	min	-0.0672	kendall_m	0.1387434	0.01387434	0.002	5646.5	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversaria	F	simpleavg	robustness	0.065	min	-0.065	kendall_m	0.1389212	0.01389212	0.002	5641.2	11	False	True	11

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversaria	F	simpleavg	robustness	0.0632	min	-0.0632	kendall_m	0.1299779	0.1399779	0.002	5940.5	11	True	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversaria	Fbar	borda	robustness	0.2034	min	-0.2034	kendall_m	0.134901	0.134901	0.002	1301.6	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversaria	Fbar	borda	robustness	0.1906	min	-0.1906	kendall_m	0.1656867	0.1656867	0.002	3573	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversaria	Fbar	borda	robustness	0.2242	min	-0.2242	kendall_m	0.1496275	0.1496275	0.002	4662	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversaria	Fbar	borda	robustness	0.248	min	-0.248	kendall_m	0.1455333	0.1455333	0.002	4759.3	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversaria	Fbar	borda	robustness	0.256	min	-0.256	kendall_m	0.1295705	0.1395705	0.002	5098.7	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversaria	Fbar	borda	robustness	0.2546	min	-0.2546	kendall_m	0.1433565	0.1433565	0.002	5036.4	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversaria	Fbar	borda	robustness	0.2486	min	-0.2486	kendall_m	0.1404658	0.1404658	0.002	5469.8	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversaria	Fbar	borda	robustness	0.257	min	-0.257	kendall_m	0.1387434	0.1387434	0.002	5646.5	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversaria	Fbar	borda	robustness	0.254	min	-0.254	kendall_m	0.1389212	0.1389212	0.002	5641.2	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversaria	Fbar	borda	robustness	0.2438	min	-0.2438	kendall_m	0.1299779	0.1399779	0.002	5940.5	11	True	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversaria	Fbar	kemeny	robustness	0.2034	min	-0.2034	kendall_m	0.134901	0.134901	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversaria	Fbar	kemeny	robustness	0.207	min	-0.207	kendall_m	0.1656867	0.1656867	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversaria	Fbar	kemeny	robustness	0.2344	min	-0.2344	kendall_m	0.1496275	0.1496275	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversaria	Fbar	kemeny	robustness	0.2416	min	-0.2416	kendall_m	0.1455333	0.1455333	0.002	4759.3	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversaria	Fbar	kemeny	robustness	0.2386	min	-0.2386	kendall_m	0.1295705	0.1395705	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversaria	Fbar	kemeny	robustness	0.2282	min	-0.2282	kendall_m	0.1433565	0.1433565	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversaria	Fbar	kemeny	robustness	0.2356	min	-0.2356	kendall_m	0.1404658	0.1404658	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversaria	Fbar	kemeny	robustness	0.2382	min	-0.2382	kendall_m	0.1387434	0.1387434	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversaria	Fbar	kemeny	robustness	0.2262	min	-0.2262	kendall_m	0.1389212	0.1389212	0.002	5641.2	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversaria	Fbar	kemeny	robustness	0.2106	min	-0.2106	kendall_m	0.1299779	0.1399779	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversaria	Fbar	rrf	robustness	0.204	min	-0.204	kendall_m	0.134901	0.134901	0.002	1301.6	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversaria	Fbar	rrf	robustness	0.2022	min	-0.2022	kendall_m	0.1656867	0.1656867	0.002	3573	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversaria	Fbar	rrf	robustness	0.2262	min	-0.2262	kendall_m	0.1496275	0.1496275	0.002	4662	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversaria	Fbar	rrf	robustness	0.2546	min	-0.2546	kendall_m	0.1455333	0.1455333	0.002	4759.3	11	False	True	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversaria	Fbar	rrf	robustness	0.2526	min	-0.2526	kendall_m	0.1295705	0.395705	0.002	5098.7	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversaria	Fbar	rrf	robustness	0.2504	min	-0.2504	kendall_m	0.129565	0.423565	0.002	5036.4	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversaria	Fbar	rrf	robustness	0.2458	min	-0.2458	kendall_m	0.1404688	0.404688	0.002	5469.8	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversaria	Fbar	rrf	robustness	0.2544	min	-0.2544	kendall_m	0.1287434	0.387434	0.002	5646.5	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversaria	Fbar	rrf	robustness	0.2426	min	-0.2426	kendall_m	0.1289212	0.389212	0.002	5641.2	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversaria	Fbar	rrf	robustness	0.238	min	-0.238	kendall_m	0.1299779	0.399779	0.002	5940.5	11	True	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversaria	Fbar	schulze	robustness	0.2034	min	-0.2034	kendall_m	0.134901	0.34901	0.002	1301.6	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversaria	Fbar	schulze	robustness	0.191	min	-0.191	kendall_m	0.1656867	0.656867	0.002	3573	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversaria	Fbar	schulze	robustness	0.225	min	-0.225	kendall_m	0.1496275	0.496275	0.002	4662	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversaria	Fbar	schulze	robustness	0.2486	min	-0.2486	kendall_m	0.1455333	0.45333	0.002	4759.3	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversaria	Fbar	schulze	robustness	0.2534	min	-0.2534	kendall_m	0.1295705	0.395705	0.002	5098.7	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversaria	Fbar	schulze	robustness	0.2512	min	-0.2512	kendall_m	0.129565	0.423565	0.002	5036.4	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversaria	Fbar	schulze	robustness	0.2494	min	-0.2494	kendall_m	0.1404688	0.404688	0.002	5469.8	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversaria	Fbar	schulze	robustness	0.2456	min	-0.2456	kendall_m	0.1287434	0.387434	0.002	5646.5	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversaria	Fbar	schulze	robustness	0.2358	min	-0.2358	kendall_m	0.1289212	0.389212	0.002	5641.2	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversaria	Fbar	schulze	robustness	0.2358	min	-0.2358	kendall_m	0.1299779	0.399779	0.002	5940.5	11	True	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	adversaria	Fbar	simpleavg	robustness	0.198	min	-0.198	kendall_m	0.134901	0.34901	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	adversaria	Fbar	simpleavg	robustness	0.1992	min	-0.1992	kendall_m	0.1656867	0.656867	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	adversaria	Fbar	simpleavg	robustness	0.2134	min	-0.2134	kendall_m	0.1496275	0.496275	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	adversaria	Fbar	simpleavg	robustness	0.2444	min	-0.2444	kendall_m	0.1455333	0.45333	0.002	4759.3	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	adversaria	Fbar	simpleavg	robustness	0.2506	min	-0.2506	kendall_m	0.1295705	0.395705	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	adversaria	Fbar	simpleavg	robustness	0.2612	min	-0.2612	kendall_m	0.129565	0.423565	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	adversaria	Fbar	simpleavg	robustness	0.2474	min	-0.2474	kendall_m	0.1404688	0.404688	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	adversaria	Fbar	simpleavg	robustness	0.2612	min	-0.2612	kendall_m	0.1287434	0.387434	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	adversaria	Fbar	simpleavg	robustness	0.2698	min	-0.2698	kendall_m	0.1289212	0.389212	0.002	5641.2	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	adversarial	Fbar	simpleavg	robustness	0.2696	min	-0.2696	kendall_m	0.1299779	0.1399779	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	C	borda	robustness	0.0846	min	-0.0846	kendall_m	0.134901	0.134901	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	C	borda	robustness	0.1022	min	-0.1022	kendall_m	0.1656867	0.1656867	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	C	borda	robustness	0.1066	min	-0.1066	kendall_m	0.1496275	0.1496275	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	C	borda	robustness	0.1024	min	-0.1024	kendall_m	0.1455333	0.1455333	0.002	4759.3	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	C	borda	robustness	0.1052	min	-0.1052	kendall_m	0.1295705	0.1295705	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	C	borda	robustness	0.0982	min	-0.0982	kendall_m	0.1423565	0.1423565	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	C	borda	robustness	0.1064	min	-0.1064	kendall_m	0.1404658	0.1404658	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	C	borda	robustness	0.11	min	-0.11	kendall_m	0.1287434	0.1287434	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	C	borda	robustness	0.119	min	-0.119	kendall_m	0.1289212	0.1289212	0.002	5641.2	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	C	borda	robustness	0.1126	min	-0.1126	kendall_m	0.1299779	0.1399779	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	C	kemeny	robustness	0.0846	min	-0.0846	kendall_m	0.134901	0.134901	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	C	kemeny	robustness	0.0906	min	-0.0906	kendall_m	0.1656867	0.1656867	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	C	kemeny	robustness	0.0984	min	-0.0984	kendall_m	0.1496275	0.1496275	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	C	kemeny	robustness	0.0962	min	-0.0962	kendall_m	0.1455333	0.1455333	0.002	4759.3	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	C	kemeny	robustness	0.111	min	-0.111	kendall_m	0.1295705	0.1295705	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	C	kemeny	robustness	0.1052	min	-0.1052	kendall_m	0.1423565	0.1423565	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	C	kemeny	robustness	0.1076	min	-0.1076	kendall_m	0.1404658	0.1404658	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	C	kemeny	robustness	0.1174	min	-0.1174	kendall_m	0.1287434	0.1287434	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	C	kemeny	robustness	0.119	min	-0.119	kendall_m	0.1289212	0.1289212	0.002	5641.2	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	C	kemeny	robustness	0.1174	min	-0.1174	kendall_m	0.1299779	0.1399779	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	C	rrf	robustness	0.0862	min	-0.0862	kendall_m	0.134901	0.134901	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	C	rrf	robustness	0.1028	min	-0.1028	kendall_m	0.1656867	0.1656867	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	C	rrf	robustness	0.1046	min	-0.1046	kendall_m	0.1496275	0.1496275	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	C	rrf	robustness	0.1008	min	-0.1008	kendall_m	0.1455333	0.1455333	0.002	4759.3	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	C	rrf	robustness	0.1096	min	-0.1096	kendall_model	1.295705e+01	395705e+00	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	C	rrf	robustness	0.1044	min	-0.1044	kendall_model	1.433565e+01	23565e+00	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	C	rrf	robustness	0.1142	min	-0.1142	kendall_model	1.404688e+01	04688e+00	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	C	rrf	robustness	0.1166	min	-0.1166	kendall_model	1.387434e+01	387434e+00	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	C	rrf	robustness	0.1136	min	-0.1136	kendall_model	1.389212e+01	389212e+00	0.002	5641.2	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	C	rrf	robustness	0.1182	min	-0.1182	kendall_model	1.399779e+01	399779e+00	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	C	schulze	robustness	0.0846	min	-0.0846	kendall_model	1.34901e+01	34901e+00	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	C	schulze	robustness	0.0962	min	-0.0962	kendall_model	1.656867e+01	656867e+00	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	C	schulze	robustness	0.1046	min	-0.1046	kendall_model	1.496275e+01	496275e+00	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	C	schulze	robustness	0.101	min	-0.101	kendall_model	1.455333e+01	455333e+00	0.002	4759.3	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	C	schulze	robustness	0.1136	min	-0.1136	kendall_model	1.295705e+01	395705e+00	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	C	schulze	robustness	0.0978	min	-0.0978	kendall_model	1.433565e+01	23565e+00	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	C	schulze	robustness	0.109	min	-0.109	kendall_model	1.404688e+01	04688e+00	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	C	schulze	robustness	0.1158	min	-0.1158	kendall_model	1.387434e+01	387434e+00	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	C	schulze	robustness	0.1166	min	-0.1166	kendall_model	1.389212e+01	389212e+00	0.002	5641.2	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	C	schulze	robustness	0.1186	min	-0.1186	kendall_model	1.399779e+01	399779e+00	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	C	simpleavg	robustness	0.0826	min	-0.0826	kendall_model	1.34901e+01	34901e+00	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	C	simpleavg	robustness	0.108	min	-0.108	kendall_model	1.656867e+01	656867e+00	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	C	simpleavg	robustness	0.1106	min	-0.1106	kendall_model	1.496275e+01	496275e+00	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	C	simpleavg	robustness	0.1064	min	-0.1064	kendall_model	1.455333e+01	455333e+00	0.002	4759.3	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	C	simpleavg	robustness	0.108	min	-0.108	kendall_model	1.295705e+01	395705e+00	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	C	simpleavg	robustness	0.0994	min	-0.0994	kendall_model	1.433565e+01	23565e+00	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	C	simpleavg	robustness	0.1098	min	-0.1098	kendall_model	1.404688e+01	04688e+00	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	C	simpleavg	robustness	0.1136	min	-0.1136	kendall_model	1.387434e+01	387434e+00	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	C	simpleavg	robustness	0.112	min	-0.112	kendall_model	1.389212e+01	389212e+00	0.002	5641.2	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	C	simpleavg	robustness	0.1104	min	-0.1104	kendall_ma	0.1299779a0t399779a0	0.399779a0	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	Cbar	borda	robustness	0.272	min	-0.272	kendall_ma	0.1349013a0t349013a0	0.349013a0	0.002	1301.6	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	Cbar	borda	robustness	0.3032	min	-0.3032	kendall_ma	0.1656867a0t656867a0	0.656867a0	0.002	3573	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	Cbar	borda	robustness	0.27	min	-0.27	kendall_ma	0.1496275a0t496275a0	0.496275a0	0.002	4662	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	Cbar	borda	robustness	0.278	min	-0.278	kendall_ma	0.1458338a0t458338a0	0.58338a0	0.002	4759.3	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	Cbar	borda	robustness	0.2582	min	-0.2582	kendall_ma	0.1295705a0t395705a0	0.395705a0	0.002	5098.7	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	Cbar	borda	robustness	0.2622	min	-0.2622	kendall_ma	0.1428565a0t428565a0	0.428565a0	0.002	5036.4	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	Cbar	borda	robustness	0.2684	min	-0.2684	kendall_ma	0.1404688a0t404688a0	0.4688a0	0.002	5469.8	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	Cbar	borda	robustness	0.2422	min	-0.2422	kendall_ma	0.1287434a0t387434a0	0.387434a0	0.002	5646.5	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	Cbar	borda	robustness	0.2304	min	-0.2304	kendall_ma	0.1289212a0t389212a0	0.389212a0	0.002	5641.2	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	Cbar	borda	robustness	0.2226	min	-0.2226	kendall_ma	0.1299779a0t399779a0	0.399779a0	0.002	5940.5	11	True	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	Cbar	kemeny	robustness	0.272	min	-0.272	kendall_ma	0.1349013a0t349013a0	0.349013a0	0.002	1301.6	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	Cbar	kemeny	robustness	0.2712	min	-0.2712	kendall_ma	0.1656867a0t656867a0	0.656867a0	0.002	3573	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	Cbar	kemeny	robustness	0.2536	min	-0.2536	kendall_ma	0.1496275a0t496275a0	0.496275a0	0.002	4662	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	Cbar	kemeny	robustness	0.277	min	-0.277	kendall_ma	0.1458338a0t458338a0	0.58338a0	0.002	4759.3	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	Cbar	kemeny	robustness	0.2466	min	-0.2466	kendall_ma	0.1295705a0t395705a0	0.395705a0	0.002	5098.7	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	Cbar	kemeny	robustness	0.2566	min	-0.2566	kendall_ma	0.1428565a0t428565a0	0.428565a0	0.002	5036.4	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	Cbar	kemeny	robustness	0.2588	min	-0.2588	kendall_ma	0.1404688a0t404688a0	0.4688a0	0.002	5469.8	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	Cbar	kemeny	robustness	0.2306	min	-0.2306	kendall_ma	0.1287434a0t387434a0	0.387434a0	0.002	5646.5	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	Cbar	kemeny	robustness	0.2028	min	-0.2028	kendall_ma	0.1289212a0t389212a0	0.389212a0	0.002	5641.2	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	Cbar	kemeny	robustness	0.1992	min	-0.1992	kendall_ma	0.1299779a0t399779a0	0.399779a0	0.002	5940.5	11	True	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	Cbar	rrf	robustness	0.2736	min	-0.2736	kendall_ma	0.1349013a0t349013a0	0.349013a0	0.002	1301.6	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	Cbar	rrf	robustness	0.273	min	-0.273	kendall_ma	0.1656867a0t656867a0	0.656867a0	0.002	3573	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	Cbar	rrf	robustness	0.2588	min	-0.2588	kendall_ma	0.1496275a0t496275a0	0.496275a0	0.002	4662	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	Cbar	rrf	robustness	0.276	min	-0.276	kendall_ma	0.1458338a0t458338a0	0.58338a0	0.002	4759.3	11	False	True	11

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	Cbar	rrf	robustness	0.2604	min	-0.2604	kendall_m	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	Cbar	rrf	robustness	0.2706	min	-0.2706	kendall_m	11438565a01423565a0002	11438565a01423565a0002	5036.4	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	Cbar	rrf	robustness	0.2622	min	-0.2622	kendall_m	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	Cbar	rrf	robustness	0.2428	min	-0.2428	kendall_m	11387434a01387434a0002	11387434a01387434a0002	5646.5	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	Cbar	rrf	robustness	0.2338	min	-0.2338	kendall_m	11389212a01389212a0002	11389212a01389212a0002	5641.2	11	False	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	Cbar	rrf	robustness	0.2304	min	-0.2304	kendall_m	11399779a01399779a0002	11399779a01399779a0002	5940.5	11	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	Cbar	schulze	robustness	0.272	min	-0.272	kendall_m	1134901a0134901a0002	1134901a0134901a0002	1301.6	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	Cbar	schulze	robustness	0.2864	min	-0.2864	kendall_m	11656867a01656867a0002	11656867a01656867a0002	3573	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	Cbar	schulze	robustness	0.2594	min	-0.2594	kendall_m	11496275a01496275a0002	11496275a01496275a0002	4662	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	Cbar	schulze	robustness	0.2744	min	-0.2744	kendall_m	11458338a01458338a0002	11458338a01458338a0002	4759.3	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	Cbar	schulze	robustness	0.252	min	-0.252	kendall_m	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	Cbar	schulze	robustness	0.266	min	-0.266	kendall_m	11438565a01423565a0002	11438565a01423565a0002	5036.4	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	Cbar	schulze	robustness	0.2628	min	-0.2628	kendall_m	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	Cbar	schulze	robustness	0.2388	min	-0.2388	kendall_m	11387434a01387434a0002	11387434a01387434a0002	5646.5	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	Cbar	schulze	robustness	0.209	min	-0.209	kendall_m	11389212a01389212a0002	11389212a01389212a0002	5641.2	11	False	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	Cbar	schulze	robustness	0.2112	min	-0.2112	kendall_m	11399779a01399779a0002	11399779a01399779a0002	5940.5	11	True	True	10	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	Cbar	simpleavg	robustness	0.2718	min	-0.2718	kendall_m	1134901a0134901a0002	1134901a0134901a0002	1301.6	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	Cbar	simpleavg	robustness	0.2798	min	-0.2798	kendall_m	11656867a01656867a0002	11656867a01656867a0002	3573	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	Cbar	simpleavg	robustness	0.279	min	-0.279	kendall_m	11496275a01496275a0002	11496275a01496275a0002	4662	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	Cbar	simpleavg	robustness	0.292	min	-0.292	kendall_m	11458338a01458338a0002	11458338a01458338a0002	4759.3	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	Cbar	simpleavg	robustness	0.2868	min	-0.2868	kendall_m	11295705a01395705a0002	11295705a01395705a0002	5098.7	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	Cbar	simpleavg	robustness	0.294	min	-0.294	kendall_m	11438565a01423565a0002	11438565a01423565a0002	5036.4	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	Cbar	simpleavg	robustness	0.2862	min	-0.2862	kendall_m	11404688a01404688a0002	11404688a01404688a0002	5469.8	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	Cbar	simpleavg	robustness	0.2884	min	-0.2884	kendall_m	11387434a01387434a0002	11387434a01387434a0002	5646.5	11	False	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	Cbar	simpleavg	robustness	0.292	min	-0.292	kendall_m	11389212a01389212a0002	11389212a01389212a0002	5641.2	11	False	True	2	

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	Cbar	simpleavg	robustness	0.2906	min	-0.2906	kendall_ma11299779a01399779a0002	11299779a01399779a0002	11299779a01399779a0002	5940.5	11	True	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	F	borda	robustness	0.073	min	-0.073	kendall_ma11299779a01399779a0002	11299779a01399779a0002	1301.6	11	False	True	7		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	F	borda	robustness	0.0796	min	-0.0796	kendall_ma11299779a01399779a0002	11299779a01399779a0002	3573	11	False	True	7		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	F	borda	robustness	0.0838	min	-0.0838	kendall_ma11299779a01399779a0002	11299779a01399779a0002	4662	11	False	True	7		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	F	borda	robustness	0.0762	min	-0.0762	kendall_ma11299779a01399779a0002	11299779a01399779a0002	4759.3	11	False	True	7		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	F	borda	robustness	0.0786	min	-0.0786	kendall_ma11299779a01399779a0002	11299779a01399779a0002	5098.7	11	False	True	7		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	F	borda	robustness	0.0722	min	-0.0722	kendall_ma11299779a01399779a0002	11299779a01399779a0002	5036.4	11	False	True	7		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	F	borda	robustness	0.075	min	-0.075	kendall_ma11299779a01399779a0002	11299779a01399779a0002	5469.8	11	False	True	7		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	F	borda	robustness	0.0758	min	-0.0758	kendall_ma11299779a01399779a0002	11299779a01399779a0002	5646.5	11	False	True	7		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	F	borda	robustness	0.0834	min	-0.0834	kendall_ma11299779a01399779a0002	11299779a01399779a0002	5641.2	11	False	True	7		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	F	borda	robustness	0.0786	min	-0.0786	kendall_ma11299779a01399779a0002	11299779a01399779a0002	5940.5	11	True	True	7		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	F	kemeny	robustness	0.073	min	-0.073	kendall_ma11299779a01399779a0002	11299779a01399779a0002	1301.6	11	False	True	3		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	F	kemeny	robustness	0.0716	min	-0.0716	kendall_ma11299779a01399779a0002	11299779a01399779a0002	3573	11	False	True	3		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	F	kemeny	robustness	0.079	min	-0.079	kendall_ma11299779a01399779a0002	11299779a01399779a0002	4662	11	False	True	3		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	F	kemeny	robustness	0.0748	min	-0.0748	kendall_ma11299779a01399779a0002	11299779a01399779a0002	4759.3	11	False	True	3		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	F	kemeny	robustness	0.0842	min	-0.0842	kendall_ma11299779a01399779a0002	11299779a01399779a0002	5098.7	11	False	True	3		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	F	kemeny	robustness	0.0822	min	-0.0822	kendall_ma11299779a01399779a0002	11299779a01399779a0002	5036.4	11	False	True	3		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	F	kemeny	robustness	0.082	min	-0.082	kendall_ma11299779a01399779a0002	11299779a01399779a0002	5469.8	11	False	True	3		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	F	kemeny	robustness	0.0848	min	-0.0848	kendall_ma11299779a01399779a0002	11299779a01399779a0002	5646.5	11	False	True	3		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	F	kemeny	robustness	0.0866	min	-0.0866	kendall_ma11299779a01399779a0002	11299779a01399779a0002	5641.2	11	False	True	3		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	F	kemeny	robustness	0.0846	min	-0.0846	kendall_ma11299779a01399779a0002	11299779a01399779a0002	5940.5	11	True	True	3		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	F	rrf	robustness	0.0736	min	-0.0736	kendall_ma11299779a01399779a0002	11299779a01399779a0002	1301.6	11	False	True	2		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	F	rrf	robustness	0.0816	min	-0.0816	kendall_ma11299779a01399779a0002	11299779a01399779a0002	3573	11	False	True	2		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	F	rrf	robustness	0.0812	min	-0.0812	kendall_ma11299779a01399779a0002	11299779a01399779a0002	4662	11	False	True	2		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	F	rrf	robustness	0.0754	min	-0.0754	kendall_ma11299779a01399779a0002	11299779a01399779a0002	4759.3	11	False	True	2		

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	F	rrf	robustness	0.0816	min	-0.0816	kendall_m	11295705a01395705a0002	11295705a01395705a0002	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	F	rrf	robustness	0.0766	min	-0.0766	kendall_m	11438565a01423565a0002	11438565a01423565a0002	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	F	rrf	robustness	0.0814	min	-0.0814	kendall_m	11404688a01404688a0002	11404688a01404688a0002	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	F	rrf	robustness	0.0822	min	-0.0822	kendall_m	11387434a01387434a0002	11387434a01387434a0002	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	F	rrf	robustness	0.0794	min	-0.0794	kendall_m	11389212a01389212a0002	11389212a01389212a0002	0.002	5641.2	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	F	rrf	robustness	0.0834	min	-0.0834	kendall_m	11399779a01399779a0002	11399779a01399779a0002	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	F	schulze	robustness	0.073	min	-0.073	kendall_m	1134901a0134901a0002	1134901a0134901a0002	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	F	schulze	robustness	0.0742	min	-0.0742	kendall_m	11656867a01656867a0002	11656867a01656867a0002	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	F	schulze	robustness	0.085	min	-0.085	kendall_m	11496275a01496275a0002	11496275a01496275a0002	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	F	schulze	robustness	0.0766	min	-0.0766	kendall_m	11458338a01458338a0002	11458338a01458338a0002	0.002	4759.3	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	F	schulze	robustness	0.0826	min	-0.0826	kendall_m	11295705a01395705a0002	11295705a01395705a0002	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	F	schulze	robustness	0.0786	min	-0.0786	kendall_m	11438565a01423565a0002	11438565a01423565a0002	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	F	schulze	robustness	0.0784	min	-0.0784	kendall_m	11404688a01404688a0002	11404688a01404688a0002	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	F	schulze	robustness	0.0848	min	-0.0848	kendall_m	11387434a01387434a0002	11387434a01387434a0002	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	F	schulze	robustness	0.084	min	-0.084	kendall_m	11389212a01389212a0002	11389212a01389212a0002	0.002	5641.2	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	F	schulze	robustness	0.0862	min	-0.0862	kendall_m	11399779a01399779a0002	11399779a01399779a0002	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	F	simpleavg	robustness	0.0672	min	-0.0672	kendall_m	1134901a0134901a0002	1134901a0134901a0002	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	F	simpleavg	robustness	0.0828	min	-0.0828	kendall_m	11656867a01656867a0002	11656867a01656867a0002	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	F	simpleavg	robustness	0.0834	min	-0.0834	kendall_m	11496275a01496275a0002	11496275a01496275a0002	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	F	simpleavg	robustness	0.077	min	-0.077	kendall_m	11458338a01458338a0002	11458338a01458338a0002	0.002	4759.3	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	F	simpleavg	robustness	0.0784	min	-0.0784	kendall_m	11295705a01395705a0002	11295705a01395705a0002	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	F	simpleavg	robustness	0.0742	min	-0.0742	kendall_m	11438565a01423565a0002	11438565a01423565a0002	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	F	simpleavg	robustness	0.0762	min	-0.0762	kendall_m	11404688a01404688a0002	11404688a01404688a0002	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	F	simpleavg	robustness	0.0792	min	-0.0792	kendall_m	11387434a01387434a0002	11387434a01387434a0002	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	F	simpleavg	robustness	0.0784	min	-0.0784	kendall_m	11389212a01389212a0002	11389212a01389212a0002	0.002	5641.2	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	F	simpleavg	robustness	0.0774	min	-0.0774	kendall_ma	0.1299779a0t399779a0	0.399779a0	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	Fbar	borda	robustness	0.223	min	-0.223	kendall_ma	0.1349013a0t349013a0	0.349013a0	0.002	1301.6	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	Fbar	borda	robustness	0.2524	min	-0.2524	kendall_ma	0.1656867a0t656867a0	0.656867a0	0.002	3573	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	Fbar	borda	robustness	0.2212	min	-0.2212	kendall_ma	0.1496275a0t496275a0	0.496275a0	0.002	4662	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	Fbar	borda	robustness	0.2288	min	-0.2288	kendall_ma	0.1458338a0t458338a0	0.58338a0	0.002	4759.3	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	Fbar	borda	robustness	0.213	min	-0.213	kendall_ma	0.1295705a0t395705a0	0.395705a0	0.002	5098.7	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	Fbar	borda	robustness	0.2164	min	-0.2164	kendall_ma	0.1438565a0t438565a0	0.438565a0	0.002	5036.4	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	Fbar	borda	robustness	0.22	min	-0.22	kendall_ma	0.1404688a0t404688a0	0.4688a0	0.002	5469.8	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	Fbar	borda	robustness	0.1984	min	-0.1984	kendall_ma	0.1287434a0t387434a0	0.387434a0	0.002	5646.5	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	Fbar	borda	robustness	0.1898	min	-0.1898	kendall_ma	0.1289212a0t389212a0	0.389212a0	0.002	5641.2	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	Fbar	borda	robustness	0.1832	min	-0.1832	kendall_ma	0.1299779a0t399779a0	0.399779a0	0.002	5940.5	11	True	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	Fbar	kemeny	robustness	0.223	min	-0.223	kendall_ma	0.1349013a0t349013a0	0.349013a0	0.002	1301.6	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	Fbar	kemeny	robustness	0.2204	min	-0.2204	kendall_ma	0.1656867a0t656867a0	0.656867a0	0.002	3573	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	Fbar	kemeny	robustness	0.2088	min	-0.2088	kendall_ma	0.1496275a0t496275a0	0.496275a0	0.002	4662	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	Fbar	kemeny	robustness	0.2326	min	-0.2326	kendall_ma	0.1458338a0t458338a0	0.58338a0	0.002	4759.3	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	Fbar	kemeny	robustness	0.2006	min	-0.2006	kendall_ma	0.1295705a0t395705a0	0.395705a0	0.002	5098.7	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	Fbar	kemeny	robustness	0.215	min	-0.215	kendall_ma	0.1438565a0t438565a0	0.438565a0	0.002	5036.4	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	Fbar	kemeny	robustness	0.2158	min	-0.2158	kendall_ma	0.1404688a0t404688a0	0.4688a0	0.002	5469.8	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	Fbar	kemeny	robustness	0.1886	min	-0.1886	kendall_ma	0.1287434a0t387434a0	0.387434a0	0.002	5646.5	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	Fbar	kemeny	robustness	0.1636	min	-0.1636	kendall_ma	0.1289212a0t389212a0	0.389212a0	0.002	5641.2	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	Fbar	kemeny	robustness	0.161	min	-0.161	kendall_ma	0.1299779a0t399779a0	0.399779a0	0.002	5940.5	11	True	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	Fbar	rrf	robustness	0.2246	min	-0.2246	kendall_ma	0.1349013a0t349013a0	0.349013a0	0.002	1301.6	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	Fbar	rrf	robustness	0.224	min	-0.224	kendall_ma	0.1656867a0t656867a0	0.656867a0	0.002	3573	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	Fbar	rrf	robustness	0.2104	min	-0.2104	kendall_ma	0.1496275a0t496275a0	0.496275a0	0.002	4662	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	Fbar	rrf	robustness	0.2274	min	-0.2274	kendall_ma	0.1458338a0t458338a0	0.58338a0	0.002	4759.3	11	False	True	11

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	Fbar	rrf	robustness	0.2132	min	-0.2132	kendall_m	0.1295705	0.01395705	0.002	5098.7	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	Fbar	rrf	robustness	0.2264	min	-0.2264	kendall_m	0.1433565	0.01423565	0.002	5036.4	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	Fbar	rrf	robustness	0.2196	min	-0.2196	kendall_m	0.1404688	0.01404688	0.002	5469.8	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	Fbar	rrf	robustness	0.2016	min	-0.2016	kendall_m	0.1387434	0.01387434	0.002	5646.5	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	Fbar	rrf	robustness	0.1936	min	-0.1936	kendall_m	0.1389212	0.01389212	0.002	5641.2	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	Fbar	rrf	robustness	0.1912	min	-0.1912	kendall_m	0.1399779	0.01399779	0.002	5940.5	11	True	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	Fbar	schulze	robustness	0.223	min	-0.223	kendall_m	0.134901	0.0134901	0.002	1301.6	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	Fbar	schulze	robustness	0.2358	min	-0.2358	kendall_m	0.1656867	0.01656867	0.002	3573	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	Fbar	schulze	robustness	0.2116	min	-0.2116	kendall_m	0.1496275	0.01496275	0.002	4662	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	Fbar	schulze	robustness	0.2256	min	-0.2256	kendall_m	0.1455333	0.01455333	0.002	4759.3	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	Fbar	schulze	robustness	0.2084	min	-0.2084	kendall_m	0.1295705	0.01395705	0.002	5098.7	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	Fbar	schulze	robustness	0.2172	min	-0.2172	kendall_m	0.1433565	0.01423565	0.002	5036.4	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	Fbar	schulze	robustness	0.2206	min	-0.2206	kendall_m	0.1404688	0.01404688	0.002	5469.8	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	Fbar	schulze	robustness	0.193	min	-0.193	kendall_m	0.1387434	0.01387434	0.002	5646.5	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	Fbar	schulze	robustness	0.1678	min	-0.1678	kendall_m	0.1389212	0.01389212	0.002	5641.2	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	Fbar	schulze	robustness	0.1718	min	-0.1718	kendall_m	0.1399779	0.01399779	0.002	5940.5	11	True	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	gaussian-0.15	Fbar	simpleavg	robustness	0.2204	min	-0.2204	kendall_m	0.134901	0.0134901	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	gaussian-0.15	Fbar	simpleavg	robustness	0.2322	min	-0.2322	kendall_m	0.1656867	0.01656867	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	gaussian-0.15	Fbar	simpleavg	robustness	0.2312	min	-0.2312	kendall_m	0.1496275	0.01496275	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	gaussian-0.15	Fbar	simpleavg	robustness	0.2478	min	-0.2478	kendall_m	0.1455333	0.01455333	0.002	4759.3	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	gaussian-0.15	Fbar	simpleavg	robustness	0.2418	min	-0.2418	kendall_m	0.1295705	0.01395705	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	gaussian-0.15	Fbar	simpleavg	robustness	0.2496	min	-0.2496	kendall_m	0.1433565	0.01423565	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	gaussian-0.15	Fbar	simpleavg	robustness	0.2428	min	-0.2428	kendall_m	0.1404688	0.01404688	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	gaussian-0.15	Fbar	simpleavg	robustness	0.2444	min	-0.2444	kendall_m	0.1387434	0.01387434	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	gaussian-0.15	Fbar	simpleavg	robustness	0.2488	min	-0.2488	kendall_m	0.1389212	0.01389212	0.002	5641.2	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	gaussian-0.15	Fbar	simpleavg	robustness	0.2488	min	-0.2488	kendall_ma	0.1299779a0t399779a0	0.399779a0	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	salt-pepper-0.05	C	borda	robustness	0.0684	min	-0.0684	kendall_ma	0.134901a0t34901a0	0.34901a0	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	salt-pepper-0.05	C	borda	robustness	0.0904	min	-0.0904	kendall_ma	0.1656867a0t656867a0	0.656867a0	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	salt-pepper-0.05	C	borda	robustness	0.096	min	-0.096	kendall_ma	0.1496275a0t496275a0	0.496275a0	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	salt-pepper-0.05	C	borda	robustness	0.094	min	-0.094	kendall_ma	0.1455333a0t455333a0	0.5333a0	0.002	4759.3	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	salt-pepper-0.05	C	borda	robustness	0.0952	min	-0.0952	kendall_ma	0.1295705a0t395705a0	0.395705a0	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	salt-pepper-0.05	C	borda	robustness	0.087	min	-0.087	kendall_ma	0.1423565a0t423565a0	0.23565a0	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	salt-pepper-0.05	C	borda	robustness	0.0958	min	-0.0958	kendall_ma	0.1404658a0t404658a0	0.4658a0	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	salt-pepper-0.05	C	borda	robustness	0.1006	min	-0.1006	kendall_ma	0.1287434a0t387434a0	0.7434a0	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	salt-pepper-0.05	C	borda	robustness	0.1044	min	-0.1044	kendall_ma	0.1289212a0t389212a0	0.8212a0	0.002	5641.2	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	salt-pepper-0.05	C	borda	robustness	0.1014	min	-0.1014	kendall_ma	0.1299779a0t399779a0	0.399779a0	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	salt-pepper-0.05	C	kemeny	robustness	0.0684	min	-0.0684	kendall_ma	0.134901a0t34901a0	0.34901a0	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	salt-pepper-0.05	C	kemeny	robustness	0.079	min	-0.079	kendall_ma	0.1656867a0t656867a0	0.656867a0	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	salt-pepper-0.05	C	kemeny	robustness	0.0854	min	-0.0854	kendall_ma	0.1496275a0t496275a0	0.496275a0	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	salt-pepper-0.05	C	kemeny	robustness	0.084	min	-0.084	kendall_ma	0.1455333a0t455333a0	0.5333a0	0.002	4759.3	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	salt-pepper-0.05	C	kemeny	robustness	0.0964	min	-0.0964	kendall_ma	0.1295705a0t395705a0	0.395705a0	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	salt-pepper-0.05	C	kemeny	robustness	0.0902	min	-0.0902	kendall_ma	0.1423565a0t423565a0	0.23565a0	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	salt-pepper-0.05	C	kemeny	robustness	0.0896	min	-0.0896	kendall_ma	0.1404658a0t404658a0	0.4658a0	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	salt-pepper-0.05	C	kemeny	robustness	0.103	min	-0.103	kendall_ma	0.1287434a0t387434a0	0.7434a0	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	salt-pepper-0.05	C	kemeny	robustness	0.1054	min	-0.1054	kendall_ma	0.1289212a0t389212a0	0.8212a0	0.002	5641.2	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	salt-pepper-0.05	C	kemeny	robustness	0.1036	min	-0.1036	kendall_ma	0.1299779a0t399779a0	0.399779a0	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	salt-pepper-0.05	C	rrf	robustness	0.0676	min	-0.0676	kendall_ma	0.134901a0t34901a0	0.34901a0	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	salt-pepper-0.05	C	rrf	robustness	0.0858	min	-0.0858	kendall_ma	0.1656867a0t656867a0	0.656867a0	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	salt-pepper-0.05	C	rrf	robustness	0.0946	min	-0.0946	kendall_ma	0.1496275a0t496275a0	0.496275a0	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	salt-pepper-0.05	C	rrf	robustness	0.093	min	-0.093	kendall_ma	0.1455333a0t455333a0	0.5333a0	0.002	4759.3	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	salt-pepper-0.05	C	rrf	robustness	0.095	min	-0.095	kendall_m	0.1295705	0.01395705	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	salt-pepper-0.05	C	rrf	robustness	0.0906	min	-0.0906	kendall_m	0.1433555	0.01423565	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	salt-pepper-0.05	C	rrf	robustness	0.093	min	-0.093	kendall_m	0.1404688	0.01404688	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	salt-pepper-0.05	C	rrf	robustness	0.0998	min	-0.0998	kendall_m	0.1387434	0.01387434	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	salt-pepper-0.05	C	rrf	robustness	0.1014	min	-0.1014	kendall_m	0.1389212	0.01389212	0.002	5641.2	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	salt-pepper-0.05	C	rrf	robustness	0.1036	min	-0.1036	kendall_m	0.1399779	0.01399779	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	salt-pepper-0.05	C	schulze	robustness	0.0684	min	-0.0684	kendall_m	0.134901	0.0134901	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	salt-pepper-0.05	C	schulze	robustness	0.0828	min	-0.0828	kendall_m	0.1656867	0.01656867	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	salt-pepper-0.05	C	schulze	robustness	0.0876	min	-0.0876	kendall_m	0.1496275	0.01496275	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	salt-pepper-0.05	C	schulze	robustness	0.0872	min	-0.0872	kendall_m	0.1455333	0.01455333	0.002	4759.3	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	salt-pepper-0.05	C	schulze	robustness	0.0958	min	-0.0958	kendall_m	0.1295705	0.01395705	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	salt-pepper-0.05	C	schulze	robustness	0.0932	min	-0.0932	kendall_m	0.1433555	0.01423565	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	salt-pepper-0.05	C	schulze	robustness	0.0956	min	-0.0956	kendall_m	0.1404688	0.01404688	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	salt-pepper-0.05	C	schulze	robustness	0.0998	min	-0.0998	kendall_m	0.1387434	0.01387434	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	salt-pepper-0.05	C	schulze	robustness	0.0984	min	-0.0984	kendall_m	0.1389212	0.01389212	0.002	5641.2	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	salt-pepper-0.05	C	schulze	robustness	0.1018	min	-0.1018	kendall_m	0.1399779	0.01399779	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	salt-pepper-0.05	C	simpleavg	robustness	0.0714	min	-0.0714	kendall_m	0.134901	0.0134901	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	salt-pepper-0.05	C	simpleavg	robustness	0.0936	min	-0.0936	kendall_m	0.1656867	0.01656867	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	salt-pepper-0.05	C	simpleavg	robustness	0.0948	min	-0.0948	kendall_m	0.1496275	0.01496275	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	salt-pepper-0.05	C	simpleavg	robustness	0.0976	min	-0.0976	kendall_m	0.1455333	0.01455333	0.002	4759.3	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	salt-pepper-0.05	C	simpleavg	robustness	0.0984	min	-0.0984	kendall_m	0.1295705	0.01395705	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	salt-pepper-0.05	C	simpleavg	robustness	0.0884	min	-0.0884	kendall_m	0.1433555	0.01423565	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	salt-pepper-0.05	C	simpleavg	robustness	0.0956	min	-0.0956	kendall_m	0.1404688	0.01404688	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	salt-pepper-0.05	C	simpleavg	robustness	0.0986	min	-0.0986	kendall_m	0.1387434	0.01387434	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	salt-pepper-0.05	C	simpleavg	robustness	0.0976	min	-0.0976	kendall_m	0.1389212	0.01389212	0.002	5641.2	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	salt-pepper-0.05	C	simpleavg	robustness	0.096	min	-0.096	kendall_mall	0.399779	0.399779	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	salt-pepper-0.05	Cbar	borda	robustness	0.2136	min	-0.2136	kendall_mall	0.349015	0.349015	0.002	1301.6	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	salt-pepper-0.05	Cbar	borda	robustness	0.2354	min	-0.2354	kendall_mall	0.656867	0.656867	0.002	3573	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	salt-pepper-0.05	Cbar	borda	robustness	0.2144	min	-0.2144	kendall_mall	0.496275	0.496275	0.002	4662	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	salt-pepper-0.05	Cbar	borda	robustness	0.2212	min	-0.2212	kendall_mall	0.458338	0.458338	0.002	4759.3	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	salt-pepper-0.05	Cbar	borda	robustness	0.1932	min	-0.1932	kendall_mall	0.395705	0.395705	0.002	5098.7	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	salt-pepper-0.05	Cbar	borda	robustness	0.2024	min	-0.2024	kendall_mall	0.438565	0.438565	0.002	5036.4	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	salt-pepper-0.05	Cbar	borda	robustness	0.2006	min	-0.2006	kendall_mall	0.404688	0.404688	0.002	5469.8	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	salt-pepper-0.05	Cbar	borda	robustness	0.1756	min	-0.1756	kendall_mall	0.387434	0.387434	0.002	5646.5	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	salt-pepper-0.05	Cbar	borda	robustness	0.1668	min	-0.1668	kendall_mall	0.389212	0.389212	0.002	5641.2	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	salt-pepper-0.05	Cbar	borda	robustness	0.1616	min	-0.1616	kendall_mall	0.399779	0.399779	0.002	5940.5	11	True	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	salt-pepper-0.05	Cbar	kemeny	robustness	0.2136	min	-0.2136	kendall_mall	0.349015	0.349015	0.002	1301.6	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	salt-pepper-0.05	Cbar	kemeny	robustness	0.2136	min	-0.2136	kendall_mall	0.656867	0.656867	0.002	3573	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	salt-pepper-0.05	Cbar	kemeny	robustness	0.2022	min	-0.2022	kendall_mall	0.496275	0.496275	0.002	4662	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	salt-pepper-0.05	Cbar	kemeny	robustness	0.2104	min	-0.2104	kendall_mall	0.458338	0.458338	0.002	4759.3	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	salt-pepper-0.05	Cbar	kemeny	robustness	0.1842	min	-0.1842	kendall_mall	0.395705	0.395705	0.002	5098.7	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	salt-pepper-0.05	Cbar	kemeny	robustness	0.195	min	-0.195	kendall_mall	0.438565	0.438565	0.002	5036.4	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	salt-pepper-0.05	Cbar	kemeny	robustness	0.203	min	-0.203	kendall_mall	0.404688	0.404688	0.002	5469.8	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	salt-pepper-0.05	Cbar	kemeny	robustness	0.1702	min	-0.1702	kendall_mall	0.387434	0.387434	0.002	5646.5	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	salt-pepper-0.05	Cbar	kemeny	robustness	0.1414	min	-0.1414	kendall_mall	0.389212	0.389212	0.002	5641.2	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	salt-pepper-0.05	Cbar	kemeny	robustness	0.1464	min	-0.1464	kendall_mall	0.399779	0.399779	0.002	5940.5	11	True	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	salt-pepper-0.05	Cbar	rrf	robustness	0.2162	min	-0.2162	kendall_mall	0.349015	0.349015	0.002	1301.6	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	salt-pepper-0.05	Cbar	rrf	robustness	0.205	min	-0.205	kendall_mall	0.656867	0.656867	0.002	3573	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	salt-pepper-0.05	Cbar	rrf	robustness	0.196	min	-0.196	kendall_mall	0.496275	0.496275	0.002	4662	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	salt-pepper-0.05	Cbar	rrf	robustness	0.2082	min	-0.2082	kendall_mall	0.458338	0.458338	0.002	4759.3	11	False	True	10

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	salt-pepper-0.05	Cbar	rrf	robustness	0.197	min	-0.197	kendall_m	0.1295705	-0.395705	0.002	5098.7	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	salt-pepper-0.05	Cbar	rrf	robustness	0.202	min	-0.202	kendall_m	0.129565	-0.423565	0.002	5036.4	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	salt-pepper-0.05	Cbar	rrf	robustness	0.2052	min	-0.2052	kendall_m	0.1404688	-0.404688	0.002	5469.8	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	salt-pepper-0.05	Cbar	rrf	robustness	0.1812	min	-0.1812	kendall_m	0.1287434	-0.387434	0.002	5646.5	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	salt-pepper-0.05	Cbar	rrf	robustness	0.1702	min	-0.1702	kendall_m	0.1289212	-0.389212	0.002	5641.2	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	salt-pepper-0.05	Cbar	rrf	robustness	0.172	min	-0.172	kendall_m	0.1299779	-0.399779	0.002	5940.5	11	True	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	salt-pepper-0.05	Cbar	schulze	robustness	0.2136	min	-0.2136	kendall_m	0.134901	-0.34901	0.002	1301.6	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	salt-pepper-0.05	Cbar	schulze	robustness	0.224	min	-0.224	kendall_m	0.1656867	-0.656867	0.002	3573	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	salt-pepper-0.05	Cbar	schulze	robustness	0.2042	min	-0.2042	kendall_m	0.1496275	-0.496275	0.002	4662	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	salt-pepper-0.05	Cbar	schulze	robustness	0.209	min	-0.209	kendall_m	0.1455333	-0.45333	0.002	4759.3	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	salt-pepper-0.05	Cbar	schulze	robustness	0.1912	min	-0.1912	kendall_m	0.1295705	-0.395705	0.002	5098.7	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	salt-pepper-0.05	Cbar	schulze	robustness	0.2144	min	-0.2144	kendall_m	0.129565	-0.423565	0.002	5036.4	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	salt-pepper-0.05	Cbar	schulze	robustness	0.2084	min	-0.2084	kendall_m	0.1404688	-0.404688	0.002	5469.8	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	salt-pepper-0.05	Cbar	schulze	robustness	0.1674	min	-0.1674	kendall_m	0.1287434	-0.387434	0.002	5646.5	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	salt-pepper-0.05	Cbar	schulze	robustness	0.1476	min	-0.1476	kendall_m	0.1289212	-0.389212	0.002	5641.2	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	salt-pepper-0.05	Cbar	schulze	robustness	0.1586	min	-0.1586	kendall_m	0.1299779	-0.399779	0.002	5940.5	11	True	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	salt-pepper-0.05	Cbar	simpleavg	robustness	0.2192	min	-0.2192	kendall_m	0.134901	-0.34901	0.002	1301.6	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	salt-pepper-0.05	Cbar	simpleavg	robustness	0.22	min	-0.22	kendall_m	0.1656867	-0.656867	0.002	3573	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	salt-pepper-0.05	Cbar	simpleavg	robustness	0.2168	min	-0.2168	kendall_m	0.1496275	-0.496275	0.002	4662	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	salt-pepper-0.05	Cbar	simpleavg	robustness	0.2268	min	-0.2268	kendall_m	0.1455333	-0.45333	0.002	4759.3	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	salt-pepper-0.05	Cbar	simpleavg	robustness	0.2256	min	-0.2256	kendall_m	0.1295705	-0.395705	0.002	5098.7	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	salt-pepper-0.05	Cbar	simpleavg	robustness	0.232	min	-0.232	kendall_m	0.129565	-0.423565	0.002	5036.4	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	salt-pepper-0.05	Cbar	simpleavg	robustness	0.221	min	-0.221	kendall_m	0.1404688	-0.404688	0.002	5469.8	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	salt-pepper-0.05	Cbar	simpleavg	robustness	0.2226	min	-0.2226	kendall_m	0.1287434	-0.387434	0.002	5646.5	11	False	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	salt-pepper-0.05	Cbar	simpleavg	robustness	0.2214	min	-0.2214	kendall_m	0.1289212	-0.389212	0.002	5641.2	11	False	True	4

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	salt-pepper-0.05	Cbar	simpleavg	robustness	0.2214	min	-0.2214	kendall_ma	0.1299779a0t399779a0	0.399779a0	0.002	5940.5	11	True	True	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	salt-pepper-0.05	F	borda	robustness	0.0544	min	-0.0544	kendall_ma	0.134901xa0t34901xa0	0.34901xa0	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	salt-pepper-0.05	F	borda	robustness	0.0636	min	-0.0636	kendall_ma	0.1656867xa0t656867xa0	0.656867xa0	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	salt-pepper-0.05	F	borda	robustness	0.0688	min	-0.0688	kendall_ma	0.1496275xa0t496275xa0	0.496275xa0	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	salt-pepper-0.05	F	borda	robustness	0.0688	min	-0.0688	kendall_ma	0.1455333xa0t455333xa0	0.53333xa0	0.002	4759.3	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	salt-pepper-0.05	F	borda	robustness	0.0752	min	-0.0752	kendall_ma	0.1295705xa0t395705xa0	0.395705xa0	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	salt-pepper-0.05	F	borda	robustness	0.063	min	-0.063	kendall_ma	0.1423565xa0t423565xa0	0.23565xa0	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	salt-pepper-0.05	F	borda	robustness	0.0656	min	-0.0656	kendall_ma	0.1404658xa0t404658xa0	0.4658xa0	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	salt-pepper-0.05	F	borda	robustness	0.0698	min	-0.0698	kendall_ma	0.1287434xa0t387434xa0	0.387434xa0	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	salt-pepper-0.05	F	borda	robustness	0.074	min	-0.074	kendall_ma	0.1289212xa0t389212xa0	0.389212xa0	0.002	5641.2	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	salt-pepper-0.05	F	borda	robustness	0.0692	min	-0.0692	kendall_ma	0.1299779xa0t399779a0	0.399779a0	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	salt-pepper-0.05	F	kemeny	robustness	0.0544	min	-0.0544	kendall_ma	0.134901xa0t34901xa0	0.34901xa0	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	salt-pepper-0.05	F	kemeny	robustness	0.0576	min	-0.0576	kendall_ma	0.1656867xa0t656867xa0	0.656867xa0	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	salt-pepper-0.05	F	kemeny	robustness	0.0652	min	-0.0652	kendall_ma	0.1496275xa0t496275xa0	0.496275xa0	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	salt-pepper-0.05	F	kemeny	robustness	0.063	min	-0.063	kendall_ma	0.1455333xa0t455333xa0	0.53333xa0	0.002	4759.3	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	salt-pepper-0.05	F	kemeny	robustness	0.0722	min	-0.0722	kendall_ma	0.1295705xa0t395705xa0	0.395705xa0	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	salt-pepper-0.05	F	kemeny	robustness	0.0664	min	-0.0664	kendall_ma	0.1423565xa0t423565xa0	0.23565xa0	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	salt-pepper-0.05	F	kemeny	robustness	0.063	min	-0.063	kendall_ma	0.1404658xa0t404658xa0	0.4658xa0	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	salt-pepper-0.05	F	kemeny	robustness	0.0744	min	-0.0744	kendall_ma	0.1287434xa0t387434xa0	0.387434xa0	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	salt-pepper-0.05	F	kemeny	robustness	0.079	min	-0.079	kendall_ma	0.1289212xa0t389212xa0	0.389212xa0	0.002	5641.2	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	salt-pepper-0.05	F	kemeny	robustness	0.0764	min	-0.0764	kendall_ma	0.1299779xa0t399779a0	0.399779a0	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	salt-pepper-0.05	F	rrf	robustness	0.0526	min	-0.0526	kendall_ma	0.134901xa0t34901xa0	0.34901xa0	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	salt-pepper-0.05	F	rrf	robustness	0.068	min	-0.068	kendall_ma	0.1656867xa0t656867xa0	0.656867xa0	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	salt-pepper-0.05	F	rrf	robustness	0.0688	min	-0.0688	kendall_ma	0.1496275xa0t496275xa0	0.496275xa0	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	salt-pepper-0.05	F	rrf	robustness	0.0696	min	-0.0696	kendall_ma	0.1455333xa0t455333xa0	0.53333xa0	0.002	4759.3	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	salt-pepper-0.05	F	simpleavg	robustness	0.0672	min	-0.0672	kendall_ma	0.1299779a0t399779a0	0.399779a0	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	salt-pepper-0.05	Fbar	borda	robustness	0.1684	min	-0.1684	kendall_ma	0.134901a0t34901a0	0.34901a0	0.002	1301.6	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	salt-pepper-0.05	Fbar	borda	robustness	0.1874	min	-0.1874	kendall_ma	0.1656867a0t656867a0	0.656867a0	0.002	3573	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	salt-pepper-0.05	Fbar	borda	robustness	0.169	min	-0.169	kendall_ma	0.1496275a0t496275a0	0.496275a0	0.002	4662	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	salt-pepper-0.05	Fbar	borda	robustness	0.1748	min	-0.1748	kendall_ma	0.1458333a0t458333a0	0.58333a0	0.002	4759.3	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	salt-pepper-0.05	Fbar	borda	robustness	0.1512	min	-0.1512	kendall_ma	0.1295705a0t395705a0	0.395705a0	0.002	5098.7	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	salt-pepper-0.05	Fbar	borda	robustness	0.1562	min	-0.1562	kendall_ma	0.1438565a0t438565a0	0.438565a0	0.002	5036.4	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	salt-pepper-0.05	Fbar	borda	robustness	0.158	min	-0.158	kendall_ma	0.1404658a0t404658a0	0.4658a0	0.002	5469.8	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	salt-pepper-0.05	Fbar	borda	robustness	0.138	min	-0.138	kendall_ma	0.1287434a0t387434a0	0.387434a0	0.002	5646.5	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	salt-pepper-0.05	Fbar	borda	robustness	0.1326	min	-0.1326	kendall_ma	0.1289212a0t389212a0	0.389212a0	0.002	5641.2	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	salt-pepper-0.05	Fbar	borda	robustness	0.1228	min	-0.1228	kendall_ma	0.1299779a0t399779a0	0.399779a0	0.002	5940.5	11	True	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	salt-pepper-0.05	Fbar	kemeny	robustness	0.1684	min	-0.1684	kendall_ma	0.134901a0t34901a0	0.34901a0	0.002	1301.6	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	salt-pepper-0.05	Fbar	kemeny	robustness	0.1678	min	-0.1678	kendall_ma	0.1656867a0t656867a0	0.656867a0	0.002	3573	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	salt-pepper-0.05	Fbar	kemeny	robustness	0.1622	min	-0.1622	kendall_ma	0.1496275a0t496275a0	0.496275a0	0.002	4662	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	salt-pepper-0.05	Fbar	kemeny	robustness	0.1718	min	-0.1718	kendall_ma	0.1458333a0t458333a0	0.58333a0	0.002	4759.3	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	salt-pepper-0.05	Fbar	kemeny	robustness	0.1454	min	-0.1454	kendall_ma	0.1295705a0t395705a0	0.395705a0	0.002	5098.7	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	salt-pepper-0.05	Fbar	kemeny	robustness	0.1602	min	-0.1602	kendall_ma	0.1438565a0t438565a0	0.438565a0	0.002	5036.4	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	salt-pepper-0.05	Fbar	kemeny	robustness	0.1646	min	-0.1646	kendall_ma	0.1404658a0t404658a0	0.4658a0	0.002	5469.8	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	salt-pepper-0.05	Fbar	kemeny	robustness	0.1324	min	-0.1324	kendall_ma	0.1287434a0t387434a0	0.387434a0	0.002	5646.5	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	salt-pepper-0.05	Fbar	kemeny	robustness	0.1042	min	-0.1042	kendall_ma	0.1289212a0t389212a0	0.389212a0	0.002	5641.2	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	salt-pepper-0.05	Fbar	kemeny	robustness	0.1096	min	-0.1096	kendall_ma	0.1299779a0t399779a0	0.399779a0	0.002	5940.5	11	True	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	salt-pepper-0.05	Fbar	rrf	robustness	0.1692	min	-0.1692	kendall_ma	0.134901a0t34901a0	0.34901a0	0.002	1301.6	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	salt-pepper-0.05	Fbar	rrf	robustness	0.1558	min	-0.1558	kendall_ma	0.1656867a0t656867a0	0.656867a0	0.002	3573	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	salt-pepper-0.05	Fbar	rrf	robustness	0.1506	min	-0.1506	kendall_ma	0.1496275a0t496275a0	0.496275a0	0.002	4662	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	salt-pepper-0.05	Fbar	rrf	robustness	0.1666	min	-0.1666	kendall_ma	0.1458333a0t458333a0	0.58333a0	0.002	4759.3	11	False	True	10

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	salt-pepper-0.05	Fbar	rrf	robustness	0.153	min	-0.153	kendall_m	0.1295705	0.1395705	0.002	5098.7	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	salt-pepper-0.05	Fbar	rrf	robustness	0.1616	min	-0.1616	kendall_m	0.129555	0.123555	0.002	5036.4	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	salt-pepper-0.05	Fbar	rrf	robustness	0.1652	min	-0.1652	kendall_m	0.1404688	0.104688	0.002	5469.8	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	salt-pepper-0.05	Fbar	rrf	robustness	0.1444	min	-0.1444	kendall_m	0.1287434	0.1387434	0.002	5646.5	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	salt-pepper-0.05	Fbar	rrf	robustness	0.1296	min	-0.1296	kendall_m	0.1289212	0.1389212	0.002	5641.2	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	salt-pepper-0.05	Fbar	rrf	robustness	0.132	min	-0.132	kendall_m	0.1299779	0.1399779	0.002	5940.5	11	True	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	salt-pepper-0.05	Fbar	schulze	robustness	0.1684	min	-0.1684	kendall_m	0.124901	0.134901	0.002	1301.6	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	salt-pepper-0.05	Fbar	schulze	robustness	0.175	min	-0.175	kendall_m	0.1656867	0.1656867	0.002	3573	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	salt-pepper-0.05	Fbar	schulze	robustness	0.1582	min	-0.1582	kendall_m	0.1496275	0.1496275	0.002	4662	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	salt-pepper-0.05	Fbar	schulze	robustness	0.1688	min	-0.1688	kendall_m	0.1455333	0.1455333	0.002	4759.3	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	salt-pepper-0.05	Fbar	schulze	robustness	0.1506	min	-0.1506	kendall_m	0.1295705	0.1395705	0.002	5098.7	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	salt-pepper-0.05	Fbar	schulze	robustness	0.171	min	-0.171	kendall_m	0.129555	0.123555	0.002	5036.4	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	salt-pepper-0.05	Fbar	schulze	robustness	0.1696	min	-0.1696	kendall_m	0.1404688	0.104688	0.002	5469.8	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	salt-pepper-0.05	Fbar	schulze	robustness	0.1286	min	-0.1286	kendall_m	0.1287434	0.1387434	0.002	5646.5	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	salt-pepper-0.05	Fbar	schulze	robustness	0.1122	min	-0.1122	kendall_m	0.1289212	0.1389212	0.002	5641.2	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	salt-pepper-0.05	Fbar	schulze	robustness	0.1222	min	-0.1222	kendall_m	0.1299779	0.1399779	0.002	5940.5	11	True	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	salt-pepper-0.05	Fbar	simpleavg	robustness	0.1706	min	-0.1706	kendall_m	0.124901	0.134901	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	salt-pepper-0.05	Fbar	simpleavg	robustness	0.1738	min	-0.1738	kendall_m	0.1656867	0.1656867	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	salt-pepper-0.05	Fbar	simpleavg	robustness	0.1716	min	-0.1716	kendall_m	0.1496275	0.1496275	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	salt-pepper-0.05	Fbar	simpleavg	robustness	0.1838	min	-0.1838	kendall_m	0.1455333	0.1455333	0.002	4759.3	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	salt-pepper-0.05	Fbar	simpleavg	robustness	0.182	min	-0.182	kendall_m	0.1295705	0.1395705	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	salt-pepper-0.05	Fbar	simpleavg	robustness	0.1876	min	-0.1876	kendall_m	0.129555	0.123555	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	salt-pepper-0.05	Fbar	simpleavg	robustness	0.1786	min	-0.1786	kendall_m	0.1404688	0.104688	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	salt-pepper-0.05	Fbar	simpleavg	robustness	0.1818	min	-0.1818	kendall_m	0.1287434	0.1387434	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	salt-pepper-0.05	Fbar	simpleavg	robustness	0.1798	min	-0.1798	kendall_m	0.1289212	0.1389212	0.002	5641.2	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	salt-pepper-0.05	Fbar	simpleavg	robustness	0.1808	min	-0.1808	kendall_m	0.1299779	0.399779	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	C	borda	robustness	0.0252	min	-0.0252	kendall_m	0.134901	0.34901	0.002	1301.6	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	C	borda	robustness	0.0236	min	-0.0236	kendall_m	0.1656867	0.656867	0.002	3573	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	C	borda	robustness	0.0326	min	-0.0326	kendall_m	0.1496275	0.496275	0.002	4662	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	C	borda	robustness	0.0324	min	-0.0324	kendall_m	0.1455333	0.453333	0.002	4759.3	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	C	borda	robustness	0.0354	min	-0.0354	kendall_m	0.1295705	0.395705	0.002	5098.7	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	C	borda	robustness	0.0278	min	-0.0278	kendall_m	0.1433565	0.433565	0.002	5036.4	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	C	borda	robustness	0.0322	min	-0.0322	kendall_m	0.1404658	0.404658	0.002	5469.8	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	C	borda	robustness	0.0332	min	-0.0332	kendall_m	0.1387434	0.387434	0.002	5646.5	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	C	borda	robustness	0.0346	min	-0.0346	kendall_m	0.1389212	0.389212	0.002	5641.2	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	C	borda	robustness	0.0368	min	-0.0368	kendall_m	0.1299779	0.399779	0.002	5940.5	11	True	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	C	kemeny	robustness	0.0252	min	-0.0252	kendall_m	0.134901	0.34901	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	C	kemeny	robustness	0.0268	min	-0.0268	kendall_m	0.1656867	0.656867	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	C	kemeny	robustness	0.0286	min	-0.0286	kendall_m	0.1496275	0.496275	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	C	kemeny	robustness	0.0322	min	-0.0322	kendall_m	0.1455333	0.453333	0.002	4759.3	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	C	kemeny	robustness	0.0354	min	-0.0354	kendall_m	0.1295705	0.395705	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	C	kemeny	robustness	0.0342	min	-0.0342	kendall_m	0.1433565	0.433565	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	C	kemeny	robustness	0.0312	min	-0.0312	kendall_m	0.1404658	0.404658	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	C	kemeny	robustness	0.042	min	-0.042	kendall_m	0.1387434	0.387434	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	C	kemeny	robustness	0.0376	min	-0.0376	kendall_m	0.1389212	0.389212	0.002	5641.2	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	C	kemeny	robustness	0.04	min	-0.04	kendall_m	0.1299779	0.399779	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	C	rrf	robustness	0.0224	min	-0.0224	kendall_m	0.134901	0.34901	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	C	rrf	robustness	0.028	min	-0.028	kendall_m	0.1656867	0.656867	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	C	rrf	robustness	0.0298	min	-0.0298	kendall_m	0.1496275	0.496275	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	C	rrf	robustness	0.0298	min	-0.0298	kendall_m	0.1455333	0.453333	0.002	4759.3	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	C	rrf	robustness	0.0336	min	-0.0336	kendall_m	0.1295705	0.01395705	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	C	rrf	robustness	0.0322	min	-0.0322	kendall_m	0.1295655	0.01235655	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	C	rrf	robustness	0.033	min	-0.033	kendall_m	0.1404688	0.0104688	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	C	rrf	robustness	0.0388	min	-0.0388	kendall_m	0.1287434	0.01387434	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	C	rrf	robustness	0.0378	min	-0.0378	kendall_m	0.1289212	0.01389212	0.002	5641.2	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	C	rrf	robustness	0.04	min	-0.04	kendall_m	0.1299779	0.01399779	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	C	schulze	robustness	0.0252	min	-0.0252	kendall_m	0.134901	0.0134901	0.002	1301.6	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	C	schulze	robustness	0.0234	min	-0.0234	kendall_m	0.1656867	0.01656867	0.002	3573	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	C	schulze	robustness	0.0278	min	-0.0278	kendall_m	0.1496275	0.01496275	0.002	4662	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	C	schulze	robustness	0.0352	min	-0.0352	kendall_m	0.1455333	0.01455333	0.002	4759.3	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	C	schulze	robustness	0.0334	min	-0.0334	kendall_m	0.1295705	0.01395705	0.002	5098.7	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	C	schulze	robustness	0.031	min	-0.031	kendall_m	0.1295655	0.01235655	0.002	5036.4	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	C	schulze	robustness	0.0368	min	-0.0368	kendall_m	0.1404688	0.0104688	0.002	5469.8	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	C	schulze	robustness	0.036	min	-0.036	kendall_m	0.1287434	0.01387434	0.002	5646.5	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	C	schulze	robustness	0.0384	min	-0.0384	kendall_m	0.1289212	0.01389212	0.002	5641.2	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	C	schulze	robustness	0.041	min	-0.041	kendall_m	0.1299779	0.01399779	0.002	5940.5	11	True	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	C	simpleavg	robustness	0.0214	min	-0.0214	kendall_m	0.134901	0.0134901	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	C	simpleavg	robustness	0.0322	min	-0.0322	kendall_m	0.1656867	0.01656867	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	C	simpleavg	robustness	0.0338	min	-0.0338	kendall_m	0.1496275	0.01496275	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	C	simpleavg	robustness	0.0352	min	-0.0352	kendall_m	0.1455333	0.01455333	0.002	4759.3	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	C	simpleavg	robustness	0.0338	min	-0.0338	kendall_m	0.1295705	0.01395705	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	C	simpleavg	robustness	0.028	min	-0.028	kendall_m	0.1295655	0.01235655	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	C	simpleavg	robustness	0.0338	min	-0.0338	kendall_m	0.1404688	0.0104688	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	C	simpleavg	robustness	0.0344	min	-0.0344	kendall_m	0.1287434	0.01387434	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	C	simpleavg	robustness	0.034	min	-0.034	kendall_m	0.1289212	0.01389212	0.002	5641.2	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	C	simpleavg	robustness	0.0322	min	-0.0322	kendall_ma11299779a0t399779a0e002	11299779a0t399779a0e002	5940.5	11	True	True	True	2	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	Cbar	borda	robustness	0.081	min	-0.081	kendall_ma11299779a0t399779a0e002	11299779a0t399779a0e002	1301.6	11	False	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	Cbar	borda	robustness	0.0886	min	-0.0886	kendall_ma11299779a0t399779a0e002	11299779a0t399779a0e002	3573	11	False	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	Cbar	borda	robustness	0.074	min	-0.074	kendall_ma11299779a0t399779a0e002	11299779a0t399779a0e002	4662	11	False	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	Cbar	borda	robustness	0.0784	min	-0.0784	kendall_ma11299779a0t399779a0e002	11299779a0t399779a0e002	4759.3	11	False	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	Cbar	borda	robustness	0.0738	min	-0.0738	kendall_ma11299779a0t399779a0e002	11299779a0t399779a0e002	5098.7	11	False	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	Cbar	borda	robustness	0.0826	min	-0.0826	kendall_ma11299779a0t399779a0e002	11299779a0t399779a0e002	5036.4	11	False	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	Cbar	borda	robustness	0.0808	min	-0.0808	kendall_ma11299779a0t399779a0e002	11299779a0t399779a0e002	5469.8	11	False	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	Cbar	borda	robustness	0.0726	min	-0.0726	kendall_ma11299779a0t399779a0e002	11299779a0t399779a0e002	5646.5	11	False	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	Cbar	borda	robustness	0.0634	min	-0.0634	kendall_ma11299779a0t399779a0e002	11299779a0t399779a0e002	5641.2	11	False	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	Cbar	borda	robustness	0.0544	min	-0.0544	kendall_ma11299779a0t399779a0e002	11299779a0t399779a0e002	5940.5	11	True	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	Cbar	kemeny	robustness	0.081	min	-0.081	kendall_ma11299779a0t399779a0e002	11299779a0t399779a0e002	1301.6	11	False	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	Cbar	kemeny	robustness	0.077	min	-0.077	kendall_ma11299779a0t399779a0e002	11299779a0t399779a0e002	3573	11	False	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	Cbar	kemeny	robustness	0.067	min	-0.067	kendall_ma11299779a0t399779a0e002	11299779a0t399779a0e002	4662	11	False	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	Cbar	kemeny	robustness	0.0778	min	-0.0778	kendall_ma11299779a0t399779a0e002	11299779a0t399779a0e002	4759.3	11	False	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	Cbar	kemeny	robustness	0.0656	min	-0.0656	kendall_ma11299779a0t399779a0e002	11299779a0t399779a0e002	5098.7	11	False	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	Cbar	kemeny	robustness	0.0668	min	-0.0668	kendall_ma11299779a0t399779a0e002	11299779a0t399779a0e002	5036.4	11	False	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	Cbar	kemeny	robustness	0.078	min	-0.078	kendall_ma11299779a0t399779a0e002	11299779a0t399779a0e002	5469.8	11	False	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	Cbar	kemeny	robustness	0.062	min	-0.062	kendall_ma11299779a0t399779a0e002	11299779a0t399779a0e002	5646.5	11	False	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	Cbar	kemeny	robustness	0.0544	min	-0.0544	kendall_ma11299779a0t399779a0e002	11299779a0t399779a0e002	5641.2	11	False	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	Cbar	kemeny	robustness	0.048	min	-0.048	kendall_ma11299779a0t399779a0e002	11299779a0t399779a0e002	5940.5	11	True	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	Cbar	rrf	robustness	0.0828	min	-0.0828	kendall_ma11299779a0t399779a0e002	11299779a0t399779a0e002	1301.6	11	False	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	Cbar	rrf	robustness	0.0708	min	-0.0708	kendall_ma11299779a0t399779a0e002	11299779a0t399779a0e002	3573	11	False	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	Cbar	rrf	robustness	0.0664	min	-0.0664	kendall_ma11299779a0t399779a0e002	11299779a0t399779a0e002	4662	11	False	True	True	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	Cbar	rrf	robustness	0.0746	min	-0.0746	kendall_ma11299779a0t399779a0e002	11299779a0t399779a0e002	4759.3	11	False	True	True	11	

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	Cbar	rrf	robustness	0.082	min	-0.082	kendall_m	0.1295705	0.01395705	0.002	5098.7	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	Cbar	rrf	robustness	0.0862	min	-0.0862	kendall_m	0.1433565	0.01423565	0.002	5036.4	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	Cbar	rrf	robustness	0.0906	min	-0.0906	kendall_m	0.1404688	0.01404688	0.002	5469.8	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	Cbar	rrf	robustness	0.0856	min	-0.0856	kendall_m	0.1387434	0.01387434	0.002	5646.5	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	Cbar	rrf	robustness	0.0692	min	-0.0692	kendall_m	0.1389212	0.01389212	0.002	5641.2	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	Cbar	rrf	robustness	0.066	min	-0.066	kendall_m	0.1399779	0.01399779	0.002	5940.5	11	True	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	Cbar	schulze	robustness	0.081	min	-0.081	kendall_m	0.134901	0.0134901	0.002	1301.6	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	Cbar	schulze	robustness	0.079	min	-0.079	kendall_m	0.1656867	0.01656867	0.002	3573	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	Cbar	schulze	robustness	0.0732	min	-0.0732	kendall_m	0.1496275	0.01496275	0.002	4662	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	Cbar	schulze	robustness	0.0742	min	-0.0742	kendall_m	0.1455333	0.01455333	0.002	4759.3	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	Cbar	schulze	robustness	0.0708	min	-0.0708	kendall_m	0.1295705	0.01395705	0.002	5098.7	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	Cbar	schulze	robustness	0.0874	min	-0.0874	kendall_m	0.1433565	0.01423565	0.002	5036.4	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	Cbar	schulze	robustness	0.0858	min	-0.0858	kendall_m	0.1404688	0.01404688	0.002	5469.8	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	Cbar	schulze	robustness	0.0728	min	-0.0728	kendall_m	0.1387434	0.01387434	0.002	5646.5	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	Cbar	schulze	robustness	0.0562	min	-0.0562	kendall_m	0.1389212	0.01389212	0.002	5641.2	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	Cbar	schulze	robustness	0.056	min	-0.056	kendall_m	0.1399779	0.01399779	0.002	5940.5	11	True	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	Cbar	simpleavg	robustness	0.0818	min	-0.0818	kendall_m	0.134901	0.0134901	0.002	1301.6	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	Cbar	simpleavg	robustness	0.0762	min	-0.0762	kendall_m	0.1656867	0.01656867	0.002	3573	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	Cbar	simpleavg	robustness	0.0796	min	-0.0796	kendall_m	0.1496275	0.01496275	0.002	4662	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	Cbar	simpleavg	robustness	0.0836	min	-0.0836	kendall_m	0.1455333	0.01455333	0.002	4759.3	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	Cbar	simpleavg	robustness	0.0788	min	-0.0788	kendall_m	0.1295705	0.01395705	0.002	5098.7	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	Cbar	simpleavg	robustness	0.088	min	-0.088	kendall_m	0.1433565	0.01423565	0.002	5036.4	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	Cbar	simpleavg	robustness	0.0808	min	-0.0808	kendall_m	0.1404688	0.01404688	0.002	5469.8	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	Cbar	simpleavg	robustness	0.079	min	-0.079	kendall_m	0.1387434	0.01387434	0.002	5646.5	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	Cbar	simpleavg	robustness	0.0808	min	-0.0808	kendall_m	0.1389212	0.01389212	0.002	5641.2	11	False	True	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	Cbar	simpleavg	robustness	0.0812	min	-0.0812	kendall_ma11299779a0t399779a0c002	11299779a0t399779a0c002	11299779a0t399779a0c002	5940.5	11	True	True	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	F	borda	robustness	0.0288	min	-0.0288	kendall_ma11299779a0t399779a0c002	11299779a0t399779a0c002	1301.6	11	False	True	3		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	F	borda	robustness	0.0238	min	-0.0238	kendall_ma11299779a0t399779a0c002	11299779a0t399779a0c002	3573	11	False	True	3		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	F	borda	robustness	0.0312	min	-0.0312	kendall_ma11299779a0t399779a0c002	11299779a0t399779a0c002	4662	11	False	True	3		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	F	borda	robustness	0.0274	min	-0.0274	kendall_ma11299779a0t399779a0c002	11299779a0t399779a0c002	4759.3	11	False	True	3		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	F	borda	robustness	0.033	min	-0.033	kendall_ma11299779a0t399779a0c002	11299779a0t399779a0c002	5098.7	11	False	True	3		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	F	borda	robustness	0.0262	min	-0.0262	kendall_ma11299779a0t399779a0c002	11299779a0t399779a0c002	5036.4	11	False	True	3		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	F	borda	robustness	0.0254	min	-0.0254	kendall_ma11299779a0t399779a0c002	11299779a0t399779a0c002	5469.8	11	False	True	3		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	F	borda	robustness	0.027	min	-0.027	kendall_ma11299779a0t399779a0c002	11299779a0t399779a0c002	5646.5	11	False	True	3		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	F	borda	robustness	0.032	min	-0.032	kendall_ma11299779a0t399779a0c002	11299779a0t399779a0c002	5641.2	11	False	True	3		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	F	borda	robustness	0.0266	min	-0.0266	kendall_ma11299779a0t399779a0c002	11299779a0t399779a0c002	5940.5	11	True	True	3		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	F	kemeny	robustness	0.0288	min	-0.0288	kendall_ma11299779a0t399779a0c002	11299779a0t399779a0c002	1301.6	11	False	True	8		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	F	kemeny	robustness	0.0268	min	-0.0268	kendall_ma11299779a0t399779a0c002	11299779a0t399779a0c002	3573	11	False	True	8		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	F	kemeny	robustness	0.0278	min	-0.0278	kendall_ma11299779a0t399779a0c002	11299779a0t399779a0c002	4662	11	False	True	8		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	F	kemeny	robustness	0.0292	min	-0.0292	kendall_ma11299779a0t399779a0c002	11299779a0t399779a0c002	4759.3	11	False	True	8		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	F	kemeny	robustness	0.0286	min	-0.0286	kendall_ma11299779a0t399779a0c002	11299779a0t399779a0c002	5098.7	11	False	True	8		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	F	kemeny	robustness	0.0324	min	-0.0324	kendall_ma11299779a0t399779a0c002	11299779a0t399779a0c002	5036.4	11	False	True	8		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	F	kemeny	robustness	0.026	min	-0.026	kendall_ma11299779a0t399779a0c002	11299779a0t399779a0c002	5469.8	11	False	True	8		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	F	kemeny	robustness	0.035	min	-0.035	kendall_ma11299779a0t399779a0c002	11299779a0t399779a0c002	5646.5	11	False	True	8		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	F	kemeny	robustness	0.0328	min	-0.0328	kendall_ma11299779a0t399779a0c002	11299779a0t399779a0c002	5641.2	11	False	True	8		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	F	kemeny	robustness	0.0324	min	-0.0324	kendall_ma11299779a0t399779a0c002	11299779a0t399779a0c002	5940.5	11	True	True	8		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	F	rrf	robustness	0.026	min	-0.026	kendall_ma11299779a0t399779a0c002	11299779a0t399779a0c002	1301.6	11	False	True	5		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	F	rrf	robustness	0.0308	min	-0.0308	kendall_ma11299779a0t399779a0c002	11299779a0t399779a0c002	3573	11	False	True	5		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	F	rrf	robustness	0.029	min	-0.029	kendall_ma11299779a0t399779a0c002	11299779a0t399779a0c002	4662	11	False	True	5		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	F	rrf	robustness	0.0256	min	-0.0256	kendall_ma11299779a0t399779a0c002	11299779a0t399779a0c002	4759.3	11	False	True	5		

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	F	rrf	robustness	0.028	min	-0.028	kendall_ma	0.1295705	0.01395705	0.002	5098.7	11	False	True	5
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	F	rrf	robustness	0.0268	min	-0.0268	kendall_ma	0.1433555	0.01423565	0.002	5036.4	11	False	True	5
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	F	rrf	robustness	0.0268	min	-0.0268	kendall_ma	0.1404688	0.01404688	0.002	5469.8	11	False	True	5
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	F	rrf	robustness	0.0312	min	-0.0312	kendall_ma	0.1387434	0.01387434	0.002	5646.5	11	False	True	5
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	F	rrf	robustness	0.0304	min	-0.0304	kendall_ma	0.1389212	0.01389212	0.002	5641.2	11	False	True	5
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	F	rrf	robustness	0.0308	min	-0.0308	kendall_ma	0.1399779	0.01399779	0.002	5940.5	11	True	True	5
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	F	schulze	robustness	0.0288	min	-0.0288	kendall_ma	0.134901	0.0134901	0.002	1301.6	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	F	schulze	robustness	0.0228	min	-0.0228	kendall_ma	0.1656867	0.01656867	0.002	3573	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	F	schulze	robustness	0.0272	min	-0.0272	kendall_ma	0.1496275	0.01496275	0.002	4662	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	F	schulze	robustness	0.0312	min	-0.0312	kendall_ma	0.1455333	0.01455333	0.002	4759.3	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	F	schulze	robustness	0.029	min	-0.029	kendall_ma	0.1295705	0.01395705	0.002	5098.7	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	F	schulze	robustness	0.0288	min	-0.0288	kendall_ma	0.1433555	0.01423565	0.002	5036.4	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	F	schulze	robustness	0.0304	min	-0.0304	kendall_ma	0.1404688	0.01404688	0.002	5469.8	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	F	schulze	robustness	0.0326	min	-0.0326	kendall_ma	0.1387434	0.01387434	0.002	5646.5	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	F	schulze	robustness	0.0326	min	-0.0326	kendall_ma	0.1389212	0.01389212	0.002	5641.2	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	F	schulze	robustness	0.0342	min	-0.0342	kendall_ma	0.1399779	0.01399779	0.002	5940.5	11	True	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	F	simpleavg	robustness	0.0234	min	-0.0234	kendall_ma	0.134901	0.0134901	0.002	1301.6	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	F	simpleavg	robustness	0.0306	min	-0.0306	kendall_ma	0.1656867	0.01656867	0.002	3573	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	F	simpleavg	robustness	0.0314	min	-0.0314	kendall_ma	0.1496275	0.01496275	0.002	4662	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	F	simpleavg	robustness	0.034	min	-0.034	kendall_ma	0.1455333	0.01455333	0.002	4759.3	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	F	simpleavg	robustness	0.0348	min	-0.0348	kendall_ma	0.1295705	0.01395705	0.002	5098.7	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	F	simpleavg	robustness	0.031	min	-0.031	kendall_ma	0.1433555	0.01423565	0.002	5036.4	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	F	simpleavg	robustness	0.0244	min	-0.0244	kendall_ma	0.1404688	0.01404688	0.002	5469.8	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	F	simpleavg	robustness	0.0248	min	-0.0248	kendall_ma	0.1387434	0.01387434	0.002	5646.5	11	False	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	F	simpleavg	robustness	0.025	min	-0.025	kendall_ma	0.1389212	0.01389212	0.002	5641.2	11	False	True	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	F	simpleavg	robustness	0.024	min	-0.024	kendall_ma	11299779a0t399779a0	0.399779a0	0.002	5940.5	11	True	True	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	Fbar	borda	robustness	0.0616	min	-0.0616	kendall_ma	11299779a0t399779a0	0.399779a0	0.002	1301.6	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	Fbar	borda	robustness	0.0666	min	-0.0666	kendall_ma	11299779a0t399779a0	0.399779a0	0.002	3573	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	Fbar	borda	robustness	0.0542	min	-0.0542	kendall_ma	11299779a0t399779a0	0.399779a0	0.002	4662	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	Fbar	borda	robustness	0.0578	min	-0.0578	kendall_ma	11299779a0t399779a0	0.399779a0	0.002	4759.3	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	Fbar	borda	robustness	0.0564	min	-0.0564	kendall_ma	11299779a0t399779a0	0.399779a0	0.002	5098.7	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	Fbar	borda	robustness	0.0646	min	-0.0646	kendall_ma	11299779a0t399779a0	0.399779a0	0.002	5036.4	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	Fbar	borda	robustness	0.0612	min	-0.0612	kendall_ma	11299779a0t399779a0	0.399779a0	0.002	5469.8	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	Fbar	borda	robustness	0.0616	min	-0.0616	kendall_ma	11299779a0t399779a0	0.399779a0	0.002	5646.5	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	Fbar	borda	robustness	0.0518	min	-0.0518	kendall_ma	11299779a0t399779a0	0.399779a0	0.002	5641.2	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	Fbar	borda	robustness	0.04	min	-0.04	kendall_ma	11299779a0t399779a0	0.399779a0	0.002	5940.5	11	True	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	Fbar	kemeny	robustness	0.0616	min	-0.0616	kendall_ma	11299779a0t399779a0	0.399779a0	0.002	1301.6	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	Fbar	kemeny	robustness	0.0592	min	-0.0592	kendall_ma	11299779a0t399779a0	0.399779a0	0.002	3573	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	Fbar	kemeny	robustness	0.0514	min	-0.0514	kendall_ma	11299779a0t399779a0	0.399779a0	0.002	4662	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	Fbar	kemeny	robustness	0.0612	min	-0.0612	kendall_ma	11299779a0t399779a0	0.399779a0	0.002	4759.3	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	Fbar	kemeny	robustness	0.0486	min	-0.0486	kendall_ma	11299779a0t399779a0	0.399779a0	0.002	5098.7	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	Fbar	kemeny	robustness	0.0562	min	-0.0562	kendall_ma	11299779a0t399779a0	0.399779a0	0.002	5036.4	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	Fbar	kemeny	robustness	0.065	min	-0.065	kendall_ma	11299779a0t399779a0	0.399779a0	0.002	5469.8	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	Fbar	kemeny	robustness	0.0518	min	-0.0518	kendall_ma	11299779a0t399779a0	0.399779a0	0.002	5646.5	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	Fbar	kemeny	robustness	0.043	min	-0.043	kendall_ma	11299779a0t399779a0	0.399779a0	0.002	5641.2	11	False	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	Fbar	kemeny	robustness	0.0378	min	-0.0378	kendall_ma	11299779a0t399779a0	0.399779a0	0.002	5940.5	11	True	True	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	Fbar	rrf	robustness	0.0642	min	-0.0642	kendall_ma	11299779a0t399779a0	0.399779a0	0.002	1301.6	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	Fbar	rrf	robustness	0.0494	min	-0.0494	kendall_ma	11299779a0t399779a0	0.399779a0	0.002	3573	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	Fbar	rrf	robustness	0.05	min	-0.05	kendall_ma	11299779a0t399779a0	0.399779a0	0.002	4662	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	Fbar	rrf	robustness	0.0556	min	-0.0556	kendall_ma	11299779a0t399779a0	0.399779a0	0.002	4759.3	11	False	True	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	Fbar	rrf	robustness	0.0648	min	-0.0648	kendall_m	0.1295705a0t395705a0	0.1295705a0t395705a0	0.002	5098.7	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	Fbar	rrf	robustness	0.0728	min	-0.0728	kendall_m	0.1439565a0t423565a0	0.1439565a0t423565a0	0.002	5036.4	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	Fbar	rrf	robustness	0.076	min	-0.076	kendall_m	0.1404688a0t404688a0	0.1404688a0t404688a0	0.002	5469.8	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	Fbar	rrf	robustness	0.0722	min	-0.0722	kendall_m	0.1387434a0t387434a0	0.1387434a0t387434a0	0.002	5646.5	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	Fbar	rrf	robustness	0.057	min	-0.057	kendall_m	0.1389212a0t389212a0	0.1389212a0t389212a0	0.002	5641.2	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	Fbar	rrf	robustness	0.0516	min	-0.0516	kendall_m	0.1299779a0t399779a0	0.1299779a0t399779a0	0.002	5940.5	11	True	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	Fbar	schulze	robustness	0.0616	min	-0.0616	kendall_m	0.134901a0t34901a0	0.134901a0t34901a0	0.002	1301.6	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	Fbar	schulze	robustness	0.0614	min	-0.0614	kendall_m	0.1656867a0t656867a0	0.1656867a0t656867a0	0.002	3573	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	Fbar	schulze	robustness	0.056	min	-0.056	kendall_m	0.1496275a0t496275a0	0.1496275a0t496275a0	0.002	4662	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	Fbar	schulze	robustness	0.0584	min	-0.0584	kendall_m	0.1455338a0t455338a0	0.1455338a0t455338a0	0.002	4759.3	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	Fbar	schulze	robustness	0.051	min	-0.051	kendall_m	0.1295705a0t395705a0	0.1295705a0t395705a0	0.002	5098.7	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	Fbar	schulze	robustness	0.0728	min	-0.0728	kendall_m	0.1439565a0t423565a0	0.1439565a0t423565a0	0.002	5036.4	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	Fbar	schulze	robustness	0.073	min	-0.073	kendall_m	0.1404688a0t404688a0	0.1404688a0t404688a0	0.002	5469.8	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	Fbar	schulze	robustness	0.0588	min	-0.0588	kendall_m	0.1387434a0t387434a0	0.1387434a0t387434a0	0.002	5646.5	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	Fbar	schulze	robustness	0.044	min	-0.044	kendall_m	0.1389212a0t389212a0	0.1389212a0t389212a0	0.002	5641.2	11	False	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	Fbar	schulze	robustness	0.0466	min	-0.0466	kendall_m	0.1299779a0t399779a0	0.1299779a0t399779a0	0.002	5940.5	11	True	True	10
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	2	speckle-0.15	Fbar	simpleavg	robustness	0.0636	min	-0.0636	kendall_m	0.134901a0t34901a0	0.134901a0t34901a0	0.002	1301.6	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	3	speckle-0.15	Fbar	simpleavg	robustness	0.0568	min	-0.0568	kendall_m	0.1656867a0t656867a0	0.1656867a0t656867a0	0.002	3573	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	4	speckle-0.15	Fbar	simpleavg	robustness	0.0616	min	-0.0616	kendall_m	0.1496275a0t496275a0	0.1496275a0t496275a0	0.002	4662	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	5	speckle-0.15	Fbar	simpleavg	robustness	0.0662	min	-0.0662	kendall_m	0.1455338a0t455338a0	0.1455338a0t455338a0	0.002	4759.3	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	6	speckle-0.15	Fbar	simpleavg	robustness	0.0624	min	-0.0624	kendall_m	0.1295705a0t395705a0	0.1295705a0t395705a0	0.002	5098.7	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	7	speckle-0.15	Fbar	simpleavg	robustness	0.069	min	-0.069	kendall_m	0.1439565a0t423565a0	0.1439565a0t423565a0	0.002	5036.4	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	8	speckle-0.15	Fbar	simpleavg	robustness	0.063	min	-0.063	kendall_m	0.1404688a0t404688a0	0.1404688a0t404688a0	0.002	5469.8	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	9	speckle-0.15	Fbar	simpleavg	robustness	0.063	min	-0.063	kendall_m	0.1387434a0t387434a0	0.1387434a0t387434a0	0.002	5646.5	11	False	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	10	speckle-0.15	Fbar	simpleavg	robustness	0.0654	min	-0.0654	kendall_m	0.1389212a0t389212a0	0.1389212a0t389212a0	0.002	5641.2	11	False	True	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	11	speckle-0.15	Fbar	simpleavg	robustness	0.066	min	-0.066	kendall_m	0.1299779	0.1399779	0.002	5940.5	11	True	True	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	clean	C	borda	quality	0.1352	max	0.1352	spearman	0.586008	0.586008	0.002	imp062	once	bidited	Falsmetric	Upperproximatio
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	clean	C	borda	quality	0.0956	max	0.0956	spearman	0.617046	0.617046	0.002	31986	0.05	bidited	Falsmetric	Upperproximatio
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	clean	C	borda	quality	0.1034	max	0.1034	spearman	0.470553	0.470553	0.002	42642	0.05	bidited	Falsmetric	Upperproximatio
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	clean	C	borda	quality	0.1068	max	0.1068	spearman	0.469363	0.469363	0.002	45228	0.05	bidited	Falsmetric	Upperproximatio
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	clean	C	borda	quality	0.1044	max	0.1044	spearman	0.412369	0.412369	0.002	48948	0.05	bidited	Falsmetric	Upperproximatio
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	clean	C	borda	quality	0.1068	max	0.1068	spearman	0.412366	0.412366	0.002	48948	0.05	bidited	Falsmetric	Upperproximatio
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	clean	C	borda	quality	0.0956	max	0.0956	spearman	0.412369	0.412369	0.002	50456	0.05	bidited	Falsmetric	Upperproximatio
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	clean	C	borda	quality	0.0912	max	0.0912	spearman	0.399149	0.399149	0.002	50672	0.05	bidited	Falsmetric	Upperproximatio
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	clean	C	borda	quality	0.0844	max	0.0844	spearman	0.412363	0.412363	0.002	50606	0.05	bidited	Falsmetric	Upperproximatio
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	clean	C	borda	quality	0.0802	max	0.0802	spearman	0.411602	0.411602	0.002	61235	0.05	bidited	Falsmetric	Upperproximatio
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	clean	C	kemeny	quality	0.1352	max	0.1352	spearman	0.586008	0.586008	0.002	imp062	once	bidited	Falsmetric	Upperproximatio
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	clean	C	kemeny	quality	0.1362	max	0.1362	spearman	0.617046	0.617046	0.002	31986	0.05	bidited	Falsmetric	Upperproximatio
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	clean	C	kemeny	quality	0.1362	max	0.1362	spearman	0.470553	0.470553	0.002	42642	0.05	bidited	Falsmetric	Upperproximatio
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	clean	C	kemeny	quality	0.1234	max	0.1234	spearman	0.469363	0.469363	0.002	45228	0.05	bidited	Falsmetric	Upperproximatio
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	clean	C	kemeny	quality	0.1142	max	0.1142	spearman	0.412369	0.412369	0.002	48948	0.05	bidited	Falsmetric	Upperproximatio
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	clean	C	kemeny	quality	0.1134	max	0.1134	spearman	0.412366	0.412366	0.002	48948	0.05	bidited	Falsmetric	Upperproximatio
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	clean	C	kemeny	quality	0.1136	max	0.1136	spearman	0.412369	0.412369	0.002	50456	0.05	bidited	Falsmetric	Upperproximatio
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	clean	C	kemeny	quality	0.0994	max	0.0994	spearman	0.399149	0.399149	0.002	50672	0.05	bidited	Falsmetric	Upperproximatio
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	clean	C	kemeny	quality	0.0912	max	0.0912	spearman	0.412363	0.412363	0.002	50606	0.05	bidited	Falsmetric	Upperproximatio
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	clean	C	kemeny	quality	0.0856	max	0.0856	spearman	0.411602	0.411602	0.002	61235	0.05	bidited	Falsmetric	Upperproximatio
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	clean	C	rrf	quality	0.1356	max	0.1356	spearman	0.586008	0.586008	0.002	imp062	once	bidited	Falsmetric	Upperproximatio
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	clean	C	rrf	quality	0.123	max	0.123	spearman	0.617046	0.617046	0.002	31986	0.05	bidited	Falsmetric	Upperproximatio
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	clean	C	rrf	quality	0.1276	max	0.1276	spearman	0.470553	0.470553	0.002	42642	0.05	bidited	Falsmetric	Upperproximatio
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	clean	C	rrf	quality	0.1196	max	0.1196	spearman	0.469363	0.469363	0.002	45228	0.05	bidited	Falsmetric	Upperproximatio

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	clean	C	rrf	quality	0.1164	max	0.1164	spearman	0.4112369	0.0142269	0.002	0.8943m+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	clean	C	rrf	quality	0.1124	max	0.1124	spearman	0.4112366	0.0143266	0.002	0.89441m+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	clean	C	rrf	quality	0.1074	max	0.1074	spearman	0.4112699	0.0143699	0.002	0.89566m+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	clean	C	rrf	quality	0.1014	max	0.1014	spearman	0.399149	0.0399149	0.002	0.6729m+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	clean	C	rrf	quality	0.0946	max	0.0946	spearman	0.402753	0.0103753	0.002	0.6066e+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	clean	C	rrf	quality	0.0892	max	0.0892	spearman	0.4111602	0.01411602	0.002	0.7235m+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	clean	C	schulze	quality	0.1352	max	0.1352	spearman	0.586008	0.0586008	0.002	imp062nce	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	clean	C	schulze	quality	0.125	max	0.125	spearman	0.617646	0.0347046	0.002	0.7986m+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	clean	C	schulze	quality	0.1368	max	0.1368	spearman	0.470553	0.0170553	0.002	0.2642m+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	clean	C	schulze	quality	0.1182	max	0.1182	spearman	0.403363	0.0169363	0.002	0.5228m+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	clean	C	schulze	quality	0.1126	max	0.1126	spearman	0.4112369	0.0142269	0.002	0.8943m+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	clean	C	schulze	quality	0.1152	max	0.1152	spearman	0.4112366	0.0143266	0.002	0.89441m+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	clean	C	schulze	quality	0.1046	max	0.1046	spearman	0.4112699	0.0143699	0.002	0.89566m+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	clean	C	schulze	quality	0.1002	max	0.1002	spearman	0.399149	0.0399149	0.002	0.6729m+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	clean	C	schulze	quality	0.0912	max	0.0912	spearman	0.402753	0.0103753	0.002	0.6066e+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	clean	C	schulze	quality	0.0848	max	0.0848	spearman	0.4111602	0.01411602	0.002	0.7235m+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	clean	C	simpleavg	quality	0.132	max	0.132	spearman	0.586008	0.0586008	0.002	imp062nce	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	clean	C	simpleavg	quality	0.1198	max	0.1198	spearman	0.617646	0.0347046	0.002	0.7986m+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	clean	C	simpleavg	quality	0.1216	max	0.1216	spearman	0.470553	0.0170553	0.002	0.2642m+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	clean	C	simpleavg	quality	0.1146	max	0.1146	spearman	0.403363	0.0169363	0.002	0.5228m+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	clean	C	simpleavg	quality	0.1158	max	0.1158	spearman	0.4112369	0.0142269	0.002	0.8943m+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	clean	C	simpleavg	quality	0.1172	max	0.1172	spearman	0.4112366	0.0143266	0.002	0.89441m+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	clean	C	simpleavg	quality	0.1056	max	0.1056	spearman	0.4112699	0.0143699	0.002	0.89566m+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	clean	C	simpleavg	quality	0.1032	max	0.1032	spearman	0.399149	0.0399149	0.002	0.6729m+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	clean	C	simpleavg	quality	0.103	max	0.103	spearman	0.402753	0.0103753	0.002	0.6066e+05	bidled	Falsmetric	Upperproximatio	4

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	clean	C	simpleavg	quality	0.1032	max	0.1032	spearman	0.4116602	0.04116602	0.0002	0.12356e+05	bidited	Symmetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	clean	Cbar	borda	quality	0.146	min	-0.146	spearman	0.5860008	0.05860008	0.0002	imp062nce	bidited	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	clean	Cbar	borda	quality	0.1508	min	-0.1508	spearman	0.6117046	0.06117046	0.0002	3e1086e+05	bidited	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	clean	Cbar	borda	quality	0.1572	min	-0.1572	spearman	0.470553	0.0470553	0.0002	4e3642e+05	bidited	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	clean	Cbar	borda	quality	0.1632	min	-0.1632	spearman	0.469363	0.0469363	0.0002	4e5228e+05	bidited	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	clean	Cbar	borda	quality	0.1876	min	-0.1876	spearman	0.412369	0.0412369	0.0002	4e8048e+05	bidited	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	clean	Cbar	borda	quality	0.1864	min	-0.1864	spearman	0.4113266	0.04113266	0.0002	4e81111e+05	bidited	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	clean	Cbar	borda	quality	0.1866	min	-0.1866	spearman	0.4113699	0.04113699	0.0002	5e4566e+05	bidited	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	clean	Cbar	borda	quality	0.2224	min	-0.2224	spearman	0.389149	0.0389149	0.0002	5e6720e+05	bidited	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	clean	Cbar	borda	quality	0.2628	min	-0.2628	spearman	0.402553	0.0402553	0.0002	5e6006e+05	bidited	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	clean	Cbar	borda	quality	0.2866	min	-0.2866	spearman	0.4116602	0.04116602	0.0002	6e12356e+05	bidited	Symmetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	clean	Cbar	kemeny	quality	0.146	min	-0.146	spearman	0.5860008	0.05860008	0.0002	imp062nce	bidited	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	clean	Cbar	kemeny	quality	0.1464	min	-0.1464	spearman	0.6117046	0.06117046	0.0002	3e1086e+05	bidited	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	clean	Cbar	kemeny	quality	0.1458	min	-0.1458	spearman	0.470553	0.0470553	0.0002	4e3642e+05	bidited	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	clean	Cbar	kemeny	quality	0.1714	min	-0.1714	spearman	0.469363	0.0469363	0.0002	4e5228e+05	bidited	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	clean	Cbar	kemeny	quality	0.2028	min	-0.2028	spearman	0.412369	0.0412369	0.0002	4e8048e+05	bidited	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	clean	Cbar	kemeny	quality	0.2112	min	-0.2112	spearman	0.4113266	0.04113266	0.0002	4e81111e+05	bidited	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	clean	Cbar	kemeny	quality	0.201	min	-0.201	spearman	0.4113699	0.04113699	0.0002	5e4566e+05	bidited	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	clean	Cbar	kemeny	quality	0.2544	min	-0.2544	spearman	0.389149	0.0389149	0.0002	5e6720e+05	bidited	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	clean	Cbar	kemeny	quality	0.317	min	-0.317	spearman	0.402553	0.0402553	0.0002	5e6006e+05	bidited	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	clean	Cbar	kemeny	quality	0.3318	min	-0.3318	spearman	0.4116602	0.04116602	0.0002	6e12356e+05	bidited	Symmetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	clean	Cbar	rrf	quality	0.1442	min	-0.1442	spearman	0.5860008	0.05860008	0.0002	imp062nce	bidited	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	clean	Cbar	rrf	quality	0.1468	min	-0.1468	spearman	0.6117046	0.06117046	0.0002	3e1086e+05	bidited	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	clean	Cbar	rrf	quality	0.1462	min	-0.1462	spearman	0.470553	0.0470553	0.0002	4e3642e+05	bidited	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	clean	Cbar	rrf	quality	0.1572	min	-0.1572	spearman	0.469363	0.0469363	0.0002	4e5228e+05	bidited	Falsimetric	Approximation	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	6	clean	Cbar	rrf	quality	0.1782	min	-0.1782	spearman	0.4112369	0.0142266	0.002	0.89043m+05	bidled	Falsmetric	Upperproximation	4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	7	clean	Cbar	rrf	quality	0.1852	min	-0.1852	spearman	0.4112366	0.0143266	0.002	0.89111m+05	bidled	Falsmetric	Upperproximation	4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	8	clean	Cbar	rrf	quality	0.1854	min	-0.1854	spearman	0.4112699	0.0143699	0.002	0.89566m+05	bidled	Falsmetric	Upperproximation	4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	9	clean	Cbar	rrf	quality	0.2236	min	-0.2236	spearman	0.3109149	0.0309149	0.002	0.6729m+05	bidled	Falsmetric	Upperproximation	4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	10	clean	Cbar	rrf	quality	0.27	min	-0.27	spearman	0.4112753	0.0143753	0.002	0.90064+05c	bidled	Falsmetric	Upperproximation	4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	11	clean	Cbar	rrf	quality	0.2798	min	-0.2798	spearman	0.4111602	0.0141602	0.002	0.91235m+05	bidled	Falsmetric	Upperproximation	4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	2	clean	Cbar	schulze	quality	0.146	min	-0.146	spearman	0.586008	0.0586008	0.002	imp062mce	bidled	Falsmetric	Upperproximation	4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	3	clean	Cbar	schulze	quality	0.1484	min	-0.1484	spearman	0.6117046	0.0147046	0.002	0.91986m+05	bidled	Falsmetric	Upperproximation	4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	4	clean	Cbar	schulze	quality	0.1458	min	-0.1458	spearman	0.4110553	0.01470553	0.002	0.89642m+05	bidled	Falsmetric	Upperproximation	4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	5	clean	Cbar	schulze	quality	0.1636	min	-0.1636	spearman	0.4110363	0.0149363	0.002	0.85228m+05	bidled	Falsmetric	Upperproximation	4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	6	clean	Cbar	schulze	quality	0.1886	min	-0.1886	spearman	0.4112369	0.0142266	0.002	0.89043m+05	bidled	Falsmetric	Upperproximation	4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	7	clean	Cbar	schulze	quality	0.183	min	-0.183	spearman	0.4112366	0.0143266	0.002	0.89111m+05	bidled	Falsmetric	Upperproximation	4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	8	clean	Cbar	schulze	quality	0.189	min	-0.189	spearman	0.4112699	0.0143699	0.002	0.89566m+05	bidled	Falsmetric	Upperproximation	4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	9	clean	Cbar	schulze	quality	0.2294	min	-0.2294	spearman	0.3109149	0.0309149	0.002	0.6729m+05	bidled	Falsmetric	Upperproximation	4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	10	clean	Cbar	schulze	quality	0.2956	min	-0.2956	spearman	0.4112753	0.0143753	0.002	0.90064+05c	bidled	Falsmetric	Upperproximation	4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	11	clean	Cbar	schulze	quality	0.2966	min	-0.2966	spearman	0.4111602	0.0141602	0.002	0.91235m+05	bidled	Falsmetric	Upperproximation	4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	2	clean	Cbar	simpleavg	quality	0.1484	min	-0.1484	spearman	0.586008	0.0586008	0.002	imp062mce	bidled	Falsmetric	Upperproximation	4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	3	clean	Cbar	simpleavg	quality	0.1478	min	-0.1478	spearman	0.6117046	0.0147046	0.002	0.91986m+05	bidled	Falsmetric	Upperproximation	4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	4	clean	Cbar	simpleavg	quality	0.147	min	-0.147	spearman	0.4110553	0.01470553	0.002	0.89642m+05	bidled	Falsmetric	Upperproximation	4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	5	clean	Cbar	simpleavg	quality	0.1524	min	-0.1524	spearman	0.4110363	0.0149363	0.002	0.85228m+05	bidled	Falsmetric	Upperproximation	4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	6	clean	Cbar	simpleavg	quality	0.1532	min	-0.1532	spearman	0.4112369	0.0142266	0.002	0.89043m+05	bidled	Falsmetric	Upperproximation	4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	7	clean	Cbar	simpleavg	quality	0.1576	min	-0.1576	spearman	0.4112366	0.0143266	0.002	0.89111m+05	bidled	Falsmetric	Upperproximation	4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	8	clean	Cbar	simpleavg	quality	0.1706	min	-0.1706	spearman	0.4112699	0.0143699	0.002	0.89566m+05	bidled	Falsmetric	Upperproximation	4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	9	clean	Cbar	simpleavg	quality	0.1722	min	-0.1722	spearman	0.3109149	0.0309149	0.002	0.6729m+05	bidled	Falsmetric	Upperproximation	4
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	10	clean	Cbar	simpleavg	quality	0.1738	min	-0.1738	spearman	0.4112753	0.0143753	0.002	0.90064+05c	bidled	Falsmetric	Upperproximation	4

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	clean	Cbar	simpleavg	quality	0.1744	min	-0.1744	spearman	0.4116602	0.04116602	0.002	0.12356e+05	bidled	Symmetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	clean	F	borda	quality	0.0864	max	0.0864	spearman	0.5860608	0.05860608	0.002	imp0620nce	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	clean	F	borda	quality	0.0506	max	0.0506	spearman	0.6117046	0.06117046	0.002	3.19860e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	clean	F	borda	quality	0.0572	max	0.0572	spearman	0.470553	0.0470553	0.002	4.36420e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	clean	F	borda	quality	0.0634	max	0.0634	spearman	0.469363	0.0469363	0.002	4.52280e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	clean	F	borda	quality	0.0604	max	0.0604	spearman	0.412369	0.0412369	0.002	4.89048e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	clean	F	borda	quality	0.066	max	0.066	spearman	0.4112366	0.04112366	0.002	4.81111e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	clean	F	borda	quality	0.0582	max	0.0582	spearman	0.4112699	0.04112699	0.002	5.04560e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	clean	F	borda	quality	0.0552	max	0.0552	spearman	0.3109149	0.03109149	0.002	5.06720e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	clean	F	borda	quality	0.0494	max	0.0494	spearman	0.412553	0.0412553	0.002	5.06064e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	clean	F	borda	quality	0.0478	max	0.0478	spearman	0.4116602	0.04116602	0.002	6.12356e+05	bidled	Symmetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	clean	F	kemeny	quality	0.0864	max	0.0864	spearman	0.5860608	0.05860608	0.002	imp0620nce	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	clean	F	kemeny	quality	0.0874	max	0.0874	spearman	0.6117046	0.06117046	0.002	3.19860e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	clean	F	kemeny	quality	0.087	max	0.087	spearman	0.470553	0.0470553	0.002	4.36420e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	clean	F	kemeny	quality	0.0796	max	0.0796	spearman	0.469363	0.0469363	0.002	4.52280e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	clean	F	kemeny	quality	0.0728	max	0.0728	spearman	0.412369	0.0412369	0.002	4.89048e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	clean	F	kemeny	quality	0.0716	max	0.0716	spearman	0.4112366	0.04112366	0.002	4.81111e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	clean	F	kemeny	quality	0.0738	max	0.0738	spearman	0.4112699	0.04112699	0.002	5.04560e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	clean	F	kemeny	quality	0.0624	max	0.0624	spearman	0.3109149	0.03109149	0.002	5.06720e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	clean	F	kemeny	quality	0.0542	max	0.0542	spearman	0.412553	0.0412553	0.002	5.06064e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	clean	F	kemeny	quality	0.05	max	0.05	spearman	0.4116602	0.04116602	0.002	6.12356e+05	bidled	Symmetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	clean	F	rrf	quality	0.0872	max	0.0872	spearman	0.5860608	0.05860608	0.002	imp0620nce	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	clean	F	rrf	quality	0.0726	max	0.0726	spearman	0.6117046	0.06117046	0.002	3.19860e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	clean	F	rrf	quality	0.0804	max	0.0804	spearman	0.470553	0.0470553	0.002	4.36420e+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	clean	F	rrf	quality	0.0762	max	0.0762	spearman	0.469363	0.0469363	0.002	4.52280e+05	bidled	Falsimetric	Upperproximation	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	clean	F	rrf	quality	0.0738	max	0.0738	spearman	0.4112369	0.01412269	0.0012	0.08043m+05	bidited	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	clean	F	rrf	quality	0.073	max	0.073	spearman	0.4112366	0.01413266	0.0012	0.081111m+05	bidited	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	clean	F	rrf	quality	0.0688	max	0.0688	spearman	0.4112699	0.01413699	0.0012	0.045567m+05	bidited	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	clean	F	rrf	quality	0.0634	max	0.0634	spearman	0.3109149	0.0309149	0.0012	0.06729m+05	bidited	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	clean	F	rrf	quality	0.0574	max	0.0574	spearman	0.4112753	0.01413753	0.0012	0.06066e+05c	bidited	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	clean	F	rrf	quality	0.0538	max	0.0538	spearman	0.4111602	0.01411602	0.0012	0.01235m+05	bidited	Symmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	clean	F	schulze	quality	0.0864	max	0.0864	spearman	0.586008	0.0586008	0.0012	imp0625nce	bidited	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	clean	F	schulze	quality	0.0764	max	0.0764	spearman	0.6117046	0.0117046	0.0012	0.01086m+05	bidited	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	clean	F	schulze	quality	0.0874	max	0.0874	spearman	0.4110553	0.0110553	0.0012	0.02642m+05	bidited	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	clean	F	schulze	quality	0.0742	max	0.0742	spearman	0.4113363	0.0113363	0.0012	0.05228m+05	bidited	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	clean	F	schulze	quality	0.0698	max	0.0698	spearman	0.4112369	0.01412269	0.0012	0.08043m+05	bidited	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	clean	F	schulze	quality	0.0726	max	0.0726	spearman	0.4112366	0.01413266	0.0012	0.081111m+05	bidited	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	clean	F	schulze	quality	0.0684	max	0.0684	spearman	0.4112699	0.01413699	0.0012	0.045567m+05	bidited	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	clean	F	schulze	quality	0.0614	max	0.0614	spearman	0.3109149	0.0309149	0.0012	0.06729m+05	bidited	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	clean	F	schulze	quality	0.0552	max	0.0552	spearman	0.4112753	0.01413753	0.0012	0.06066e+05c	bidited	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	clean	F	schulze	quality	0.0488	max	0.0488	spearman	0.4111602	0.01411602	0.0012	0.01235m+05	bidited	Symmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	clean	F	simpleavg	quality	0.0852	max	0.0852	spearman	0.586008	0.0586008	0.0012	imp0625nce	bidited	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	clean	F	simpleavg	quality	0.0734	max	0.0734	spearman	0.6117046	0.0117046	0.0012	0.01086m+05	bidited	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	clean	F	simpleavg	quality	0.0748	max	0.0748	spearman	0.4110553	0.0110553	0.0012	0.02642m+05	bidited	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	clean	F	simpleavg	quality	0.0686	max	0.0686	spearman	0.4113363	0.0113363	0.0012	0.05228m+05	bidited	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	clean	F	simpleavg	quality	0.0692	max	0.0692	spearman	0.4112369	0.01412269	0.0012	0.08043m+05	bidited	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	clean	F	simpleavg	quality	0.0696	max	0.0696	spearman	0.4112366	0.01413266	0.0012	0.081111m+05	bidited	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	clean	F	simpleavg	quality	0.0662	max	0.0662	spearman	0.4112699	0.01413699	0.0012	0.045567m+05	bidited	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	clean	F	simpleavg	quality	0.0648	max	0.0648	spearman	0.3109149	0.0309149	0.0012	0.06729m+05	bidited	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	clean	F	simpleavg	quality	0.064	max	0.064	spearman	0.4112753	0.01413753	0.0012	0.06066e+05c	bidited	Falsmetric	Upperproximatio	4

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	clean	F	simpleavg	quality	0.0642	max	0.0642	spearman	0.411602	0.411602	0.002	0.1235m+05	bidled	Symmetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	clean	Fbar	borda	quality	0.0928	min	-0.0928	spearman	0.586008	0.586008	0.002	imp062nce	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	clean	Fbar	borda	quality	0.1026	min	-0.1026	spearman	0.6117046	0.6117046	0.002	3n1086m+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	clean	Fbar	borda	quality	0.1076	min	-0.1076	spearman	0.470553	0.470553	0.002	4n3642m+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	clean	Fbar	borda	quality	0.1114	min	-0.1114	spearman	0.469363	0.469363	0.002	4n5228m+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	clean	Fbar	borda	quality	0.1326	min	-0.1326	spearman	0.412369	0.412369	0.002	4n8048m+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	clean	Fbar	borda	quality	0.1326	min	-0.1326	spearman	0.4112366	0.4112366	0.002	4n8111m+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	clean	Fbar	borda	quality	0.1334	min	-0.1334	spearman	0.4112699	0.4112699	0.002	5n4566m+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	clean	Fbar	borda	quality	0.1634	min	-0.1634	spearman	0.389149	0.389149	0.002	5n6729m+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	clean	Fbar	borda	quality	0.2012	min	-0.2012	spearman	0.402753	0.402753	0.002	5n6006m+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	clean	Fbar	borda	quality	0.2256	min	-0.2256	spearman	0.411602	0.411602	0.002	6n1235m+05	bidled	Symmetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	clean	Fbar	kemeny	quality	0.0928	min	-0.0928	spearman	0.586008	0.586008	0.002	imp062nce	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	clean	Fbar	kemeny	quality	0.0946	min	-0.0946	spearman	0.6117046	0.6117046	0.002	3n1086m+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	clean	Fbar	kemeny	quality	0.0922	min	-0.0922	spearman	0.470553	0.470553	0.002	4n3642m+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	clean	Fbar	kemeny	quality	0.1154	min	-0.1154	spearman	0.469363	0.469363	0.002	4n5228m+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	clean	Fbar	kemeny	quality	0.1464	min	-0.1464	spearman	0.412369	0.412369	0.002	4n8048m+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	clean	Fbar	kemeny	quality	0.152	min	-0.152	spearman	0.4112366	0.4112366	0.002	4n8111m+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	clean	Fbar	kemeny	quality	0.143	min	-0.143	spearman	0.4112699	0.4112699	0.002	5n4566m+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	clean	Fbar	kemeny	quality	0.1934	min	-0.1934	spearman	0.389149	0.389149	0.002	5n6729m+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	clean	Fbar	kemeny	quality	0.2546	min	-0.2546	spearman	0.402753	0.402753	0.002	5n6006m+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	clean	Fbar	kemeny	quality	0.2684	min	-0.2684	spearman	0.411602	0.411602	0.002	6n1235m+05	bidled	Symmetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	clean	Fbar	rrf	quality	0.092	min	-0.092	spearman	0.586008	0.586008	0.002	imp062nce	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	clean	Fbar	rrf	quality	0.096	min	-0.096	spearman	0.6117046	0.6117046	0.002	3n1086m+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	clean	Fbar	rrf	quality	0.096	min	-0.096	spearman	0.470553	0.470553	0.002	4n3642m+05	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	clean	Fbar	rrf	quality	0.105	min	-0.105	spearman	0.469363	0.469363	0.002	4n5228m+05	bidled	Falsimetric	Upperproximation	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	clean	Fbar	rrf	quality	0.1246	min	-0.1246	spearman	0.4112369	0.0142266	0.002	0.89043m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	clean	Fbar	rrf	quality	0.1278	min	-0.1278	spearman	0.4112366	0.0143266	0.002	0.89111m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	clean	Fbar	rrf	quality	0.127	min	-0.127	spearman	0.4112699	0.0143699	0.002	0.89566m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	clean	Fbar	rrf	quality	0.1624	min	-0.1624	spearman	0.3109149	0.0309149	0.002	0.6729m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	clean	Fbar	rrf	quality	0.2086	min	-0.2086	spearman	0.4112753	0.0143753	0.002	0.89066m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	clean	Fbar	rrf	quality	0.2172	min	-0.2172	spearman	0.4111602	0.0141602	0.002	0.71235m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	clean	Fbar	schulze	quality	0.0928	min	-0.0928	spearman	0.586008	0.0586008	0.002	imp062mce	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	clean	Fbar	schulze	quality	0.0978	min	-0.0978	spearman	0.6117046	0.0147046	0.002	0.71086m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	clean	Fbar	schulze	quality	0.0952	min	-0.0952	spearman	0.4110553	0.0170553	0.002	0.89642m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	clean	Fbar	schulze	quality	0.109	min	-0.109	spearman	0.4113363	0.0169363	0.002	0.85228m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	clean	Fbar	schulze	quality	0.1338	min	-0.1338	spearman	0.4112369	0.0142266	0.002	0.89043m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	clean	Fbar	schulze	quality	0.1302	min	-0.1302	spearman	0.4112366	0.0143266	0.002	0.89111m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	clean	Fbar	schulze	quality	0.1302	min	-0.1302	spearman	0.4112699	0.0143699	0.002	0.89566m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	clean	Fbar	schulze	quality	0.1726	min	-0.1726	spearman	0.3109149	0.0309149	0.002	0.6729m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	clean	Fbar	schulze	quality	0.2342	min	-0.2342	spearman	0.4112753	0.0143753	0.002	0.89066m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	clean	Fbar	schulze	quality	0.2336	min	-0.2336	spearman	0.4111602	0.0141602	0.002	0.71235m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	clean	Fbar	simpleavg	quality	0.0966	min	-0.0966	spearman	0.586008	0.0586008	0.002	imp062mce	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	clean	Fbar	simpleavg	quality	0.097	min	-0.097	spearman	0.6117046	0.0147046	0.002	0.71086m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	clean	Fbar	simpleavg	quality	0.0956	min	-0.0956	spearman	0.4110553	0.0170553	0.002	0.89642m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	clean	Fbar	simpleavg	quality	0.1002	min	-0.1002	spearman	0.4113363	0.0169363	0.002	0.85228m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	clean	Fbar	simpleavg	quality	0.0998	min	-0.0998	spearman	0.4112369	0.0142266	0.002	0.89043m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	clean	Fbar	simpleavg	quality	0.1038	min	-0.1038	spearman	0.4112366	0.0143266	0.002	0.89111m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	clean	Fbar	simpleavg	quality	0.1152	min	-0.1152	spearman	0.4112699	0.0143699	0.002	0.89566m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	clean	Fbar	simpleavg	quality	0.1164	min	-0.1164	spearman	0.3109149	0.0309149	0.002	0.6729m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	clean	Fbar	simpleavg	quality	0.1176	min	-0.1176	spearman	0.4112753	0.0143753	0.002	0.89066m+05	bidled	Falsmetric	Upperproximatio	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	clean	Fbar	simpleavg	quality	0.1174	min	-0.1174	spearman	0.4116602	0.04116602	0.002	0.12356405	bidled	Symmetric	Upperproximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversarial-sara-2-255	C	borda	robustness	0.091	min	-0.091	spearman	0.586008	0.0586008	0.002	imp062	nce	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversarial-sara-2-255	C	borda	robustness	0.1214	min	-0.1214	spearman	0.6176946	0.06176946	0.002	3.1686405	bidled	Falsimetric	Upperproximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversarial-sara-2-255	C	borda	robustness	0.1042	min	-0.1042	spearman	0.470553	0.0470553	0.002	4.26420405	bidled	Falsimetric	Upperproximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversarial-sara-2-255	C	borda	robustness	0.0962	min	-0.0962	spearman	0.469363	0.0469363	0.002	4.52280405	bidled	Falsimetric	Upperproximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversarial-sara-2-255	C	borda	robustness	0.092	min	-0.092	spearman	0.412369	0.0412369	0.002	4.89048405	bidled	Falsimetric	Upperproximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversarial-sara-2-255	C	borda	robustness	0.0886	min	-0.0886	spearman	0.412366	0.0412366	0.002	4.89111405	bidled	Falsimetric	Upperproximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversarial-sara-2-255	C	borda	robustness	0.0998	min	-0.0998	spearman	0.412699	0.0412699	0.002	5.04566405	bidled	Falsimetric	Upperproximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversarial-sara-2-255	C	borda	robustness	0.0924	min	-0.0924	spearman	0.399149	0.0399149	0.002	5.06729405	bidled	Falsimetric	Upperproximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversarial-sara-2-255	C	borda	robustness	0.0934	min	-0.0934	spearman	0.412753	0.0412753	0.002	5.06064405	bidled	Falsimetric	Upperproximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversarial-sara-2-255	C	borda	robustness	0.095	min	-0.095	spearman	0.4116602	0.04116602	0.002	0.12356405	bidled	Symmetric	Upperproximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversarial-sara-2-255	C	kemeny	robustness	0.091	min	-0.091	spearman	0.586008	0.0586008	0.002	imp062	nce	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversarial-sara-2-255	C	kemeny	robustness	0.0926	min	-0.0926	spearman	0.6176946	0.06176946	0.002	3.1686405	bidled	Falsimetric	Upperproximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversarial-sara-2-255	C	kemeny	robustness	0.0916	min	-0.0916	spearman	0.470553	0.0470553	0.002	4.26420405	bidled	Falsimetric	Upperproximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversarial-sara-2-255	C	kemeny	robustness	0.087	min	-0.087	spearman	0.469363	0.0469363	0.002	4.52280405	bidled	Falsimetric	Upperproximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversarial-sara-2-255	C	kemeny	robustness	0.0856	min	-0.0856	spearman	0.412369	0.0412369	0.002	4.89048405	bidled	Falsimetric	Upperproximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversarial-sara-2-255	C	kemeny	robustness	0.0876	min	-0.0876	spearman	0.412366	0.0412366	0.002	4.89111405	bidled	Falsimetric	Upperproximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversarial-sara-2-255	C	kemeny	robustness	0.0808	min	-0.0808	spearman	0.412699	0.0412699	0.002	5.04566405	bidled	Falsimetric	Upperproximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversarial-sara-2-255	C	kemeny	robustness	0.085	min	-0.085	spearman	0.399149	0.0399149	0.002	5.06729405	bidled	Falsimetric	Upperproximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversarial-sara-2-255	C	kemeny	robustness	0.084	min	-0.084	spearman	0.412753	0.0412753	0.002	5.06064405	bidled	Falsimetric	Upperproximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversarial-sara-2-255	C	kemeny	robustness	0.0926	min	-0.0926	spearman	0.4116602	0.04116602	0.002	0.12356405	bidled	Symmetric	Upperproximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversarial-sara-2-255	C	rrf	robustness	0.0902	min	-0.0902	spearman	0.586008	0.0586008	0.002	imp062	nce	bidled	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversarial-sara-2-255	C	rrf	robustness	0.1024	min	-0.1024	spearman	0.6176946	0.06176946	0.002	3.1686405	bidled	Falsimetric	Upperproximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversarial-sara-2-255	C	rrf	robustness	0.0916	min	-0.0916	spearman	0.470553	0.0470553	0.002	4.26420405	bidled	Falsimetric	Upperproximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversarial-sara-2-255	C	rrf	robustness	0.0864	min	-0.0864	spearman	0.469363	0.0469363	0.002	4.52280405	bidled	Falsimetric	Upperproximation	0	

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversaria	C	rrf	robustness	0.0834	min	-0.0834	spearman	0.4112369	0.01412266	0.0012	0.89043m+05	bidled	Fyalsmetric	Upperproximatio	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversaria	C	rrf	robustness	0.0876	min	-0.0876	spearman	0.4112366	0.01413266	0.0012	0.89111m+05	bidled	Fyalsmetric	Upperproximatio	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversaria	C	rrf	robustness	0.0866	min	-0.0866	spearman	0.4112699	0.01413699	0.0012	0.89566m+05	bidled	Fyalsmetric	Upperproximatio	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversaria	C	rrf	robustness	0.0862	min	-0.0862	spearman	0.399149	0.0399149	0.0012	0.6729m+05	bidled	Fyalsmetric	Upperproximatio	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversaria	C	rrf	robustness	0.0846	min	-0.0846	spearman	0.4112753	0.01413753	0.0012	0.89066m+05	bidled	Fyalsmetric	Upperproximatio	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversaria	C	rrf	robustness	0.0886	min	-0.0886	spearman	0.4111602	0.01411602	0.0012	0.71235m+05	bidled	Fyalsmetric	Upperproximatio	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversaria	C	schulze	robustness	0.091	min	-0.091	spearman	0.586008	0.0586008	0.0012	imp062mce	bidled	Fyalsmetric	Upperproximatio	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversaria	C	schulze	robustness	0.0968	min	-0.0968	spearman	0.6117046	0.0117046	0.0012	0.71986m+05	bidled	Fyalsmetric	Upperproximatio	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversaria	C	schulze	robustness	0.0834	min	-0.0834	spearman	0.4110553	0.01170553	0.0012	0.89642m+05	bidled	Fyalsmetric	Upperproximatio	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversaria	C	schulze	robustness	0.0912	min	-0.0912	spearman	0.4113363	0.0113363	0.0012	0.85228m+05	bidled	Fyalsmetric	Upperproximatio	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversaria	C	schulze	robustness	0.0856	min	-0.0856	spearman	0.4112369	0.01412266	0.0012	0.89043m+05	bidled	Fyalsmetric	Upperproximatio	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversaria	C	schulze	robustness	0.0804	min	-0.0804	spearman	0.4112366	0.01413266	0.0012	0.89111m+05	bidled	Fyalsmetric	Upperproximatio	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversaria	C	schulze	robustness	0.0892	min	-0.0892	spearman	0.4112699	0.01413699	0.0012	0.89566m+05	bidled	Fyalsmetric	Upperproximatio	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversaria	C	schulze	robustness	0.083	min	-0.083	spearman	0.399149	0.0399149	0.0012	0.6729m+05	bidled	Fyalsmetric	Upperproximatio	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversaria	C	schulze	robustness	0.0852	min	-0.0852	spearman	0.4112753	0.01413753	0.0012	0.89066m+05	bidled	Fyalsmetric	Upperproximatio	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversaria	C	schulze	robustness	0.0904	min	-0.0904	spearman	0.4111602	0.01411602	0.0012	0.71235m+05	bidled	Fyalsmetric	Upperproximatio	7
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversaria	C	simpleavg	robustness	0.0934	min	-0.0934	spearman	0.586008	0.0586008	0.0012	imp062mce	bidled	Fyalsmetric	Upperproximatio	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversaria	C	simpleavg	robustness	0.0928	min	-0.0928	spearman	0.6117046	0.0117046	0.0012	0.71986m+05	bidled	Fyalsmetric	Upperproximatio	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversaria	C	simpleavg	robustness	0.083	min	-0.083	spearman	0.4110553	0.01170553	0.0012	0.89642m+05	bidled	Fyalsmetric	Upperproximatio	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversaria	C	simpleavg	robustness	0.0836	min	-0.0836	spearman	0.4113363	0.0113363	0.0012	0.85228m+05	bidled	Fyalsmetric	Upperproximatio	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversaria	C	simpleavg	robustness	0.078	min	-0.078	spearman	0.4112369	0.01412266	0.0012	0.89043m+05	bidled	Fyalsmetric	Upperproximatio	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversaria	C	simpleavg	robustness	0.0782	min	-0.0782	spearman	0.4112366	0.01413266	0.0012	0.89111m+05	bidled	Fyalsmetric	Upperproximatio	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversaria	C	simpleavg	robustness	0.0822	min	-0.0822	spearman	0.4112699	0.01413699	0.0012	0.89566m+05	bidled	Fyalsmetric	Upperproximatio	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversaria	C	simpleavg	robustness	0.0842	min	-0.0842	spearman	0.399149	0.0399149	0.0012	0.6729m+05	bidled	Fyalsmetric	Upperproximatio	6
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversaria	C	simpleavg	robustness	0.08	min	-0.08	spearman	0.4112753	0.01413753	0.0012	0.89066m+05	bidled	Fyalsmetric	Upperproximatio	6

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversaria-sara-2-255	C	simpleavg	robustness	0.0788	min	-0.0788	spearman	0.4116602	0.014116602	0.0002	0.12356405	bidled	Symmetric	Approximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversaria-sara-2-255	Cbar	borda	robustness	0.2096	min	-0.2096	spearman	0.586008	0.0586008	0.0002	imp062	nce	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversaria-sara-2-255	Cbar	borda	robustness	0.201	min	-0.201	spearman	0.6176946	0.0547046	0.0002	3.1686405	bidled	Falsimetric	Approximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversaria-sara-2-255	Cbar	borda	robustness	0.2358	min	-0.2358	spearman	0.470553	0.0170553	0.0002	4.3642405	bidled	Falsimetric	Approximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversaria-sara-2-255	Cbar	borda	robustness	0.2572	min	-0.2572	spearman	0.469363	0.0169363	0.0002	4.5228405	bidled	Falsimetric	Approximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversaria-sara-2-255	Cbar	borda	robustness	0.264	min	-0.264	spearman	0.412369	0.0112369	0.0002	4.89048405	bidled	Falsimetric	Approximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversaria-sara-2-255	Cbar	borda	robustness	0.2686	min	-0.2686	spearman	0.4112366	0.01112366	0.0002	4.81111405	bidled	Falsimetric	Approximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversaria-sara-2-255	Cbar	borda	robustness	0.2654	min	-0.2654	spearman	0.412699	0.0113699	0.0002	5.04566405	bidled	Falsimetric	Approximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversaria-sara-2-255	Cbar	borda	robustness	0.2664	min	-0.2664	spearman	0.399149	0.0399149	0.0002	5.06729405	bidled	Falsimetric	Approximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversaria-sara-2-255	Cbar	borda	robustness	0.2626	min	-0.2626	spearman	0.412753	0.0112753	0.0002	5.0606405	bidled	Falsimetric	Approximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversaria-sara-2-255	Cbar	borda	robustness	0.2556	min	-0.2556	spearman	0.4116602	0.014116602	0.0002	0.12356405	bidled	Symmetric	Approximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversaria-sara-2-255	Cbar	kemeny	robustness	0.2096	min	-0.2096	spearman	0.586008	0.0586008	0.0002	imp062	nce	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversaria-sara-2-255	Cbar	kemeny	robustness	0.2164	min	-0.2164	spearman	0.6176946	0.0547046	0.0002	3.1686405	bidled	Falsimetric	Approximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversaria-sara-2-255	Cbar	kemeny	robustness	0.239	min	-0.239	spearman	0.470553	0.0170553	0.0002	4.3642405	bidled	Falsimetric	Approximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversaria-sara-2-255	Cbar	kemeny	robustness	0.2498	min	-0.2498	spearman	0.469363	0.0169363	0.0002	4.5228405	bidled	Falsimetric	Approximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversaria-sara-2-255	Cbar	kemeny	robustness	0.2486	min	-0.2486	spearman	0.412369	0.0112369	0.0002	4.89048405	bidled	Falsimetric	Approximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversaria-sara-2-255	Cbar	kemeny	robustness	0.2376	min	-0.2376	spearman	0.4112366	0.01112366	0.0002	4.81111405	bidled	Falsimetric	Approximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversaria-sara-2-255	Cbar	kemeny	robustness	0.2486	min	-0.2486	spearman	0.412699	0.0113699	0.0002	5.04566405	bidled	Falsimetric	Approximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversaria-sara-2-255	Cbar	kemeny	robustness	0.246	min	-0.246	spearman	0.399149	0.0399149	0.0002	5.06729405	bidled	Falsimetric	Approximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversaria-sara-2-255	Cbar	kemeny	robustness	0.234	min	-0.234	spearman	0.412753	0.0112753	0.0002	5.0606405	bidled	Falsimetric	Approximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversaria-sara-2-255	Cbar	kemeny	robustness	0.2166	min	-0.2166	spearman	0.4116602	0.014116602	0.0002	0.12356405	bidled	Symmetric	Approximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversaria-sara-2-255	Cbar	rrf	robustness	0.2102	min	-0.2102	spearman	0.586008	0.0586008	0.0002	imp062	nce	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversaria-sara-2-255	Cbar	rrf	robustness	0.2064	min	-0.2064	spearman	0.6176946	0.0547046	0.0002	3.1686405	bidled	Falsimetric	Approximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversaria-sara-2-255	Cbar	rrf	robustness	0.2372	min	-0.2372	spearman	0.470553	0.0170553	0.0002	4.3642405	bidled	Falsimetric	Approximation	0	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversaria-sara-2-255	Cbar	rrf	robustness	0.268	min	-0.268	spearman	0.469363	0.0169363	0.0002	4.5228405	bidled	Falsimetric	Approximation	0	

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversaria	Cbar	rrf	robustness	0.2666	min	-0.2666	spearman	0.4112369	0.014122669	0.0012	0.08043m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversaria	Cbar	rrf	robustness	0.2614	min	-0.2614	spearman	0.4112366	0.014143266	0.0012	0.081111m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversaria	Cbar	rrf	robustness	0.2572	min	-0.2572	spearman	0.4112699	0.014136999	0.0012	0.045566m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversaria	Cbar	rrf	robustness	0.2636	min	-0.2636	spearman	0.3109149	0.01399149	0.0012	0.06729m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversaria	Cbar	rrf	robustness	0.2502	min	-0.2502	spearman	0.4112753	0.01413753	0.0012	0.060664+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversaria	Cbar	rrf	robustness	0.2434	min	-0.2434	spearman	0.4111692	0.01411692	0.0012	0.01235m+05	bidled	Symmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversaria	Cbar	schulze	robustness	0.2096	min	-0.2096	spearman	0.586008	0.01586008	0.0012	imp062mce	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversaria	Cbar	schulze	robustness	0.1992	min	-0.1992	spearman	0.6117646	0.01617046	0.0012	0.01986m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversaria	Cbar	schulze	robustness	0.2324	min	-0.2324	spearman	0.4110553	0.014170553	0.0012	0.02642m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversaria	Cbar	schulze	robustness	0.2574	min	-0.2574	spearman	0.4113363	0.01413363	0.0012	0.05228m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversaria	Cbar	schulze	robustness	0.267	min	-0.267	spearman	0.4112369	0.014122669	0.0012	0.08043m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversaria	Cbar	schulze	robustness	0.2672	min	-0.2672	spearman	0.4112366	0.014143266	0.0012	0.081111m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversaria	Cbar	schulze	robustness	0.2616	min	-0.2616	spearman	0.4112699	0.014136999	0.0012	0.045566m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversaria	Cbar	schulze	robustness	0.2596	min	-0.2596	spearman	0.3109149	0.01399149	0.0012	0.06729m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversaria	Cbar	schulze	robustness	0.244	min	-0.244	spearman	0.4112753	0.01413753	0.0012	0.060664+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversaria	Cbar	schulze	robustness	0.2418	min	-0.2418	spearman	0.4111692	0.01411692	0.0012	0.01235m+05	bidled	Symmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversaria	Cbar	simpleavg	robustness	0.2052	min	-0.2052	spearman	0.586008	0.01586008	0.0012	imp062mce	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversaria	Cbar	simpleavg	robustness	0.2038	min	-0.2038	spearman	0.6117646	0.01617046	0.0012	0.01986m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversaria	Cbar	simpleavg	robustness	0.2204	min	-0.2204	spearman	0.4110553	0.014170553	0.0012	0.02642m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversaria	Cbar	simpleavg	robustness	0.2532	min	-0.2532	spearman	0.4113363	0.01413363	0.0012	0.05228m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversaria	Cbar	simpleavg	robustness	0.262	min	-0.262	spearman	0.4112369	0.014122669	0.0012	0.08043m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversaria	Cbar	simpleavg	robustness	0.2722	min	-0.2722	spearman	0.4112366	0.014143266	0.0012	0.081111m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversaria	Cbar	simpleavg	robustness	0.2576	min	-0.2576	spearman	0.4112699	0.014136999	0.0012	0.045566m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversaria	Cbar	simpleavg	robustness	0.2738	min	-0.2738	spearman	0.3109149	0.01399149	0.0012	0.06729m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversaria	Cbar	simpleavg	robustness	0.284	min	-0.284	spearman	0.4112753	0.01413753	0.0012	0.060664+05	bidled	Falsmetric	Upperproximatio	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversaria	Cbar	simpleavg	robustness	0.2848	min	-0.2848	spearman	0.4116602	0.014116602	0.0012	0.12356e+05	bidited	Symmetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversaria	F	borda	robustness	0.076	min	-0.076	spearman	0.586008	0.01586008	0.0012	imp062nce	bidited	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversaria	F	borda	robustness	0.1022	min	-0.1022	spearman	0.6176946	0.016176946	0.0012	3.1686e+05	bidited	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversaria	F	borda	robustness	0.0902	min	-0.0902	spearman	0.470553	0.01470553	0.0012	4.2642e+05	bidited	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversaria	F	borda	robustness	0.0782	min	-0.0782	spearman	0.469363	0.01469363	0.0012	4.5228e+05	bidited	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversaria	F	borda	robustness	0.0778	min	-0.0778	spearman	0.412369	0.01412369	0.0012	4.8948e+05	bidited	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversaria	F	borda	robustness	0.0726	min	-0.0726	spearman	0.412366	0.01412366	0.0012	4.8948e+05	bidited	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversaria	F	borda	robustness	0.0808	min	-0.0808	spearman	0.412699	0.01412699	0.0012	5.0456e+05	bidited	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversaria	F	borda	robustness	0.0718	min	-0.0718	spearman	0.399149	0.01399149	0.0012	5.6729e+05	bidited	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversaria	F	borda	robustness	0.0718	min	-0.0718	spearman	0.412753	0.01412753	0.0012	5.6906e+05	bidited	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversaria	F	borda	robustness	0.0736	min	-0.0736	spearman	0.4116602	0.014116602	0.0012	6.12356e+05	bidited	Symmetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversaria	F	kemeny	robustness	0.076	min	-0.076	spearman	0.586008	0.01586008	0.0012	imp062nce	bidited	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversaria	F	kemeny	robustness	0.077	min	-0.077	spearman	0.6176946	0.016176946	0.0012	3.1686e+05	bidited	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversaria	F	kemeny	robustness	0.0766	min	-0.0766	spearman	0.470553	0.01470553	0.0012	4.2642e+05	bidited	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversaria	F	kemeny	robustness	0.0688	min	-0.0688	spearman	0.469363	0.01469363	0.0012	4.5228e+05	bidited	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversaria	F	kemeny	robustness	0.0672	min	-0.0672	spearman	0.412369	0.01412369	0.0012	4.8948e+05	bidited	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversaria	F	kemeny	robustness	0.0688	min	-0.0688	spearman	0.412366	0.01412366	0.0012	4.8948e+05	bidited	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversaria	F	kemeny	robustness	0.0622	min	-0.0622	spearman	0.412699	0.01412699	0.0012	5.0456e+05	bidited	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversaria	F	kemeny	robustness	0.0638	min	-0.0638	spearman	0.399149	0.01399149	0.0012	5.6729e+05	bidited	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversaria	F	kemeny	robustness	0.0654	min	-0.0654	spearman	0.412753	0.01412753	0.0012	5.6906e+05	bidited	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversaria	F	kemeny	robustness	0.0714	min	-0.0714	spearman	0.4116602	0.014116602	0.0012	6.12356e+05	bidited	Symmetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversaria	F	rrf	robustness	0.0764	min	-0.0764	spearman	0.586008	0.01586008	0.0012	imp062nce	bidited	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversaria	F	rrf	robustness	0.086	min	-0.086	spearman	0.6176946	0.016176946	0.0012	3.1686e+05	bidited	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversaria	F	rrf	robustness	0.0734	min	-0.0734	spearman	0.470553	0.01470553	0.0012	4.2642e+05	bidited	Falsimetric	Upperproximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversaria	F	rrf	robustness	0.0678	min	-0.0678	spearman	0.469363	0.01469363	0.0012	4.5228e+05	bidited	Falsimetric	Upperproximation	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversaria	F	rrf	robustness	0.0662	min	-0.0662	spearman	0.4112369	0.01412266	0.0012	0.89043m+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversaria	F	rrf	robustness	0.0672	min	-0.0672	spearman	0.4112366	0.01413266	0.0012	0.89111m+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversaria	F	rrf	robustness	0.065	min	-0.065	spearman	0.4112699	0.01413699	0.0012	0.89556m+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversaria	F	rrf	robustness	0.066	min	-0.066	spearman	0.399149	0.0399149	0.0012	0.6729m+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversaria	F	rrf	robustness	0.0666	min	-0.0666	spearman	0.4112753	0.01413753	0.0012	0.89606m+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversaria	F	rrf	robustness	0.0696	min	-0.0696	spearman	0.4111692	0.01411692	0.0012	0.71235m+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversaria	F	schulze	robustness	0.076	min	-0.076	spearman	0.586098	0.0586098	0.0012	imp062mce	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversaria	F	schulze	robustness	0.079	min	-0.079	spearman	0.6176946	0.01617046	0.0012	0.71986m+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversaria	F	schulze	robustness	0.0706	min	-0.0706	spearman	0.470553	0.0170553	0.0012	0.2642m+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversaria	F	schulze	robustness	0.0744	min	-0.0744	spearman	0.413363	0.0169363	0.0012	0.5228m+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversaria	F	schulze	robustness	0.0698	min	-0.0698	spearman	0.4112369	0.01412266	0.0012	0.89043m+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversaria	F	schulze	robustness	0.065	min	-0.065	spearman	0.4112366	0.01413266	0.0012	0.89111m+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversaria	F	schulze	robustness	0.0692	min	-0.0692	spearman	0.4112699	0.01413699	0.0012	0.89556m+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversaria	F	schulze	robustness	0.0642	min	-0.0642	spearman	0.399149	0.0399149	0.0012	0.6729m+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversaria	F	schulze	robustness	0.0652	min	-0.0652	spearman	0.4112753	0.01413753	0.0012	0.89606m+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversaria	F	schulze	robustness	0.072	min	-0.072	spearman	0.4111692	0.01411692	0.0012	0.71235m+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversaria	F	simpleavg	robustness	0.0772	min	-0.0772	spearman	0.586098	0.0586098	0.0012	imp062mce	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversaria	F	simpleavg	robustness	0.0752	min	-0.0752	spearman	0.6176946	0.01617046	0.0012	0.71986m+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversaria	F	simpleavg	robustness	0.0676	min	-0.0676	spearman	0.470553	0.0170553	0.0012	0.2642m+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversaria	F	simpleavg	robustness	0.0688	min	-0.0688	spearman	0.413363	0.0169363	0.0012	0.5228m+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversaria	F	simpleavg	robustness	0.0648	min	-0.0648	spearman	0.4112369	0.01412266	0.0012	0.89043m+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversaria	F	simpleavg	robustness	0.0646	min	-0.0646	spearman	0.4112366	0.01413266	0.0012	0.89111m+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversaria	F	simpleavg	robustness	0.0672	min	-0.0672	spearman	0.4112699	0.01413699	0.0012	0.89556m+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversaria	F	simpleavg	robustness	0.0672	min	-0.0672	spearman	0.399149	0.0399149	0.0012	0.6729m+05	bidled	Falsmetric	Upperproximati	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversaria	F	simpleavg	robustness	0.065	min	-0.065	spearman	0.4112753	0.01413753	0.0012	0.89606m+05	bidled	Falsmetric	Upperproximati	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversarial	F	simpleavg	robustness	0.0632	min	-0.0632	spearman	0.4116602	0.014116602	0.0002	0.12356	0.05	bidited	Symmetric	Approximation
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversarial	Fbar	borda	robustness	0.2034	min	-0.2034	spearman	0.586008	0.0586008	0.0002	imp062	0.05	bidited	Falsimetric	Approximation
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversarial	Fbar	borda	robustness	0.1906	min	-0.1906	spearman	0.6176946	0.0547046	0.0002	3.1686	0.05	bidited	Falsimetric	Approximation
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversarial	Fbar	borda	robustness	0.2242	min	-0.2242	spearman	0.470553	0.0170553	0.0002	4.3612	0.05	bidited	Falsimetric	Approximation
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversarial	Fbar	borda	robustness	0.248	min	-0.248	spearman	0.469363	0.0169363	0.0002	4.5228	0.05	bidited	Falsimetric	Approximation
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversarial	Fbar	borda	robustness	0.256	min	-0.256	spearman	0.412369	0.0112369	0.0002	4.8918	0.05	bidited	Falsimetric	Approximation
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversarial	Fbar	borda	robustness	0.2546	min	-0.2546	spearman	0.4112366	0.01112366	0.0002	4.8111	0.05	bidited	Falsimetric	Approximation
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversarial	Fbar	borda	robustness	0.2486	min	-0.2486	spearman	0.412699	0.0113699	0.0002	5.4566	0.05	bidited	Falsimetric	Approximation
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversarial	Fbar	borda	robustness	0.257	min	-0.257	spearman	0.399149	0.0399149	0.0002	5.6729	0.05	bidited	Falsimetric	Approximation
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversarial	Fbar	borda	robustness	0.254	min	-0.254	spearman	0.412753	0.0112753	0.0002	5.6064	0.05	bidited	Falsimetric	Approximation
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversarial	Fbar	borda	robustness	0.2438	min	-0.2438	spearman	0.4116602	0.014116602	0.0002	6.12356	0.05	bidited	Symmetric	Approximation
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversarial	Fbar	kemeny	robustness	0.2034	min	-0.2034	spearman	0.586008	0.0586008	0.0002	imp062	0.05	bidited	Falsimetric	Approximation
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversarial	Fbar	kemeny	robustness	0.207	min	-0.207	spearman	0.6176946	0.0547046	0.0002	3.1686	0.05	bidited	Falsimetric	Approximation
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversarial	Fbar	kemeny	robustness	0.2344	min	-0.2344	spearman	0.470553	0.0170553	0.0002	4.3612	0.05	bidited	Falsimetric	Approximation
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversarial	Fbar	kemeny	robustness	0.2416	min	-0.2416	spearman	0.469363	0.0169363	0.0002	4.5228	0.05	bidited	Falsimetric	Approximation
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversarial	Fbar	kemeny	robustness	0.2386	min	-0.2386	spearman	0.412369	0.0112369	0.0002	4.8918	0.05	bidited	Falsimetric	Approximation
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversarial	Fbar	kemeny	robustness	0.2282	min	-0.2282	spearman	0.4112366	0.01112366	0.0002	4.8111	0.05	bidited	Falsimetric	Approximation
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversarial	Fbar	kemeny	robustness	0.2356	min	-0.2356	spearman	0.412699	0.0113699	0.0002	5.4566	0.05	bidited	Falsimetric	Approximation
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversarial	Fbar	kemeny	robustness	0.2382	min	-0.2382	spearman	0.399149	0.0399149	0.0002	5.6729	0.05	bidited	Falsimetric	Approximation
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversarial	Fbar	kemeny	robustness	0.2262	min	-0.2262	spearman	0.412753	0.0112753	0.0002	5.6064	0.05	bidited	Falsimetric	Approximation
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversarial	Fbar	kemeny	robustness	0.2106	min	-0.2106	spearman	0.4116602	0.014116602	0.0002	6.12356	0.05	bidited	Symmetric	Approximation
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversarial	Fbar	rrf	robustness	0.204	min	-0.204	spearman	0.586008	0.0586008	0.0002	imp062	0.05	bidited	Falsimetric	Approximation
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversarial	Fbar	rrf	robustness	0.2022	min	-0.2022	spearman	0.6176946	0.0547046	0.0002	3.1686	0.05	bidited	Falsimetric	Approximation
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversarial	Fbar	rrf	robustness	0.2262	min	-0.2262	spearman	0.470553	0.0170553	0.0002	4.3612	0.05	bidited	Falsimetric	Approximation
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversarial	Fbar	rrf	robustness	0.2546	min	-0.2546	spearman	0.469363	0.0169363	0.0002	4.5228	0.05	bidited	Falsimetric	Approximation

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversarial	Fbar	rrf	robustness	0.2526	min	-0.2526	spearman	0.4112369	0.01412266	0.0012	0.00013m+05	bidited	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversarial	Fbar	rrf	robustness	0.2504	min	-0.2504	spearman	0.4112366	0.01413266	0.0012	0.00011m+05	bidited	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversarial	Fbar	rrf	robustness	0.2458	min	-0.2458	spearman	0.4112699	0.01413699	0.0012	0.00056m+05	bidited	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversarial	Fbar	rrf	robustness	0.2544	min	-0.2544	spearman	0.399149	0.0399149	0.0012	0.000729m+05	bidited	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversarial	Fbar	rrf	robustness	0.2426	min	-0.2426	spearman	0.4112753	0.01413753	0.0012	0.00006e+05c	bidited	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversarial	Fbar	rrf	robustness	0.238	min	-0.238	spearman	0.4111692	0.01411692	0.0012	0.01235m+05	bidited	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversarial	Fbar	schulze	robustness	0.2034	min	-0.2034	spearman	0.586008	0.0586008	0.0012	imp062mce	bidited	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversarial	Fbar	schulze	robustness	0.191	min	-0.191	spearman	0.6176946	0.016176946	0.0012	0.01986m+05	bidited	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversarial	Fbar	schulze	robustness	0.225	min	-0.225	spearman	0.470553	0.0170553	0.0012	0.00612m+05	bidited	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversarial	Fbar	schulze	robustness	0.2486	min	-0.2486	spearman	0.4113363	0.01413363	0.0012	0.005228m+05	bidited	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversarial	Fbar	schulze	robustness	0.2534	min	-0.2534	spearman	0.4112369	0.01412266	0.0012	0.00013m+05	bidited	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversarial	Fbar	schulze	robustness	0.2512	min	-0.2512	spearman	0.4112366	0.01413266	0.0012	0.00011m+05	bidited	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversarial	Fbar	schulze	robustness	0.2494	min	-0.2494	spearman	0.4112699	0.01413699	0.0012	0.00056m+05	bidited	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversarial	Fbar	schulze	robustness	0.2456	min	-0.2456	spearman	0.399149	0.0399149	0.0012	0.000729m+05	bidited	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversarial	Fbar	schulze	robustness	0.2358	min	-0.2358	spearman	0.4112753	0.01413753	0.0012	0.00006e+05c	bidited	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversarial	Fbar	schulze	robustness	0.2358	min	-0.2358	spearman	0.4111692	0.01411692	0.0012	0.01235m+05	bidited	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	adversarial	Fbar	simpleavg	robustness	0.198	min	-0.198	spearman	0.586008	0.0586008	0.0012	imp062mce	bidited	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	adversarial	Fbar	simpleavg	robustness	0.1992	min	-0.1992	spearman	0.6176946	0.016176946	0.0012	0.01986m+05	bidited	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	adversarial	Fbar	simpleavg	robustness	0.2134	min	-0.2134	spearman	0.470553	0.0170553	0.0012	0.00612m+05	bidited	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	adversarial	Fbar	simpleavg	robustness	0.2444	min	-0.2444	spearman	0.4113363	0.01413363	0.0012	0.005228m+05	bidited	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	adversarial	Fbar	simpleavg	robustness	0.2506	min	-0.2506	spearman	0.4112369	0.01412266	0.0012	0.00013m+05	bidited	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	adversarial	Fbar	simpleavg	robustness	0.2612	min	-0.2612	spearman	0.4112366	0.01413266	0.0012	0.00011m+05	bidited	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	adversarial	Fbar	simpleavg	robustness	0.2474	min	-0.2474	spearman	0.4112699	0.01413699	0.0012	0.00056m+05	bidited	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	adversarial	Fbar	simpleavg	robustness	0.2612	min	-0.2612	spearman	0.399149	0.0399149	0.0012	0.000729m+05	bidited	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	adversarial	Fbar	simpleavg	robustness	0.2698	min	-0.2698	spearman	0.4112753	0.01413753	0.0012	0.00006e+05c	bidited	Falsmetric	Upperproximatio	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	adversarial	Fbar	simpleavg	robustness	0.2696	min	-0.2696	spearman	0.4116602	0.04116602	0.0002	0.12356e+05	bidited	Symmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	C	borda	robustness	0.0846	min	-0.0846	spearman	0.5860008	0.05860008	0.0002	imp0620nce	bidited	Falsimetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	C	borda	robustness	0.1022	min	-0.1022	spearman	0.6117046	0.06117046	0.0002	3.11986e+05	bidited	Falsimetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	C	borda	robustness	0.1066	min	-0.1066	spearman	0.4710553	0.04710553	0.0002	4.23642e+05	bidited	Falsimetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	C	borda	robustness	0.1024	min	-0.1024	spearman	0.4693663	0.04693663	0.0002	4.52288e+05	bidited	Falsimetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	C	borda	robustness	0.1052	min	-0.1052	spearman	0.4112369	0.04112369	0.0002	4.89048e+05	bidited	Falsimetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	C	borda	robustness	0.0982	min	-0.0982	spearman	0.4112366	0.04112366	0.0002	4.881411e+05	bidited	Falsimetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	C	borda	robustness	0.1064	min	-0.1064	spearman	0.4112699	0.04112699	0.0002	5.04566e+05	bidited	Falsimetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	C	borda	robustness	0.11	min	-0.11	spearman	0.3109149	0.03109149	0.0002	5.06720e+05	bidited	Falsimetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	C	borda	robustness	0.119	min	-0.119	spearman	0.4112753	0.04112753	0.0002	5.06064e+05	bidited	Falsimetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	C	borda	robustness	0.1126	min	-0.1126	spearman	0.4116602	0.04116602	0.0002	0.12356e+05	bidited	Symmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	C	kemeny	robustness	0.0846	min	-0.0846	spearman	0.5860008	0.05860008	0.0002	imp0620nce	bidited	Falsimetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	C	kemeny	robustness	0.0906	min	-0.0906	spearman	0.6117046	0.06117046	0.0002	3.11986e+05	bidited	Falsimetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	C	kemeny	robustness	0.0984	min	-0.0984	spearman	0.4710553	0.04710553	0.0002	4.23642e+05	bidited	Falsimetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	C	kemeny	robustness	0.0962	min	-0.0962	spearman	0.4693663	0.04693663	0.0002	4.52288e+05	bidited	Falsimetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	C	kemeny	robustness	0.111	min	-0.111	spearman	0.4112369	0.04112369	0.0002	4.89048e+05	bidited	Falsimetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	C	kemeny	robustness	0.1052	min	-0.1052	spearman	0.4112366	0.04112366	0.0002	4.881411e+05	bidited	Falsimetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	C	kemeny	robustness	0.1076	min	-0.1076	spearman	0.4112699	0.04112699	0.0002	5.04566e+05	bidited	Falsimetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	C	kemeny	robustness	0.1174	min	-0.1174	spearman	0.3109149	0.03109149	0.0002	5.06720e+05	bidited	Falsimetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	C	kemeny	robustness	0.119	min	-0.119	spearman	0.4112753	0.04112753	0.0002	5.06064e+05	bidited	Falsimetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	C	kemeny	robustness	0.1174	min	-0.1174	spearman	0.4116602	0.04116602	0.0002	0.12356e+05	bidited	Symmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	C	rrf	robustness	0.0862	min	-0.0862	spearman	0.5860008	0.05860008	0.0002	imp0620nce	bidited	Falsimetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	C	rrf	robustness	0.1028	min	-0.1028	spearman	0.6117046	0.06117046	0.0002	3.11986e+05	bidited	Falsimetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	C	rrf	robustness	0.1046	min	-0.1046	spearman	0.4710553	0.04710553	0.0002	4.23642e+05	bidited	Falsimetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	C	rrf	robustness	0.1008	min	-0.1008	spearman	0.4693663	0.04693663	0.0002	4.52288e+05	bidited	Falsimetric	Upperproximatic	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	C	rrf	robustness	0.1096	min	-0.1096	spearman	0.4112369	0.0142266	0.002	0.89043m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	C	rrf	robustness	0.1044	min	-0.1044	spearman	0.4112366	0.0143266	0.002	0.88111m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	C	rrf	robustness	0.1142	min	-0.1142	spearman	0.4112699	0.0143699	0.002	0.84566m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	C	rrf	robustness	0.1166	min	-0.1166	spearman	0.389149	0.0399149	0.002	0.6729m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	C	rrf	robustness	0.1136	min	-0.1136	spearman	0.4112753	0.0143753	0.002	0.89066m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	C	rrf	robustness	0.1182	min	-0.1182	spearman	0.4111602	0.0141602	0.002	0.71235m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	C	schulze	robustness	0.0846	min	-0.0846	spearman	0.586008	0.0586008	0.002	imp062mce	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	C	schulze	robustness	0.0962	min	-0.0962	spearman	0.6117046	0.0147046	0.002	0.71986m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	C	schulze	robustness	0.1046	min	-0.1046	spearman	0.4110553	0.0170553	0.002	0.83642m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	C	schulze	robustness	0.101	min	-0.101	spearman	0.4113363	0.0169363	0.002	0.85228m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	C	schulze	robustness	0.1136	min	-0.1136	spearman	0.4112369	0.0142266	0.002	0.89043m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	C	schulze	robustness	0.0978	min	-0.0978	spearman	0.4112366	0.0143266	0.002	0.88111m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	C	schulze	robustness	0.109	min	-0.109	spearman	0.4112699	0.0143699	0.002	0.84566m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	C	schulze	robustness	0.1158	min	-0.1158	spearman	0.389149	0.0399149	0.002	0.6729m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	C	schulze	robustness	0.1166	min	-0.1166	spearman	0.4112753	0.0143753	0.002	0.89066m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	C	schulze	robustness	0.1186	min	-0.1186	spearman	0.4111602	0.0141602	0.002	0.71235m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	C	simpleavg	robustness	0.0826	min	-0.0826	spearman	0.586008	0.0586008	0.002	imp062mce	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	C	simpleavg	robustness	0.108	min	-0.108	spearman	0.6117046	0.0147046	0.002	0.71986m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	C	simpleavg	robustness	0.1106	min	-0.1106	spearman	0.4110553	0.0170553	0.002	0.83642m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	C	simpleavg	robustness	0.1064	min	-0.1064	spearman	0.4113363	0.0169363	0.002	0.85228m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	C	simpleavg	robustness	0.108	min	-0.108	spearman	0.4112369	0.0142266	0.002	0.89043m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	C	simpleavg	robustness	0.0994	min	-0.0994	spearman	0.4112366	0.0143266	0.002	0.88111m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	C	simpleavg	robustness	0.1098	min	-0.1098	spearman	0.4112699	0.0143699	0.002	0.84566m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	C	simpleavg	robustness	0.1136	min	-0.1136	spearman	0.389149	0.0399149	0.002	0.6729m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	C	simpleavg	robustness	0.112	min	-0.112	spearman	0.4112753	0.0143753	0.002	0.89066m+05	bidled	Falsmetric	Upperproximatic	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	C	simpleavg	robustness	0.1104	min	-0.1104	spearman	0.4111602	0.01411092	0.002	6.1235e+05	bidled	Symmetric	Empirical	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	Cbar	borda	robustness	0.272	min	-0.272	spearman	0.586008	0.0586008	0.002	imp062nce	bidled	Symmetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	Cbar	borda	robustness	0.3032	min	-0.3032	spearman	0.617046	0.0147046	0.002	3.1986e+05	bidled	Symmetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	Cbar	borda	robustness	0.27	min	-0.27	spearman	0.470553	0.0170553	0.002	4.2642e+05	bidled	Symmetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	Cbar	borda	robustness	0.278	min	-0.278	spearman	0.469363	0.0169363	0.002	4.5228e+05	bidled	Symmetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	Cbar	borda	robustness	0.2582	min	-0.2582	spearman	0.412269	0.0142269	0.002	4.8948e+05	bidled	Symmetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	Cbar	borda	robustness	0.2622	min	-0.2622	spearman	0.412266	0.0142266	0.002	4.8948e+05	bidled	Symmetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	Cbar	borda	robustness	0.2684	min	-0.2684	spearman	0.412699	0.0143699	0.002	5.0456e+05	bidled	Symmetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	Cbar	borda	robustness	0.2422	min	-0.2422	spearman	0.399149	0.0399149	0.002	5.0672e+05	bidled	Symmetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	Cbar	borda	robustness	0.2304	min	-0.2304	spearman	0.402553	0.0102753	0.002	5.0606e+05	bidled	Symmetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	Cbar	borda	robustness	0.2226	min	-0.2226	spearman	0.4111602	0.01411092	0.002	6.1235e+05	bidled	Symmetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	Cbar	kemeny	robustness	0.272	min	-0.272	spearman	0.586008	0.0586008	0.002	imp062nce	bidled	Symmetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	Cbar	kemeny	robustness	0.2712	min	-0.2712	spearman	0.617046	0.0147046	0.002	3.1986e+05	bidled	Symmetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	Cbar	kemeny	robustness	0.2536	min	-0.2536	spearman	0.470553	0.0170553	0.002	4.2642e+05	bidled	Symmetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	Cbar	kemeny	robustness	0.277	min	-0.277	spearman	0.469363	0.0169363	0.002	4.5228e+05	bidled	Symmetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	Cbar	kemeny	robustness	0.2466	min	-0.2466	spearman	0.412269	0.0142269	0.002	4.8948e+05	bidled	Symmetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	Cbar	kemeny	robustness	0.2566	min	-0.2566	spearman	0.412266	0.0142266	0.002	4.8948e+05	bidled	Symmetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	Cbar	kemeny	robustness	0.2588	min	-0.2588	spearman	0.412699	0.0143699	0.002	5.0456e+05	bidled	Symmetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	Cbar	kemeny	robustness	0.2306	min	-0.2306	spearman	0.399149	0.0399149	0.002	5.0672e+05	bidled	Symmetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	Cbar	kemeny	robustness	0.2028	min	-0.2028	spearman	0.402553	0.0102753	0.002	5.0606e+05	bidled	Symmetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	Cbar	kemeny	robustness	0.1992	min	-0.1992	spearman	0.4111602	0.01411092	0.002	6.1235e+05	bidled	Symmetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	Cbar	rrf	robustness	0.2736	min	-0.2736	spearman	0.586008	0.0586008	0.002	imp062nce	bidled	Symmetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	Cbar	rrf	robustness	0.273	min	-0.273	spearman	0.617046	0.0147046	0.002	3.1986e+05	bidled	Symmetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	Cbar	rrf	robustness	0.2588	min	-0.2588	spearman	0.470553	0.0170553	0.002	4.2642e+05	bidled	Symmetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	Cbar	rrf	robustness	0.276	min	-0.276	spearman	0.469363	0.0169363	0.002	4.5228e+05	bidled	Symmetric	Empirical	1

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	Cbar	rrf	robustness	0.2604	min	-0.2604	spearman	0.4112369	0.01412266	0.0012	0.89043m+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	Cbar	rrf	robustness	0.2706	min	-0.2706	spearman	0.4112366	0.01413266	0.0012	0.89111m+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	Cbar	rrf	robustness	0.2622	min	-0.2622	spearman	0.4113699	0.01413699	0.0012	0.89566m+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	Cbar	rrf	robustness	0.2428	min	-0.2428	spearman	0.3109149	0.01399149	0.0012	0.6729m+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	Cbar	rrf	robustness	0.2338	min	-0.2338	spearman	0.4113753	0.01413753	0.0012	0.89066m+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	Cbar	rrf	robustness	0.2304	min	-0.2304	spearman	0.4111692	0.01411692	0.0012	0.71235m+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	Cbar	schulze	robustness	0.272	min	-0.272	spearman	0.586098	0.01586098	0.0012	imp062mce	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	Cbar	schulze	robustness	0.2864	min	-0.2864	spearman	0.6117946	0.01617046	0.0012	0.71989m+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	Cbar	schulze	robustness	0.2594	min	-0.2594	spearman	0.4110553	0.014170553	0.0012	0.89642m+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	Cbar	schulze	robustness	0.2744	min	-0.2744	spearman	0.4113363	0.014113363	0.0012	0.89228m+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	Cbar	schulze	robustness	0.252	min	-0.252	spearman	0.4112369	0.01412266	0.0012	0.89043m+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	Cbar	schulze	robustness	0.266	min	-0.266	spearman	0.4112366	0.01413266	0.0012	0.89111m+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	Cbar	schulze	robustness	0.2628	min	-0.2628	spearman	0.4113699	0.01413699	0.0012	0.89566m+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	Cbar	schulze	robustness	0.2388	min	-0.2388	spearman	0.3109149	0.01399149	0.0012	0.6729m+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	Cbar	schulze	robustness	0.209	min	-0.209	spearman	0.4113753	0.01413753	0.0012	0.89066m+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	Cbar	schulze	robustness	0.2112	min	-0.2112	spearman	0.4111692	0.01411692	0.0012	0.71235m+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	Cbar	simpleavg	robustness	0.2718	min	-0.2718	spearman	0.586098	0.01586098	0.0012	imp062mce	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	Cbar	simpleavg	robustness	0.2798	min	-0.2798	spearman	0.6117946	0.01617046	0.0012	0.71989m+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	Cbar	simpleavg	robustness	0.279	min	-0.279	spearman	0.4110553	0.014170553	0.0012	0.89642m+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	Cbar	simpleavg	robustness	0.292	min	-0.292	spearman	0.4113363	0.014113363	0.0012	0.89228m+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	Cbar	simpleavg	robustness	0.2868	min	-0.2868	spearman	0.4112369	0.01412266	0.0012	0.89043m+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	Cbar	simpleavg	robustness	0.294	min	-0.294	spearman	0.4112366	0.01413266	0.0012	0.89111m+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	Cbar	simpleavg	robustness	0.2862	min	-0.2862	spearman	0.4113699	0.01413699	0.0012	0.89566m+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	Cbar	simpleavg	robustness	0.2884	min	-0.2884	spearman	0.3109149	0.01399149	0.0012	0.6729m+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	Cbar	simpleavg	robustness	0.292	min	-0.292	spearman	0.4113753	0.01413753	0.0012	0.89066m+05	bidled	Falsmetric	Upperproximatio	d

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	Cbar	simpleavg	robustness	0.2906	min	-0.2906	spearman	0.4116602	0.04116602	0.002	6.12356e+05	bidled	Symmetric	Upperproximation	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	F	borda	robustness	0.073	min	-0.073	spearman	0.586008	0.0586008	0.002	imp062	nce	bidled	Symmetric	Upperproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	F	borda	robustness	0.0796	min	-0.0796	spearman	0.6176946	0.06176946	0.002	3.1686e+05	bidled	Symmetric	Upperproximation	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	F	borda	robustness	0.0838	min	-0.0838	spearman	0.470553	0.0470553	0.002	4.2642e+05	bidled	Symmetric	Upperproximation	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	F	borda	robustness	0.0762	min	-0.0762	spearman	0.469363	0.0469363	0.002	4.5228e+05	bidled	Symmetric	Upperproximation	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	F	borda	robustness	0.0786	min	-0.0786	spearman	0.412369	0.0412369	0.002	4.8903e+05	bidled	Symmetric	Upperproximation	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	F	borda	robustness	0.0722	min	-0.0722	spearman	0.412366	0.0412366	0.002	4.8111e+05	bidled	Symmetric	Upperproximation	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	F	borda	robustness	0.075	min	-0.075	spearman	0.412699	0.0412699	0.002	5.0456e+05	bidled	Symmetric	Upperproximation	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	F	borda	robustness	0.0758	min	-0.0758	spearman	0.399149	0.0399149	0.002	5.0672e+05	bidled	Symmetric	Upperproximation	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	F	borda	robustness	0.0834	min	-0.0834	spearman	0.402553	0.0402553	0.002	5.0606e+05	bidled	Symmetric	Upperproximation	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	F	borda	robustness	0.0786	min	-0.0786	spearman	0.4116602	0.04116602	0.002	6.12356e+05	bidled	Symmetric	Upperproximation	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	F	kemeny	robustness	0.073	min	-0.073	spearman	0.586008	0.0586008	0.002	imp062	nce	bidled	Symmetric	Upperproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	F	kemeny	robustness	0.0716	min	-0.0716	spearman	0.6176946	0.06176946	0.002	3.1686e+05	bidled	Symmetric	Upperproximation	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	F	kemeny	robustness	0.079	min	-0.079	spearman	0.470553	0.0470553	0.002	4.2642e+05	bidled	Symmetric	Upperproximation	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	F	kemeny	robustness	0.0748	min	-0.0748	spearman	0.469363	0.0469363	0.002	4.5228e+05	bidled	Symmetric	Upperproximation	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	F	kemeny	robustness	0.0842	min	-0.0842	spearman	0.412369	0.0412369	0.002	4.8903e+05	bidled	Symmetric	Upperproximation	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	F	kemeny	robustness	0.0822	min	-0.0822	spearman	0.412366	0.0412366	0.002	4.8111e+05	bidled	Symmetric	Upperproximation	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	F	kemeny	robustness	0.082	min	-0.082	spearman	0.412699	0.0412699	0.002	5.0456e+05	bidled	Symmetric	Upperproximation	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	F	kemeny	robustness	0.0848	min	-0.0848	spearman	0.399149	0.0399149	0.002	5.0672e+05	bidled	Symmetric	Upperproximation	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	F	kemeny	robustness	0.0866	min	-0.0866	spearman	0.402553	0.0402553	0.002	5.0606e+05	bidled	Symmetric	Upperproximation	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	F	kemeny	robustness	0.0846	min	-0.0846	spearman	0.4116602	0.04116602	0.002	6.12356e+05	bidled	Symmetric	Upperproximation	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	F	rrf	robustness	0.0736	min	-0.0736	spearman	0.586008	0.0586008	0.002	imp062	nce	bidled	Symmetric	Upperproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	F	rrf	robustness	0.0816	min	-0.0816	spearman	0.6176946	0.06176946	0.002	3.1686e+05	bidled	Symmetric	Upperproximation	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	F	rrf	robustness	0.0812	min	-0.0812	spearman	0.470553	0.0470553	0.002	4.2642e+05	bidled	Symmetric	Upperproximation	3	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	F	rrf	robustness	0.0754	min	-0.0754	spearman	0.469363	0.0469363	0.002	4.5228e+05	bidled	Symmetric	Upperproximation	3	

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	F	rrf	robustness	0.0816	min	-0.0816	spearman	0.4112369	0.01412266	0.002	0.89043m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	F	rrf	robustness	0.0766	min	-0.0766	spearman	0.4112366	0.01413266	0.002	0.881111m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	F	rrf	robustness	0.0814	min	-0.0814	spearman	0.4112699	0.01413699	0.002	0.84566m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	F	rrf	robustness	0.0822	min	-0.0822	spearman	0.389149	0.0399149	0.002	0.6729m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	F	rrf	robustness	0.0794	min	-0.0794	spearman	0.4112753	0.01413753	0.002	0.86064+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	F	rrf	robustness	0.0834	min	-0.0834	spearman	0.4111602	0.01411602	0.002	0.7235m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	F	schulze	robustness	0.073	min	-0.073	spearman	0.586008	0.0586008	0.002	imp062nce	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	F	schulze	robustness	0.0742	min	-0.0742	spearman	0.6117046	0.01417046	0.002	0.7986m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	F	schulze	robustness	0.085	min	-0.085	spearman	0.4110553	0.014170553	0.002	0.8642m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	F	schulze	robustness	0.0766	min	-0.0766	spearman	0.4113363	0.01413363	0.002	0.85228m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	F	schulze	robustness	0.0826	min	-0.0826	spearman	0.4112369	0.01412266	0.002	0.89043m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	F	schulze	robustness	0.0786	min	-0.0786	spearman	0.4112366	0.01413266	0.002	0.881111m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	F	schulze	robustness	0.0784	min	-0.0784	spearman	0.4112699	0.01413699	0.002	0.84566m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	F	schulze	robustness	0.0848	min	-0.0848	spearman	0.389149	0.0399149	0.002	0.6729m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	F	schulze	robustness	0.084	min	-0.084	spearman	0.4112753	0.01413753	0.002	0.86064+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	F	schulze	robustness	0.0862	min	-0.0862	spearman	0.4111602	0.01411602	0.002	0.7235m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	F	simpleavg	robustness	0.0672	min	-0.0672	spearman	0.586008	0.0586008	0.002	imp062nce	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	F	simpleavg	robustness	0.0828	min	-0.0828	spearman	0.6117046	0.01417046	0.002	0.7986m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	F	simpleavg	robustness	0.0834	min	-0.0834	spearman	0.4110553	0.014170553	0.002	0.8642m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	F	simpleavg	robustness	0.077	min	-0.077	spearman	0.4113363	0.01413363	0.002	0.85228m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	F	simpleavg	robustness	0.0784	min	-0.0784	spearman	0.4112369	0.01412266	0.002	0.89043m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	F	simpleavg	robustness	0.0742	min	-0.0742	spearman	0.4112366	0.01413266	0.002	0.881111m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	F	simpleavg	robustness	0.0762	min	-0.0762	spearman	0.4112699	0.01413699	0.002	0.84566m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	F	simpleavg	robustness	0.0792	min	-0.0792	spearman	0.389149	0.0399149	0.002	0.6729m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	F	simpleavg	robustness	0.0784	min	-0.0784	spearman	0.4112753	0.01413753	0.002	0.86064+05	bidled	Falsmetric	Upperproximatio	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	F	simpleavg	robustness	0.0774	min	-0.0774	spearman	0.4116602	0.014116602	0.002	6.12356e+05	bidled	Symmetric	Empirical	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	Fbar	borda	robustness	0.223	min	-0.223	spearman	0.586008	0.0586008	0.002	imp062nce	bidled	Falsimetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	Fbar	borda	robustness	0.2524	min	-0.2524	spearman	0.6176946	0.06176946	0.002	3.1686e+05	bidled	Falsimetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	Fbar	borda	robustness	0.2212	min	-0.2212	spearman	0.470553	0.0470553	0.002	4.2642e+05	bidled	Falsimetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	Fbar	borda	robustness	0.2288	min	-0.2288	spearman	0.469363	0.0469363	0.002	4.5228e+05	bidled	Falsimetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	Fbar	borda	robustness	0.213	min	-0.213	spearman	0.412369	0.0412369	0.002	4.89048e+05	bidled	Falsimetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	Fbar	borda	robustness	0.2164	min	-0.2164	spearman	0.412366	0.0412366	0.002	4.81111e+05	bidled	Falsimetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	Fbar	borda	robustness	0.22	min	-0.22	spearman	0.412699	0.0412699	0.002	5.04566e+05	bidled	Falsimetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	Fbar	borda	robustness	0.1984	min	-0.1984	spearman	0.389149	0.0389149	0.002	5.06729e+05	bidled	Falsimetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	Fbar	borda	robustness	0.1898	min	-0.1898	spearman	0.412553	0.0412553	0.002	5.06064e+05	bidled	Falsimetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	Fbar	borda	robustness	0.1832	min	-0.1832	spearman	0.4116602	0.014116602	0.002	6.12356e+05	bidled	Symmetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	Fbar	kemeny	robustness	0.223	min	-0.223	spearman	0.586008	0.0586008	0.002	imp062nce	bidled	Falsimetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	Fbar	kemeny	robustness	0.2204	min	-0.2204	spearman	0.6176946	0.06176946	0.002	3.1686e+05	bidled	Falsimetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	Fbar	kemeny	robustness	0.2088	min	-0.2088	spearman	0.470553	0.0470553	0.002	4.2642e+05	bidled	Falsimetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	Fbar	kemeny	robustness	0.2326	min	-0.2326	spearman	0.469363	0.0469363	0.002	4.5228e+05	bidled	Falsimetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	Fbar	kemeny	robustness	0.2006	min	-0.2006	spearman	0.412369	0.0412369	0.002	4.89048e+05	bidled	Falsimetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	Fbar	kemeny	robustness	0.215	min	-0.215	spearman	0.412366	0.0412366	0.002	4.81111e+05	bidled	Falsimetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	Fbar	kemeny	robustness	0.2158	min	-0.2158	spearman	0.412699	0.0412699	0.002	5.04566e+05	bidled	Falsimetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	Fbar	kemeny	robustness	0.1886	min	-0.1886	spearman	0.389149	0.0389149	0.002	5.06729e+05	bidled	Falsimetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	Fbar	kemeny	robustness	0.1636	min	-0.1636	spearman	0.412553	0.0412553	0.002	5.06064e+05	bidled	Falsimetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	Fbar	kemeny	robustness	0.161	min	-0.161	spearman	0.4116602	0.014116602	0.002	6.12356e+05	bidled	Symmetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	Fbar	rrf	robustness	0.2246	min	-0.2246	spearman	0.586008	0.0586008	0.002	imp062nce	bidled	Falsimetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	Fbar	rrf	robustness	0.224	min	-0.224	spearman	0.6176946	0.06176946	0.002	3.1686e+05	bidled	Falsimetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	Fbar	rrf	robustness	0.2104	min	-0.2104	spearman	0.470553	0.0470553	0.002	4.2642e+05	bidled	Falsimetric	Empirical	1
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	Fbar	rrf	robustness	0.2274	min	-0.2274	spearman	0.469363	0.0469363	0.002	4.5228e+05	bidled	Falsimetric	Empirical	1

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	Fbar	rrf	robustness	0.2132	min	-0.2132	spearman	0.4112369	0.01412266	0.0012	4.89043e+05	biddd	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	Fbar	rrf	robustness	0.2264	min	-0.2264	spearman	0.4112366	0.01413266	0.0012	4.81111e+05	biddd	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	Fbar	rrf	robustness	0.2196	min	-0.2196	spearman	0.4112699	0.01413699	0.0012	5.04566e+05	biddd	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	Fbar	rrf	robustness	0.2016	min	-0.2016	spearman	0.3109149	0.01399149	0.0012	5.06729e+05	biddd	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	Fbar	rrf	robustness	0.1936	min	-0.1936	spearman	0.4112753	0.01413753	0.0012	5.0606e+05	biddd	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	Fbar	rrf	robustness	0.1912	min	-0.1912	spearman	0.4111692	0.01411692	0.0012	6.1235e+05	biddd	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	Fbar	schulze	robustness	0.223	min	-0.223	spearman	0.586098	0.01586098	0.0012	imp062nce	biddd	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	Fbar	schulze	robustness	0.2358	min	-0.2358	spearman	0.6117946	0.01617046	0.0012	3.1988e+05	biddd	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	Fbar	schulze	robustness	0.2116	min	-0.2116	spearman	0.4110553	0.014170553	0.0012	4.2642e+05	biddd	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	Fbar	schulze	robustness	0.2256	min	-0.2256	spearman	0.4113363	0.01413363	0.0012	4.5228e+05	biddd	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	Fbar	schulze	robustness	0.2084	min	-0.2084	spearman	0.4112369	0.01412266	0.0012	4.89043e+05	biddd	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	Fbar	schulze	robustness	0.2172	min	-0.2172	spearman	0.4112366	0.01413266	0.0012	4.81111e+05	biddd	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	Fbar	schulze	robustness	0.2206	min	-0.2206	spearman	0.4112699	0.01413699	0.0012	5.04566e+05	biddd	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	Fbar	schulze	robustness	0.193	min	-0.193	spearman	0.3109149	0.01399149	0.0012	5.06729e+05	biddd	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	Fbar	schulze	robustness	0.1678	min	-0.1678	spearman	0.4112753	0.01413753	0.0012	5.0606e+05	biddd	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	Fbar	schulze	robustness	0.1718	min	-0.1718	spearman	0.4111692	0.01411692	0.0012	6.1235e+05	biddd	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	gaussian-0.15	Fbar	simpleavg	robustness	0.2204	min	-0.2204	spearman	0.586098	0.01586098	0.0012	imp062nce	biddd	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	gaussian-0.15	Fbar	simpleavg	robustness	0.2322	min	-0.2322	spearman	0.6117946	0.01617046	0.0012	3.1988e+05	biddd	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	gaussian-0.15	Fbar	simpleavg	robustness	0.2312	min	-0.2312	spearman	0.4110553	0.014170553	0.0012	4.2642e+05	biddd	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	gaussian-0.15	Fbar	simpleavg	robustness	0.2478	min	-0.2478	spearman	0.4113363	0.01413363	0.0012	4.5228e+05	biddd	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	gaussian-0.15	Fbar	simpleavg	robustness	0.2418	min	-0.2418	spearman	0.4112369	0.01412266	0.0012	4.89043e+05	biddd	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	gaussian-0.15	Fbar	simpleavg	robustness	0.2496	min	-0.2496	spearman	0.4112366	0.01413266	0.0012	4.81111e+05	biddd	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	gaussian-0.15	Fbar	simpleavg	robustness	0.2428	min	-0.2428	spearman	0.4112699	0.01413699	0.0012	5.04566e+05	biddd	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	gaussian-0.15	Fbar	simpleavg	robustness	0.2444	min	-0.2444	spearman	0.3109149	0.01399149	0.0012	5.06729e+05	biddd	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	gaussian-0.15	Fbar	simpleavg	robustness	0.2488	min	-0.2488	spearman	0.4112753	0.01413753	0.0012	5.0606e+05	biddd	Falsmetric	Upperproximatio	d

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	gaussian-0.15	Fbar	simpleavg	robustness	0.2488	min	-0.2488	spearman	0.4116602	0.04116602	0.002	0.12356e+05	bidled	Symmetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	C	borda	robustness	0.0684	min	-0.0684	spearman	0.586008	0.0586008	0.002	imp0620nce	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	C	borda	robustness	0.0904	min	-0.0904	spearman	0.617046	0.0617046	0.002	3.1986e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	C	borda	robustness	0.096	min	-0.096	spearman	0.470553	0.0470553	0.002	4.3642e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	C	borda	robustness	0.094	min	-0.094	spearman	0.469363	0.0469363	0.002	4.5228e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	C	borda	robustness	0.0952	min	-0.0952	spearman	0.412269	0.0412269	0.002	4.89048e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	C	borda	robustness	0.087	min	-0.087	spearman	0.442266	0.0442266	0.002	4.81111e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	C	borda	robustness	0.0958	min	-0.0958	spearman	0.412699	0.0412699	0.002	5.04566e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	C	borda	robustness	0.1006	min	-0.1006	spearman	0.399149	0.0399149	0.002	5.06729e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	C	borda	robustness	0.1044	min	-0.1044	spearman	0.402753	0.0402753	0.002	5.06064e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	C	borda	robustness	0.1014	min	-0.1014	spearman	0.4116602	0.04116602	0.002	0.12356e+05	bidled	Symmetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	C	kemeny	robustness	0.0684	min	-0.0684	spearman	0.586008	0.0586008	0.002	imp0620nce	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	C	kemeny	robustness	0.079	min	-0.079	spearman	0.617046	0.0617046	0.002	3.1986e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	C	kemeny	robustness	0.0854	min	-0.0854	spearman	0.470553	0.0470553	0.002	4.3642e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	C	kemeny	robustness	0.084	min	-0.084	spearman	0.469363	0.0469363	0.002	4.5228e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	C	kemeny	robustness	0.0964	min	-0.0964	spearman	0.412269	0.0412269	0.002	4.89048e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	C	kemeny	robustness	0.0902	min	-0.0902	spearman	0.442266	0.0442266	0.002	4.81111e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	C	kemeny	robustness	0.0896	min	-0.0896	spearman	0.412699	0.0412699	0.002	5.04566e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	C	kemeny	robustness	0.103	min	-0.103	spearman	0.399149	0.0399149	0.002	5.06729e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	C	kemeny	robustness	0.1054	min	-0.1054	spearman	0.402753	0.0402753	0.002	5.06064e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	C	kemeny	robustness	0.1036	min	-0.1036	spearman	0.4116602	0.04116602	0.002	0.12356e+05	bidled	Symmetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	C	rrf	robustness	0.0676	min	-0.0676	spearman	0.586008	0.0586008	0.002	imp0620nce	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	C	rrf	robustness	0.0858	min	-0.0858	spearman	0.617046	0.0617046	0.002	3.1986e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	C	rrf	robustness	0.0946	min	-0.0946	spearman	0.470553	0.0470553	0.002	4.3642e+05	bidled	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	C	rrf	robustness	0.093	min	-0.093	spearman	0.469363	0.0469363	0.002	4.5228e+05	bidled	Falsimetric	Approximation	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	C	rrf	robustness	0.095	min	-0.095	spearman	0.4112369	0.01412269	0.0012	0.89043m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	C	rrf	robustness	0.0906	min	-0.0906	spearman	0.4112366	0.01413266	0.0012	0.881111m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	C	rrf	robustness	0.093	min	-0.093	spearman	0.4112699	0.01413699	0.0012	0.84566m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	C	rrf	robustness	0.0998	min	-0.0998	spearman	0.399149	0.0399149	0.0012	0.6729m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	C	rrf	robustness	0.1014	min	-0.1014	spearman	0.4112753	0.01413753	0.0012	0.86064m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	C	rrf	robustness	0.1036	min	-0.1036	spearman	0.4111602	0.01411602	0.0012	0.7235m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	C	schulze	robustness	0.0684	min	-0.0684	spearman	0.586008	0.0586008	0.0012	imp062mce	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	C	schulze	robustness	0.0828	min	-0.0828	spearman	0.6117046	0.0117046	0.0012	0.71986m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	C	schulze	robustness	0.0876	min	-0.0876	spearman	0.4710553	0.0170553	0.0012	0.8642m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	C	schulze	robustness	0.0872	min	-0.0872	spearman	0.4113363	0.0113363	0.0012	0.5228m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	C	schulze	robustness	0.0958	min	-0.0958	spearman	0.4112369	0.01412269	0.0012	0.89043m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	C	schulze	robustness	0.0932	min	-0.0932	spearman	0.4112366	0.01413266	0.0012	0.881111m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	C	schulze	robustness	0.0956	min	-0.0956	spearman	0.4112699	0.01413699	0.0012	0.84566m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	C	schulze	robustness	0.0998	min	-0.0998	spearman	0.399149	0.0399149	0.0012	0.6729m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	C	schulze	robustness	0.0984	min	-0.0984	spearman	0.4112753	0.01413753	0.0012	0.86064m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	C	schulze	robustness	0.1018	min	-0.1018	spearman	0.4111602	0.01411602	0.0012	0.7235m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	C	simpleavg	robustness	0.0714	min	-0.0714	spearman	0.586008	0.0586008	0.0012	imp062mce	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	C	simpleavg	robustness	0.0936	min	-0.0936	spearman	0.6117046	0.0117046	0.0012	0.71986m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	C	simpleavg	robustness	0.0948	min	-0.0948	spearman	0.4710553	0.0170553	0.0012	0.8642m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	C	simpleavg	robustness	0.0976	min	-0.0976	spearman	0.4113363	0.0113363	0.0012	0.5228m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	C	simpleavg	robustness	0.0984	min	-0.0984	spearman	0.4112369	0.01412269	0.0012	0.89043m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	C	simpleavg	robustness	0.0884	min	-0.0884	spearman	0.4112366	0.01413266	0.0012	0.881111m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	C	simpleavg	robustness	0.0956	min	-0.0956	spearman	0.4112699	0.01413699	0.0012	0.84566m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	C	simpleavg	robustness	0.0986	min	-0.0986	spearman	0.399149	0.0399149	0.0012	0.6729m+05	bidled	Falsmetric	Upperproximatic	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	C	simpleavg	robustness	0.0976	min	-0.0976	spearman	0.4112753	0.01413753	0.0012	0.86064m+05	bidled	Falsmetric	Upperproximatic	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	C	simpleavg	robustness	0.096	min	-0.096	spearman	0.4116602	0.4116602	0.002	0.12356	0.05	binde	Symmetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	Cbar	borda	robustness	0.2136	min	-0.2136	spearman	0.586008	0.586008	0.002	imp062	0.05	binde	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	Cbar	borda	robustness	0.2354	min	-0.2354	spearman	0.617046	0.617046	0.002	3.1986	0.05	binde	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	Cbar	borda	robustness	0.2144	min	-0.2144	spearman	0.470553	0.470553	0.002	4.3612	0.05	binde	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	Cbar	borda	robustness	0.2212	min	-0.2212	spearman	0.469363	0.469363	0.002	4.5228	0.05	binde	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	Cbar	borda	robustness	0.1932	min	-0.1932	spearman	0.412369	0.412369	0.002	4.8918	0.05	binde	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	Cbar	borda	robustness	0.2024	min	-0.2024	spearman	0.412366	0.412366	0.002	4.8111	0.05	binde	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	Cbar	borda	robustness	0.2006	min	-0.2006	spearman	0.412699	0.412699	0.002	5.4566	0.05	binde	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	Cbar	borda	robustness	0.1756	min	-0.1756	spearman	0.399149	0.399149	0.002	5.6729	0.05	binde	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	Cbar	borda	robustness	0.1668	min	-0.1668	spearman	0.402753	0.402753	0.002	5.6064	0.05	binde	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	Cbar	borda	robustness	0.1616	min	-0.1616	spearman	0.4116602	0.4116602	0.002	6.12356	0.05	binde	Symmetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	Cbar	kemeny	robustness	0.2136	min	-0.2136	spearman	0.586008	0.586008	0.002	imp062	0.05	binde	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	Cbar	kemeny	robustness	0.2136	min	-0.2136	spearman	0.617046	0.617046	0.002	3.1986	0.05	binde	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	Cbar	kemeny	robustness	0.2022	min	-0.2022	spearman	0.470553	0.470553	0.002	4.3612	0.05	binde	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	Cbar	kemeny	robustness	0.2104	min	-0.2104	spearman	0.469363	0.469363	0.002	4.5228	0.05	binde	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	Cbar	kemeny	robustness	0.1842	min	-0.1842	spearman	0.412369	0.412369	0.002	4.8918	0.05	binde	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	Cbar	kemeny	robustness	0.195	min	-0.195	spearman	0.412366	0.412366	0.002	4.8111	0.05	binde	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	Cbar	kemeny	robustness	0.203	min	-0.203	spearman	0.412699	0.412699	0.002	5.4566	0.05	binde	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	Cbar	kemeny	robustness	0.1702	min	-0.1702	spearman	0.399149	0.399149	0.002	5.6729	0.05	binde	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	Cbar	kemeny	robustness	0.1414	min	-0.1414	spearman	0.402753	0.402753	0.002	5.6064	0.05	binde	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	Cbar	kemeny	robustness	0.1464	min	-0.1464	spearman	0.4116602	0.4116602	0.002	6.12356	0.05	binde	Symmetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	Cbar	rrf	robustness	0.2162	min	-0.2162	spearman	0.586008	0.586008	0.002	imp062	0.05	binde	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	Cbar	rrf	robustness	0.205	min	-0.205	spearman	0.617046	0.617046	0.002	3.1986	0.05	binde	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	Cbar	rrf	robustness	0.196	min	-0.196	spearman	0.470553	0.470553	0.002	4.3612	0.05	binde	Falsimetric	Approximation	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	Cbar	rrf	robustness	0.2082	min	-0.2082	spearman	0.469363	0.469363	0.002	4.5228	0.05	binde	Falsimetric	Approximation	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	Cbar	rrf	robustness	0.197	min	-0.197	spearman	0.4112369	0.01412269	0.002	4.89043e+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	Cbar	rrf	robustness	0.202	min	-0.202	spearman	0.4112366	0.01413266	0.002	4.89111e+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	Cbar	rrf	robustness	0.2052	min	-0.2052	spearman	0.4112699	0.01413699	0.002	5.04566e+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	Cbar	rrf	robustness	0.1812	min	-0.1812	spearman	0.3991149	0.013991149	0.002	5.06729e+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	Cbar	rrf	robustness	0.1702	min	-0.1702	spearman	0.4112753	0.01413753	0.002	5.06064e+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	Cbar	rrf	robustness	0.172	min	-0.172	spearman	0.4111602	0.01411602	0.002	6.12355e+05	bidled	Symmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	Cbar	schulze	robustness	0.2136	min	-0.2136	spearman	0.586008	0.01586008	0.002	imp0625nce	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	Cbar	schulze	robustness	0.224	min	-0.224	spearman	0.6117646	0.01617016	0.002	3.21986e+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	Cbar	schulze	robustness	0.2042	min	-0.2042	spearman	0.4710553	0.0170553	0.002	4.2642e+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	Cbar	schulze	robustness	0.209	min	-0.209	spearman	0.4113363	0.01413363	0.002	4.5228e+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	Cbar	schulze	robustness	0.1912	min	-0.1912	spearman	0.4112369	0.01412269	0.002	4.89043e+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	Cbar	schulze	robustness	0.2144	min	-0.2144	spearman	0.4112366	0.01413266	0.002	4.89111e+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	Cbar	schulze	robustness	0.2084	min	-0.2084	spearman	0.4112699	0.01413699	0.002	5.04566e+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	Cbar	schulze	robustness	0.1674	min	-0.1674	spearman	0.3991149	0.013991149	0.002	5.06729e+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	Cbar	schulze	robustness	0.1476	min	-0.1476	spearman	0.4112753	0.01413753	0.002	5.06064e+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	Cbar	schulze	robustness	0.1586	min	-0.1586	spearman	0.4111602	0.01411602	0.002	6.12355e+05	bidled	Symmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	Cbar	simpleavg	robustness	0.2192	min	-0.2192	spearman	0.586008	0.01586008	0.002	imp0625nce	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	Cbar	simpleavg	robustness	0.22	min	-0.22	spearman	0.6117646	0.01617016	0.002	3.21986e+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	Cbar	simpleavg	robustness	0.2168	min	-0.2168	spearman	0.4710553	0.0170553	0.002	4.2642e+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	Cbar	simpleavg	robustness	0.2268	min	-0.2268	spearman	0.4113363	0.01413363	0.002	4.5228e+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	Cbar	simpleavg	robustness	0.2256	min	-0.2256	spearman	0.4112369	0.01412269	0.002	4.89043e+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	Cbar	simpleavg	robustness	0.232	min	-0.232	spearman	0.4112366	0.01413266	0.002	4.89111e+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	Cbar	simpleavg	robustness	0.221	min	-0.221	spearman	0.4112699	0.01413699	0.002	5.04566e+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	Cbar	simpleavg	robustness	0.2226	min	-0.2226	spearman	0.3991149	0.013991149	0.002	5.06729e+05	bidled	Falsmetric	Upperproximatio	4
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	Cbar	simpleavg	robustness	0.2214	min	-0.2214	spearman	0.4112753	0.01413753	0.002	5.06064e+05	bidled	Falsmetric	Upperproximatio	4

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	Cbar	simpleavg	robustness	0.2214	min	-0.2214	spearman	0.4116602	0.04116602	0.0002	0.012356e+05	bidled	Symmetric	Empirical	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	F	borda	robustness	0.0544	min	-0.0544	spearman	0.5860008	0.05860008	0.0002	imp06620e	bidled	Symmetric	Empirical	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	F	borda	robustness	0.0636	min	-0.0636	spearman	0.6170553	0.06170553	0.0002	0.010860e+05	bidled	Symmetric	Empirical	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	F	borda	robustness	0.0688	min	-0.0688	spearman	0.4705553	0.04705553	0.0002	0.036420e+05	bidled	Symmetric	Empirical	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	F	borda	robustness	0.0688	min	-0.0688	spearman	0.4693663	0.04693663	0.0002	0.052280e+05	bidled	Symmetric	Empirical	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	F	borda	robustness	0.0752	min	-0.0752	spearman	0.4122669	0.04122669	0.0002	0.080480e+05	bidled	Symmetric	Empirical	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	F	borda	robustness	0.063	min	-0.063	spearman	0.4122666	0.04122666	0.0002	0.081410e+05	bidled	Symmetric	Empirical	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	F	borda	robustness	0.0656	min	-0.0656	spearman	0.4122669	0.04122669	0.0002	0.045660e+05	bidled	Symmetric	Empirical	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	F	borda	robustness	0.0698	min	-0.0698	spearman	0.3991449	0.03991449	0.0002	0.067200e+05	bidled	Symmetric	Empirical	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	F	borda	robustness	0.074	min	-0.074	spearman	0.4122653	0.04122753	0.0002	0.060064e+05	bidled	Symmetric	Empirical	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	F	borda	robustness	0.0692	min	-0.0692	spearman	0.4116602	0.04116602	0.0002	0.012356e+05	bidled	Symmetric	Empirical	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	F	kemeny	robustness	0.0544	min	-0.0544	spearman	0.5860008	0.05860008	0.0002	imp06620e	bidled	Symmetric	Empirical	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	F	kemeny	robustness	0.0576	min	-0.0576	spearman	0.6170546	0.06170546	0.0002	0.010860e+05	bidled	Symmetric	Empirical	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	F	kemeny	robustness	0.0652	min	-0.0652	spearman	0.4705553	0.04705553	0.0002	0.036420e+05	bidled	Symmetric	Empirical	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	F	kemeny	robustness	0.063	min	-0.063	spearman	0.4693663	0.04693663	0.0002	0.052280e+05	bidled	Symmetric	Empirical	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	F	kemeny	robustness	0.0722	min	-0.0722	spearman	0.4122669	0.04122669	0.0002	0.080480e+05	bidled	Symmetric	Empirical	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	F	kemeny	robustness	0.0664	min	-0.0664	spearman	0.4122666	0.04122666	0.0002	0.081410e+05	bidled	Symmetric	Empirical	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	F	kemeny	robustness	0.063	min	-0.063	spearman	0.4122669	0.04122669	0.0002	0.045660e+05	bidled	Symmetric	Empirical	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	F	kemeny	robustness	0.0744	min	-0.0744	spearman	0.3991449	0.03991449	0.0002	0.067200e+05	bidled	Symmetric	Empirical	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	F	kemeny	robustness	0.079	min	-0.079	spearman	0.4122653	0.04122753	0.0002	0.060064e+05	bidled	Symmetric	Empirical	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	F	kemeny	robustness	0.0764	min	-0.0764	spearman	0.4116602	0.04116602	0.0002	0.012356e+05	bidled	Symmetric	Empirical	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	F	rrf	robustness	0.0526	min	-0.0526	spearman	0.5860008	0.05860008	0.0002	imp06620e	bidled	Symmetric	Empirical	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	F	rrf	robustness	0.068	min	-0.068	spearman	0.6170546	0.06170546	0.0002	0.010860e+05	bidled	Symmetric	Empirical	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	F	rrf	robustness	0.0688	min	-0.0688	spearman	0.4705553	0.04705553	0.0002	0.036420e+05	bidled	Symmetric	Empirical	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	F	rrf	robustness	0.0696	min	-0.0696	spearman	0.4693663	0.04693663	0.0002	0.052280e+05	bidled	Symmetric	Empirical	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	F	rrf	robustness	0.0672	min	-0.0672	spearman	0.4112369	0.01412269	0.0012	0.08043m+05	bidited	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	F	rrf	robustness	0.0636	min	-0.0636	spearman	0.4112366	0.01413266	0.0012	0.081111m+05	bidited	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	F	rrf	robustness	0.0666	min	-0.0666	spearman	0.4112699	0.01413699	0.0012	0.045567m+05	bidited	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	F	rrf	robustness	0.0704	min	-0.0704	spearman	0.3109149	0.0309149	0.0012	0.06729m+05	bidited	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	F	rrf	robustness	0.072	min	-0.072	spearman	0.4112753	0.01413753	0.0012	0.06064+05	bidited	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	F	rrf	robustness	0.0744	min	-0.0744	spearman	0.4111602	0.01411602	0.0012	0.01235m+05	bidited	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	F	schulze	robustness	0.0544	min	-0.0544	spearman	0.586008	0.0586008	0.0012	imp062mce	bidited	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	F	schulze	robustness	0.062	min	-0.062	spearman	0.6117046	0.01417046	0.0012	0.01087m+05	bidited	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	F	schulze	robustness	0.0668	min	-0.0668	spearman	0.4110553	0.014170553	0.0012	0.02642m+05	bidited	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	F	schulze	robustness	0.0662	min	-0.0662	spearman	0.4113363	0.01413363	0.0012	0.05228m+05	bidited	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	F	schulze	robustness	0.0712	min	-0.0712	spearman	0.4112369	0.01412269	0.0012	0.08043m+05	bidited	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	F	schulze	robustness	0.0682	min	-0.0682	spearman	0.4112366	0.01413266	0.0012	0.081111m+05	bidited	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	F	schulze	robustness	0.0622	min	-0.0622	spearman	0.4112699	0.01413699	0.0012	0.045567m+05	bidited	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	F	schulze	robustness	0.0708	min	-0.0708	spearman	0.3109149	0.0309149	0.0012	0.06729m+05	bidited	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	F	schulze	robustness	0.0708	min	-0.0708	spearman	0.4112753	0.01413753	0.0012	0.06064+05	bidited	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	F	schulze	robustness	0.0756	min	-0.0756	spearman	0.4111602	0.01411602	0.0012	0.01235m+05	bidited	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	F	simpleavg	robustness	0.0548	min	-0.0548	spearman	0.586008	0.0586008	0.0012	imp062mce	bidited	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	F	simpleavg	robustness	0.0684	min	-0.0684	spearman	0.6117046	0.01417046	0.0012	0.01087m+05	bidited	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	F	simpleavg	robustness	0.0706	min	-0.0706	spearman	0.4110553	0.014170553	0.0012	0.02642m+05	bidited	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	F	simpleavg	robustness	0.0748	min	-0.0748	spearman	0.4113363	0.01413363	0.0012	0.05228m+05	bidited	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	F	simpleavg	robustness	0.0758	min	-0.0758	spearman	0.4112369	0.01412269	0.0012	0.08043m+05	bidited	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	F	simpleavg	robustness	0.067	min	-0.067	spearman	0.4112366	0.01413266	0.0012	0.081111m+05	bidited	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	F	simpleavg	robustness	0.0688	min	-0.0688	spearman	0.4112699	0.01413699	0.0012	0.045567m+05	bidited	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	F	simpleavg	robustness	0.0692	min	-0.0692	spearman	0.3109149	0.0309149	0.0012	0.06729m+05	bidited	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	F	simpleavg	robustness	0.069	min	-0.069	spearman	0.4112753	0.01413753	0.0012	0.06064+05	bidited	Falsmetric	Upperproximatio	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	F	simpleavg	robustness	0.0672	min	-0.0672	spearman	0.411602	0.411602	0.002	6.1235e+05	bidled	Symmetric	Approximation	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	Fbar	borda	robustness	0.1684	min	-0.1684	spearman	0.586008	0.586008	0.002	imp062	nce	bidled	Symmetric	Approximation	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	Fbar	borda	robustness	0.1874	min	-0.1874	spearman	0.617046	0.617046	0.002	3.1986e+05	bidled	Symmetric	Approximation	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	Fbar	borda	robustness	0.169	min	-0.169	spearman	0.470553	0.470553	0.002	4.3612e+05	bidled	Symmetric	Approximation	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	Fbar	borda	robustness	0.1748	min	-0.1748	spearman	0.469363	0.469363	0.002	4.5228e+05	bidled	Symmetric	Approximation	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	Fbar	borda	robustness	0.1512	min	-0.1512	spearman	0.412369	0.412369	0.002	4.8918e+05	bidled	Symmetric	Approximation	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	Fbar	borda	robustness	0.1562	min	-0.1562	spearman	0.412366	0.412366	0.002	4.8111e+05	bidled	Symmetric	Approximation	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	Fbar	borda	robustness	0.158	min	-0.158	spearman	0.412699	0.412699	0.002	5.4566e+05	bidled	Symmetric	Approximation	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	Fbar	borda	robustness	0.138	min	-0.138	spearman	0.399149	0.399149	0.002	5.6729e+05	bidled	Symmetric	Approximation	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	Fbar	borda	robustness	0.1326	min	-0.1326	spearman	0.402753	0.402753	0.002	5.6064e+05	bidled	Symmetric	Approximation	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	Fbar	borda	robustness	0.1228	min	-0.1228	spearman	0.411602	0.411602	0.002	6.1235e+05	bidled	Symmetric	Approximation	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	Fbar	kemeny	robustness	0.1684	min	-0.1684	spearman	0.586008	0.586008	0.002	imp062	nce	bidled	Symmetric	Approximation	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	Fbar	kemeny	robustness	0.1678	min	-0.1678	spearman	0.617046	0.617046	0.002	3.1986e+05	bidled	Symmetric	Approximation	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	Fbar	kemeny	robustness	0.1622	min	-0.1622	spearman	0.470553	0.470553	0.002	4.3612e+05	bidled	Symmetric	Approximation	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	Fbar	kemeny	robustness	0.1718	min	-0.1718	spearman	0.469363	0.469363	0.002	4.5228e+05	bidled	Symmetric	Approximation	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	Fbar	kemeny	robustness	0.1454	min	-0.1454	spearman	0.412369	0.412369	0.002	4.8918e+05	bidled	Symmetric	Approximation	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	Fbar	kemeny	robustness	0.1602	min	-0.1602	spearman	0.412366	0.412366	0.002	4.8111e+05	bidled	Symmetric	Approximation	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	Fbar	kemeny	robustness	0.1646	min	-0.1646	spearman	0.412699	0.412699	0.002	5.4566e+05	bidled	Symmetric	Approximation	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	Fbar	kemeny	robustness	0.1324	min	-0.1324	spearman	0.399149	0.399149	0.002	5.6729e+05	bidled	Symmetric	Approximation	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	Fbar	kemeny	robustness	0.1042	min	-0.1042	spearman	0.402753	0.402753	0.002	5.6064e+05	bidled	Symmetric	Approximation	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	Fbar	kemeny	robustness	0.1096	min	-0.1096	spearman	0.411602	0.411602	0.002	6.1235e+05	bidled	Symmetric	Approximation	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	Fbar	rrf	robustness	0.1692	min	-0.1692	spearman	0.586008	0.586008	0.002	imp062	nce	bidled	Symmetric	Approximation	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	Fbar	rrf	robustness	0.1558	min	-0.1558	spearman	0.617046	0.617046	0.002	3.1986e+05	bidled	Symmetric	Approximation	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	Fbar	rrf	robustness	0.1506	min	-0.1506	spearman	0.470553	0.470553	0.002	4.3612e+05	bidled	Symmetric	Approximation	11	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	Fbar	rrf	robustness	0.1666	min	-0.1666	spearman	0.469363	0.469363	0.002	4.5228e+05	bidled	Symmetric	Approximation	11	

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	Fbar	rrf	robustness	0.153	min	-0.153	spearman	0.4112369	0.01412269	0.0012	0.89043m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	Fbar	rrf	robustness	0.1616	min	-0.1616	spearman	0.4112366	0.01413266	0.0012	0.89111m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	Fbar	rrf	robustness	0.1652	min	-0.1652	spearman	0.4112699	0.01413699	0.0012	0.89566m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	Fbar	rrf	robustness	0.1444	min	-0.1444	spearman	0.399149	0.01399149	0.0012	0.6729m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	Fbar	rrf	robustness	0.1296	min	-0.1296	spearman	0.402753	0.01403753	0.0012	0.6066e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	Fbar	rrf	robustness	0.132	min	-0.132	spearman	0.4111692	0.01411692	0.0012	0.1235m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	Fbar	schulze	robustness	0.1684	min	-0.1684	spearman	0.586098	0.01586098	0.0012	imp062mce	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	Fbar	schulze	robustness	0.175	min	-0.175	spearman	0.6176946	0.016176946	0.0012	0.1986m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	Fbar	schulze	robustness	0.1582	min	-0.1582	spearman	0.470553	0.01470553	0.0012	0.2642m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	Fbar	schulze	robustness	0.1688	min	-0.1688	spearman	0.403363	0.01403363	0.0012	0.5228m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	Fbar	schulze	robustness	0.1506	min	-0.1506	spearman	0.4112369	0.01412269	0.0012	0.89043m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	Fbar	schulze	robustness	0.171	min	-0.171	spearman	0.4112366	0.01413266	0.0012	0.89111m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	Fbar	schulze	robustness	0.1696	min	-0.1696	spearman	0.4112699	0.01413699	0.0012	0.89566m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	Fbar	schulze	robustness	0.1286	min	-0.1286	spearman	0.399149	0.01399149	0.0012	0.6729m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	Fbar	schulze	robustness	0.1122	min	-0.1122	spearman	0.402753	0.01403753	0.0012	0.6066e+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	Fbar	schulze	robustness	0.1222	min	-0.1222	spearman	0.4111692	0.01411692	0.0012	0.1235m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	salt-pepper-0.05	Fbar	simpleavg	robustness	0.1706	min	-0.1706	spearman	0.586098	0.01586098	0.0012	imp062mce	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	salt-pepper-0.05	Fbar	simpleavg	robustness	0.1738	min	-0.1738	spearman	0.6176946	0.016176946	0.0012	0.1986m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	salt-pepper-0.05	Fbar	simpleavg	robustness	0.1716	min	-0.1716	spearman	0.470553	0.01470553	0.0012	0.2642m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	salt-pepper-0.05	Fbar	simpleavg	robustness	0.1838	min	-0.1838	spearman	0.403363	0.01403363	0.0012	0.5228m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	salt-pepper-0.05	Fbar	simpleavg	robustness	0.182	min	-0.182	spearman	0.4112369	0.01412269	0.0012	0.89043m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	salt-pepper-0.05	Fbar	simpleavg	robustness	0.1876	min	-0.1876	spearman	0.4112366	0.01413266	0.0012	0.89111m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	salt-pepper-0.05	Fbar	simpleavg	robustness	0.1786	min	-0.1786	spearman	0.4112699	0.01413699	0.0012	0.89566m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	salt-pepper-0.05	Fbar	simpleavg	robustness	0.1818	min	-0.1818	spearman	0.399149	0.01399149	0.0012	0.6729m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	salt-pepper-0.05	Fbar	simpleavg	robustness	0.1798	min	-0.1798	spearman	0.402753	0.01403753	0.0012	0.6066e+05	bidled	Falsmetric	Upperproximatio	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	salt-pepper-0.05	Fbar	simpleavg	robustness	0.1808	min	-0.1808	spearman	0.4116602	0.04116602	0.002	0.12356e+05	bidled	Symmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	C	borda	robustness	0.0252	min	-0.0252	spearman	0.5860008	0.05860008	0.002	imp0620nce	bidled	Falsimetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	C	borda	robustness	0.0236	min	-0.0236	spearman	0.6117046	0.06117046	0.002	3.19860e+05	bidled	Falsimetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	C	borda	robustness	0.0326	min	-0.0326	spearman	0.470553	0.0470553	0.002	4.36420e+05	bidled	Falsimetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	C	borda	robustness	0.0324	min	-0.0324	spearman	0.469363	0.0469363	0.002	4.52280e+05	bidled	Falsimetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	C	borda	robustness	0.0354	min	-0.0354	spearman	0.412369	0.0412369	0.002	4.89040e+05	bidled	Falsimetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	C	borda	robustness	0.0278	min	-0.0278	spearman	0.4112366	0.04112366	0.002	4.81110e+05	bidled	Falsimetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	C	borda	robustness	0.0322	min	-0.0322	spearman	0.412699	0.0412699	0.002	5.04560e+05	bidled	Falsimetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	C	borda	robustness	0.0332	min	-0.0332	spearman	0.399149	0.0399149	0.002	5.06720e+05	bidled	Falsimetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	C	borda	robustness	0.0346	min	-0.0346	spearman	0.402553	0.0402553	0.002	5.06064e+05	bidled	Falsimetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	C	borda	robustness	0.0368	min	-0.0368	spearman	0.4116602	0.04116602	0.002	0.12356e+05	bidled	Symmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	C	kemeny	robustness	0.0252	min	-0.0252	spearman	0.5860008	0.05860008	0.002	imp0620nce	bidled	Falsimetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	C	kemeny	robustness	0.0268	min	-0.0268	spearman	0.6117046	0.06117046	0.002	3.19860e+05	bidled	Falsimetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	C	kemeny	robustness	0.0286	min	-0.0286	spearman	0.470553	0.0470553	0.002	4.36420e+05	bidled	Falsimetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	C	kemeny	robustness	0.0322	min	-0.0322	spearman	0.469363	0.0469363	0.002	4.52280e+05	bidled	Falsimetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	C	kemeny	robustness	0.0354	min	-0.0354	spearman	0.412369	0.0412369	0.002	4.89040e+05	bidled	Falsimetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	C	kemeny	robustness	0.0342	min	-0.0342	spearman	0.4112366	0.04112366	0.002	4.81110e+05	bidled	Falsimetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	C	kemeny	robustness	0.0312	min	-0.0312	spearman	0.412699	0.0412699	0.002	5.04560e+05	bidled	Falsimetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	C	kemeny	robustness	0.042	min	-0.042	spearman	0.399149	0.0399149	0.002	5.06720e+05	bidled	Falsimetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	C	kemeny	robustness	0.0376	min	-0.0376	spearman	0.402553	0.0402553	0.002	5.06064e+05	bidled	Falsimetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	C	kemeny	robustness	0.04	min	-0.04	spearman	0.4116602	0.04116602	0.002	0.12356e+05	bidled	Symmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	C	rrf	robustness	0.0224	min	-0.0224	spearman	0.5860008	0.05860008	0.002	imp0620nce	bidled	Falsimetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	C	rrf	robustness	0.028	min	-0.028	spearman	0.6117046	0.06117046	0.002	3.19860e+05	bidled	Falsimetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	C	rrf	robustness	0.0298	min	-0.0298	spearman	0.470553	0.0470553	0.002	4.36420e+05	bidled	Falsimetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	C	rrf	robustness	0.0298	min	-0.0298	spearman	0.469363	0.0469363	0.002	4.52280e+05	bidled	Falsimetric	Upperproximatio	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	C	rrf	robustness	0.0336	min	-0.0336	spearman	0.4112369	0.01412269	0.0012	0.08043m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	C	rrf	robustness	0.0322	min	-0.0322	spearman	0.4112366	0.01413266	0.0012	0.081111m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	C	rrf	robustness	0.033	min	-0.033	spearman	0.4112699	0.01413699	0.0012	0.045566m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	C	rrf	robustness	0.0388	min	-0.0388	spearman	0.3109149	0.0309149	0.0012	0.06729m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	C	rrf	robustness	0.0378	min	-0.0378	spearman	0.4112753	0.01413753	0.0012	0.060664+05c	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	C	rrf	robustness	0.04	min	-0.04	spearman	0.4111602	0.01411602	0.0012	0.01235m+05	bidled	Symmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	C	schulze	robustness	0.0252	min	-0.0252	spearman	0.586008	0.0586008	0.0012	imp062mce	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	C	schulze	robustness	0.0234	min	-0.0234	spearman	0.6117046	0.01417046	0.0012	0.01986m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	C	schulze	robustness	0.0278	min	-0.0278	spearman	0.4110553	0.014170553	0.0012	0.02642m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	C	schulze	robustness	0.0352	min	-0.0352	spearman	0.4113363	0.01413363	0.0012	0.05228m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	C	schulze	robustness	0.0334	min	-0.0334	spearman	0.4112369	0.01412269	0.0012	0.08043m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	C	schulze	robustness	0.031	min	-0.031	spearman	0.4112366	0.01413266	0.0012	0.081111m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	C	schulze	robustness	0.0368	min	-0.0368	spearman	0.4112699	0.01413699	0.0012	0.045566m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	C	schulze	robustness	0.036	min	-0.036	spearman	0.3109149	0.0309149	0.0012	0.06729m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	C	schulze	robustness	0.0384	min	-0.0384	spearman	0.4112753	0.01413753	0.0012	0.060664+05c	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	C	schulze	robustness	0.041	min	-0.041	spearman	0.4111602	0.01411602	0.0012	0.01235m+05	bidled	Symmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	C	simpleavg	robustness	0.0214	min	-0.0214	spearman	0.586008	0.0586008	0.0012	imp062mce	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	C	simpleavg	robustness	0.0322	min	-0.0322	spearman	0.6117046	0.01417046	0.0012	0.01986m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	C	simpleavg	robustness	0.0338	min	-0.0338	spearman	0.4110553	0.014170553	0.0012	0.02642m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	C	simpleavg	robustness	0.0352	min	-0.0352	spearman	0.4113363	0.01413363	0.0012	0.05228m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	C	simpleavg	robustness	0.0338	min	-0.0338	spearman	0.4112369	0.01412269	0.0012	0.08043m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	C	simpleavg	robustness	0.028	min	-0.028	spearman	0.4112366	0.01413266	0.0012	0.081111m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	C	simpleavg	robustness	0.0338	min	-0.0338	spearman	0.4112699	0.01413699	0.0012	0.045566m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	C	simpleavg	robustness	0.0344	min	-0.0344	spearman	0.3109149	0.0309149	0.0012	0.06729m+05	bidled	Falsmetric	Upperproximatio	0
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	C	simpleavg	robustness	0.034	min	-0.034	spearman	0.4112753	0.01413753	0.0012	0.060664+05c	bidled	Falsmetric	Upperproximatio	0

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	C	simpleavg	robustness	0.0322	min	-0.0322	spearman	0.411602	0.411602	0.002	6.1235e+05	bidled	Symmetric	Empirical	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	Cbar	borda	robustness	0.081	min	-0.081	spearman	0.586008	0.586008	0.002	imp062nce	bidled	Symmetric	Empirical	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	Cbar	borda	robustness	0.0886	min	-0.0886	spearman	0.617046	0.617046	0.002	3.1986e+05	bidled	Symmetric	Empirical	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	Cbar	borda	robustness	0.074	min	-0.074	spearman	0.470553	0.470553	0.002	4.3642e+05	bidled	Symmetric	Empirical	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	Cbar	borda	robustness	0.0784	min	-0.0784	spearman	0.469363	0.469363	0.002	4.5228e+05	bidled	Symmetric	Empirical	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	Cbar	borda	robustness	0.0738	min	-0.0738	spearman	0.412369	0.412369	0.002	4.8903e+05	bidled	Symmetric	Empirical	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	Cbar	borda	robustness	0.0826	min	-0.0826	spearman	0.412366	0.412366	0.002	4.8111e+05	bidled	Symmetric	Empirical	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	Cbar	borda	robustness	0.0808	min	-0.0808	spearman	0.412699	0.412699	0.002	5.0456e+05	bidled	Symmetric	Empirical	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	Cbar	borda	robustness	0.0726	min	-0.0726	spearman	0.399149	0.399149	0.002	5.0672e+05	bidled	Symmetric	Empirical	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	Cbar	borda	robustness	0.0634	min	-0.0634	spearman	0.402753	0.402753	0.002	5.0006e+05	bidled	Symmetric	Empirical	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	Cbar	borda	robustness	0.0544	min	-0.0544	spearman	0.411602	0.411602	0.002	6.1235e+05	bidled	Symmetric	Empirical	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	Cbar	kemeny	robustness	0.081	min	-0.081	spearman	0.586008	0.586008	0.002	imp062nce	bidled	Symmetric	Empirical	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	Cbar	kemeny	robustness	0.077	min	-0.077	spearman	0.617046	0.617046	0.002	3.1986e+05	bidled	Symmetric	Empirical	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	Cbar	kemeny	robustness	0.067	min	-0.067	spearman	0.470553	0.470553	0.002	4.3642e+05	bidled	Symmetric	Empirical	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	Cbar	kemeny	robustness	0.0778	min	-0.0778	spearman	0.469363	0.469363	0.002	4.5228e+05	bidled	Symmetric	Empirical	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	Cbar	kemeny	robustness	0.0656	min	-0.0656	spearman	0.412369	0.412369	0.002	4.8903e+05	bidled	Symmetric	Empirical	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	Cbar	kemeny	robustness	0.0668	min	-0.0668	spearman	0.412366	0.412366	0.002	4.8111e+05	bidled	Symmetric	Empirical	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	Cbar	kemeny	robustness	0.078	min	-0.078	spearman	0.412699	0.412699	0.002	5.0456e+05	bidled	Symmetric	Empirical	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	Cbar	kemeny	robustness	0.062	min	-0.062	spearman	0.399149	0.399149	0.002	5.0672e+05	bidled	Symmetric	Empirical	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	Cbar	kemeny	robustness	0.0544	min	-0.0544	spearman	0.402753	0.402753	0.002	5.0006e+05	bidled	Symmetric	Empirical	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	Cbar	kemeny	robustness	0.048	min	-0.048	spearman	0.411602	0.411602	0.002	6.1235e+05	bidled	Symmetric	Empirical	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	Cbar	rrf	robustness	0.0828	min	-0.0828	spearman	0.586008	0.586008	0.002	imp062nce	bidled	Symmetric	Empirical	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	Cbar	rrf	robustness	0.0708	min	-0.0708	spearman	0.617046	0.617046	0.002	3.1986e+05	bidled	Symmetric	Empirical	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	Cbar	rrf	robustness	0.0664	min	-0.0664	spearman	0.470553	0.470553	0.002	4.3642e+05	bidled	Symmetric	Empirical	11
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	Cbar	rrf	robustness	0.0746	min	-0.0746	spearman	0.469363	0.469363	0.002	4.5228e+05	bidled	Symmetric	Empirical	11

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	Cbar	rrf	robustness	0.082	min	-0.082	spearman	0.4112369	0.01412269	0.002	4.89043e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	Cbar	rrf	robustness	0.0862	min	-0.0862	spearman	0.4112366	0.01413266	0.002	4.89111e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	Cbar	rrf	robustness	0.0906	min	-0.0906	spearman	0.4112699	0.01413699	0.002	5.04566e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	Cbar	rrf	robustness	0.0856	min	-0.0856	spearman	0.3991149	0.013991149	0.002	5.06729e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	Cbar	rrf	robustness	0.0692	min	-0.0692	spearman	0.4112753	0.01413753	0.002	5.06064e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	Cbar	rrf	robustness	0.066	min	-0.066	spearman	0.4111602	0.01411602	0.002	6.12355e+05	bidled	Symmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	Cbar	schulze	robustness	0.081	min	-0.081	spearman	0.586008	0.01586008	0.002	imp062nce	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	Cbar	schulze	robustness	0.079	min	-0.079	spearman	0.6117046	0.01617046	0.002	3.21986e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	Cbar	schulze	robustness	0.0732	min	-0.0732	spearman	0.4710553	0.01710553	0.002	4.2642e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	Cbar	schulze	robustness	0.0742	min	-0.0742	spearman	0.4113363	0.01413363	0.002	4.5228e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	Cbar	schulze	robustness	0.0708	min	-0.0708	spearman	0.4112369	0.01412269	0.002	4.89043e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	Cbar	schulze	robustness	0.0874	min	-0.0874	spearman	0.4112366	0.01413266	0.002	4.89111e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	Cbar	schulze	robustness	0.0858	min	-0.0858	spearman	0.4112699	0.01413699	0.002	5.04566e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	Cbar	schulze	robustness	0.0728	min	-0.0728	spearman	0.3991149	0.013991149	0.002	5.06729e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	Cbar	schulze	robustness	0.0562	min	-0.0562	spearman	0.4112753	0.01413753	0.002	5.06064e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	Cbar	schulze	robustness	0.056	min	-0.056	spearman	0.4111602	0.01411602	0.002	6.12355e+05	bidled	Symmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	Cbar	simpleavg	robustness	0.0818	min	-0.0818	spearman	0.586008	0.01586008	0.002	imp062nce	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	Cbar	simpleavg	robustness	0.0762	min	-0.0762	spearman	0.6117046	0.01617046	0.002	3.21986e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	Cbar	simpleavg	robustness	0.0796	min	-0.0796	spearman	0.4710553	0.01710553	0.002	4.2642e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	Cbar	simpleavg	robustness	0.0836	min	-0.0836	spearman	0.4113363	0.01413363	0.002	4.5228e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	Cbar	simpleavg	robustness	0.0788	min	-0.0788	spearman	0.4112369	0.01412269	0.002	4.89043e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	Cbar	simpleavg	robustness	0.088	min	-0.088	spearman	0.4112366	0.01413266	0.002	4.89111e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	Cbar	simpleavg	robustness	0.0808	min	-0.0808	spearman	0.4112699	0.01413699	0.002	5.04566e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	Cbar	simpleavg	robustness	0.079	min	-0.079	spearman	0.3991149	0.013991149	0.002	5.06729e+05	bidled	Falsmetric	Upperproximatio	d
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	Cbar	simpleavg	robustness	0.0808	min	-0.0808	spearman	0.4112753	0.01413753	0.002	5.06064e+05	bidled	Falsmetric	Upperproximatio	d

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	Cbar	simpleavg	robustness	0.0812	min	-0.0812	spearman	0.4116602	0.04116602	0.002	6.12356e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	F	borda	robustness	0.0288	min	-0.0288	spearman	0.5860008	0.05860008	0.002	imp0620nce	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	F	borda	robustness	0.0238	min	-0.0238	spearman	0.6167046	0.06167046	0.002	3.19866e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	F	borda	robustness	0.0312	min	-0.0312	spearman	0.470553	0.0470553	0.002	4.2642e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	F	borda	robustness	0.0274	min	-0.0274	spearman	0.469363	0.0469363	0.002	4.5228e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	F	borda	robustness	0.033	min	-0.033	spearman	0.412369	0.0412369	0.002	4.89048e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	F	borda	robustness	0.0262	min	-0.0262	spearman	0.4112366	0.04112366	0.002	4.81111e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	F	borda	robustness	0.0254	min	-0.0254	spearman	0.412699	0.0412699	0.002	5.04566e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	F	borda	robustness	0.027	min	-0.027	spearman	0.399149	0.0399149	0.002	5.06729e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	F	borda	robustness	0.032	min	-0.032	spearman	0.402753	0.0402753	0.002	5.06064e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	F	borda	robustness	0.0266	min	-0.0266	spearman	0.4116602	0.04116602	0.002	6.12356e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	F	kemeny	robustness	0.0288	min	-0.0288	spearman	0.5860008	0.05860008	0.002	imp0620nce	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	F	kemeny	robustness	0.0268	min	-0.0268	spearman	0.6167046	0.06167046	0.002	3.19866e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	F	kemeny	robustness	0.0278	min	-0.0278	spearman	0.470553	0.0470553	0.002	4.2642e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	F	kemeny	robustness	0.0292	min	-0.0292	spearman	0.469363	0.0469363	0.002	4.5228e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	F	kemeny	robustness	0.0286	min	-0.0286	spearman	0.412369	0.0412369	0.002	4.89048e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	F	kemeny	robustness	0.0324	min	-0.0324	spearman	0.4112366	0.04112366	0.002	4.81111e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	F	kemeny	robustness	0.026	min	-0.026	spearman	0.412699	0.0412699	0.002	5.04566e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	F	kemeny	robustness	0.035	min	-0.035	spearman	0.399149	0.0399149	0.002	5.06729e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	F	kemeny	robustness	0.0328	min	-0.0328	spearman	0.402753	0.0402753	0.002	5.06064e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	F	kemeny	robustness	0.0324	min	-0.0324	spearman	0.4116602	0.04116602	0.002	6.12356e+05	bidled	Symmetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	F	rrf	robustness	0.026	min	-0.026	spearman	0.5860008	0.05860008	0.002	imp0620nce	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	F	rrf	robustness	0.0308	min	-0.0308	spearman	0.6167046	0.06167046	0.002	3.19866e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	F	rrf	robustness	0.029	min	-0.029	spearman	0.470553	0.0470553	0.002	4.2642e+05	bidled	Falsimetric	Upperapproximation	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	F	rrf	robustness	0.0256	min	-0.0256	spearman	0.469363	0.0469363	0.002	4.5228e+05	bidled	Falsimetric	Upperapproximation	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	F	rrf	robustness	0.028	min	-0.028	spearman	0.4112369	0.01412266	0.0012	0.08043m+05	bidled	Falsmetric	Upperproximatio	5
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	F	rrf	robustness	0.0268	min	-0.0268	spearman	0.4112366	0.01413266	0.0012	0.081111m+05	bidled	Falsmetric	Upperproximatio	5
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	F	rrf	robustness	0.0268	min	-0.0268	spearman	0.4112699	0.01413699	0.0012	0.045566m+05	bidled	Falsmetric	Upperproximatio	5
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	F	rrf	robustness	0.0312	min	-0.0312	spearman	0.3109149	0.0309146	0.0012	0.06729m+05	bidled	Falsmetric	Upperproximatio	5
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	F	rrf	robustness	0.0304	min	-0.0304	spearman	0.4112753	0.01413753	0.0012	0.06066e+05c	bidled	Falsmetric	Upperproximatio	5
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	F	rrf	robustness	0.0308	min	-0.0308	spearman	0.4111602	0.01411602	0.0012	0.01235m+05	bidled	Symmetric	Upperproximatio	5
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	F	schulze	robustness	0.0288	min	-0.0288	spearman	0.586008	0.0586008	0.0012	imp062mce	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	F	schulze	robustness	0.0228	min	-0.0228	spearman	0.6117046	0.01417046	0.0012	0.01986m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	F	schulze	robustness	0.0272	min	-0.0272	spearman	0.4110553	0.014170553	0.0012	0.02642m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	F	schulze	robustness	0.0312	min	-0.0312	spearman	0.4113363	0.01413363	0.0012	0.05228m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	F	schulze	robustness	0.029	min	-0.029	spearman	0.4112369	0.01412266	0.0012	0.08043m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	F	schulze	robustness	0.0288	min	-0.0288	spearman	0.4112366	0.01413266	0.0012	0.081111m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	F	schulze	robustness	0.0304	min	-0.0304	spearman	0.4112699	0.01413699	0.0012	0.045566m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	F	schulze	robustness	0.0326	min	-0.0326	spearman	0.3109149	0.0309146	0.0012	0.06729m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	F	schulze	robustness	0.0326	min	-0.0326	spearman	0.4112753	0.01413753	0.0012	0.06066e+05c	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	F	schulze	robustness	0.0342	min	-0.0342	spearman	0.4111602	0.01411602	0.0012	0.01235m+05	bidled	Symmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	F	simpleavg	robustness	0.0234	min	-0.0234	spearman	0.586008	0.0586008	0.0012	imp062mce	bidled	Falsmetric	Upperproximatio	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	F	simpleavg	robustness	0.0306	min	-0.0306	spearman	0.6117046	0.01417046	0.0012	0.01986m+05	bidled	Falsmetric	Upperproximatio	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	F	simpleavg	robustness	0.0314	min	-0.0314	spearman	0.4110553	0.014170553	0.0012	0.02642m+05	bidled	Falsmetric	Upperproximatio	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	F	simpleavg	robustness	0.034	min	-0.034	spearman	0.4113363	0.01413363	0.0012	0.05228m+05	bidled	Falsmetric	Upperproximatio	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	F	simpleavg	robustness	0.0348	min	-0.0348	spearman	0.4112369	0.01412266	0.0012	0.08043m+05	bidled	Falsmetric	Upperproximatio	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	F	simpleavg	robustness	0.031	min	-0.031	spearman	0.4112366	0.01413266	0.0012	0.081111m+05	bidled	Falsmetric	Upperproximatio	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	F	simpleavg	robustness	0.0244	min	-0.0244	spearman	0.4112699	0.01413699	0.0012	0.045566m+05	bidled	Falsmetric	Upperproximatio	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	F	simpleavg	robustness	0.0248	min	-0.0248	spearman	0.3109149	0.0309146	0.0012	0.06729m+05	bidled	Falsmetric	Upperproximatio	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	F	simpleavg	robustness	0.025	min	-0.025	spearman	0.4112753	0.01413753	0.0012	0.06066e+05c	bidled	Falsmetric	Upperproximatio	2

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	F	simpleavg	robustness	0.024	min	-0.024	spearman	0.411662	0.411662	0.002	6.1235e+05	bidled	Symmetric	Empirical	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	Fbar	borda	robustness	0.0616	min	-0.0616	spearman	0.586008	0.586008	0.002	imp062nce	bidled	Falsimetric	Empirical	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	Fbar	borda	robustness	0.0666	min	-0.0666	spearman	0.617046	0.617046	0.002	3.1986e+05	bidled	Falsimetric	Empirical	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	Fbar	borda	robustness	0.0542	min	-0.0542	spearman	0.470553	0.470553	0.002	4.3642e+05	bidled	Falsimetric	Empirical	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	Fbar	borda	robustness	0.0578	min	-0.0578	spearman	0.469363	0.469363	0.002	4.5228e+05	bidled	Falsimetric	Empirical	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	Fbar	borda	robustness	0.0564	min	-0.0564	spearman	0.412369	0.412369	0.002	4.8943e+05	bidled	Falsimetric	Empirical	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	Fbar	borda	robustness	0.0646	min	-0.0646	spearman	0.412366	0.412366	0.002	4.8141e+05	bidled	Falsimetric	Empirical	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	Fbar	borda	robustness	0.0612	min	-0.0612	spearman	0.412699	0.412699	0.002	5.4566e+05	bidled	Falsimetric	Empirical	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	Fbar	borda	robustness	0.0616	min	-0.0616	spearman	0.389149	0.389149	0.002	5.6729e+05	bidled	Falsimetric	Empirical	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	Fbar	borda	robustness	0.0518	min	-0.0518	spearman	0.402753	0.402753	0.002	5.6064e+05	bidled	Falsimetric	Empirical	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	Fbar	borda	robustness	0.04	min	-0.04	spearman	0.411662	0.411662	0.002	6.1235e+05	bidled	Symmetric	Empirical	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	Fbar	kemeny	robustness	0.0616	min	-0.0616	spearman	0.586008	0.586008	0.002	imp062nce	bidled	Falsimetric	Empirical	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	Fbar	kemeny	robustness	0.0592	min	-0.0592	spearman	0.617046	0.617046	0.002	3.1986e+05	bidled	Falsimetric	Empirical	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	Fbar	kemeny	robustness	0.0514	min	-0.0514	spearman	0.470553	0.470553	0.002	4.3642e+05	bidled	Falsimetric	Empirical	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	Fbar	kemeny	robustness	0.0612	min	-0.0612	spearman	0.469363	0.469363	0.002	4.5228e+05	bidled	Falsimetric	Empirical	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	Fbar	kemeny	robustness	0.0486	min	-0.0486	spearman	0.412369	0.412369	0.002	4.8943e+05	bidled	Falsimetric	Empirical	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	Fbar	kemeny	robustness	0.0562	min	-0.0562	spearman	0.412366	0.412366	0.002	4.8141e+05	bidled	Falsimetric	Empirical	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	Fbar	kemeny	robustness	0.065	min	-0.065	spearman	0.412699	0.412699	0.002	5.4566e+05	bidled	Falsimetric	Empirical	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	Fbar	kemeny	robustness	0.0518	min	-0.0518	spearman	0.389149	0.389149	0.002	5.6729e+05	bidled	Falsimetric	Empirical	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	Fbar	kemeny	robustness	0.043	min	-0.043	spearman	0.402753	0.402753	0.002	5.6064e+05	bidled	Falsimetric	Empirical	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	Fbar	kemeny	robustness	0.0378	min	-0.0378	spearman	0.411662	0.411662	0.002	6.1235e+05	bidled	Symmetric	Empirical	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	Fbar	rrf	robustness	0.0642	min	-0.0642	spearman	0.586008	0.586008	0.002	imp062nce	bidled	Falsimetric	Empirical	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	Fbar	rrf	robustness	0.0494	min	-0.0494	spearman	0.617046	0.617046	0.002	3.1986e+05	bidled	Falsimetric	Empirical	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	Fbar	rrf	robustness	0.05	min	-0.05	spearman	0.470553	0.470553	0.002	4.3642e+05	bidled	Falsimetric	Empirical	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	Fbar	rrf	robustness	0.0556	min	-0.0556	spearman	0.469363	0.469363	0.002	4.5228e+05	bidled	Falsimetric	Empirical	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	Fbar	rrf	robustness	0.0648	min	-0.0648	spearman	0.4112369	0.0142269	0.002	0.8943m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	Fbar	rrf	robustness	0.0728	min	-0.0728	spearman	0.4112366	0.0143266	0.002	0.8111m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	Fbar	rrf	robustness	0.076	min	-0.076	spearman	0.4112699	0.0143699	0.002	5.4556m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	Fbar	rrf	robustness	0.0722	min	-0.0722	spearman	0.3109149	0.0309149	0.002	5.6729m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	Fbar	rrf	robustness	0.057	min	-0.057	spearman	0.4112753	0.0143753	0.002	5.6064e+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	Fbar	rrf	robustness	0.0516	min	-0.0516	spearman	0.4111602	0.0141602	0.002	6.1235m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	Fbar	schulze	robustness	0.0616	min	-0.0616	spearman	0.586008	0.0586008	0.002	imp062mce	bidled	Falsmetric	Upperproximatio	40
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	Fbar	schulze	robustness	0.0614	min	-0.0614	spearman	0.6117046	0.0147046	0.002	3.1986m+05	bidled	Falsmetric	Upperproximatio	40
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	Fbar	schulze	robustness	0.056	min	-0.056	spearman	0.4710553	0.0170553	0.002	4.2642m+05	bidled	Falsmetric	Upperproximatio	40
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	Fbar	schulze	robustness	0.0584	min	-0.0584	spearman	0.4113363	0.0143363	0.002	4.5228m+05	bidled	Falsmetric	Upperproximatio	40
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	Fbar	schulze	robustness	0.051	min	-0.051	spearman	0.4112369	0.0142269	0.002	0.8943m+05	bidled	Falsmetric	Upperproximatio	40
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	Fbar	schulze	robustness	0.0728	min	-0.0728	spearman	0.4112366	0.0143266	0.002	0.8111m+05	bidled	Falsmetric	Upperproximatio	40
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	Fbar	schulze	robustness	0.073	min	-0.073	spearman	0.4112699	0.0143699	0.002	5.4556m+05	bidled	Falsmetric	Upperproximatio	40
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	Fbar	schulze	robustness	0.0588	min	-0.0588	spearman	0.3109149	0.0309149	0.002	5.6729m+05	bidled	Falsmetric	Upperproximatio	40
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	Fbar	schulze	robustness	0.044	min	-0.044	spearman	0.4112753	0.0143753	0.002	5.6064e+05	bidled	Falsmetric	Upperproximatio	40
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	11	speckle-0.15	Fbar	schulze	robustness	0.0466	min	-0.0466	spearman	0.4111602	0.0141602	0.002	6.1235m+05	bidled	Falsmetric	Upperproximatio	40
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	2	speckle-0.15	Fbar	simpleavg	robustness	0.0636	min	-0.0636	spearman	0.586008	0.0586008	0.002	imp062mce	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	3	speckle-0.15	Fbar	simpleavg	robustness	0.0568	min	-0.0568	spearman	0.6117046	0.0147046	0.002	3.1986m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	4	speckle-0.15	Fbar	simpleavg	robustness	0.0616	min	-0.0616	spearman	0.4710553	0.0170553	0.002	4.2642m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	5	speckle-0.15	Fbar	simpleavg	robustness	0.0662	min	-0.0662	spearman	0.4113363	0.0143363	0.002	4.5228m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	6	speckle-0.15	Fbar	simpleavg	robustness	0.0624	min	-0.0624	spearman	0.4112369	0.0142269	0.002	0.8943m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	7	speckle-0.15	Fbar	simpleavg	robustness	0.069	min	-0.069	spearman	0.4112366	0.0143266	0.002	0.8111m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	8	speckle-0.15	Fbar	simpleavg	robustness	0.063	min	-0.063	spearman	0.4112699	0.0143699	0.002	5.4556m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	9	speckle-0.15	Fbar	simpleavg	robustness	0.063	min	-0.063	spearman	0.3109149	0.0309149	0.002	5.6729m+05	bidled	Falsmetric	Upperproximatio	3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	10	speckle-0.15	Fbar	simpleavg	robustness	0.0654	min	-0.0654	spearman	0.4112753	0.0143753	0.002	5.6064e+05	bidled	Falsmetric	Upperproximatio	3

cell	dataset	model	distance model	q	condition	metric	rule	value kind	value	objective direction	objective value	fit model	fit statistic	fit score	fit p value	mean distance	noise selected q	selected by noise	noise forced fallback	best q
ImageNet- ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	11	speckle- 0.15	Fbar	simpleavg	robustness	0.066	min	-0.066	spearman	0.411602	0.411602	0.002	6.1235e+05	bidder	Symmetric	Approximation	3

1606

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

cell	dataset	model	distance model	q	condition	metric	is optimal q	q11 reference	method prefix
ImageNet– ImageNet- vit-b16	ImageNet	ImageNet- vit-b16	spearman	11	speckle- 0.15	Fbar	False	True	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","IntegratedGradients","PartialLRP","GradientShap","AttentionGradCAM","FeatureAblation","Sali

Table 293: ImageNet–ViT-B/16 results.

cell	q	rule	predicted score	theta	mean distance	actual F	predicted q	NOISE q	actual regret	actual near optimal 95
ImageNet– ImageNet– vit-b16	2	borda	0.082297	6.116131	2.3547	0.0864	2	2	0	True
ImageNet– ImageNet– vit-b16	3	borda	0.073751	2.816856	9.873	0.0506	2	2	0	False
ImageNet– ImageNet– vit-b16	4	borda	0.077982	2.425138	11.1934	0.0572	2	2	0	False
ImageNet– ImageNet– vit-b16	5	borda	0.080881	2.35586	11.42964	0.0634	2	2	0	False
ImageNet– ImageNet– vit-b16	6	borda	0.07856	2.238705	11.829467	0.0604	2	2	0	False
ImageNet– ImageNet– vit-b16	7	borda	0.078346	2.255003	11.773857	0.066	2	2	0	False
ImageNet– ImageNet– vit-b16	8	borda	0.07437	2.114551	12.2524	0.0582	2	2	0	False
ImageNet– ImageNet– vit-b16	9	borda	0.0719	2.059727	12.438511	0.0552	2	2	0	False
ImageNet– ImageNet– vit-b16	10	borda	0.065706	2.072664	12.39464	0.0494	2	2	0	False
ImageNet– ImageNet– vit-b16	11	borda	0.063329	1.922194	12.902491	0.0478	2	2	0	False
ImageNet– ImageNet– vit-b16	2	kemeny	0.082297	6.116131	2.3547	0.0864	3	3	0	True
ImageNet– ImageNet– vit-b16	3	kemeny	0.083476	3.813524	6.8206	0.0874	3	3	0	True
ImageNet– ImageNet– vit-b16	4	kemeny	0.083469	2.974566	9.35465	0.087	3	3	0	True
ImageNet– ImageNet– vit-b16	5	kemeny	0.081569	2.749214	10.09816	0.0796	3	3	0	False
ImageNet– ImageNet– vit-b16	6	kemeny	0.078064	2.51624	10.883467	0.0728	3	3	0	False
ImageNet– ImageNet– vit-b16	7	kemeny	0.079286	2.568394	10.7066	0.0716	3	3	0	False
ImageNet– ImageNet– vit-b16	8	kemeny	0.077849	2.390244	11.31235	0.0738	3	3	0	False
ImageNet– ImageNet– vit-b16	9	kemeny	0.073725	2.304354	11.605422	0.0624	3	3	0	False
ImageNet– ImageNet– vit-b16	10	kemeny	0.06103	2.313267	11.575	0.0542	3	3	0	False
ImageNet– ImageNet– vit-b16	11	kemeny	0.056599	2.15098	12.128473	0.05	3	3	0	False

Table 294: ImageNet–ViT-B/16 results.

dataset	model	architecture	replit	method	sample count	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s
ImageNet	ImageNet- vit-b16	vit	test	best_individual	5000	0.0838	0.095	0.1336	0.1426	0.0222	0.1256	0.0442	0.1552	0.0134	0.09	0.0346	0.1222	0.008	0.0152	0.0102
ImageNet	ImageNet- vit-b16	vit	test	simpleavg	5000	0.0732	0.1014	0.1134	0.1546	0.0638	0.2342	0.0844	0.2832	0.0538	0.1724	0.071	0.2164	0.0252	0.068	0.0244
ImageNet	ImageNet- vit-b16	vit	test	borda	5000	0.0706	0.1056	0.105	0.16	0.0626	0.2252	0.0846	0.2738	0.0554	0.1784	0.0788	0.2232	0.0236	0.06	0.0268
ImageNet	ImageNet- vit-b16	vit	test	kemeny	5000	0.0728	0.1102	0.112	0.1654	0.0626	0.2398	0.082	0.286	0.0536	0.1818	0.0726	0.225	0.0234	0.0676	0.0236
ImageNet	ImageNet- vit-b16	vit	test	rrf	5000	0.0676	0.1094	0.1054	0.1634	0.064	0.2346	0.0874	0.284	0.052	0.1812	0.0704	0.2266	0.0232	0.0698	0.0246
ImageNet	ImageNet- vit-b16	vit	test	schulze	5000	0.0756	0.111	0.1144	0.1664	0.0652	0.2388	0.0834	0.286	0.0528	0.1786	0.073	0.2208	0.0214	0.0682	0.0232

Table 295: ImageNet–ViT-B/16 results.

dataset	model	architecture	split	method	R Cbar s	R F a	R Fbar a	R C a	R Cbar a	selected sources
ImageNet	ImageNet-vit-b16	vit	test	best_individual	0.025	0.0422	0.0298	0.0538	0.0318	1aecc4d5 3c47bddb b27e583a 8fcc1c91 16fc2562 28023b39 999a8626 718759fc
ImageNet	ImageNet-vit-b16	vit	test	simpleavg	0.0852	0.061	0.2726	0.0758	0.2896	
ImageNet	ImageNet-vit-b16	vit	test	borda	0.0786	0.0676	0.2478	0.0896	0.2566	
ImageNet	ImageNet-vit-b16	vit	test	kemeny	0.0822	0.0748	0.265	0.0936	0.272	
ImageNet	ImageNet-vit-b16	vit	test	rrf	0.0878	0.0776	0.2562	0.0972	0.2668	
ImageNet	ImageNet-vit-b16	vit	test	schulze	0.0846	0.0702	0.255	0.089	0.2648	

Table 296: ImageNet–ViT-B/16 results.

dataset	model	architecture	replit	method	sample count	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s
ImageNet	ImageNet- vit-b16	vit	test	best_individual	5000	0.0838	0.095	0.1336	0.1426	0.0222	0.1256	0.0442	0.1552	0.0134	0.09	0.0346	0.1222	0.008	0.0152	0.0102
ImageNet	ImageNet- vit-b16	vit	test	simpleavg	5000	0.0732	0.1014	0.1134	0.1546	0.0638	0.2342	0.0844	0.2832	0.0538	0.1724	0.071	0.2164	0.0252	0.068	0.0244
ImageNet	ImageNet- vit-b16	vit	test	borda	5000	0.0706	0.1056	0.105	0.16	0.0626	0.2252	0.0846	0.2738	0.0554	0.1784	0.0788	0.2232	0.0236	0.06	0.0268
ImageNet	ImageNet- vit-b16	vit	test	kemeny	5000	0.0728	0.1102	0.112	0.1654	0.0626	0.2398	0.082	0.286	0.0536	0.1818	0.0726	0.225	0.0234	0.0676	0.0236
ImageNet	ImageNet- vit-b16	vit	test	rrf	5000	0.0676	0.1094	0.1054	0.1634	0.064	0.2346	0.0874	0.284	0.052	0.1812	0.0704	0.2266	0.0232	0.0698	0.0246
ImageNet	ImageNet- vit-b16	vit	test	schulze	5000	0.0756	0.111	0.1144	0.1664	0.0652	0.2388	0.0834	0.286	0.0528	0.1786	0.073	0.2208	0.0214	0.0682	0.0232

Table 297: ImageNet–ViT-B/16 results.

dataset	model	architecture	split	method	R Cbar s	R F a	R Fbar a	R C a	R Cbar a	selected sources
ImageNet	ImageNet-vit-b16	vit	test	best_individual	0.025	0.0422	0.0298	0.0538	0.0318	1aecc4d5 3c47bddb b27e583a 8fcc1c91 16fc2562 28023b39 999a8626 718759fc
ImageNet	ImageNet-vit-b16	vit	test	simpleavg	0.0852	0.061	0.2726	0.0758	0.2896	
ImageNet	ImageNet-vit-b16	vit	test	borda	0.0786	0.0676	0.2478	0.0896	0.2566	
ImageNet	ImageNet-vit-b16	vit	test	kemeny	0.0822	0.0748	0.265	0.0936	0.272	
ImageNet	ImageNet-vit-b16	vit	test	rrf	0.0878	0.0776	0.2562	0.0972	0.2668	
ImageNet	ImageNet-vit-b16	vit	test	schulze	0.0846	0.0702	0.255	0.089	0.2648	

Table 298: ImageNet–ViT-B/16 results.

dataset	model	method	scope	group	comparison cells	wins	vs best better	vs best equal	vs best worse	vs simpleavg better	vs simpleavg equal	vs simpleavg worse
ImageNet	ImageNet- vit-b16	best_indiv	dataset_model	all	20	20						
ImageNet	ImageNet- vit-b16	simpleavg	dataset_model	all	20	0	0	0	20			
ImageNet	ImageNet- vit-b16	borda	dataset_model	all	20	0	0	0	20	8	0	12
ImageNet	ImageNet- vit-b16	kemeny	dataset_model	all	20	0	0	0	20	9	0	11
ImageNet	ImageNet- vit-b16	rrf	dataset_model	all	20	0	0	0	20	5	0	15
ImageNet	ImageNet- vit-b16	schulze	dataset_model	all	20	0	0	0	20	9	0	11
ImageNet	ImageNet- vit-b16	best_indiv	dataset_model	quality	4	4						
ImageNet	ImageNet- vit-b16	simpleavg	dataset_model	quality	4	0	0	0	4			
ImageNet	ImageNet- vit-b16	borda	dataset_model	quality	4	0	0	0	4	0	0	4
ImageNet	ImageNet- vit-b16	kemeny	dataset_model	quality	4	0	0	0	4	0	0	4
ImageNet	ImageNet- vit-b16	rrf	dataset_model	quality	4	0	0	0	4	0	0	4
ImageNet	ImageNet- vit-b16	schulze	dataset_model	quality	4	0	0	0	4	2	0	2
ImageNet	ImageNet- vit-b16	best_indiv	dataset_model	robustness_all	16	16						
ImageNet	ImageNet- vit-b16	simpleavg	dataset_model	robustness_all	16	0	0	0	16			
ImageNet	ImageNet- vit-b16	borda	dataset_model	robustness_all	16	0	0	0	16	8	0	8
ImageNet	ImageNet- vit-b16	kemeny	dataset_model	robustness_all	16	0	0	0	16	9	0	7
ImageNet	ImageNet- vit-b16	rrf	dataset_model	robustness_all	16	0	0	0	16	5	0	11
ImageNet	ImageNet- vit-b16	schulze	dataset_model	robustness_all	16	0	0	0	16	7	0	9
ImageNet	ImageNet- vit-b16	best_indiv	dataset_model	gaussian	4	4						
ImageNet	ImageNet- vit-b16	simpleavg	dataset_model	gaussian	4	0	0	0	4			
ImageNet	ImageNet- vit-b16	borda	dataset_model	gaussian	4	0	0	0	4	3	0	1
ImageNet	ImageNet- vit-b16	kemeny	dataset_model	gaussian	4	0	0	0	4	2	0	2
ImageNet	ImageNet- vit-b16	rrf	dataset_model	gaussian	4	0	0	0	4	0	0	4
ImageNet	ImageNet- vit-b16	schulze	dataset_model	gaussian	4	0	0	0	4	1	0	3
ImageNet	ImageNet- vit-b16	best_indiv	dataset_model	edit_pepper	4	4						
ImageNet	ImageNet- vit-b16	simpleavg	dataset_model	edit_pepper	4	0	0	0	4			
ImageNet	ImageNet- vit-b16	borda	dataset_model	edit_pepper	4	0	0	0	4	0	0	4
ImageNet	ImageNet- vit-b16	kemeny	dataset_model	edit_pepper	4	0	0	0	4	1	0	3
ImageNet	ImageNet- vit-b16	rrf	dataset_model	edit_pepper	4	0	0	0	4	2	0	2
ImageNet	ImageNet- vit-b16	schulze	dataset_model	edit_pepper	4	0	0	0	4	1	0	3
ImageNet	ImageNet- vit-b16	best_indiv	dataset_model	spetckle	4	4						
ImageNet	ImageNet- vit-b16	simpleavg	dataset_model	spetckle	4	0	0	0	4			
ImageNet	ImageNet- vit-b16	borda	dataset_model	spetckle	4	0	0	0	4	3	0	1
ImageNet	ImageNet- vit-b16	kemeny	dataset_model	spetckle	4	0	0	0	4	4	0	0
ImageNet	ImageNet- vit-b16	rrf	dataset_model	spetckle	4	0	0	0	4	1	0	3
ImageNet	ImageNet- vit-b16	schulze	dataset_model	spetckle	4	0	0	0	4	3	0	1

dataset	model	method	scope	group	comparison cells	vs wins	vs best better	vs best equal	vs best worse	vs simpleavg better	vs simpleavg equal	vs simpleavg worse
ImageNet	ImageNet- vit-b16	best_indiv	dataset_m	adversarial	4	4						
ImageNet	ImageNet- vit-b16	simpleavg	dataset_m	adversarial	4	0	0	0	4			
ImageNet	ImageNet- vit-b16	borda	dataset_m	adversarial	4	0	0	0	4	2	0	2
ImageNet	ImageNet- vit-b16	kemeny	dataset_m	adversarial	4	0	0	0	4	2	0	2
ImageNet	ImageNet- vit-b16	rrf	dataset_m	adversarial	4	0	0	0	4	2	0	2
ImageNet	ImageNet- vit-b16	schulze	dataset_m	adversarial	4	0	0	0	4	2	0	2
		best_indiv	overall	all	80	75						
		simpleavg	overall	all	80	2	2	1	77			
		borda	overall	all	80	1	3	0	77	44	1	35
		kemeny	overall	all	80	1	1	0	79	41	4	35
		rrf	overall	all	80	3	3	1	76	43	1	36
		schulze	overall	all	80	0	2	0	78	46	1	33
		best_indiv	overall	quality	16	15						
		simpleavg	overall	quality	16	1	1	0	15			
		borda	overall	quality	16	0	0	0	16	5	0	11
		kemeny	overall	quality	16	0	0	0	16	4	1	11
		rrf	overall	quality	16	0	0	0	16	6	0	10
		schulze	overall	quality	16	0	0	0	16	8	0	8
		best_indiv	overall	robustness_all 64	60							
		simpleavg	overall	robustness_all 64	1	1	1	1	62			
		borda	overall	robustness_all 64	1	1	3	0	61	39	1	24
		kemeny	overall	robustness_all 64	1	1	1	0	63	37	3	24
		rrf	overall	robustness_all 64	3	3	3	1	60	37	1	26
		schulze	overall	robustness_all 64	0	2	0	0	62	38	1	25
		best_indiv	overall	gaussian	16	15						
		simpleavg	overall	gaussian	16	0	0	1	15			
		borda	overall	gaussian	16	0	1	0	15	11	1	4
		kemeny	overall	gaussian	16	0	0	0	16	9	1	6
		rrf	overall	gaussian	16	2	1	1	14	9	0	7
		schulze	overall	gaussian	16	0	0	0	16	8	0	8
		best_indiv	overall	salt_pepper	16	15						
		simpleavg	overall	salt_pepper	16	0	0	0	16			
		borda	overall	salt_pepper	16	0	1	0	15	7	0	9
		kemeny	overall	salt_pepper	16	1	1	0	15	6	2	8
		rrf	overall	salt_pepper	16	0	1	0	15	10	1	5
		schulze	overall	salt_pepper	16	0	1	0	15	8	1	7
		best_indiv	overall	speckle	16	14						
		simpleavg	overall	speckle	16	1	1	0	15			
		borda	overall	speckle	16	1	1	0	15	12	0	4
		kemeny	overall	speckle	16	0	0	0	16	12	0	4
		rrf	overall	speckle	16	1	1	0	15	10	0	6
		schulze	overall	speckle	16	0	1	0	15	12	0	4
		best_indiv	overall	adversarial	16	16						
		simpleavg	overall	adversarial	16	0	0	0	16			
		borda	overall	adversarial	16	0	0	0	16	9	0	7
		kemeny	overall	adversarial	16	0	0	0	16	10	0	6
		rrf	overall	adversarial	16	0	0	0	16	8	0	8
		schulze	overall	adversarial	16	0	0	0	16	10	0	6