

When Does Aggregating Explanations Work?

OCTMNIST Results

Jinhua Xu, Davide Anguita, Fabio Roli, Jing Yuan, and Luca Oneto

This report is generated from the structured result files listed in `RESULT_MANIFEST.json`. It is organised by model and experiment and retains incomplete snapshots together with additional result tables.

Additional result tables

A DenseNet-121

Table 1: OCTMNIST–DenseNet-121 results.

dataset	model	method	result status	gate status	passed	deterministic repeat	finite fraction	target sensitive	selected batch size	attack batch size	attack seconds per sample	attack peak cuda bytes	error
OCTMNIST	DenseNet-121	Saliency	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
OCTMNIST	DenseNet-121	InputXGradient	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
OCTMNIST	DenseNet-121	Integrated Gradients	passed	blocked	true	true	1	true	1	1	0.088067	6.6774e+09	
OCTMNIST	DenseNet-121	GuidedBackprop	passed	blocked	true	true	1	true	1				
OCTMNIST	DenseNet-121	Deconvolution	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
OCTMNIST	DenseNet-121	FeatureAbandon	passed	blocked	true	true	1	true	1				
OCTMNIST	DenseNet-121	Occlusion	passed	blocked	true	true	1	true	1				
OCTMNIST	DenseNet-121	DeepLift	passed	blocked	true	true	1	true	1	1	0.362596	6.5945e+08	
OCTMNIST	DenseNet-121	GradientShap	passed	blocked	true	true	1	true	1				
OCTMNIST	DenseNet-121	DeepLiftShap	passed	blocked	true	true	1	true	1	1	0.056082	1.7365e+09	
OCTMNIST	DenseNet-121	LRP	passed	blocked	true	true	1	true	1				

B EfficientNet-B0

Table 2: OCTMNIST–EfficientNet-B0 results.

dataset	model	method	result status	gate status	passed	deterministic repeat	finite fraction	target sensitive	selected batch size	attack batch size	attack seconds per sample	attack peak cuda bytes	error
OCTMNIST	EfficientNet-B0	Saliency	failed	blocked	true	true	1	true	1	1	0.32174	3.8022e+08	RuntimeError: No explanation batch candidate passed
OCTMNIST	EfficientNet-B0	InputXGradient	failed	blocked	true	true	1	true	1	1	0.187	3.8263e+08	
OCTMNIST	EfficientNet-B0	Integrated Gradients	failed	blocked	true	true	1	true	1	1	0.037525	4.5561e+09	
OCTMNIST	EfficientNet-B0	GuidedBackprop	failed	blocked	true	true	1	true	1				
OCTMNIST	EfficientNet-B0	Deconvolution	failed	blocked	true	true	1	true	1				
OCTMNIST	EfficientNet-B0	FeatureAbundance	failed	blocked	true	true	1	true	1				
OCTMNIST	EfficientNet-B0	Occlusion	failed	blocked	true	true	1	true	1				
OCTMNIST	EfficientNet-B0	DeepLift	failed	blocked	true	true	1	true	1	1	0.024336	2.7865e+08	
OCTMNIST	EfficientNet-B0	GradientShapley	failed	blocked	true	true	1	true	1				
OCTMNIST	EfficientNet-B0	DeepLiftShapley	failed	blocked	true	true	1	true	1	1	0.022935	6.5411e+08	
OCTMNIST	EfficientNet-B0	LRP	failed	blocked	false								

C MobileNetV3-Large

Table 3: OCTMNIST–MobileNetV3-Large results.

dataset	model	method	result status	gate status	passed	deterministic repeat	finite fraction	target sensitive	selected batch size	attack batch size	attack seconds per sample	attack peak cuda bytes	error
OCTMNIST	MobileNetV3-Large	Sparsity	failed	blocked	true	true	1	true	1				RuntimeError: No explanation batch candidate passed
OCTMNIST	MobileNetV3-Large	InputXGradient	failed	blocked	true	true	1	true	1				
OCTMNIST	MobileNetV3-Large	Integrated Gradients	failed	blocked	true	true	1	true	1	1	0.022089	2.4103e+09	
OCTMNIST	MobileNetV3-Large	GuidedBackprop	failed	blocked	true	true	1	true	1				
OCTMNIST	MobileNetV3-Large	Deconvolution	failed	blocked	true	true	1	true	1				
OCTMNIST	MobileNetV3-Large	FeatureAbstraction	failed	blocked	true	true	1	true	1				
OCTMNIST	MobileNetV3-Large	Oclusion	failed	blocked	true	true	1	true	1				
OCTMNIST	MobileNetV3-Large	DeepLift	failed	blocked	true	true	1	true	1	1	0.021229	2.2833e+08	
OCTMNIST	MobileNetV3-Large	GradientShapley	failed	blocked	true	true	1	true	1				
OCTMNIST	MobileNetV3-Large	DeepLiftShapley	failed	blocked	true	true	1	true	1	1	0.020916	4.9989e+08	
OCTMNIST	MobileNetV3-Large	LRP	failed	blocked	false								RuntimeError: No explanation batch candidate passed

D ResNet-18

Table 4: OCTMNIST-ResNet-18 results.

dataset	model	method	result status	gate status	passed	deterministic repeat	finite fraction	target sensitive	selected batch size	attack batch size	attack seconds per sample	attack peak cuda bytes	error
OCTMNIST	ResNet-18	Saliency	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
OCTMNIST	ResNet-18	InputXGradient	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
OCTMNIST	ResNet-18	Integrated Gradients	passed	blocked	true	true	1	true	1	1	0.033075	1.2722e+09	RuntimeError: Deterministic repeat check failed
OCTMNIST	ResNet-18	GuidedBackprop	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
OCTMNIST	ResNet-18	Deconvolution	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
OCTMNIST	ResNet-18	FeatureAbandonment	passed	blocked	true	true	1	true	1				RuntimeError: Deterministic repeat check failed
OCTMNIST	ResNet-18	Occlusion	passed	blocked	true	true	1	true	1				RuntimeError: Deterministic repeat check failed
OCTMNIST	ResNet-18	DeepLift	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
OCTMNIST	ResNet-18	GradientShap	passed	blocked	true	true	1	true	1				RuntimeError: Deterministic repeat check failed
OCTMNIST	ResNet-18	DeepLiftShap	passed	blocked	true	true	1	true	1	1	0.011559	4.4584e+08	RuntimeError: Deterministic repeat check failed
OCTMNIST	ResNet-18	LRP	passed	blocked	true	true	1	true	1				RuntimeError: Deterministic repeat check failed

E ResNet-50

Table 5: OCTMNIST-ResNet-50 results.

dataset	model	method	result status	gate status	passed	deterministic repeat	finite fraction	target sensitive	selected batch size	attack batch size	attack seconds per sample	attack peak cuda bytes	error
OCTMNIST	ResNet-50	Saliency	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
OCTMNIST	ResNet-50	InputXGradient	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
OCTMNIST	ResNet-50	Integrated Gradients	passed	blocked	true	true	1	true	1	1	0.07117	4.5233e+09	RuntimeError: Deterministic repeat check failed
OCTMNIST	ResNet-50	GuidedBackprop	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
OCTMNIST	ResNet-50	Deconvolution	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
OCTMNIST	ResNet-50	FeatureAbandonment	passed	blocked	true	true	1	true	1				RuntimeError: Deterministic repeat check failed
OCTMNIST	ResNet-50	Occlusion	passed	blocked	true	true	1	true	1				RuntimeError: Deterministic repeat check failed
OCTMNIST	ResNet-50	DeepLift	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
OCTMNIST	ResNet-50	GradientShap	passed	blocked	true	true	1	true	1				RuntimeError: Deterministic repeat check failed
OCTMNIST	ResNet-50	DeepLiftShap	passed	blocked	true	true	1	true	1	1	0.025127	1.2474e+09	RuntimeError: Deterministic repeat check failed
OCTMNIST	ResNet-50	LRP	passed	blocked	true	true	1	true	1				RuntimeError: Deterministic repeat check failed

F ViT-B/16

Table 6: OCTMNIST-ViT-B/16 results.

cell	dataset	model	architecture	replit	method	setting	q	source count	sample count	F	Fbar	C	Cbar	R F g	R F p	R F s	R F a	R C g	R C p	R C s
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	Best Individual	best-individual	1	3	1000	0.266	0.258667	0.283667	0.294	-0.051667	0.027	-0.016	0.045333	-0.004667	0.049667	-0.008667
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	SimpleAvg	NAIVE	11	3	1000	0.220333	0.344333	0.242667	0.395333	-0.036667	0.001	-0.012333	0.042333	0.004	0.031	-0.004333
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	SimpleAvg	ind	11	11	1000	0.209	0.394	0.236	0.447	-0.014	0.005	-0.017	0.048	0.035	0.033	-0.011
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	Borda	NAIVE	11	3	1000	0.232333	0.353333	0.255667	0.408	-0.042333	-0.020333	-0.007667	0.043	-0.000667	0.009667	-0.005667
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	Borda	ind	11	11	1000	0.226	0.379	0.247	0.43	-0.027	-0.018	-0.006	0.047	0.021	0.013	-0.002
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	RRF	NAIVE	11	3	1000	0.245	0.341667	0.265	0.395333	-0.036333	-0.007667	-0.005333	0.046667	0.005667	0.023333	0.003333
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	RRF	ind	11	11	1000	0.252	0.346	0.271	0.406	-0.03	0.004	-0.015	0.04	0.029	0.028	0.002
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	Kemeny	NAIVE	11	3	1000	0.243667	0.36	0.262667	0.414667	-0.041	-0.002	-0.009333	0.044333	0.003	0.031	-0.001667
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	Kemeny	ind	11	11	1000	0.241	0.377	0.258	0.431	-0.029	-0.012	-0.004	0.043	0.031	0.019	0.008
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	Schulze	NAIVE	11	3	1000	0.244333	0.358	0.266667	0.411667	-0.049	-0.013667	-0.013667	0.037667	-0.005333	0.018333	-0.008333
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	Schulze	ind	11	11	1000	0.227	0.373	0.247	0.426	-0.011	-0.012	0.007	0.048	0.038	0.02	0.018

Table 7: OCTMNIST-ViT-B/16 results.

cell	dataset	model	architecture	replit	method	setting	q	source count	R C a	R Fbar g	R Fbar p	R Fbar s	R Fbar a	R Cbar g	R Cbar p	R Cbar s	R Cbar a	F perturbed g	Fbar perturbed g	C perturbed g
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	Best Individual	best-individual	1	3	0.042667	-0.038	0.009667	0.019667	-0.038333	-0.127667	-0.077667	0.006667	-0.039333	0.214333	0.296667	0.279
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	SimpleAvg	NAIVE	11	3	0.043333	-0.036333	-0.005	0.011333	-0.041667	-0.136667	-0.094333	-0.001667	-0.042	0.183667	0.380667	0.246667
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	SimpleAvg	ind	11	11	0.046	-0.015	0.002	-0.009	-0.055	-0.11	-0.089	-0.024	-0.053	0.195	0.409	0.271
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	Borda	NAIVE	11	3	0.035	0.000333	-0.006667	0.007	-0.040667	-0.089	-0.096333	-0.002667	-0.042333	0.19	0.353	0.255
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	Borda	ind	11	11	0.047	0.051	0.041	0.027	-0.034	-0.043	-0.055	0.012	-0.033	0.199	0.328	0.268
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	RRF	NAIVE	11	3	0.044667	0.002333	1.8504e-17	0.012667	-0.036667	-0.093333	-0.091333	-1.8504e-17	-0.04	0.208667	0.339333	0.270667
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	RRF	ind	11	11	0.04	0.047	0.032	0.033	-0.03	-0.034	-0.059	0.028	-0.025	0.222	0.299	0.3
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	Kemeny	NAIVE	11	3	0.044	0.011333	0.011667	0.017333	-0.035	-0.085667	-0.079	0.006667	-0.035667	0.202667	0.348667	0.265667
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	Kemeny	ind	11	11	0.043	0.038	0.046	0.024	-0.028	-0.048	-0.052	0.016	-0.027	0.212	0.339	0.289
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	Schulze	NAIVE	11	3	0.035667	0.007667	0.007333	0.017	-0.032	-0.088333	-0.081667	0.003667	-0.034333	0.195333	0.350333	0.261333
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	Schulze	ind	11	11	0.051	0.045	0.035	0.028	-0.041	-0.048	-0.057	0.016	-0.04	0.216	0.328	0.285

Table 8: OCTMNIST-ViT-B/16 results.

cell	dataset	model	architecture	replit	method	setting	q	source count	Cbar perturbed g	F perturbed p	Fbar perturbed p	C perturbed p	Cbar perturbed p	F perturbed s	Fbar perturbed s	C perturbed s	Cbar perturbed s	F perturbed a	Fbar perturbed a	C perturbed a
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	Best Individual	best-individual	1	3	0.421667	0.293	0.249	0.333333	0.371667	0.25	0.239	0.275	0.287333	0.311333	0.297	0.326333
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	SimpleAvg	NAIVE	11	3	0.532	0.221333	0.349333	0.273667	0.489667	0.208	0.333	0.238333	0.397	0.262667	0.386	0.286
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	SimpleAvg	ind	11	11	0.557	0.214	0.392	0.269	0.536	0.192	0.403	0.225	0.471	0.257	0.449	0.282
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	Borda	NAIVE	11	3	0.497	0.212	0.36	0.265333	0.504333	0.224667	0.346333	0.25	0.410667	0.275333	0.394	0.290667
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	Borda	ind	11	11	0.473	0.208	0.338	0.26	0.485	0.22	0.352	0.245	0.418	0.273	0.413	0.294
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	RRF	NAIVE	11	3	0.488667	0.237333	0.341667	0.288333	0.486667	0.239667	0.329	0.268333	0.395333	0.291667	0.378333	0.309667
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	RRF	ind	11	11	0.44	0.256	0.314	0.299	0.465	0.237	0.313	0.273	0.378	0.292	0.376	0.311
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	Kemeny	NAIVE	11	3	0.500333	0.241667	0.348333	0.293667	0.493667	0.234333	0.342667	0.261	0.408	0.288	0.395	0.306667
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	Kemeny	ind	11	11	0.479	0.229	0.331	0.277	0.483	0.237	0.353	0.266	0.415	0.284	0.405	0.301
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	Schulze	NAIVE	11	3	0.5	0.230667	0.350667	0.285	0.493333	0.230667	0.341	0.258333	0.408	0.282	0.39	0.302333
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	Schulze	ind	11	11	0.474	0.215	0.338	0.267	0.483	0.234	0.345	0.265	0.41	0.275	0.414	0.298

Table 9: OCTMNIST-ViT-B/16 results.

cell	dataset	model	architecture	replit	method	setting	q	source count	Cbar perturbed a	sd F	sd Fbar	sd C	sd Cbar	sd R F g	sd R F p	sd R F s	sd R F a	sd R C g	sd R C p	sd R C s
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	vit	test	Best Indi- vidual	best- individual	1	3	0.333333	0.015588	0.024194	0.018009	0.020664	0.004509	0.002	0.003	0.003215	0.016803	0.007095	0.004041
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	vit	test	SimpleAvg	NAIVE	11	3	0.437333	0.019088	0.028219	0.01914	0.028006	0.012741	0.011136	0.005132	0.004933	0.021703	0.010583	0.009292
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	vit	test	SimpleAvg	ind	11	11	0.5											
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	vit	test	Borda	NAIVE	11	3	0.450333	0.009074	0.004163	0.010066	0.001732	0.001528	0.008021	0.012503	0.004359	0.010017	0.010066	0.008145
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	vit	test	Borda	ind	11	11	0.463											
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	vit	test	RRF	NAIVE	11	3	0.435333	0.015716	0.020232	0.016523	0.022502	0.014224	0.011504	0.009074	0.019655	0.014364	0.008622	0.012097
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	vit	test	RRF	ind	11	11	0.431											
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	vit	test	Kemeny	NAIVE	11	3	0.450333	0.015011	0.015133	0.016563	0.016503	0.008185	0.008888	0.004726	0.010214	0.008544	0.006245	0.00611
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	vit	test	Kemeny	ind	11	11	0.458											
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	vit	test	Schulze	NAIVE	11	3	0.446	0.017039	0.008888	0.015177	0.012503	0.013892	0.012503	0.010214	0.005508	0.012662	0.010786	0.009292
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	vit	test	Schulze	ind	11	11	0.466											

Table 10: OCTMNIST-ViT-B/16 results.

cell	dataset	model	architecture	replit	method	setting	q	source count	sd R C a	sd R Fbar g	sd R Fbar p	sd R Fbar s	sd R Fbar a	sd R Cbar g	sd R Cbar p	sd R Cbar s	sd R Cbar a	sd F perturbed g	sd Fbar perturbed g	sd C perturbed g
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	Best Individual	best-individual	1	3	0.006658	0.028844	0.018009	0.010599	0.014572	0.020841	0.008622	0.002082	0.013614	0.011719	0.013614	0.010392
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	SimpleAvg	NAIVE	11	3	0.007638	0.02203	0.02816	0.008622	0.008737	0.03166	0.031086	0.010017	0.007211	0.013503	0.038734	0.014468
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	SimpleAvg	ind	11	11												
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	Borda	NAIVE	11	3	0.007	0.007506	0.011372	0.010583	0.011547	0.014731	0.017786	0.011504	0.008083	0.008185	0.010817	0.008185
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	Borda	ind	11	11												
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	RRF	NAIVE	11	3	0.020817	0.026407	0.020809	0.016258	0.002517	0.031005	0.021733	0.017692	0.004359	0.001528	0.009238	0.002517
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	RRF	ind	11	11												
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	Kemeny	NAIVE	11	3	0.014	0.018877	0.008963	0.006028	0.009849	0.022279	0.010817	0.006658	0.006658	0.015044	0.009018	0.015948
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	Kemeny	ind	11	11												
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	Schulze	NAIVE	11	3	0.005033	0.009866	0.021127	0.005568	0.003606	0.020502	0.026312	0.009713	0.006658	0.010504	0.003215	0.007024
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	Schulze	ind	11	11												

Table 11: OCTMNIST-ViT-B/16 results.

cell	dataset	model	architecture	replit	method	setting	q	source count	sd Cbar perturbed g	sd F perturbed p	sd Fbar perturbed p	sd C perturbed p	sd Cbar perturbed p	sd F perturbed s	sd Fbar perturbed s	sd C perturbed s	sd Cbar perturbed s	sd F perturbed a	sd Fbar perturbed a	sd C perturbed a
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	Best Individual	best-individual	1	3	0.019757	0.015716	0.023431	0.014012	0.025813	0.018248	0.016523	0.015395	0.019425	0.012423	0.033601	0.01222
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	SimpleAvg	NAIVE	11	3	0.044677	0.02916	0.037978	0.02558	0.040649	0.019975	0.035791	0.022502	0.035553	0.016773	0.023643	0.020075
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	SimpleAvg	ind	11	11												
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	Borda	NAIVE	11	3	0.014	0.016703	0.014	0.018475	0.016073	0.008622	0.009018	0.007	0.010017	0.005033	0.009165	0.008145
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	Borda	ind	11	11												
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	RRF	NAIVE	11	3	0.012503	0.006506	0.018771	0.010599	0.022679	0.007506	0.012288	0.00611	0.01124	0.004041	0.017898	0.005132
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	RRF	ind	11	11												
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	Kemeny	NAIVE	11	3	0.012858	0.019348	0.023861	0.019502	0.025325	0.010693	0.020841	0.010817	0.021633	0.009849	0.017776	0.011504
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	Kemeny	ind	11	11												
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	Schulze	NAIVE	11	3	0.010392	0.020599	0.023861	0.018735	0.025891	0.011719	0.007	0.012342	0.007211	0.014422	0.011	0.013204
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	vit	test	Schulze	ind	11	11												

Table 12: OCTMNIST–ViT-B/16 results.

cell	dataset	model	architecture	replit	method	setting	q	source count	sd Cbar perturbed a	selected individual
octmnist– octmnist-vit- b16	octmnist	octmnist- vit-b16	vit	test	Best Indi- vidual	best- individual	1	3	0.032716	{ "C": "FullLRP", "Cbar": "CheferTr ansforme rAttribu tion", "F": "FullLRP", "Fbar": "CheferTr ansforme rAttribu tion" }
octmnist– octmnist-vit- b16	octmnist	octmnist- vit-b16	vit	test	SimpleAvg	NAIVE	11	3	0.021221	
octmnist– octmnist-vit- b16	octmnist	octmnist- vit-b16	vit	test	SimpleAvg	ind	11	11		
octmnist– octmnist-vit- b16	octmnist	octmnist- vit-b16	vit	test	Borda	NAIVE	11	3	0.006807	
octmnist– octmnist-vit- b16	octmnist	octmnist- vit-b16	vit	test	Borda	ind	11	11		
octmnist– octmnist-vit- b16	octmnist	octmnist- vit-b16	vit	test	RRF	NAIVE	11	3	0.018148	
octmnist– octmnist-vit- b16	octmnist	octmnist- vit-b16	vit	test	RRF	ind	11	11		
octmnist– octmnist-vit- b16	octmnist	octmnist- vit-b16	vit	test	Kemeny	NAIVE	11	3	0.012858	
octmnist– octmnist-vit- b16	octmnist	octmnist- vit-b16	vit	test	Kemeny	ind	11	11		
octmnist– octmnist-vit- b16	octmnist	octmnist- vit-b16	vit	test	Schulze	NAIVE	11	3	0.009539	
octmnist– octmnist-vit- b16	octmnist	octmnist- vit-b16	vit	test	Schulze	ind	11	11		

Table 13: OCTMNIST–ViT-B/16 results.

dataset	model	architecture	replit	method	sample count	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s
octmnist	octmnist- vit-b16	vit	test	best_individual	1000	0.262	0.194	0.309	0.217	0.047	-0.044	0.077	-0.12	0.08	-0.007	0.079	-0.085	0.008	0.012	0.008
octmnist	octmnist- vit-b16	vit	test	simpleavg	1000	0.245	0.219	0.28	0.247	0.012	-0.065	0.052	-0.153	0.07	-0.013	0.087	-0.09	0.002	0.012	0
octmnist	octmnist- vit-b16	vit	test	borda	1000	0.226	0.261	0.261	0.298	0.019	-0.022	0.055	-0.099	0.06	0.007	0.066	-0.045	-0.005	0.007	-0.001
octmnist	octmnist- vit-b16	vit	test	kemeny	1000	0.217	0.24	0.261	0.263	0.034	-0.023	0.073	-0.1	0.056	0.013	0.063	-0.048	0.003	0.011	0.004
octmnist	octmnist- vit-b16	vit	test	rrf	1000	0.216	0.235	0.252	0.266	0.033	-0.037	0.074	-0.109	0.078	0.023	0.085	-0.042	0.008	0.002	0.012
octmnist	octmnist- vit-b16	vit	test	schulze	1000	0.216	0.251	0.256	0.277	0.037	-0.014	0.078	-0.091	0.072	0.035	0.076	-0.035	0.006	0.021	0.006

Table 14: OCTMNIST–ViT-B/16 results.

dataset	model	architecture	replit	method	R Cbar s	R F a	R Fbar a	R C a	R Cbar a	F perturbed g	Fbar perturbed g	C perturbed g	Cbar perturbed g	F perturbed p	Fbar perturbed p	C perturbed p	Cbar perturbed p	F perturbed s	Fbar perturbed s	C perturbed s
octmnist	octmnist-vit-b16	vit	test	best_individual	0.001	-0.025	-0.064	-0.021	-0.066	0.309	0.238	0.386	0.337	0.342	0.201	0.388	0.302	0.27	0.182	0.317
octmnist	octmnist-vit-b16	vit	test	simpleavg	0.001	0.004	-0.129	-0.003	-0.138	0.257	0.284	0.332	0.4	0.315	0.232	0.367	0.337	0.247	0.207	0.28
octmnist	octmnist-vit-b16	vit	test	borda	0	-0.01	-0.107	-0.016	-0.106	0.245	0.283	0.316	0.397	0.286	0.254	0.327	0.343	0.221	0.254	0.26
octmnist	octmnist-vit-b16	vit	test	kemeny	0.003	-0.024	-0.113	-0.032	-0.12	0.251	0.263	0.334	0.363	0.273	0.227	0.324	0.311	0.22	0.229	0.265
octmnist	octmnist-vit-b16	vit	test	rrf	-0.004	-0.002	-0.103	-0.006	-0.106	0.249	0.272	0.326	0.375	0.294	0.212	0.337	0.308	0.224	0.233	0.264
octmnist	octmnist-vit-b16	vit	test	schulze	0.018	-0.009	-0.108	-0.007	-0.111	0.253	0.265	0.334	0.368	0.288	0.216	0.332	0.312	0.222	0.23	0.262

Table 15: OCTMNIST-ViT-B/16 results.

dataset	model	architecture	replit	method	Cbar perturbed s	F perturbed a	Fbar perturbed a	C perturbed a	Cbar perturbed a	selected sources
octmnist	octmnist- vit-b16	vit	test	best_individual	0.216	0.237	0.258	0.288	0.283	cfc288e1 586b460c 6549af3e 1ae8b924 50ed14d5 6c9c2d5b 8e5a0371 e39ffb5
octmnist	octmnist- vit-b16	vit	test	simpleavg	0.246	0.249	0.348	0.277	0.385	
octmnist	octmnist- vit-b16	vit	test	borda	0.298	0.216	0.368	0.245	0.404	
octmnist	octmnist- vit-b16	vit	test	kemeny	0.26	0.193	0.353	0.229	0.383	
octmnist	octmnist- vit-b16	vit	test	rrf	0.27	0.214	0.338	0.246	0.372	
octmnist	octmnist- vit-b16	vit	test	schulze	0.259	0.207	0.359	0.249	0.388	

Table 16: OCTMNIST-ViT-B/16 results.

dataset	model	method	scope	group	comparison cells	wins	vs best better	vs best equal	vs best worse	vs simpleavg better	vs simpleavg equal	vs simpleavg worse
octmnist	octmnist- vit-b16	best_individual	dataset_model	cell	20	9						
octmnist	octmnist- vit-b16	simpleavg	dataset_model	cell	20	3	3	2	15			
octmnist	octmnist- vit-b16	borda	dataset_model	cell	20	0	6	0	14	8	0	12
octmnist	octmnist- vit-b16	kemeny	dataset_model	cell	20	0	6	0	14	11	0	9
octmnist	octmnist- vit-b16	rrf	dataset_model	cell	20	2	8	1	11	11	0	9
octmnist	octmnist- vit-b16	schulze	dataset_model	cell	20	7	9	0	11	13	0	7
octmnist	octmnist- vit-b16	best_individual	dataset_model	cellularity	4	4						
octmnist	octmnist- vit-b16	simpleavg	dataset_model	cellularity	4	0	0	0	4			
octmnist	octmnist- vit-b16	borda	dataset_model	cellularity	4	0	0	0	4	0	0	4
octmnist	octmnist- vit-b16	kemeny	dataset_model	cellularity	4	0	0	0	4	0	0	4
octmnist	octmnist- vit-b16	rrf	dataset_model	cellularity	4	0	0	0	4	0	0	4
octmnist	octmnist- vit-b16	schulze	dataset_model	cellularity	4	0	0	0	4	0	0	4
octmnist	octmnist- vit-b16	best_individual	dataset_model	robustness_all	16	5						
octmnist	octmnist- vit-b16	simpleavg	dataset_model	robustness_all	16	3	3	2	11			
octmnist	octmnist- vit-b16	borda	dataset_model	robustness_all	16	0	6	0	10	8	0	8
octmnist	octmnist- vit-b16	kemeny	dataset_model	robustness_all	16	0	6	0	10	11	0	5
octmnist	octmnist- vit-b16	rrf	dataset_model	robustness_all	16	2	8	1	7	11	0	5
octmnist	octmnist- vit-b16	schulze	dataset_model	robustness_all	16	7	9	0	7	13	0	3
octmnist	octmnist- vit-b16	best_individual	dataset_model	gaussian	4	1						
octmnist	octmnist- vit-b16	simpleavg	dataset_model	gaussian	4	0	0	0	4			
octmnist	octmnist- vit-b16	borda	dataset_model	gaussian	4	0	2	0	2	4	0	0
octmnist	octmnist- vit-b16	kemeny	dataset_model	gaussian	4	0	2	0	2	4	0	0
octmnist	octmnist- vit-b16	rrf	dataset_model	gaussian	4	0	2	0	2	4	0	0
octmnist	octmnist- vit-b16	schulze	dataset_model	gaussian	4	3	3	0	1	4	0	0
octmnist	octmnist- vit-b16	best_individual	dataset_model	edit_pepper	4	1						
octmnist	octmnist- vit-b16	simpleavg	dataset_model	edit_pepper	4	1	1	0	3			
octmnist	octmnist- vit-b16	borda	dataset_model	edit_pepper	4	0	2	0	2	2	0	2
octmnist	octmnist- vit-b16	kemeny	dataset_model	edit_pepper	4	0	2	0	2	2	0	2
octmnist	octmnist- vit-b16	rrf	dataset_model	edit_pepper	4	0	3	0	1	3	0	1
octmnist	octmnist- vit-b16	schulze	dataset_model	edit_pepper	4	2	2	0	2	3	0	1
octmnist	octmnist- vit-b16	best_individual	dataset_model	speckle	4	1						
octmnist	octmnist- vit-b16	simpleavg	dataset_model	speckle	4	0	0	2	2			
octmnist	octmnist- vit-b16	borda	dataset_model	speckle	4	0	0	0	4	0	0	4
octmnist	octmnist- vit-b16	kemeny	dataset_model	speckle	4	0	1	0	3	3	0	1
octmnist	octmnist- vit-b16	rrf	dataset_model	speckle	4	2	1	1	2	2	0	2
octmnist	octmnist- vit-b16	schulze	dataset_model	speckle	4	2	2	0	2	4	0	0

dataset	model	method	scope	group	comparison cells	vs wins	vs best better	vs best equal	vs best worse	vs simpleavg better	vs simpleavg equal	vs simpleavg worse
octmnist	octmnist-vit-b16	best_indiv	dataset_m	adversarial	4	2						
octmnist	octmnist-vit-b16	simpleavg	dataset_m	adversarial	4	2	2	0	2			
octmnist	octmnist-vit-b16	borda	dataset_m	adversarial	4	0	2	0	2	2	0	2
octmnist	octmnist-vit-b16	kemeny	dataset_m	adversarial	4	0	1	0	3	2	0	2
octmnist	octmnist-vit-b16	rrf	dataset_m	adversarial	4	0	2	0	2	2	0	2
octmnist	octmnist-vit-b16	schulze	dataset_m	adversarial	4	0	2	0	2	2	0	2
		best_indiv	overall	all	20	9						
		simpleavg	overall	all	20	3	3	2	15			
		borda	overall	all	20	0	6	0	14	8	0	12
		kemeny	overall	all	20	0	6	0	14	11	0	9
		rrf	overall	all	20	2	8	1	11	11	0	9
		schulze	overall	all	20	7	9	0	11	13	0	7
		best_indiv	quality	all	4	4						
		simpleavg	overall	quality	4	0	0	0	4			
		borda	overall	quality	4	0	0	0	4	0	0	4
		kemeny	overall	quality	4	0	0	0	4	0	0	4
		rrf	overall	quality	4	0	0	0	4	0	0	4
		schulze	overall	quality	4	0	0	0	4	0	0	4
		best_indiv	robustness_all 16	all	5							
		simpleavg	overall	robustness_all 16	3	3	2	11				
		borda	overall	robustness_all 16	0	6	0	10	8	0	8	
		kemeny	overall	robustness_all 16	0	6	0	10	11	0	5	
		rrf	overall	robustness_all 16	2	8	1	7	11	0	5	
		schulze	overall	robustness_all 16	7	9	0	7	13	0	3	
		best_indiv	gaussian	all	4	1						
		simpleavg	overall	gaussian	4	0	0	0	4			
		borda	overall	gaussian	4	0	2	0	2	4	0	0
		kemeny	overall	gaussian	4	0	2	0	2	4	0	0
		rrf	overall	gaussian	4	0	2	0	2	4	0	0
		schulze	overall	gaussian	4	3	3	0	1	4	0	0
		best_indiv	salt_pepper	all	4	1						
		simpleavg	overall	salt_pepper	4	1	1	0	3			
		borda	overall	salt_pepper	4	0	2	0	2	2	0	2
		kemeny	overall	salt_pepper	4	0	2	0	2	2	0	2
		rrf	overall	salt_pepper	4	0	3	0	1	3	0	1
		schulze	overall	salt_pepper	4	2	2	0	2	3	0	1
		best_indiv	speckle	all	4	1						
		simpleavg	overall	speckle	4	0	0	2	2			
		borda	overall	speckle	4	0	0	0	4	0	0	4
		kemeny	overall	speckle	4	0	1	0	3	3	0	1
		rrf	overall	speckle	4	2	1	1	2	2	0	2
		schulze	overall	speckle	4	2	2	0	2	4	0	0
		best_indiv	adversarial	all	4	2						
		simpleavg	overall	adversarial	4	2	2	0	2			
		borda	overall	adversarial	4	0	2	0	2	2	0	2
		kemeny	overall	adversarial	4	0	1	0	3	2	0	2
		rrf	overall	adversarial	4	0	2	0	2	2	0	2
		schulze	overall	adversarial	4	0	2	0	2	2	0	2

Table 17: OCTMNIST-ViT-B/16 results.

cell	dataset	model	q	geometry	geometry label	center rule	rule	method prefix	quality	perturbed quality	robustness
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	6	spearman	NOISE-S	borda	SimpleAvg	["GradientAblation", "Occlusion", "PartialLRP", "FeatureAblation"]	0.288	0.288	0.288
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	6	spearman	NOISE-S	borda	Borda	["GradientAblation", "Occlusion", "PartialLRP", "FeatureAblation"]	0.288	0.288	0.288
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	6	spearman	NOISE-S	borda	RRF	["GradientAblation", "Occlusion", "PartialLRP", "FeatureAblation"]	0.288	0.288	0.288
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	6	spearman	NOISE-S	borda	Kemeny	["GradientAblation", "Occlusion", "PartialLRP", "FeatureAblation"]	0.288	0.288	0.288
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	6	spearman	NOISE-S	borda	Schulze	["GradientAblation", "Occlusion", "PartialLRP", "FeatureAblation"]	0.288	0.288	0.288

Table 18: OCTMNIST-ViT-B/16 results.

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	11	speckle-0.15	Fbar	simpleavg	conditioned	0.9021	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedGradients", "Saliency", "AttentionRollout"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	2	clean	C	borda	quality	0.307	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	3	clean	C	borda	quality	0.313	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	4	clean	C	borda	quality	0.319	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	5	clean	C	borda	quality	0.315	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	6	clean	C	borda	quality	0.298	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	7	clean	C	borda	quality	0.293	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedGradients"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	8	clean	C	borda	quality	0.273	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedGradients", "Saliency"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	9	clean	C	borda	quality	0.275	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedGradients", "Saliency", "AttentionRollout"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	10	clean	C	borda	quality	0.25	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedGradients", "Saliency", "AttentionRollout"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	11	clean	C	borda	quality	0.261	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedGradients", "Saliency", "AttentionRollout"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	2	clean	C	kemeny	quality	0.307	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	3	clean	C	kemeny	quality	0.31	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	4	clean	C	kemeny	quality	0.314	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	5	clean	C	kemeny	quality	0.304	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	6	clean	C	kemeny	quality	0.303	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	7	clean	C	kemeny	quality	0.288	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedGradients"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	8	clean	C	kemeny	quality	0.284	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedGradients", "Saliency"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	9	clean	C	kemeny	quality	0.269	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedGradients", "Saliency", "AttentionRollout"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	10	clean	C	kemeny	quality	0.252	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedGradients", "Saliency", "AttentionRollout"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	11	clean	C	kemeny	quality	0.261	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedGradients", "Saliency", "AttentionRollout"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	2	clean	C	rrf	quality	0.307	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	3	clean	C	rrf	quality	0.316	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	4	clean	C	rrf	quality	0.322	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	5	clean	C	rrf	quality	0.318	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix	
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	11	clean	F	simpleavg	quality	0.245	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedGradients", "Saliency", "AttentionRollout"]	
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	2	clean	Fbar	borda	quality	0.201	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	3	clean	Fbar	borda	quality	0.194	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]	
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	4	clean	Fbar	borda	quality	0.226	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion"]	
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	5	clean	Fbar	borda	quality	0.215	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP"]	
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	6	clean	Fbar	borda	quality	0.219	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation"]	
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	7	clean	Fbar	borda	quality	0.225	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedGradients"]	
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	8	clean	Fbar	borda	quality	0.222	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedGradients", "Saliency"]	
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	9	clean	Fbar	borda	quality	0.213	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedGradients", "Saliency", "AttentionRollout"]	
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	10	clean	Fbar	borda	quality	0.246	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedGradients", "Saliency", "AttentionRollout"]	
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	11	clean	Fbar	borda	quality	0.261	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedGradients", "Saliency", "AttentionRollout"]	
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	2	clean	Fbar	kemeny	quality	0.201	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	3	clean	Fbar	kemeny	quality	0.202	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]	
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	4	clean	Fbar	kemeny	quality	0.196	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion"]	
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	5	clean	Fbar	kemeny	quality	0.188	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP"]	
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	6	clean	Fbar	kemeny	quality	0.179	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation"]	
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	7	clean	Fbar	kemeny	quality	0.198	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedGradients"]	
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	8	clean	Fbar	kemeny	quality	0.223	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedGradients", "Saliency"]	
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	9	clean	Fbar	kemeny	quality	0.205	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedGradients", "Saliency", "AttentionRollout"]	
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	10	clean	Fbar	kemeny	quality	0.236	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedGradients", "Saliency", "AttentionRollout"]	
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	11	clean	Fbar	kemeny	quality	0.24	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedGradients", "Saliency", "AttentionRollout"]	
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	2	clean	Fbar	rrf	quality	0.2	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	3	clean	Fbar	rrf	quality	0.191	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]	
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	4	clean	Fbar	rrf	quality	0.217	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion"]	
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	5	clean	Fbar	rrf	quality	0.204	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP"]	

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	11	clean	Fbar	simpleavg	quality	0.219	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedGradients", "Saliency", "AttentionRollout"]	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	2	adversarial	C	borda	robustness	-0.023	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	3	adversarial	C	borda	robustness	-0.004	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	4	adversarial	C	borda	robustness	-0.004	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion"]	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	5	adversarial	C	borda	robustness	-0.003	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP"]	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	6	adversarial	C	borda	robustness	0.01	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation"]	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	7	adversarial	C	borda	robustness	0.015	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedGradients"]	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	8	adversarial	C	borda	robustness	0.008	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedGradients", "Saliency"]	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	9	adversarial	C	borda	robustness	0.013	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedGradients", "Saliency", "AttentionRollout"]	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	10	adversarial	C	borda	robustness	0.001	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedGradients", "Saliency", "AttentionRollout"]	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	11	adversarial	C	borda	robustness	-0.016	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedGradients", "Saliency", "AttentionRollout"]	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	2	adversarial	C	kemeny	robustness	-0.023	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	3	adversarial	C	kemeny	robustness	-0.018	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	4	adversarial	C	kemeny	robustness	0.003	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion"]	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	5	adversarial	C	kemeny	robustness	0.001	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP"]	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	6	adversarial	C	kemeny	robustness	0.005	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation"]	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	7	adversarial	C	kemeny	robustness	0.004	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedGradients"]	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	8	adversarial	C	kemeny	robustness	-0.007	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedGradients", "Saliency"]	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	9	adversarial	C	kemeny	robustness	0	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedGradients", "Saliency", "AttentionRollout"]	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	10	adversarial	C	kemeny	robustness	0.002	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedGradients", "Saliency", "AttentionRollout"]	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	11	adversarial	C	kemeny	robustness	-0.032	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedGradients", "Saliency", "AttentionRollout"]	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	2	adversarial	C	rrf	robustness	-0.027	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	3	adversarial	C	rrf	robustness	-0.014	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	4	adversarial	C	rrf	robustness	0.003	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion"]	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	5	adversarial	C	rrf	robustness	-0.011	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP"]	

[illegible]

[illegible]

[illegible]

[illegible]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	11	speckle- 0.15	Fbar	simpleavg	robustness	0.012	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedGradients", "Saliency", "Attention

Table 19: OCTMNIST-ViT-B/16 results.

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	clean	C	borda	quality	max	4	0.319	[4]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "GradientShap", "Occlusion"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	clean	Cbar	borda	quality	min	3	0.222	[3]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "GradientShap"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	clean	F	borda	quality	max	4	0.285	[4]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "GradientShap", "Occlusion"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	clean	Fbar	borda	quality	min	3	0.194	[3]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "GradientShap"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	adversaria-sara-2-255	C	borda	robustness	max	7	0.015	[7]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedC"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	adversaria-sara-2-255	Cbar	borda	robustness	max	5	-0.048	[5]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	adversaria-sara-2-255	F	borda	robustness	max	7	0.015	[7,9]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedC"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	adversaria-sara-2-255	Fbar	borda	robustness	max	5	-0.047	[5]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	gaussian-0.15	C	borda	robustness	max	10	0.066	[10]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedC"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	gaussian-0.15	Cbar	borda	robustness	max	2	-0.096	[2]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	gaussian-0.15	F	borda	robustness	max	2	0.044	[2]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	gaussian-0.15	Fbar	borda	robustness	max	2	-0.019	[2]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	salt-pepper-0.05	C	borda	robustness	max	8	0.08	[8]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedC"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	salt-pepper-0.05	Cbar	borda	robustness	max	11	-0.045	[11]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedC"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	salt-pepper-0.05	F	borda	robustness	max	2	0.075	[2]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	salt-pepper-0.05	Fbar	borda	robustness	max	2	0.013	[2]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	speckle-0.15	C	borda	robustness	max	2	0.011	[2]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	speckle-0.15	Cbar	borda	robustness	max	5	0.023	[5]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	speckle-0.15	F	borda	robustness	max	2	0.007	[2]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	speckle-0.15	Fbar	borda	robustness	max	5	0.032	[5]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	clean	C	kemeny	quality	max	4	0.314	[4]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "GradientShap", "Occlusion"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	clean	Cbar	kemeny	quality	min	6	0.211	[6]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	clean	F	kemeny	quality	max	4	0.27	[4]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "GradientShap", "Occlusion"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	clean	Fbar	kemeny	quality	min	6	0.179	[6]	smallest_q12	["GradientAscent", "Occlusion", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation"]

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	adversaria-sara-2-255	C	kemeny	robustness	max	6	0.005	[6]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	adversaria-sara-2-255	Cbar	kemeny	robustness	max	4	-0.051	[4]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "GradientShap", "Occlusion"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	adversaria-sara-2-255	F	kemeny	robustness	max	7	0.012	[7]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedG"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	adversaria-sara-2-255	Fbar	kemeny	robustness	max	4	-0.052	[4]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "GradientShap", "Occlusion"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	gaussian-0.15	C	kemeny	robustness	max	10	0.084	[10]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedG"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	gaussian-0.15	Cbar	kemeny	robustness	max	2	-0.096	[2]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	gaussian-0.15	F	kemeny	robustness	max	3	0.047	[3]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "GradientShap"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	gaussian-0.15	Fbar	kemeny	robustness	max	2	-0.019	[2]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	salt-pepper-0.05	C	kemeny	robustness	max	10	0.085	[10]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedG"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	salt-pepper-0.05	Cbar	kemeny	robustness	max	11	-0.048	[11]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedG"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	salt-pepper-0.05	F	kemeny	robustness	max	10	0.077	[10]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedG"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	salt-pepper-0.05	Fbar	kemeny	robustness	max	2	0.013	[2,8,11]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	speckle-0.15	C	kemeny	robustness	max	9	0.02	[9]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedG"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	speckle-0.15	Cbar	kemeny	robustness	max	8	0.018	[8]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedG"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	speckle-0.15	F	kemeny	robustness	max	6	0.015	[6]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	speckle-0.15	Fbar	kemeny	robustness	max	8	0.025	[8]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedG"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	clean	C	rrf	quality	max	4	0.322	[4]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "GradientShap", "Occlusion"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	clean	Cbar	rrf	quality	min	3	0.216	[3]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "GradientShap"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	clean	F	rrf	quality	max	4	0.283	[4]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "GradientShap", "Occlusion"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	clean	Fbar	rrf	quality	min	3	0.191	[3]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "GradientShap"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	adversaria-sara-2-255	C	rrf	robustness	max	6	0.015	[6]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	adversaria-sara-2-255	Cbar	rrf	robustness	max	4	-0.044	[4,5]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "GradientShap", "Occlusion"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	adversaria-sara-2-255	F	rrf	robustness	max	6	0.008	[6]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	adversaria-sara-2-255	Fbar	rrf	robustness	max	4	-0.046	[4]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "GradientShap", "Occlusion"]
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	gaussian-0.15	C	rrf	robustness	max	10	0.091	[10]	smallest_q12	["GradientAscent", "Rollout", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedG"]

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	speckle- 0.15	Fbar	simpleavg	robustness	max	11	0.012	[11]	smallest_ 12	["GradientAscent", "GradientDescent", "MonteCarlo", "Reinforcement", "CheferTransformerAttribution", "GradientShap", "Occlusion", "PartialLRP", "FeatureAblation", "IntegratedC

Table 20: OCTMNIST-ViT-B/16 results.

cell	dataset	model	q	rule	q11 reference	method prefix	F clean	Fbar clean	C clean	Cbar clean	F perturbed gaussian-0.15	Fbar perturbed gaussian-0.15	C perturbed gaussian-0.15	Cbar perturbed gaussian-0.15	F perturbed salt-pepper-0.05	Fbar perturbed salt-pepper-0.05	C perturbed salt-pepper-0.05	Cbar perturbed salt-pepper-0.05	F perturbed speckle-0.15	Fbar perturbed speckle-0.15	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	2	simpleavg	False	["GradientAt0.265onRoll1306", "Che207Transfor254rAttribu01308"]	0.265	0.265	0.375	0.375	0.214	0.214	0.375	0.319	0.336	0.185	0.385	0.295	0.268	0.195	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	2	borda	False	["GradientAt0.257onRoll1301", "Che207Transfor226rAttribu01301"]	0.257	0.257	0.372	0.372	0.22	0.22	0.372	0.322	0.332	0.188	0.386	0.297	0.264	0.187	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	2	rrf	False	["GradientAt0.262onRoll1301", "Che207Transfor228rAttribu01301"]	0.262	0.262	0.373	0.373	0.22	0.22	0.373	0.325	0.335	0.19	0.384	0.301	0.267	0.188	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	2	kemeny	False	["GradientAt0.257onRoll1301", "Che207Transfor226rAttribu01301"]	0.257	0.257	0.372	0.372	0.22	0.22	0.372	0.322	0.332	0.188	0.386	0.297	0.264	0.187	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	2	schulze	False	["GradientAt0.257onRoll1301", "Che207Transfor226rAttribu01301"]	0.257	0.257	0.372	0.372	0.22	0.22	0.372	0.322	0.332	0.188	0.386	0.297	0.264	0.187	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	3	simpleavg	False	["GradientAt0.267onRoll1301", "Che217Transfor227rAttribu01308, "Gradient0320p"]	0.267	0.267	0.378	0.378	0.378	0.378	0.378	0.328	0.343	0.203	0.389	0.315	0.266	0.195	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	3	borda	False	["GradientAt0.271onRoll1304", "Che213Transfor222rAttribu01307, "Gradient0320p"]	0.271	0.271	0.366	0.366	0.366	0.366	0.366	0.33	0.328	0.19	0.376	0.302	0.261	0.192	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	3	rrf	False	["GradientAt0.271onRoll1301", "Che213Transfor216rAttribu01305, "Gradient0320p"]	0.271	0.271	0.362	0.362	0.362	0.362	0.362	0.343	0.338	0.191	0.383	0.305	0.264	0.19	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	3	kemeny	False	["GradientAt0.261onRoll1302", "Che213Transfor234rAttribu01307, "Gradient0320p"]	0.261	0.261	0.378	0.378	0.378	0.378	0.378	0.334	0.333	0.199	0.381	0.306	0.267	0.191	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	3	schulze	False	["GradientAt0.265onRoll1301", "Che217Transfor234rAttribu01302, "Gradient0320p"]	0.265	0.265	0.371	0.371	0.371	0.371	0.371	0.326	0.328	0.188	0.377	0.297	0.269	0.197	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	4	simpleavg	False	["GradientAt0.278onRoll1306", "Che205Transfor254rAttribu01308, "Gradient0320p", "Occlus0320p"]	0.278	0.278	0.387	0.387	0.387	0.387	0.387	0.369	0.332	0.243	0.377	0.35	0.282	0.212	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	4	borda	False	["GradientAt0.265onRoll1306", "Che213Transfor262rAttribu01301, "Gradient0320p", "Occlus0320p"]	0.265	0.265	0.381	0.381	0.381	0.381	0.381	0.375p", "Occlus0320p"]	0.389	0.326	0.24	0.367	0.352	0.273	0.208
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	4	rrf	False	["GradientAt0.269onRoll1307", "Che227Transfor254rAttribu01305, "Gradient0320p", "Occlus0320p"]	0.269	0.269	0.385	0.385	0.385	0.385	0.385	0.359	0.346	0.202	0.385	0.31	0.288	0.193	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	4	kemeny	False	["GradientAt0.271onRoll1306", "Che213Transfor228rAttribu01307, "Gradient0320p", "Occlus0320p"]	0.271	0.271	0.349	0.349	0.349	0.349	0.349	0.351	0.343	0.191	0.384	0.301	0.272	0.197	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	4	schulze	False	["GradientAt0.269onRoll1301", "Che217Transfor232rAttribu01305, "Gradient0320p", "Occlus0320p"]	0.269	0.269	0.341	0.341	0.341	0.341	0.341	0.341	0.341	0.189	0.393	0.291	0.28	0.191	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	5	simpleavg	False	["GradientAt0.275onRoll1306", "Che207Transfor248rAttribu01306, "Gradient0320p", "Occlus0320p", "PartialL0320p"]	0.275	0.275	0.386	0.386	0.386	0.386	0.386	0.378p", "Occlus0320p", "PartialL0320p"]	0.347	0.241	0.391	0.347	0.283	0.205	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	5	borda	False	["GradientAt0.273onRoll1305", "Che213Transfor252rAttribu01308, "Gradient0320p", "Occlus0320p", "PartialL0320p"]	0.273	0.273	0.388	0.388	0.388	0.388	0.388	0.377p", "Occlus0320p", "PartialL0320p"]	0.337	0.24	0.375	0.348	0.271	0.183	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	5	rrf	False	["GradientAt0.271onRoll1304", "Che213Transfor236rAttribu01307, "Gradient0320p", "Occlus0320p", "PartialL0320p"]	0.271	0.271	0.377	0.377	0.377	0.377	0.377	0.348p", "Occlus0320p", "PartialL0320p"]	0.344	0.213	0.391	0.32	0.277	0.187	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	5	kemeny	False	["GradientAt0.264onRoll1308", "Che207Transfor217rAttribu01302, "Gradient0320p", "Occlus0320p", "PartialL0320p"]	0.264	0.264	0.382	0.382	0.382	0.382	0.382	0.346p", "Occlus0320p", "PartialL0320p"]	0.335	0.199	0.381	0.305	0.263	0.188	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	5	schulze	False	["GradientAt0.264onRoll1303", "Che217Transfor228rAttribu01305, "Gradient0320p", "Occlus0320p", "PartialL0320p"]	0.264	0.264	0.385	0.385	0.385	0.385	0.385	0.350p", "Occlus0320p", "PartialL0320p"]	0.341	0.208	0.383	0.319	0.273	0.187	
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	6	simpleavg	False	["GradientAt0.261onRoll1301", "Che207Transfor246rAttribu01301, "Gradient0320p", "Occlus0320p", "PartialL0320p", "FeatureAb0320p"]	0.261	0.261	0.361	0.361	0.361	0.361	0.361	0.344p", "Occlus0320p", "PartialL0320p", "FeatureAb0320p"]	0.24	0.38	0.339	0.271	0.21		
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	6	borda	False	["GradientAt0.271onRoll1309", "Che207Transfor246rAttribu01307, "Gradient0320p", "Occlus0320p", "PartialL0320p", "FeatureAb0320p"]	0.271	0.271	0.367	0.367	0.367	0.367	0.367	0.323p", "Occlus0320p", "PartialL0320p", "FeatureAb0320p"]	0.254	0.36	0.362	0.259	0.203		
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	6	rrf	False	["GradientAt0.274onRoll1302", "Che207Transfor238rAttribu01308, "Gradient0320p", "Occlus0320p", "PartialL0320p", "FeatureAb0320p"]	0.274	0.274	0.368	0.368	0.368	0.368	0.368	0.350p", "Occlus0320p", "PartialL0320p", "FeatureAb0320p"]	0.214	0.38	0.307	0.267	0.18		
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	6	kemeny	False	["GradientAt0.263onRoll1309", "Che207Transfor214rAttribu01302, "Gradient0320p", "Occlus0320p", "PartialL0320p", "FeatureAb0320p"]	0.263	0.263	0.382	0.382	0.382	0.382	0.382	0.344p", "Occlus0320p", "PartialL0320p", "FeatureAb0320p"]	0.198	0.382	0.301	0.278	0.181		

cell	dataset	model	q	rule	q11 reference	method prefix	F clean	Fbar clean	C clean	Cbar clean	F perturbed gaussian-0.15	Fbar perturbed gaussian-0.15	C perturbed gaussian-0.15	Cbar perturbed gaussian-0.15	F perturbed salt-pepper-0.05	Fbar perturbed salt-pepper-0.05	C perturbed salt-pepper-0.05	Cbar perturbed salt-pepper-0.05	F perturbed speckle-0.15	Fbar perturbed speckle-0.15
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	6	schulze	False	["GradientA0.268onRd1312", "Che0.28Transf0.226rAttribu0.1379, "Gradient0.359", "Occlusi0.354"PartialLRB57FeatureAb0.33n"]	0.268	0.1312	0.226	0.1379	0.359	0.354	0.357	0.357	0.203	0.378	0.306	0.274	0.196	
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	7	simpleavg	False	["GradientA0.265onRd1314", "Che0.29Transf0.245rAttribu0.1367, "Gradient0.388", "Occlusi0.388"PartialLRB59FeatureAb0.33n", "Integrated0.338adients"]	0.265	0.1314	0.245	0.1367	0.388	0.388	0.388	0.388	0.37	0.336	0.266	0.211		
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	7	borda	False	["GradientA0.262onRd1315", "Che0.29Transf0.254rAttribu0.1367, "Gradient0.394", "Occlusi0.329"PartialLRB77FeatureAb0.33n", "Integrated0.349adients"]	0.262	0.1315	0.254	0.1367	0.394	0.329	0.397	0.349	0.351	0.343	0.24	0.21		
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	7	rrf	False	["GradientA0.265onRd1302", "Che0.29Transf0.237rAttribu0.1373, "Gradient0.364p", "Occlusi0.344"PartialLRB62FeatureAb0.33n", "Integrated0.315adients"]	0.265	0.1302	0.237	0.1373	0.364p	0.344	0.362	0.315	0.372	0.309	0.261	0.183		
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	7	kemeny	False	["GradientA0.247onRd1318", "Che0.28Transf0.227rAttribu0.1377, "Gradient0.344p", "Occlusi0.359"PartialLRB56FeatureAb0.33n", "Integrated0.296adients"]	0.247	0.1318	0.227	0.1377	0.344p	0.359	0.356	0.296	0.369	0.298	0.261	0.195		
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	7	schulze	False	["GradientA0.248onRd1301", "Che0.28Transf0.236rAttribu0.1376, "Gradient0.372p", "Occlusi0.355"PartialLRB79FeatureAb0.33n", "Integrated0.22adients"]	0.248	0.1301	0.236	0.1376	0.372p	0.355	0.379	0.22	0.366	0.304	0.256	0.185		
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	8	simpleavg	False	["GradientA0.255onRd1317", "Che0.28Transf0.249rAttribu0.1355, "Gradient0.384", "Occlusi0.386"PartialLRB87FeatureAb0.33n", "Integrated0.338adients", "Salio0.353"]	0.255	0.1317	0.249	0.1355	0.384	0.386	0.387	0.338	0.34	0.258	0.208			
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	8	borda	False	["GradientA0.242onRd1312", "Che0.27Transf0.256rAttribu0.1352, "Gradient0.394", "Occlusi0.319"PartialLRB73FeatureAb0.33n", "Integrated0.348adients", "Salio0.353"]	0.242	0.1312	0.256	0.1352	0.394	0.319	0.393	0.348	0.339	0.228	0.211			
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	8	rrf	False	["GradientA0.241onRd1311", "Che0.27Transf0.24rAttribu0.1363, "Gradient0.376p", "Occlusi0.335"PartialLRB66FeatureAb0.33n", "Integrated0.313adients", "Salio0.358"]	0.241	0.1311	0.24	0.1363	0.376p	0.335	0.366	0.313	0.314	0.242	0.198			
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	8	kemeny	False	["GradientA0.243onRd1313", "Che0.28Transf0.249rAttribu0.1375, "Gradient0.355p", "Occlusi0.351"PartialLRB62FeatureAb0.33n", "Integrated0.22adients", "Salio0.353"]	0.243	0.1313	0.249	0.1375	0.355p	0.351	0.362	0.22	0.309	0.237	0.198			
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	8	schulze	False	["GradientA0.241onRd1313", "Che0.27Transf0.25rAttribu0.1372, "Gradient0.364p", "Occlusi0.352"PartialLRB67FeatureAb0.33n", "Integrated0.315adients", "Salio0.342"]	0.241	0.1313	0.25	0.1372	0.364p	0.352	0.367	0.315	0.309	0.238	0.208			
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	9	simpleavg	False	["GradientA0.261onRd1316", "Che0.29Transf0.249rAttribu0.1351, "Gradient0.384", "Occlusi0.383"PartialLRB93FeatureAb0.33n", "Integrated0.334adients", "Salio0.353", "Attention0.23CAM"]	0.261	0.1316	0.249	0.1351	0.384	0.383	0.393	0.334	0.255	0.21				
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	9	borda	False	["GradientA0.242onRd1313", "Che0.27Transf0.256rAttribu0.1356, "Gradient0.364", "Occlusi0.321"PartialLRB77FeatureAb0.33n", "Integrated0.343adients", "Salio0.342", "Attention0.23CAM"]	0.242	0.1313	0.256	0.1356	0.364	0.321	0.377	0.343	0.232	0.204				
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	9	rrf	False	["GradientA0.237onRd1311", "Che0.26Transf0.244rAttribu0.1365, "Gradient0.344p", "Occlusi0.344"PartialLRB49FeatureAb0.33n", "Integrated0.298adients", "Salio0.348", "Attention0.22CAM"]	0.237	0.1311	0.244	0.1365	0.344p	0.344	0.349	0.298	0.243	0.203				
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	9	kemeny	False	["GradientA0.233onRd1305", "Che0.26Transf0.234rAttribu0.1365, "Gradient0.344p", "Occlusi0.346"PartialLRB54FeatureAb0.33n", "Integrated0.295adients", "Salio0.348", "Attention0.22CAM"]	0.233	0.1305	0.234	0.1365	0.344p	0.346	0.354	0.295	0.243	0.196				
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	9	schulze	False	["GradientA0.241onRd1312", "Che0.28Transf0.242rAttribu0.1362, "Gradient0.355p", "Occlusi0.346"PartialLRB52FeatureAb0.33n", "Integrated0.311adients", "Salio0.347", "Attention0.22CAM"]	0.241	0.1312	0.242	0.1362	0.355p	0.346	0.352	0.311	0.235	0.2				
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	10	simpleavg	False	["GradientA0.241onRd1317", "Che0.27Transf0.245rAttribu0.1355, "Gradient0.388p", "Occlusi0.386"PartialLRB91FeatureAb0.33n", "Integrated0.32adients", "Salio0.346", "Attention0.24CAM", "Info0.216Gradient0.206"]	0.241	0.1317	0.245	0.1355	0.388p	0.386	0.391	0.32	0.206					
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	10	borda	False	["GradientA0.241onRd1316", "Che0.25Transf0.277rAttribu0.1354, "Gradient0.376p", "Occlusi0.316"PartialLRB79FeatureAb0.33n", "Integrated0.343adients", "Salio0.338", "Attention0.23CAM", "Info0.212Gradient0.227"]	0.241	0.1316	0.277	0.1354	0.376p	0.316	0.379	0.343	0.227					
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	10	rrf	False	["GradientA0.236onRd1313", "Che0.24Transf0.274rAttribu0.1355, "Gradient0.364p", "Occlusi0.332"PartialLRB62FeatureAb0.33n", "Integrated0.319adients", "Salio0.331", "Attention0.23CAM", "Info0.216Gradient0.22"]	0.236	0.1313	0.274	0.1355	0.364p	0.332	0.362	0.319	0.22					
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	10	kemeny	False	["GradientA0.241onRd1316", "Che0.25Transf0.262rAttribu0.1356, "Gradient0.364p", "Occlusi0.336"PartialLRB67FeatureAb0.33n", "Integrated0.326adients", "Salio0.337", "Attention0.22CAM", "Info0.216Gradient0.222"]	0.241	0.1316	0.262	0.1356	0.364p	0.336	0.367	0.326	0.222					
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	10	schulze	False	["GradientA0.239onRd1312", "Che0.24Transf0.276rAttribu0.1349, "Gradient0.364p", "Occlusi0.331"PartialLRB58FeatureAb0.33n", "Integrated0.323adients", "Salio0.339", "Attention0.21CAM", "Info0.216Gradient0.22"]	0.239	0.1312	0.276	0.1349	0.364p	0.331	0.358	0.323	0.22					
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	11	simpleavg	True	["GradientA0.241onRd1319", "Che0.28Transf0.247rAttribu0.1357, "Gradient0.384p", "Occlusi0.382"PartialLRP4,"FeatureAb0.33n", "Integrated0.332adients", "Salio0.347", "Attention0.23CAM", "Info0.216Gradient0.207ILRP"]	0.241	0.1319	0.247	0.1357	0.384p	0.382	0.391	0.332	0.207					
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	11	borda	True	["GradientA0.226onRd1311", "Che0.26Transf0.296rAttribu0.1345, "Gradient0.384p", "Occlusi0.316"PartialLRB97FeatureAb0.33n", "Integrated0.354adients", "Salio0.337", "Attention0.24CAM", "Info0.216Gradient0.254ILRP"]	0.226	0.1311	0.296	0.1345	0.384p	0.316	0.397	0.354	0.254					
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	11	rrf	True	["GradientA0.241onRd1315", "Che0.25Transf0.266rAttribu0.1349, "Gradient0.376p", "Occlusi0.326"PartialLRB75FeatureAb0.33n", "Integrated0.312adients", "Salio0.337", "Attention0.23CAM", "Info0.216Gradient0.234ILRP"]	0.241	0.1315	0.266	0.1349	0.376p	0.326	0.375	0.312	0.234					
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	11	kemeny	True	["GradientA0.247onRd1314", "Che0.26Transf0.263rAttribu0.1351, "Gradient0.364p", "Occlusi0.334"PartialLRB63FeatureAb0.33n", "Integrated0.323adients", "Salio0.334", "Attention0.24CAM", "Info0.216Gradient0.234ILRP"]	0.247	0.1314	0.263	0.1351	0.364p	0.334	0.363	0.323	0.234					

cell	dataset	model	q	rule	q11 reference	method prefix	F clean	Fbar clean	C clean	Cbar clean	F perturbed gaussian-0.15	Fbar perturbed gaussian-0.15	C perturbed gaussian-0.15	Cbar perturbed gaussian-0.15	F perturbed salt-pepper-0.05	Fbar perturbed salt-pepper-0.05	C perturbed salt-pepper-0.05	Cbar perturbed salt-pepper-0.05	F perturbed speckle-0.15	Fbar perturbed speckle-0.15
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	11	schulze	True	["Gradient", "Attention", "ReLU", "Conv2D", "Transfomer", "FC", "Dropout", "Batch Normalization", "Global Average Pooling", "Softmax"]	0.216	0.151	0.151	0.151	0.153	0.153	0.154	0.154	0.288	0.216	0.232	0.216	0.216	0.216

Table 21: OCTMNIST-ViT-B/16 results.

cell	dataset	model	q	C perturbed speckle-0.15	Cbar perturbed speckle-0.15	F perturbed adversarial-sara-2-255	Fbar perturbed adversarial-sara-2-255	C perturbed adversarial-sara-2-255	Cbar perturbed adversarial-sara-2-255	R F gaussian-0.15	R Fbar gaussian-0.15	R C gaussian-0.15	R Cbar gaussian-0.15	R F salt-pepper-0.05	R Fbar salt-pepper-0.05	R C salt-pepper-0.05
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	2	0.316	0.236	0.235	0.276	0.284	0.305	0.032	-0.008	0.066	-0.088	0.07	0.021	0.076
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	2	0.318	0.226	0.235	0.265	0.284	0.294	0.044	-0.019	0.065	-0.096	0.075	0.013	0.079
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	2	0.322	0.227	0.233	0.269	0.28	0.297	0.039	-0.02	0.066	-0.102	0.073	0.01	0.077
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	2	0.318	0.226	0.235	0.265	0.284	0.294	0.044	-0.019	0.065	-0.096	0.075	0.013	0.079
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	2	0.318	0.226	0.235	0.265	0.284	0.294	0.044	-0.019	0.065	-0.096	0.075	0.013	0.079
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	3	0.318	0.231	0.247	0.263	0.286	0.291	0.041	-0.023	0.066	-0.101	0.076	-0.003	0.077
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	3	0.308	0.229	0.267	0.258	0.309	0.286	0.027	-0.028	0.053	-0.108	0.058	0.004	0.063
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	3	0.31	0.225	0.256	0.241	0.302	0.267	0.025	-0.046	0.046	-0.127	0.068	0	0.067
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	3	0.313	0.227	0.249	0.264	0.292	0.294	0.047	-0.029	0.068	-0.103	0.073	0.003	0.071
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	3	0.315	0.235	0.255	0.255	0.301	0.283	0.036	-0.02	0.059	-0.095	0.062	0.012	0.065
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	4	0.32	0.259	0.288	0.318	0.32	0.354	0.022	-0.06	0.064	-0.136	0.054	-0.027	0.072
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	4	0.308	0.254	0.283	0.286	0.315	0.323	-0.004	-0.049	0.03	-0.127	0.041	-0.014	0.048
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	4	0.327	0.237	0.282	0.263	0.325	0.295	0.002	-0.03	0.036	-0.108	0.063	0.015	0.063
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	4	0.308	0.238	0.271	0.248	0.317	0.279	0.02	-0.048	0.053	-0.123	0.073	0.005	0.07
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	4	0.316	0.234	0.26	0.265	0.309	0.297	0.026	-0.033	0.061	-0.109	0.072	0.012	0.082
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	5	0.317	0.245	0.282	0.29	0.314	0.328	0.011	-0.072	0.067	-0.143	0.072	-0.035	0.089
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	5	0.305	0.229	0.278	0.262	0.312	0.3	0.025	-0.064	0.055	-0.133	0.064	-0.025	0.06
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	5	0.318	0.232	0.266	0.251	0.307	0.28	0.007	-0.044	0.021	-0.114	0.074	-0.009	0.073
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	5	0.309	0.225	0.267	0.248	0.305	0.277	0.028	-0.058	0.062	-0.131	0.071	-0.011	0.077
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	5	0.314	0.225	0.274	0.254	0.309	0.284	0.021	-0.059	0.041	-0.122	0.077	-0.015	0.071
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	6	0.311	0.252	0.286	0.321	0.314	0.354	0.001	-0.071	0.055	-0.145	0.071	-0.029	0.091
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	6	0.292	0.248	0.274	0.283	0.308	0.319	-0.013	-0.075	0.025	-0.166	0.046	-0.035	0.062
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	6	0.307	0.219	0.282	0.266	0.318	0.297	-0.006	-0.067	0.052	-0.141	0.066	-0.022	0.077
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	6	0.319	0.221	0.27	0.258	0.308	0.289	0.019	-0.061	0.061	-0.134	0.076	-0.019	0.079

cell	dataset	model	q	C perturbed speckle-0.15	Cbar perturbed speckle-0.15	F perturbed adversarial-sara-2-255	Fbar perturbed adversarial-sara-2-255	C perturbed adversarial-sara-2-255	Cbar perturbed adversarial-sara-2-255	R F gaussian-0.15	R Fbar gaussian-0.15	R C gaussian-0.15	R Cbar gaussian-0.15	R F salt-pepper-0.05	R Fbar salt-pepper-0.05	R C salt-pepper-0.05
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	6	0.316	0.236	0.283	0.268	0.311	0.305	0.011	-0.067	0.054	-0.136	0.062	-0.011	0.078
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	7	0.306	0.251	0.274	0.308	0.303	0.348	-0.005	-0.074	0.042	-0.154	0.056	-0.024	0.074
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	7	0.276	0.257	0.277	0.303	0.308	0.334	-0.002	-0.067	0.036	-0.153	0.042	-0.024	0.058
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	7	0.304	0.226	0.26	0.281	0.296	0.31	0.008	-0.059	0.045	-0.125	0.059	-0.013	0.073
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	7	0.304	0.238	0.259	0.278	0.292	0.309	0.03	-0.051	0.071	-0.129	0.076	0.002	0.081
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	7	0.296	0.223	0.259	0.276	0.297	0.31	0.028	-0.071	0.07	-0.146	0.073	-0.009	0.081
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	8	0.296	0.248	0.253	0.333	0.282	0.365	0	-0.065	0.051	-0.138	0.065	-0.021	0.088
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	8	0.26	0.255	0.25	0.33	0.281	0.36	0.01	-0.07	0.046	-0.15	0.059	-0.026	0.08
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	8	0.286	0.238	0.244	0.308	0.284	0.334	0.022	-0.045	0.059	-0.126	0.066	-0.006	0.082
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	8	0.283	0.231	0.24	0.314	0.277	0.337	0.032	-0.032	0.067	-0.113	0.06	0.013	0.069
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	8	0.283	0.244	0.244	0.316	0.275	0.348	0.031	-0.041	0.076	-0.117	0.058	0.008	0.066
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	9	0.296	0.248	0.257	0.331	0.285	0.364	-0.009	-0.067	0.043	-0.144	0.06	-0.018	0.083
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	9	0.275	0.245	0.257	0.302	0.288	0.339	0.014	-0.05	0.046	-0.117	0.063	-0.03	0.067
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	9	0.287	0.243	0.233	0.285	0.274	0.319	0.028	-0.032	0.077	-0.108	0.069	0.013	0.081
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	9	0.289	0.234	0.234	0.311	0.269	0.331	0.032	-0.038	0.077	-0.12	0.075	0	0.084
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	9	0.285	0.239	0.255	0.302	0.283	0.337	0.022	-0.038	0.064	-0.11	0.063	0.001	0.065
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	10	0.282	0.246	0.245	0.337	0.271	0.373	0.011	-0.063	0.058	-0.146	0.072	-0.023	0.088
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	10	0.249	0.265	0.219	0.352	0.251	0.387	0.043	-0.03	0.066	-0.102	0.07	-0.001	0.078
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	10	0.259	0.261	0.208	0.34	0.243	0.368	0.049	-0.019	0.091	-0.091	0.082	0.024	0.09
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	10	0.269	0.25	0.209	0.345	0.254	0.372	0.042	-0.033	0.084	-0.105	0.077	0.01	0.085
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	10	0.256	0.257	0.212	0.355	0.245	0.379	0.04	-0.009	0.086	-0.082	0.084	0.029	0.094
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	11	0.28	0.246	0.249	0.348	0.277	0.385	0.012	-0.065	0.052	-0.153	0.07	-0.013	0.087
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	11	0.26	0.298	0.216	0.368	0.245	0.404	0.019	-0.022	0.055	-0.099	0.06	0.007	0.066
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	11	0.264	0.27	0.214	0.338	0.246	0.372	0.033	-0.037	0.074	-0.109	0.078	0.023	0.085
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	11	0.265	0.26	0.193	0.353	0.229	0.383	0.034	-0.023	0.073	-0.1	0.056	0.013	0.063

cell	dataset	model	q	C perturbed speckle-0.15	Cbar perturbed speckle-0.15	F perturbed adversarial-sara-2-255	Fbar perturbed adversarial-sara-2-255	C perturbed adversarial-sara-2-255	Cbar perturbed adversarial-sara-2-255	R F gaussian-0.15	R Fbar gaussian-0.15	R C gaussian-0.15	R Cbar gaussian-0.15	R F salt-pepper-0.05	R Fbar salt-pepper-0.05	R C salt-pepper-0.05
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	11	0.262	0.259	0.207	0.359	0.249	0.388	0.037	-0.014	0.078	-0.091	0.072	0.035	0.076

Table 22: OCTMNIST–ViT-B/16 results.

cell	dataset	model	q	R Cbar speckle-0.15	R F adversarial-sara-2-255	R Fbar adversarial-sara-2-255	R C adversarial-sara-2-255	R Cbar adversarial-sara-2-255
octmnist–octmnist-vit-b16	octmnist	octmnist-vit-b16	2	-0.005	-0.031	-0.07	-0.025	-0.074
octmnist–octmnist-vit-b16	octmnist	octmnist-vit-b16	2	0	-0.022	-0.064	-0.023	-0.068
octmnist–octmnist-vit-b16	octmnist	octmnist-vit-b16	2	-0.004	-0.029	-0.069	-0.027	-0.074
octmnist–octmnist-vit-b16	octmnist	octmnist-vit-b16	2	0	-0.022	-0.064	-0.023	-0.068
octmnist–octmnist-vit-b16	octmnist	octmnist-vit-b16	2	0	-0.022	-0.064	-0.023	-0.068
octmnist–octmnist-vit-b16	octmnist	octmnist-vit-b16	3	-0.004	-0.02	-0.063	-0.026	-0.064
octmnist–octmnist-vit-b16	octmnist	octmnist-vit-b16	3	-0.007	-0.003	-0.064	-0.004	-0.064
octmnist–octmnist-vit-b16	octmnist	octmnist-vit-b16	3	-0.009	-0.014	-0.05	-0.014	-0.051
octmnist–octmnist-vit-b16	octmnist	octmnist-vit-b16	3	0.004	-0.011	-0.062	-0.018	-0.063
octmnist–octmnist-vit-b16	octmnist	octmnist-vit-b16	3	-0.004	-0.011	-0.055	-0.011	-0.052
octmnist–octmnist-vit-b16	octmnist	octmnist-vit-b16	4	-0.008	0.01	-0.102	0.015	-0.103
octmnist–octmnist-vit-b16	octmnist	octmnist-vit-b16	4	0.008	-0.002	-0.06	-0.004	-0.061
octmnist–octmnist-vit-b16	octmnist	octmnist-vit-b16	4	0.014	-0.001	-0.046	0.003	-0.044
octmnist–octmnist-vit-b16	octmnist	octmnist-vit-b16	4	-0.01	0.001	-0.052	0.003	-0.051
octmnist–octmnist-vit-b16	octmnist	octmnist-vit-b16	4	-0.002	-0.009	-0.064	-0.002	-0.065
octmnist–octmnist-vit-b16	octmnist	octmnist-vit-b16	5	-0.002	0.007	-0.084	0.012	-0.085
octmnist–octmnist-vit-b16	octmnist	octmnist-vit-b16	5	0.023	0.005	-0.047	-0.003	-0.048
octmnist–octmnist-vit-b16	octmnist	octmnist-vit-b16	5	0.004	-0.004	-0.047	-0.011	-0.044
octmnist–octmnist-vit-b16	octmnist	octmnist-vit-b16	5	-0.008	0.003	-0.06	0.001	-0.06
octmnist–octmnist-vit-b16	octmnist	octmnist-vit-b16	5	0.003	0.01	-0.061	-0.003	-0.056
octmnist–octmnist-vit-b16	octmnist	octmnist-vit-b16	6	-0.006	0.026	-0.11	0.025	-0.108
octmnist–octmnist-vit-b16	octmnist	octmnist-vit-b16	6	0.001	0.004	-0.064	0.01	-0.07
octmnist–octmnist-vit-b16	octmnist	octmnist-vit-b16	6	0.004	0.008	-0.074	0.015	-0.074
octmnist–octmnist-vit-b16	octmnist	octmnist-vit-b16	6	-0.01	0.007	-0.079	0.005	-0.078

cell	dataset	model	q	R Cbar speckle-0.15	R F adversarial-sara-2-255	R Fbar adversarial-sara-2-255	R C adversarial-sara-2-255	R Cbar adversarial-sara-2-255
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	6	-0.007	0.015	-0.076	0.011	-0.076
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	7	-0.006	0.009	-0.094	0.007	-0.103
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	7	-0.003	0.015	-0.078	0.015	-0.08
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	7	0.011	-0.005	-0.079	-0.003	-0.073
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	7	-0.011	0.012	-0.08	0.004	-0.082
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	7	0.01	0.011	-0.075	0.012	-0.077
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	8	0.001	-0.002	-0.116	-0.003	-0.116
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	8	-0.002	0.008	-0.108	0.008	-0.107
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	8	0.002	0.003	-0.097	0.008	-0.094
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	8	0.018	-0.003	-0.091	-0.007	-0.088
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	8	0.006	0.003	-0.093	-0.001	-0.098
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	9	0.001	-0.003	-0.115	-0.005	-0.115
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	9	0.008	0.015	-0.089	0.013	-0.086
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	9	-0.002	-0.004	-0.074	0.007	-0.078
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	9	0	0.001	-0.106	0	-0.097
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	9	0.003	0.015	-0.09	0.001	-0.095
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	10	-0.001	0.001	-0.12	-0.007	-0.128
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	10	0.012	0.008	-0.106	0.001	-0.11
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	10	0.01	0.002	-0.097	0.002	-0.097
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	10	0.012	-0.005	-0.109	0.002	-0.11
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	10	0.019	0.003	-0.103	0	-0.103
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	11	0.001	0.004	-0.129	-0.003	-0.138
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	11	0	-0.01	-0.107	-0.016	-0.106
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	11	-0.004	-0.002	-0.103	-0.006	-0.106
octmnist-octmnist-vit-b16	octmnist	octmnist-vit-b16	11	0.003	-0.024	-0.113	-0.032	-0.12

cell	dataset	model		R Cbar q speckle-0.15	R F adversarial-sara-2-255	R Fbar adversarial-sara-2-255	R C adversarial-sara-2-255	R Cbar adversarial-sara-2-255
octmnist- octmnist-vit- b16	octmnist	octmnist- vit-b16	11	0.018	-0.009	-0.108	-0.007	-0.111

Table 23: OCTMNIST–ViT-B/16 results.

dataset	model	method	result status	gate status	passed	deterministic repeat	finite fraction	target sensitive	selected batch size	attack batch size	attack seconds per sample	attack peak cuda bytes	error
OCTMNIST	ViT-B/16	Saliency	passed	passed	true	true	1	true	1				
OCTMNIST	ViT-B/16	InputXGradient	passed	passed	true	true	1	true	1				
OCTMNIST	ViT-B/16	IntegratedGradients	passed	passed	true	true	1	true	1	1	0.145204	6.6673e+09	
OCTMNIST	ViT-B/16	FeatureAbandon	passed	passed	true	true	1	true	1				
OCTMNIST	ViT-B/16	Occlusion	passed	passed	true	true	1	true	1				
OCTMNIST	ViT-B/16	GradientShap	passed	passed	true	true	1	true	1				
OCTMNIST	ViT-B/16	CheferTransformerAtt	passed	passed	true	true	1	true	1				
OCTMNIST	ViT-B/16	PartialLRP	passed	passed	true	true	1	true	1				
OCTMNIST	ViT-B/16	FullLRP	passed	passed	true	true	1	true	1				
OCTMNIST	ViT-B/16	GradientAttentionRoll	passed	passed	true	true	1	true	1	1	0.05706	3.3842e+09	
OCTMNIST	ViT-B/16	AttentionGradCAM	passed	passed	true	true	1	true	1	1	0.047519	3.3105e+09	