

When Does Aggregating Explanations Work?

RetinaMNIST Results

Jinhua Xu, Davide Anguita, Fabio Roli, Jing Yuan, and Luca Oneto

This report is generated from the structured result files listed in `RESULT_MANIFEST.json`. It is organised by model and experiment and retains incomplete snapshots together with additional result tables.

Additional result tables

A DenseNet-121

Table 1: RetinaMNIST–DenseNet-121 results.

dataset	model	method	result status	gate status	passed	deterministic repeat	finite fraction	target sensitive	selected batch size	attack batch size	attack seconds per sample	attack peak cuda bytes	error
RetinaMNIST	DenseNet-121	Saliency	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
RetinaMNIST	DenseNet-121	InputXGradient	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
RetinaMNIST	DenseNet-121	Integrated Gradients	passed	blocked	true	true	1	true	1	1	0.084344	6.6774e+09	
RetinaMNIST	DenseNet-121	GuidedBackprop	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
RetinaMNIST	DenseNet-121	Deconvolution	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
RetinaMNIST	DenseNet-121	FeatureAbundance	passed	blocked	true	true	1	true	1				
RetinaMNIST	DenseNet-121	Occlusion	passed	blocked	true	true	1	true	1				
RetinaMNIST	DenseNet-121	DeepLift	passed	blocked	true	true	1	true	1	1	0.057337	6.6006e+08	
RetinaMNIST	DenseNet-121	GradientShap	passed	blocked	true	true	1	true	1				
RetinaMNIST	DenseNet-121	DeepLiftShap	passed	blocked	true	true	1	true	1	1	0.056515	1.7365e+09	
RetinaMNIST	DenseNet-121	LRP	passed	blocked	true	true	1	true	1				

B EfficientNet-B0

Table 2: RetinaMNIST–EfficientNet-B0 results.

dataset	model	method	result status	gate status	passed	deterministic repeat	finite fraction	target sensitive	selected batch size	attack batch size	attack seconds per sample	attack peak cuda bytes	error
RetinaMNIST-B0	EfficientNet-B0	Saliency	failed	blocked	true	true	1	true	1	1	0.406874	3.8023e+08	RuntimeError: Deterministic repeat check failed
RetinaMNIST-B0	EfficientNet-B0	InputXGradient	failed	blocked	true	true	1	true	1	1	0.25237	3.8264e+08	
RetinaMNIST-B0	EfficientNet-B0	Integrated Gradients	failed	blocked	true	true	1	true	1	1	0.039734	4.5561e+09	
RetinaMNIST-B0	EfficientNet-B0	Guided Backprop	failed	blocked	true	true	1	true	1				
RetinaMNIST-B0	EfficientNet-B0	Deconvolution	failed	blocked	true	true	1	true	1				
RetinaMNIST-B0	EfficientNet-B0	Feature Ablation	failed	blocked	true	true	1	true	1				
RetinaMNIST-B0	EfficientNet-B0	Occlusion	failed	blocked	true	true	1	true	1				
RetinaMNIST-B0	EfficientNet-B0	DeepLift	failed	blocked	true	true	1	true	1	1	0.024079	2.7866e+08	
RetinaMNIST-B0	EfficientNet-B0	Gradient Shapley	failed	blocked	false	false	1		1				
RetinaMNIST-B0	EfficientNet-B0	DeepLift Shapley	failed	blocked	true	true	1	true	1	1	0.023131	6.5472e+08	
RetinaMNIST-B0	EfficientNet-B0	LRP	failed	blocked	false								RuntimeError: No explanation batch candidate passed

C MobileNetV3-Large

Table 3: RetinaMNIST–MobileNetV3-Large results.

dataset	model	method	result status	gate status	passed	deterministic repeat	finite fraction	target sensitive	selected batch size	attack batch size	attack seconds per sample	attack peak cuda bytes	error
RetinaMNIST	MobileNetV3-Large	Sparsity	failed	blocked	true	true	1	true	1				RuntimeError: No explanation batch candidate passed
RetinaMNIST	MobileNetV3-Large	InputXGradient	failed	blocked	true	true	1	true	1				
RetinaMNIST	MobileNetV3-Large	Integrated Gradients	failed	blocked	true	true	1	true	1	1	0.02552	2.4103e+09	
RetinaMNIST	MobileNetV3-Large	Guided Backprop	failed	blocked	true	true	1	true	1				
RetinaMNIST	MobileNetV3-Large	Deconvolution	failed	blocked	true	true	1	true	1				
RetinaMNIST	MobileNetV3-Large	Feature Ablation	failed	blocked	true	true	1	true	1				
RetinaMNIST	MobileNetV3-Large	Oclusion	failed	blocked	true	true	1	true	1				
RetinaMNIST	MobileNetV3-Large	DeepLift	failed	blocked	true	true	1	true	1	1	0.022834	2.2834e+08	
RetinaMNIST	MobileNetV3-Large	Gradient Shapley	failed	blocked	true	true	1	true	1				
RetinaMNIST	MobileNetV3-Large	DeepLift Shapley	failed	blocked	true	true	1	true	1	1	0.02129	4.999e+08	
RetinaMNIST	MobileNetV3-Large	LRP	failed	blocked	false								

D ResNet-18

Table 4: RetinaMNIST-ResNet-18 results.

dataset	model	method	result status	gate status	passed	deterministic repeat	finite fraction	target sensitive	selected batch size	attack batch size	attack seconds per sample	attack peak cuda bytes	error
RetinaMNIST	ResNet-18	Saliency	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
RetinaMNIST	ResNet-18	InputXGradient	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
RetinaMNIST	ResNet-18	IntegratedGradients	passed	blocked	true	true	1	true	1	1	0.039341	1.2722e+09	RuntimeError: Deterministic repeat check failed
RetinaMNIST	ResNet-18	GuidedBackprop	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
RetinaMNIST	ResNet-18	Deconvolution	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
RetinaMNIST	ResNet-18	FeatureAbandonment	passed	blocked	true	true	1	true	1				RuntimeError: Deterministic repeat check failed
RetinaMNIST	ResNet-18	Occlusion	passed	blocked	true	true	1	true	1				RuntimeError: Deterministic repeat check failed
RetinaMNIST	ResNet-18	DeepLift	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
RetinaMNIST	ResNet-18	GradientShap	passed	blocked	true	true	1	true	1				RuntimeError: Deterministic repeat check failed
RetinaMNIST	ResNet-18	DeepLiftShap	passed	blocked	true	true	1	true	1	1	0.016234	4.4584e+08	RuntimeError: Deterministic repeat check failed
RetinaMNIST	ResNet-18	LRP	passed	blocked	true	true	1	true	1				RuntimeError: Deterministic repeat check failed

E ResNet-50

Table 5: RetinaMNIST-ResNet-50 results.

dataset	model	method	result status	gate status	passed	deterministic repeat	finite fraction	target sensitive	selected batch size	attack batch size	attack seconds per sample	attack peak cuda bytes	error
RetinaMNIST	ResNet-50	Saliency	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
RetinaMNIST	ResNet-50	InputXGradient	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
RetinaMNIST	ResNet-50	Integrated Gradients	passed	blocked	true	true	1	true	1	1	0.077072	4.5233e+09	RuntimeError: Deterministic repeat check failed
RetinaMNIST	ResNet-50	GuidedBackprop	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
RetinaMNIST	ResNet-50	Deconvolution	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
RetinaMNIST	ResNet-50	FeatureAbandon	passed	blocked	true	true	1	true	1				RuntimeError: Deterministic repeat check failed
RetinaMNIST	ResNet-50	Occlusion	passed	blocked	true	true	1	true	1				RuntimeError: Deterministic repeat check failed
RetinaMNIST	ResNet-50	DeepLift	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
RetinaMNIST	ResNet-50	GradientShap	passed	blocked	true	true	1	true	1				RuntimeError: Deterministic repeat check failed
RetinaMNIST	ResNet-50	DeepLiftShap	passed	blocked	true	true	1	true	1	1	0.026977	1.2474e+09	RuntimeError: Deterministic repeat check failed
RetinaMNIST	ResNet-50	LRP	passed	blocked	true	true	1	true	1				RuntimeError: Deterministic repeat check failed

F ViT-B/16

Table 6: RetinaMNIST–ViT-B/16 results.

cell	dataset	model	architecture	split	method	setting	q	source count	sample count	F	Fbar	C	Cbar	R F g	R F p	R F s	R F a	R C g	R C p	R C s
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	Best Individual	best-individual	1	3	400	-0.010833	0.105	0.199167	0.489167	-0.063333	-0.011667	-0.023333	0.009167	0.216667	0.194167	0.085
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	SimpleAvg	NAIVE	11	3	400	-0.023333	0.126667	0.163333	0.534167	-0.060833	-0.023333	-0.011667	0.021667	0.233333	0.184167	0.108333
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	SimpleAvg	ind	11	11	400	-0.0175	0.12	0.1875	0.5225	-0.0475	0.0325	0.0075	0.0175	0.285	0.2325	0.135
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	Borda	NAIVE	11	3	400	-0.025	0.1225	0.166667	0.531667	-0.069167	-0.0175	-0.020833	0.019167	0.22	0.1825	0.115
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	Borda	ind	11	11	400	-0.0225	0.15	0.2125	0.5325	-0.0775	-0.0275	-0.005	0.025	0.2075	0.145	0.1
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	RRF	NAIVE	11	3	400	-0.011667	0.126667	0.154167	0.556667	-0.069167	-0.034167	0.001667	0.011667	0.235833	0.185833	0.1075
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	RRF	ind	11	11	400	-0.02	0.09	0.2275	0.5025	-0.0675	0.0225	0.03	0.0175	0.255	0.1875	0.1025
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	Kemeny	NAIVE	11	3	400	-0.02	0.1475	0.1525	0.5575	-0.065	-0.028333	-0.011667	0.016667	0.256667	0.189167	0.125833
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	Kemeny	ind	11	11	400	-0.035	0.1275	0.235	0.5375	-0.045	0.04	0.02	0.0275	0.2375	0.1625	0.0925
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	Schulze	NAIVE	11	3	400	-0.021667	0.119167	0.164167	0.540833	-0.076667	-0.021667	-0.0225	0.018333	0.239167	0.185833	0.120833
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	Schulze	ind	11	11	400	-0.0225	0.1175	0.235	0.5275	-0.0625	-0.025	0.005	0.005	0.2175	0.15	0.11

Table 7: RetinaMNIST-ViT-B/16 results.

cell	dataset	model	architecture	replit	method	setting	q	source count	R C a	R Fbar g	R Fbar p	R Fbar s	R Fbar a	R Cbar g	R Cbar p	R Cbar s	R Cbar a	F perturbed g	Fbar perturbed g	C perturbed g
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	Best Individual	best-individual	1	3	-0.026667	0.288333	0.1625	0.06	0.016667	-0.275	-0.133333	-0.120833	0.023333	-0.074167	-0.183333	0.415833
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	SimpleAvg	NAIVE	11	3	-0.005	0.2925	0.156667	0.075833	0.013333	-0.224167	-0.065833	-0.076667	0.025833	-0.084167	-0.165833	0.396667
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	SimpleAvg	ind	11	11	0.0025	0.3325	0.185	0.11	0.0225	-0.225	-0.035	-0.0325	0.0325	-0.065	-0.2125	0.4725
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	Borda	NAIVE	11	3	0.000833	0.2825	0.17	0.065833	0.011667	-0.241667	-0.059167	-0.0775	0.008333	-0.094167	-0.16	0.386667
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	Borda	ind	11	11	-0.0375	0.3675	0.1975	0.12	-0.0025	-0.205	-0.0225	-0.03	-0.0025	-0.1	-0.2175	0.42
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	RRF	NAIVE	11	3	-0.0075	0.295833	0.183333	0.068333	0.015833	-0.223333	-0.044167	-0.053333	0.02	-0.080833	-0.169167	0.39
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	RRF	ind	11	11	-0.0475	0.305	0.17	0.09	-0.0175	-0.25	-0.0675	-0.045	0.0025	-0.0875	-0.215	0.4825
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	Kemeny	NAIVE	11	3	-0.005	0.331667	0.1875	0.094167	0.0325	-0.215833	-0.045833	-0.045833	0.031667	-0.085	-0.184167	0.409167
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	Kemeny	ind	11	11	-0.055	0.3475	0.1825	0.1125	0	-0.215	-0.04	-0.0025	0.0325	-0.08	-0.22	0.4725
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	Schulze	NAIVE	11	3	0.000833	0.2825	0.1625	0.078333	0.01	-0.229167	-0.059167	-0.064167	0.034167	-0.098333	-0.163333	0.403333
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	Schulze	ind	11	11	-0.0675	0.3325	0.1825	0.105	-0.02	-0.2275	-0.02	-0.025	0.0175	-0.085	-0.215	0.4525

Table 8: RetinaMNIST–ViT-B/16 results.

cell	dataset	model	architecture	replit	method	setting	q	source count	Cbar perturbed g	F perturbed p	Fbar perturbed p	C perturbed p	Cbar perturbed p	F perturbed s	Fbar perturbed s	C perturbed s	Cbar perturbed s	F perturbed a	Fbar perturbed a	C perturbed a
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	Best Individual	best-individual	1	3	0.764167	-0.0225	-0.0575	0.393333	0.6225	-0.034167	0.045	0.284167	0.61	-0.001667	0.088333	0.1725
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	SimpleAvg	NAIVE	11	3	0.758333	-0.046667	-0.03	0.3475	0.6	-0.035	0.050833	0.271667	0.610833	-0.001667	0.113333	0.158333
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	SimpleAvg	ind	11	11	0.7475	0.015	-0.065	0.42	0.5575	-0.01	0.01	0.3225	0.555	0	0.0975	0.19
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	Borda	NAIVE	11	3	0.773333	-0.0425	-0.0475	0.349167	0.590833	-0.045833	0.056667	0.281667	0.609167	-0.005833	0.110833	0.1675
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	Borda	ind	11	11	0.7375	-0.05	-0.0475	0.3575	0.555	-0.0275	0.03	0.3125	0.5625	0.0025	0.1525	0.175
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	RRF	NAIVE	11	3	0.78	-0.045833	-0.056667	0.34	0.600833	-0.01	0.058333	0.261667	0.61	-2.8912e-19	0.110833	0.146667
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	RRF	ind	11	11	0.7525	0.0025	-0.08	0.415	0.57	0.01	0	0.33	0.5475	-0.0025	0.1075	0.18
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	Kemeny	NAIVE	11	3	0.773333	-0.048333	-0.04	0.341667	0.603333	-0.031667	0.053333	0.278333	0.603333	-0.003333	0.115	0.1475
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	Kemeny	ind	11	11	0.7525	0.005	-0.055	0.3975	0.5775	-0.015	0.015	0.3275	0.54	-0.0075	0.1275	0.18
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	Schulze	NAIVE	11	3	0.77	-0.043333	-0.043333	0.35	0.6	-0.044167	0.040833	0.285	0.605	-0.003333	0.109167	0.165
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	Schulze	ind	11	11	0.755	-0.0475	-0.065	0.385	0.5475	-0.0175	0.0125	0.345	0.5525	-0.0175	0.1375	0.1675

Table 9: RetinaMNIST-ViT-B/16 results.

cell	dataset	model	architecture	replit	method	setting	q	source count	Cbar perturbed a	sd F	sd Fbar	sd C	sd Cbar	sd R F g	sd R F p	sd R F s	sd R F a	sd R C g	sd R C p	sd R C s
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	vit	test	Best Indi- vidual	best- individual	1	3	0.465833	0.002887	0.031918	0.017017	0.030242	0.007638	0.018428	0.006292	0.008036	0.033572	0.016073	0.013919
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	vit	test	SimpleAvg	NAIVE	11	3	0.508333	0.002887	0.054333	0.034034	0.055752	0.010104	0.031656	0.005204	0.008036	0.025536	0.017017	0.032628
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	vit	test	SimpleAvg	ind	11	11	0.49											
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	vit	test	Borda	NAIVE	11	3	0.523333	0.0075	0.049244	0.034126	0.044041	0.011273	0.041307	0.026021	0.012332	0.062199	0.036315	0.047893
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	vit	test	Borda	ind	11	11	0.535											
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	vit	test	RRF	NAIVE	11	3	0.536667	0.007217	0.087762	0.071078	0.083454	0.016646	0.025166	0.023229	0.015275	0.070015	0.028431	0.040927
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	vit	test	RRF	ind	11	11	0.5											
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	vit	test	Kemeny	NAIVE	11	3	0.525833	0.010897	0.086639	0.051296	0.090967	0.005	0.025042	0.001443	0.021554	0.088188	0.05162	0.050765
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	vit	test	Kemeny	ind	11	11	0.505											
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	vit	test	Schulze	NAIVE	11	3	0.506667	0.00878	0.053053	0.044041	0.047059	0.012829	0.027876	0.010897	0.012583	0.07654	0.026497	0.037859
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	vit	test	Schulze	ind	11	11	0.51											

Table 10: RetinaMNIST–ViT-B/16 results.

cell	dataset	model	architecture	replit	method	setting	q	source count	sd R C a	sd R Fbar g	sd R Fbar p	sd R Fbar s	sd R Fbar a	sd R Cbar g	sd R Cbar p	sd R Cbar s	sd R Cbar a	sd F perturbed g	sd Fbar perturbed g	sd C perturbed g
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	vit	test	Best Indi- vidual	best- individual	1	3	0.011273	0.029826	0.025372	0.0325	0.035385	0.005	0.020361	0.050642	0.064437	0.007638	0.006292	0.03987
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	vit	test	SimpleAvg	NAIVE	11	3	0.020463	0.027042	0.025658	0.015877	0.036171	0.051498	0.01893	0.011273	0.031754	0.012829	0.044464	0.056255
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	vit	test	SimpleAvg	ind	11	11												
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	vit	test	Borda	NAIVE	11	3	0.028759	0.040234	0.037832	0.033198	0.025042	0.023229	0.012583	0.016394	0.02529	0.016646	0.045208	0.096318
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	vit	test	Borda	ind	11	11												
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	vit	test	RRF	NAIVE	11	3	0.047697	0.067562	0.068663	0.043756	0.040646	0.053463	0.048883	0.01893	0.024109	0.023629	0.021262	0.14
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	vit	test	RRF	ind	11	11												
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	vit	test	Kemeny	NAIVE	11	3	0.037832	0.072212	0.057173	0.051011	0.037333	0.054905	0.055359	0.03827	0.041256	0.011456	0.015275	0.136573
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	vit	test	Kemeny	ind	11	11												
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	vit	test	Schulze	NAIVE	11	3	0.031458	0.023848	0.030414	0.029826	0.015207	0.029616	0.00878	0.020966	0.021554	0.012583	0.042007	0.119957
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	vit	test	Schulze	ind	11	11												

Table 11: RetinaMNIST–ViT-B/16 results.

cell	dataset	model	architecture	replit	method	setting	q	source count	sd Cbar perturbed g	sd F perturbed p	sd Fbar perturbed p	sd C perturbed p	sd Cbar perturbed p	sd F perturbed s	sd Fbar perturbed s	sd C perturbed s	sd Cbar perturbed s	sd F perturbed a	sd Fbar perturbed a	sd C perturbed a
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	Best Individual	best-individual	1	3	0.031656	0.019526	0.0125	0.0281	0.028395	0.00878	0.024109	0.017559	0.07	0.010104	0.010104	0.006614
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	SimpleAvg	NAIVE	11	3	0.013769	0.033942	0.056513	0.036827	0.043589	0.006614	0.043036	0.063754	0.055584	0.005204	0.026732	0.013769
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	SimpleAvg	ind	11	11												
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	Borda	NAIVE	11	3	0.032532	0.047631	0.043804	0.070059	0.03503	0.028759	0.03503	0.081292	0.059652	0.007638	0.028976	0.006614
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	Borda	ind	11	11												
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	RRF	NAIVE	11	3	0.033634	0.026964	0.022684	0.096857	0.036429	0.02136	0.050642	0.11198	0.07172	0.010897	0.049329	0.030856
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	RRF	ind	11	11												
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	Kemeny	NAIVE	11	3	0.036429	0.031258	0.032787	0.101253	0.037444	0.011815	0.042598	0.097799	0.053638	0.011273	0.049937	0.019843
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	Kemeny	ind	11	11												
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	Schulze	NAIVE	11	3	0.018028	0.036429	0.045023	0.070534	0.039686	0.019419	0.035119	0.078938	0.062199	0.003819	0.037859	0.015207
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	Schulze	ind	11	11												

Table 12: RetinaMNIST–ViT-B/16 results.

cell	dataset	model	architecture	replit	method	setting	q	source count	sd Cbar perturbed a	selected individual
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	Best Individual	best-individual	1	3	0.039713	{ "C": "Saliency", "Cbar": "CheferTranformerAttribution", "F": "GradientAttentionRollout", "Fbar": "PartialLRP" }
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	SimpleAvg	NAIVE	11	3	0.025166	
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	SimpleAvg	ind	11	11		
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	Borda	NAIVE	11	3	0.018764	
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	Borda	ind	11	11		
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	RRF	NAIVE	11	3	0.059389	
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	RRF	ind	11	11		
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	Kemeny	NAIVE	11	3	0.060432	
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	Kemeny	ind	11	11		
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	Schulze	NAIVE	11	3	0.028976	
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	vit	test	Schulze	ind	11	11		

Table 13: RetinaMNIST–ViT-B/16 results.

dataset	model	architecture	split	method	sample count	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s
retinamnist	retinamnist	vit	test	best_individual	400	0.0825	0.005	0.4225	0.365	-0.175	0.235	0.2	-0.37	-0.11	0.0925	0.095	-0.19	-0.06	0.01	0.1475
retinamnist	retinamnist	vit-b16	test	simpleavg	400	0.015	0.0025	0.37	0.4325	-0.05	0.195	0.3025	-0.2825	-0.015	0.0875	0.195	-0.1	0.0475	0.02	0.205
retinamnist	retinamnist	vit	test	borda	400	0.025	0.0525	0.38	0.4775	-0.0825	0.2475	0.2475	-0.225	-0.0125	0.1225	0.1325	-0.0375	0.0425	0.0475	0.1675
retinamnist	retinamnist	vit-b16	test	kemeny	400	0.065	0.04	0.3575	0.4725	-0.13	0.2575	0.3475	-0.2425	-0.06	0.1025	0.2175	-0.04	-0.025	0.02	0.1625
retinamnist	retinamnist	vit	test	rrf	400	0.04	0.0425	0.375	0.4675	-0.1225	0.255	0.3	-0.2475	-0.0325	0.1	0.17	-0.055	0.0375	0.0125	0.1725
retinamnist	retinamnist	vit-b16	test	schulze	400	0.0575	0.0375	0.37	0.4675	-0.13	0.24	0.3	-0.2575	-0.04	0.1025	0.1825	-0.055	0	0.0225	0.1625

Table 14: RetinaMNIST–ViT-B/16 results.

dataset	model	architecture	replit	method	R Cbar s	R F a	R Fbar a	R C a	R Cbar a	F perturbed g	Fbar perturbed g	C perturbed g	Cbar perturbed g	F perturbed p	Fbar perturbed p	C perturbed p	Cbar perturbed p	F perturbed s	Fbar perturbed s	C perturbed s
retinamnist	retinamnist	vit	test	best_individual	0.116	-0.0075	0.005	-0.0125	0.0175	-0.0925	-0.23	0.6225	0.735	-0.0275	-0.0875	0.5175	0.555	0.0225	-0.005	0.57
retinamnist	retinamnist	vit	test	simpleavg	-0.0925	0.015	-0.035	-0.0125	0.0075	-0.035	-0.1925	0.6725	0.715	0	-0.085	0.565	0.5325	0.0625	-0.0175	0.575
retinamnist	retinamnist	vit	test	borda	-0.0525	0.0325	0.005	-0.0325	0.07	-0.0575	-0.195	0.6275	0.7025	0.0125	-0.07	0.5125	0.515	0.0675	0.005	0.5475
retinamnist	retinamnist	vit	test	kemeny	-0.055	-0.0125	0.0075	-0.04	0.0575	-0.065	-0.2175	0.705	0.715	0.005	-0.0625	0.575	0.5125	0.04	0.02	0.52
retinamnist	retinamnist	vit	test	rrf	-0.06	0.005	-0.005	-0.05	0.0475	-0.0825	-0.2125	0.675	0.715	0.0075	-0.0575	0.545	0.5225	0.0775	0.03	0.5475
retinamnist	retinamnist	vit	test	schulze	-0.0575	-0.0025	-0.01	-0.03	0.055	-0.0725	-0.2025	0.67	0.725	0.0175	-0.065	0.5525	0.5225	0.0575	0.015	0.5325

Table 15: RetinaMNIST–ViT-B/16 results.

dataset	model	architecture	replit	method	Cbar perturbed s	F perturbed a	Fbar perturbed a	C perturbed a	Cbar perturbed a	selected sources
retinamnist	retinamnist vit-b16	vit	test	best_individual	0.525	0.075	0	0.41	0.3475	49065dbc 85aca24f 46602c09 e8418776 8aa45cbc 96216122 6227740a b963e756
retinamnist	retinamnist vit-b16	vit	test	simpleavg	0.525	0.03	0.0375	0.3575	0.425	
retinamnist	retinamnist vit-b16	vit	test	borda	0.53	0.0575	0.0475	0.3475	0.4075	
retinamnist	retinamnist vit-b16	vit	test	kemeny	0.5275	0.0525	0.0325	0.3175	0.415	
retinamnist	retinamnist vit-b16	vit	test	rrf	0.5275	0.045	0.0475	0.325	0.42	
retinamnist	retinamnist vit-b16	vit	test	schulze	0.525	0.055	0.0475	0.34	0.4125	

Table 16: RetinaMNIST–ViT-B/16 results.

dataset	model	method	scope	group	comparison cells	wins	vs best better	vs best equal	vs best worse	vs simpleavg better	vs simpleavg equal	vs simpleavg worse
retinamnist-vit-b16	retinamnist-vit-b16	best_individual	dataset_model	dataset_model	20	4						
retinamnist-vit-b16	retinamnist-vit-b16	simpleavg	dataset_model	dataset_model	20	5	12	1	7			
retinamnist-vit-b16	retinamnist-vit-b16	boarda	dataset_model	dataset_model	20	8	14	1	5	12	0	8
retinamnist-vit-b16	retinamnist-vit-b16	kemeny	dataset_model	dataset_model	20	4	14	0	6	10	1	9
retinamnist-vit-b16	retinamnist-vit-b16	terf	dataset_model	dataset_model	20	0	14	0	6	9	0	11
retinamnist-vit-b16	retinamnist-vit-b16	schulze	dataset_model	dataset_model	20	0	14	0	6	9	1	10
retinamnist-vit-b16	retinamnist-vit-b16	best_individual	dataset_model	dataset_model	4	3						
retinamnist-vit-b16	retinamnist-vit-b16	simpleavg	dataset_model	dataset_model	4	1	1	0	3			
retinamnist-vit-b16	retinamnist-vit-b16	boarda	dataset_model	dataset_model	4	0	0	0	4	2	0	2
retinamnist-vit-b16	retinamnist-vit-b16	kemeny	dataset_model	dataset_model	4	0	0	0	4	1	0	3
retinamnist-vit-b16	retinamnist-vit-b16	terf	dataset_model	dataset_model	4	0	0	0	4	2	0	2
retinamnist-vit-b16	retinamnist-vit-b16	schulze	dataset_model	dataset_model	4	0	0	0	4	1	1	2
retinamnist-vit-b16	retinamnist-vit-b16	best_individual	dataset_model	dataset_model	16	1						
retinamnist-vit-b16	retinamnist-vit-b16	simpleavg	dataset_model	dataset_model	16	4	11	1	4			
retinamnist-vit-b16	retinamnist-vit-b16	boarda	dataset_model	dataset_model	16	8	14	1	1	10	0	6
retinamnist-vit-b16	retinamnist-vit-b16	kemeny	dataset_model	dataset_model	16	4	14	0	2	9	1	6
retinamnist-vit-b16	retinamnist-vit-b16	terf	dataset_model	dataset_model	16	0	14	0	2	7	0	9
retinamnist-vit-b16	retinamnist-vit-b16	schulze	dataset_model	dataset_model	16	0	14	0	2	8	0	8
retinamnist-vit-b16	retinamnist-vit-b16	best_individual	dataset_model	dataset_model	4	0						
retinamnist-vit-b16	retinamnist-vit-b16	simpleavg	dataset_model	dataset_model	4	1	3	0	1			
retinamnist-vit-b16	retinamnist-vit-b16	boarda	dataset_model	dataset_model	4	1	4	0	0	2	0	2
retinamnist-vit-b16	retinamnist-vit-b16	kemeny	dataset_model	dataset_model	4	2	4	0	0	3	0	1
retinamnist-vit-b16	retinamnist-vit-b16	terf	dataset_model	dataset_model	4	0	4	0	0	2	0	2
retinamnist-vit-b16	retinamnist-vit-b16	schulze	dataset_model	dataset_model	4	0	4	0	0	2	0	2
retinamnist-vit-b16	retinamnist-vit-b16	best_individual	dataset_model	dataset_model	4	0						
retinamnist-vit-b16	retinamnist-vit-b16	simpleavg	dataset_model	dataset_model	4	0	3	0	1			
retinamnist-vit-b16	retinamnist-vit-b16	boarda	dataset_model	dataset_model	4	3	4	0	0	3	0	1
retinamnist-vit-b16	retinamnist-vit-b16	kemeny	dataset_model	dataset_model	4	1	4	0	0	3	0	1
retinamnist-vit-b16	retinamnist-vit-b16	terf	dataset_model	dataset_model	4	0	4	0	0	2	0	2
retinamnist-vit-b16	retinamnist-vit-b16	schulze	dataset_model	dataset_model	4	0	4	0	0	2	0	2
retinamnist-vit-b16	retinamnist-vit-b16	best_individual	dataset_model	dataset_model	4	0						
retinamnist-vit-b16	retinamnist-vit-b16	simpleavg	dataset_model	dataset_model	4	2	4	0	0			
retinamnist-vit-b16	retinamnist-vit-b16	boarda	dataset_model	dataset_model	4	2	4	0	0	2	0	2
retinamnist-vit-b16	retinamnist-vit-b16	kemeny	dataset_model	dataset_model	4	0	4	0	0	1	1	2
retinamnist-vit-b16	retinamnist-vit-b16	terf	dataset_model	dataset_model	4	0	4	0	0	1	0	3
retinamnist-vit-b16	retinamnist-vit-b16	schulze	dataset_model	dataset_model	4	0	4	0	0	2	0	2

dataset	model	method	scope	group	comparison cells	vs wins	vs best better	vs best equal	vs best worse	vs simpleavg better	vs simpleavg equal	vs simpleavg worse
retinamnist	retinamnist	best_indiv	dataset_m	adversarial	4	1						
retinamnist	retinamnist	simpleavg	dataset_m	adversarial	4	1	1	1	2			
retinamnist	retinamnist	borda	dataset_m	adversarial	4	2	2	1	1	3	0	1
retinamnist	retinamnist	kemeny	dataset_m	adversarial	4	1	2	0	2	2	0	2
retinamnist	retinamnist	rrf	dataset_m	adversarial	4	0	2	0	2	2	0	2
retinamnist	retinamnist	schulze	dataset_m	adversarial	4	0	2	0	2	2	0	2
		best_indiv	overall	all	20	4						
		simpleavg	overall	all	20	5	12	1	7			
		borda	overall	all	20	8	14	1	5	12	0	8
		kemeny	overall	all	20	4	14	0	6	10	1	9
		rrf	overall	all	20	0	14	0	6	9	0	11
		schulze	overall	all	20	0	14	0	6	9	1	10
		best_indiv	quality	all	4	3						
		simpleavg	overall	quality	4	1	1	0	3			
		borda	overall	quality	4	0	0	0	4	2	0	2
		kemeny	overall	quality	4	0	0	0	4	1	0	3
		rrf	overall	quality	4	0	0	0	4	2	0	2
		schulze	overall	quality	4	0	0	0	4	1	1	2
		best_indiv	robustness_all 16	all	16	1						
		simpleavg	overall	robustness_all 16	16	4	11	1	4			
		borda	overall	robustness_all 16	16	8	14	1	1	10	0	6
		kemeny	overall	robustness_all 16	16	4	14	0	2	9	1	6
		rrf	overall	robustness_all 16	16	0	14	0	2	7	0	9
		schulze	overall	robustness_all 16	16	0	14	0	2	8	0	8
		best_indiv	gaussian	all	4	0						
		simpleavg	overall	gaussian	4	1	3	0	1			
		borda	overall	gaussian	4	1	4	0	0	2	0	2
		kemeny	overall	gaussian	4	2	4	0	0	3	0	1
		rrf	overall	gaussian	4	0	4	0	0	2	0	2
		schulze	overall	gaussian	4	0	4	0	0	2	0	2
		best_indiv	salt_pepper	all	4	0						
		simpleavg	overall	salt_pepper	4	0	3	0	1			
		borda	overall	salt_pepper	4	3	4	0	0	3	0	1
		kemeny	overall	salt_pepper	4	1	4	0	0	3	0	1
		rrf	overall	salt_pepper	4	0	4	0	0	2	0	2
		schulze	overall	salt_pepper	4	0	4	0	0	2	0	2
		best_indiv	speckle	all	4	0						
		simpleavg	overall	speckle	4	2	4	0	0			
		borda	overall	speckle	4	2	4	0	0	2	0	2
		kemeny	overall	speckle	4	0	4	0	0	1	1	2
		rrf	overall	speckle	4	0	4	0	0	1	0	3
		schulze	overall	speckle	4	0	4	0	0	2	0	2
		best_indiv	adversarial	all	4	1						
		simpleavg	overall	adversarial	4	1	1	1	2			
		borda	overall	adversarial	4	2	2	1	1	3	0	1
		kemeny	overall	adversarial	4	1	2	0	2	2	0	2
		rrf	overall	adversarial	4	0	2	0	2	2	0	2
		schulze	overall	adversarial	4	0	2	0	2	2	0	2

Table 17: RetinaMNIST–ViT-B/16 results.

cell	dataset	model	q	geometry	geometry label	center rule	rule	method prefix	quality	perturbed quality	robustness
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	3	spearman	NOISE-S	borda	SimpleAvg	["Saliency",{"C":0.265,"Cbar":0.16,"F":0.05,"Fbar":0.13}]]	0.16	0.265	0.13
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	3	spearman	NOISE-S	borda	Borda	["Saliency",{"C":0.265,"Cbar":0.16,"F":0.05,"Fbar":0.13}]]	0.16	0.265	0.13
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	3	spearman	NOISE-S	borda	RRF	["Saliency",{"C":0.265,"Cbar":0.16,"F":0.05,"Fbar":0.13}]]	0.16	0.265	0.13
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	3	spearman	NOISE-S	borda	Kemeny	["Saliency",{"C":0.265,"Cbar":0.16,"F":0.05,"Fbar":0.13}]]	0.16	0.265	0.13
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	3	spearman	NOISE-S	borda	Schulze	["Saliency",{"C":0.265,"Cbar":0.16,"F":0.05,"Fbar":0.13}]]	0.16	0.265	0.13

Table 18: RetinaMNIST–ViT-B/16 results.

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	2	adversaria sara-2- 255	C	borda	conditioned	0.9425	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	3	adversaria sara-2- 255	C	borda	conditioned	0.9385	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	4	adversaria sara-2- 255	C	borda	conditioned	0.9505	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	5	adversaria sara-2- 255	C	borda	conditioned	0.9325	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	6	adversaria sara-2- 255	C	borda	conditioned	0.9115	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	7	adversaria sara-2- 255	C	borda	conditioned	0.9315	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	8	adversaria sara-2- 255	C	borda	conditioned	0.9375	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	9	adversaria sara-2- 255	C	borda	conditioned	0.9625	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	10	adversaria sara-2- 255	C	borda	conditioned	0.9515	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	11	adversaria sara-2- 255	C	borda	conditioned	0.9425	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	12	adversaria sara-2- 255	C	kemeny	conditioned	0.9425	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	13	adversaria sara-2- 255	C	kemeny	conditioned	0.9425	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	14	adversaria sara-2- 255	C	kemeny	conditioned	0.9615	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	15	adversaria sara-2- 255	C	kemeny	conditioned	0.9505	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	16	adversaria sara-2- 255	C	kemeny	conditioned	0.9315	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	17	adversaria sara-2- 255	C	kemeny	conditioned	0.9325	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	18	adversaria sara-2- 255	C	kemeny	conditioned	0.9305	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	19	adversaria sara-2- 255	C	kemeny	conditioned	0.9005	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	20	adversaria sara-2- 255	C	kemeny	conditioned	0.9005	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	21	adversaria sara-2- 255	C	kemeny	conditioned	0.9425	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	22	adversaria sara-2- 255	C	rrf	conditioned	0.9425	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	23	adversaria sara-2- 255	C	rrf	conditioned	0.9325	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	24	adversaria sara-2- 255	C	rrf	conditioned	0.9405	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	25	adversaria sara-2- 255	C	rrf	conditioned	0.9705	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix	
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	1	adversarial	Fbar	simpleavg	conditioned	0.9875	True	["Saliency",	"InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	2	gaussian-0.15	C	borda	conditioned	0.6225	False	["Saliency",	"InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	3	gaussian-0.15	C	borda	conditioned	0.655	False	["Saliency",	"InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	4	gaussian-0.15	C	borda	conditioned	0.6425	False	["Saliency",	"InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	5	gaussian-0.15	C	borda	conditioned	0.65	False	["Saliency",	"InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	6	gaussian-0.15	C	borda	conditioned	0.6425	False	["Saliency",	"InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	7	gaussian-0.15	C	borda	conditioned	0.6525	False	["Saliency",	"InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	8	gaussian-0.15	C	borda	conditioned	0.65	False	["Saliency",	"InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	9	gaussian-0.15	C	borda	conditioned	0.6425	False	["Saliency",	"InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	10	gaussian-0.15	C	borda	conditioned	0.63	False	["Saliency",	"InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	11	gaussian-0.15	C	borda	conditioned	0.6225	True	["Saliency",	"InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	12	gaussian-0.15	C	kemeny	conditioned	0.6225	False	["Saliency",	"InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	13	gaussian-0.15	C	kemeny	conditioned	0.63	False	["Saliency",	"InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	14	gaussian-0.15	C	kemeny	conditioned	0.65	False	["Saliency",	"InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	15	gaussian-0.15	C	kemeny	conditioned	0.6525	False	["Saliency",	"InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	16	gaussian-0.15	C	kemeny	conditioned	0.66	False	["Saliency",	"InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	17	gaussian-0.15	C	kemeny	conditioned	0.68	False	["Saliency",	"InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	18	gaussian-0.15	C	kemeny	conditioned	0.66	False	["Saliency",	"InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	19	gaussian-0.15	C	kemeny	conditioned	0.69	False	["Saliency",	"InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	20	gaussian-0.15	C	kemeny	conditioned	0.69	False	["Saliency",	"InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	21	gaussian-0.15	C	kemeny	conditioned	0.70	True	["Saliency",	"InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	22	gaussian-0.15	C	rrf	conditioned	0.63	False	["Saliency",	"InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	23	gaussian-0.15	C	rrf	conditioned	0.6325	False	["Saliency",	"InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	24	gaussian-0.15	C	rrf	conditioned	0.65	False	["Saliency",	"InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	25	gaussian-0.15	C	rrf	conditioned	0.6525	False	["Saliency",	"InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]

[illegible]

[illegible]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	1	gaussian- 0.15	Cbar	simpleavg	conditioned	1.0411	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	2	gaussian- 0.15	F	borda	conditioned	1.0351	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	3	gaussian- 0.15	F	borda	conditioned	1.0371	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	4	gaussian- 0.15	F	borda	conditioned	1.0381	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	5	gaussian- 0.15	F	borda	conditioned	1.0575	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	6	gaussian- 0.15	F	borda	conditioned	1.0675	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	7	gaussian- 0.15	F	borda	conditioned	1.0351	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	8	gaussian- 0.15	F	borda	conditioned	1.0825	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	9	gaussian- 0.15	F	borda	conditioned	1.0381	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	10	gaussian- 0.15	F	borda	conditioned	1.0371	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	11	gaussian- 0.15	F	borda	conditioned	1.0575	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	12	gaussian- 0.15	F	kemeny	conditioned	1.0351	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	13	gaussian- 0.15	F	kemeny	conditioned	1.0825	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	14	gaussian- 0.15	F	kemeny	conditioned	1.0391	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	15	gaussian- 0.15	F	kemeny	conditioned	1.0825	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	16	gaussian- 0.15	F	kemeny	conditioned	1.0351	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	17	gaussian- 0.15	F	kemeny	conditioned	1.0391	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	18	gaussian- 0.15	F	kemeny	conditioned	1.0381	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	19	gaussian- 0.15	F	kemeny	conditioned	1.0775	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	20	gaussian- 0.15	F	kemeny	conditioned	1.0675	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	21	gaussian- 0.15	F	kemeny	conditioned	1.0351	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	22	gaussian- 0.15	F	rrf	conditioned	1.0925	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	23	gaussian- 0.15	F	rrf	conditioned	1.0825	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	24	gaussian- 0.15	F	rrf	conditioned	1.0825	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	25	gaussian- 0.15	F	rrf	conditioned	1.0875	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]

[illegible]

[illegible]

[illegible]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	1	gaussian- 0.15	Fbar	simpleavg	conditioned	10.4925	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	2	salt- pepper- 0.05	C	borda	conditioned	10.5161	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	3	salt- pepper- 0.05	C	borda	conditioned	10.5025	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	4	salt- pepper- 0.05	C	borda	conditioned	10.5081	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	5	salt- pepper- 0.05	C	borda	conditioned	10.5441	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	6	salt- pepper- 0.05	C	borda	conditioned	10.5425	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	7	salt- pepper- 0.05	C	borda	conditioned	10.5561	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	8	salt- pepper- 0.05	C	borda	conditioned	10.5705	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	9	salt- pepper- 0.05	C	borda	conditioned	10.5921	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	10	salt- pepper- 0.05	C	borda	conditioned	10.5161	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	11	salt- pepper- 0.05	C	borda	conditioned	10.5425	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	12	salt- pepper- 0.05	C	kemeny	conditioned	10.5161	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	13	salt- pepper- 0.05	C	kemeny	conditioned	10.5531	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	14	salt- pepper- 0.05	C	kemeny	conditioned	10.5025	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	15	salt- pepper- 0.05	C	kemeny	conditioned	10.5425	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	16	salt- pepper- 0.05	C	kemeny	conditioned	10.5081	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	17	salt- pepper- 0.05	C	kemeny	conditioned	10.5425	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	18	salt- pepper- 0.05	C	kemeny	conditioned	10.5425	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	19	salt- pepper- 0.05	C	kemeny	conditioned	10.5705	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	20	salt- pepper- 0.05	C	kemeny	conditioned	10.5625	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	21	salt- pepper- 0.05	C	kemeny	conditioned	10.5705	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	22	salt- pepper- 0.05	C	rrf	conditioned	10.5025	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	23	salt- pepper- 0.05	C	rrf	conditioned	10.5081	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	24	salt- pepper- 0.05	C	rrf	conditioned	10.5025	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	25	salt- pepper- 0.05	C	rrf	conditioned	10.5525	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	1	speckle- 0.15	Fbar	simpleavg	conditioned	1.0475	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	2	clean	C	borda	quality	0.2825	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	3	clean	C	borda	quality	0.2875	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	4	clean	C	borda	quality	0.2925	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	5	clean	C	borda	quality	0.3025	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	6	clean	C	borda	quality	0.3225	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	7	clean	C	borda	quality	0.37	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	8	clean	C	borda	quality	0.3425	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	9	clean	C	borda	quality	0.365	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	10	clean	C	borda	quality	0.3675	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	11	clean	C	borda	quality	0.38	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	12	clean	C	kemeny	quality	0.2825	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	13	clean	C	kemeny	quality	0.2825	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	14	clean	C	kemeny	quality	0.28	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	15	clean	C	kemeny	quality	0.2875	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	16	clean	C	kemeny	quality	0.3275	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	17	clean	C	kemeny	quality	0.35	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	18	clean	C	kemeny	quality	0.34	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	19	clean	C	kemeny	quality	0.3475	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	20	clean	C	kemeny	quality	0.3675	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	21	clean	C	kemeny	quality	0.3575	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	22	clean	C	rrf	quality	0.28	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	23	clean	C	rrf	quality	0.285	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	24	clean	C	rrf	quality	0.28	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	25	clean	C	rrf	quality	0.32	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	1	clean	C	simpleavg	quality	0.37	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	2	clean	Cbar	borda	quality	0.6075	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	3	clean	Cbar	borda	quality	0.535	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	4	clean	Cbar	borda	quality	0.5275	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	5	clean	Cbar	borda	quality	0.5125	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	6	clean	Cbar	borda	quality	0.4925	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	7	clean	Cbar	borda	quality	0.4775	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	8	clean	Cbar	borda	quality	0.4775	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	9	clean	Cbar	borda	quality	0.465	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	10	clean	Cbar	borda	quality	0.465	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	11	clean	Cbar	borda	quality	0.4775	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	12	clean	Cbar	kemeny	quality	0.6075	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	13	clean	Cbar	kemeny	quality	0.595	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	14	clean	Cbar	kemeny	quality	0.53	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	15	clean	Cbar	kemeny	quality	0.52	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	16	clean	Cbar	kemeny	quality	0.5125	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	17	clean	Cbar	kemeny	quality	0.4975	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	18	clean	Cbar	kemeny	quality	0.5125	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	19	clean	Cbar	kemeny	quality	0.5	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	20	clean	Cbar	kemeny	quality	0.49	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	21	clean	Cbar	kemeny	quality	0.4725	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	22	clean	Cbar	rrf	quality	0.605	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	23	clean	Cbar	rrf	quality	0.5425	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	24	clean	Cbar	rrf	quality	0.5375	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	25	clean	Cbar	rrf	quality	0.51	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	1	clean	Cbar	simpleavg	quality	0.4325	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	2	clean	F	borda	quality	0.0875	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	3	clean	F	borda	quality	0.07	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	4	clean	F	borda	quality	0.065	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	5	clean	F	borda	quality	0.04	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	6	clean	F	borda	quality	0.03	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	7	clean	F	borda	quality	0.05	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	8	clean	F	borda	quality	0.0575	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	9	clean	F	borda	quality	0.0475	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	10	clean	F	borda	quality	0.045	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	11	clean	F	borda	quality	0.025	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	12	clean	F	kemeny	quality	0.0875	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	13	clean	F	kemeny	quality	0.0825	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	14	clean	F	kemeny	quality	0.07	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	15	clean	F	kemeny	quality	0.0575	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	16	clean	F	kemeny	quality	0.0675	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	17	clean	F	kemeny	quality	0.0675	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	18	clean	F	kemeny	quality	0.0675	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	19	clean	F	kemeny	quality	0.0525	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	20	clean	F	kemeny	quality	0.0525	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	21	clean	F	kemeny	quality	0.065	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	22	clean	F	rrf	quality	0.085	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	23	clean	F	rrf	quality	0.0725	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	24	clean	F	rrf	quality	0.0675	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	25	clean	F	rrf	quality	0.08	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]

[illegible]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	1	clean	F	simpleavg	quality	0.015	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	2	clean	Fbar	borda	quality	0.175	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	3	clean	Fbar	borda	quality	0.125	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	4	clean	Fbar	borda	quality	0.1025	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	5	clean	Fbar	borda	quality	0.0525	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	6	clean	Fbar	borda	quality	0.0425	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	7	clean	Fbar	borda	quality	0.035	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	8	clean	Fbar	borda	quality	0.05	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	9	clean	Fbar	borda	quality	0.035	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	10	clean	Fbar	borda	quality	0.0475	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	11	clean	Fbar	borda	quality	0.0525	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	12	clean	Fbar	kemeny	quality	0.175	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	13	clean	Fbar	kemeny	quality	0.1825	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	14	clean	Fbar	kemeny	quality	0.1075	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	15	clean	Fbar	kemeny	quality	0.1025	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	16	clean	Fbar	kemeny	quality	0.07	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	17	clean	Fbar	kemeny	quality	0.065	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	18	clean	Fbar	kemeny	quality	0.055	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	19	clean	Fbar	kemeny	quality	0.0475	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	20	clean	Fbar	kemeny	quality	0.04	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	21	clean	Fbar	kemeny	quality	0.04	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	22	clean	Fbar	rrf	quality	0.1775	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	23	clean	Fbar	rrf	quality	0.1325	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	24	clean	Fbar	rrf	quality	0.105	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	25	clean	Fbar	rrf	quality	0.0775	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]

[illegible]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	1	clean	Fbar	simpleavg	quality	0.0025	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	2	adversaria	C	borda	robustness	-0.04	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	3	adversaria	C	borda	robustness	-0.0525	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	4	adversaria	C	borda	robustness	-0.0375	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	5	adversaria	C	borda	robustness	-0.01	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	6	adversaria	C	borda	robustness	-0.0075	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	7	adversaria	C	borda	robustness	-0.04	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	8	adversaria	C	borda	robustness	-0.015	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	9	adversaria	C	borda	robustness	-0.0025	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	10	adversaria	C	borda	robustness	-0.0175	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	11	adversaria	C	borda	robustness	-0.0325	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	12	adversaria	C	kemeny	robustness	-0.04	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	13	adversaria	C	kemeny	robustness	-0.04	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	14	adversaria	C	kemeny	robustness	-0.02	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	15	adversaria	C	kemeny	robustness	-0.0325	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	16	adversaria	C	kemeny	robustness	-0.0375	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	17	adversaria	C	kemeny	robustness	-0.0575	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	18	adversaria	C	kemeny	robustness	-0.045	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	19	adversaria	C	kemeny	robustness	-0.0425	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	20	adversaria	C	kemeny	robustness	-0.0625	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	21	adversaria	C	kemeny	robustness	-0.04	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	22	adversaria	C	rrf	robustness	-0.0375	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	23	adversaria	C	rrf	robustness	-0.0525	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	24	adversaria	C	rrf	robustness	-0.035	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	25	adversaria	C	rrf	robustness	-0.045	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]

[illegible]

[illegible]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	1	adversaria sara-2- 255	Fbar	simpleavg	robustness	-0.035	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	2	gaussian- 0.15	C	borda	robustness	0.34	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	3	gaussian- 0.15	C	borda	robustness	0.3675	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	4	gaussian- 0.15	C	borda	robustness	0.35	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	5	gaussian- 0.15	C	borda	robustness	0.3475	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	6	gaussian- 0.15	C	borda	robustness	0.32	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	7	gaussian- 0.15	C	borda	robustness	0.2825	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	8	gaussian- 0.15	C	borda	robustness	0.3075	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	9	gaussian- 0.15	C	borda	robustness	0.2775	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	10	gaussian- 0.15	C	borda	robustness	0.2625	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	11	gaussian- 0.15	C	borda	robustness	0.2475	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	12	gaussian- 0.15	C	kemeny	robustness	0.34	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	13	gaussian- 0.15	C	kemeny	robustness	0.3375	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	14	gaussian- 0.15	C	kemeny	robustness	0.37	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	15	gaussian- 0.15	C	kemeny	robustness	0.37	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	16	gaussian- 0.15	C	kemeny	robustness	0.3325	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	17	gaussian- 0.15	C	kemeny	robustness	0.33	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	18	gaussian- 0.15	C	kemeny	robustness	0.325	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	19	gaussian- 0.15	C	kemeny	robustness	0.3475	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	20	gaussian- 0.15	C	kemeny	robustness	0.3225	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	21	gaussian- 0.15	C	kemeny	robustness	0.3475	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	22	gaussian- 0.15	C	rrf	robustness	0.35	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	23	gaussian- 0.15	C	rrf	robustness	0.3475	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	24	gaussian- 0.15	C	rrf	robustness	0.37	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	25	gaussian- 0.15	C	rrf	robustness	0.3325	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]

[illegible]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	1	gaussian- 0.15	F	simpleavg	robustness	-0.05	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	2	gaussian- 0.15	Fbar	borda	robustness	0.3625	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	3	gaussian- 0.15	Fbar	borda	robustness	0.3125	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	4	gaussian- 0.15	Fbar	borda	robustness	0.305	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	5	gaussian- 0.15	Fbar	borda	robustness	0.2525	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	6	gaussian- 0.15	Fbar	borda	robustness	0.24	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	7	gaussian- 0.15	Fbar	borda	robustness	0.245	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	8	gaussian- 0.15	Fbar	borda	robustness	0.2525	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	9	gaussian- 0.15	Fbar	borda	robustness	0.2375	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	10	gaussian- 0.15	Fbar	borda	robustness	0.2525	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	11	gaussian- 0.15	Fbar	borda	robustness	0.2475	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	12	gaussian- 0.15	Fbar	kemeny	robustness	0.3625	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	13	gaussian- 0.15	Fbar	kemeny	robustness	0.3725	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	14	gaussian- 0.15	Fbar	kemeny	robustness	0.31	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	15	gaussian- 0.15	Fbar	kemeny	robustness	0.3225	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	16	gaussian- 0.15	Fbar	kemeny	robustness	0.2825	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	17	gaussian- 0.15	Fbar	kemeny	robustness	0.2825	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	18	gaussian- 0.15	Fbar	kemeny	robustness	0.27	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	19	gaussian- 0.15	Fbar	kemeny	robustness	0.2575	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	20	gaussian- 0.15	Fbar	kemeny	robustness	0.245	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	21	gaussian- 0.15	Fbar	kemeny	robustness	0.2575	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	22	gaussian- 0.15	Fbar	rrf	robustness	0.365	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	23	gaussian- 0.15	Fbar	rrf	robustness	0.3225	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	24	gaussian- 0.15	Fbar	rrf	robustness	0.3025	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	25	gaussian- 0.15	Fbar	rrf	robustness	0.285	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	1	gaussian- 0.15	Fbar	simpleavg	robustness	0.195	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	2	salt- pepper- 0.05	C	borda	robustness	0.2325	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	3	salt- pepper- 0.05	C	borda	robustness	0.235	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	4	salt- pepper- 0.05	C	borda	robustness	0.2425	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	5	salt- pepper- 0.05	C	borda	robustness	0.2425	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	6	salt- pepper- 0.05	C	borda	robustness	0.22	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	7	salt- pepper- 0.05	C	borda	robustness	0.19	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	8	salt- pepper- 0.05	C	borda	robustness	0.165	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	9	salt- pepper- 0.05	C	borda	robustness	0.16	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	10	salt- pepper- 0.05	C	borda	robustness	0.1475	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	11	salt- pepper- 0.05	C	borda	robustness	0.1325	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	12	salt- pepper- 0.05	C	kemeny	robustness	0.2325	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	13	salt- pepper- 0.05	C	kemeny	robustness	0.2475	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	14	salt- pepper- 0.05	C	kemeny	robustness	0.2525	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	15	salt- pepper- 0.05	C	kemeny	robustness	0.255	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	16	salt- pepper- 0.05	C	kemeny	robustness	0.2075	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	17	salt- pepper- 0.05	C	kemeny	robustness	0.1975	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	18	salt- pepper- 0.05	C	kemeny	robustness	0.2075	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	19	salt- pepper- 0.05	C	kemeny	robustness	0.225	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	20	salt- pepper- 0.05	C	kemeny	robustness	0.2	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	21	salt- pepper- 0.05	C	kemeny	robustness	0.2175	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	22	salt- pepper- 0.05	C	rrf	robustness	0.245	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	23	salt- pepper- 0.05	C	rrf	robustness	0.25	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	24	salt- pepper- 0.05	C	rrf	robustness	0.2575	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	25	salt- pepper- 0.05	C	rrf	robustness	0.2325	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]

[illegible]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	1	salt- pepper- 0.05	Cbar	simpleavg	robustness	-0.1	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	2	salt- pepper- 0.05	F	borda	robustness	-0.1025	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	3	salt- pepper- 0.05	F	borda	robustness	-0.0875	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	4	salt- pepper- 0.05	F	borda	robustness	-0.0825	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	5	salt- pepper- 0.05	F	borda	robustness	-0.0175	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	6	salt- pepper- 0.05	F	borda	robustness	-0.005	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	7	salt- pepper- 0.05	F	borda	robustness	-0.02	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	8	salt- pepper- 0.05	F	borda	robustness	-0.0375	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	9	salt- pepper- 0.05	F	borda	robustness	-0.0525	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	10	salt- pepper- 0.05	F	borda	robustness	-0.035	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	11	salt- pepper- 0.05	F	borda	robustness	-0.0125	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	12	salt- pepper- 0.05	F	kemeny	robustness	-0.1025	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	13	salt- pepper- 0.05	F	kemeny	robustness	-0.1025	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	14	salt- pepper- 0.05	F	kemeny	robustness	-0.09	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	15	salt- pepper- 0.05	F	kemeny	robustness	-0.05	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	16	salt- pepper- 0.05	F	kemeny	robustness	-0.0775	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	17	salt- pepper- 0.05	F	kemeny	robustness	-0.0625	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	18	salt- pepper- 0.05	F	kemeny	robustness	-0.0675	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	19	salt- pepper- 0.05	F	kemeny	robustness	-0.0375	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	20	salt- pepper- 0.05	F	kemeny	robustness	-0.0575	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	21	salt- pepper- 0.05	F	kemeny	robustness	-0.06	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	22	salt- pepper- 0.05	F	rrf	robustness	-0.0975	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	23	salt- pepper- 0.05	F	rrf	robustness	-0.0775	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	24	salt- pepper- 0.05	F	rrf	robustness	-0.09	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	25	salt- pepper- 0.05	F	rrf	robustness	-0.075	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]

[illegible]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	1	salt- pepper- 0.05	Fbar	simpleavg	robustness	0.0875	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	2	speckle- 0.15	C	borda	robustness	0.1775	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	3	speckle- 0.15	C	borda	robustness	0.18	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	4	speckle- 0.15	C	borda	robustness	0.175	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	5	speckle- 0.15	C	borda	robustness	0.2325	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	6	speckle- 0.15	C	borda	robustness	0.2125	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	7	speckle- 0.15	C	borda	robustness	0.17	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	8	speckle- 0.15	C	borda	robustness	0.1925	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	9	speckle- 0.15	C	borda	robustness	0.2	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	10	speckle- 0.15	C	borda	robustness	0.165	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	11	speckle- 0.15	C	borda	robustness	0.1675	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	12	speckle- 0.15	C	kemeny	robustness	0.1775	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	13	speckle- 0.15	C	kemeny	robustness	0.1875	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	14	speckle- 0.15	C	kemeny	robustness	0.1775	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	15	speckle- 0.15	C	kemeny	robustness	0.2175	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	16	speckle- 0.15	C	kemeny	robustness	0.185	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	17	speckle- 0.15	C	kemeny	robustness	0.1675	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	18	speckle- 0.15	C	kemeny	robustness	0.1775	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	19	speckle- 0.15	C	kemeny	robustness	0.17	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	20	speckle- 0.15	C	kemeny	robustness	0.1475	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	21	speckle- 0.15	C	kemeny	robustness	0.1625	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	22	speckle- 0.15	C	rrf	robustness	0.1775	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	23	speckle- 0.15	C	rrf	robustness	0.1825	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	24	speckle- 0.15	C	rrf	robustness	0.1875	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	25	speckle- 0.15	C	rrf	robustness	0.19	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	1	speckle- 0.15	C	simpleavg	robustness	0.205	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	2	speckle- 0.15	Cbar	borda	robustness	0.0725	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	3	speckle- 0.15	Cbar	borda	robustness	0.015	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	4	speckle- 0.15	Cbar	borda	robustness	-0.0075	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	5	speckle- 0.15	Cbar	borda	robustness	-0.005	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	6	speckle- 0.15	Cbar	borda	robustness	-0.0275	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	7	speckle- 0.15	Cbar	borda	robustness	-0.0475	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	8	speckle- 0.15	Cbar	borda	robustness	-0.04	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	9	speckle- 0.15	Cbar	borda	robustness	-0.0375	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	10	speckle- 0.15	Cbar	borda	robustness	-0.07	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	11	speckle- 0.15	Cbar	borda	robustness	-0.0525	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	12	speckle- 0.15	Cbar	kemeny	robustness	0.0725	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	13	speckle- 0.15	Cbar	kemeny	robustness	0.05	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	14	speckle- 0.15	Cbar	kemeny	robustness	-0.005	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	15	speckle- 0.15	Cbar	kemeny	robustness	-0.015	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	16	speckle- 0.15	Cbar	kemeny	robustness	-0.01	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	17	speckle- 0.15	Cbar	kemeny	robustness	-0.03	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	18	speckle- 0.15	Cbar	kemeny	robustness	0	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	19	speckle- 0.15	Cbar	kemeny	robustness	-0.0225	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	20	speckle- 0.15	Cbar	kemeny	robustness	-0.04	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	21	speckle- 0.15	Cbar	kemeny	robustness	-0.055	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	22	speckle- 0.15	Cbar	rrf	robustness	0.06	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	23	speckle- 0.15	Cbar	rrf	robustness	0.0125	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	24	speckle- 0.15	Cbar	rrf	robustness	0.02	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	25	speckle- 0.15	Cbar	rrf	robustness	-0.0225	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]

[illegible]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	1	speckle- 0.15	Cbar	simpleavg	robustness	-0.0925	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	2	speckle- 0.15	F	borda	robustness	-0.085	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	3	speckle- 0.15	F	borda	robustness	-0.0175	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	4	speckle- 0.15	F	borda	robustness	-0.01	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	5	speckle- 0.15	F	borda	robustness	0.02	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	6	speckle- 0.15	F	borda	robustness	0.01	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	7	speckle- 0.15	F	borda	robustness	-0.0075	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	8	speckle- 0.15	F	borda	robustness	-0.0075	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	9	speckle- 0.15	F	borda	robustness	0.025	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	10	speckle- 0.15	F	borda	robustness	0.0225	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	11	speckle- 0.15	F	borda	robustness	0.0425	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	12	speckle- 0.15	F	kemeny	robustness	-0.085	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	13	speckle- 0.15	F	kemeny	robustness	-0.05	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	14	speckle- 0.15	F	kemeny	robustness	-0.0175	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	15	speckle- 0.15	F	kemeny	robustness	0.0225	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	16	speckle- 0.15	F	kemeny	robustness	0.005	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	17	speckle- 0.15	F	kemeny	robustness	0.0075	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	18	speckle- 0.15	F	kemeny	robustness	-0.01	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	19	speckle- 0.15	F	kemeny	robustness	0.0075	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	20	speckle- 0.15	F	kemeny	robustness	0.0125	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	21	speckle- 0.15	F	kemeny	robustness	-0.025	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	22	speckle- 0.15	F	rrf	robustness	-0.0875	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	23	speckle- 0.15	F	rrf	robustness	-0.01	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	24	speckle- 0.15	F	rrf	robustness	-0.0225	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	25	speckle- 0.15	F	rrf	robustness	-0.02	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	1	speckle- 0.15	F	simpleavg	robustness	0.0475	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	2	speckle- 0.15	Fbar	borda	robustness	0.145	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	3	speckle- 0.15	Fbar	borda	robustness	0.1125	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	4	speckle- 0.15	Fbar	borda	robustness	0.09	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	5	speckle- 0.15	Fbar	borda	robustness	0.0575	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	6	speckle- 0.15	Fbar	borda	robustness	0.045	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	7	speckle- 0.15	Fbar	borda	robustness	0.0325	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	8	speckle- 0.15	Fbar	borda	robustness	0.045	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	9	speckle- 0.15	Fbar	borda	robustness	0.0375	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	10	speckle- 0.15	Fbar	borda	robustness	0.05	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	11	speckle- 0.15	Fbar	borda	robustness	0.0475	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	12	speckle- 0.15	Fbar	kemeny	robustness	0.145	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	13	speckle- 0.15	Fbar	kemeny	robustness	0.16	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	14	speckle- 0.15	Fbar	kemeny	robustness	0.095	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	15	speckle- 0.15	Fbar	kemeny	robustness	0.1	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	16	speckle- 0.15	Fbar	kemeny	robustness	0.0675	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	17	speckle- 0.15	Fbar	kemeny	robustness	0.06	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	18	speckle- 0.15	Fbar	kemeny	robustness	0.05	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	19	speckle- 0.15	Fbar	kemeny	robustness	0.0575	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	20	speckle- 0.15	Fbar	kemeny	robustness	0.045	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	21	speckle- 0.15	Fbar	kemeny	robustness	0.02	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	22	speckle- 0.15	Fbar	rrf	robustness	0.1525	False	["Saliency", "InputXGradient"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	23	speckle- 0.15	Fbar	rrf	robustness	0.12	False	["Saliency", "InputXGradient", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	24	speckle- 0.15	Fbar	rrf	robustness	0.1	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	25	speckle- 0.15	Fbar	rrf	robustness	0.075	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	11	speckle-0.15	Fbar	simpleavg	robustness	0.02	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransf

Table 19: RetinaMNIST–ViT-B/16 results.

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	telean	C	borda	quality	max	11	0.38	[11]	smallest_q 12	["Saliency", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "Attent
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	telean	Cbar	borda	quality	min	9	0.465	[9,10]	smallest_q 12	["Saliency", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "Attent
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	telean	F	borda	quality	max	2	0.0875	[2]	smallest_q 12	["Saliency", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	telean	Fbar	borda	quality	min	7	0.035	[7,9]	smallest_q 12	["Saliency", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	adversaria sara-2- 255	C	borda	robustness	max	9	-0.0025	[9]	smallest_q 12	["Saliency", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "Attent
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	adversaria sara-2- 255	Cbar	borda	robustness	max	2	0.085	[2]	smallest_q 12	["Saliency", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	adversaria sara-2- 255	F	borda	robustness	max	11	0.0325	[11]	smallest_q 12	["Saliency", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "Attent
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	adversaria sara-2- 255	Fbar	borda	robustness	max	2	0.0525	[2]	smallest_q 12	["Saliency", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	gaussian- 0.15	C	borda	robustness	max	3	0.3675	[3]	smallest_q 12	["Saliency", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	gaussian- 0.15	Cbar	borda	robustness	max	2	-0.1325	[2]	smallest_q 12	["Saliency", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	gaussian- 0.15	F	borda	robustness	max	11	-0.0825	[11]	smallest_q 12	["Saliency", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "Attent
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	gaussian- 0.15	Fbar	borda	robustness	max	2	0.3625	[2]	smallest_q 12	["Saliency", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	salt- pepper- 0.05	C	borda	robustness	max	4	0.2425	[4,5]	smallest_q 12	["Saliency", "IntegratedGradients", "GradientShap"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	salt- pepper- 0.05	Cbar	borda	robustness	max	2	0.08	[2]	smallest_q 12	["Saliency", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	salt- pepper- 0.05	F	borda	robustness	max	6	-0.005	[6]	smallest_q 12	["Saliency", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	salt- pepper- 0.05	Fbar	borda	robustness	max	2	0.2425	[2]	smallest_q 12	["Saliency", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	speckle- 0.15	C	borda	robustness	max	5	0.2325	[5]	smallest_q 12	["Saliency", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	speckle- 0.15	Cbar	borda	robustness	max	2	0.0725	[2]	smallest_q 12	["Saliency", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	speckle- 0.15	F	borda	robustness	max	11	0.0425	[11]	smallest_q 12	["Saliency", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "Attent
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	speckle- 0.15	Fbar	borda	robustness	max	2	0.145	[2]	smallest_q 12	["Saliency", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	telean	C	kemeny	quality	max	10	0.3675	[10]	smallest_q 12	["Saliency", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "Attent
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	telean	Cbar	kemeny	quality	min	11	0.4725	[11]	smallest_q 12	["Saliency", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "Attent
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	telean	F	kemeny	quality	max	2	0.0875	[2]	smallest_q 12	["Saliency", "IntegratedGradients"]
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	telean	Fbar	kemeny	quality	min	10	0.04	[10,11]	smallest_q 12	["Saliency", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "Attent

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	adversarial-sara-2-255	C	kemeny	robustness	max	4	-0.02	[4]	smallest_q12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	adversarial-sara-2-255	Cbar	kemeny	robustness	max	2	0.085	[2]	smallest_q12	["Saliency", "HolnetXGradient"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	adversarial-sara-2-255	F	kemeny	robustness	max	5	0.0075	[5]	smallest_q12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	adversarial-sara-2-255	Fbar	kemeny	robustness	max	2	0.0525	[2]	smallest_q12	["Saliency", "HolnetXGradient"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	gaussian-0.15	C	kemeny	robustness	max	4	0.37	[4,5]	smallest_q12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	gaussian-0.15	Cbar	kemeny	robustness	max	2	-0.1325	[2]	smallest_q12	["Saliency", "HolnetXGradient"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	gaussian-0.15	F	kemeny	robustness	max	10	-0.12	[10]	smallest_q12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionRollout"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	gaussian-0.15	Fbar	kemeny	robustness	max	3	0.3725	[3]	smallest_q12	["Saliency", "HolnetXGradient", "IntegratedGradients"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	salt-pepper-0.05	C	kemeny	robustness	max	5	0.255	[5]	smallest_q12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	salt-pepper-0.05	Cbar	kemeny	robustness	max	2	0.08	[2]	smallest_q12	["Saliency", "HolnetXGradient"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	salt-pepper-0.05	F	kemeny	robustness	max	9	-0.0375	[9]	smallest_q12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionRollout"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	salt-pepper-0.05	Fbar	kemeny	robustness	max	3	0.255	[3]	smallest_q12	["Saliency", "HolnetXGradient", "IntegratedGradients"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	speckle-0.15	C	kemeny	robustness	max	5	0.2175	[5]	smallest_q12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	speckle-0.15	Cbar	kemeny	robustness	max	2	0.0725	[2]	smallest_q12	["Saliency", "HolnetXGradient"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	speckle-0.15	F	kemeny	robustness	max	5	0.0225	[5]	smallest_q12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	speckle-0.15	Fbar	kemeny	robustness	max	3	0.16	[3]	smallest_q12	["Saliency", "HolnetXGradient", "IntegratedGradients"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	telean	C	rrf	quality	max	9	0.375	[9,11]	smallest_q12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionRollout"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	telean	Cbar	rrf	quality	min	11	0.4675	[11]	smallest_q12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionRollout"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	telean	F	rrf	quality	max	2	0.085	[2]	smallest_q12	["Saliency", "HolnetXGradient"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	telean	Fbar	rrf	quality	min	10	0.0425	[10,11]	smallest_q12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionRollout"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	adversarial-sara-2-255	C	rrf	robustness	max	10	-0.025	[10]	smallest_q12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionRollout"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	adversarial-sara-2-255	Cbar	rrf	robustness	max	2	0.09	[2]	smallest_q12	["Saliency", "HolnetXGradient"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	adversarial-sara-2-255	F	rrf	robustness	max	11	0.005	[11]	smallest_q12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionRollout"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	adversarial-sara-2-255	Fbar	rrf	robustness	max	2	0.0575	[2]	smallest_q12	["Saliency", "HolnetXGradient"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	gaussian-0.15	C	rrf	robustness	max	4	0.37	[4]	smallest_q12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap"]

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	gaussian-0.15	Cbar	rrf	robustness	max	2	-0.1375	[2]	smallest_q12	["Saliency", "HolnetXGradient"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	gaussian-0.15	F	rrf	robustness	max	11	-0.1225	[11]	smallest_q12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "Attention"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	gaussian-0.15	Fbar	rrf	robustness	max	2	0.365	[2]	smallest_q12	["Saliency", "HolnetXGradient"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	salt-pepper-0.05	C	rrf	robustness	max	4	0.2575	[4]	smallest_q12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	salt-pepper-0.05	Cbar	rrf	robustness	max	2	0.0825	[2]	smallest_q12	["Saliency", "HolnetXGradient"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	salt-pepper-0.05	F	rrf	robustness	max	7	-0.0225	[7]	smallest_q12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	salt-pepper-0.05	Fbar	rrf	robustness	max	2	0.2425	[2]	smallest_q12	["Saliency", "HolnetXGradient"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	speckle-0.15	C	rrf	robustness	max	6	0.2025	[6]	smallest_q12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	speckle-0.15	Cbar	rrf	robustness	max	2	0.06	[2]	smallest_q12	["Saliency", "HolnetXGradient"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	speckle-0.15	F	rrf	robustness	max	11	0.0375	[11]	smallest_q12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "Attention"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	speckle-0.15	Fbar	rrf	robustness	max	2	0.1525	[2]	smallest_q12	["Saliency", "HolnetXGradient"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	telean	C	schulze	quality	max	11	0.37	[11]	smallest_q12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "Attention"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	telean	Cbar	schulze	quality	min	9	0.465	[9]	smallest_q12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "Attention"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	telean	F	schulze	quality	max	2	0.0875	[2]	smallest_q12	["Saliency", "HolnetXGradient"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	telean	Fbar	schulze	quality	min	10	0.0225	[10]	smallest_q12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "Attention"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	adversarial-sara-2-255	C	schulze	robustness	max	11	-0.03	[11]	smallest_q12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "Attention"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	adversarial-sara-2-255	Cbar	schulze	robustness	max	2	0.085	[2]	smallest_q12	["Saliency", "HolnetXGradient"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	adversarial-sara-2-255	F	schulze	robustness	max	6	0.0225	[6]	smallest_q12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	adversarial-sara-2-255	Fbar	schulze	robustness	max	2	0.0525	[2]	smallest_q12	["Saliency", "HolnetXGradient"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	gaussian-0.15	C	schulze	robustness	max	4	0.3675	[4]	smallest_q12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	gaussian-0.15	Cbar	schulze	robustness	max	2	-0.1325	[2]	smallest_q12	["Saliency", "HolnetXGradient"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	gaussian-0.15	F	schulze	robustness	max	6	-0.1225	[6]	smallest_q12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	gaussian-0.15	Fbar	schulze	robustness	max	2	0.3625	[2]	smallest_q12	["Saliency", "HolnetXGradient"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	salt-pepper-0.05	C	schulze	robustness	max	4	0.255	[4]	smallest_q12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	salt-pepper-0.05	Cbar	schulze	robustness	max	2	0.08	[2]	smallest_q12	["Saliency", "HolnetXGradient"]

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	salt-pepper-0.05	F	schulze	robustness	max	10	-0.03	[10]	smallest_q_12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionRollout"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	salt-pepper-0.05	Fbar	schulze	robustness	max	2	0.2425	[2]	smallest_q_12	["Saliency", "HolnetXGradient"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	speckle-0.15	C	schulze	robustness	max	5	0.21	[5]	smallest_q_12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	speckle-0.15	Cbar	schulze	robustness	max	2	0.0725	[2]	smallest_q_12	["Saliency", "HolnetXGradient"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	speckle-0.15	F	schulze	robustness	max	10	0.0175	[10]	smallest_q_12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionRollout"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	speckle-0.15	Fbar	schulze	robustness	max	2	0.145	[2]	smallest_q_12	["Saliency", "HolnetXGradient"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	telean	C	simpleavg	quality	max	7	0.39	[7]	smallest_q_12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	telean	Cbar	simpleavg	quality	min	11	0.4325	[11]	smallest_q_12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionRollout"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	telean	F	simpleavg	quality	max	2	0.0875	[2]	smallest_q_12	["Saliency", "HolnetXGradient"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	telean	Fbar	simpleavg	quality	min	10	0	[10]	smallest_q_12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionRollout"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	adversarial-sara-2-255	C	simpleavg	robustness	max	6	0.02	[6]	smallest_q_12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	adversarial-sara-2-255	Cbar	simpleavg	robustness	max	2	0.0975	[2]	smallest_q_12	["Saliency", "HolnetXGradient"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	adversarial-sara-2-255	F	simpleavg	robustness	max	9	0.0425	[9]	smallest_q_12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionRollout"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	adversarial-sara-2-255	Fbar	simpleavg	robustness	max	2	0.0575	[2]	smallest_q_12	["Saliency", "HolnetXGradient"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	gaussian-0.15	C	simpleavg	robustness	max	3	0.3575	[3,4]	smallest_q_12	["Saliency", "HolnetXGradient", "IntegratedGradients"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	gaussian-0.15	Cbar	simpleavg	robustness	max	2	-0.1325	[2]	smallest_q_12	["Saliency", "HolnetXGradient"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	gaussian-0.15	F	simpleavg	robustness	max	11	-0.05	[11]	smallest_q_12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionRollout"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	gaussian-0.15	Fbar	simpleavg	robustness	max	2	0.3775	[2]	smallest_q_12	["Saliency", "HolnetXGradient"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	salt-pepper-0.05	C	simpleavg	robustness	max	4	0.265	[4]	smallest_q_12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	salt-pepper-0.05	Cbar	simpleavg	robustness	max	2	0.1	[2]	smallest_q_12	["Saliency", "HolnetXGradient"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	salt-pepper-0.05	F	simpleavg	robustness	max	10	-0.0025	[10]	smallest_q_12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionRollout"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	salt-pepper-0.05	Fbar	simpleavg	robustness	max	2	0.255	[2]	smallest_q_12	["Saliency", "HolnetXGradient"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	speckle-0.15	C	simpleavg	robustness	max	3	0.21	[3]	smallest_q_12	["Saliency", "HolnetXGradient", "IntegratedGradients"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	speckle-0.15	Cbar	simpleavg	robustness	max	2	0.08	[2]	smallest_q_12	["Saliency", "HolnetXGradient"]
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	speckle-0.15	F	simpleavg	robustness	max	10	0.0675	[10]	smallest_q_12	["Saliency", "HolnetXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionRollout"]

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn vit-b16	speckle- 0.15	Fbar	simpleavg	robustness	max	2	0.17	[2]	smallest_ 12	["Salmony", "SimpleX-Gradient"]

Table 20: RetinaMNIST–ViT-B/16 results.

cell	dataset	model	q	rule	q11 reference	method prefix	F clean	Fbar clean	C clean	Cbar clean	F perturbed gaussian-0.15	Fbar perturbed gaussian-0.15	C perturbed gaussian-0.15	Cbar perturbed gaussian-0.15	F perturbed salt-pepper-0.05	Fbar perturbed salt-pepper-0.05	C perturbed salt-pepper-0.05	Cbar perturbed salt-pepper-0.05	F perturbed speckle-0.15	Fbar perturbed speckle-0.15
retinamnist-retinamnist-vit-b16	retinamnist-vit-b16	retinamnist-2-vit-b16	2	simpleavg	False	["Saliency", "LogitXGrad119t"]	0.28	0.6175	-0.0875	-0.1875	0.63	0.75	-0.02	-0.065	0.52	0.5175	0.015	0.02		
retinamnist-retinamnist-vit-b16	retinamnist-vit-b16	retinamnist-2-vit-b16	2	borda	False	["Saliency", "LogitXGrad175t"]	0.2825	0.6075	-0.085	-0.1875	0.6225	0.74	-0.015	-0.0675	0.515	0.5275	0.0025	0.03		
retinamnist-retinamnist-vit-b16	retinamnist-vit-b16	retinamnist-2-vit-b16	2	rrf	False	["Saliency", "LogitXGrad175t"]	0.28	0.605	-0.0925	-0.1875	0.63	0.7425	-0.0125	-0.065	0.525	0.5225	-0.0025	0.025		
retinamnist-retinamnist-vit-b16	retinamnist-vit-b16	retinamnist-2-vit-b16	2	kemeny	False	["Saliency", "LogitXGrad175t"]	0.2825	0.6075	-0.085	-0.1875	0.6225	0.74	-0.015	-0.0675	0.515	0.5275	0.0025	0.03		
retinamnist-retinamnist-vit-b16	retinamnist-vit-b16	retinamnist-2-vit-b16	2	schulze	False	["Saliency", "LogitXGrad175t"]	0.2825	0.6075	-0.085	-0.1875	0.6225	0.74	-0.015	-0.0675	0.515	0.5275	0.0025	0.03		
retinamnist-retinamnist-vit-b16	retinamnist-vit-b16	retinamnist-3-vit-b16	3	simpleavg	False	["Saliency", "LogitXGrad113t", "IntegratedGradients"]	-0.075	-0.2	0.645	0.735	-0.0225	-0.0675	0.52	0.52	0.06	0.0125				
retinamnist-retinamnist-vit-b16	retinamnist-vit-b16	retinamnist-3-vit-b16	3	borda	False	["Saliency", "LogitXGrad125t", "IntegratedGradients"]	-0.07	-0.1875	0.655	0.745	-0.0175	-0.0625	0.5225	0.5375	0.0525	0.0125				
retinamnist-retinamnist-vit-b16	retinamnist-vit-b16	retinamnist-3-vit-b16	3	rrf	False	["Saliency", "LogitXGrad125t", "IntegratedGradients"]	-0.0825	-0.19	0.6325	0.74	-0.005	-0.06	0.535	0.5325	0.0625	0.0125				
retinamnist-retinamnist-vit-b16	retinamnist-vit-b16	retinamnist-3-vit-b16	3	kemeny	False	["Saliency", "LogitXGrad125t", "IntegratedGradients"]	-0.0825	-0.19	0.62	0.745	-0.02	-0.0725	0.53	0.54	0.0325	0.0225				
retinamnist-retinamnist-vit-b16	retinamnist-vit-b16	retinamnist-3-vit-b16	3	schulze	False	["Saliency", "LogitXGrad125t", "IntegratedGradients"]	-0.0775	-0.1925	0.64	0.7375	-0.0125	-0.075	0.53	0.5275	0.04	0.0125				
retinamnist-retinamnist-vit-b16	retinamnist-vit-b16	retinamnist-4-vit-b16	4	simpleavg	False	["Saliency", "LogitXGrad1125t", "IntegratedGradients", "GradientShap"]	-0.1975	0.6475	0.73	-0.0025	-0.065	0.555	0.5225	0.0675	-0.01					
retinamnist-retinamnist-vit-b16	retinamnist-vit-b16	retinamnist-4-vit-b16	4	borda	False	["Saliency", "LogitXGrad1125t", "IntegratedGradients", "GradientShap"]	-0.2025	0.6425	0.7375	-0.0175	-0.06	0.535	0.5375	0.055	0.0125					
retinamnist-retinamnist-vit-b16	retinamnist-vit-b16	retinamnist-4-vit-b16	4	rrf	False	["Saliency", "LogitXGrad115t", "IntegratedGradients", "GradientShap"]	-0.1975	0.65	0.7325	-0.0225	-0.0525	0.5375	0.5325	0.045	0.005					
retinamnist-retinamnist-vit-b16	retinamnist-vit-b16	retinamnist-4-vit-b16	4	kemeny	False	["Saliency", "LogitXGrad1175t", "IntegratedGradients", "GradientShap"]	-0.2025	0.65	0.7275	-0.02	-0.0525	0.5325	0.5325	0.0525	0.0125					
retinamnist-retinamnist-vit-b16	retinamnist-vit-b16	retinamnist-4-vit-b16	4	schulze	False	["Saliency", "LogitXGrad1175t", "IntegratedGradients", "GradientShap"]	-0.1975	0.6525	0.73	-0.015	-0.055	0.54	0.5375	0.0525	0.0175					
retinamnist-retinamnist-vit-b16	retinamnist-vit-b16	retinamnist-5-vit-b16	5	simpleavg	False	["Saliency", "LogitXGrad1155t", "IntegratedGradients", "GradientShap", "FeatureAblation"]	0.125	0.73	0.0225	-0.0725	0.51	0.54	0.0475	-0.0275						
retinamnist-retinamnist-vit-b16	retinamnist-vit-b16	retinamnist-5-vit-b16	5	borda	False	["Saliency", "LogitXGrad1125t", "IntegratedGradients", "GradientShap", "FeatureAblation"]	0.65	0.7275	0.0225	-0.065	0.545	0.525	0.06	-0.005						
retinamnist-retinamnist-vit-b16	retinamnist-vit-b16	retinamnist-5-vit-b16	5	rrf	False	["Saliency", "LogitXGrad1175t", "IntegratedGradients", "GradientShap", "FeatureAblation"]	0.525	0.715	0.005	-0.0725	0.5525	0.5225	0.06	0.0025						
retinamnist-retinamnist-vit-b16	retinamnist-vit-b16	retinamnist-5-vit-b16	5	kemeny	False	["Saliency", "LogitXGrad1125t", "IntegratedGradients", "GradientShap", "FeatureAblation"]	0.575	0.72	0.0075	-0.05	0.5425	0.535	0.08	0.0025						
retinamnist-retinamnist-vit-b16	retinamnist-vit-b16	retinamnist-5-vit-b16	5	schulze	False	["Saliency", "LogitXGrad1175t", "IntegratedGradients", "GradientShap", "FeatureAblation"]	0.67	0.7225	-0.0125	-0.0425	0.5425	0.5375	0.0825	0.005						
retinamnist-retinamnist-vit-b16	retinamnist-vit-b16	retinamnist-6-vit-b16	6	simpleavg	False	["Saliency", "LogitXGrad1125t", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]	0.73	-0.02	-0.055	0.5	0.5425	0.0475	0							
retinamnist-retinamnist-vit-b16	retinamnist-vit-b16	retinamnist-6-vit-b16	6	borda	False	["Saliency", "LogitXGrad1125t", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]	0.72	0.025	-0.075	0.5425	0.52	0.04	-0.0025							
retinamnist-retinamnist-vit-b16	retinamnist-vit-b16	retinamnist-6-vit-b16	6	rrf	False	["Saliency", "LogitXGrad1125t", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]	0.7175	0.0325	-0.0625	0.5225	0.53	0.0475	-0.0075							
retinamnist-retinamnist-vit-b16	retinamnist-vit-b16	retinamnist-6-vit-b16	6	kemeny	False	["Saliency", "LogitXGrad117t", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]	0.725	-0.01	-0.0525	0.535	0.5275	0.0725	0.0025							

cell	dataset	model	q	rule	q11 reference	method prefix	F clean	Fbar clean	C clean	Cbar clean	F perturbed gaussian-0.15	Fbar perturbed gaussian-0.15	C perturbed gaussian-0.15	Cbar perturbed gaussian-0.15	F perturbed salt-pepper-0.05	Fbar perturbed salt-pepper-0.05	C perturbed salt-pepper-0.05	Cbar perturbed salt-pepper-0.05	F perturbed speckle-0.15	Fbar perturbed speckle-0.15
retinamn ist-retinamn ist-vit-b16	retinamn ist-retinamn ist-vit-b16	retinamn ist-vit-b16	41	schulze	True	["Saliency", "Grad-CAM", "Integrated Gradients", "GSHap", "ReLU Ab", "Occlusion", "Gradient", "Attention", "Collout", "Grad-CAM", "Transfer", "Contribution", "LRP"]	0.9575	0.4075	0.87	0.4675	0.725	0.4725	0.6025	0.6025	0.10175	0.065	0.525	0.525	0.3575	0.415

Table 21: RetinaMNIST-ViT-B/16 results.

cell	dataset	model	q	C perturbed speckle-0.15	Cbar perturbed speckle-0.15	F perturbed adversarial-sara-2-255	Fbar perturbed adversarial-sara-2-255	C perturbed adversarial-sara-2-255	Cbar perturbed adversarial-sara-2-255	R F gaussian-0.15	R Fbar gaussian-0.15	R C gaussian-0.15	R Cbar gaussian-0.15	R F salt-pepper-0.05	R Fbar salt-pepper-0.05	R C salt-pepper-0.05
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	2	0.46	0.5375	0.08	0.1325	0.25	0.52	-0.175	0.3775	0.35	-0.1325	-0.1075	0.255	0.24
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	2	0.46	0.535	0.08	0.1225	0.2425	0.5225	-0.1725	0.3625	0.34	-0.1325	-0.1025	0.2425	0.2325
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	2	0.4575	0.545	0.0775	0.12	0.2425	0.515	-0.1775	0.365	0.35	-0.1375	-0.0975	0.2425	0.245
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	2	0.46	0.535	0.08	0.1225	0.2425	0.5225	-0.1725	0.3625	0.34	-0.1325	-0.1025	0.2425	0.2325
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	2	0.46	0.535	0.08	0.1225	0.2425	0.5225	-0.1725	0.3625	0.34	-0.1325	-0.1025	0.2425	0.2325
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	3	0.4975	0.5325	0.06	0.125	0.245	0.505	-0.1525	0.33	0.3575	-0.195	-0.1	0.1975	0.2325
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	3	0.4675	0.52	0.0525	0.115	0.235	0.5025	-0.14	0.3125	0.3675	-0.21	-0.0875	0.1875	0.235
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	3	0.4675	0.53	0.05	0.11	0.2325	0.495	-0.155	0.3225	0.3475	-0.1975	-0.0775	0.1925	0.25
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	3	0.47	0.545	0.065	0.1375	0.2425	0.5225	-0.165	0.3725	0.3375	-0.15	-0.1025	0.255	0.2475
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	3	0.48	0.525	0.065	0.1275	0.24	0.515	-0.16	0.335	0.3525	-0.1825	-0.095	0.2175	0.2425
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	4	0.4825	0.525	0.0675	0.11	0.25	0.5025	-0.145	0.3	0.3575	-0.195	-0.0625	0.1675	0.265
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	4	0.4675	0.535	0.06	0.1075	0.255	0.4875	-0.145	0.305	0.35	-0.21	-0.0825	0.1625	0.2425
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	4	0.4675	0.5175	0.0675	0.1025	0.245	0.495	-0.15	0.3025	0.37	-0.195	-0.09	0.1575	0.2575
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	4	0.4575	0.535	0.0575	0.1125	0.26	0.5	-0.16	0.31	0.37	-0.1975	-0.09	0.16	0.2525
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	4	0.47	0.53	0.06	0.11	0.2525	0.505	-0.1575	0.305	0.3675	-0.2	-0.0825	0.1625	0.255
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	5	0.5275	0.515	0.045	0.0475	0.3275	0.435	-0.1	0.265	0.28	-0.2525	-0.015	0.1275	0.1775
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	5	0.535	0.5175	0.05	0.08	0.2925	0.4725	-0.0975	0.2525	0.3475	-0.215	-0.0175	0.1175	0.2425
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	5	0.51	0.5325	0.05	0.0775	0.275	0.475	-0.1675	0.285	0.3325	-0.205	-0.075	0.15	0.2325
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	5	0.505	0.535	0.065	0.11	0.255	0.48	-0.14	0.3225	0.37	-0.2	-0.05	0.1525	0.255
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	5	0.515	0.5175	0.065	0.1025	0.2575	0.49	-0.135	0.2825	0.365	-0.21	-0.0875	0.12	0.2375
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	6	0.545	0.5125	0.04	0.06	0.3625	0.43	-0.09	0.2375	0.2425	-0.2525	-0.045	0.0975	0.1575
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	6	0.535	0.52	0.05	0.0675	0.315	0.455	-0.0975	0.24	0.32	-0.2275	-0.005	0.1175	0.22
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	6	0.53	0.5125	0.0575	0.0825	0.295	0.46	-0.14	0.2725	0.32	-0.2325	-0.0275	0.115	0.195
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	6	0.5125	0.5225	0.055	0.09	0.29	0.4825	-0.1525	0.2825	0.3325	-0.2125	-0.0775	0.1225	0.2075

cell	dataset	model	q	C perturbed speckle-0.15	Cbar perturbed speckle-0.15	F perturbed adversarial-sara-2-255	Fbar perturbed adversarial-sara-2-255	C perturbed adversarial-sara-2-255	Cbar perturbed adversarial-sara-2-255	R F gaussian-0.15	R Fbar gaussian-0.15	R C gaussian-0.15	R Cbar gaussian-0.15	R F salt-pepper-0.05	R Fbar salt-pepper-0.05	R C salt-pepper-0.05
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	6	0.52	0.5375	0.0575	0.075	0.2925	0.4575	-0.1225	0.2725	0.315	-0.23	-0.035	0.115	0.175
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	7	0.54	0.51	0.035	0.0525	0.3675	0.425	-0.07	0.245	0.22	-0.265	-0.02	0.125	0.14
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	7	0.54	0.525	0.0425	0.035	0.33	0.41	-0.115	0.245	0.2825	-0.255	-0.02	0.1025	0.19
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	7	0.5175	0.515	0.0525	0.0775	0.32	0.4525	-0.1625	0.2925	0.32	-0.225	-0.0225	0.1425	0.215
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	7	0.5175	0.5275	0.06	0.075	0.2925	0.44	-0.1575	0.2825	0.33	-0.2225	-0.0625	0.1325	0.1975
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	7	0.515	0.535	0.0575	0.0775	0.295	0.46	-0.135	0.26	0.33	-0.2325	-0.0475	0.125	0.215
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	8	0.5425	0.5075	0.045	0.055	0.3675	0.405	-0.0975	0.26	0.25	-0.2675	-0.04	0.1275	0.14
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	8	0.535	0.5175	0.025	0.0525	0.3275	0.43	-0.14	0.2525	0.3075	-0.2325	-0.0375	0.125	0.165
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	8	0.5175	0.5125	0.04	0.06	0.3225	0.45	-0.1425	0.285	0.3125	-0.1975	-0.0375	0.1475	0.1825
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	8	0.5175	0.5125	0.05	0.0725	0.295	0.445	-0.1475	0.27	0.325	-0.22	-0.0675	0.125	0.2075
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	8	0.525	0.525	0.0525	0.0675	0.3075	0.455	-0.1625	0.2675	0.3175	-0.2375	-0.0725	0.1425	0.175
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	9	0.575	0.525	0.045	0.0225	0.3675	0.4	-0.0575	0.1975	0.295	-0.2775	-0.005	0.0825	0.1975
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	9	0.565	0.5025	0.055	0.04	0.3625	0.3975	-0.1275	0.2375	0.2775	-0.2525	-0.0525	0.115	0.16
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	9	0.5175	0.5125	0.045	0.045	0.32	0.4125	-0.14	0.2575	0.305	-0.24	-0.0275	0.12	0.1775
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	9	0.5175	0.5225	0.055	0.0525	0.305	0.4375	-0.13	0.2575	0.3475	-0.2325	-0.0375	0.1125	0.225
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	9	0.53	0.495	0.0525	0.0575	0.3175	0.425	-0.135	0.25	0.32	-0.255	-0.04	0.11	0.1975
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	10	0.58	0.525	0.0375	0.02	0.36	0.405	-0.0525	0.1975	0.29	-0.285	-0.0025	0.0825	0.1925
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	10	0.5325	0.535	0.0375	0.0475	0.35	0.41	-0.115	0.2525	0.2625	-0.2425	-0.035	0.1025	0.1475
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	10	0.5275	0.5175	0.0375	0.03	0.33	0.4175	-0.145	0.26	0.295	-0.2375	-0.0575	0.1075	0.195
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	10	0.515	0.53	0.035	0.06	0.305	0.44	-0.12	0.245	0.3225	-0.235	-0.0575	0.1	0.2
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	10	0.5325	0.535	0.035	0.0675	0.3275	0.46	-0.1425	0.24	0.2875	-0.2475	-0.03	0.0875	0.1875
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	11	0.575	0.525	0.03	0.0375	0.3575	0.425	-0.05	0.195	0.3025	-0.2825	-0.015	0.0875	0.195
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	11	0.5475	0.53	0.0575	0.0475	0.3475	0.4075	-0.0825	0.2475	0.2475	-0.225	-0.0125	0.1225	0.1325
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	11	0.5475	0.5275	0.045	0.0475	0.325	0.42	-0.1225	0.255	0.3	-0.2475	-0.0325	0.1	0.17
retinamn ist-retinamn ist-vit-b16	retinamn	retinamn	11	0.52	0.5275	0.0525	0.0325	0.3175	0.415	-0.13	0.2575	0.3475	-0.2425	-0.06	0.1025	0.2175

cell	dataset	model		C perturbed speckle-0.15	Cbar perturbed speckle-0.15	F perturbed adversarial-sara-2-255	Fbar perturbed adversarial-sara-2-255	C perturbed adversarial-sara-2-255	Cbar perturbed adversarial-sara-2-255	R F gaussian-0.15	R Fbar gaussian-0.15	R C gaussian-0.15	R Cbar gaussian-0.15	R F salt-pepper-0.05	R Fbar salt-pepper-0.05	R C salt-pepper-0.05
retinamnist-retinamnist-vit-b16	retinamnist	retinamnist-vit-b16	41	0.5325	0.525	0.055	0.0475	0.34	0.4125	-0.13	0.24	0.3	-0.2575	-0.04	0.1025	0.1825

Table 22: RetinaMNIST–ViT-B/16 results.

cell	dataset	model	q	R Cbar speckle-0.15	R F adversarial-sara-2-255	R Fbar adversarial-sara-2-255	R C adversarial-sara-2-255	R Cbar adversarial-sara-2-255
retinamn	retinamn	retinamn	2	0.08	-0.0075	0.0575	-0.03	0.0975
ist-retinamn		vit-b16						
ist-vit-b16								
retinamn	retinamn	retinamn	2	0.0725	-0.0075	0.0525	-0.04	0.085
ist-retinamn		vit-b16						
ist-vit-b16								
retinamn	retinamn	retinamn	2	0.06	-0.0075	0.0575	-0.0375	0.09
ist-retinamn		vit-b16						
ist-vit-b16								
retinamn	retinamn	retinamn	2	0.0725	-0.0075	0.0525	-0.04	0.085
ist-retinamn		vit-b16						
ist-vit-b16								
retinamn	retinamn	retinamn	2	0.0725	-0.0075	0.0525	-0.04	0.085
ist-retinamn		vit-b16						
ist-vit-b16								
retinamn	retinamn	retinamn	3	0.0075	-0.0175	0.005	-0.0425	0.035
ist-retinamn		vit-b16						
ist-vit-b16								
retinamn	retinamn	retinamn	3	0.015	-0.0175	0.01	-0.0525	0.0325
ist-retinamn		vit-b16						
ist-vit-b16								
retinamn	retinamn	retinamn	3	0.0125	-0.0225	0.0225	-0.0525	0.0475
ist-retinamn		vit-b16						
ist-vit-b16								
retinamn	retinamn	retinamn	3	0.05	-0.0175	0.045	-0.04	0.0725
ist-retinamn		vit-b16						
ist-vit-b16								
retinamn	retinamn	retinamn	3	0.03	-0.0175	0.015	-0.0475	0.04
ist-retinamn		vit-b16						
ist-vit-b16								
retinamn	retinamn	retinamn	4	0.01	0.0075	-0.0075	-0.04	0.0325
ist-retinamn		vit-b16						
ist-vit-b16								
retinamn	retinamn	retinamn	4	-0.0075	-0.005	-0.005	-0.0375	0.04
ist-retinamn		vit-b16						
ist-vit-b16								
retinamn	retinamn	retinamn	4	0.02	0	0.0025	-0.035	0.0425
ist-retinamn		vit-b16						
ist-vit-b16								
retinamn	retinamn	retinamn	4	-0.005	-0.0125	-0.005	-0.02	0.03
ist-retinamn		vit-b16						
ist-vit-b16								
retinamn	retinamn	retinamn	4	0	-0.0075	-0.0025	-0.0325	0.025
ist-retinamn		vit-b16						
ist-vit-b16								
retinamn	retinamn	retinamn	5	-0.0375	0.0075	0.0075	-0.005	0.0425
ist-retinamn		vit-b16						
ist-vit-b16								
retinamn	retinamn	retinamn	5	-0.005	0.01	-0.0275	-0.01	0.04
ist-retinamn		vit-b16						
ist-vit-b16								
retinamn	retinamn	retinamn	5	-0.0225	-0.03	0	-0.045	0.035
ist-retinamn		vit-b16						
ist-vit-b16								
retinamn	retinamn	retinamn	5	-0.015	0.0075	-0.0075	-0.0325	0.04
ist-retinamn		vit-b16						
ist-vit-b16								
retinamn	retinamn	retinamn	5	-0.005	-0.01	-0.025	-0.0475	0.0225
ist-retinamn		vit-b16						
ist-vit-b16								
retinamn	retinamn	retinamn	6	-0.035	0.015	-0.0175	0.02	0.0475
ist-retinamn		vit-b16						
ist-vit-b16								
retinamn	retinamn	retinamn	6	-0.0275	0.02	-0.025	-0.0075	0.0375
ist-retinamn		vit-b16						
ist-vit-b16								
retinamn	retinamn	retinamn	6	-0.0275	-0.0025	-0.03	-0.0325	0.025
ist-retinamn		vit-b16						
ist-vit-b16								
retinamn	retinamn	retinamn	6	-0.01	-0.0125	-0.02	-0.0375	0.03
ist-retinamn		vit-b16						
ist-vit-b16								

cell	dataset	model	q	R Cbar speckle-0.15	R F adversarial-sara-2-255	R Fbar adversarial-sara-2-255	R C adversarial-sara-2-255	R Cbar adversarial-sara-2-255
retinamn ist-retinamn ist-vit-b16	retinamn	retinamnist vit-b16	6	-0.05	0.0225	-0.0175	-0.055	0.03
retinamn ist-retinamn ist-vit-b16	retinamn	retinamnist vit-b16	7	-0.0425	0.025	-0.0125	-0.0225	0.0425
retinamn ist-retinamn ist-vit-b16	retinamn	retinamnist vit-b16	7	-0.0475	-0.0075	0	-0.04	0.0675
retinamn ist-retinamn ist-vit-b16	retinamn	retinamnist vit-b16	7	-0.015	-0.01	-0.01	-0.0325	0.0475
retinamn ist-retinamn ist-vit-b16	retinamn	retinamnist vit-b16	7	-0.03	-0.0075	-0.01	-0.0575	0.0575
retinamn ist-retinamn ist-vit-b16	retinamn	retinamnist vit-b16	7	-0.055	0.0025	-0.0225	-0.0425	0.02
retinamn ist-retinamn ist-vit-b16	retinamn	retinamnist vit-b16	8	-0.055	0.015	-0.005	-0.02	0.0475
retinamn ist-retinamn ist-vit-b16	retinamn	retinamnist vit-b16	8	-0.04	-0.0325	-0.0025	-0.015	0.0475
retinamn ist-retinamn ist-vit-b16	retinamn	retinamnist vit-b16	8	0	-0.01	0.02	-0.0325	0.0625
retinamn ist-retinamn ist-vit-b16	retinamn	retinamnist vit-b16	8	0	-0.0175	-0.0175	-0.045	0.0675
retinamn ist-retinamn ist-vit-b16	retinamn	retinamnist vit-b16	8	-0.0325	-0.015	-0.005	-0.05	0.0375
retinamn ist-retinamn ist-vit-b16	retinamn	retinamnist vit-b16	9	-0.0875	0.0425	-0.0175	-0.01	0.0375
retinamn ist-retinamn ist-vit-b16	retinamn	retinamnist vit-b16	9	-0.0375	0.0075	-0.005	-0.0025	0.0675
retinamn ist-retinamn ist-vit-b16	retinamn	retinamnist vit-b16	9	-0.0325	-0.01	0	-0.055	0.0675
retinamn ist-retinamn ist-vit-b16	retinamn	retinamnist vit-b16	9	-0.0225	0.0025	-0.005	-0.0425	0.0625
retinamn ist-retinamn ist-vit-b16	retinamn	retinamnist vit-b16	9	-0.03	-0.0075	-0.0125	-0.0375	0.04
retinamn ist-retinamn ist-vit-b16	retinamn	retinamnist vit-b16	10	-0.0875	0.04	-0.02	-0.0225	0.0325
retinamn ist-retinamn ist-vit-b16	retinamn	retinamnist vit-b16	10	-0.07	-0.0075	0	-0.0175	0.055
retinamn ist-retinamn ist-vit-b16	retinamn	retinamnist vit-b16	10	-0.0425	-0.0175	0.0125	-0.025	0.0575
retinamn ist-retinamn ist-vit-b16	retinamn	retinamnist vit-b16	10	-0.04	-0.0175	-0.02	-0.0625	0.05
retinamn ist-retinamn ist-vit-b16	retinamn	retinamnist vit-b16	10	-0.065	-0.0175	-0.045	-0.0375	0.01
retinamn ist-retinamn ist-vit-b16	retinamn	retinamnist vit-b16	11	-0.0925	0.015	-0.035	-0.0125	0.0075
retinamn ist-retinamn ist-vit-b16	retinamn	retinamnist vit-b16	11	-0.0525	0.0325	0.005	-0.0325	0.07
retinamn ist-retinamn ist-vit-b16	retinamn	retinamnist vit-b16	11	-0.06	0.005	-0.005	-0.05	0.0475
retinamn ist-retinamn ist-vit-b16	retinamn	retinamnist vit-b16	11	-0.055	-0.0125	0.0075	-0.04	0.0575

cell	dataset	model		R Cbar speckle-0.15	R F adversarial-sara-2-255	R Fbar adversarial-sara-2-255	R C adversarial-sara-2-255	R Cbar adversarial-sara-2-255
retinamn ist-retinamn ist-vit-b16	retinamn ist-retinamn ist-vit-b16	retinamn ist-retinamn ist-vit-b16	q	-0.0575	-0.0025	-0.01	-0.03	0.055

Table 23: RetinaMNIST–ViT-B/16 results.

dataset	model	method	result status	gate status	passed	deterministic repeat	finite fraction	target sensitive	selected batch size	attack batch size	attack seconds per sample	attack peak cuda bytes	error
RetinaMNIST	ViT-B/16	Saliency	passed	passed	true	true	1	true	1				
RetinaMNIST	ViT-B/16	InputXGradient	passed	passed	true	true	1	true	1				
RetinaMNIST	ViT-B/16	IntegratedGradients	passed	passed	true	true	1	true	1	1	0.145022	6.6673e+09	
RetinaMNIST	ViT-B/16	FeatureAbstraction	passed	passed	true	true	1	true	1				
RetinaMNIST	ViT-B/16	Occlusion	passed	passed	true	true	1	true	1				
RetinaMNIST	ViT-B/16	GradientShap	passed	passed	true	true	1	true	1				
RetinaMNIST	ViT-B/16	CheferTransformerAtt	passed	passed	true	true	1	true	1				
RetinaMNIST	ViT-B/16	PartialLRP	passed	passed	true	true	1	true	1				
RetinaMNIST	ViT-B/16	FullLRP	passed	passed	true	true	1	true	1				
RetinaMNIST	ViT-B/16	GradientAttentionRollout	passed	passed	true	true	1	true	1	1	0.061142	3.3842e+09	
RetinaMNIST	ViT-B/16	AttentionGradientCAM	passed	passed	true	true	1	true	1	1	0.049519	3.3105e+09	