

1 ViT-B/16

Table 1: BloodMNIST–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	Sample Count	F	F	C	$\hat{C}$	R^u_F	R^p_F	R^s_F	$R^+_{\hat{F}}$
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	3421	0.19088	0.449089	0.198967	0.458833	0.059242	0.041313	0.04258	0.063724
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	3421	0.179285	0.477638	0.185911	0.487382	0.063529	0.048426	0.049498	0.056903
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11	3421	0.180064	0.461853	0.186787	0.4715	0.059047	0.049108	0.047939	0.049693
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	3421	0.181039	0.483192	0.188152	0.493131	0.072006	0.061093	0.053396	0.065575
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11	3421	0.182987	0.452207	0.188834	0.462438	0.078924	0.063724	0.053785	0.058755
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	3421	0.181234	0.489818	0.188834	0.499659	0.073175	0.058755	0.054955	0.061483
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11	3421	0.18708	0.455422	0.194388	0.465361	0.066939	0.05817	0.051155	0.059047
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	3421	0.181234	0.501608	0.189126	0.511546	0.069668	0.056611	0.053883	0.060314
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11	3421	0.188834	0.463607	0.196434	0.473546	0.068986	0.056416	0.057001	0.047355
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	3421	0.1825	0.495079	0.189711	0.504921	0.068011	0.057391	0.052129	0.059632
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11	3421	0.189711	0.450745	0.195557	0.460976	0.068109	0.056124	0.050278	0.055539

Table 2: BloodMNIST–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$R^e_{\mathcal{C}}$	$R^e_{\mathcal{C}}$	$R^e_{\mathcal{C}}$	$R^e_{\mathcal{C}}$	$R^e_{\mathcal{E}}$	$R^e_{\mathcal{E}}$	$R^e_{\mathcal{E}}$	$R^e_{\mathcal{E}}$	$R^e_{\mathcal{C}}$
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.066452	0.048329	0.044139	0.064211	0.079509	0.056806	0.044139	-0.023093	0.069375
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.072104	0.05778	0.051837	0.05817	0.061483	0.044919	0.038585	-0.017636	0.051837
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11	0.068693	0.057586	0.051155	0.05057	0.075417	0.045893	0.036247	-0.023385	0.065186
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.080873	0.070057	0.056027	0.066647	0.081068	0.064016	0.055832	-0.019877	0.071032
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11	0.089448	0.072786	0.056124	0.059924	0.07717	0.055539	0.052909	-0.0228	0.067232
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.081165	0.066355	0.057196	0.062847	0.068498	0.061873	0.051642	-0.017636	0.05817
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11	0.075709	0.064893	0.054078	0.059632	0.073663	0.057001	0.049985	-0.021631	0.063724
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.077073	0.064504	0.056221	0.060898	0.060411	0.049791	0.045016	-0.015395	0.049693
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11	0.07717	0.062847	0.059632	0.048232	0.068986	0.060216	0.049108	-0.023385	0.058755
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.076586	0.06577	0.05437	0.061093	0.070934	0.05778	0.050765	-0.017539	0.060801
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11	0.078632	0.06577	0.053493	0.057001	0.070155	0.049108	0.05057	-0.025431	0.060509

Table 3: BloodMNIST–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$R^p_{\mathcal{C}}$	$R^s_{\mathcal{C}}$	$R^p_{\mathcal{C}_0}$	F^p_{switched}	F^s_{switched}	C^s_{switched}	C^p_{switched}	F^p_{switched}	F^s_{switched}
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.047939	0.044042	-0.023288	0.250122	0.36958	0.265419	0.389457	0.232193	0.392283
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.036247	0.037806	-0.018123	0.242814	0.416155	0.258014	0.435545	0.227711	0.432719
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11	0.036247	0.036247	-0.023385	0.239111	0.386437	0.255481	0.406314	0.229173	0.41596
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.055247	0.05515	-0.019877	0.253045	0.402124	0.269025	0.422099	0.242132	0.419176
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11	0.047355	0.052032	-0.0228	0.261912	0.375037	0.278281	0.395206	0.246711	0.396668
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.053006	0.05135	-0.017831	0.254409	0.421319	0.269999	0.441489	0.239988	0.427945
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11	0.048524	0.049693	-0.021339	0.254019	0.38176	0.270096	0.401637	0.24525	0.398422
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.040924	0.044626	-0.015493	0.250901	0.441197	0.266199	0.461853	0.237845	0.451817
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11	0.051447	0.048524	-0.023677	0.257819	0.394621	0.273604	0.414791	0.24525	0.403391
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.049206	0.05018	-0.017734	0.250512	0.424145	0.266296	0.44412	0.239891	0.437299
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11	0.040631	0.050278	-0.025431	0.257819	0.38059	0.274189	0.400468	0.245835	0.401637

Table 4: BloodMNIST–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$C^p_{\text{unperturbed}}$	$C^p_{\text{perturbed}}$	$F^s_{\text{unperturbed}}$	$F^s_{\text{perturbed}}$	$C^s_{\text{unperturbed}}$	$C^s_{\text{perturbed}}$	$F^a_{\text{unperturbed}}$	$F^a_{\text{perturbed}}$	$C^a_{\text{unperturbed}}$
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.247296	0.410894	0.23346	0.40495	0.243106	0.414791	0.254604	0.472182	0.263178
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.243691	0.451135	0.228783	0.439053	0.237747	0.449576	0.236188	0.495274	0.244081
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11	0.244373	0.435253	0.228004	0.425607	0.237942	0.435253	0.229757	0.485238	0.237357
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.258209	0.437884	0.234434	0.42736	0.244178	0.437981	0.246614	0.503069	0.254799
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11	0.261619	0.415083	0.236773	0.399298	0.244958	0.410406	0.241742	0.475007	0.248758
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.255189	0.446653	0.236188	0.438176	0.246029	0.448309	0.242717	0.507454	0.251681
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11	0.259281	0.416837	0.238234	0.405437	0.248465	0.415668	0.246127	0.477053	0.254019
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.25363	0.470623	0.235116	0.456592	0.245347	0.46692	0.241547	0.517003	0.250024
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11	0.259281	0.422099	0.245835	0.414499	0.256065	0.425022	0.236188	0.486992	0.244665
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.255481	0.455715	0.234629	0.444315	0.244081	0.45474	0.242132	0.512618	0.250804
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11	0.261327	0.420345	0.239988	0.400175	0.24905	0.410699	0.24525	0.476177	0.252558

Table 5: BloodMNIST–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$C^*_{\text{out-of-dataset}}$	$SD(F)$	$SD(\hat{F})$	$SD(C)$	$SD(\hat{C})$	$SD(R^*_p)$	$SD(R^*_e)$	$SD(R^*_s)$	$SD(R^*_c)$
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.48212	0.002788	0.009455	0.002381	0.008781	0.002778	0.005232	0.001181	0.007957
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.505505	0.01462	0.017473	0.014323	0.017304	0.006538	0.006907	0.01148	0.007245
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11	0.494885								
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.513008	0.010361	0.016984	0.009974	0.017117	0.003324	0.005172	0.002957	0.007747
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11	0.485238								
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.51749	0.011027	0.010394	0.010816	0.010525	0.002928	0.003094	0.003162	0.001856
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11	0.4867								
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.527039	0.009926	0.005998	0.010632	0.00604	0.000608	0.003925	0.001902	0.00199
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11	0.497223								
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.522654	0.011063	0.006466	0.010933	0.006486	0.000608	0.009217	0.004662	0.00134
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11	0.486407								

Table 6: BloodMNIST–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$SD(R_{\mathcal{C}}^e)$	$SD(R_{\mathcal{C}}^p)$	$SD(R_{\mathcal{C}}^s)$	$SD(R_{\mathcal{V}}^e)$	$SD(R_{\mathcal{V}}^p)$	$SD(R_{\mathcal{V}}^s)$	$SD(R_{\mathcal{E}}^e)$	$SD(R_{\mathcal{E}}^p)$	$SD(R_{\mathcal{E}}^s)$
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.002636	0.004494	0.001274	0.008484	0.038626	0.028362	0.021339	0.003094	0.037891
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.00677	0.006578	0.010726	0.005998	0.007054	0.007719	0.007464	0.008018	0.007316
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11									
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.003655	0.006932	0.003701	0.007684	0.004588	0.003544	0.005933	0.007458	0.00483
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11									
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.003042	0.003052	0.001318	0.003371	0.008949	0.003286	0.005149	0.002943	0.008567
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11									
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.00161	0.003655	0.001946	0.002986	0.009397	0.002213	0.003663	0.001879	0.009409
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11									
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.001054	0.009211	0.004326	0.003052	0.007878	0.004643	0.005408	0.003544	0.008427
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11									

Table 7: BloodMNIST–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$SD(R^e_{\mathcal{C}})$	$SD(R^e_{\mathcal{C}})$	$SD(R^e_{\mathcal{C}})$	$SD(F^e_{\text{averaged}})$	$SD(F^e_{\text{averaged}})$	$SD(C^e_{\text{averaged}})$	$SD(C^e_{\text{averaged}})$	$SD(F^e_{\text{averaged}})$	$SD(F^e_{\text{averaged}})$
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.027354	0.021341	0.003126	0.004903	0.030116	0.004704	0.029965	0.007851	0.019935
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.006985	0.007647	0.008106	0.008228	0.017466	0.00791	0.018646	0.008232	0.010662
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11									
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.004092	0.005878	0.007794	0.00967	0.020732	0.0105	0.020309	0.006571	0.020216
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11									
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.003655	0.005671	0.003255	0.010801	0.018293	0.011005	0.017844	0.007946	0.012931
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11									
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.002548	0.003388	0.001547	0.009356	0.011708	0.009227	0.011798	0.008839	0.007824
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11									
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.004725	0.005432	0.003487	0.011649	0.012711	0.011776	0.013025	0.005487	0.010632
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11									

Table 8: BloodMNIST–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$SD(C^e_{\text{perturbed}})$	$SD(C^p_{\text{perturbed}})$	$SD(F^e_{\text{perturbed}})$	$SD(F^p_{\text{perturbed}})$	$SD(C^e_{\text{perturbed}})$	$SD(C^p_{\text{perturbed}})$	$SD(F^e_{\text{perturbed}})$	$SD(F^p_{\text{perturbed}})$	$SD(C^e_{\text{perturbed}})$
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.006874	0.01947	0.003126	0.013755	0.003207	0.014113	0.009584	0.012492	0.010232
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.008519	0.011071	0.003631	0.013069	0.003815	0.012197	0.0114	0.009469	0.012711
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11									
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.006538	0.020581	0.007458	0.019539	0.006538	0.019338	0.01454	0.010552	0.014339
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11									
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.007909	0.012852	0.007865	0.015124	0.009962	0.01557	0.011635	0.008803	0.01337
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11									
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.009793	0.008074	0.008519	0.002393	0.008795	0.002652	0.011828	0.004339	0.013593
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11									
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.006588	0.010632	0.006413	0.011196	0.006742	0.011071	0.01232	0.003153	0.013942
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11									

Table 9: BloodMNIST–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$SD(C_{\text{structure}}^*)$	Selected Individual
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.011752	{ 'C': 'GradientAttentionRollout', 'Cbar': 'CheferTransformerAttribution', 'F': 'GradientAttentionRollout', 'Fbar': 'CheferTransformerAttribution' }
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.009227	
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11		
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.010113	
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11		
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.0088	
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11		
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.004704	
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11		
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.003544	
BloodMNIST–ViT-B/16	BloodMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11		

Table 10: BloodMNIST–ViT-B/16

Dataset	Model	Architecture	Split	Method	Sample Count	F	$\bar{F}$	C	$\bar{C}$	R_F^p	$R_{\bar{F}}^p$	R_C^p	$R_{\bar{C}}^p$	R_F^p	$R_{\bar{F}}^p$	R_C^p	$R_{\bar{C}}^p$
BloodMNIST	ViT-B/16	ViT	Test	Best Individual	3421	0.305759	0.377375	0.317451	0.386437	0.081847	0.075417	0.084771	0.064893	0.064309	0.053785	0.066939	0.043847
BloodMNIST	ViT-B/16	ViT	Test	Simple Averaging	3421	0.301666	0.408068	0.312774	0.418006	0.059632	0.066063	0.066355	0.059339	0.045893	0.055247	0.052616	0.047647
BloodMNIST	ViT-B/16	ViT	Test	Borda	3421	0.258404	0.444022	0.268635	0.453961	0.072786	0.102309	0.079509	0.095586	0.056416	0.072786	0.064601	0.06577
BloodMNIST	ViT-B/16	ViT	Test	Kemeny	3421	0.278866	0.430576	0.289097	0.43993	0.087986	0.09734	0.095294	0.090909	0.063724	0.074832	0.071616	0.066647
BloodMNIST	ViT-B/16	ViT	Test	RRF	3421	0.290851	0.416837	0.301374	0.426191	0.077755	0.088571	0.084478	0.081555	0.061386	0.071616	0.068109	0.063724
BloodMNIST	ViT-B/16	ViT	Test	Schulze	3421	0.272143	0.428822	0.282081	0.438176	0.087109	0.095586	0.095294	0.088863	0.063432	0.072786	0.071324	0.064601

Table 11: BloodMNIST-ViT-B/16

Dataset	Model	Architecture	Split	Method	$R^+_{\mathcal{L}}$	$R^+_{\mathcal{F}}$	$R^+_{\mathcal{C}}$	$R^+_{\mathcal{S}}$	$R^+_{\mathcal{L}}$	$R^+_{\mathcal{F}}$	$R^+_{\mathcal{C}}$	$R^+_{\mathcal{S}}$	$F^{\mathcal{D}}$	$\bar{F}^{\mathcal{D}}$	$C^{\mathcal{D}}$	$\bar{C}^{\mathcal{D}}$	$F^{\mathcal{P}}$
BloodMNIST	ViT-B/16	ViT	Test	Best Individual	0.041801	0.029524	0.040047	0.028939	0.029231	-0.06197	0.029524	-0.062262	0.387606	0.301958	0.402222	0.321543	0.370067
BloodMNIST	ViT-B/16	ViT	Test	Simple Averaging	0.011985	0.008769	0.014031	0.009062	-0.004385	-0.114294	-0.004385	-0.114586	0.361298	0.342005	0.379129	0.358667	0.347559
BloodMNIST	ViT-B/16	ViT	Test	Borda	0.023677	0.0266	0.026308	0.026308	0.03917	-0.096171	0.040339	-0.096171	0.33119	0.341713	0.348144	0.358375	0.31482
BloodMNIST	ViT-B/16	ViT	Test	Kemeny	0.034493	0.036831	0.037124	0.037124	0.038001	-0.08214	0.038293	-0.082432	0.366852	0.333236	0.384391	0.349021	0.34259
BloodMNIST	ViT-B/16	ViT	Test	RRF	0.022508	0.026308	0.025139	0.026308	0.029231	-0.095294	0.028939	-0.095586	0.368606	0.328267	0.385852	0.344636	0.352236
BloodMNIST	ViT-B/16	ViT	Test	Schulze	0.030108	0.030108	0.033324	0.029816	0.034493	-0.097925	0.035954	-0.098217	0.359252	0.333236	0.377375	0.349313	0.335574

Table 12: BloodMNIST–ViT-B/16

Dataset	Model	Architecture	Split	Method	F^p unperturbed	C^p unperturbed	$\hat{C}^p$ unperturbed	F^s perturbed	$\hat{F}^s$ perturbed	C^s perturbed	$\hat{C}^s$ perturbed	F^a perturbed	$\hat{F}^a$ perturbed	C^a perturbed	$\hat{C}^a$ perturbed	Selected Sources
BloodMNIST	ViT-B/16	ViT	Test	Best Individual	0.32359	0.384391	0.34259	0.347559	0.347852	0.357498	0.357498	0.33499	0.439345	0.346975	0.448699	81fbc3ad271a7f8aea40 3c4a5cdafec0a30f2fb3 0352af70f8e0dbfb2f0c 46cc
BloodMNIST	ViT-B/16	ViT	Test	Simple Averaging	0.352821	0.36539	0.37036	0.313651	0.399298	0.326805	0.408945	0.297281	0.522362	0.308389	0.532593	
BloodMNIST	ViT-B/16	ViT	Test	Borda	0.371236	0.333236	0.388191	0.282081	0.417422	0.294943	0.427653	0.297574	0.540193	0.308974	0.550132	
BloodMNIST	ViT-B/16	ViT	Test	Kemeny	0.355744	0.360713	0.373283	0.313359	0.393745	0.32622	0.402806	0.316866	0.512716	0.32739	0.522362	
BloodMNIST	ViT-B/16	ViT	Test	RRF	0.345221	0.369483	0.362467	0.313359	0.390529	0.326513	0.399883	0.320082	0.512131	0.330313	0.521777	
BloodMNIST	ViT-B/16	ViT	Test	Schulze	0.356036	0.353405	0.373575	0.302251	0.398714	0.315405	0.40836	0.306635	0.526747	0.318036	0.536393	

Table 13: BloodMNIST-ViT-B/16

Dataset	Model	Method	Scope	Group	Comparison on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
BloodMNIST	ViT-B/16	Best Individual	Dataset Model	All	20	9						
BloodMNIST	ViT-B/16	Simple Averaging	Dataset Model	All	20	0	2	0	18			
BloodMNIST	ViT-B/16	Borda	Dataset Model	All	20	4	6	0	14	16	0	4
BloodMNIST	ViT-B/16	Kemeny	Dataset Model	All	20	7	11	0	9	16	0	4
BloodMNIST	ViT-B/16	RRF	Dataset Model	All	20	0	5	1	14	16	0	4
BloodMNIST	ViT-B/16	Schulze	Dataset Model	All	20	1	11	0	9	16	0	4
BloodMNIST	ViT-B/16	Best Individual	Dataset Model	Quality	4	4						
BloodMNIST	ViT-B/16	Simple Averaging	Dataset Model	Quality	4	0	0	0	4			
BloodMNIST	ViT-B/16	Borda	Dataset Model	Quality	4	0	0	0	4	0	0	4
BloodMNIST	ViT-B/16	Kemeny	Dataset Model	Quality	4	0	0	0	4	0	0	4
BloodMNIST	ViT-B/16	RRF	Dataset Model	Quality	4	0	0	0	4	0	0	4
BloodMNIST	ViT-B/16	Schulze	Dataset Model	Quality	4	0	0	0	4	0	0	4
BloodMNIST	ViT-B/16	Best Individual	Dataset Model	Robustness All	16	5						
BloodMNIST	ViT-B/16	Simple Averaging	Dataset Model	Robustness All	16	0	2	0	14			
BloodMNIST	ViT-B/16	Borda	Dataset Model	Robustness All	16	4	6	0	10	16	0	0
BloodMNIST	ViT-B/16	Kemeny	Dataset Model	Robustness All	16	7	11	0	5	16	0	0
BloodMNIST	ViT-B/16	RRF	Dataset Model	Robustness All	16	0	5	1	10	16	0	0
BloodMNIST	ViT-B/16	Schulze	Dataset Model	Robustness All	16	1	11	0	5	16	0	0
BloodMNIST	ViT-B/16	Best Individual	Dataset Model	Gaussian	4	0						
BloodMNIST	ViT-B/16	Simple Averaging	Dataset Model	Gaussian	4	0	0	0	4			
BloodMNIST	ViT-B/16	Borda	Dataset Model	Gaussian	4	2	2	0	2	4	0	0
BloodMNIST	ViT-B/16	Kemeny	Dataset Model	Gaussian	4	2	4	0	0	4	0	0
BloodMNIST	ViT-B/16	RRF	Dataset Model	Gaussian	4	0	2	0	2	4	0	0
BloodMNIST	ViT-B/16	Schulze	Dataset Model	Gaussian	4	1	4	0	0	4	0	0
BloodMNIST	ViT-B/16	Best Individual	Dataset Model	Salt Pepper	4	1						
BloodMNIST	ViT-B/16	Simple Averaging	Dataset Model	Salt Pepper	4	0	2	0	2			
BloodMNIST	ViT-B/16	Borda	Dataset Model	Salt Pepper	4	0	2	0	2	4	0	0
BloodMNIST	ViT-B/16	Kemeny	Dataset Model	Salt Pepper	4	3	3	0	1	4	0	0
BloodMNIST	ViT-B/16	RRF	Dataset Model	Salt Pepper	4	0	3	0	1	4	0	0
BloodMNIST	ViT-B/16	Schulze	Dataset Model	Salt Pepper	4	0	3	0	1	4	0	0
BloodMNIST	ViT-B/16	Best Individual	Dataset Model	Speckle	4	2						
BloodMNIST	ViT-B/16	Simple Averaging	Dataset Model	Speckle	4	0	0	0	4			
BloodMNIST	ViT-B/16	Borda	Dataset Model	Speckle	4	0	0	0	4	4	0	0
BloodMNIST	ViT-B/16	Kemeny	Dataset Model	Speckle	4	2	2	0	2	4	0	0
BloodMNIST	ViT-B/16	RRF	Dataset Model	Speckle	4	0	0	0	4	4	0	0
BloodMNIST	ViT-B/16	Schulze	Dataset Model	Speckle	4	0	2	0	2	4	0	0
BloodMNIST	ViT-B/16	Best Individual	Dataset Model	Adversarial	4	2						
BloodMNIST	ViT-B/16	Simple Averaging	Dataset Model	Adversarial	4	0	0	0	4			
BloodMNIST	ViT-B/16	Borda	Dataset Model	Adversarial	4	2	2	0	2	4	0	0
BloodMNIST	ViT-B/16	Kemeny	Dataset Model	Adversarial	4	0	2	0	2	4	0	0
BloodMNIST	ViT-B/16	RRF	Dataset Model	Adversarial	4	0	0	1	3	4	0	0
BloodMNIST	ViT-B/16	Schulze	Dataset Model	Adversarial	4	0	2	0	2	4	0	0
BloodMNIST	ViT-B/16	Best Individual	Overall	All	80	28						
BloodMNIST	ViT-B/16	Simple Averaging	Overall	All	80	10	40	2	38			
BloodMNIST	ViT-B/16	Borda	Overall	All	80	20	45	1	34	54	3	23
BloodMNIST	ViT-B/16	Kemeny	Overall	All	80	19	49	1	30	44	3	33
BloodMNIST	ViT-B/16	RRF	Overall	All	80	5	44	1	35	49	4	27
BloodMNIST	ViT-B/16	Schulze	Overall	All	80	7	50	0	30	48	4	28
BloodMNIST	ViT-B/16	Best Individual	Overall	Quality	16	14						
BloodMNIST	ViT-B/16	Simple Averaging	Overall	Quality	16	2	2	1	13			
BloodMNIST	ViT-B/16	Borda	Overall	Quality	16	0	1	0	15	2	0	14
BloodMNIST	ViT-B/16	Kemeny	Overall	Quality	16	0	1	0	15	2	0	14
BloodMNIST	ViT-B/16	RRF	Overall	Quality	16	1	1	0	15	5	1	10
BloodMNIST	ViT-B/16	Schulze	Overall	Quality	16	0	1	0	15	1	2	13
BloodMNIST	ViT-B/16	Best Individual	Overall	Robustness All	64	14						
BloodMNIST	ViT-B/16	Simple Averaging	Overall	Robustness All	64	8	38	1	25			
BloodMNIST	ViT-B/16	Borda	Overall	Robustness All	64	20	44	1	19	52	3	9
BloodMNIST	ViT-B/16	Kemeny	Overall	Robustness All	64	19	48	1	15	42	3	19
BloodMNIST	ViT-B/16	RRF	Overall	Robustness All	64	4	43	1	20	44	3	17
BloodMNIST	ViT-B/16	Schulze	Overall	Robustness All	64	7	49	0	15	47	2	15
BloodMNIST	ViT-B/16	Best Individual	Overall	Gaussian	16	1						
BloodMNIST	ViT-B/16	Simple Averaging	Overall	Gaussian	16	1	10	0	6			
BloodMNIST	ViT-B/16	Borda	Overall	Gaussian	16	6	13	0	3	14	0	2
BloodMNIST	ViT-B/16	Kemeny	Overall	Gaussian	16	8	14	0	2	12	1	3
BloodMNIST	ViT-B/16	RRF	Overall	Gaussian	16	0	12	0	4	11	1	4
BloodMNIST	ViT-B/16	Schulze	Overall	Gaussian	16	3	14	0	2	12	0	4
BloodMNIST	ViT-B/16	Best Individual	Overall	Salt Pepper	16	2						
BloodMNIST	ViT-B/16	Simple Averaging	Overall	Salt Pepper	16	1	11	1	4			
BloodMNIST	ViT-B/16	Borda	Overall	Salt Pepper	16	3	13	0	3	13	0	3
BloodMNIST	ViT-B/16	Kemeny	Overall	Salt Pepper	16	6	14	0	2	10	0	6
BloodMNIST	ViT-B/16	RRF	Overall	Salt Pepper	16	2	14	0	2	12	2	2
BloodMNIST	ViT-B/16	Schulze	Overall	Salt Pepper	16	2	14	0	2	14	0	2
BloodMNIST	ViT-B/16	Best Individual	Overall	Speckle	16	3						
BloodMNIST	ViT-B/16	Simple Averaging	Overall	Speckle	16	4	11	0	5			
BloodMNIST	ViT-B/16	Borda	Overall	Speckle	16	5	10	1	5	12	1	3
BloodMNIST	ViT-B/16	Kemeny	Overall	Speckle	16	5	13	0	3	9	2	5
BloodMNIST	ViT-B/16	RRF	Overall	Speckle	16	0	11	0	5	9	0	7
BloodMNIST	ViT-B/16	Schulze	Overall	Speckle	16	2	13	0	3	9	2	5
BloodMNIST	ViT-B/16	Best Individual	Overall	Adversarial	16	8						
BloodMNIST	ViT-B/16	Simple Averaging	Overall	Adversarial	16	2	6	0	10			
BloodMNIST	ViT-B/16	Borda	Overall	Adversarial	16	6	8	0	8	13	2	1
BloodMNIST	ViT-B/16	Kemeny	Overall	Adversarial	16	0	7	1	8	11	0	5
BloodMNIST	ViT-B/16	RRF	Overall	Adversarial	16	2	6	1	9	12	0	4

Dataset	Model	Method	Scope	Group	Comparis on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
		Schulze	Overall	Adversarial	16	0	8	0	8	12	0	4

16

[illegible]

Cell	Dataset	Model	q	Geometry	Geometry Label	Center Rule	Rule	Method Prefix	Quality	Perturbed Quality	Robustness
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Spearman	NOISE-S	borda	Kemeny	["Gradient Attention Rollout", "Chefesformer Attribution", "GShap"]	{'C':0.32242034, 'Cbar':0.283835, 'F':0.311786026, 'Fbar':0.4106987, 'Fbar':0.591932, 'F':0.342417266}	{'adversarial-sara-2-2630929C':0.0371236480, 'adversarial-sara-2-604273313075r':0.064273313075r, 'adversarial-sara-2-800096116866':0.064273313075r, 'adversarial-sara-2-4282235574':0.0380005846, 'adversarial-sara-2-24637883, 'Fbar':0.0587547500}, {'C':0.403390782036, 'Cbar':0.3194972230, 'F':0.3878982753, 'Fbar':0.0809704764, 'Fbar':0.0809704764, 'Fbar':0.0584624378, 'F':0.0768781058, 'Fbar':0.0695703010}, {'C':0.3863357344, 'Cbar':0.3446974568, 'F':0.3700652378, 'Fbar':0.0640163694, 'Fbar':0.0432622040, 'Fbar':0.0590470622, 'Fbar':0.0517392575}, {'C':0.35629634897, 'Cbar':0.3516515638, 'F':0.3446360778, 'Fbar':0.0336159017, 'Fbar':0.0263080970, 'Fbar':0.0336159017, 'Fbar':0.0271850336, 'Fbar':0.159018}}	
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Spearman	NOISE-S	borda	Schulze	["Gradient Attention Rollout", "Chefesformer Attribution", "GShap"]	{'C':0.32242034, 'Cbar':0.283835, 'F':0.311786026, 'Fbar':0.4106987, 'Fbar':0.591932, 'F':0.342417266}	{'adversarial-sara-2-3742264805, 'Cbar':0.311786026, 'Fbar':0.4106987, 'Fbar':0.591932, 'F':0.342417266}, {'C':0.375228512C':0.0529085062, 'Cbar':0.311786026, 'Fbar':0.4106987, 'Fbar':0.591932, 'F':0.342417266}, {'C':0.3863357344, 'Cbar':0.3446974568, 'F':0.3700652378, 'Fbar':0.0640163694, 'Fbar':0.0432622040, 'Fbar':0.0590470622, 'Fbar':0.0517392575}, {'C':0.35629634897, 'Cbar':0.3516515638, 'F':0.3446360778, 'Fbar':0.0336159017, 'Fbar':0.0263080970, 'Fbar':0.0336159017, 'Fbar':0.0271850336, 'Fbar':0.159018}}	
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Kendall	NOISE-K	kemeny	Simple Averaging	["Gradient Attention Rollout", "Chefesformer Attribution", "GShap"]	{'C':0.317451037, 'Cbar':0.2827243, 'F':0.3025431775, 'Fbar':0.4106987, 'Fbar':0.591932, 'F':0.342417266}	{'adversarial-sara-2-3742264805, 'Cbar':0.311786026, 'Fbar':0.4106987, 'Fbar':0.591932, 'F':0.342417266}, {'C':0.375228512C':0.0529085062, 'Cbar':0.311786026, 'Fbar':0.4106987, 'Fbar':0.591932, 'F':0.342417266}, {'C':0.3863357344, 'Cbar':0.3446974568, 'F':0.3700652378, 'Fbar':0.0640163694, 'Fbar':0.0432622040, 'Fbar':0.0590470622, 'Fbar':0.0517392575}, {'C':0.35629634897, 'Cbar':0.3516515638, 'F':0.3446360778, 'Fbar':0.0336159017, 'Fbar':0.0263080970, 'Fbar':0.0336159017, 'Fbar':0.0271850336, 'Fbar':0.159018}}	

Cell	Dataset	Model	q	Geometry	Geometry Label	Center Rule	Rule	Method Prefix	Quality	Perturbed Quality	Robustness
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Kendall	NOISE-K	kemeny	Schulze	["Gradient Attention Rollout", "Chameleon", "sformer Attribution", "GShap"]	["('C':0.3224203, 'Char':0.317226805, 'F':0.3112394, 'F':0.31199065, 'Fbar':0.5552704)"]	["('C':0.3224203, 'Char':0.317226805, 'F':0.3112394, 'F':0.31199065, 'Fbar':0.5552704)"]	["('adversarial-sar-2', 0.0529085062)"]

Table 15: BloodMNIST-ViT-B/16

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.342005	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.380883	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.382929	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.373283	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.371236	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.362467	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.351067	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.330897	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.327682	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.308974	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.342005	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.359544	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.386144	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.356913	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.35779	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.358667	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.358667	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.342005	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.340544	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.32739	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.342882	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.382344	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.385852	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.367436	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.365098	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.356621	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.360129	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.336159	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.336744	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.330313	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.342005	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.375329	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.381175	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.370944	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.358959	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.359252	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.356621	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.339959	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.337036	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.318036	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.341128	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.376206	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.365683	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.349605	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.321251	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.322713	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.30722	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.304005	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.308974	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.308389	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.429699	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.442561	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.477346	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.483484	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.464192	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.471207	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.4981	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.536393	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.521777	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.550132	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.429699	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.437591	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.470915	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.508331	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.461853	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.470038	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.485531	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.526747	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.512131	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.522362	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.430284	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.432914	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.460684	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.488746	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.463315	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.469746	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.485823	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.514762	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.512716	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.521777	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.429699	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.431745	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.463899	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.486407	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.465361	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.464484	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.491961	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.527039	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.511254	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.536393	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.435837	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.462438	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.4943	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.509208	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.492546	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.503362	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.522362	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.533177	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.529377	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.532593	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.331774	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.37036	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.371529	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.362759	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.360421	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.351067	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.341128	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.320959	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.317159	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.297574	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.331774	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.349021	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.375037	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.346098	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.347267	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.347267	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.348144	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.331774	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.329436	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
										GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.316866	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.332067	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.371821	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.375037	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.356621	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.354575	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.345513	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.349605	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.325928	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.32622	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.320082	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.331774	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255 F	F	Schulze	Conditioned Quality	0.365098	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255 F	F	Schulze	Conditioned Quality	0.369775	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255 F	F	Schulze	Conditioned Quality	0.360713	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255 F	F	Schulze	Conditioned Quality	0.348436	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255 F	F	Schulze	Conditioned Quality	0.348728	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255 F	F	Schulze	Conditioned Quality	0.346682	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255 F	F	Schulze	Conditioned Quality	0.329436	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255 F	F	Schulze	Conditioned Quality	0.326805	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255 F	F	Schulze	Conditioned Quality	0.306635	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255 F	F	Simple Averaging	Conditioned Quality	0.330605	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255 F	F	Simple Averaging	Conditioned Quality	0.365098	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255 F	F	Simple Averaging	Conditioned Quality	0.354575	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.339374	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.310728	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.311897	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.296112	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbliation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.292897	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbliation", "InputXGradient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.297866	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbliation", "InputXGradient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.297281	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbliation", "InputXGradient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.420637	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.432914	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.469161	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.474423	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.454838	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.462146	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.488454	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.527039	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.512131	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.540193	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.420637	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.428237	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.461561	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.499562	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.451915	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.461269	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.476761	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.5171	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.502777	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.512716	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.421222	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.423853	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.451038	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.479392	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.453376	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.460976	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.475884	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.505115	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.503069	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.512131	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.420637	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.422391	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.455422	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.477346	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.456007	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.455422	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.482315	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.517685	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.5019	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.526747	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.427068	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.453084	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.484946	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.499562	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.4829	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.494008	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.512716	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.522947	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.519146	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.522362	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	C	Borda	Conditioned Quality	0.395498	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	C	Borda	Conditioned Quality	0.414206	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	C	Borda	Conditioned Quality	0.414206	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	C	Borda	Conditioned Quality	0.408652	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	C	Borda	Conditioned Quality	0.408945	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	C	Borda	Conditioned Quality	0.401929	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	C	Borda	Conditioned Quality	0.379421	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	C	Borda	Conditioned Quality	0.375621	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	C	Borda	Conditioned Quality	0.365683	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	C	Borda	Conditioned Quality	0.348144	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.395498	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.403391	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.413037	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.397837	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.40076	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.405145	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.402514	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbliation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.386729	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbliation", "InputXGradient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.384975	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbliation", "InputXGradient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.384391	True	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbliation", "InputXGradient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	C	RRF	Conditioned Quality	0.397545	False	["Gradient Attention Rollout", "CheferTranformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	C	RRF	Conditioned Quality	0.419176	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	C	RRF	Conditioned Quality	0.418883	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	C	RRF	Conditioned Quality	0.407776	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	C	RRF	Conditioned Quality	0.405729	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	C	RRF	Conditioned Quality	0.41216	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	C	RRF	Conditioned Quality	0.409237	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbliation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	C	RRF	Conditioned Quality	0.394914	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	C	RRF	Conditioned Quality	0.389652	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	C	RRF	Conditioned Quality	0.385852	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	C	Schulze	Conditioned Quality	0.395498	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	C	Schulze	Conditioned Quality	0.410406	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	C	Schulze	Conditioned Quality	0.414206	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	C	Schulze	Conditioned Quality	0.407191	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	C	Schulze	Conditioned Quality	0.403683	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	C	Schulze	Conditioned Quality	0.406899	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	C	Schulze	Conditioned Quality	0.402806	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	C	Schulze	Conditioned Quality	0.382929	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	C	Schulze	Conditioned Quality	0.383514	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
										["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	C	Schulze	Conditioned Quality	0.377375	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.391991	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.410406	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.416253	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.407191	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.393452	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.371529	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.376498	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.377667	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.380006	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.379129	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.330313	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.305759	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.311312	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.314236	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.302251	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.304297	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.329436	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.338205	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.329144	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.358375	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.330313	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.319497	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.30722	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.340251	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.32242	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.319205	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.319205	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.349605	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.349605	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.349021	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.325928	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.308389	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.313066	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.32622	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.312482	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.307805	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.320666	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.338498	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.339082	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.344636	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.330313	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.30722	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.311897	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.321543	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.308097	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.310143	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.320666	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.344051	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.333821	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.349313	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.33002	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.316866	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.31482	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.325636	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.325051	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.339374	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.353405	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.35779	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.359252	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.358667	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	F	Borda	Conditioned Quality	0.380298	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	F	Borda	Conditioned Quality	0.397837	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	F	Borda	Conditioned Quality	0.396375	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	F	Borda	Conditioned Quality	0.390529	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	F	Borda	Conditioned Quality	0.391114	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	F	Borda	Conditioned Quality	0.384391	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	F	Borda	Conditioned Quality	0.362759	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	F	Borda	Conditioned Quality	0.358375	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	F	Borda	Conditioned Quality	0.348436	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	F	Borda	Conditioned Quality	0.33119	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.380298	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.387898	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.395791	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.379129	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.382052	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.386729	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.384683	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.367729	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.365683	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.366852	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	F	RRF	Conditioned Quality	0.382344	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	F	RRF	Conditioned Quality	0.403391	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	F	RRF	Conditioned Quality	0.401637	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	F	RRF	Conditioned Quality	0.389944	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	F	RRF	Conditioned Quality	0.387021	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	F	RRF	Conditioned Quality	0.394621	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	F	RRF	Conditioned Quality	0.392283	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbliation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	F	RRF	Conditioned Quality	0.377375	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbliation", "InputXGradient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	F	RRF	Conditioned Quality	0.372406	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbliation", "InputXGradient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	F	RRF	Conditioned Quality	0.368606	True	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbliation", "InputXGradient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	F	Schulze	Conditioned Quality	0.380298	False	["Gradient Attention Rollout", "CheferTranformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	F	Schulze	Conditioned Quality	0.394037	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	F	Schulze	Conditioned Quality	0.397545	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	F	Schulze	Conditioned Quality	0.388775	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	F	Schulze	Conditioned Quality	0.384975	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	F	Schulze	Conditioned Quality	0.38936	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	F	Schulze	Conditioned Quality	0.38556	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	F	Schulze	Conditioned Quality	0.364221	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	F	Schulze	Conditioned Quality	0.365098	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	F	Schulze	Conditioned Quality	0.359252	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.376498	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.394621	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.399883	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.390237	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.376498	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.354867	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.359252	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.360129	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.362759	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.361298	True	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.311312	False	["Gradient Attention Rollout", "CheferTransformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.288512	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.295235	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.297866	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.285881	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.287928	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.312774	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.321543	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.312189	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.341713	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.311312	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.299912	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.291143	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.324467	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.306343	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.30342	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.302835	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.333528	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.333821	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.333236	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.307512	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.291143	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.297281	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.311605	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.296989	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.291728	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.304005	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.32242	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.322713	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.328267	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.311312	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.289681	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.296405	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.304882	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.292605	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.294066	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.304005	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.327974	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.318036	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.333236	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.311312	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.299328	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.298743	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.309266	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.307805	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.321836	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.336159	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.341421	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.34259	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.342005	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.375913	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.392575	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.382052	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.383221	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.385852	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.376206	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.358959	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
										["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.349605	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.347559	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.333236	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.375913	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.386437	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.387314	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.379421	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.38556	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.388191	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.381175	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.362175	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.367144	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
										["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.360713	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.377667	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.398422	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.396668	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.384683	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.38556	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.390237	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.387898	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.371821	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.37036	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.369483	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.375913	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.389652	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.387898	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.385852	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.385267	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.383806	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.380883	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.359252	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.365098	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.353405	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.380298	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.387898	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.396375	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.392283	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.377083	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.358375	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.363929	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbliation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.363344	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbliation", "InputXGradient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.364806	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbliation", "InputXGradient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.36539	True	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbliation", "InputXGradient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.343467	False	["Gradient Attention Rollout", "CheferTranformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.321543	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.340836	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.33879	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.323297	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.335574	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.364806	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.37416	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.37036	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.388191	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.343467	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.334697	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.343759	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.36159	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.335282	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.340251	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.336451	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
										["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.366559	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.359252	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.373283	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.343759	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.322713	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.333528	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.346975	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.330313	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.337036	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.336159	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.352529	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.351944	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.362467	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.343467	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.325928	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.340251	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.337621	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.327974	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.332067	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.344051	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.360713	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.358667	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.373575	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.34259	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.333528	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.330605	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.337036	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.33879	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.354282	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.369483	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.371529	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.370652	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.37036	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.358959	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.375913	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.365683	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.365098	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.367436	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.358082	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.340836	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.332067	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.329436	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.31482	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.358959	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.370067	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.370652	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.361006	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.367436	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.37036	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.363052	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.343467	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.348728	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.34259	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.360713	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.38176	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.379421	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.367144	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.367436	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.372406	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.370067	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.35399	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.353113	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.352236	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.358959	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.372698	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.371236	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.367729	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.366559	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.365683	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.363344	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.341421	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.348144	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
										["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.335574	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.363929	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.370944	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.379129	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.375329	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.359544	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.341713	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.345805	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.345513	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.346975	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.347559	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.325636	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.304297	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.322713	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.321543	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.304882	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.317451	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.347559	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.356621	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.353113	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.371236	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.325636	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.317743	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.325928	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.343467	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.316866	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.322128	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.319205	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbliation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.349313	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbliation", "InputXGradient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.34259	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbliation", "InputXGradient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.355744	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbliation", "InputXGradient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.325928	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.305466	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.315989	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.329436	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.311897	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.318328	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.31979	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.335574	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.33499	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.345221	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.325636	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.308682	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.322713	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.320374	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.309266	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.313943	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.32739	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.343759	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.341421	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.356036	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.324467	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.316574	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.313943	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.320374	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.321543	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.338205	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.352821	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.354575	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.353698	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.352821	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	C	Borda	Conditioned Quality	0.342882	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	C	Borda	Conditioned Quality	0.369483	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	C	Borda	Conditioned Quality	0.368606	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	C	Borda	Conditioned Quality	0.361298	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	C	Borda	Conditioned Quality	0.357205	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	C	Borda	Conditioned Quality	0.340836	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	C	Borda	Conditioned Quality	0.32242	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	C	Borda	Conditioned Quality	0.320959	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	C	Borda	Conditioned Quality	0.311897	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	C	Borda	Conditioned Quality	0.294943	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	C	Kemeny	Conditioned Quality	0.342882	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	C	Kemeny	Conditioned Quality	0.356036	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	C	Kemeny	Conditioned Quality	0.36919	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	C	Kemeny	Conditioned Quality	0.349605	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	C	Kemeny	Conditioned Quality	0.353405	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	C	Kemeny	Conditioned Quality	0.352236	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	C	Kemeny	Conditioned Quality	0.356036	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	C	Kemeny	Conditioned Quality	0.336159	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	C	Kemeny	Conditioned Quality	0.332944	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	C	Kemeny	Conditioned Quality	0.32622	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	C	RRF	Conditioned Quality	0.344928	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	C	RRF	Conditioned Quality	0.371529	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	C	RRF	Conditioned Quality	0.371529	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	C	RRF	Conditioned Quality	0.363929	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	C	RRF	Conditioned Quality	0.360421	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	C	RRF	Conditioned Quality	0.35779	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	C	RRF	Conditioned Quality	0.358375	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	C	RRF	Conditioned Quality	0.336159	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	C	RRF	Conditioned Quality	0.339959	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	C	RRF	Conditioned Quality	0.326513	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	C	Schulze	Conditioned Quality	0.342882	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	C	Schulze	Conditioned Quality	0.364513	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	C	Schulze	Conditioned Quality	0.36539	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	C	Schulze	Conditioned Quality	0.362759	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	C	Schulze	Conditioned Quality	0.355159	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	C	Schulze	Conditioned Quality	0.352821	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	C	Schulze	Conditioned Quality	0.351067	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	C	Schulze	Conditioned Quality	0.333821	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	C	Schulze	Conditioned Quality	0.330605	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	C	Schulze	Conditioned Quality	0.315405	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.346682	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.358667	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.365098	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.361882	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.346975	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.319205	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.325928	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.322713	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.325051	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.326805	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.35019	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.351652	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.361882	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.369483	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.345513	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.356913	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.38936	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.406606	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.387314	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.427653	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.35019	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.351652	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.352529	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.386144	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.354867	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.358082	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.359836	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.399591	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.387898	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.402806	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.348144	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.345221	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.354282	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.377375	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.354867	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.352236	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.368898	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.390529	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.387021	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.399883	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.35019	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.348144	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.352236	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.370944	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.353405	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.349021	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.371529	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbliation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.397545	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbliation", "InputXGradient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.384975	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbliation", "InputXGradient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.40836	True	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbliation", "InputXGradient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.349313	False	["Gradient Attention Rollout", "CheferTranformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.344928	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.348728	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.35779	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.363052	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.393452	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.405729	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.407483	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.407191	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.408945	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	F	Borda	Conditioned Quality	0.332067	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	F	Borda	Conditioned Quality	0.35779	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	F	Borda	Conditioned Quality	0.356621	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	F	Borda	Conditioned Quality	0.348436	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	F	Borda	Conditioned Quality	0.344636	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	F	Borda	Conditioned Quality	0.327097	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	F	Borda	Conditioned Quality	0.309559	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	F	Borda	Conditioned Quality	0.308097	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	F	Borda	Conditioned Quality	0.298158	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	F	Borda	Conditioned Quality	0.282081	True	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	F	Kemeny	Conditioned Quality	0.332067	False	["Gradient Attention Rollout", "CheferTransformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	F	Kemeny	Conditioned Quality	0.344636	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	F	Kemeny	Conditioned Quality	0.357205	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	F	Kemeny	Conditioned Quality	0.336451	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	F	Kemeny	Conditioned Quality	0.340544	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	F	Kemeny	Conditioned Quality	0.33879	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	F	Kemeny	Conditioned Quality	0.342882	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	F	Kemeny	Conditioned Quality	0.323005	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	F	Kemeny	Conditioned Quality	0.31979	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	F	Kemeny	Conditioned Quality	0.313359	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	F	RRF	Conditioned Quality	0.333528	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	F	RRF	Conditioned Quality	0.359252	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	F	RRF	Conditioned Quality	0.359252	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	F	RRF	Conditioned Quality	0.351359	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	F	RRF	Conditioned Quality	0.347852	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	F	RRF	Conditioned Quality	0.344051	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	F	RRF	Conditioned Quality	0.345221	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	F	RRF	Conditioned Quality	0.323005	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	F	RRF	Conditioned Quality	0.326805	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	F	RRF	Conditioned Quality	0.313359	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	F	Schulze	Conditioned Quality	0.332067	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	F	Schulze	Conditioned Quality	0.352529	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	F	Schulze	Conditioned Quality	0.353405	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	F	Schulze	Conditioned Quality	0.35019	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	F	Schulze	Conditioned Quality	0.342005	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	F	Schulze	Conditioned Quality	0.339082	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	F	Schulze	Conditioned Quality	0.338205	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	F	Schulze	Conditioned Quality	0.320666	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	F	Schulze	Conditioned Quality	0.317451	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	F	Schulze	Conditioned Quality	0.302251	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.335282	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.346098	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.352529	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.349605	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.333821	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.306343	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.312774	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbliation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.309559	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbliation", "InputXGradient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.311897	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbliation", "InputXGradient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.313651	True	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbliation", "InputXGradient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.341128	False	["Gradient Attention Rollout", "CheferTranformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.343175	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.353405	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.361006	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.337328	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.346682	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.379421	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.397252	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.377667	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.417422	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.341128	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.342298	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.344051	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.378544	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.346682	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.349313	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.351359	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.390237	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.378837	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.393745	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.339082	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.336744	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.344636	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.368021	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.347559	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.342882	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.359836	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.381175	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.37796	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
										["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.390529	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.341128	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.339374	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.343759	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.362467	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.345221	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.339667	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.362759	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.388483	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.376206	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.398714	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.340544	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.336451	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.339667	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.348728	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.35399	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.383514	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.396668	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.398129	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.397837	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.399298	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Clean	C	Borda	Quality	0.302835	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Clean	C	Borda	Quality	0.331482	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Clean	C	Borda	Quality	0.331482	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Clean	C	Borda	Quality	0.330897	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Clean	C	Borda	Quality	0.318328	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Clean	C	Borda	Quality	0.316282	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Clean	C	Borda	Quality	0.308389	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Clean	C	Borda	Quality	0.294943	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Clean	C	Borda	Quality	0.293189	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Clean	C	Borda	Quality	0.268635	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Clean	C	Kemeny	Quality	0.302835	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Clean	C	Kemeny	Quality	0.32242	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Clean	C	Kemeny	Quality	0.336159	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Clean	C	Kemeny	Quality	0.318328	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Clean	C	Kemeny	Quality	0.315989	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Clean	C	Kemeny	Quality	0.31862	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Clean	C	Kemeny	Quality	0.323297	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Clean	C	Kemeny	Quality	0.300789	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Clean	C	Kemeny	Quality	0.301958	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Clean	C	Kemeny	Quality	0.289097	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Clean	C	RRF	Quality	0.304589	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Clean	C	RRF	Quality	0.331482	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Clean	C	RRF	Quality	0.342005	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Clean	C	RRF	Quality	0.33002	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Clean	C	RRF	Quality	0.31979	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Clean	C	RRF	Quality	0.327097	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Clean	C	RRF	Quality	0.33002	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Clean	C	RRF	Quality	0.310436	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Clean	C	RRF	Quality	0.311897	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Clean	C	RRF	Quality	0.301374	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Clean	C	Schulze	Quality	0.302835	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Clean	C	Schulze	Quality	0.32242	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Clean	C	Schulze	Quality	0.337036	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Clean	C	Schulze	Quality	0.328559	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Clean	C	Schulze	Quality	0.315989	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Clean	C	Schulze	Quality	0.325343	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Clean	C	Schulze	Quality	0.321836	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Clean	C	Schulze	Quality	0.298158	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Clean	C	Schulze	Quality	0.304589	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Clean	C	Schulze	Quality	0.282081	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Clean	C	Simple Averaging	Quality	0.308097	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Clean	C	Simple Averaging	Quality	0.317451	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Clean	C	Simple Averaging	Quality	0.326513	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Clean	C	Simple Averaging	Quality	0.327682	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Clean	C	Simple Averaging	Quality	0.299328	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Clean	C	Simple Averaging	Quality	0.301374	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Clean	C	Simple Averaging	Quality	0.307512	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Clean	C	Simple Averaging	Quality	0.309851	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Clean	C	Simple Averaging	Quality	0.311312	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Clean	C	Simple Averaging	Quality	0.312774	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Clean	Cbar	Borda	Quality	0.382929	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Clean	Cbar	Borda	Quality	0.37679	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Clean	Cbar	Borda	Quality	0.394037	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Clean	Cbar	Borda	Quality	0.39696	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Clean	Cbar	Borda	Quality	0.38059	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Clean	Cbar	Borda	Quality	0.382052	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Clean	Cbar	Borda	Quality	0.413622	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Clean	Cbar	Borda	Quality	0.441391	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Clean	Cbar	Borda	Quality	0.419176	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Clean	Cbar	Borda	Quality	0.453961	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Clean	Cbar	Kemeny	Quality	0.382929	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Clean	Cbar	Kemeny	Quality	0.37796	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Clean	Cbar	Kemeny	Quality	0.386144	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Clean	Cbar	Kemeny	Quality	0.423853	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Clean	Cbar	Kemeny	Quality	0.386144	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Clean	Cbar	Kemeny	Quality	0.391991	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Clean	Cbar	Kemeny	Quality	0.392575	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Clean	Cbar	Kemeny	Quality	0.428822	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Clean	Cbar	Kemeny	Quality	0.424145	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Clean	Cbar	Kemeny	Quality	0.43993	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Clean	Cbar	RRF	Quality	0.381467	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Clean	Cbar	RRF	Quality	0.369775	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Clean	Cbar	RRF	Quality	0.382929	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Clean	Cbar	RRF	Quality	0.404268	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Clean	Cbar	RRF	Quality	0.386729	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Clean	Cbar	RRF	Quality	0.380883	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Clean	Cbar	RRF	Quality	0.394914	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Clean	Cbar	RRF	Quality	0.425607	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Clean	Cbar	RRF	Quality	0.420053	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Clean	Cbar	RRF	Quality	0.426191	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Clean	Cbar	Schulze	Quality	0.382929	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Clean	Cbar	Schulze	Quality	0.371236	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Clean	Cbar	Schulze	Quality	0.384975	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Clean	Cbar	Schulze	Quality	0.39696	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Clean	Cbar	Schulze	Quality	0.38176	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Clean	Cbar	Schulze	Quality	0.38176	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Clean	Cbar	Schulze	Quality	0.402514	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
										["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Clean	Cbar	Schulze	Quality	0.426191	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Clean	Cbar	Schulze	Quality	0.418299	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Clean	Cbar	Schulze	Quality	0.438176	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Clean	Cbar	Simple Averaging	Quality	0.386144	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Clean	Cbar	Simple Averaging	Quality	0.368606	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Clean	Cbar	Simple Averaging	Quality	0.368606	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Clean	Cbar	Simple Averaging	Quality	0.381467	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Clean	Cbar	Simple Averaging	Quality	0.387898	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Clean	Cbar	Simple Averaging	Quality	0.398129	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Clean	Cbar	Simple Averaging	Quality	0.417422	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Clean	Cbar	Simple Averaging	Quality	0.417714	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Clean	Cbar	Simple Averaging	Quality	0.417129	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Clean	Cbar	Simple Averaging	Quality	0.418006	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Clean	F	Borda	Quality	0.291435	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Clean	F	Borda	Quality	0.320666	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Clean	F	Borda	Quality	0.320374	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Clean	F	Borda	Quality	0.320374	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Clean	F	Borda	Quality	0.307512	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Clean	F	Borda	Quality	0.305759	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Clean	F	Borda	Quality	0.297574	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Clean	F	Borda	Quality	0.284127	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Clean	F	Borda	Quality	0.282374	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Clean	F	Borda	Quality	0.258404	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Clean	F	Kemeny	Quality	0.291435	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Clean	F	Kemeny	Quality	0.31102	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Clean	F	Kemeny	Quality	0.325051	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Clean	F	Kemeny	Quality	0.307805	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Clean	F	Kemeny	Quality	0.305466	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Clean	F	Kemeny	Quality	0.308097	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Clean	F	Kemeny	Quality	0.312189	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblication"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Clean	F	Kemeny	Quality	0.290558	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblication", "InputXGradient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Clean	F	Kemeny	Quality	0.290851	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblication", "InputXGradient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Clean	F	Kemeny	Quality	0.278866	True	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblication", "InputXGradient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Clean	F	RRF	Quality	0.293189	False	["Gradient Attention Rollout", "CheferTranformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Clean	F	RRF	Quality	0.320666	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Clean	F	RRF	Quality	0.330897	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Clean	F	RRF	Quality	0.319205	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Clean	F	RRF	Quality	0.309266	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Clean	F	RRF	Quality	0.316574	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Clean	F	RRF	Quality	0.318913	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Clean	F	RRF	Quality	0.299328	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Clean	F	RRF	Quality	0.300789	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Clean	F	RRF	Quality	0.290851	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Clean	F	Schulze	Quality	0.291435	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Clean	F	Schulze	Quality	0.311605	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Clean	F	Schulze	Quality	0.32622	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Clean	F	Schulze	Quality	0.318036	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Clean	F	Schulze	Quality	0.305466	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Clean	F	Schulze	Quality	0.31482	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Clean	F	Schulze	Quality	0.31102	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Clean	F	Schulze	Quality	0.287635	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Clean	F	Schulze	Quality	0.294066	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Clean	F	Schulze	Quality	0.272143	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Clean	F	Simple Averaging	Quality	0.296697	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Clean	F	Simple Averaging	Quality	0.306343	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Clean	F	Simple Averaging	Quality	0.315405	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Clean	F	Simple Averaging	Quality	0.316574	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Clean	F	Simple Averaging	Quality	0.288804	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Clean	F	Simple Averaging	Quality	0.290558	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Clean	F	Simple Averaging	Quality	0.296405	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Clean	F	Simple Averaging	Quality	0.298451	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Clean	F	Simple Averaging	Quality	0.299912	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Clean	F	Simple Averaging	Quality	0.301666	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Clean	Fbar	Borda	Quality	0.374744	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Clean	Fbar	Borda	Quality	0.367729	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Clean	Fbar	Borda	Quality	0.384683	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Clean	Fbar	Borda	Quality	0.387606	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Clean	Fbar	Borda	Quality	0.371529	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Clean	Fbar	Borda	Quality	0.373283	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Clean	Fbar	Borda	Quality	0.403683	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Clean	Fbar	Borda	Quality	0.43233	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Clean	Fbar	Borda	Quality	0.409822	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
										["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Clean	Fbar	Borda	Quality	0.444022	True	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Clean	Fbar	Kemeny	Quality	0.374744	False	["Gradient Attention Rollout", "CheferTransformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Clean	Fbar	Kemeny	Quality	0.369483	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Clean	Fbar	Kemeny	Quality	0.377083	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Clean	Fbar	Kemeny	Quality	0.415083	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Clean	Fbar	Kemeny	Quality	0.37796	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Clean	Fbar	Kemeny	Quality	0.383514	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Clean	Fbar	Kemeny	Quality	0.383514	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Clean	Fbar	Kemeny	Quality	0.420053	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Clean	Fbar	Kemeny	Quality	0.415083	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Clean	Fbar	Kemeny	Quality	0.430576	True	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Clean	Fbar	RRF	Quality	0.373283	False	["Gradient Attention Rollout", "CheferTransformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Clean	Fbar	RRF	Quality	0.361298	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Clean	Fbar	RRF	Quality	0.373867	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Clean	Fbar	RRF	Quality	0.395206	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Clean	Fbar	RRF	Quality	0.378544	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Clean	Fbar	RRF	Quality	0.372406	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Clean	Fbar	RRF	Quality	0.38556	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Clean	Fbar	RRF	Quality	0.41596	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Clean	Fbar	RRF	Quality	0.410699	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Clean	Fbar	RRF	Quality	0.416837	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Clean	Fbar	Schulze	Quality	0.374744	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Clean	Fbar	Schulze	Quality	0.363052	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Clean	Fbar	Schulze	Quality	0.375913	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Clean	Fbar	Schulze	Quality	0.387898	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Clean	Fbar	Schulze	Quality	0.373575	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Clean	Fbar	Schulze	Quality	0.373283	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Clean	Fbar	Schulze	Quality	0.39316	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Clean	Fbar	Schulze	Quality	0.417714	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Clean	Fbar	Schulze	Quality	0.409237	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Clean	Fbar	Schulze	Quality	0.428822	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Clean	Fbar	Simple Averaging	Quality	0.377667	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Clean	Fbar	Simple Averaging	Quality	0.359252	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Clean	Fbar	Simple Averaging	Quality	0.359544	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Clean	Fbar	Simple Averaging	Quality	0.371821	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Clean	Fbar	Simple Averaging	Quality	0.378252	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Clean	Fbar	Simple Averaging	Quality	0.388191	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Clean	Fbar	Simple Averaging	Quality	0.407191	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Clean	Fbar	Simple Averaging	Quality	0.407776	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Clean	Fbar	Simple Averaging	Quality	0.407191	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Clean	Fbar	Simple Averaging	Quality	0.408068	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	Borda	Robustness	0.03917	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	Borda	Robustness	0.049401	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	Borda	Robustness	0.051447	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	Borda	Robustness	0.042385	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	Borda	Robustness	0.052909	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	Borda	Robustness	0.046185	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	Borda	Robustness	0.042678	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	Borda	Robustness	0.035954	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	Borda	Robustness	0.034493	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	Borda	Robustness	0.040339	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	Kemeny	Robustness	0.03917	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	Kemeny	Robustness	0.037124	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	Kemeny	Robustness	0.049985	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	Kemeny	Robustness	0.038585	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	Kemeny	Robustness	0.041801	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	Kemeny	Robustness	0.040047	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	Kemeny	Robustness	0.03537	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	Kemeny	Robustness	0.041216	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	Kemeny	Robustness	0.038585	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	Kemeny	Robustness	0.038293	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	RRF	Robustness	0.038293	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	RRF	Robustness	0.050862	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	RRF	Robustness	0.043847	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	RRF	Robustness	0.037416	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	RRF	Robustness	0.045308	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	RRF	Robustness	0.029524	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	RRF	Robustness	0.030108	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	RRF	Robustness	0.025723	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	RRF	Robustness	0.024847	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	RRF	Robustness	0.028939	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	Schulze	Robustness	0.03917	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255 C		Schulze	Robustness	0.052909	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255 C		Schulze	Robustness	0.044139	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255 C		Schulze	Robustness	0.042385	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255 C		Schulze	Robustness	0.04297	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255 C		Schulze	Robustness	0.033908	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255 C		Schulze	Robustness	0.034785	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255 C		Schulze	Robustness	0.041801	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255 C		Schulze	Robustness	0.032447	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255 C		Schulze	Robustness	0.035954	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.033031	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.058755	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.03917	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.021923	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.021923	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.021339	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.000292	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.005846	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.002338	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.004385	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.04677	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.06577	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.083309	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.086524	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.083601	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.089155	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.084478	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.095001	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.102602	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.096171	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.04677	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.059632	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.084771	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.084478	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.075709	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.078047	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.092955	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.097925	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.087986	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.082432	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.048816	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.063139	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.077755	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.084478	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.076586	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.088863	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.090909	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.089155	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.092663	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.095586	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.04677	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.060509	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.078924	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.089448	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.083601	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.082724	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.089448	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.100848	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.092955	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.098217	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.049693	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.093832	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.125694	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.12774	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.104648	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.105232	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.10494	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.115463	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.112248	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.114586	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	F	Borda	Robustness	0.040339	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	F	Borda	Robustness	0.049693	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	F	Borda	Robustness	0.051155	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	Borda	Robustness	0.042385	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	Borda	Robustness	0.052909	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	Borda	Robustness	0.045308	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	Borda	Robustness	0.043555	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	Borda	Robustness	0.036831	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	Borda	Robustness	0.034785	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	Borda	Robustness	0.03917	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	F	Kemeny	Robustness	0.040339	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	F	Kemeny	Robustness	0.038001	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	F	Kemeny	Robustness	0.049985	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	Kemeny	Robustness	0.038293	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	Kemeny	Robustness	0.041801	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	Kemeny	Robustness	0.03917	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	Kemeny	Robustness	0.035954	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	Kemeny	Robustness	0.041216	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	Kemeny	Robustness	0.038585	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	Kemeny	Robustness	0.038001	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	F	RRF	Robustness	0.038878	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	F	RRF	Robustness	0.051155	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	F	RRF	Robustness	0.044139	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	RRF	Robustness	0.037416	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	RRF	Robustness	0.045308	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	RRF	Robustness	0.028939	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	RRF	Robustness	0.030693	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	RRF	Robustness	0.0266	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	RRF	Robustness	0.025431	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	RRF	Robustness	0.029231	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	F	Schulze	Robustness	0.040339	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	F	Schulze	Robustness	0.053493	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	F	Schulze	Robustness	0.043555	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	Schulze	Robustness	0.042678	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	Schulze	Robustness	0.04297	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	Schulze	Robustness	0.033908	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	Schulze	Robustness	0.035662	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	Schulze	Robustness	0.041801	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	Schulze	Robustness	0.032739	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	Schulze	Robustness	0.034493	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.033908	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.058755	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.03917	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0228	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.021923	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.021339	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.000292	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.005554	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.002046	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.004385	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.045893	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.065186	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.084478	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.086817	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.083309	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.088863	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.084771	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.094709	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.102309	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.096171	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.045893	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.058755	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.084478	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.084478	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.073955	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.077755	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.093248	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.097048	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.087694	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.08214	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.047939	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.062555	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.07717	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.084186	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.074832	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.088571	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.090324	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.089155	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.092371	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.095294	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.045893	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.059339	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.079509	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.089448	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.082432	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.08214	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.089155	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.099971	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.092663	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.097925	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.049401	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.093832	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.125402	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.12774	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.104648	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.105817	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.105525	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.115171	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.111956	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.114294	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	C	Borda	Robustness	0.092663	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	C	Borda	Robustness	0.082724	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	C	Borda	Robustness	0.082724	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	C	Borda	Robustness	0.077755	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	C	Borda	Robustness	0.090617	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	C	Borda	Robustness	0.085647	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	C	Borda	Robustness	0.071032	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	C	Borda	Robustness	0.080678	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	C	Borda	Robustness	0.072493	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	C	Borda	Robustness	0.079509	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	C	Kemeny	Robustness	0.092663	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	C	Kemeny	Robustness	0.08097	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	C	Kemeny	Robustness	0.076878	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	C	Kemeny	Robustness	0.079509	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	C	Kemeny	Robustness	0.084771	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	C	Kemeny	Robustness	0.086524	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	C	Kemeny	Robustness	0.079217	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	C	Kemeny	Robustness	0.08594	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	C	Kemeny	Robustness	0.083017	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	C	Kemeny	Robustness	0.095294	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	C	RRF	Robustness	0.092955	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	C	RRF	Robustness	0.087694	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	C	RRF	Robustness	0.076878	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	C	RRF	Robustness	0.077755	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	C	RRF	Robustness	0.08594	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	C	RRF	Robustness	0.085063	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	C	RRF	Robustness	0.079217	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	C	RRF	Robustness	0.084478	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	C	RRF	Robustness	0.077755	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	C	RRF	Robustness	0.084478	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	C	Schulze	Robustness	0.092663	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	C	Schulze	Robustness	0.087986	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	C	Schulze	Robustness	0.07717	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	C	Schulze	Robustness	0.078632	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	C	Schulze	Robustness	0.087694	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	C	Schulze	Robustness	0.081555	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	C	Schulze	Robustness	0.08097	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	C	Schulze	Robustness	0.084771	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	C	Schulze	Robustness	0.078924	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	C	Schulze	Robustness	0.095294	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	C	Simple Averaging	Robustness	0.083894	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	C	Simple Averaging	Robustness	0.092955	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	C	Simple Averaging	Robustness	0.08974	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	C	Simple Averaging	Robustness	0.079509	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	C	Simple Averaging	Robustness	0.094125	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	C	Simple Averaging	Robustness	0.070155	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	C	Simple Averaging	Robustness	0.068986	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	C	Simple Averaging	Robustness	0.067816	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	C	Simple Averaging	Robustness	0.068693	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	C	Simple Averaging	Robustness	0.066355	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Borda	Robustness	0.052616	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Borda	Robustness	0.071032	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Borda	Robustness	0.082724	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Borda	Robustness	0.082724	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Borda	Robustness	0.07834	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Borda	Robustness	0.077755	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Borda	Robustness	0.084186	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Borda	Robustness	0.103186	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Borda	Robustness	0.090032	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
										["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Borda	Robustness	0.095586	True	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Kemeny	Robustness	0.052616	False	["Gradient Attention Rollout", "CheferTransformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Kemeny	Robustness	0.058462	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Kemeny	Robustness	0.078924	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Kemeny	Robustness	0.083601	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Kemeny	Robustness	0.063724	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Kemeny	Robustness	0.072786	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Kemeny	Robustness	0.07337	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Kemeny	Robustness	0.079217	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Kemeny	Robustness	0.07454	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Kemeny	Robustness	0.090909	True	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	RRF	Robustness	0.055539	False	["Gradient Attention Rollout", "CheferTransformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	RRF	Robustness	0.061386	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	RRF	Robustness	0.069863	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	RRF	Robustness	0.078047	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	RRF	Robustness	0.074247	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	RRF	Robustness	0.073078	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	RRF	Robustness	0.074247	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	RRF	Robustness	0.087109	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	RRF	Robustness	0.08097	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	RRF	Robustness	0.081555	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Schulze	Robustness	0.052616	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Schulze	Robustness	0.064016	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Schulze	Robustness	0.073078	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Schulze	Robustness	0.075417	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Schulze	Robustness	0.073663	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Schulze	Robustness	0.071616	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Schulze	Robustness	0.081847	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbliation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Schulze	Robustness	0.08214	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbliation", "InputXGradient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Schulze	Robustness	0.084478	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbliation", "InputXGradient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Schulze	Robustness	0.088863	True	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbliation", "InputXGradient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.056124	False	["Gradient Attention Rollout", "CheferTranformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.051739	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.053785	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.055832	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.062847	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.058755	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.064016	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.059924	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.057878	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.059339	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	F	Borda	Robustness	0.088863	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	F	Borda	Robustness	0.07717	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	F	Borda	Robustness	0.076001	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	F	Borda	Robustness	0.070155	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	F	Borda	Robustness	0.083601	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	F	Borda	Robustness	0.078632	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	F	Borda	Robustness	0.065186	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	F	Borda	Robustness	0.074247	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	F	Borda	Robustness	0.066063	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	F	Borda	Robustness	0.072786	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	F	Kemeny	Robustness	0.088863	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	F	Kemeny	Robustness	0.076878	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	F	Kemeny	Robustness	0.07074	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	F	Kemeny	Robustness	0.071324	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	F	Kemeny	Robustness	0.076586	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	F	Kemeny	Robustness	0.078632	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	F	Kemeny	Robustness	0.072493	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	F	Kemeny	Robustness	0.07717	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	F	Kemeny	Robustness	0.074832	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	F	Kemeny	Robustness	0.087986	True	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	F	RRF	Robustness	0.089155	False	["Gradient Attention Rollout", "CheferTransformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	F	RRF	Robustness	0.082724	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	F	RRF	Robustness	0.07074	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	F	RRF	Robustness	0.07074	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	F	RRF	Robustness	0.077755	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	F	RRF	Robustness	0.078047	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	F	RRF	Robustness	0.07337	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	F	RRF	Robustness	0.078047	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	F	RRF	Robustness	0.071616	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	F	RRF	Robustness	0.077755	True	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	F	Schulze	Robustness	0.088863	False	["Gradient Attention Rollout", "CheferTransformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	F	Schulze	Robustness	0.082432	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	F	Schulze	Robustness	0.071324	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	F	Schulze	Robustness	0.07074	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	F	Schulze	Robustness	0.079509	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	F	Schulze	Robustness	0.07454	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	F	Schulze	Robustness	0.07454	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	F	Schulze	Robustness	0.076586	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	F	Schulze	Robustness	0.071032	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	F	Schulze	Robustness	0.087109	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	F	Simple Averaging	Robustness	0.079801	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	F	Simple Averaging	Robustness	0.088278	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	F	Simple Averaging	Robustness	0.084478	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	F	Simple Averaging	Robustness	0.073663	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	F	Simple Averaging	Robustness	0.087694	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	F	Simple Averaging	Robustness	0.064309	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	F	Simple Averaging	Robustness	0.062847	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	F	Simple Averaging	Robustness	0.061678	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	F	Simple Averaging	Robustness	0.062847	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	F	Simple Averaging	Robustness	0.059632	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Borda	Robustness	0.063432	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Borda	Robustness	0.079217	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Borda	Robustness	0.089448	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Borda	Robustness	0.08974	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Borda	Robustness	0.085647	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Borda	Robustness	0.085355	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Borda	Robustness	0.090909	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Borda	Robustness	0.110786	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Borda	Robustness	0.097632	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Borda	Robustness	0.102309	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Kemeny	Robustness	0.063432	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Kemeny	Robustness	0.06957	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Kemeny	Robustness	0.08594	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Kemeny	Robustness	0.090617	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Kemeny	Robustness	0.071616	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Kemeny	Robustness	0.080094	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Kemeny	Robustness	0.080678	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Kemeny	Robustness	0.086524	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Kemeny	Robustness	0.081263	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Kemeny	Robustness	0.09734	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	RRF	Robustness	0.06577	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	RRF	Robustness	0.070155	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	RRF	Robustness	0.076586	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	RRF	Robustness	0.083601	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	RRF	Robustness	0.081555	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	RRF	Robustness	0.080678	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	RRF	Robustness	0.081555	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	RRF	Robustness	0.09354	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	RRF	Robustness	0.087986	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	RRF	Robustness	0.088571	True	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Schulze	Robustness	0.063432	False	["Gradient Attention Rollout", "CheferTransformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Schulze	Robustness	0.07337	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Schulze	Robustness	0.079509	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Schulze	Robustness	0.083017	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Schulze	Robustness	0.08097	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Schulze	Robustness	0.079217	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Schulze	Robustness	0.089155	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Schulze	Robustness	0.08974	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Schulze	Robustness	0.091201	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Schulze	Robustness	0.095586	True	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.066355	False	["Gradient Attention Rollout", "CheferTransformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.059924	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.060801	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.062555	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.070447	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.066355	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.071032	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.066355	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.064601	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.066063	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Borda	Robustness	0.073078	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Borda	Robustness	0.061093	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Borda	Robustness	0.05057	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Borda	Robustness	0.052324	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Borda	Robustness	0.067524	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Borda	Robustness	0.059924	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Borda	Robustness	0.05057	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbliation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Borda	Robustness	0.054662	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbliation", "InputXGradient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Borda	Robustness	0.05437	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbliation", "InputXGradient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Borda	Robustness	0.064601	True	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbliation", "InputXGradient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Kemeny	Robustness	0.073078	False	["Gradient Attention Rollout", "CheferTranformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Kemeny	Robustness	0.064016	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Kemeny	Robustness	0.051155	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Kemeny	Robustness	0.061093	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Kemeny	Robustness	0.06957	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Kemeny	Robustness	0.06957	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Kemeny	Robustness	0.057878	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Kemeny	Robustness	0.061386	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Kemeny	Robustness	0.065186	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Kemeny	Robustness	0.071616	True	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	C	RRF	Robustness	0.073078	False	["Gradient Attention Rollout", "CheferTransformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	C	RRF	Robustness	0.066939	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	C	RRF	Robustness	0.054662	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	C	RRF	Robustness	0.054662	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	C	RRF	Robustness	0.06577	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	C	RRF	Robustness	0.063139	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	C	RRF	Robustness	0.057878	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	C	RRF	Robustness	0.061386	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	C	RRF	Robustness	0.058462	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	C	RRF	Robustness	0.068109	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Schulze	Robustness	0.073078	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Schulze	Robustness	0.067232	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Schulze	Robustness	0.050862	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Schulze	Robustness	0.057293	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Schulze	Robustness	0.069278	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Schulze	Robustness	0.058462	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Schulze	Robustness	0.059047	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Schulze	Robustness	0.061093	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Schulze	Robustness	0.060509	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
										["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Schulze	Robustness	0.071324	True	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.072201	False	["Gradient Attention Rollout", "CheferTransformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.070447	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.069863	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.064601	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.077755	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.057001	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.056416	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.053493	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.053493	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.052616	True	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Borda	Robustness	0.039462	False	["Gradient Attention Rollout", "CheferTransformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Borda	Robustness	0.055247	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Borda	Robustness	0.053201	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Borda	Robustness	0.05817	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Borda	Robustness	0.057293	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Borda	Robustness	0.046478	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Borda	Robustness	0.048816	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Borda	Robustness	0.067232	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Borda	Robustness	0.048816	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Borda	Robustness	0.06577	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.039462	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.043262	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.042385	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.062262	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.050862	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.051739	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.056124	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.062262	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.064893	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.066647	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	RRF	Robustness	0.037708	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	RRF	Robustness	0.047062	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	RRF	Robustness	0.049401	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	RRF	Robustness	0.057293	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	RRF	Robustness	0.056416	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	RRF	Robustness	0.043847	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	RRF	Robustness	0.058755	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	RRF	Robustness	0.073078	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	RRF	Robustness	0.068109	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	RRF	Robustness	0.063724	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.039462	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.045308	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.044724	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.059339	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.053785	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.049693	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.058462	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.065478	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.059632	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.064601	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.043555	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.035077	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.038001	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.044431	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.049108	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.043847	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.047939	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.046185	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.046478	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
										["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.047647	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Borda	Robustness	0.067524	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Borda	Robustness	0.055247	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Borda	Robustness	0.045308	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Borda	Robustness	0.044724	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Borda	Robustness	0.059924	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Borda	Robustness	0.052324	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Borda	Robustness	0.043262	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Borda	Robustness	0.047939	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Borda	Robustness	0.047062	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Borda	Robustness	0.056416	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Kemeny	Robustness	0.067524	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Kemeny	Robustness	0.059047	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Kemeny	Robustness	0.045601	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Kemeny	Robustness	0.053201	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Kemeny	Robustness	0.06197	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Kemeny	Robustness	0.062262	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Kemeny	Robustness	0.050862	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Kemeny	Robustness	0.052909	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Kemeny	Robustness	0.057878	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Kemeny	Robustness	0.063724	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	F	RRF	Robustness	0.067524	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	F	RRF	Robustness	0.061093	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	F	RRF	Robustness	0.048524	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	F	RRF	Robustness	0.047939	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	F	RRF	Robustness	0.05817	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	F	RRF	Robustness	0.055832	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	F	RRF	Robustness	0.051155	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	F	RRF	Robustness	0.054662	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	F	RRF	Robustness	0.052324	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	F	RRF	Robustness	0.061386	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Schulze	Robustness	0.067524	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Schulze	Robustness	0.061093	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Schulze	Robustness	0.045016	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Schulze	Robustness	0.049693	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Schulze	Robustness	0.061093	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Schulze	Robustness	0.050862	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Schulze	Robustness	0.052324	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Schulze	Robustness	0.053785	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Schulze	Robustness	0.054078	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Schulze	Robustness	0.063432	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.067232	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.064601	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.063724	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.058755	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.07074	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.051155	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.049401	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.047062	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.047062	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.045893	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Borda	Robustness	0.049108	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Borda	Robustness	0.063432	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Borda	Robustness	0.06197	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Borda	Robustness	0.066063	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Borda	Robustness	0.066647	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Borda	Robustness	0.055832	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Borda	Robustness	0.056124	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Borda	Robustness	0.075709	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Borda	Robustness	0.056709	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
										["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Borda	Robustness	0.072786	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.049108	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.051739	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.051155	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.071616	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.061093	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.061386	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.064309	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.07074	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.072493	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.074832	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	RRF	Robustness	0.047355	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	RRF	Robustness	0.055832	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	RRF	Robustness	0.057878	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	RRF	Robustness	0.06577	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	RRF	Robustness	0.066647	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	RRF	Robustness	0.054078	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	RRF	Robustness	0.06577	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	RRF	Robustness	0.080386	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	RRF	Robustness	0.075709	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	RRF	Robustness	0.071616	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.049108	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.05437	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.053201	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.067524	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.064309	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.059339	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.06577	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.073955	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.067816	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.072786	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.053201	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.042678	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.045601	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.051447	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.056709	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.049985	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.05437	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.053201	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.053493	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.055247	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	C	Borda	Robustness	0.040047	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	C	Borda	Robustness	0.038001	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	C	Borda	Robustness	0.037124	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	C	Borda	Robustness	0.0304	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	C	Borda	Robustness	0.038878	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	C	Borda	Robustness	0.024554	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	C	Borda	Robustness	0.014031	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	C	Borda	Robustness	0.026016	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	C	Borda	Robustness	0.018708	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	C	Borda	Robustness	0.026308	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	C	Kemeny	Robustness	0.040047	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	C	Kemeny	Robustness	0.033616	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	C	Kemeny	Robustness	0.033031	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	C	Kemeny	Robustness	0.031277	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	C	Kemeny	Robustness	0.037416	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	C	Kemeny	Robustness	0.033616	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	C	Kemeny	Robustness	0.032739	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	C	Kemeny	Robustness	0.03537	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	C	Kemeny	Robustness	0.030985	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
										["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	C	Kemeny	Robustness	0.037124	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	C	RRF	Robustness	0.040339	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	C	RRF	Robustness	0.040047	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	C	RRF	Robustness	0.029524	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	C	RRF	Robustness	0.033908	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	C	RRF	Robustness	0.040631	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	C	RRF	Robustness	0.030693	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	C	RRF	Robustness	0.028354	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	C	RRF	Robustness	0.025723	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	C	RRF	Robustness	0.028062	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	C	RRF	Robustness	0.025139	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	C	Schulze	Robustness	0.040047	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	C	Schulze	Robustness	0.042093	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	C	Schulze	Robustness	0.028354	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	C	Schulze	Robustness	0.034201	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	C	Schulze	Robustness	0.03917	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	C	Schulze	Robustness	0.027477	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	C	Schulze	Robustness	0.029231	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	C	Schulze	Robustness	0.035662	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	C	Schulze	Robustness	0.026016	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	C	Schulze	Robustness	0.033324	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	C	Simple Averaging	Robustness	0.038585	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	C	Simple Averaging	Robustness	0.041216	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	C	Simple Averaging	Robustness	0.038585	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	C	Simple Averaging	Robustness	0.034201	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	C	Simple Averaging	Robustness	0.047647	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	C	Simple Averaging	Robustness	0.017831	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	C	Simple Averaging	Robustness	0.018416	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	C	Simple Averaging	Robustness	0.012862	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	C	Simple Averaging	Robustness	0.013739	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	C	Simple Averaging	Robustness	0.014031	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Borda	Robustness	0.032739	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Borda	Robustness	0.025139	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Borda	Robustness	0.032154	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Borda	Robustness	0.027477	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Borda	Robustness	0.035077	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Borda	Robustness	0.025139	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Borda	Robustness	0.024262	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Borda	Robustness	0.034785	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Borda	Robustness	0.031862	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Borda	Robustness	0.026308	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Kemeny	Robustness	0.032739	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Kemeny	Robustness	0.026308	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Kemeny	Robustness	0.033616	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Kemeny	Robustness	0.037708	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Kemeny	Robustness	0.031277	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Kemeny	Robustness	0.033908	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Kemeny	Robustness	0.032739	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Kemeny	Robustness	0.029231	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Kemeny	Robustness	0.036247	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Kemeny	Robustness	0.037124	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	Cbar	RRF	Robustness	0.033324	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	Cbar	RRF	Robustness	0.024554	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	Cbar	RRF	Robustness	0.028647	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	Cbar	RRF	Robustness	0.026893	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	Cbar	RRF	Robustness	0.031862	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	Cbar	RRF	Robustness	0.028647	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	Cbar	RRF	Robustness	0.026016	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	Cbar	RRF	Robustness	0.035077	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	Cbar	RRF	Robustness	0.033031	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	Cbar	RRF	Robustness	0.026308	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Schulze	Robustness	0.032739	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Schulze	Robustness	0.023093	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Schulze	Robustness	0.032739	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Schulze	Robustness	0.026016	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Schulze	Robustness	0.028354	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Schulze	Robustness	0.032739	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Schulze	Robustness	0.030985	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Schulze	Robustness	0.028647	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Schulze	Robustness	0.033324	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Schulze	Robustness	0.029816	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.036831	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.023677	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.019877	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.023677	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.024847	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.004677	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.011692	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.010231	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.009939	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.009062	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	F	Borda	Robustness	0.040631	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	F	Borda	Robustness	0.037124	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	F	Borda	Robustness	0.036247	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	F	Borda	Robustness	0.028062	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	F	Borda	Robustness	0.037124	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	F	Borda	Robustness	0.021339	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	F	Borda	Robustness	0.011985	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	F	Borda	Robustness	0.02397	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	F	Borda	Robustness	0.015785	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	F	Borda	Robustness	0.023677	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	F	Kemeny	Robustness	0.040631	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	F	Kemeny	Robustness	0.033616	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	F	Kemeny	Robustness	0.032154	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	F	Kemeny	Robustness	0.028647	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	F	Kemeny	Robustness	0.035077	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	F	Kemeny	Robustness	0.030693	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	F	Kemeny	Robustness	0.030693	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbliation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	F	Kemeny	Robustness	0.032447	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbliation", "InputXGradient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	F	Kemeny	Robustness	0.028939	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbliation", "InputXGradient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	F	Kemeny	Robustness	0.034493	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbliation", "InputXGradient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	F	RRF	Robustness	0.040339	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	F	RRF	Robustness	0.038585	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	F	RRF	Robustness	0.028354	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	F	RRF	Robustness	0.032154	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	F	RRF	Robustness	0.038585	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	F	RRF	Robustness	0.027477	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	F	RRF	Robustness	0.026308	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
										["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbliation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	F	RRF	Robustness	0.023677	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	F	RRF	Robustness	0.026016	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	F	RRF	Robustness	0.022508	True	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	F	Schulze	Robustness	0.040631	False	["Gradient Attention Rollout", "CheferTransformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	F	Schulze	Robustness	0.040924	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	F	Schulze	Robustness	0.027185	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	F	Schulze	Robustness	0.032154	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	F	Schulze	Robustness	0.036539	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	F	Schulze	Robustness	0.024262	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	F	Schulze	Robustness	0.027185	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	F	Schulze	Robustness	0.033031	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	F	Schulze	Robustness	0.023385	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	F	Schulze	Robustness	0.030108	True	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	F	Simple Averaging	Robustness	0.038585	False	["Gradient Attention Rollout", "CheferTransformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	F	Simple Averaging	Robustness	0.039754	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	F	Simple Averaging	Robustness	0.037124	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	F	Simple Averaging	Robustness	0.033031	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	F	Simple Averaging	Robustness	0.045016	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	F	Simple Averaging	Robustness	0.015785	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	F	Simple Averaging	Robustness	0.016369	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	F	Simple Averaging	Robustness	0.011108	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	F	Simple Averaging	Robustness	0.011985	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	F	Simple Averaging	Robustness	0.011985	True	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputXGradient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Borda	Robustness	0.033616	False	["Gradient Attention Rollout", "CheferTransformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Borda	Robustness	0.024554	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Borda	Robustness	0.031277	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Borda	Robustness	0.0266	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Borda	Robustness	0.034201	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Borda	Robustness	0.0266	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Borda	Robustness	0.024262	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Borda	Robustness	0.035077	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Borda	Robustness	0.032154	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Borda	Robustness	0.0266	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Kemeny	Robustness	0.033616	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Kemeny	Robustness	0.027185	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Kemeny	Robustness	0.033031	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Kemeny	Robustness	0.036539	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Kemeny	Robustness	0.031277	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Kemeny	Robustness	0.034201	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Kemeny	Robustness	0.032154	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Kemeny	Robustness	0.029816	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Kemeny	Robustness	0.036247	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Kemeny	Robustness	0.036831	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	Fbar	RRF	Robustness	0.034201	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	Fbar	RRF	Robustness	0.024554	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	Fbar	RRF	Robustness	0.029231	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	Fbar	RRF	Robustness	0.027185	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	Fbar	RRF	Robustness	0.030985	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	Fbar	RRF	Robustness	0.029524	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	Fbar	RRF	Robustness	0.025723	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	Fbar	RRF	Robustness	0.034785	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	Fbar	RRF	Robustness	0.032739	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	Fbar	RRF	Robustness	0.026308	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Schulze	Robustness	0.033616	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Schulze	Robustness	0.023677	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Schulze	Robustness	0.032154	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Schulze	Robustness	0.025431	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Schulze	Robustness	0.028354	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Schulze	Robustness	0.033616	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Schulze	Robustness	0.0304	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Schulze	Robustness	0.029231	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Schulze	Robustness	0.033031	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Schulze	Robustness	0.030108	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.037124	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0228	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.019877	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.023093	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.024262	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.004677	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.010523	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.009646	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.009354	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.008769	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Sallency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "Fu ILRP"]

Table 16: BloodMNIST-ViT-B/16

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Clean	C	Borda	Quality	max	3	0.331482	[3,4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Clean	Cbar	Borda	Quality	min	3	0.37679	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Clean	F	Borda	Quality	max	3	0.320666	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Clean	Fbar	Borda	Quality	min	3	0.367729	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Adversarial Sara 2 255	C	Borda	Robustness	max	6	0.052909	[6]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Adversarial Sara 2 255	Cbar	Borda	Robustness	max	2	-0.04677	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Adversarial Sara 2 255	F	Borda	Robustness	max	6	0.052909	[6]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Adversarial Sara 2 255	Fbar	Borda	Robustness	max	2	-0.045893	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Gaussian 0.15	C	Borda	Robustness	max	2	0.092663	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Gaussian 0.15	Cbar	Borda	Robustness	max	9	0.103186	[9]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "Feature Attribution", "InputXGradient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Gaussian 0.15	F	Borda	Robustness	max	2	0.088863	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Gaussian 0.15	Fbar	Borda	Robustness	max	9	0.110786	[9]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "Feature Attribution", "InputXGradient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Salt Pepper 0.05	C	Borda	Robustness	max	2	0.073078	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Salt Pepper 0.05	Cbar	Borda	Robustness	max	9	0.067232	[9]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "Feature Attribution", "InputXGradient"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Salt Pepper 0.05	F	Borda	Robustness	max	2	0.067524	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Salt Pepper 0.05	Fbar	Borda	Robustness	max	9	0.075709	[9]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "Feature"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Speckle 0.15	C	Borda	Robustness	max	2	0.040047	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Speckle 0.15	Cbar	Borda	Robustness	max	6	0.035077	[6]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Speckle 0.15	F	Borda	Robustness	max	2	0.040631	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Speckle 0.15	Fbar	Borda	Robustness	max	9	0.035077	[9]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "Feature"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Clean	C	Kemeny	Quality	max	4	0.336159	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Clean	Cbar	Kemeny	Quality	min	3	0.37796	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Clean	F	Kemeny	Quality	max	4	0.325051	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Clean	Fbar	Kemeny	Quality	min	3	0.369483	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Adversarial Sara 2 255	C	Kemeny	Robustness	max	4	0.049985	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	max	2	-0.04677	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Adversarial Sara 2 255	F	Kemeny	Robustness	max	4	0.049985	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	max	2	-0.045893	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Gaussian 0.15	C	Kemeny	Robustness	max	11	0.095294	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "Feature Attribution", "InputXGradient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Gaussian 0.15	Cbar	Kemeny	Robustness	max	11	0.090909	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "Feature Attribution", "InputXGradient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Gaussian 0.15	F	Kemeny	Robustness	max	2	0.088863	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Gaussian 0.15	Fbar	Kemeny	Robustness	max	11	0.09734	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "Feature Attribution", "InputXGradient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Salt Pepper 0.05	C	Kemeny	Robustness	max	2	0.073078	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Salt Pepper 0.05	Cbar	Kemeny	Robustness	max	11	0.066647	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "Feature Attribution", "InputXGradient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Salt Pepper 0.05	F	Kemeny	Robustness	max	2	0.067524	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Salt Pepper 0.05	Fbar	Kemeny	Robustness	max	11	0.074832	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "Feature Attribution", "InputXGradient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Speckle 0.15	C	Kemeny	Robustness	max	2	0.040047	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Speckle 0.15	Cbar	Kemeny	Robustness	max	5	0.037708	[5]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Speckle 0.15	F	Kemeny	Robustness	max	2	0.040631	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Speckle 0.15	Fbar	Kemeny	Robustness	max	11	0.036831	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "Feature Attribution", "InputXGradient", "Attention GradCAM", "FullLRP"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Clean	C	RRF	Quality	max	4	0.342005	[4]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Clean	Cbar	RRF	Quality	min	3	0.369775	[3]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Clean	F	RRF	Quality	max	4	0.330897	[4]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Clean	Fbar	RRF	Quality	min	3	0.361298	[3]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Adversarial Sara 2 255	C	RRF	Robustness	max	3	0.050862	[3]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Adversarial Sara 2 255	Cbar	RRF	Robustness	max	2	-0.048816	[2]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Adversarial Sara 2 255	F	RRF	Robustness	max	3	0.051155	[3]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Adversarial Sara 2 255	Fbar	RRF	Robustness	max	2	-0.047939	[2]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Gaussian 0.15	C	RRF	Robustness	max	2	0.092955	[2]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Gaussian 0.15	Cbar	RRF	Robustness	max	9	0.087109	[9]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "Feat ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Gaussian 0.15	F	RRF	Robustness	max	2	0.089155	[2]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Gaussian 0.15	Fbar	RRF	Robustness	max	9	0.09354	[9]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "Feat ation", "InputXGrad ient"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Salt Pepper 0.05	C	RRF	Robustness	max	2	0.073078	[2]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Salt Pepper 0.05	Cbar	RRF	Robustness	max	9	0.073078	[9]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "Feat ation", "InputXGrad ient"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Salt Pepper 0.05	F	RRF	Robustness	max	2	0.067524	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Salt Pepper 0.05	Fbar	RRF	Robustness	max	9	0.080386	[9]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "Feature"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Speckle 0.15	C	RRF	Robustness	max	6	0.040631	[6]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Speckle 0.15	Cbar	RRF	Robustness	max	9	0.035077	[9]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "Feature"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Speckle 0.15	F	RRF	Robustness	max	2	0.040339	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Speckle 0.15	Fbar	RRF	Robustness	max	9	0.034785	[9]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "Feature"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Clean	C	Schulze	Quality	max	4	0.337036	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Clean	Cbar	Schulze	Quality	min	3	0.371236	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Clean	F	Schulze	Quality	max	4	0.32622	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Clean	Fbar	Schulze	Quality	min	3	0.363052	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Adversarial Sara 2 255	C	Schulze	Robustness	max	3	0.052909	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Adversarial Sara 2 255	Cbar	Schulze	Robustness	max	2	-0.04677	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Adversarial Sara 2 255	F	Schulze	Robustness	max	3	0.053493	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Adversarial Sara 2 255	Fbar	Schulze	Robustness	max	2	-0.045893	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Gaussian 0.15	C	Schulze	Robustness	max	11	0.095294	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "Feature Attribution", "InputXGradient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Gaussian 0.15	Cbar	Schulze	Robustness	max	11	0.088863	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "Feature Attribution", "InputXGradient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Gaussian 0.15	F	Schulze	Robustness	max	2	0.088863	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Gaussian 0.15	Fbar	Schulze	Robustness	max	11	0.095586	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "Feature Attribution", "InputXGradient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Salt Pepper 0.05	C	Schulze	Robustness	max	2	0.073078	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Salt Pepper 0.05	Cbar	Schulze	Robustness	max	9	0.065478	[9]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "Feature Attribution", "InputXGradient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Salt Pepper 0.05	F	Schulze	Robustness	max	2	0.067524	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Salt Pepper 0.05	Fbar	Schulze	Robustness	max	9	0.073955	[9]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "Feature Attribution", "InputXGradient", "Attention GradCAM", "FullLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Speckle 0.15	C	Schulze	Robustness	max	3	0.042093	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Speckle 0.15	Cbar	Schulze	Robustness	max	10	0.033324	[10]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "Feature Attribution", "InputXGradient", "Attention GradCAM"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Speckle 0.15	F	Schulze	Robustness	max	3	0.040924	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Speckle 0.15	Fbar	Schulze	Robustness	max	2	0.033616	[2,7]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Clean	C	Simple Averaging	Quality	max	5	0.327682	[5]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Clean	Cbar	Simple Averaging	Quality	min	3	0.368606	[3,4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Clean	F	Simple Averaging	Quality	max	5	0.316574	[5]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Clean	Fbar	Simple Averaging	Quality	min	3	0.359252	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Adversarial Sara 2 255	C	Simple Averaging	Robustness	max	3	0.058755	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	max	2	-0.049693	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Adversarial Sara 2 255	F	Simple Averaging	Robustness	max	3	0.058755	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	max	2	-0.049401	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Gaussian 0.15	C	Simple Averaging	Robustness	max	6	0.094125	[6]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Gaussian 0.15	Cbar	Simple Averaging	Robustness	max	8	0.064016	[8]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "Featation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Gaussian 0.15	F	Simple Averaging	Robustness	max	3	0.088278	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Gaussian 0.15	Fbar	Simple Averaging	Robustness	max	8	0.071032	[8]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "Featation"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Salt Pepper 0.05	C	Simple Averaging	Robustness	max	6	0.077755	[6]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	max	6	0.049108	[6]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Salt Pepper 0.05	F	Simple Averaging	Robustness	max	6	0.07074	[6]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	max	6	0.056709	[6]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Speckle 0.15	C	Simple Averaging	Robustness	max	6	0.047647	[6]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Speckle 0.15	Cbar	Simple Averaging	Robustness	max	2	0.036831	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Speckle 0.15	F	Simple Averaging	Robustness	max	6	0.045016	[6]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	Speckle 0.15	Fbar	Simple Averaging	Robustness	max	2	0.037124	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]

Table 17: BloodMNIST-ViT-B/16

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{clean}	C_{clean}	C_{clean}	F Perturbed Gaussian -0.15	F Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	F Perturbed Salt-pep per-0.05	F Perturbed Salt-pep per-0.05	C Perturbed Salt-pep per-0.05
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Simple Averaging	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.296697	0.377667	0.308097	0.386144	0.376498	0.311312	0.391991	0.33002	0.363929	0.324467	0.380298
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Borda	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.291435	0.374744	0.302835	0.382929	0.380298	0.311312	0.395498	0.330313	0.358959	0.325636	0.375913
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	RRF	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.293189	0.373283	0.304589	0.381467	0.382344	0.307512	0.397545	0.325928	0.360713	0.325928	0.377667
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Kemeny	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.291435	0.374744	0.302835	0.382929	0.380298	0.311312	0.395498	0.330313	0.358959	0.325636	0.375913
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	Schulze	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.291435	0.374744	0.302835	0.382929	0.380298	0.311312	0.395498	0.330313	0.358959	0.325636	0.375913
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Simple Averaging	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]	0.306343	0.359252	0.317451	0.368606	0.394621	0.299328	0.410406	0.316866	0.370944	0.316574	0.387898
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Borda	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]	0.320666	0.367729	0.331482	0.37679	0.397837	0.288512	0.414206	0.305759	0.375913	0.304297	0.392575
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	RRF	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]	0.320666	0.361298	0.331482	0.369775	0.403391	0.291143	0.419176	0.308389	0.38176	0.305466	0.398422
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Kemeny	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]	0.31102	0.369483	0.32242	0.37796	0.387898	0.299912	0.403391	0.319497	0.370067	0.317743	0.386437
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	Schulze	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]	0.311605	0.363052	0.32242	0.371236	0.394037	0.289681	0.410406	0.30722	0.372698	0.308682	0.389652
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Simple Averaging	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]	0.315405	0.359544	0.326513	0.368606	0.399883	0.298743	0.416253	0.31482	0.379129	0.313943	0.396375
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Borda	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]	0.320374	0.384683	0.331482	0.394037	0.396375	0.295235	0.414206	0.311312	0.365683	0.322713	0.382052
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	RRF	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]	0.330897	0.373867	0.342005	0.382929	0.401637	0.297281	0.418883	0.313066	0.379421	0.315989	0.396668
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Kemeny	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients"]	0.325051	0.377083	0.336159	0.386144	0.395791	0.291143	0.413037	0.30722	0.370652	0.325928	0.387314

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{clean}	C_{clean}	C_{clean}	Perturbed Gaussian -0.15	Perturbed Gaussian -0.15	Perturbed Gaussian -0.15	Perturbed Gaussian -0.15	Perturbed Salt-pep per-0.05	Perturbed Salt-pep per-0.05	Perturbed Salt-pep per-0.05
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	Schulze	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients"]	0.32622	0.375913	0.337036	0.384975	0.397545	0.296405	0.414206	0.311897	0.371236	0.322713	0.387898
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Simple Averaging	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]	0.316574	0.371821	0.327682	0.381467	0.390237	0.309266	0.407191	0.325636	0.375329	0.320374	0.392283
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Borda	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]	0.320374	0.387606	0.330897	0.39696	0.390529	0.297866	0.408652	0.314236	0.365098	0.321543	0.383221
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	RRF	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]	0.319205	0.395206	0.33002	0.404268	0.389944	0.311605	0.407776	0.32622	0.367144	0.329436	0.384683
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Kemeny	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]	0.307805	0.415083	0.318328	0.423853	0.379129	0.324467	0.397837	0.340251	0.361006	0.343467	0.379421
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	Schulze	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]	0.318036	0.387898	0.328559	0.39696	0.388775	0.304882	0.407191	0.321543	0.367729	0.320374	0.385852
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Simple Averaging	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency"]	0.288804	0.378252	0.299328	0.387898	0.376498	0.307805	0.393452	0.325051	0.359544	0.321543	0.377083
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Borda	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]	0.307512	0.371529	0.318328	0.38059	0.391114	0.285881	0.408945	0.302251	0.367436	0.304882	0.385852
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	RRF	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]	0.309266	0.378544	0.31979	0.386729	0.387021	0.296989	0.405729	0.312482	0.367436	0.311897	0.38556
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Kemeny	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]	0.305466	0.37796	0.315989	0.386144	0.382052	0.306343	0.40076	0.32242	0.367436	0.316866	0.38556
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	Schulze	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]	0.305466	0.373575	0.315989	0.38176	0.384975	0.292605	0.403683	0.308097	0.366559	0.309266	0.385267
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Simple Averaging	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP"]	0.290558	0.388191	0.301374	0.398129	0.354867	0.321836	0.371529	0.339374	0.341713	0.338205	0.358375
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Borda	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]	0.305759	0.373283	0.316282	0.382052	0.384391	0.287928	0.401929	0.304297	0.358082	0.317451	0.376206

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{data}	C_{clean}	C_{data}	Perturbed Gaussian -0.15	Perturbed Gaussian -0.15	Perturbed Gaussian -0.15	Perturbed Gaussian -0.15	Perturbed Salt-pep per-0.05	Perturbed Salt-pep per-0.05	Perturbed Salt-pep per-0.05
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	RRF	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]	0.316574	0.372406	0.327097	0.380883	0.394621	0.291728	0.41216	0.307805	0.372406	0.318328	0.390237
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Kemeny	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]	0.308097	0.383514	0.31862	0.391991	0.386729	0.30342	0.405145	0.319205	0.37036	0.322128	0.388191
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	Schulze	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]	0.31482	0.373283	0.325343	0.38176	0.38936	0.294066	0.406899	0.310143	0.365683	0.313943	0.383806
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Simple Averaging	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion"]	0.296405	0.407191	0.307512	0.417422	0.359252	0.336159	0.376498	0.353405	0.345805	0.352821	0.363929
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Borda	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation"]	0.297574	0.403683	0.308389	0.413622	0.362759	0.312774	0.379421	0.329436	0.340836	0.347559	0.358959
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	RRF	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation"]	0.318913	0.38556	0.33002	0.394914	0.392283	0.304005	0.409237	0.320666	0.370067	0.31979	0.387898
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Kemeny	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation"]	0.312189	0.383514	0.323297	0.392575	0.384683	0.302835	0.402514	0.319205	0.363052	0.319205	0.381175
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	Schulze	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation"]	0.31102	0.39316	0.321836	0.402514	0.38556	0.304005	0.402806	0.320666	0.363344	0.32739	0.380883
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Simple Averaging	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation", "InputXGrad ient"]	0.298451	0.407776	0.309851	0.417714	0.360129	0.341421	0.377667	0.35779	0.345513	0.354575	0.363344
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Borda	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation", "InputXGrad ient"]	0.284127	0.43233	0.294943	0.441391	0.358375	0.321543	0.375621	0.338205	0.332067	0.356621	0.349605
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	RRF	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAb lation", "InputXGrad ient"]	0.299328	0.41596	0.310436	0.425607	0.377375	0.32242	0.394914	0.338498	0.35399	0.335574	0.371821

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{data}	C_{clean}	C_{data}	F Perturbed Gaussian -0.15	F Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	F Perturbed Salt-pep per-0.05	F Perturbed Salt-pep per-0.05	C Perturbed Salt-pep per-0.05
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Kemeny	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]	0.290558	0.420053	0.300789	0.428822	0.367729	0.333528	0.386729	0.349605	0.343467	0.349313	0.362175
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	Schulze	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]	0.287635	0.417714	0.298158	0.426191	0.364221	0.327974	0.382929	0.344051	0.341421	0.343759	0.359252
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Simple Averaging	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient"]	0.299912	0.407191	0.311312	0.417129	0.362759	0.34259	0.380006	0.359252	0.346975	0.353698	0.364806
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Borda	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]	0.282374	0.409822	0.293189	0.419176	0.348436	0.312189	0.365683	0.329144	0.329436	0.353113	0.347559
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	RRF	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]	0.300789	0.410699	0.311897	0.420053	0.372406	0.322713	0.389652	0.339082	0.353113	0.33499	0.37036
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Kemeny	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]	0.290851	0.415083	0.301958	0.424145	0.365683	0.333821	0.384975	0.349605	0.348728	0.34259	0.367144
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	Schulze	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]	0.294066	0.409237	0.304589	0.418299	0.365098	0.318036	0.383514	0.333821	0.348144	0.341421	0.365098
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Simple Averaging	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM"]	0.301666	0.408068	0.312774	0.418006	0.361298	0.342005	0.379129	0.358667	0.347559	0.352821	0.36539
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Borda	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]	0.258404	0.444022	0.268635	0.453961	0.33119	0.341713	0.348144	0.358375	0.31482	0.371236	0.333236

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{clean}	C_{clean}	C_{clean}	F Perturbed Gaussian -0.15	$\bar{F}$ Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	$\bar{C}$ Perturbed Gaussian -0.15	F Perturbed Salt-pep per-0.05	$\bar{F}$ Perturbed Salt-pep per-0.05	C Perturbed Salt-pep per-0.05
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	RRF	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]	0.290851	0.416837	0.301374	0.426191	0.368606	0.328267	0.385852	0.344636	0.352236	0.345221	0.369483
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Kemeny	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]	0.278866	0.430576	0.289097	0.43993	0.366852	0.333236	0.384391	0.349021	0.34259	0.355744	0.360713
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	Schulze	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Integrated Gradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAbl ation", "InputXGrad ient", "Attention GradCAM", "FullLRP"]	0.272143	0.428822	0.282081	0.438176	0.359252	0.333236	0.377375	0.349313	0.335574	0.356036	0.353405

Table 18: BloodMNIST-ViT-B/16

Cell	Dataset	Model	Q	C Perturbed Salt-pep per-0.05	F Perturbed Speckle- 0.15	F Perturbed Speckle- 0.15	C Perturbed Speckle- 0.15	C Perturbed Speckle- 0.15	F Perturbed Adversar ial-sara -2-255	F Perturbed Adversar ial-sara -2-255	C Perturbed Adversar ial-sara -2-255	C Perturbed Adversar ial-sara -2-255	R_F Gaussian- 0.05	R_F Gaussian- 0.05	R_C Gaussian- 0.05	R_C Gaussian- 0.05	R_F Salt-pepper-0.05
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	0.34259	0.335282	0.340544	0.346682	0.349313	0.330605	0.427068	0.341128	0.435837	0.079801	0.066355	0.083894	0.056124	0.067232
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	0.343467	0.332067	0.341128	0.342882	0.35019	0.331774	0.420637	0.342005	0.429699	0.088863	0.063432	0.092663	0.052616	0.067524
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	0.343759	0.333528	0.339082	0.344928	0.348144	0.332067	0.421222	0.342882	0.430284	0.089155	0.06577	0.092955	0.055539	0.067524
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	0.343467	0.332067	0.341128	0.342882	0.35019	0.331774	0.420637	0.342005	0.429699	0.088863	0.063432	0.092663	0.052616	0.067524
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	2	0.343467	0.332067	0.341128	0.342882	0.35019	0.331774	0.420637	0.342005	0.429699	0.088863	0.063432	0.092663	0.052616	0.067524
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	0.333528	0.346098	0.336451	0.358667	0.344928	0.365098	0.453084	0.376206	0.462438	0.088278	0.059924	0.092955	0.051739	0.064601
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	0.321543	0.35779	0.343175	0.369483	0.351652	0.37036	0.432914	0.380883	0.442561	0.07717	0.079217	0.082724	0.071032	0.055247
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	0.322713	0.359252	0.336744	0.371529	0.345221	0.371821	0.423853	0.382344	0.432914	0.082724	0.070155	0.087694	0.061386	0.061093
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	0.334697	0.344636	0.342928	0.356036	0.351652	0.349021	0.428237	0.359544	0.437591	0.076878	0.06957	0.08097	0.058462	0.059047
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	3	0.325928	0.352529	0.339374	0.364513	0.348144	0.365098	0.422391	0.375329	0.431745	0.082432	0.07337	0.087986	0.064016	0.061093
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	0.330605	0.352529	0.339667	0.365098	0.348728	0.354575	0.484946	0.365683	0.4943	0.084478	0.060801	0.08974	0.053785	0.063724
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	0.340836	0.356621	0.353405	0.368606	0.361882	0.371529	0.469161	0.382929	0.477346	0.076001	0.089448	0.082724	0.082724	0.045308
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	0.333528	0.359252	0.344636	0.371529	0.354282	0.375037	0.451038	0.385852	0.460684	0.07074	0.076586	0.076878	0.069863	0.048524
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	0.343759	0.357205	0.344051	0.36919	0.352529	0.375037	0.461561	0.382929	0.477346	0.07074	0.08594	0.076878	0.078924	0.045601
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	4	0.340251	0.353405	0.343759	0.36539	0.352236	0.369775	0.455422	0.381175	0.463899	0.071324	0.079509	0.07717	0.073078	0.045016
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	0.337036	0.349605	0.348728	0.361882	0.35779	0.339374	0.499562	0.349605	0.509208	0.073663	0.062555	0.079509	0.055832	0.058755
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	0.33879	0.348436	0.361006	0.361298	0.369483	0.362759	0.474423	0.373283	0.483484	0.070155	0.08974	0.077755	0.082724	0.044724
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	0.346975	0.351359	0.368021	0.363929	0.377375	0.356621	0.479392	0.367436	0.488746	0.07074	0.083601	0.077755	0.078047	0.047939
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	0.36159	0.336451	0.378544	0.349605	0.386144	0.346098	0.499562	0.356913	0.508331	0.071324	0.090617	0.079509	0.083601	0.053201
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	5	0.337621	0.35019	0.362467	0.362759	0.370944	0.360713	0.477346	0.370944	0.486407	0.07074	0.083017	0.078632	0.075417	0.049693
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	0.33879	0.333821	0.35399	0.346975	0.363052	0.310728	0.4829	0.321251	0.492546	0.087694	0.070447	0.094125	0.062847	0.07074
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	0.323297	0.344636	0.337328	0.357205	0.345513	0.360421	0.454838	0.371236	0.464192	0.083601	0.085647	0.090617	0.07834	0.059924
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	0.330313	0.347852	0.347559	0.360421	0.354867	0.354575	0.453376	0.365098	0.463315	0.077755	0.081555	0.08594	0.074247	0.05817
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	0.335282	0.340544	0.346682	0.353405	0.354867	0.347267	0.451915	0.35779	0.461853	0.076586	0.071616	0.084771	0.063724	0.06197
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	6	0.327974	0.342005	0.345221	0.355159	0.353405	0.348436	0.456007	0.358959	0.465361	0.079509	0.08097	0.087694	0.073663	0.061093
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	0.354282	0.306343	0.383514	0.319205	0.393452	0.311897	0.494008	0.322713	0.503362	0.064309	0.066355	0.070155	0.058755	0.051155
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	0.355574	0.327097	0.346682	0.340836	0.356913	0.351067	0.462146	0.362467	0.471207	0.078632	0.085355	0.085647	0.077755	0.052324
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	0.337036	0.344051	0.342882	0.35779	0.352236	0.345513	0.460976	0.356621	0.469746	0.078047	0.080678	0.085063	0.073078	0.055832
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	0.340251	0.33879	0.349313	0.352236	0.358082	0.347267	0.461269	0.358667	0.470038	0.078632	0.080094	0.086524	0.072786	0.062262
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	7	0.332067	0.339082	0.339667	0.352821	0.349021	0.348728	0.455422	0.359252	0.464484	0.07454	0.079217	0.081555	0.071616	0.050862
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	0.369483	0.312774	0.396668	0.325928	0.405729	0.296112	0.512716	0.30722	0.522362	0.062847	0.071032	0.068986	0.064016	0.049401
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	0.364806	0.309559	0.379421	0.32242	0.38936	0.341128	0.488454	0.351067	0.4981	0.065186	0.090909	0.071032	0.084186	0.043262
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	0.336159	0.345221	0.359836	0.358375	0.368898	0.349605	0.475884	0.360129	0.485823	0.07337	0.081555	0.079217	0.074247	0.051155
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	0.336451	0.342882	0.351359	0.356036	0.359836	0.348144	0.476761	0.358667	0.485531	0.072493	0.080678	0.079217	0.07337	0.050862
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	8	0.344051	0.338205	0.362759	0.351067	0.371529	0.346682	0.482315	0.356621	0.491961	0.07454	0.089155	0.08097	0.081847	0.052324
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	0.371529	0.309559	0.398129	0.322713	0.407483	0.292897	0.522947	0.304005	0.533177	0.061678	0.066355	0.067816	0.059924	0.047062
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	0.37416	0.308097	0.397252	0.320959	0.406606	0.320959	0.527039	0.330897	0.536393	0.074247	0.110786	0.080678	0.103186	0.047939
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	0.352529	0.323005	0.381175	0.336159	0.390529	0.325928	0.505115	0.336159	0.514762	0.078047	0.09354	0.084478	0.087109	0.054662
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	0.366559	0.323005	0.390237	0.336159	0.399591	0.331774	0.5171	0.342005	0.526747	0.07717	0.086524	0.08594	0.079217	0.052909
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	9	0.360713	0.320666	0.388483	0.333821	0.397545	0.329436	0.517685	0.339959	0.527039	0.076586	0.08974	0.084771	0.08214	0.053785
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	0.370652	0.311897	0.397837	0.325051	0.407191	0.297866	0.519146	0.308974	0.529377	0.062847	0.064601	0.068693	0.057878	0.047062
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	0.37036	0.298158	0.377667	0.311897	0.387314	0.317159	0.512131	0.327682	0.521777	0.066063	0.097632	0.072493	0.090032	0.047062
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	0.351944	0.326805	0.37796	0.339959	0.387021	0.32622	0.503069	0.336744	0.512716	0.071616	0.087986	0.077755	0.08097	0.052324
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	0.359252	0.31979	0.378837	0.332944	0.387898	0.329436	0.502777	0.340544	0.512131	0.074832	0.081263	0.083017	0.07454	0.057878
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	10	0.358667	0.317451	0.376206	0.330605	0.384975	0.326805	0.5019	0.337036	0.511254	0.071032	0.091201	0.078924	0.084478	0.054078
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	0.37036	0.313651	0.399298	0.326805	0.408945	0.297281	0.522362	0.308389	0.532593	0.059632	0.066063	0.066355	0.059339	0.045893
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	0.388191	0.282081	0.417422	0.294943	0.427653	0.297574	0.540193	0.308974	0.550132	0.072786	0.102309	0.079509	0.095586	0.056416
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	0.362467	0.313359	0.390529	0.326513	0.399883	0.320082	0.512131	0.330313	0.521777	0.077755	0.088571	0.084478	0.081555	0.061386
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	0.373283	0.313359	0.393745	0.32622	0.402806	0.316866	0.512716	0.32739	0.522362	0.087986	0.09734	0.095294	0.090909	0.063724
BloodMNIST-ViT-B/16	BloodMNIST	ViT-B/16	11	0.373575	0.302251	0.398714	0.315405	0.40836	0.306635	0.526747	0.318036	0.536393	0.087109	0.095586	0.095294	0.088863	0.063432

185

[illegible]

Table 20: BloodMNIST-ViT-B/16

Dataset	Model	Method	Finite Fraction	Target Sensitive	Selected Batch Size	Attack Batch Size	Attack Seconds Per Sample	Attack Peak Cuda Bytes
BloodMNIST	Vit B/16	Saliency	1	true	1			
BloodMNIST	Vit B/16	InputXGradient	1	true	1			
BloodMNIST	Vit B/16	IntegratedGradients	1	true	1	1	0.138445	6.6673e+09
BloodMNIST	Vit B/16	FeatureAblation	1	true	1			
BloodMNIST	Vit B/16	Occlusion	1	true	1			
BloodMNIST	Vit B/16	GradientShap	1	true	1			
BloodMNIST	Vit B/16	CheferTransformer	1	true	1			
BloodMNIST	Vit B/16	Attribution	1	true	1			
BloodMNIST	Vit B/16	PartialLRP	1	true	1			
BloodMNIST	Vit B/16	FullLRP	1	true	1			
BloodMNIST	Vit B/16	GradientAttention	1	true	1	1	0.063645	3.3842e+09
BloodMNIST	Vit B/16	Rollout	1	true	1			
BloodMNIST	Vit B/16	AttentionGradCAM	1	true	1	1	0.052215	3.3105e+09

Table 21: BloodMNIST–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	Is Decorrel ated
Best Explanation	0.88435	0.99007	0.88435	1	0.34229	0.17465	0.7465	0.00818	0.14836	0.07593	False
Simple Average	0.97313	0.98248	0.97488	0.98598	0.49416	0.33995	0.83586	0.02336	0.40479	0.34054	False
Borda (NAIVE)	0.93516	0.99007	0.9375	0.99883	0.47313	0.31834	0.7979	0.06075	0.39136	0.33353	False
RRF (NAIVE)	0.94276	0.99065	0.94626	0.99942	0.49299	0.35047	0.80549	0.05199	0.3896	0.33061	False
Schulze (NAIVE)	0.94568	0.98072	0.95093	0.99065	0.48423	0.33995	0.80841	0.04731	0.40129	0.34696	False
Kemeny Young (NAIVE)	0.92114	0.99065	0.92407	0.99942	0.46495	0.3125	0.78388	0.07418	0.37266	0.31367	False
Borda (THEORY)	0.89252	0.99065	0.89486	0.99942	0.44334	0.29556	0.75526	0.10339	0.35339	0.29439	False
RRF (THEORY)	0.8972	0.99065	0.89544	0.99942	0.44918	0.28621	0.75993	0.1028	0.35806	0.29439	False
Schulze (THEORY)	0.88902	0.99065	0.8896	0.99942	0.43692	0.27512	0.75175	0.10864	0.34988	0.2868	False
Kemeny Young (THEORY)	0.89603	0.99007	0.8972	0.99883	0.44743	0.2868	0.75876	0.10105	0.35981	0.30432	False

Table 22: BloodMNIST–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.88435	0.99007	0.88435	1	0.34229	0.17465	0.7465	0.00818	0.14836	0.07593
Simple Averaging	0.97313	0.98248	0.97488	0.98598	0.49416	0.33995	0.83586	0.02336	0.40479	0.34054
Borda (NAIVE)	0.93516	0.99007	0.9375	0.99883	0.47313	0.31834	0.7979	0.06075	0.39136	0.33353
Borda (THEORY)	0.89252	0.99065	0.89486	0.99942	0.44334	0.29556	0.75526	0.10339	0.35339	0.29439
RRF (NAIVE)	0.94276	0.99065	0.94626	0.99942	0.49299	0.35047	0.80549	0.05199	0.3896	0.33061
RRF (THEORY)	0.8972	0.99065	0.89544	0.99942	0.44918	0.28621	0.75993	0.1028	0.35806	0.29439
Schulze (NAIVE)	0.94568	0.98072	0.95093	0.99065	0.48423	0.33995	0.80841	0.04731	0.40129	0.34696
Schulze (THEORY)	0.88902	0.99065	0.8896	0.99942	0.43692	0.27512	0.75175	0.10864	0.34988	0.2868
Kemeny Young (NAIVE)	0.92114	0.99065	0.92407	0.99942	0.46495	0.3125	0.78388	0.07418	0.37266	0.31367
Kemeny Young (THEORY)	0.89603	0.99007	0.8972	0.99883	0.44743	0.2868	0.75876	0.10105	0.35981	0.30432

Table 23: BloodMNIST–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.88435	0.99007	0.88435	1	0.34229	0.17465	0.7465	0.00818	0.14836	0.07593
Simple Averaging	0.891939	0.984813	0.890771	0.991822	0.49416	0.33995	0.83586	0.02336	0.40479	0.34054
Borda	0.874416	0.990654	0.876752	0.999416	0.47313	0.31834	0.7979	0.06075	0.39136	0.33353
RRF	0.882593	0.990654	0.883178	0.999416	0.49299	0.35047	0.80549	0.05199	0.3896	0.33061
Schulze	0.863902	0.990654	0.863902	0.999416	0.48423	0.33995	0.80841	0.04731	0.40129	0.34696
Kemeny Young	0.885514	0.990654	0.887266	0.999416	0.46495	0.3125	0.78388	0.07418	0.37266	0.31367
Best Explanation (Decorr)	0.8843	0.9901	0.8843	1	0.3242	0.139	0.7465	0.0082	0.1484	0.0759
SimpleAvg (Decorr)	0.9731	0.9825	0.9749	0.986	0.4942	0.34	0.8359	0.0234	0.4048	0.3405
Borda (Decorr)	0.8925	0.9907	0.8949	0.9994	0.4433	0.2956	0.7553	0.1034	0.3534	0.2944
RRF (Decorr)	0.8972	0.9907	0.8954	0.9994	0.4492	0.2862	0.7599	0.1028	0.3581	0.2944
Schulze (Decorr)	0.889	0.9907	0.8896	0.9994	0.4369	0.2751	0.7518	0.1086	0.3499	0.2868
Kemeny Young (Decorr)	0.896	0.9901	0.8972	0.9988	0.4474	0.2868	0.7588	0.1011	0.3598	0.3043

Table 24: BloodMNIST–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	Is Decorrel ated
Best Explanation	0.68984	0.99065	0.69042	0.99942	0.28037	0.14369	0.55257	0.01577	0.06776	0.00993	False
Simple Average	0.97196	0.98248	0.97488	0.98715	0.60689	0.47313	0.8347	0.02336	0.56776	0.51928	False
Borda (NAIVE)	0.81075	0.98657	0.81367	0.99533	0.46554	0.34463	0.67348	0.18458	0.43925	0.38785	False
RRF (NAIVE)	0.84229	0.9889	0.84521	0.99766	0.49591	0.37442	0.70502	0.15304	0.48189	0.43166	False
Schulze (NAIVE)	0.85339	0.9521	0.85572	0.96086	0.50467	0.37734	0.71612	0.14252	0.49007	0.441	False
Kemeny Young (NAIVE)	0.78914	0.98949	0.79089	0.99825	0.4264	0.2979	0.65187	0.20736	0.41414	0.36507	False
Borda (THEORY)	0.74357	0.99065	0.74708	0.99942	0.39194	0.2646	0.60631	0.25117	0.38843	0.3382	False
RRF (THEORY)	0.76168	0.99065	0.76227	0.99942	0.40537	0.27629	0.62442	0.23598	0.40888	0.35572	False
Schulze (THEORY)	0.75058	0.98949	0.75467	0.99825	0.39895	0.26869	0.61332	0.24357	0.39778	0.34463	False
Kemeny Young (THEORY)	0.76694	0.99065	0.76928	0.99942	0.40596	0.27687	0.62967	0.22897	0.41472	0.36682	False

Table 25: BloodMNIST–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.68984	0.99065	0.69042	0.99942	0.28037	0.14369	0.55257	0.01577	0.06776	0.00993
Simple Averaging	0.97196	0.98248	0.97488	0.98715	0.60689	0.47313	0.8347	0.02336	0.56776	0.51928
Borda (NAIVE)	0.81075	0.98657	0.81367	0.99533	0.46554	0.34463	0.67348	0.18458	0.43925	0.38785
Borda (THEORY)	0.74357	0.99065	0.74708	0.99942	0.39194	0.2646	0.60631	0.25117	0.38843	0.3382
RRF (NAIVE)	0.84229	0.9889	0.84521	0.99766	0.49591	0.37442	0.70502	0.15304	0.48189	0.43166
RRF (THEORY)	0.76168	0.99065	0.76227	0.99942	0.40537	0.27629	0.62442	0.23598	0.40888	0.35572
Schulze (NAIVE)	0.85339	0.9521	0.85572	0.96086	0.50467	0.37734	0.71612	0.14252	0.49007	0.441
Schulze (THEORY)	0.75058	0.98949	0.75467	0.99825	0.39895	0.26869	0.61332	0.24357	0.39778	0.34463
Kemeny Young (NAIVE)	0.78914	0.98949	0.79089	0.99825	0.4264	0.2979	0.65187	0.20736	0.41414	0.36507
Kemeny Young (THEORY)	0.76694	0.99065	0.76928	0.99942	0.40596	0.27687	0.62967	0.22897	0.41472	0.36682

Table 26: BloodMNIST–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.68984	0.99065	0.69042	0.99942	0.28037	0.14369	0.55257	0.01577	0.06776	0.00993
Simple Averaging	0.723715	0.982477	0.723715	0.986565	0.60689	0.47313	0.8347	0.02336	0.56776	0.51928
Borda	0.693341	0.99007	0.694509	0.998832	0.46554	0.34463	0.67348	0.18458	0.43925	0.38785
RRF	0.710864	0.99007	0.712033	0.998832	0.49591	0.37442	0.70502	0.15304	0.48189	0.43166
Schulze	0.686916	0.987734	0.688084	0.996495	0.50467	0.37734	0.71612	0.14252	0.49007	0.441
Kemeny Young	0.716706	0.99007	0.718458	0.998832	0.4264	0.2979	0.65187	0.20736	0.41414	0.36507
Best Explanation (Decorr)	0.6898	0.9907	0.6904	0.9994	0.2804	0.1437	0.5526	0.0158	0.0678	0.0099
SimpleAvg (Decorr)	0.972	0.9825	0.9749	0.9871	0.6069	0.4731	0.8347	0.0234	0.5678	0.5193
Borda (Decorr)	0.7436	0.9907	0.7471	0.9994	0.3919	0.2646	0.6063	0.2512	0.3884	0.3382
RRF (Decorr)	0.7617	0.9907	0.7623	0.9994	0.4054	0.2763	0.6244	0.236	0.4089	0.3557
Schulze (Decorr)	0.7506	0.9895	0.7547	0.9982	0.3989	0.2687	0.6133	0.2436	0.3978	0.3446
Kemeny Young (Decorr)	0.7669	0.9907	0.7693	0.9994	0.406	0.2769	0.6297	0.229	0.4147	0.3668

Table 27: BloodMNIST–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	Is Decorrel ated
Best Explanation	0.51168	0.99007	0.51285	0.99766	0.22313	0.11273	0.37442	0.04206	0.10164	0.05315	False
Simple Average	0.92348	0.93984	0.92465	0.941	0.65012	0.5403	0.78621	0.0736	0.64136	0.59638	False
Borda (NAIVE)	0.60397	0.95561	0.60456	0.96437	0.33411	0.23131	0.46671	0.39369	0.35456	0.30841	False
RRF (NAIVE)	0.61682	0.9854	0.61857	0.99416	0.34813	0.24533	0.47956	0.37967	0.36449	0.31834	False
Schulze (NAIVE)	0.64311	0.90129	0.64428	0.91005	0.38143	0.27453	0.50584	0.35397	0.39544	0.34813	False
Kemeny Young (NAIVE)	0.58002	0.97664	0.58002	0.9854	0.31484	0.21203	0.44276	0.41822	0.33995	0.29381	False
Borda (THEORY)	0.5111	0.98715	0.5111	0.99591	0.24299	0.13668	0.37383	0.48715	0.2722	0.21787	False
RRF (THEORY)	0.51285	0.98715	0.51285	0.99591	0.24825	0.14311	0.37558	0.4854	0.27044	0.21963	False
Schulze (THEORY)	0.50701	0.98949	0.50759	0.99708	0.24474	0.13843	0.36974	0.49065	0.26928	0.21612	False
Kemeny Young (THEORY)	0.53096	0.9889	0.53213	0.99766	0.26519	0.16005	0.39369	0.46612	0.28621	0.23598	False

Table 28: BloodMNIST–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.51168	0.99007	0.51285	0.99766	0.22313	0.11273	0.37442	0.04206	0.10164	0.05315
Simple Averaging	0.92348	0.93984	0.92465	0.941	0.65012	0.5403	0.78621	0.0736	0.64136	0.59638
Borda (NAIVE)	0.60397	0.95561	0.60456	0.96437	0.33411	0.23131	0.46671	0.39369	0.35456	0.30841
Borda (THEORY)	0.5111	0.98715	0.5111	0.99591	0.24299	0.13668	0.37383	0.48715	0.2722	0.21787
RRF (NAIVE)	0.61682	0.9854	0.61857	0.99416	0.34813	0.24533	0.47956	0.37967	0.36449	0.31834
RRF (THEORY)	0.51285	0.98715	0.51285	0.99591	0.24825	0.14311	0.37558	0.4854	0.27044	0.21963
Schulze (NAIVE)	0.64311	0.90129	0.64428	0.91005	0.38143	0.27453	0.50584	0.35397	0.39544	0.34813
Schulze (THEORY)	0.50701	0.98949	0.50759	0.99708	0.24474	0.13843	0.36974	0.49065	0.26928	0.21612
Kemeny Young (NAIVE)	0.58002	0.97664	0.58002	0.9854	0.31484	0.21203	0.44276	0.41822	0.33995	0.29381
Kemeny Young (THEORY)	0.53096	0.9889	0.53213	0.99766	0.26519	0.16005	0.39369	0.46612	0.28621	0.23598

Table 29: BloodMNIST–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.51168	0.99007	0.51285	0.99766	0.22313	0.11273	0.37442	0.04206	0.10164	0.05315
Simple Averaging	0.475467	0.856308	0.476051	0.857477	0.65012	0.5403	0.78621	0.0736	0.64136	0.59638
Borda	0.462617	0.987734	0.463201	0.996495	0.33411	0.23131	0.46671	0.39369	0.35456	0.30841
RRF	0.480724	0.98715	0.481308	0.995911	0.34813	0.24533	0.47956	0.37967	0.36449	0.31834
Schulze	0.451519	0.982477	0.452103	0.991238	0.38143	0.27453	0.50584	0.35397	0.39544	0.34813
Kemeny Young	0.488318	0.987734	0.488902	0.996495	0.31484	0.21203	0.44276	0.41822	0.33995	0.29381
Best Explanation (Decorr)	0.5117	0.9901	0.5129	0.9977	0.2231	0.1127	0.3744	0.0421	0.1016	0.0532
SimpleAvg (Decorr)	0.9235	0.9398	0.9246	0.941	0.6501	0.5403	0.7862	0.0736	0.6414	0.5964
Borda (Decorr)	0.5111	0.9871	0.5111	0.9959	0.243	0.1367	0.3738	0.4871	0.2722	0.2179
RRF (Decorr)	0.5129	0.9871	0.5129	0.9959	0.2482	0.1431	0.3756	0.4854	0.2704	0.2196
Schulze (Decorr)	0.507	0.9895	0.5076	0.9971	0.2447	0.1384	0.3697	0.4907	0.2693	0.2161
Kemeny Young (Decorr)	0.531	0.9889	0.5321	0.9977	0.2652	0.16	0.3937	0.4661	0.2862	0.236

Table 30: BloodMNIST–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	Is Decorrel ated
Best Explanation	0.96671	0.99065	0.96671	1	0.33645	0.14311	0.82886	0.00409	0.16414	0.0847	False
Simple Average	0.98773	0.99124	0.99299	0.9965	0.41647	0.24533	0.85105	0.00643	0.316	0.2389	False
Borda (NAIVE)	0.97313	0.99007	0.97547	1	0.42348	0.25175	0.83586	0.02278	0.309	0.24241	False
RRF (NAIVE)	0.97664	0.99065	0.9778	0.99942	0.4264	0.25409	0.83937	0.02044	0.31776	0.25292	False
Schulze (NAIVE)	0.98014	0.9889	0.98423	0.99883	0.42348	0.2465	0.84287	0.01402	0.31893	0.25526	False
Kemeny Young (NAIVE)	0.97196	0.99007	0.97313	1	0.41939	0.2389	0.8347	0.02512	0.3014	0.23832	False
Borda (THEORY)	0.96086	0.99065	0.9597	0.99942	0.43516	0.25467	0.8236	0.03855	0.32301	0.25526	False
RRF (THEORY)	0.96495	0.99065	0.96379	0.99942	0.44334	0.25467	0.82769	0.03446	0.30724	0.23773	False
Schulze (THEORY)	0.9597	0.99124	0.95853	0.99883	0.4229	0.23248	0.82243	0.03972	0.29264	0.22079	False
Kemeny Young (THEORY)	0.96262	0.99065	0.96028	0.99942	0.42114	0.23949	0.82535	0.03797	0.31834	0.24299	False

Table 31: BloodMNIST–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.96671	0.99065	0.96671	1	0.33645	0.14311	0.82886	0.00409	0.16414	0.0847
Simple Averaging	0.98773	0.99124	0.99299	0.9965	0.41647	0.24533	0.85105	0.00643	0.316	0.2389
Borda (NAIVE)	0.97313	0.99007	0.97547	1	0.42348	0.25175	0.83586	0.02278	0.309	0.24241
Borda (THEORY)	0.96086	0.99065	0.9597	0.99942	0.43516	0.25467	0.8236	0.03855	0.32301	0.25526
RRF (NAIVE)	0.97664	0.99065	0.9778	0.99942	0.4264	0.25409	0.83937	0.02044	0.31776	0.25292
RRF (THEORY)	0.96495	0.99065	0.96379	0.99942	0.44334	0.25467	0.82769	0.03446	0.30724	0.23773
Schulze (NAIVE)	0.98014	0.9889	0.98423	0.99883	0.42348	0.2465	0.84287	0.01402	0.31893	0.25526
Schulze (THEORY)	0.9597	0.99124	0.95853	0.99883	0.4229	0.23248	0.82243	0.03972	0.29264	0.22079
Kemeny Young (NAIVE)	0.97196	0.99007	0.97313	1	0.41939	0.2389	0.8347	0.02512	0.3014	0.23832
Kemeny Young (THEORY)	0.96262	0.99065	0.96028	0.99942	0.42114	0.23949	0.82535	0.03797	0.31834	0.24299

Table 32: BloodMNIST–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.96671	0.99065	0.96671	1	0.33645	0.14311	0.82886	0.00409	0.16414	0.0847
Simple Averaging	0.964369	0.991822	0.965537	0.998248	0.41647	0.24533	0.85105	0.00643	0.316	0.2389
Borda	0.943925	0.990654	0.943925	0.999416	0.42348	0.25175	0.83586	0.02278	0.309	0.24241
RRF	0.958528	0.990654	0.95736	0.999416	0.4264	0.25409	0.83937	0.02044	0.31776	0.25292
Schulze	0.952103	0.990654	0.949766	0.999416	0.42348	0.2465	0.84287	0.01402	0.31893	0.25526
Kemeny Young	0.95035	0.990654	0.951519	0.999416	0.41939	0.2389	0.8347	0.02512	0.3014	0.23832
Best Explanation (Decorr)	0.9667	0.9912	0.9667	1	0.2611	0.0537	0.8289	0.0047	0.1326	0.0514
SimpleAvg (Decorr)	0.9877	0.9912	0.993	0.9965	0.4165	0.2453	0.8511	0.0064	0.316	0.2389
Borda (Decorr)	0.9609	0.9907	0.9597	0.9994	0.4352	0.2547	0.8236	0.0386	0.323	0.2553
RRF (Decorr)	0.965	0.9907	0.9638	0.9994	0.4433	0.2547	0.8277	0.0345	0.3072	0.2377
Schulze (Decorr)	0.9597	0.9912	0.9585	0.9988	0.4229	0.2325	0.8224	0.0397	0.2926	0.2208
Kemeny Young (Decorr)	0.9626	0.9907	0.9603	0.9994	0.4211	0.2395	0.8254	0.038	0.3183	0.243

Table 33: BloodMNIST–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	Is Decorrel ated
Best Explanation	0.41706	0.98715	0.41764	0.99591	0.15771	0.05724	0.27979	0.09112	0.10339	0.06834	False
Simple Average	0.90362	0.90829	0.90479	0.90771	0.66355	0.59287	0.76636	0.09346	0.64019	0.59638	False
Borda (NAIVE)	0.49241	0.89369	0.49241	0.90245	0.25935	0.19042	0.35514	0.50584	0.24241	0.20035	False
RRF (NAIVE)	0.49883	0.96904	0.49942	0.9778	0.26577	0.1986	0.36157	0.49883	0.24533	0.19977	False
Schulze (NAIVE)	0.52336	0.86507	0.52395	0.8715	0.28855	0.21554	0.3861	0.4743	0.27044	0.22605	False
Kemeny Young (NAIVE)	0.46437	0.93458	0.46495	0.94334	0.23773	0.17114	0.3271	0.53329	0.20911	0.1653	False
Borda (THEORY)	0.36157	0.98773	0.36215	0.99416	0.15713	0.0882	0.2243	0.6361	0.13259	0.09112	False
RRF (THEORY)	0.36916	0.98598	0.36974	0.99357	0.1764	0.10689	0.23189	0.6285	0.13843	0.09579	False
Schulze (THEORY)	0.35105	0.98598	0.35164	0.99474	0.15479	0.08586	0.21379	0.64661	0.12383	0.08294	False
Kemeny Young (THEORY)	0.38902	0.9854	0.3896	0.99416	0.17465	0.10748	0.25175	0.60864	0.15771	0.11507	False

Table 34: BloodMNIST–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.41706	0.98715	0.41764	0.99591	0.15771	0.05724	0.27979	0.09112	0.10339	0.06834
Simple Averaging	0.90362	0.90829	0.90479	0.90771	0.66355	0.59287	0.76636	0.09346	0.64019	0.59638
Borda (NAIVE)	0.49241	0.89369	0.49241	0.90245	0.25935	0.19042	0.35514	0.50584	0.24241	0.20035
Borda (THEORY)	0.36157	0.98773	0.36215	0.99416	0.15713	0.0882	0.2243	0.6361	0.13259	0.09112
RRF (NAIVE)	0.49883	0.96904	0.49942	0.9778	0.26577	0.1986	0.36157	0.49883	0.24533	0.19977
RRF (THEORY)	0.36916	0.98598	0.36974	0.99357	0.1764	0.10689	0.23189	0.6285	0.13843	0.09579
Schulze (NAIVE)	0.52336	0.86507	0.52395	0.8715	0.28855	0.21554	0.3861	0.4743	0.27044	0.22605
Schulze (THEORY)	0.35105	0.98598	0.35164	0.99474	0.15479	0.08586	0.21379	0.64661	0.12383	0.08294
Kemeny Young (NAIVE)	0.46437	0.93458	0.46495	0.94334	0.23773	0.17114	0.3271	0.53329	0.20911	0.1653
Kemeny Young (THEORY)	0.38902	0.9854	0.3896	0.99416	0.17465	0.10748	0.25175	0.60864	0.15771	0.11507

Table 35: BloodMNIST–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.41706	0.98715	0.41764	0.99591	0.15771	0.05724	0.27979	0.09112	0.10339	0.06834
Simple Averaging	0.321262	0.911799	0.321846	0.911799	0.66355	0.59287	0.76636	0.09346	0.64019	0.59638
Borda	0.313084	0.984813	0.313668	0.992407	0.25935	0.19042	0.35514	0.50584	0.24241	0.20035
RRF	0.319509	0.981308	0.320093	0.988902	0.26577	0.1986	0.36157	0.49883	0.24533	0.19977
Schulze	0.290304	0.97021	0.290888	0.978972	0.28855	0.21554	0.3861	0.4743	0.27044	0.22605
Kemeny Young	0.34229	0.978388	0.342874	0.98715	0.23773	0.17114	0.3271	0.53329	0.20911	0.1653
Best Explanation (Decorr)	0.4171	0.9871	0.4176	0.9959	0.1577	0.0572	0.2798	0.0911	0.1034	0.0683
SimpleAvg (Decorr)	0.9036	0.9083	0.9048	0.9077	0.6636	0.5929	0.7664	0.0935	0.6402	0.5964
Borda (Decorr)	0.3616	0.9877	0.3621	0.9942	0.1571	0.0882	0.2243	0.6361	0.1326	0.0911
RRF (Decorr)	0.3692	0.986	0.3697	0.9936	0.1764	0.1069	0.2319	0.6285	0.1384	0.0958
Schulze (Decorr)	0.3511	0.986	0.3516	0.9947	0.1548	0.0859	0.2138	0.6466	0.1238	0.0829
Kemeny Young (Decorr)	0.389	0.9854	0.3896	0.9942	0.1746	0.1075	0.2518	0.6086	0.1577	0.1151

Table 36: BloodMNIST–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	Is Decorrel ated
Best Explanation	0.82068	0.99065	0.82126	0.99942	0.33353	0.17699	0.68283	0.00993	0.11741	0.05374	False
Simple Average	0.96787	0.98481	0.97255	0.99182	0.54614	0.40012	0.83061	0.0257	0.42815	0.37208	False
Borda (NAIVE)	0.91355	0.99007	0.9153	0.99883	0.49942	0.35572	0.77629	0.08294	0.39486	0.34229	False
RRF (NAIVE)	0.92056	0.99007	0.92348	0.99883	0.51869	0.3785	0.78329	0.07477	0.39661	0.34871	False
Schulze (NAIVE)	0.92815	0.97547	0.93049	0.98423	0.52804	0.38493	0.79089	0.06776	0.40421	0.35572	False
Kemeny Young (NAIVE)	0.89369	0.99007	0.89428	0.99883	0.48423	0.33528	0.75643	0.10397	0.3715	0.31951	False
Borda (THEORY)	0.85339	0.99065	0.85572	0.99942	0.45444	0.30607	0.71612	0.14252	0.35164	0.29614	False
RRF (THEORY)	0.875	0.99065	0.87558	0.99942	0.46554	0.30958	0.73773	0.12266	0.36974	0.31367	False
Schulze (THEORY)	0.8639	0.99065	0.8639	0.99942	0.4597	0.30783	0.72664	0.13435	0.35456	0.2979	False
Kemeny Young (THEORY)	0.87442	0.99065	0.87675	0.99942	0.46846	0.31951	0.73715	0.1215	0.36857	0.31484	False

Table 37: BloodMNIST–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.82068	0.99065	0.82126	0.99942	0.33353	0.17699	0.68283	0.00993	0.11741	0.05374
Simple Averaging	0.96787	0.98481	0.97255	0.99182	0.54614	0.40012	0.83061	0.0257	0.42815	0.37208
Borda (NAIVE)	0.91355	0.99007	0.9153	0.99883	0.49942	0.35572	0.77629	0.08294	0.39486	0.34229
Borda (THEORY)	0.85339	0.99065	0.85572	0.99942	0.45444	0.30607	0.71612	0.14252	0.35164	0.29614
RRF (NAIVE)	0.92056	0.99007	0.92348	0.99883	0.51869	0.3785	0.78329	0.07477	0.39661	0.34871
RRF (THEORY)	0.875	0.99065	0.87558	0.99942	0.46554	0.30958	0.73773	0.12266	0.36974	0.31367
Schulze (NAIVE)	0.92815	0.97547	0.93049	0.98423	0.52804	0.38493	0.79089	0.06776	0.40421	0.35572
Schulze (THEORY)	0.8639	0.99065	0.8639	0.99942	0.4597	0.30783	0.72664	0.13435	0.35456	0.2979
Kemeny Young (NAIVE)	0.89369	0.99007	0.89428	0.99883	0.48423	0.33528	0.75643	0.10397	0.3715	0.31951
Kemeny Young (THEORY)	0.87442	0.99065	0.87675	0.99942	0.46846	0.31951	0.73715	0.1215	0.36857	0.31484

Table 38: BloodMNIST–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.82068	0.99065	0.82126	0.99942	0.33353	0.17699	0.68283	0.00993	0.11741	0.05374
Simple Averaging	0.891939	0.984813	0.890771	0.991822	0.54614	0.40012	0.83061	0.0257	0.42815	0.37208
Borda	0.874416	0.990654	0.876752	0.999416	0.49942	0.35572	0.77629	0.08294	0.39486	0.34229
RRF	0.882593	0.990654	0.883178	0.999416	0.51869	0.3785	0.78329	0.07477	0.39661	0.34871
Schulze	0.863902	0.990654	0.863902	0.999416	0.52804	0.38493	0.79089	0.06776	0.40421	0.35572
Kemeny Young	0.885514	0.990654	0.887266	0.999416	0.48423	0.33528	0.75643	0.10397	0.3715	0.31951
Best Explanation (Decorr)	0.8207	0.9907	0.8213	0.9994	0.3119	0.1419	0.6828	0.0099	0.1174	0.0537
SimpleAvg (Decorr)	0.9679	0.9848	0.9725	0.9918	0.5461	0.4001	0.8306	0.0257	0.4282	0.3721
Borda (Decorr)	0.8534	0.9907	0.8557	0.9994	0.4544	0.3061	0.7161	0.1425	0.3516	0.2961
RRF (Decorr)	0.875	0.9907	0.8756	0.9994	0.4655	0.3096	0.7377	0.1227	0.3697	0.3137
Schulze (Decorr)	0.8639	0.9907	0.8639	0.9994	0.4597	0.3078	0.7266	0.1343	0.3546	0.2979
Kemeny Young (Decorr)	0.8744	0.9907	0.8768	0.9994	0.4685	0.3195	0.7371	0.1215	0.3686	0.3148

Table 39: BloodMNIST–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	Is Decorrel ated
Best Explanation	0.60222	0.99065	0.60514	0.99942	0.25292	0.12909	0.46495	0.02103	0.05374	0.00993	False
Simple Average	0.96612	0.98248	0.97021	0.98657	0.63785	0.52103	0.82886	0.02804	0.61799	0.57301	False
Borda (NAIVE)	0.75759	0.98248	0.75935	0.99124	0.45561	0.34112	0.62033	0.2389	0.43984	0.39486	False
RRF (NAIVE)	0.78154	0.9889	0.78446	0.99766	0.47196	0.35806	0.64428	0.21379	0.45794	0.41472	False
Schulze (NAIVE)	0.809	0.93633	0.81075	0.94509	0.50759	0.39311	0.67173	0.1875	0.48072	0.43633	False
Kemeny Young (NAIVE)	0.73072	0.98949	0.73364	0.99825	0.43107	0.31951	0.59346	0.2646	0.39428	0.35047	False
Borda (THEORY)	0.68925	0.9889	0.69159	0.99766	0.37383	0.24591	0.55199	0.30666	0.39136	0.34112	False
RRF (THEORY)	0.70152	0.98949	0.70327	0.99825	0.38785	0.2646	0.56425	0.29498	0.39895	0.35105	False
Schulze (THEORY)	0.68692	0.98773	0.68808	0.9965	0.37325	0.24883	0.54965	0.31016	0.3785	0.32944	False
Kemeny Young (THEORY)	0.69334	0.99007	0.69451	0.99883	0.38493	0.25818	0.55607	0.30374	0.38435	0.33411	False

Table 40: BloodMNIST–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.60222	0.99065	0.60514	0.99942	0.25292	0.12909	0.46495	0.02103	0.05374	0.00993
Simple Averaging	0.96612	0.98248	0.97021	0.98657	0.63785	0.52103	0.82886	0.02804	0.61799	0.57301
Borda (NAIVE)	0.75759	0.98248	0.75935	0.99124	0.45561	0.34112	0.62033	0.2389	0.43984	0.39486
Borda (THEORY)	0.68925	0.9889	0.69159	0.99766	0.37383	0.24591	0.55199	0.30666	0.39136	0.34112
RRF (NAIVE)	0.78154	0.9889	0.78446	0.99766	0.47196	0.35806	0.64428	0.21379	0.45794	0.41472
RRF (THEORY)	0.70152	0.98949	0.70327	0.99825	0.38785	0.2646	0.56425	0.29498	0.39895	0.35105
Schulze (NAIVE)	0.809	0.93633	0.81075	0.94509	0.50759	0.39311	0.67173	0.1875	0.48072	0.43633
Schulze (THEORY)	0.68692	0.98773	0.68808	0.9965	0.37325	0.24883	0.54965	0.31016	0.3785	0.32944
Kemeny Young (NAIVE)	0.73072	0.98949	0.73364	0.99825	0.43107	0.31951	0.59346	0.2646	0.39428	0.35047
Kemeny Young (THEORY)	0.69334	0.99007	0.69451	0.99883	0.38493	0.25818	0.55607	0.30374	0.38435	0.33411

Table 41: BloodMNIST–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.60222	0.99065	0.60514	0.99942	0.25292	0.12909	0.46495	0.02103	0.05374	0.00993
Simple Averaging	0.723715	0.982477	0.723715	0.986565	0.63785	0.52103	0.82886	0.02804	0.61799	0.57301
Borda	0.693341	0.99007	0.694509	0.998832	0.45561	0.34112	0.62033	0.2389	0.43984	0.39486
RRF	0.710864	0.99007	0.712033	0.998832	0.47196	0.35806	0.64428	0.21379	0.45794	0.41472
Schulze	0.686916	0.987734	0.688084	0.996495	0.50759	0.39311	0.67173	0.1875	0.48072	0.43633
Kemeny Young	0.716706	0.99007	0.718458	0.998832	0.43107	0.31951	0.59346	0.2646	0.39428	0.35047
Best Explanation (Decorr)	0.6022	0.9907	0.6051	0.9994	0.2529	0.1291	0.465	0.021	0.0537	0.0099
SimpleAvg (Decorr)	0.9661	0.9825	0.9702	0.9866	0.6379	0.521	0.8289	0.028	0.618	0.573
Borda (Decorr)	0.6893	0.9889	0.6916	0.9977	0.3738	0.2459	0.552	0.3067	0.3914	0.3411
RRF (Decorr)	0.7015	0.9895	0.7033	0.9982	0.3879	0.2646	0.5643	0.295	0.3989	0.3511
Schulze (Decorr)	0.6869	0.9877	0.6881	0.9965	0.3732	0.2488	0.5496	0.3102	0.3785	0.3294
Kemeny Young (Decorr)	0.6933	0.9901	0.6945	0.9988	0.3849	0.2582	0.5561	0.3037	0.3843	0.3341

Table 42: BloodMNIST–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	Is Decorrel ated
Best Explanation	0.46612	0.98832	0.46671	0.99533	0.20561	0.10514	0.32886	0.05783	0.11332	0.06893	False
Simple Average	0.8861	0.85631	0.88668	0.85748	0.62266	0.53446	0.74883	0.11157	0.61098	0.56951	False
Borda (NAIVE)	0.56133	0.9153	0.56192	0.92407	0.32535	0.2389	0.42407	0.43633	0.31659	0.2757	False
RRF (NAIVE)	0.56834	0.97956	0.56893	0.98832	0.33002	0.24124	0.43107	0.42932	0.31075	0.26752	False
Schulze (NAIVE)	0.5882	0.88785	0.58879	0.89661	0.34638	0.26285	0.45093	0.40946	0.33762	0.29731	False
Kemeny Young (NAIVE)	0.53388	0.95502	0.53446	0.96379	0.2979	0.21203	0.39661	0.46379	0.29498	0.25467	False
Borda (THEORY)	0.43224	0.98598	0.43283	0.99474	0.20152	0.11916	0.29498	0.56542	0.20911	0.16764	False
RRF (THEORY)	0.43925	0.98657	0.43984	0.99533	0.22488	0.13727	0.30199	0.55841	0.21028	0.16998	False
Schulze (THEORY)	0.43516	0.98715	0.43516	0.99591	0.21787	0.13201	0.2979	0.56308	0.21145	0.17231	False
Kemeny Young (THEORY)	0.46262	0.98773	0.4632	0.9965	0.23131	0.15304	0.32535	0.53505	0.22313	0.18341	False

Table 43: BloodMNIST–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.46612	0.98832	0.46671	0.99533	0.20561	0.10514	0.32886	0.05783	0.11332	0.06893
Simple Averaging	0.8861	0.85631	0.88668	0.85748	0.62266	0.53446	0.74883	0.11157	0.61098	0.56951
Borda (NAIVE)	0.56133	0.9153	0.56192	0.92407	0.32535	0.2389	0.42407	0.43633	0.31659	0.2757
Borda (THEORY)	0.43224	0.98598	0.43283	0.99474	0.20152	0.11916	0.29498	0.56542	0.20911	0.16764
RRF (NAIVE)	0.56834	0.97956	0.56893	0.98832	0.33002	0.24124	0.43107	0.42932	0.31075	0.26752
RRF (THEORY)	0.43925	0.98657	0.43984	0.99533	0.22488	0.13727	0.30199	0.55841	0.21028	0.16998
Schulze (NAIVE)	0.5882	0.88785	0.58879	0.89661	0.34638	0.26285	0.45093	0.40946	0.33762	0.29731
Schulze (THEORY)	0.43516	0.98715	0.43516	0.99591	0.21787	0.13201	0.2979	0.56308	0.21145	0.17231
Kemeny Young (NAIVE)	0.53388	0.95502	0.53446	0.96379	0.2979	0.21203	0.39661	0.46379	0.29498	0.25467
Kemeny Young (THEORY)	0.46262	0.98773	0.4632	0.9965	0.23131	0.15304	0.32535	0.53505	0.22313	0.18341

Table 44: BloodMNIST–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.46612	0.98832	0.46671	0.99533	0.20561	0.10514	0.32886	0.05783	0.11332	0.06893
Simple Averaging	0.475467	0.856308	0.476051	0.857477	0.62266	0.53446	0.74883	0.11157	0.61098	0.56951
Borda	0.462617	0.987734	0.463201	0.996495	0.32535	0.2389	0.42407	0.43633	0.31659	0.2757
RRF	0.480724	0.98715	0.481308	0.995911	0.33002	0.24124	0.43107	0.42932	0.31075	0.26752
Schulze	0.451519	0.982477	0.452103	0.991238	0.34638	0.26285	0.45093	0.40946	0.33762	0.29731
Kemeny Young	0.488318	0.987734	0.488902	0.996495	0.2979	0.21203	0.39661	0.46379	0.29498	0.25467
Best Explanation (Decorr)	0.4661	0.9883	0.4667	0.9953	0.2056	0.1051	0.3289	0.0578	0.1133	0.0689
SimpleAvg (Decorr)	0.8861	0.8563	0.8867	0.8575	0.6227	0.5345	0.7488	0.1116	0.611	0.5695
Borda (Decorr)	0.4322	0.986	0.4328	0.9947	0.2015	0.1192	0.295	0.5654	0.2091	0.1676
RRF (Decorr)	0.4393	0.9866	0.4398	0.9953	0.2249	0.1373	0.302	0.5584	0.2103	0.17
Schulze (Decorr)	0.4352	0.9871	0.4352	0.9959	0.2179	0.132	0.2979	0.5631	0.2114	0.1723
Kemeny Young (Decorr)	0.4626	0.9877	0.4632	0.9965	0.2313	0.153	0.3254	0.535	0.2231	0.1834

Table 45: BloodMNIST–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	Is Decorrel ated
Best Explanation	0.93808	0.99065	0.9375	1	0.34463	0.15654	0.79965	0.00643	0.15713	0.08061	False
Simple Average	0.99007	0.99182	0.99533	0.99825	0.46437	0.29848	0.8528	0.00292	0.33528	0.27161	False
Borda (NAIVE)	0.96612	0.99007	0.96904	1	0.44801	0.28096	0.82886	0.02921	0.31425	0.25818	False
RRF (NAIVE)	0.96963	0.98949	0.97196	0.99942	0.47313	0.30841	0.83236	0.02629	0.31776	0.26636	False
Schulze (NAIVE)	0.97722	0.9889	0.97956	0.99766	0.46203	0.29322	0.83995	0.01869	0.32009	0.26402	False
Kemeny Young (NAIVE)	0.96437	0.99007	0.96437	1	0.46554	0.29556	0.8271	0.03388	0.31425	0.25584	False
Borda (THEORY)	0.91998	0.99065	0.92231	0.99942	0.42348	0.2535	0.78271	0.07593	0.27921	0.22255	False
RRF (THEORY)	0.95035	0.99065	0.94977	0.99942	0.45093	0.27804	0.81308	0.04848	0.2903	0.2243	False
Schulze (THEORY)	0.94918	0.99065	0.94918	0.99942	0.45444	0.28213	0.81192	0.04907	0.29498	0.23306	False
Kemeny Young (THEORY)	0.94393	0.99065	0.94393	0.99942	0.44276	0.26928	0.80607	0.05374	0.31484	0.25175	False

Table 46: BloodMNIST–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.93808	0.99065	0.9375	1	0.34463	0.15654	0.79965	0.00643	0.15713	0.08061
Simple Averaging	0.99007	0.99182	0.99533	0.99825	0.46437	0.29848	0.8528	0.00292	0.33528	0.27161
Borda (NAIVE)	0.96612	0.99007	0.96904	1	0.44801	0.28096	0.82886	0.02921	0.31425	0.25818
Borda (THEORY)	0.91998	0.99065	0.92231	0.99942	0.42348	0.2535	0.78271	0.07593	0.27921	0.22255
RRF (NAIVE)	0.96963	0.98949	0.97196	0.99942	0.47313	0.30841	0.83236	0.02629	0.31776	0.26636
RRF (THEORY)	0.95035	0.99065	0.94977	0.99942	0.45093	0.27804	0.81308	0.04848	0.2903	0.2243
Schulze (NAIVE)	0.97722	0.9889	0.97956	0.99766	0.46203	0.29322	0.83995	0.01869	0.32009	0.26402
Schulze (THEORY)	0.94918	0.99065	0.94918	0.99942	0.45444	0.28213	0.81192	0.04907	0.29498	0.23306
Kemeny Young (NAIVE)	0.96437	0.99007	0.96437	1	0.46554	0.29556	0.8271	0.03388	0.31425	0.25584
Kemeny Young (THEORY)	0.94393	0.99065	0.94393	0.99942	0.44276	0.26928	0.80607	0.05374	0.31484	0.25175

Table 47: BloodMNIST–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.93808	0.99065	0.9375	1	0.34463	0.15654	0.79965	0.00643	0.15713	0.08061
Simple Averaging	0.964369	0.991822	0.965537	0.998248	0.46437	0.29848	0.8528	0.00292	0.33528	0.27161
Borda	0.943925	0.990654	0.943925	0.999416	0.44801	0.28096	0.82886	0.02921	0.31425	0.25818
RRF	0.958528	0.990654	0.95736	0.999416	0.47313	0.30841	0.83236	0.02629	0.31776	0.26636
Schulze	0.952103	0.990654	0.949766	0.999416	0.46203	0.29322	0.83995	0.01869	0.32009	0.26402
Kemeny Young	0.95035	0.990654	0.951519	0.999416	0.46554	0.29556	0.8271	0.03388	0.31425	0.25584
Best Explanation (Decorr)	0.9381	0.9918	0.9375	1	0.2821	0.0853	0.7996	0.0029	0.1443	0.0578
SimpleAvg (Decorr)	0.9901	0.9918	0.9953	0.9982	0.4644	0.2985	0.8528	0.0029	0.3353	0.2716
Borda (Decorr)	0.92	0.9907	0.9223	0.9994	0.4235	0.2535	0.7827	0.0759	0.2792	0.2225
RRF (Decorr)	0.9504	0.9907	0.9498	0.9994	0.4509	0.278	0.8131	0.0485	0.2903	0.2243
Schulze (Decorr)	0.9492	0.9907	0.9492	0.9994	0.4544	0.2821	0.8119	0.0491	0.295	0.2331
Kemeny Young (Decorr)	0.9439	0.9907	0.9439	0.9994	0.4428	0.2693	0.8061	0.0537	0.3148	0.2518

Table 48: BloodMNIST–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	Is Decorrel ated
Best Explanation	0.3347	0.98189	0.33528	0.99182	0.08937	0.00993	0.19568	0.13727	0.05199	0.00876	False
Simple Average	0.89778	0.9118	0.89836	0.9118	0.69334	0.64836	0.76051	0.09988	0.65479	0.61974	False
Borda (NAIVE)	0.441	0.85806	0.44159	0.86565	0.24182	0.19334	0.30374	0.55666	0.2097	0.17523	False
RRF (NAIVE)	0.44685	0.94743	0.44743	0.95502	0.24241	0.19509	0.30958	0.55082	0.21379	0.18107	False
Schulze (NAIVE)	0.47138	0.83236	0.47196	0.83995	0.26636	0.21145	0.33411	0.52629	0.24065	0.20736	False
Kemeny Young (NAIVE)	0.45853	0.88026	0.45911	0.88785	0.25876	0.21495	0.32126	0.53914	0.22956	0.19626	False
Borda (THEORY)	0.27453	0.98364	0.27512	0.99124	0.10105	0.059	0.13727	0.72313	0.06133	0.02804	False
RRF (THEORY)	0.30199	0.98364	0.30257	0.99124	0.13201	0.0993	0.16472	0.69568	0.08937	0.05607	False
Schulze (THEORY)	0.26811	0.98423	0.26869	0.99299	0.10572	0.07301	0.13084	0.72956	0.05607	0.0222	False
Kemeny Young (THEORY)	0.31308	0.98481	0.31367	0.99241	0.13551	0.09638	0.17582	0.68458	0.09696	0.06075	False

Table 49: BloodMNIST–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.3347	0.98189	0.33528	0.99182	0.08937	0.00993	0.19568	0.13727	0.05199	0.00876
Simple Averaging	0.89778	0.9118	0.89836	0.9118	0.69334	0.64836	0.76051	0.09988	0.65479	0.61974
Borda (NAIVE)	0.441	0.85806	0.44159	0.86565	0.24182	0.19334	0.30374	0.55666	0.2097	0.17523
Borda (THEORY)	0.27453	0.98364	0.27512	0.99124	0.10105	0.059	0.13727	0.72313	0.06133	0.02804
RRF (NAIVE)	0.44685	0.94743	0.44743	0.95502	0.24241	0.19509	0.30958	0.55082	0.21379	0.18107
RRF (THEORY)	0.30199	0.98364	0.30257	0.99124	0.13201	0.0993	0.16472	0.69568	0.08937	0.05607
Schulze (NAIVE)	0.47138	0.83236	0.47196	0.83995	0.26636	0.21145	0.33411	0.52629	0.24065	0.20736
Schulze (THEORY)	0.26811	0.98423	0.26869	0.99299	0.10572	0.07301	0.13084	0.72956	0.05607	0.0222
Kemeny Young (NAIVE)	0.45853	0.88026	0.45911	0.88785	0.25876	0.21495	0.32126	0.53914	0.22956	0.19626
Kemeny Young (THEORY)	0.31308	0.98481	0.31367	0.99241	0.13551	0.09638	0.17582	0.68458	0.09696	0.06075

Table 50: BloodMNIST–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.3347	0.98189	0.33528	0.99182	0.08937	0.00993	0.19568	0.13727	0.05199	0.00876
Simple Averaging	0.321262	0.911799	0.321846	0.911799	0.69334	0.64836	0.76051	0.09988	0.65479	0.61974
Borda	0.313084	0.984813	0.313668	0.992407	0.24182	0.19334	0.30374	0.55666	0.2097	0.17523
RRF	0.319509	0.981308	0.320093	0.988902	0.24241	0.19509	0.30958	0.55082	0.21379	0.18107
Schulze	0.290304	0.97021	0.290888	0.978972	0.26636	0.21145	0.33411	0.52629	0.24065	0.20736
Kemeny Young	0.34229	0.978388	0.342874	0.98715	0.25876	0.21495	0.32126	0.53914	0.22956	0.19626
Best Explanation (Decorr)	0.3347	0.9819	0.3353	0.9918	0.0894	0.0099	0.1957	0.0999	0.052	0.0088
SimpleAvg (Decorr)	0.8978	0.9118	0.8984	0.9118	0.6933	0.6484	0.7605	0.0999	0.6548	0.6197
Borda (Decorr)	0.2745	0.9836	0.2751	0.9912	0.1011	0.059	0.1373	0.7231	0.0613	0.028
RRF (Decorr)	0.302	0.9836	0.3026	0.9912	0.132	0.0993	0.1647	0.6957	0.0894	0.0561
Schulze (Decorr)	0.2681	0.9842	0.2687	0.993	0.1057	0.073	0.1308	0.7296	0.0561	0.0222
Kemeny Young (Decorr)	0.3131	0.9848	0.3137	0.9924	0.1355	0.0964	0.1758	0.6846	0.097	0.0607

Table 51: BloodMNIST–DenseNet-121

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Borda (n=2)	Ensemble	0.853388	0.855724	0.990654	0.999416
Borda (n=3)	Ensemble	0.874416	0.876752	0.990654	0.999416
Borda (n=4)	Ensemble	0.885514	0.887266	0.990654	0.999416
Borda (n=5)	Ensemble	0.886682	0.88785	0.990654	0.999416
Borda (n=6)	Ensemble	0.893692	0.89486	0.99007	0.998832
Borda (n=7)	Ensemble	0.893692	0.894276	0.99007	0.998832
Borda (n=8)	Ensemble	0.913551	0.915304	0.99007	0.998832
Kemeny Young (n=2)	Ensemble	0.853388	0.855724	0.990654	0.999416
Kemeny Young (n=3)	Ensemble	0.874416	0.876752	0.990654	0.999416
Kemeny Young (n=4)	Ensemble	0.885514	0.887266	0.990654	0.999416
Kemeny Young (n=5)	Ensemble	0.886682	0.88785	0.990654	0.999416
Kemeny Young (n=6)	Ensemble	0.893692	0.89486	0.99007	0.998832
Kemeny Young (n=7)	Ensemble	0.893692	0.894276	0.99007	0.998832
Kemeny Young (n=8)	Ensemble	0.913551	0.915304	0.99007	0.998832
RRF (n=2)	Ensemble	0.875	0.875584	0.990654	0.999416
RRF (n=3)	Ensemble	0.882593	0.883178	0.990654	0.999416
RRF (n=4)	Ensemble	0.900701	0.901869	0.990654	0.999416
RRF (n=5)	Ensemble	0.911799	0.914136	0.990654	0.998248
RRF (n=6)	Ensemble	0.922897	0.925818	0.991238	0.998832
RRF (n=7)	Ensemble	0.906542	0.910047	0.990654	0.999416
RRF (n=8)	Ensemble	0.920561	0.923481	0.99007	0.998832
Schulze (n=2)	Ensemble	0.872664	0.870911	0.990654	0.999416
Schulze (n=3)	Ensemble	0.863902	0.863902	0.990654	0.999416
Schulze (n=4)	Ensemble	0.91472	0.91472	0.99007	0.998832
Schulze (n=5)	Ensemble	0.924065	0.926402	0.988902	0.997664
Schulze (n=6)	Ensemble	0.932243	0.936332	0.987734	0.996495
Schulze (n=7)	Ensemble	0.921729	0.925234	0.983061	0.991822
Schulze (n=8)	Ensemble	0.928154	0.930491	0.975467	0.984229
Norm Ensemble (n=2)	Ensemble	0.867991	0.867407	0.984813	0.991822
Norm Ensemble (n=3)	Ensemble	0.891939	0.890771	0.984813	0.991822
Norm Ensemble (n=4)	Ensemble	0.928154	0.929322	0.984813	0.991822
Norm Ensemble (n=5)	Ensemble	0.945093	0.94743	0.984813	0.991822
Norm Ensemble (n=6)	Ensemble	0.955023	0.958528	0.984813	0.991822
Norm Ensemble (n=7)	Ensemble	0.967874	0.972547	0.984813	0.991822
Norm Ensemble (n=8)	Ensemble	0.967874	0.972547	0.984813	0.991822
Deconvolution	Single	0.946846	0.95035	0.990654	0.999416
DeepLIFT SHAP	Single	0.980724	0.984229	0.868575	0.876752
Baselines Combined Zng	Single	0.980724	0.984229	0.868575	0.876752
DeepLIFT SHAP	Single	0.980724	0.984229	0.868575	0.876752
Baselines Combined Zng	Single	0.980724	0.984229	0.868575	0.876752
DeepLIFT SHAP	Single	0.980724	0.984229	0.868575	0.876752
Baselines Combined Zng	Single	0.945678	0.944509	0.973715	0.981308
Global Mean	Single	0.945678	0.944509	0.973715	0.981308
DeepLIFT Baselines	Single	0.945678	0.944509	0.973715	0.981308
Global Mean	Single	0.933995	0.936332	0.982477	0.991238
GradientShap Baselines	Single	0.933995	0.936332	0.982477	0.991238
Combined Zng N	Single	0.933995	0.936332	0.982477	0.991238
Samples 20	Single	0.933995	0.936332	0.982477	0.991238
GradientShap Baselines	Single	0.935164	0.9375	0.983061	0.991822
Combined Zng N	Single	0.935164	0.9375	0.983061	0.991822
Samples 40	Single	0.935164	0.9375	0.983061	0.991822
GradientShap Baselines	Single	0.935164	0.9375	0.983061	0.991822
Combined Zng N	Single	0.935164	0.9375	0.983061	0.991822
Samples 40	Single	0.935164	0.9375	0.983061	0.991822
GuidedBackprop	Single	0.820678	0.821262	0.988902	0.997664
GuidedBackprop	Single	0.820678	0.821262	0.988902	0.997664
InputXGradient	Single	0.98014	0.988318	0.867407	0.876168
InputXGradient	Single	0.98014	0.988318	0.867407	0.876168
IntegratedGradients	Single	0.954439	0.96028	0.941005	0.949766
Baselines Zero N Steps	Single	0.954439	0.96028	0.941005	0.949766
200	Single	0.954439	0.96028	0.941005	0.949766
IntegratedGradients	Single	0.954439	0.96028	0.941005	0.949766
Baselines Zero N Steps	Single	0.954439	0.96028	0.941005	0.949766
200	Single	0.954439	0.96028	0.941005	0.949766
IntegratedGradients	Single	0.955023	0.960864	0.941005	0.949766
Baselines Zero N Steps	Single	0.955023	0.960864	0.941005	0.949766
50	Single	0.955023	0.960864	0.941005	0.949766
IntegratedGradients	Single	0.955023	0.960864	0.941005	0.949766
Baselines Zero N Steps	Single	0.955023	0.960864	0.941005	0.949766
50	Single	0.955023	0.960864	0.941005	0.949766
Saliency	Single	0.969042	0.974299	0.926986	0.935748
Saliency	Single	0.969042	0.974299	0.926986	0.935748

Table 52: BloodMNIST–DenseNet-121

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Pepper Amount 0.05	ConsRob Replace Top Pepper Amount 0.05	AccRob Replace Top Salt Speckle Std 0.15	ConsRob Replace Top Salt Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Borda (n=2)	Ensemble	0.454439	0.306075	0.716121	0.142523	0.351636	0.296145	0.253505	0.030374	0.853388	0.001168	0.112734	0.013435
Borda (n=3)	Ensemble	0.468458	0.319509	0.73715	0.121495	0.368575	0.314836	0.253505	0.028037	0.853388	0.001168	0.113318	0.012266
Borda (n=4)	Ensemble	0.484813	0.328271	0.748248	0.110981	0.39486	0.34229	0.252921	0.026869	0.853388	0.001168	0.111565	0.014019
Borda (n=5)	Ensemble	0.481308	0.334696	0.749416	0.110397	0.380841	0.327687	0.254673	0.027453	0.853388	0.001168	0.114486	0.01285
Borda (n=6)	Ensemble	0.473131	0.32535	0.756425	0.103388	0.388435	0.338785	0.255257	0.023949	0.852804	0.000584	0.113902	0.012266
Borda (n=7)	Ensemble	0.484229	0.33528	0.756425	0.103972	0.371495	0.319509	0.253505	0.026285	0.852804	0.000584	0.113318	0.013435
Borda (n=8)	Ensemble	0.499416	0.355724	0.776285	0.082944	0.39486	0.34229	0.254089	0.027453	0.852804	0.000584	0.113318	0.010514
Kemeny Young (n=2)	Ensemble	0.454439	0.306075	0.716121	0.142523	0.351636	0.296145	0.253505	0.030374	0.853388	0.001168	0.112734	0.013435
Kemeny Young (n=3)	Ensemble	0.468458	0.319509	0.73715	0.121495	0.368575	0.314836	0.253505	0.028037	0.853388	0.001168	0.113318	0.012266
Kemeny Young (n=4)	Ensemble	0.484813	0.328271	0.748248	0.110981	0.39486	0.34229	0.252921	0.026869	0.853388	0.001168	0.111565	0.014019
Kemeny Young (n=5)	Ensemble	0.481308	0.334696	0.749416	0.110397	0.380841	0.327687	0.254673	0.027453	0.853388	0.001168	0.114486	0.01285
Kemeny Young (n=6)	Ensemble	0.473131	0.32535	0.756425	0.103388	0.388435	0.338785	0.255257	0.023949	0.852804	0.000584	0.113902	0.012266
Kemeny Young (n=7)	Ensemble	0.484229	0.33528	0.756425	0.103972	0.371495	0.319509	0.253505	0.026285	0.852804	0.000584	0.113318	0.013435
Kemeny Young (n=8)	Ensemble	0.499416	0.355724	0.776285	0.082944	0.39486	0.34229	0.254089	0.027453	0.852804	0.000584	0.113318	0.010514
RRF (n=2)	Ensemble	0.465537	0.309579	0.737734	0.122664	0.369743	0.313668	0.254673	0.029206	0.853388	0.001168	0.112734	0.013435
RRF (n=3)	Ensemble	0.473131	0.323598	0.745327	0.11507	0.368575	0.313084	0.255841	0.021028	0.853388	0.001168	0.112734	0.012266
RRF (n=4)	Ensemble	0.492407	0.343458	0.763435	0.096379	0.390771	0.339953	0.257593	0.023949	0.853388	0.001168	0.11215	0.013435
RRF (n=5)	Ensemble	0.508178	0.366822	0.774533	0.084112	0.406542	0.356308	0.255257	0.020444	0.853388	0	0.116238	0.012266
RRF (n=6)	Ensemble	0.511682	0.367991	0.785631	0.07243	0.408879	0.360981	0.25993	0.026285	0.853972	0.000584	0.115654	0.010514
RRF (n=7)	Ensemble	0.492991	0.346963	0.769276	0.088201	0.38493	0.338201	0.26285	0.02979	0.853388	0.001168	0.114486	0.01285
RRF (n=8)	Ensemble	0.518692	0.378505	0.783294	0.074766	0.396612	0.348711	0.25993	0.028621	0.852804	0.000584	0.11507	0.01682
Schulze (n=2)	Ensemble	0.482477	0.327103	0.735397	0.127336	0.366238	0.308411	0.255841	0.025701	0.853388	0.001168	0.11507	0.014019
Schulze (n=3)	Ensemble	0.459696	0.307827	0.726636	0.134346	0.354556	0.297897	0.254673	0.029206	0.853388	0.001168	0.113318	0.013435
Schulze (n=4)	Ensemble	0.497079	0.347547	0.777453	0.083528	0.400701	0.346963	0.256425	0.026285	0.852804	0.000584	0.113902	0.012266
Schulze (n=5)	Ensemble	0.514019	0.370911	0.786799	0.071846	0.390771	0.341121	0.258178	0.023364	0.851636	0.000584	0.111565	0.009346
Schulze (n=6)	Ensemble	0.51986	0.378505	0.794977	0.061916	0.412383	0.367407	0.256425	0.023364	0.850467	0.001752	0.110981	0.009346
Schulze (n=7)	Ensemble	0.508762	0.367991	0.784463	0.073014	0.39778	0.35222	0.250584	0.017523	0.845794	0.006425	0.107477	0.005841
Schulze (n=8)	Ensemble	0.528037	0.38493	0.790888	0.067757	0.404206	0.355724	0.241238	0.014019	0.838201	0.014019	0.100467	0.003505
Norm Ensemble (n=2)	Ensemble	0.488902	0.34521	0.730724	0.130841	0.376752	0.323598	0.251752	0.036799	0.847547	0.006425	0.152453	0.070093
Norm Ensemble (n=3)	Ensemble	0.509346	0.366822	0.754673	0.107477	0.384346	0.327103	0.252336	0.030374	0.847547	0.006425	0.152453	0.070093
Norm Ensemble (n=4)	Ensemble	0.521612	0.372079	0.790888	0.068925	0.411215	0.355724	0.252336	0.025117	0.847547	0.006425	0.152453	0.070093
Norm Ensemble (n=5)	Ensemble	0.526285	0.38493	0.807827	0.050818	0.402453	0.346379	0.254673	0.01986	0.847547	0.006425	0.152453	0.070093
Norm Ensemble (n=6)	Ensemble	0.528621	0.38785	0.817757	0.03972	0.424065	0.373248	0.257009	0.02979	0.847547	0.006425	0.152453	0.070093
Norm Ensemble (n=7)	Ensemble	0.525117	0.378505	0.830607	0.025701	0.41764	0.36215	0.346963	0.144276	0.847547	0.006425	0.152453	0.070093
Norm Ensemble (n=8)	Ensemble	0.546145	0.400117	0.830607	0.025701	0.428154	0.372079	0.346963	0.144276	0.847547	0.006425	0.152453	0.070093
Deconvolution	Single	0.373248	0.203855	0.808995	0.048481	0.216706	0.156542	0.250584	0.035047	0.853388	0.001168	0.112734	0.016355
Deconvolution	Single	0.373248	0.203855	0.808995	0.048481	0.216706	0.156542	0.250584	0.035047	0.853388	0.001168	0.112734	0.016355
DeepLIFT SHAP	Single	0.498248	0.324766	0.843458	0.014019	0.307243	0.223715	0.137266	0.074766	0.731308	0.121495	0.045561	0.047897
Baselines Combined Zng	Single	0.498248	0.324766	0.843458	0.014019	0.307243	0.223715	0.137266	0.074766	0.731308	0.121495	0.045561	0.047897
DeepLIFT SHAP	Single	0.498248	0.324766	0.843458	0.014019	0.307243	0.223715	0.137266	0.074766	0.731308	0.121495	0.045561	0.047897
Baselines Combined Zng	Single	0.498248	0.324766	0.843458	0.014019	0.307243	0.223715	0.137266	0.074766	0.731308	0.121495	0.045561	0.047897
DeepLIFT SHAP	Single	0.498248	0.324766	0.843458	0.014019	0.307243	0.223715	0.137266	0.074766	0.731308	0.121495	0.045561	0.047897
Baselines Combined Zng	Single	0.521612	0.359813	0.808411	0.053738	0.426986	0.371495	0.244743	0.007009	0.836449	0.016939	0.110981	0.002921
Global Mean	Single	0.521612	0.359813	0.808411	0.053738	0.426986	0.371495	0.244743	0.007009	0.836449	0.016939	0.110981	0.002921
DeepLIFT Baselines	Single	0.501752	0.35222	0.796729	0.061916	0.409463	0.358645	0.251168	0.01986	0.84521	0.007009	0.109229	0.005257
GradientShap Baselines	Single	0.501752	0.35222	0.796729	0.061916	0.409463	0.358645	0.251168	0.01986	0.84521	0.007009	0.109229	0.005257
Combined Zng N	Single	0.504673	0.353972	0.797897	0.060748	0.40479	0.349883	0.249416	0.02278	0.845794	0.006425	0.11215	0.012266
Samples 20	Single	0.504673	0.353972	0.797897	0.060748	0.40479	0.349883	0.249416	0.02278	0.845794	0.006425	0.11215	0.012266
GradientShap Baselines	Single	0.504673	0.353972	0.797897	0.060748	0.40479	0.349883	0.249416	0.02278	0.845794	0.006425	0.11215	0.012266
Combined Zng N	Single	0.333528	0.176986	0.682827	0.176402	0.117407	0.053738	0.263435	0.036799	0.851636	0.000584	0.133178	0.02979
Samples 40	Single	0.333528	0.176986	0.682827	0.176402	0.117407	0.053738	0.263435	0.036799	0.851636	0.000584	0.133178	0.02979
GradientShap Baselines	Single	0.525701	0.389019	0.842874	0.00993	0.370327	0.327103	0.13493	0.094626	0.73014	0.122079	0.002336	0.106308
Combined Zng N	Single	0.525701	0.389019	0.842874	0.00993	0.370327	0.327103	0.13493	0.094626	0.73014	0.122079	0.002336	0.106308
Samples 20	Single	0.502336	0.351636	0.817173	0.037967	0.405374	0.353388	0.211449	0.017523	0.803738	0.048481	0.077103	0.024533
IntegratedGradients	Single	0.502336	0.351636	0.817173	0.037967	0.405374	0.353388	0.211449	0.017523	0.803738	0.048481	0.077103	0.024533
Baselines Zero N Steps	Single	0.503505	0.35514	0.817757	0.037383	0.405374	0.356308	0.211449	0.018692	0.803738	0.048481	0.076519	0.025701
200	Single	0.503505	0.35514	0.817757	0.037383	0.405374	0.356308	0.211449	0.018692	0.803738	0.048481	0.076519	0.025701
IntegratedGradients	Single	0.503505	0.35514	0.817757	0.037383	0.405374	0.356308	0.211449	0.018692	0.803738	0.048481	0.076519	0.025701
Baselines Zero N Steps	Single	0.601051	0.469042	0.831776	0.023949	0.432243	0.387266	0.192757	0.033879	0.78972	0.0625	0.053738	0.050818
50	Single	0.601051	0.469042	0.831776	0.023949	0.432243	0.387266	0.192757	0.033879	0.78972	0.0625	0.053738	0.050818
Saliency	Single	0.601051	0.469042	0.831776	0.023949	0.432243	0.387266	0.192757	0.033879	0.78972	0.0625	0.053738	0.050818
Saliency	Single	0.601051	0.469042	0.831776	0.023949	0.432243	0.387266	0.192757	0.033879	0.78972	0.0625	0.053738	0.050818

Table 53: BloodMNIST–DenseNet-121

Method	Type	Acc	Cons	Acc	Cons
		Replace Top	Replace Top	Replace Bottom	Replace Bottom
Borda (n=2)	Ensemble	0.689252	0.691589	0.988902	0.997664
Borda (n=3)	Ensemble	0.693341	0.694509	0.99007	0.998832
Borda (n=4)	Ensemble	0.716706	0.718458	0.99007	0.998832
Borda (n=5)	Ensemble	0.726636	0.728388	0.99007	0.998832
Borda (n=6)	Ensemble	0.748248	0.75	0.989486	0.998248
Borda (n=7)	Ensemble	0.730724	0.733645	0.989486	0.998248
Borda (n=8)	Ensemble	0.757593	0.759346	0.982477	0.991238
Kemeny Young (n=2)	Ensemble	0.689252	0.691589	0.988902	0.997664
Kemeny Young (n=3)	Ensemble	0.693341	0.694509	0.99007	0.998832
Kemeny Young (n=4)	Ensemble	0.716706	0.718458	0.99007	0.998832
Kemeny Young (n=5)	Ensemble	0.726636	0.728388	0.99007	0.998832
Kemeny Young (n=6)	Ensemble	0.748248	0.75	0.989486	0.998248
Kemeny Young (n=7)	Ensemble	0.730724	0.733645	0.989486	0.998248
Kemeny Young (n=8)	Ensemble	0.757593	0.759346	0.982477	0.991238
RRF (n=2)	Ensemble	0.701519	0.703271	0.989486	0.998248
RRF (n=3)	Ensemble	0.710864	0.712033	0.99007	0.998832
RRF (n=4)	Ensemble	0.723715	0.726636	0.99007	0.998832
RRF (n=5)	Ensemble	0.752921	0.754089	0.990654	0.999416
RRF (n=6)	Ensemble	0.775117	0.776285	0.990654	0.999416
RRF (n=7)	Ensemble	0.757593	0.758178	0.989486	0.998248
RRF (n=8)	Ensemble	0.781542	0.784463	0.988902	0.997664
Schulze (n=2)	Ensemble	0.691005	0.693341	0.989486	0.998248
Schulze (n=3)	Ensemble	0.686916	0.688084	0.987734	0.996495
Schulze (n=4)	Ensemble	0.73715	0.74007	0.983645	0.992407
Schulze (n=5)	Ensemble	0.772196	0.775117	0.983061	0.991822
Schulze (n=6)	Ensemble	0.818925	0.821846	0.969626	0.978388
Schulze (n=7)	Ensemble	0.79965	0.801402	0.954439	0.963201
Schulze (n=8)	Ensemble	0.808995	0.810748	0.936332	0.945093
Norm Ensemble (n=2)	Ensemble	0.695678	0.695093	0.982477	0.986565
Norm Ensemble (n=3)	Ensemble	0.723715	0.723715	0.982477	0.986565
Norm Ensemble (n=4)	Ensemble	0.776285	0.779206	0.982477	0.986565
Norm Ensemble (n=5)	Ensemble	0.828855	0.829439	0.982477	0.986565
Norm Ensemble (n=6)	Ensemble	0.860981	0.863318	0.982477	0.986565
Norm Ensemble (n=7)	Ensemble	0.966121	0.97021	0.982477	0.986565
Norm Ensemble (n=8)	Ensemble	0.966121	0.97021	0.982477	0.986565
Deconvolution	Single	0.905958	0.908879	0.990654	0.999416
Deconvolution	Single	0.905958	0.908879	0.990654	0.999416
DeepLIFT SHAP	Single	0.96028	0.96028	0.797897	0.804907
Baselines Combined Zng	Single	0.96028	0.96028	0.797897	0.804907
DeepLIFT SHAP	Single	0.96028	0.96028	0.797897	0.804907
Baselines Combined Zng	Single	0.96028	0.96028	0.797897	0.804907
DeepLIFT SHAP	Single	0.96028	0.96028	0.797897	0.804907
Baselines Combined Zng	Single	0.803738	0.804322	0.941589	0.949182
DeepLIFT Baselines	Single	0.803738	0.804322	0.941589	0.949182
Global Mean	Single	0.824182	0.826519	0.962617	0.971379
GradientShap Baselines	Single	0.824182	0.826519	0.962617	0.971379
Combined Zng N	Single	0.811332	0.814252	0.964369	0.973131
Samples 20	Single	0.811332	0.814252	0.964369	0.973131
GradientShap Baselines	Single	0.811332	0.814252	0.964369	0.973131
Combined Zng N	Single	0.811332	0.814252	0.964369	0.973131
Samples 40	Single	0.811332	0.814252	0.964369	0.973131
GradientShap Baselines	Single	0.811332	0.814252	0.964369	0.973131
Combined Zng N	Single	0.811332	0.814252	0.964369	0.973131
Samples 40	Single	0.811332	0.814252	0.964369	0.973131
GuidedBackprop	Single	0.60222	0.60514	0.987734	0.995327
GuidedBackprop	Single	0.60222	0.60514	0.987734	0.995327
InputXGradient	Single	0.971379	0.97722	0.80257	0.810164
InputXGradient	Single	0.971379	0.97722	0.80257	0.810164
IntegratedGradients	Single	0.866238	0.870911	0.900701	0.909463
Baselines Zero N Steps	Single	0.866238	0.870911	0.900701	0.909463
200	Single	0.866238	0.870911	0.900701	0.909463
IntegratedGradients	Single	0.866238	0.870911	0.900701	0.909463
Baselines Zero N Steps	Single	0.866238	0.870911	0.900701	0.909463
200	Single	0.866238	0.870911	0.900701	0.909463
IntegratedGradients	Single	0.867991	0.870911	0.901869	0.910631
Baselines Zero N Steps	Single	0.867991	0.870911	0.901869	0.910631
50	Single	0.867991	0.870911	0.901869	0.910631
IntegratedGradients	Single	0.867991	0.870911	0.901869	0.910631
Baselines Zero N Steps	Single	0.867991	0.870911	0.901869	0.910631
50	Single	0.867991	0.870911	0.901869	0.910631
Saliency	Single	0.909463	0.913551	0.873248	0.882009
Saliency	Single	0.909463	0.913551	0.873248	0.882009

Table 54: BloodMNIST–DenseNet-121

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Pepper Amount 0.05	ConsRob Replace Top Pepper Amount 0.05	AccRob Replace Top Salt Speckle Std 0.15	ConsRob Replace Top Salt Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Borda (n=2)	Ensemble	0.373832	0.245911	0.551986	0.306659	0.391355	0.341121	0.264603	0.041472	0.851636	0.000584	0.120327	0.021612
Borda (n=3)	Ensemble	0.38493	0.258178	0.556075	0.303738	0.384346	0.334112	0.261682	0.040304	0.852804	0.000584	0.122079	0.018692
Borda (n=4)	Ensemble	0.396028	0.27278	0.579439	0.27979	0.412383	0.369743	0.261682	0.037383	0.852804	0.000584	0.122079	0.02278
Borda (n=5)	Ensemble	0.415304	0.292056	0.589369	0.26986	0.41472	0.369743	0.25993	0.035631	0.852804	0.000584	0.120327	0.021028
Borda (n=6)	Ensemble	0.446262	0.330023	0.610981	0.248248	0.445678	0.400117	0.257009	0.03271	0.85222	0	0.122664	0.020444
Borda (n=7)	Ensemble	0.431075	0.319509	0.593458	0.264603	0.394276	0.350467	0.264603	0.037383	0.85222	0	0.122664	0.016939
Borda (n=8)	Ensemble	0.455607	0.341121	0.620327	0.238902	0.439836	0.39486	0.252921	0.025701	0.84521	0.007009	0.117407	0.014019
Kemeny Young (n=2)	Ensemble	0.373832	0.245911	0.551986	0.306659	0.391355	0.341121	0.264603	0.041472	0.851636	0.000584	0.120327	0.021612
Kemeny Young (n=3)	Ensemble	0.38493	0.258178	0.556075	0.303738	0.384346	0.334112	0.261682	0.040304	0.852804	0.000584	0.122079	0.018692
Kemeny Young (n=4)	Ensemble	0.396028	0.27278	0.579439	0.27979	0.412383	0.369743	0.261682	0.037383	0.852804	0.000584	0.122079	0.02278
Kemeny Young (n=5)	Ensemble	0.415304	0.292056	0.589369	0.26986	0.41472	0.369743	0.25993	0.035631	0.852804	0.000584	0.120327	0.021028
Kemeny Young (n=6)	Ensemble	0.446262	0.330023	0.610981	0.248248	0.445678	0.400117	0.257009	0.03271	0.85222	0	0.122664	0.020444
Kemeny Young (n=7)	Ensemble	0.431075	0.319509	0.593458	0.264603	0.394276	0.350467	0.264603	0.037383	0.85222	0	0.122664	0.016939
Kemeny Young (n=8)	Ensemble	0.455607	0.341121	0.620327	0.238902	0.439836	0.39486	0.252921	0.025701	0.84521	0.007009	0.117407	0.014019
RRF (n=2)	Ensemble	0.38785	0.264603	0.564252	0.294977	0.398949	0.351051	0.258178	0.040304	0.85222	0	0.122079	0.022196
RRF (n=3)	Ensemble	0.400117	0.276869	0.573598	0.286215	0.403621	0.358645	0.261098	0.033294	0.852804	0.000584	0.122079	0.021028
RRF (n=4)	Ensemble	0.405958	0.287967	0.586449	0.271612	0.428738	0.384346	0.262266	0.036799	0.852804	0.000584	0.122664	0.023364
RRF (n=5)	Ensemble	0.436916	0.32243	0.615654	0.244159	0.438084	0.393107	0.263435	0.040888	0.853388	0.001168	0.124416	0.023949
RRF (n=6)	Ensemble	0.463785	0.34521	0.63785	0.221963	0.462617	0.41764	0.264019	0.03972	0.853388	0.001168	0.124416	0.022196
RRF (n=7)	Ensemble	0.448014	0.330023	0.620327	0.24007	0.426402	0.381425	0.261682	0.040304	0.85222	0	0.124416	0.020444
RRF (n=8)	Ensemble	0.471963	0.358061	0.644276	0.213785	0.457944	0.41472	0.26285	0.038551	0.851636	0.000584	0.123832	0.01986
Schulze (n=2)	Ensemble	0.384346	0.250584	0.553738	0.304907	0.398949	0.351051	0.25993	0.037967	0.85222	0	0.123248	0.018692
Schulze (n=3)	Ensemble	0.373248	0.248832	0.54965	0.310164	0.378505	0.329439	0.257593	0.034463	0.850467	0.001752	0.122664	0.022196
Schulze (n=4)	Ensemble	0.420561	0.298481	0.599883	0.258178	0.426402	0.383762	0.255257	0.030374	0.846379	0.005841	0.115654	0.011682
Schulze (n=5)	Ensemble	0.468458	0.350467	0.63493	0.223131	0.436332	0.396028	0.252336	0.032126	0.845794	0.006425	0.113318	0.011098
Schulze (n=6)	Ensemble	0.505841	0.390771	0.681659	0.176402	0.505257	0.463785	0.243575	0.015187	0.83236	0.01986	0.098131	0.001168
Schulze (n=7)	Ensemble	0.487734	0.368575	0.662383	0.196846	0.48014	0.435164	0.224299	0.000584	0.817173	0.035047	0.08528	0.016355
Schulze (n=8)	Ensemble	0.507593	0.393107	0.671729	0.1875	0.480724	0.436332	0.20736	0.015771	0.799065	0.053154	0.068925	0.033294
Norm Ensemble (n=2)	Ensemble	0.378505	0.263435	0.558411	0.303154	0.396028	0.341706	0.253505	0.043808	0.84521	0.011682	0.16764	0.079439
Norm Ensemble (n=3)	Ensemble	0.410047	0.292056	0.586449	0.274533	0.431659	0.380257	0.255841	0.033879	0.84521	0.011682	0.16764	0.079439
Norm Ensemble (n=4)	Ensemble	0.464953	0.349299	0.639019	0.219042	0.462617	0.415304	0.256425	0.034463	0.84521	0.011682	0.16764	0.079439
Norm Ensemble (n=5)	Ensemble	0.507009	0.389019	0.691589	0.168808	0.487734	0.4375	0.259346	0.030958	0.84521	0.011682	0.16764	0.079439
Norm Ensemble (n=6)	Ensemble	0.53271	0.406542	0.723715	0.13493	0.526869	0.479556	0.258178	0.028621	0.84521	0.011682	0.16764	0.079439
Norm Ensemble (n=7)	Ensemble	0.626168	0.501752	0.828855	0.028037	0.599299	0.556659	0.369159	0.17757	0.84521	0.011682	0.16764	0.079439
Norm Ensemble (n=8)	Ensemble	0.63785	0.521028	0.828855	0.028037	0.617991	0.573014	0.369159	0.17757	0.84521	0.011682	0.16764	0.079439
Deconvolution	Single	0.334112	0.205023	0.768692	0.089369	0.167056	0.120911	0.257593	0.04965	0.853388	0.001752	0.126752	0.027453
Deconvolution	Single	0.334112	0.205023	0.768692	0.089369	0.167056	0.120911	0.257593	0.04965	0.853388	0.001752	0.126752	0.027453
DeepLIFT SHAP	Single	0.570093	0.405374	0.823014	0.037383	0.45035	0.363902	0.077687	0.115654	0.660631	0.193341	0.019276	0.060748
Baselines Combined Zng	Single	0.570093	0.405374	0.823014	0.037383	0.45035	0.363902	0.077687	0.115654	0.660631	0.193341	0.019276	0.060748
DeepLIFT SHAP	Single	0.570093	0.405374	0.823014	0.037383	0.45035	0.363902	0.077687	0.115654	0.660631	0.193341	0.019276	0.060748
Baselines Combined Zng	Single	0.570093	0.405374	0.823014	0.037383	0.45035	0.363902	0.077687	0.115654	0.660631	0.193341	0.019276	0.060748
DeepLIFT SHAP	Single	0.570093	0.405374	0.823014	0.037383	0.45035	0.363902	0.077687	0.115654	0.660631	0.193341	0.019276	0.060748
Baselines Combined Zng	Single	0.489486	0.353972	0.666472	0.193925	0.502921	0.453855	0.21028	0.009346	0.804322	0.049065	0.096379	0.011098
DeepLIFT Baselines	Single	0.489486	0.353972	0.666472	0.193925	0.502921	0.453855	0.21028	0.009346	0.804322	0.049065	0.096379	0.011098
Global Mean	Single	0.489486	0.353972	0.666472	0.193925	0.502921	0.453855	0.21028	0.009346	0.804322	0.049065	0.096379	0.011098
GradientShap Baselines	Single	0.494159	0.370327	0.686916	0.171729	0.475467	0.432243	0.234813	0.014019	0.82535	0.026869	0.099883	0.001168
Combined Zng N	Single	0.494159	0.370327	0.686916	0.171729	0.475467	0.432243	0.234813	0.014019	0.82535	0.026869	0.099883	0.001168
Samples 20	Single	0.494159	0.370327	0.686916	0.171729	0.475467	0.432243	0.234813	0.014019	0.82535	0.026869	0.099883	0.001168
GradientShap Baselines	Single	0.491822	0.371495	0.674065	0.183995	0.478972	0.435164	0.236565	0.012266	0.827103	0.024533	0.104556	0.001168
Combined Zng N	Single	0.491822	0.371495	0.674065	0.183995	0.478972	0.435164	0.236565	0.012266	0.827103	0.024533	0.104556	0.001168
Samples 40	Single	0.491822	0.371495	0.674065	0.183995	0.478972	0.435164	0.236565	0.012266	0.827103	0.024533	0.104556	0.001168
GradientShap Baselines	Single	0.491822	0.371495	0.674065	0.183995	0.478972	0.435164	0.236565	0.012266	0.827103	0.024533	0.104556	0.001168
Combined Zng N	Single	0.491822	0.371495	0.674065	0.183995	0.478972	0.435164	0.236565	0.012266	0.827103	0.024533	0.104556	0.001168
Samples 40	Single	0.491822	0.371495	0.674065	0.183995	0.478972	0.435164	0.236565	0.012266	0.827103	0.024533	0.104556	0.001168
GuidedBackprop	Single	0.252921	0.129089	0.464953	0.392523	0.053738	0.00993	0.262266	0.047897	0.850467	0.002921	0.148364	0.051986
GuidedBackprop	Single	0.252921	0.129089	0.464953	0.392523	0.053738	0.00993	0.262266	0.047897	0.850467	0.002921	0.148364	0.051986
InputXGradient	Single	0.609813	0.492991	0.834112	0.021028	0.462033	0.414136	0.074766	0.148364	0.665304	0.188084	0.05257	0.150117
InputXGradient	Single	0.609813	0.492991	0.834112	0.021028	0.462033	0.414136	0.074766	0.148364	0.665304	0.188084	0.05257	0.150117
IntegratedGradients	Single	0.519276	0.387266	0.728972	0.127336	0.498248	0.453271	0.175818	0.045561	0.763435	0.088785	0.057827	0.040888
Baselines Zero N Steps	Single	0.519276	0.387266	0.728972	0.127336	0.498248	0.453271	0.175818	0.045561	0.763435	0.088785	0.057827	0.040888
200	Single	0.519276	0.387266	0.728972	0.127336	0.498248	0.453271	0.175818	0.045561	0.763435	0.088785	0.057827	0.040888
IntegratedGradients	Single	0.518692	0.386098	0.730724	0.127336	0.499416	0.450935	0.178154	0.040888	0.764603	0.087617	0.058411	0.039136
Baselines Zero N Steps	Single	0.518692	0.386098	0.730724	0.127336	0.499416	0.450935	0.178154	0.040888	0.764603	0.087617	0.058411	0.039136
50	Single	0.518692	0.386098	0.730724	0.127336	0.499416	0.450935	0.178154	0.040888	0.764603	0.087617	0.058411	0.039136
IntegratedGradients	Single	0.518692	0.386098	0.730724	0.127336	0.499416	0.450935	0.178154	0.040888	0.764603	0.087617	0.058411	0.039136
Baselines Zero N Steps	Single	0.518692	0.386098	0.730724	0.127336	0.499416	0.450935	0.178154	0.040888	0.764603	0.087617	0.058411	0.039136
50	Single	0.518692	0.386098	0.730724	0.127336	0.499416	0.450935	0.178154	0.040888	0.764603	0.087617	0.058411	0.039136
Saliency	Single	0.598715	0.491238	0.772196	0.084696	0.501168	0.455607	0.14486	0.075935	0.735981	0.116238	0.00993	0.092874
Saliency	Single	0.598715											

Table 55: BloodMNIST–DenseNet-121

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Borda (n=2)	Ensemble	0.432243	0.432827	0.985981	0.994743
Borda (n=3)	Ensemble	0.462617	0.463201	0.987734	0.996495
Borda (n=4)	Ensemble	0.488318	0.488902	0.987734	0.996495
Borda (n=5)	Ensemble	0.523364	0.523949	0.986565	0.995327
Borda (n=6)	Ensemble	0.551986	0.55257	0.978388	0.98715
Borda (n=7)	Ensemble	0.533879	0.534463	0.955023	0.963785
Borda (n=8)	Ensemble	0.561332	0.561916	0.915304	0.924065
Kemeny Young (n=2)	Ensemble	0.432243	0.432827	0.985981	0.994743
Kemeny Young (n=3)	Ensemble	0.462617	0.463201	0.987734	0.996495
Kemeny Young (n=4)	Ensemble	0.488318	0.488902	0.987734	0.996495
Kemeny Young (n=5)	Ensemble	0.523364	0.523949	0.986565	0.995327
Kemeny Young (n=6)	Ensemble	0.551986	0.55257	0.978388	0.98715
Kemeny Young (n=7)	Ensemble	0.533879	0.534463	0.955023	0.963785
Kemeny Young (n=8)	Ensemble	0.561332	0.561916	0.915304	0.924065
RRF (n=2)	Ensemble	0.439252	0.439836	0.986565	0.995327
RRF (n=3)	Ensemble	0.480724	0.481308	0.98715	0.995911
RRF (n=4)	Ensemble	0.495911	0.496495	0.985397	0.994159
RRF (n=5)	Ensemble	0.541472	0.542056	0.984229	0.992991
RRF (n=6)	Ensemble	0.563084	0.563668	0.985397	0.994159
RRF (n=7)	Ensemble	0.551402	0.551986	0.983061	0.991822
RRF (n=8)	Ensemble	0.568341	0.568925	0.979556	0.988318
Schulze (n=2)	Ensemble	0.435164	0.435164	0.98715	0.995911
Schulze (n=3)	Ensemble	0.451519	0.452103	0.982477	0.991238
Schulze (n=4)	Ensemble	0.504673	0.505257	0.958528	0.96729
Schulze (n=5)	Ensemble	0.561332	0.561916	0.955607	0.964369
Schulze (n=6)	Ensemble	0.61215	0.612734	0.921729	0.930491
Schulze (n=7)	Ensemble	0.574766	0.57535	0.900117	0.908879
Schulze (n=8)	Ensemble	0.588201	0.588785	0.88785	0.896612
Norm Ensemble (n=2)	Ensemble	0.445093	0.445678	0.856308	0.857477
Norm Ensemble (n=3)	Ensemble	0.475467	0.476051	0.856308	0.857477
Norm Ensemble (n=4)	Ensemble	0.525117	0.525701	0.856308	0.857477
Norm Ensemble (n=5)	Ensemble	0.606308	0.606893	0.856308	0.857477
Norm Ensemble (n=6)	Ensemble	0.656542	0.657126	0.856308	0.857477
Norm Ensemble (n=7)	Ensemble	0.886098	0.886682	0.856308	0.857477
Norm Ensemble (n=8)	Ensemble	0.886098	0.886682	0.856308	0.857477
Deconvolution	Single	0.725467	0.727804	0.988318	0.995327
Deconvolution	Single	0.725467	0.727804	0.988318	0.995327
DeepLIFT SHAP	Single	0.872664	0.872079	0.702687	0.70736
Baselines Combined Zng	Single	0.872664	0.872079	0.702687	0.70736
DeepLIFT SHAP	Single	0.872664	0.872079	0.702687	0.70736
Baselines Combined Zng	Single	0.872664	0.872079	0.702687	0.70736
DeepLIFT SHAP	Single	0.872664	0.872079	0.702687	0.70736
Baselines Combined Zng	Single	0.872664	0.872079	0.702687	0.70736
DeepLIFT Baselines	Single	0.54965	0.54965	0.880257	0.886098
Global Mean	Single	0.54965	0.54965	0.880257	0.886098
DeepLIFT Baselines	Single	0.54965	0.54965	0.880257	0.886098
Global Mean	Single	0.54965	0.54965	0.880257	0.886098
GradientShap Baselines	Single	0.606308	0.606893	0.916472	0.925234
Combined Zng N	Single	0.606308	0.606893	0.916472	0.925234
Samples 20	Single	0.606308	0.606893	0.916472	0.925234
GradientShap Baselines	Single	0.597547	0.598131	0.915888	0.92465
Combined Zng N	Single	0.597547	0.598131	0.915888	0.92465
Samples 40	Single	0.597547	0.598131	0.915888	0.92465
GradientShap Baselines	Single	0.597547	0.598131	0.915888	0.92465
Combined Zng N	Single	0.597547	0.598131	0.915888	0.92465
Samples 40	Single	0.597547	0.598131	0.915888	0.92465
GuidedBackprop	Single	0.466121	0.466706	0.984813	0.993575
GuidedBackprop	Single	0.466121	0.466706	0.984813	0.993575
InputXGradient	Single	0.936916	0.940421	0.540888	0.544977
InputXGradient	Single	0.936916	0.940421	0.540888	0.544977
IntegratedGradients	Single	0.705023	0.705607	0.834112	0.840537
Baselines Zero N Steps	Single	0.705023	0.705607	0.834112	0.840537
200	Single	0.705023	0.705607	0.834112	0.840537
IntegratedGradients	Single	0.705023	0.705607	0.834112	0.840537
Baselines Zero N Steps	Single	0.705023	0.705607	0.834112	0.840537
200	Single	0.705023	0.705607	0.834112	0.840537
IntegratedGradients	Single	0.705607	0.706776	0.839953	0.846379
Baselines Zero N Steps	Single	0.705607	0.706776	0.839953	0.846379
50	Single	0.705607	0.706776	0.839953	0.846379
IntegratedGradients	Single	0.705607	0.706776	0.839953	0.846379
Baselines Zero N Steps	Single	0.705607	0.706776	0.839953	0.846379
50	Single	0.705607	0.706776	0.839953	0.846379
Saliency	Single	0.78271	0.783879	0.783294	0.78972
Saliency	Single	0.78271	0.783879	0.783294	0.78972

Table 56: BloodMNIST–DenseNet-121

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Pepper Amount 0.05	ConsRob Replace Top Pepper Amount 0.05	AccRob Replace Top Salt Speckle Std 0.15	ConsRob Replace Top Salt Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Borda (n=2)	Ensemble	0.201519	0.119159	0.294977	0.565421	0.209112	0.16764	0.259346	0.049065	0.848715	0.003505	0.140771	0.044393
Borda (n=3)	Ensemble	0.231308	0.153037	0.32535	0.535047	0.223131	0.183411	0.259346	0.048481	0.850467	0.001752	0.139603	0.04264
Borda (n=4)	Ensemble	0.258762	0.178154	0.351051	0.509346	0.252336	0.212033	0.25993	0.045561	0.850467	0.001752	0.144276	0.044977
Borda (n=5)	Ensemble	0.297313	0.210864	0.386098	0.474299	0.276285	0.233645	0.257593	0.047313	0.849299	0.002921	0.136098	0.033879
Borda (n=6)	Ensemble	0.323598	0.240654	0.41472	0.445678	0.301986	0.25993	0.248832	0.034463	0.841121	0.011098	0.132009	0.032126
Borda (n=7)	Ensemble	0.297897	0.212033	0.396612	0.463785	0.294977	0.254673	0.22722	0.013435	0.817757	0.034463	0.11215	0.011682
Borda (n=8)	Ensemble	0.32535	0.238902	0.424065	0.436332	0.316589	0.275701	0.192173	0.023364	0.778037	0.074182	0.07535	0.027453
Kemeny Young (n=2)	Ensemble	0.201519	0.119159	0.294977	0.565421	0.209112	0.16764	0.259346	0.049065	0.848715	0.003505	0.140771	0.044393
Kemeny Young (n=3)	Ensemble	0.231308	0.153037	0.32535	0.535047	0.223131	0.183411	0.259346	0.048481	0.850467	0.001752	0.139603	0.04264
Kemeny Young (n=4)	Ensemble	0.258762	0.178154	0.351051	0.509346	0.252336	0.212033	0.25993	0.045561	0.850467	0.001752	0.144276	0.044977
Kemeny Young (n=5)	Ensemble	0.297313	0.210864	0.386098	0.474299	0.276285	0.233645	0.257593	0.047313	0.849299	0.002921	0.136098	0.033879
Kemeny Young (n=6)	Ensemble	0.323598	0.240654	0.41472	0.445678	0.301986	0.25993	0.248832	0.034463	0.841121	0.011098	0.132009	0.032126
Kemeny Young (n=7)	Ensemble	0.297897	0.212033	0.396612	0.463785	0.294977	0.254673	0.22722	0.013435	0.817757	0.034463	0.11215	0.011682
Kemeny Young (n=8)	Ensemble	0.32535	0.238902	0.424065	0.436332	0.316589	0.275701	0.192173	0.023364	0.778037	0.074182	0.07535	0.027453
RRF (n=2)	Ensemble	0.224883	0.137266	0.301986	0.558411	0.21028	0.169977	0.255841	0.049065	0.849299	0.002921	0.143107	0.046145
RRF (n=3)	Ensemble	0.258178	0.178154	0.343458	0.516939	0.238318	0.199182	0.261682	0.048481	0.849883	0.002336	0.140771	0.044977
RRF (n=4)	Ensemble	0.267523	0.182243	0.358645	0.501752	0.250584	0.209112	0.255841	0.044393	0.848131	0.004089	0.141355	0.042056
RRF (n=5)	Ensemble	0.309579	0.222547	0.404206	0.456192	0.297313	0.255841	0.253505	0.046729	0.846963	0.005257	0.138435	0.041472
RRF (n=6)	Ensemble	0.325935	0.242991	0.425818	0.434579	0.300818	0.259346	0.25993	0.04965	0.848131	0.004089	0.140187	0.038551
RRF (n=7)	Ensemble	0.309579	0.225467	0.414136	0.446262	0.289136	0.247664	0.261682	0.045561	0.845794	0.006425	0.137266	0.037967
RRF (n=8)	Ensemble	0.330023	0.241298	0.431075	0.429322	0.310748	0.267523	0.254089	0.042056	0.84229	0.00993	0.136682	0.037967
Schulze (n=2)	Ensemble	0.217874	0.132009	0.297897	0.563084	0.211449	0.172313	0.25993	0.048481	0.849883	0.002336	0.139019	0.043808
Schulze (n=3)	Ensemble	0.227804	0.146612	0.314252	0.546145	0.212617	0.172313	0.258178	0.043808	0.84521	0.007009	0.132593	0.034463
Schulze (n=4)	Ensemble	0.275701	0.199182	0.367407	0.492991	0.25993	0.218458	0.228972	0.018107	0.821262	0.030958	0.110397	0.010514
Schulze (n=5)	Ensemble	0.324182	0.244743	0.424065	0.436332	0.300234	0.257593	0.228388	0.013435	0.818341	0.033879	0.106893	0.005257
Schulze (n=6)	Ensemble	0.377336	0.288551	0.474883	0.385514	0.359229	0.317173	0.198598	0.01986	0.784463	0.067757	0.074182	0.028621
Schulze (n=7)	Ensemble	0.329439	0.246495	0.4375	0.422897	0.321262	0.280374	0.178738	0.047313	0.76285	0.089369	0.053154	0.045561
Schulze (n=8)	Ensemble	0.346379	0.26285	0.450935	0.409463	0.337617	0.297313	0.168224	0.051986	0.750584	0.101636	0.053154	0.040888
Norm Ensemble (n=2)	Ensemble	0.222547	0.139019	0.307827	0.55257	0.206776	0.165888	0.135514	0.070093	0.719042	0.140771	0.169977	0.119743
Norm Ensemble (n=3)	Ensemble	0.26285	0.181075	0.338201	0.522196	0.238902	0.198598	0.132593	0.078855	0.719042	0.140771	0.169977	0.119743
Norm Ensemble (n=4)	Ensemble	0.301986	0.223715	0.38785	0.472547	0.272196	0.23014	0.13493	0.080607	0.719042	0.140771	0.169977	0.119743
Norm Ensemble (n=5)	Ensemble	0.375584	0.29264	0.469042	0.391355	0.342874	0.29965	0.134346	0.081776	0.719042	0.140771	0.169977	0.119743
Norm Ensemble (n=6)	Ensemble	0.411799	0.326519	0.519276	0.341121	0.387266	0.34521	0.135514	0.079439	0.719042	0.140771	0.169977	0.119743
Norm Ensemble (n=7)	Ensemble	0.623248	0.53271	0.748832	0.111565	0.602804	0.560164	0.373832	0.278621	0.719042	0.140771	0.169977	0.119743
Norm Ensemble (n=8)	Ensemble	0.622664	0.534463	0.748832	0.111565	0.610981	0.569509	0.373832	0.278621	0.719042	0.140771	0.169977	0.119743
Deconvolution	Single	0.353388	0.261682	0.588201	0.270444	0.167056	0.134346	0.276285	0.080607	0.851051	0.002336	0.148949	0.04965
Deconvolution	Single	0.353388	0.261682	0.588201	0.270444	0.167056	0.134346	0.276285	0.080607	0.851051	0.002336	0.148949	0.04965
DeepLIFT SHAP	Single	0.527453	0.383178	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.527453	0.383178	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.527453	0.383178	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.527453	0.383178	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
Baselines Combined Zng													
DeepLIFT Baselines	Single	0.321262	0.224883	0.412383	0.448598	0.332944	0.29264	0.156542	0.04965	0.742991	0.11215	0.063668	0.034463
Global Mean													
DeepLIFT Baselines	Single	0.321262	0.224883	0.412383	0.448598	0.332944	0.29264	0.156542	0.04965	0.742991	0.11215	0.063668	0.034463
Global Mean													
GradientShap Baselines	Single	0.367991	0.27979	0.469042	0.391355	0.353388	0.310164	0.195093	0.011098	0.779206	0.073014	0.087033	0.01285
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.367991	0.27979	0.469042	0.391355	0.353388	0.310164	0.195093	0.011098	0.779206	0.073014	0.087033	0.01285
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.356308	0.273949	0.46028	0.400117	0.34229	0.299065	0.186332	0.018107	0.778621	0.073014	0.081776	0.015187
Combined Zng N													
Samples 40													
GradientShap Baselines	Single	0.356308	0.273949	0.46028	0.400117	0.34229	0.299065	0.186332	0.018107	0.778621	0.073014	0.081776	0.015187
Combined Zng N													
Samples 40													
GradientShap Baselines	Single	0.205607	0.10514	0.328855	0.531542	0.113318	0.068925	0.271612	0.089369	0.847547	0.004673	0.186916	0.093458
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.205607	0.10514	0.328855	0.531542	0.113318	0.068925	0.271612	0.089369	0.847547	0.004673	0.186916	0.093458
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.656542	0.577687	0.79965	0.057827	0.535631	0.493575	0.179322	0.396612	0.403621	0.453271	0.261098	0.357477
Combined Zng N													
Samples 40													
GradientShap Baselines	Single	0.656542	0.577687	0.79965	0.057827	0.535631	0.493575	0.179322	0.396612	0.403621	0.453271	0.261098	0.357477
Combined Zng N													
Samples 40													
GradientShap Baselines	Single	0.416472	0.320093	0.567757	0.29264	0.420561	0.377921	0.133762	0.076519	0.696846	0.15771	0.038551	0.05257
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.416472	0.320093	0.567757	0.29264	0.420561	0.377921	0.133762	0.076519	0.696846	0.15771	0.038551	0.05257
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.411799	0.316005	0.568341	0.291472	0.421145	0.379089	0.135514	0.071262	0.702687	0.151869	0.043224	0.04965
Baselines Zero N Steps													
50													
IntegratedGradients	Single	0.411799	0.316005	0.568341	0.291472	0.421145	0.379089	0.135514	0.071262	0.702687	0.151869	0.043224	0.04965
Baselines Zero N Steps													
50													
Saliency	Single	0.526285	0.446846	0.645444	0.214369	0.480724	0.433995	0.057243	0.155374	0.646028	0.208528	0.064252	0.16472
Saliency	Single	0.526285	0.446846	0.645444	0.214369	0.480724	0.433						

Table 57: BloodMNIST–DenseNet-121

Method	Type	Acc	Cons	Acc	Cons
		Replace Top	Replace Top	Replace Bottom	Replace Bottom
Borda (n=2)	Ensemble	0.919977	0.922313	0.990654	0.999416
Borda (n=3)	Ensemble	0.943925	0.943925	0.990654	0.999416
Borda (n=4)	Ensemble	0.95035	0.951519	0.990654	0.999416
Borda (n=5)	Ensemble	0.96028	0.961449	0.990654	0.999416
Borda (n=6)	Ensemble	0.962033	0.963201	0.99007	1
Borda (n=7)	Ensemble	0.964369	0.964369	0.99007	1
Borda (n=8)	Ensemble	0.966121	0.969042	0.99007	1
Kemeny Young (n=2)	Ensemble	0.919977	0.922313	0.990654	0.999416
Kemeny Young (n=3)	Ensemble	0.943925	0.943925	0.990654	0.999416
Kemeny Young (n=4)	Ensemble	0.95035	0.951519	0.990654	0.999416
Kemeny Young (n=5)	Ensemble	0.96028	0.961449	0.990654	0.999416
Kemeny Young (n=6)	Ensemble	0.962033	0.963201	0.99007	1
Kemeny Young (n=7)	Ensemble	0.964369	0.964369	0.99007	1
Kemeny Young (n=8)	Ensemble	0.966121	0.969042	0.99007	1
RRF (n=2)	Ensemble	0.95035	0.949766	0.990654	0.999416
RRF (n=3)	Ensemble	0.958528	0.95736	0.990654	0.999416
RRF (n=4)	Ensemble	0.963785	0.962617	0.99007	0.998832
RRF (n=5)	Ensemble	0.968458	0.968458	0.990654	0.999416
RRF (n=6)	Ensemble	0.97021	0.971963	0.99007	1
RRF (n=7)	Ensemble	0.96729	0.967874	0.99007	1
RRF (n=8)	Ensemble	0.969626	0.971963	0.989486	0.999416
Schulze (n=2)	Ensemble	0.949182	0.949182	0.990654	0.999416
Schulze (n=3)	Ensemble	0.952103	0.949766	0.990654	0.999416
Schulze (n=4)	Ensemble	0.970794	0.971379	0.99007	1
Schulze (n=5)	Ensemble	0.976636	0.97722	0.990654	0.999416
Schulze (n=6)	Ensemble	0.975467	0.978388	0.99007	0.998832
Schulze (n=7)	Ensemble	0.974883	0.975467	0.99007	0.998832
Schulze (n=8)	Ensemble	0.97722	0.979556	0.988902	0.997664
Norm Ensemble (n=2)	Ensemble	0.95035	0.949182	0.991822	0.998248
Norm Ensemble (n=3)	Ensemble	0.964369	0.965537	0.991822	0.998248
Norm Ensemble (n=4)	Ensemble	0.973715	0.974883	0.991822	0.998248
Norm Ensemble (n=5)	Ensemble	0.980724	0.981893	0.991822	0.998248
Norm Ensemble (n=6)	Ensemble	0.978972	0.982477	0.991822	0.998248
Norm Ensemble (n=7)	Ensemble	0.99007	0.995327	0.991822	0.998248
Norm Ensemble (n=8)	Ensemble	0.99007	0.995327	0.991822	0.998248
Deconvolution	Single	0.975467	0.97722	0.99007	1
Deconvolution	Single	0.975467	0.97722	0.99007	1
DeepLIFT SHAP	Single	0.988318	0.989486	0.92757	0.933995
Baselines Combined Zng	Single	0.988318	0.989486	0.92757	0.933995
DeepLIFT SHAP	Single	0.988318	0.989486	0.92757	0.933995
Baselines Combined Zng	Single	0.988318	0.989486	0.92757	0.933995
DeepLIFT SHAP	Single	0.988318	0.989486	0.92757	0.933995
Baselines Combined Zng	Single	0.980724	0.980724	0.984229	0.992991
DeepLIFT Baselines	Single	0.980724	0.980724	0.984229	0.992991
Global Mean	Single	0.980724	0.980724	0.984229	0.992991
GradientShap Baselines	Single	0.977804	0.980724	0.99007	0.998832
Combined Zng N	Single	0.977804	0.980724	0.99007	0.998832
Samples 20	Single	0.977804	0.980724	0.99007	0.998832
GradientShap Baselines	Single	0.976636	0.979556	0.988902	0.998832
Combined Zng N	Single	0.976636	0.979556	0.988902	0.998832
Samples 40	Single	0.976636	0.979556	0.988902	0.998832
GradientShap Baselines	Single	0.976636	0.979556	0.988902	0.998832
Combined Zng N	Single	0.976636	0.979556	0.988902	0.998832
Samples 40	Single	0.976636	0.979556	0.988902	0.998832
GuidedBackprop	Single	0.938084	0.9375	0.990654	0.998248
GuidedBackprop	Single	0.938084	0.9375	0.990654	0.998248
InputXGradient	Single	0.986565	0.991822	0.931659	0.940421
InputXGradient	Single	0.986565	0.991822	0.931659	0.940421
IntegratedGradients	Single	0.978972	0.984229	0.979556	0.988318
Baselines Zero N Steps	Single	0.978972	0.984229	0.979556	0.988318
200	Single	0.978972	0.984229	0.979556	0.988318
IntegratedGradients	Single	0.98014	0.985397	0.979556	0.988318
Baselines Zero N Steps	Single	0.98014	0.985397	0.979556	0.988318
50	Single	0.98014	0.985397	0.979556	0.988318
IntegratedGradients	Single	0.98014	0.985397	0.979556	0.988318
Baselines Zero N Steps	Single	0.98014	0.985397	0.979556	0.988318
50	Single	0.98014	0.985397	0.979556	0.988318
Saliency	Single	0.978972	0.984813	0.966706	0.976636
Saliency	Single	0.978972	0.984813	0.966706	0.976636

Table 58: BloodMNIST–DenseNet-121

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Pepper Amount 0.05	ConsRob Replace Top Pepper Amount 0.05	AccRob Replace Top Salt Speckle Std 0.15	ConsRob Replace Top Salt Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Borda (n=2)	Ensemble	0.423481	0.253505	0.78271	0.075935	0.279206	0.222547	0.253505	0.021028	0.853972	0.000584	0.113318	0.006425
Borda (n=3)	Ensemble	0.442757	0.269276	0.806075	0.053738	0.314836	0.251752	0.251168	0.019276	0.853972	0.000584	0.113902	0.007593
Borda (n=4)	Ensemble	0.451519	0.275117	0.813084	0.046729	0.301402	0.238902	0.254089	0.019276	0.853388	0.001168	0.11507	0.007009
Borda (n=5)	Ensemble	0.462033	0.286799	0.823014	0.036799	0.316005	0.254673	0.254673	0.015771	0.853388	0.000584	0.114486	0.007593
Borda (n=6)	Ensemble	0.459112	0.290888	0.824766	0.035047	0.320678	0.257009	0.254673	0.015771	0.852804	0.001168	0.113902	0.009346
Borda (n=7)	Ensemble	0.465537	0.295561	0.827103	0.033879	0.314252	0.255841	0.254089	0.019276	0.852804	0.001752	0.114486	0.008762
Borda (n=8)	Ensemble	0.448014	0.280958	0.828855	0.029206	0.314252	0.258178	0.251168	0.024533	0.852804	0.001752	0.117407	0.007593
Kemeny Young (n=2)	Ensemble	0.423481	0.253505	0.78271	0.075935	0.279206	0.222547	0.253505	0.021028	0.853972	0.000584	0.113318	0.006425
Kemeny Young (n=3)	Ensemble	0.442757	0.269276	0.806075	0.053738	0.314836	0.251752	0.251168	0.019276	0.853972	0.000584	0.113902	0.007593
Kemeny Young (n=4)	Ensemble	0.451519	0.275117	0.813084	0.046729	0.301402	0.238902	0.254089	0.019276	0.853388	0.001168	0.11507	0.007009
Kemeny Young (n=5)	Ensemble	0.462033	0.286799	0.823014	0.036799	0.316005	0.254673	0.254673	0.015771	0.853388	0.000584	0.114486	0.007593
Kemeny Young (n=6)	Ensemble	0.459112	0.290888	0.824766	0.035047	0.320678	0.257009	0.254673	0.015771	0.852804	0.001168	0.113902	0.009346
Kemeny Young (n=7)	Ensemble	0.465537	0.295561	0.827103	0.033879	0.314252	0.255841	0.254089	0.019276	0.852804	0.001752	0.114486	0.008762
Kemeny Young (n=8)	Ensemble	0.448014	0.280958	0.828855	0.029206	0.314252	0.258178	0.251168	0.024533	0.852804	0.001752	0.117407	0.007593
RRF (n=2)	Ensemble	0.450935	0.278037	0.813084	0.048481	0.290304	0.224299	0.254089	0.018692	0.853972	0.000584	0.113318	0.006425
RRF (n=3)	Ensemble	0.453271	0.272196	0.820678	0.040304	0.304322	0.242407	0.257593	0.017523	0.853972	0.000584	0.11507	0.007009
RRF (n=4)	Ensemble	0.464953	0.284463	0.826519	0.035631	0.304907	0.238902	0.260614	0.018107	0.852804	0.000584	0.113902	0.007009
RRF (n=5)	Ensemble	0.466706	0.293808	0.830607	0.029206	0.313084	0.248248	0.259346	0.017523	0.853388	0.001168	0.113902	0.007009
RRF (n=6)	Ensemble	0.47021	0.301402	0.832944	0.026285	0.317173	0.255257	0.257593	0.021028	0.852804	0.001752	0.113318	0.007593
RRF (n=7)	Ensemble	0.461449	0.291472	0.830023	0.030374	0.319509	0.262966	0.257593	0.021612	0.852804	0.001752	0.113902	0.008178
RRF (n=8)	Ensemble	0.473131	0.308411	0.83236	0.026285	0.317757	0.266355	0.260514	0.024533	0.85222	0.001168	0.113318	0.007593
Schulze (n=2)	Ensemble	0.454439	0.282126	0.811916	0.049065	0.294977	0.233061	0.253505	0.016939	0.853388	0.001168	0.113318	0.008762
Schulze (n=3)	Ensemble	0.443925	0.267523	0.814836	0.048481	0.292056	0.229556	0.255257	0.01986	0.853388	0.001168	0.113902	0.009346
Schulze (n=4)	Ensemble	0.462033	0.290888	0.832944	0.026285	0.29965	0.234813	0.254089	0.018107	0.853388	0.001168	0.113318	0.010514
Schulze (n=5)	Ensemble	0.46729	0.298481	0.839369	0.021028	0.309579	0.244743	0.255257	0.017523	0.853388	0.001168	0.112734	0.007009
Schulze (n=6)	Ensemble	0.461449	0.297897	0.838201	0.01986	0.311332	0.254673	0.253505	0.021612	0.852804	0.000584	0.112734	0.007009
Schulze (n=7)	Ensemble	0.448014	0.275701	0.837617	0.02278	0.310164	0.252336	0.256425	0.020444	0.852804	0.000584	0.112734	0.008762
Schulze (n=8)	Ensemble	0.462033	0.293224	0.839953	0.018692	0.320093	0.264019	0.252336	0.016355	0.851636	0.000584	0.110397	0.007009
Norm Ensemble (n=2)	Ensemble	0.485981	0.313084	0.813084	0.049065	0.308411	0.24007	0.250584	0.03271	0.85514	0.000584	0.131425	0.031542
Norm Ensemble (n=3)	Ensemble	0.473131	0.307243	0.827103	0.03271	0.318925	0.25	0.257009	0.025701	0.85514	0.000584	0.131425	0.031542
Norm Ensemble (n=4)	Ensemble	0.48014	0.310748	0.836449	0.023364	0.314836	0.251752	0.256425	0.019276	0.854556	0	0.131425	0.031542
Norm Ensemble (n=5)	Ensemble	0.473715	0.305491	0.842874	0.015771	0.309579	0.244743	0.256425	0.022196	0.854556	0.000584	0.131425	0.031542
Norm Ensemble (n=6)	Ensemble	0.461449	0.292056	0.841706	0.015771	0.317173	0.25993	0.25993	0.026285	0.854556	0	0.131425	0.031542
Norm Ensemble (n=7)	Ensemble	0.45736	0.285631	0.852804	0.002921	0.329439	0.269276	0.26285	0.040888	0.854556	0	0.131425	0.031542
Norm Ensemble (n=8)	Ensemble	0.464369	0.298481	0.852804	0.002921	0.33528	0.271612	0.26285	0.040888	0.854556	0	0.131425	0.031542
Deconvolution	Single	0.358061	0.168808	0.838201	0.021028	0.21729	0.136682	0.255841	0.032126	0.852804	0.001752	0.11215	0.012266
Deconvolution	Single	0.358061	0.168808	0.838201	0.021028	0.21729	0.136682	0.255841	0.032126	0.852804	0.001752	0.11215	0.012266
DeepLIFT SHAP	Single	0.403037	0.214953	0.851051	0.008762	0.211449	0.120327	0.192173	0.027453	0.790304	0.064252	0.078855	0.018692
Baselines Combined Zng	Single	0.403037	0.214953	0.851051	0.008762	0.211449	0.120327	0.192173	0.027453	0.790304	0.064252	0.078855	0.018692
DeepLIFT SHAP	Single	0.403037	0.214953	0.851051	0.008762	0.211449	0.120327	0.192173	0.027453	0.790304	0.064252	0.078855	0.018692
Baselines Combined Zng	Single	0.403037	0.214953	0.851051	0.008762	0.211449	0.120327	0.192173	0.027453	0.790304	0.064252	0.078855	0.018692
DeepLIFT SHAP	Single	0.403037	0.214953	0.851051	0.008762	0.211449	0.120327	0.192173	0.027453	0.790304	0.064252	0.078855	0.018692
Baselines Combined Zng	Single	0.433411	0.268107	0.842874	0.016939	0.310164	0.243575	0.254673	0.014603	0.846963	0.005257	0.116238	0.006425
DeepLIFT Baselines	Single	0.433411	0.268107	0.842874	0.016939	0.310164	0.243575	0.254673	0.014603	0.846963	0.005257	0.116238	0.006425
Global Mean	Single	0.449182	0.278037	0.840537	0.017523	0.298481	0.237734	0.254089	0.022278	0.852804	0.000584	0.112734	0.009346
GradientShap Baselines	Single	0.449182	0.278037	0.840537	0.017523	0.298481	0.237734	0.254089	0.022278	0.852804	0.000584	0.112734	0.009346
Combined Zng N	Single	0.449182	0.278037	0.840537	0.017523	0.298481	0.237734	0.254089	0.022278	0.852804	0.000584	0.112734	0.009346
Samples 20	Single	0.451519	0.280958	0.839369	0.018692	0.310748	0.248248	0.251168	0.01986	0.851051	0.001168	0.113902	0.008178
GradientShap Baselines	Single	0.451519	0.280958	0.839369	0.018692	0.310748	0.248248	0.251168	0.01986	0.851051	0.001168	0.113902	0.008178
Combined Zng N	Single	0.451519	0.280958	0.839369	0.018692	0.310748	0.248248	0.251168	0.01986	0.851051	0.001168	0.113902	0.008178
Samples 40	Single	0.451519	0.280958	0.839369	0.018692	0.310748	0.248248	0.251168	0.01986	0.851051	0.001168	0.113902	0.008178
GradientShap Baselines	Single	0.451519	0.280958	0.839369	0.018692	0.310748	0.248248	0.251168	0.01986	0.851051	0.001168	0.113902	0.008178
Combined Zng N	Single	0.451519	0.280958	0.839369	0.018692	0.310748	0.248248	0.251168	0.01986	0.851051	0.001168	0.113902	0.008178
Samples 40	Single	0.451519	0.280958	0.839369	0.018692	0.310748	0.248248	0.251168	0.01986	0.851051	0.001168	0.113902	0.008178
GuidedBackprop	Single	0.344626	0.156542	0.79965	0.060748	0.157126	0.080607	0.258178	0.026285	0.853388	0	0.122079	0.015771
GuidedBackprop	Single	0.344626	0.156542	0.79965	0.060748	0.157126	0.080607	0.258178	0.026285	0.853388	0	0.122079	0.015771
InputXGradient	Single	0.438084	0.277453	0.849299	0.006425	0.293224	0.240654	0.193925	0.038551	0.794393	0.057827	0.058995	0.051402
InputXGradient	Single	0.438084	0.277453	0.849299	0.006425	0.293224	0.240654	0.193925	0.038551	0.794393	0.057827	0.058995	0.051402
IntegratedGradients	Single	0.42757	0.251752	0.841706	0.014019	0.296729	0.24007	0.245327	0.00993	0.84229	0.010514	0.10514	0.002336
Baselines Zero N Steps	Single	0.42757	0.251752	0.841706	0.014019	0.296729	0.24007	0.245327	0.00993	0.84229	0.010514	0.10514	0.002336
200	Single	0.42757	0.251752	0.841706	0.014019	0.296729	0.24007	0.245327	0.00993	0.84229	0.010514	0.10514	0.002336
IntegratedGradients	Single	0.425818	0.252336	0.842874	0.01285	0.294977	0.237734	0.245327	0.00993	0.84229	0.00993	0.104556	0.001752
Baselines Zero N Steps	Single	0.425818	0.252336	0.842874	0.01285	0.294977	0.237734	0.245327	0.00993	0.84229	0.00993	0.104556	0.001752
50	Single	0.425818	0.252336	0.842874	0.01285	0.294977	0.237734	0.245327	0.00993	0.84229	0.00993	0.104556	0.001752
IntegratedGradients	Single	0.425818	0.252336	0.842874	0.01285	0.294977	0.237734	0.245327	0.00993	0.84229	0.00993	0.104556	0.001752
Baselines Zero N Steps	Single	0.425818	0.252336	0.842874	0.01285	0.294977	0.237734	0.245327	0.00993	0.84229	0.00993	0.104556	0.001752
50	Single	0.425818	0.252336	0.842874	0.01285	0.294977	0.237734	0.245327	0.00993	0.84229	0.00993	0.104556	0.001752
Saliency	Single	0.526869	0.365654	0.841706	0.013435	0.33528	0.283294	0.228972	0	0.829439	0.021612	0.089369	0.016939
Saliency	Single	0.5											

Table 59: BloodMNIST–DenseNet-121

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Borda (n=2)	Ensemble	0.274533	0.275117	0.983645	0.991238
Borda (n=3)	Ensemble	0.313084	0.313668	0.984813	0.992407
Borda (n=4)	Ensemble	0.34229	0.342874	0.978388	0.98715
Borda (n=5)	Ensemble	0.393692	0.394276	0.967874	0.976636
Borda (n=6)	Ensemble	0.436916	0.4375	0.920561	0.928154
Borda (n=7)	Ensemble	0.458528	0.459112	0.880257	0.88785
Borda (n=8)	Ensemble	0.441005	0.441589	0.858061	0.865654
Kemeny Young (n=2)	Ensemble	0.274533	0.275117	0.983645	0.991238
Kemeny Young (n=3)	Ensemble	0.313084	0.313668	0.984813	0.992407
Kemeny Young (n=4)	Ensemble	0.34229	0.342874	0.978388	0.98715
Kemeny Young (n=5)	Ensemble	0.393692	0.394276	0.967874	0.976636
Kemeny Young (n=6)	Ensemble	0.436916	0.4375	0.920561	0.928154
Kemeny Young (n=7)	Ensemble	0.458528	0.459112	0.880257	0.88785
Kemeny Young (n=8)	Ensemble	0.441005	0.441589	0.858061	0.865654
RRF (n=2)	Ensemble	0.301986	0.30257	0.983645	0.991238
RRF (n=3)	Ensemble	0.319509	0.320093	0.981308	0.988902
RRF (n=4)	Ensemble	0.363318	0.363902	0.979556	0.98715
RRF (n=5)	Ensemble	0.404206	0.40479	0.978388	0.98715
RRF (n=6)	Ensemble	0.444509	0.444509	0.971963	0.979556
RRF (n=7)	Ensemble	0.428738	0.428738	0.964369	0.971963
RRF (n=8)	Ensemble	0.446846	0.44743	0.94743	0.955023
Schulze (n=2)	Ensemble	0.268107	0.268692	0.984229	0.992991
Schulze (n=3)	Ensemble	0.290304	0.290888	0.97021	0.978972
Schulze (n=4)	Ensemble	0.352804	0.353388	0.922897	0.930491
Schulze (n=5)	Ensemble	0.428738	0.429322	0.910047	0.918808
Schulze (n=6)	Ensemble	0.487734	0.488318	0.870327	0.877921
Schulze (n=7)	Ensemble	0.452103	0.452687	0.83528	0.841706
Schulze (n=8)	Ensemble	0.471379	0.471963	0.83236	0.839953
Norm Ensemble (n=2)	Ensemble	0.311332	0.3125	0.911799	0.911799
Norm Ensemble (n=3)	Ensemble	0.321262	0.321846	0.911799	0.911799
Norm Ensemble (n=4)	Ensemble	0.375584	0.376168	0.911799	0.911799
Norm Ensemble (n=5)	Ensemble	0.467874	0.468458	0.911799	0.911799
Norm Ensemble (n=6)	Ensemble	0.516939	0.517523	0.911799	0.911799
Norm Ensemble (n=7)	Ensemble	0.89778	0.898364	0.911799	0.911799
Norm Ensemble (n=8)	Ensemble	0.89778	0.898364	0.911799	0.911799
Deconvolution	Single	0.671729	0.674065	0.981893	0.988318
DeepLIFT SHAP	Single	0.671729	0.674065	0.981893	0.988318
Baselines Combined Zng	Single	0.744743	0.744743	0.595794	0.599883
DeepLIFT SHAP	Single	0.744743	0.744743	0.595794	0.599883
Baselines Combined Zng	Single	0.744743	0.744743	0.595794	0.599883
DeepLIFT SHAP	Single	0.744743	0.744743	0.595794	0.599883
Baselines Combined Zng	Single	0.744743	0.744743	0.595794	0.599883
DeepLIFT Baselines	Single	0.407126	0.40771	0.807243	0.813084
Global Mean	Single	0.407126	0.40771	0.807243	0.813084
DeepLIFT Baselines	Single	0.407126	0.40771	0.807243	0.813084
Global Mean	Single	0.407126	0.40771	0.807243	0.813084
GradientShap Baselines	Single	0.448598	0.449182	0.843458	0.851051
Combined Zng N	Single	0.448598	0.449182	0.843458	0.851051
Samples 20	Single	0.448598	0.449182	0.843458	0.851051
GradientShap Baselines	Single	0.462033	0.462617	0.847547	0.85514
Combined Zng N	Single	0.462033	0.462617	0.847547	0.85514
Samples 40	Single	0.462033	0.462617	0.847547	0.85514
GradientShap Baselines	Single	0.462033	0.462617	0.847547	0.85514
Combined Zng N	Single	0.462033	0.462617	0.847547	0.85514
Samples 40	Single	0.462033	0.462617	0.847547	0.85514
GuidedBackprop	Single	0.334696	0.33528	0.981893	0.991822
GuidedBackprop	Single	0.334696	0.33528	0.981893	0.991822
InputXGradient	Single	0.858645	0.860981	0.30257	0.306075
InputXGradient	Single	0.858645	0.860981	0.30257	0.306075
IntegratedGradients	Single	0.580023	0.580607	0.731893	0.738902
Baselines Zero N Steps	Single	0.580023	0.580607	0.731893	0.738902
200	Single	0.580023	0.580607	0.731893	0.738902
IntegratedGradients	Single	0.580023	0.580607	0.731893	0.738902
Baselines Zero N Steps	Single	0.580023	0.580607	0.731893	0.738902
200	Single	0.580023	0.580607	0.731893	0.738902
IntegratedGradients	Single	0.574182	0.574766	0.732477	0.739486
Baselines Zero N Steps	Single	0.574182	0.574766	0.732477	0.739486
50	Single	0.574182	0.574766	0.732477	0.739486
IntegratedGradients	Single	0.574182	0.574766	0.732477	0.739486
Baselines Zero N Steps	Single	0.574182	0.574766	0.732477	0.739486
50	Single	0.574182	0.574766	0.732477	0.739486
Saliency	Single	0.652453	0.653037	0.661799	0.668224
Saliency	Single	0.652453	0.653037	0.661799	0.668224

Table 60: BloodMNIST–DenseNet-121

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Pepper Amount 0.05	ConsRob Replace Top Pepper Amount 0.05	AccRob Replace Top Salt Speckle Std 0.15	ConsRob Replace Top Salt Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Borda (n=2)	Ensemble	0.101051	0.058995	0.137266	0.723131	0.061332	0.028037	0.256425	0.04965	0.846379	0.007009	0.160047	0.061916
Borda (n=3)	Ensemble	0.135514	0.096379	0.175818	0.684579	0.096963	0.060748	0.265187	0.059579	0.847547	0.005841	0.161799	0.0625
Borda (n=4)	Ensemble	0.162967	0.122664	0.205023	0.655374	0.120327	0.085864	0.259346	0.054322	0.841121	0.011098	0.15479	0.055491
Borda (n=5)	Ensemble	0.204439	0.167056	0.256425	0.603972	0.167056	0.133178	0.247664	0.042056	0.830607	0.021612	0.144276	0.043224
Borda (n=6)	Ensemble	0.245911	0.203855	0.29965	0.560748	0.216121	0.181659	0.196846	0.002921	0.783294	0.070093	0.103972	0.001752
Borda (n=7)	Ensemble	0.258762	0.214953	0.321262	0.539136	0.229556	0.196262	0.164136	0.044393	0.742991	0.110397	0.070678	0.028037
Borda (n=8)	Ensemble	0.241822	0.193341	0.303738	0.556659	0.209696	0.175234	0.143692	0.058411	0.720794	0.132593	0.04965	0.051986
Kemeny Young (n=2)	Ensemble	0.101051	0.058995	0.137266	0.723131	0.061332	0.028037	0.256425	0.04965	0.846379	0.007009	0.160047	0.061916
Kemeny Young (n=3)	Ensemble	0.135514	0.096379	0.175818	0.684579	0.096963	0.060748	0.265187	0.059579	0.847547	0.005841	0.161799	0.0625
Kemeny Young (n=4)	Ensemble	0.162967	0.122664	0.205023	0.655374	0.120327	0.085864	0.259346	0.054322	0.841121	0.011098	0.15479	0.055491
Kemeny Young (n=5)	Ensemble	0.204439	0.167056	0.256425	0.603972	0.167056	0.133178	0.247664	0.042056	0.830607	0.021612	0.144276	0.043224
Kemeny Young (n=6)	Ensemble	0.245911	0.203855	0.29965	0.560748	0.216121	0.181659	0.196846	0.002921	0.783294	0.070093	0.103972	0.001752
Kemeny Young (n=7)	Ensemble	0.258762	0.214953	0.321262	0.539136	0.229556	0.196262	0.164136	0.044393	0.742991	0.110397	0.070678	0.028037
Kemeny Young (n=8)	Ensemble	0.241822	0.193341	0.303738	0.556659	0.209696	0.175234	0.143692	0.058411	0.720794	0.132593	0.04965	0.051986
RRF (n=2)	Ensemble	0.132009	0.099299	0.16472	0.695678	0.089369	0.056075	0.258178	0.050818	0.846379	0.007009	0.162967	0.065421
RRF (n=3)	Ensemble	0.14778	0.114486	0.182243	0.678154	0.099883	0.064836	0.264603	0.056659	0.844042	0.009346	0.158879	0.064836
RRF (n=4)	Ensemble	0.188668	0.148949	0.226051	0.634346	0.140771	0.107477	0.263435	0.055491	0.84229	0.011098	0.156542	0.0625
RRF (n=5)	Ensemble	0.215537	0.175234	0.266939	0.593458	0.178154	0.14486	0.258762	0.057827	0.841121	0.011098	0.15479	0.057243
RRF (n=6)	Ensemble	0.245327	0.202687	0.307243	0.553738	0.213201	0.17757	0.254089	0.04965	0.834696	0.018692	0.154206	0.056659
RRF (n=7)	Ensemble	0.223131	0.182827	0.291472	0.569509	0.195093	0.158294	0.242991	0.042056	0.827103	0.026285	0.154206	0.051986
RRF (n=8)	Ensemble	0.242407	0.195093	0.309579	0.550818	0.213785	0.181075	0.226636	0.025701	0.810164	0.043224	0.138435	0.038551
Schulze (n=2)	Ensemble	0.105724	0.073014	0.130841	0.729556	0.056075	0.022196	0.262266	0.060164	0.846963	0.005257	0.158294	0.061916
Schulze (n=3)	Ensemble	0.116822	0.084696	0.153037	0.70736	0.078855	0.045561	0.247079	0.046145	0.832944	0.019276	0.147196	0.050234
Schulze (n=4)	Ensemble	0.165304	0.124416	0.215537	0.64486	0.127921	0.096379	0.198598	0.001752	0.785631	0.067757	0.106308	0.007593
Schulze (n=5)	Ensemble	0.231308	0.195678	0.291472	0.568925	0.189836	0.153621	0.192173	0.017523	0.77278	0.079439	0.081776	0.016939
Schulze (n=6)	Ensemble	0.290304	0.245327	0.350467	0.50993	0.255257	0.22021	0.149533	0.053154	0.733061	0.120327	0.054907	0.042056
Schulze (n=7)	Ensemble	0.241238	0.195678	0.314836	0.545561	0.221963	0.185748	0.110397	0.094626	0.698014	0.156542	0.029206	0.070093
Schulze (n=8)	Ensemble	0.266355	0.211449	0.334112	0.526285	0.240654	0.20736	0.113318	0.087617	0.695093	0.158294	0.037383	0.054907
Norm Ensemble (n=2)	Ensemble	0.14778	0.107477	0.174065	0.685748	0.091121	0.058411	0.19743	0.011682	0.774533	0.086449	0.205023	0.154206
Norm Ensemble (n=3)	Ensemble	0.152453	0.117991	0.183995	0.676402	0.098715	0.064836	0.196262	0.010514	0.774533	0.086449	0.205023	0.154206
Norm Ensemble (n=4)	Ensemble	0.202103	0.165304	0.238318	0.622079	0.146028	0.113318	0.198014	0.011682	0.774533	0.086449	0.205023	0.154206
Norm Ensemble (n=5)	Ensemble	0.286215	0.248248	0.330607	0.52979	0.23014	0.192757	0.202103	0.004089	0.774533	0.086449	0.205023	0.154206
Norm Ensemble (n=6)	Ensemble	0.321262	0.277453	0.379673	0.480724	0.275701	0.24007	0.21028	0.003505	0.774533	0.086449	0.205023	0.154206
Norm Ensemble (n=7)	Ensemble	0.691005	0.646612	0.760514	0.099883	0.648949	0.614486	0.390187	0.286215	0.773949	0.085864	0.205023	0.154206
Norm Ensemble (n=8)	Ensemble	0.693341	0.648364	0.760514	0.099883	0.65479	0.619743	0.390187	0.286215	0.773949	0.085864	0.205023	0.154206
Deconvolution	Single	0.297897	0.203855	0.534463	0.324182	0.116238	0.074766	0.344042	0.160047	0.844626	0.009346	0.166472	0.077687
Deconvolution	Single	0.297897	0.203855	0.534463	0.324182	0.116238	0.074766	0.344042	0.160047	0.844626	0.009346	0.166472	0.077687
DeepLIFT SHAP	Single	0.441589	0.33528	0.607477	0.252921	0.478388	0.428738	0.040888	0.09521	0.458528	0.398364	0.047897	0.109229
Baselines Combined Zng	Single	0.441589	0.33528	0.607477	0.252921	0.478388	0.428738	0.040888	0.09521	0.458528	0.398364	0.047897	0.109229
DeepLIFT SHAP	Single	0.441589	0.33528	0.607477	0.252921	0.478388	0.428738	0.040888	0.09521	0.458528	0.398364	0.047897	0.109229
Baselines Combined Zng	Single	0.441589	0.33528	0.607477	0.252921	0.478388	0.428738	0.040888	0.09521	0.458528	0.398364	0.047897	0.109229
DeepLIFT SHAP	Single	0.441589	0.33528	0.607477	0.252921	0.478388	0.428738	0.040888	0.09521	0.458528	0.398364	0.047897	0.109229
Baselines Combined Zng	Single	0.24007	0.199766	0.26986	0.590537	0.195093	0.161215	0.089953	0.097547	0.669977	0.185164	0.023364	0.066589
DeepLIFT Baselines	Single	0.24007	0.199766	0.26986	0.590537	0.195093	0.161215	0.089953	0.097547	0.669977	0.185164	0.023364	0.066589
Global Mean	Single	0.24007	0.199766	0.26986	0.590537	0.195093	0.161215	0.089953	0.097547	0.669977	0.185164	0.023364	0.066589
GradientShap Baselines	Single	0.245327	0.193925	0.311332	0.549065	0.213201	0.178154	0.132009	0.051986	0.706192	0.146612	0.044977	0.044977
Combined Zng N	Single	0.245327	0.193925	0.311332	0.549065	0.213201	0.178154	0.132009	0.051986	0.706192	0.146612	0.044977	0.044977
Samples 20	Single	0.245327	0.193925	0.311332	0.549065	0.213201	0.178154	0.132009	0.051986	0.706192	0.146612	0.044977	0.044977
GradientShap Baselines	Single	0.255841	0.215537	0.324766	0.535631	0.237734	0.204439	0.138435	0.061916	0.71028	0.143107	0.04264	0.050234
Combined Zng N	Single	0.255841	0.215537	0.324766	0.535631	0.237734	0.204439	0.138435	0.061916	0.71028	0.143107	0.04264	0.050234
Samples 40	Single	0.255841	0.215537	0.324766	0.535631	0.237734	0.204439	0.138435	0.061916	0.71028	0.143107	0.04264	0.050234
GradientShap Baselines	Single	0.255841	0.215537	0.324766	0.535631	0.237734	0.204439	0.138435	0.061916	0.71028	0.143107	0.04264	0.050234
Combined Zng N	Single	0.255841	0.215537	0.324766	0.535631	0.237734	0.204439	0.138435	0.061916	0.71028	0.143107	0.04264	0.050234
Samples 40	Single	0.255841	0.215537	0.324766	0.535631	0.237734	0.204439	0.138435	0.061916	0.71028	0.143107	0.04264	0.050234
GuidedBackprop	Single	0.089369	0.00993	0.195678	0.660047	0.051986	0.008762	0.315421	0.144276	0.844626	0.006425	0.23715	0.150701
GuidedBackprop	Single	0.089369	0.00993	0.195678	0.660047	0.051986	0.008762	0.315421	0.144276	0.844626	0.006425	0.23715	0.150701
InputXGradient	Single	0.627921	0.567757	0.721379	0.137266	0.519276	0.481893	0.375584	0.571846	0.165304	0.692173	0.4375	0.526285
InputXGradient	Single	0.627921	0.567757	0.721379	0.137266	0.519276	0.481893	0.375584	0.571846	0.165304	0.692173	0.4375	0.526285
IntegratedGradients	Single	0.327103	0.266355	0.442757	0.41764	0.328855	0.290888	0.081192	0.099299	0.594626	0.259346	0.014019	0.095794
Baselines Zero N Steps	Single	0.327103	0.266355	0.442757	0.41764	0.328855	0.290888	0.081192	0.099299	0.594626	0.259346	0.014019	0.095794
200	Single	0.327103	0.266355	0.442757	0.41764	0.328855	0.290888	0.081192	0.099299	0.594626	0.259346	0.014019	0.095794
IntegratedGradients	Single	0.323598	0.261098	0.436916	0.423481	0.323014	0.284463	0.081192	0.104556	0.59521	0.258762	0.012266	0.093458
Baselines Zero N Steps	Single	0.323598	0.261098	0.436916	0.423481	0.323014	0.284463	0.081192	0.104556	0.59521	0.258762	0.012266	0.093458
50	Single	0.323598	0.261098	0.436916	0.423481	0.323014	0.284463	0.081192	0.104556	0.59521	0.258762	0.012266	0.093458
IntegratedGradients	Single	0.323598	0.261098	0.436916	0.423481	0.323014	0.284463	0.081192	0.104556	0.59521	0.258762	0.012266	0.093458
Baselines Zero N Steps	Single	0.323598	0.261098	0.436916	0.423481	0.323014	0.284463	0.081192	0.104556	0.59521	0.258762	0.012266	0.093458
50	Single	0.323598	0.261098	0.436916	0.423481	0.323014	0.284463	0.081192	0.104556	0.59521	0.258762	0.012266	0.093458
Saliency	Single	0.440421	0.396028	0.515187	0.34521	0.382009	0.348715	0.061916	0.268107	0.524533	0.330023</		

Table 61: BloodMNIST–DenseNet-121

Dataset	Model	Method	Finite Fraction	Target Sensitive	Selected Batch Size	Attack Batch Size	Attack Seconds Per Sample	Attack Peak Cuda Bytes
BloodMNIST	DenseNet-121	Saliency	1		1			
BloodMNIST	DenseNet-121	InputXGradient	1		1			
BloodMNIST	DenseNet-121	IntegratedGradients	1	true	1	1	0.09	6.6774e+09
BloodMNIST	DenseNet-121	GuidedBackprop	1		1			
BloodMNIST	DenseNet-121	Deconvolution	1		1			
BloodMNIST	DenseNet-121	FeatureAblation	1	true	1			
BloodMNIST	DenseNet-121	Occlusion	1	true	1			
BloodMNIST	DenseNet-121	DeepLift	1	true	1	1	0.031206	6.6007e+08
BloodMNIST	DenseNet-121	GradientShap	1	true	1			
BloodMNIST	DenseNet-121	DeepLiftShap	1	true	1	1	0.031542	1.7365e+09
BloodMNIST	DenseNet-121	LRP	1	true	1			

B EfficientNet-B0

Table 62: BloodMNIST-EfficientNet-B0

Dataset	Model	Method	Finite Fraction	Target Sensitive	Selected Batch Size	Attack Batch Size	Attack Seconds Per Sample	Attack Peak Cuda Bytes
BloodMNIST	EfficientNet-B0	Saliency	1	true	1	1	0.369449	3.8024e+08
BloodMNIST	EfficientNet-B0	InputXGradient	1	true	1	1	0.238209	3.8265e+08
BloodMNIST	EfficientNet-B0	IntegratedGradients	1		1			
BloodMNIST	EfficientNet-B0	GuidedBackprop	1	true	1			
BloodMNIST	EfficientNet-B0	Deconvolution	1	true	1			
BloodMNIST	EfficientNet-B0	FeatureAblation	1	true	1			
BloodMNIST	EfficientNet-B0	Occlusion	1	true	1			
BloodMNIST	EfficientNet-B0	DeepLift	1	true	1	1	0.023019	2.7867e+08
BloodMNIST	EfficientNet-B0	GradientShap	1		1			
BloodMNIST	EfficientNet-B0	DeepLiftShap	1	true	1	1	0.023704	6.5474e+08
BloodMNIST	EfficientNet-B0	LRP						

C MobileNetV3-Large

Table 63: BloodMNIST–MobileNetV3-Large

Dataset	Model	Method	Finite Fraction	Target Sensitive	Selected Batch Size	Attack Batch Size	Attack Seconds Per Sample	Attack Peak Cuda Bytes
BloodMNIST	MobileNetV3-Large	Saliency	1	true	1			
BloodMNIST	MobileNetV3-Large	InputXGradient	1	true	1			
BloodMNIST	MobileNetV3-Large	IntegratedGradients	1	true	1	1	0.022833	2.4103e+09
BloodMNIST	MobileNetV3-Large	GuidedBackprop	1	true	1			
BloodMNIST	MobileNetV3-Large	Deconvolution	1	true	1			
BloodMNIST	MobileNetV3-Large	FeatureAblation	1	true	1			
BloodMNIST	MobileNetV3-Large	Occlusion	1	true	1			
BloodMNIST	MobileNetV3-Large	DeepLift	1	true	1	1	0.023025	2.2835e+08
BloodMNIST	MobileNetV3-Large	GradientShap	1	true	1			
BloodMNIST	MobileNetV3-Large	DeepLiftShap	1	true	1	1	0.022708	4.9991e+08
BloodMNIST	MobileNetV3-Large	LRP						

D ResNet-18

Table 64: BloodMNIST–ResNet-18

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.89077	0.91297	0.92582	0.99942	0	0.00117	0.00058	0.00467	0.00876	0.00175
Simple Averaging	0.89311	0.91297	0.96437	0.9965	0.00467	0.00701	0.04439	0.02336	0.01343	0.00292
Borda (NAIVE)	0.89194	0.91063	0.93283	0.99825	0.00759	0.0035	0.04673	0.02687	0.01869	0.00526
Borda (THEORY)	0.88493	0.91063	0.91472	0.99825	0.00526	0.00175	0.0625	0.03213	0.01285	0.00701
RRF (NAIVE)	0.89019	0.91121	0.93341	0.99766	0.00467	0.00701	0.04498	0.01519	0.01986	0.00409
RRF (THEORY)	0.88727	0.91063	0.91589	0.99825	0.00467	0	0.06659	0.03037	0.01051	0.00643
Schulze (NAIVE)	0.89194	0.91121	0.93575	0.99766	0.0035	0.00526	0.03972	0.00701	0.01519	0.00292
Schulze (THEORY)	0.8861	0.91238	0.91355	0.99766	0.00409	0.00292	0.0625	0.03154	0.01752	0.00935
Kemeny Young (NAIVE)	0.88902	0.91121	0.93224	0.99766	0.00117	0.00526	0.04731	0.02745	0.01577	0.00467
Kemeny Young (THEORY)	0.89019	0.91063	0.93458	0.99825	0.00058	0.00759	0.05023	0.03563	0.01694	0.00818

Table 65: BloodMNIST–ResNet-18

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.89077	0.91297	0.92582	0.99942	0	0.00117	0.00058	0.00467	0.00876	0.00175
Simple Averaging	0.893107	0.911215	0.960864	0.996495	0.00467	0.00701	0.04439	0.02336	0.01343	0.00292
Borda	0.889019	0.910631	0.925818	0.997079	0.00759	0.0035	0.04673	0.02687	0.01869	0.00526
RRF	0.887266	0.910631	0.922897	0.997079	0.00467	0.00701	0.04498	0.01519	0.01986	0.00409
Schulze	0.887266	0.911799	0.923481	0.997079	0.0035	0.00526	0.03972	0.00701	0.01519	0.00292
Kemeny Young	0.886682	0.910047	0.926986	0.997664	0.00117	0.00526	0.04731	0.02745	0.01577	0.00467
Best Explanation (Decorr)	0.8919	0.913	0.9258	0.9994	0	0.0012	0.0006	0.0093	0.0105	0.0018
SimpleAvg (Decorr)	0.8931	0.913	0.9644	0.9965	0.0047	0.007	0.0444	0.0234	0.0134	0.0029
Borda (Decorr)	0.8849	0.9106	0.9147	0.9982	0.0053	0.0018	0.0625	0.0321	0.0129	0.007
RRF (Decorr)	0.8873	0.9106	0.9159	0.9982	0.0047	0	0.0666	0.0304	0.0105	0.0064
Schulze (Decorr)	0.8861	0.9124	0.9136	0.9977	0.0041	0.0029	0.0625	0.0315	0.0175	0.0093
Kemeny Young (Decorr)	0.8902	0.9106	0.9346	0.9982	0.0006	0.0076	0.0502	0.0356	0.0169	0.0082

Table 66: BloodMNIST–ResNet-18

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.89077	0.91297	0.92582	0.99942	0	0.00117	0.00058	0.00467	0.00876	0.00175
Simple Averaging	0.89311	0.91297	0.96437	0.9965	0.00467	0.00701	0.04439	0.02336	0.01343	0.00292
Borda	0.88493	0.91063	0.91472	0.99825	0.00526	0.00175	0.0625	0.03213	0.01285	0.00701
RRF	0.88727	0.91063	0.91589	0.99825	0.00467	0	0.06659	0.03037	0.01051	0.00643
Schulze	0.8861	0.91238	0.91355	0.99766	0.00409	0.00292	0.0625	0.03154	0.01752	0.00935
Kemeny Young	0.89019	0.91063	0.93458	0.99825	0.00058	0.00759	0.05023	0.03563	0.01694	0.00818
Best Explanation (Decorr)	0.8919	0.913	0.9258	0.9994	0	0.0012	0.0006	0.0093	0.0105	0.0018
SimpleAvg (Decorr)	0.8931	0.913	0.9644	0.9965	0.0047	0.007	0.0444	0.0234	0.0134	0.0029
Borda (Decorr)	0.8849	0.9106	0.9147	0.9982	0.0053	0.0018	0.0625	0.0321	0.0129	0.007
RRF (Decorr)	0.8873	0.9106	0.9159	0.9982	0.0047	0	0.0666	0.0304	0.0105	0.0064
Schulze (Decorr)	0.8861	0.9124	0.9136	0.9977	0.0041	0.0029	0.0625	0.0315	0.0175	0.0093
Kemeny Young (Decorr)	0.8902	0.9106	0.9346	0.9982	0.0006	0.0076	0.0502	0.0356	0.0169	0.0082

Table 67: BloodMNIST–ResNet-18

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.87675	0.91355	0.89836	0.9965	0.00117	0	0	0.00584	0.00643	0
Simple Averaging	0.88318	0.9118	0.94451	0.99065	0.00292	0.00409	0.0403	0.03388	0.01811	0.00234
Borda (NAIVE)	0.88143	0.91005	0.91063	0.9965	0.00759	0.00584	0.06075	0.03797	0.02278	0.00292
Borda (THEORY)	0.87383	0.91005	0.89369	0.99766	0.01227	0.00643	0.08002	0.05432	0.00058	0.00818
RRF (NAIVE)	0.8785	0.91063	0.90829	0.99591	0.00292	0.00117	0.05257	0.02629	0.01636	0.00234
RRF (THEORY)	0.8715	0.90829	0.90713	0.99591	0.00234	0.00058	0.07185	0.05958	0.00584	0.00117
Schulze (NAIVE)	0.88084	0.91063	0.91706	0.9965	0.00584	0.01227	0.04264	0.0222	0.0146	0.00935
Schulze (THEORY)	0.875	0.91121	0.89603	0.99591	0.01168	0.00818	0.07301	0.05082	0.00584	0.00117
Kemeny Young (NAIVE)	0.88259	0.91005	0.9118	0.9965	0.00643	0.00467	0.0625	0.04556	0.01811	0.00643
Kemeny Young (THEORY)	0.87617	0.91063	0.90829	0.99591	0.00058	0.00175	0.06133	0.04556	0.01227	0.00175

Table 68: BloodMNIST–ResNet-18

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.87675	0.91355	0.89836	0.9965	0.00117	0	0	0.00584	0.00643	0
Simple Averaging	0.892523	0.911215	0.943341	0.992407	0.00292	0.00409	0.0403	0.03388	0.01811	0.00234
Borda	0.88493	0.910047	0.902453	0.995327	0.00759	0.00584	0.06075	0.03797	0.02278	0.00292
RRF	0.883178	0.910047	0.898949	0.994159	0.00292	0.00117	0.05257	0.02629	0.01636	0.00234
Schulze	0.88493	0.909463	0.911215	0.994743	0.00584	0.01227	0.04264	0.0222	0.0146	0.00935
Kemeny Young	0.883762	0.908879	0.909463	0.993575	0.00643	0.00467	0.0625	0.04556	0.01811	0.00643
Best Explanation (Decorr)	0.8768	0.9136	0.8984	0.9936	0.0029	0.0012	0	0.007	0.0076	0
SimpleAvg (Decorr)	0.8832	0.9118	0.9445	0.9907	0.0029	0.0041	0.0403	0.0339	0.0181	0.0023
Borda (Decorr)	0.8738	0.91	0.8937	0.9977	0.0123	0.0064	0.08	0.0543	0.0006	0.0082
RRF (Decorr)	0.8715	0.9083	0.9071	0.9959	0.0023	0.0006	0.0718	0.0596	0.0058	0.0012
Schulze (Decorr)	0.875	0.9112	0.896	0.9959	0.0117	0.0082	0.073	0.0508	0.0058	0.0012
Kemeny Young (Decorr)	0.8762	0.9106	0.9083	0.9959	0.0006	0.0018	0.0613	0.0456	0.0123	0.0018

Table 69: BloodMNIST–ResNet-18

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.87675	0.91355	0.89836	0.9965	0.00117	0	0	0.00584	0.00643	0
Simple Averaging	0.88318	0.9118	0.94451	0.99065	0.00292	0.00409	0.0403	0.03388	0.01811	0.00234
Borda	0.87383	0.91005	0.89369	0.99766	0.01227	0.00643	0.08002	0.05432	0.00058	0.00818
RRF	0.8715	0.90829	0.90713	0.99591	0.00234	0.00058	0.07185	0.05958	0.00584	0.00117
Schulze	0.875	0.91121	0.89603	0.99591	0.01168	0.00818	0.07301	0.05082	0.00584	0.00117
Kemeny Young	0.87617	0.91063	0.90829	0.99591	0.00058	0.00175	0.06133	0.04556	0.01227	0.00175
Best Explanation (Decorr)	0.8768	0.9136	0.8984	0.9936	0.0029	0.0012	0	0.007	0.0076	0
SimpleAvg (Decorr)	0.8832	0.9118	0.9445	0.9907	0.0029	0.0041	0.0403	0.0339	0.0181	0.0023
Borda (Decorr)	0.8738	0.91	0.8937	0.9977	0.0123	0.0064	0.08	0.0543	0.0006	0.0082
RRF (Decorr)	0.8715	0.9083	0.9071	0.9959	0.0023	0.0006	0.0718	0.0596	0.0058	0.0012
Schulze (Decorr)	0.875	0.9112	0.896	0.9959	0.0117	0.0082	0.073	0.0508	0.0058	0.0012
Kemeny Young (Decorr)	0.8762	0.9106	0.9083	0.9959	0.0006	0.0018	0.0613	0.0456	0.0123	0.0018

Table 70: BloodMNIST–ResNet-18

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.75993	0.91238	0.76402	0.99007	0.00117	0.00058	0.00058	0.01051	0.00175	0
Simple Averaging	0.86098	0.90946	0.90537	0.98248	0.00818	0.01519	0.06484	0.04206	0.01636	0.01051
Borda (NAIVE)	0.85047	0.91238	0.86974	0.98949	0.01636	0.02161	0.07769	0.05783	0.02804	0.02395
Borda (THEORY)	0.81717	0.9118	0.82418	0.98715	0.00058	0	0.11799	0.06834	0.01811	0.00701
RRF (NAIVE)	0.84755	0.91238	0.85923	0.98832	0.01928	0.01752	0.07769	0.04848	0.02044	0.00993
RRF (THEORY)	0.81308	0.91238	0.82769	0.98715	0.00643	0.00526	0.10164	0.06308	0.01869	0.01343
Schulze (NAIVE)	0.85047	0.91238	0.86449	0.98715	0.0146	0.01694	0.07068	0.03563	0.01402	0.00759
Schulze (THEORY)	0.82769	0.91121	0.8347	0.99124	0.02395	0.01694	0.08528	0.04381	0.02278	0.0146
Kemeny Young (NAIVE)	0.84988	0.91121	0.8604	0.98773	0.00993	0.00818	0.07769	0.04965	0.01285	0.00584
Kemeny Young (THEORY)	0.82185	0.9118	0.82418	0.98832	0.01811	0.0146	0.08178	0.03213	0.02745	0.01928

Table 71: BloodMNIST–ResNet-18

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.75993	0.91238	0.76402	0.99007	0.00117	0.00058	0.00058	0.01051	0.00175	0
Simple Averaging	0.834696	0.911215	0.860981	0.984229	0.00818	0.01519	0.06484	0.04206	0.01636	0.01051
Borda	0.756425	0.910631	0.751752	0.985397	0.01636	0.02161	0.07769	0.05783	0.02804	0.02395
RRF	0.755841	0.910631	0.755841	0.985981	0.01928	0.01752	0.07769	0.04848	0.02044	0.00993
Schulze	0.764019	0.908879	0.762266	0.983645	0.0146	0.01694	0.07068	0.03563	0.01402	0.00759
Kemeny Young	0.777453	0.912383	0.781542	0.984813	0.00993	0.00818	0.07769	0.04965	0.01285	0.00584
Best Explanation (Decorr)	0.7599	0.9241	0.764	0.9895	0.0018	0.0006	0.0006	0.0105	0.0018	0.0018
SimpleAvg (Decorr)	0.861	0.9095	0.9054	0.9825	0.0082	0.0152	0.0648	0.0421	0.0164	0.0105
Borda (Decorr)	0.8172	0.9118	0.8242	0.9871	0.0006	0	0.118	0.0683	0.0181	0.007
RRF (Decorr)	0.8131	0.9124	0.8277	0.9871	0.0064	0.0053	0.1016	0.0631	0.0187	0.0134
Schulze (Decorr)	0.8277	0.9112	0.8347	0.9912	0.0239	0.0169	0.0853	0.0438	0.0228	0.0146
Kemeny Young (Decorr)	0.8218	0.9118	0.8242	0.9883	0.0181	0.0146	0.0818	0.0321	0.0275	0.0193

Table 72: BloodMNIST–ResNet-18

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.75993	0.91238	0.76402	0.99007	0.00117	0.00058	0.00058	0.01051	0.00175	0
Simple Averaging	0.86098	0.90946	0.90537	0.98248	0.00818	0.01519	0.06484	0.04206	0.01636	0.01051
Borda	0.81717	0.9118	0.82418	0.98715	0.00058	0	0.11799	0.06834	0.01811	0.00701
RRF	0.81308	0.91238	0.82769	0.98715	0.00643	0.00526	0.10164	0.06308	0.01869	0.01343
Schulze	0.82769	0.91121	0.8347	0.99124	0.02395	0.01694	0.08528	0.04381	0.02278	0.0146
Kemeny Young	0.82185	0.9118	0.82418	0.98832	0.01811	0.0146	0.08178	0.03213	0.02745	0.01928
Best Explanation (Decorr)	0.7599	0.9241	0.764	0.9895	0.0018	0.0006	0.0006	0.0105	0.0018	0.0018
SimpleAvg (Decorr)	0.861	0.9095	0.9054	0.9825	0.0082	0.0152	0.0648	0.0421	0.0164	0.0105
Borda (Decorr)	0.8172	0.9118	0.8242	0.9871	0.0006	0	0.118	0.0683	0.0181	0.007
RRF (Decorr)	0.8131	0.9124	0.8277	0.9871	0.0064	0.0053	0.1016	0.0631	0.0187	0.0134
Schulze (Decorr)	0.8277	0.9112	0.8347	0.9912	0.0239	0.0169	0.0853	0.0438	0.0228	0.0146
Kemeny Young (Decorr)	0.8218	0.9118	0.8242	0.9883	0.0181	0.0146	0.0818	0.0321	0.0275	0.0193

Table 73: BloodMNIST–ResNet-18

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.8972	0.91238	0.94801	0.99942	0.00058	0.00058	0.00876	0.00058	0.0111	0.00175
Simple Averaging	0.90012	0.9118	0.97488	0.99766	0.00292	0.00058	0.03271	0.01285	0.01577	0
Borda (NAIVE)	0.90245	0.91238	0.95269	0.99766	0.00643	0.0035	0.04322	0.01168	0.02044	0.00467
Borda (THEORY)	0.9007	0.91121	0.94743	0.99883	0.00175	0.00117	0.06308	0.03797	0.01285	0.00234
RRF (NAIVE)	0.89953	0.91238	0.95152	0.99766	0.00643	0.00175	0.03972	0.00643	0.01636	0.00701
RRF (THEORY)	0.90187	0.9118	0.95386	0.99825	0.00818	0.00526	0.03738	0.00935	0.02336	0.00759
Schulze (NAIVE)	0.90421	0.9118	0.95678	0.99825	0.00701	0.0035	0.0403	0.00234	0.0222	0
Schulze (THEORY)	0.90245	0.9118	0.94685	0.99942	0.00701	0.00175	0.06075	0.03855	0.01636	0.00058
Kemeny Young (NAIVE)	0.90362	0.9118	0.95444	0.99825	0.01051	0.00409	0.04089	0.01811	0.02103	0.00993
Kemeny Young (THEORY)	0.90304	0.9118	0.941	0.99825	0.00526	0.00175	0.05783	0.02044	0.01752	0.00467

Table 74: BloodMNIST–ResNet-18

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.8972	0.91238	0.94801	0.99942	0.00058	0.00058	0.00876	0.00058	0.0111	0.00175
Simple Averaging	0.900701	0.912383	0.978388	0.995911	0.00292	0.00058	0.03271	0.01285	0.01577	0
Borda	0.898949	0.911799	0.941589	0.998248	0.00643	0.0035	0.04322	0.01168	0.02044	0.00467
RRF	0.901869	0.911799	0.941005	0.998248	0.00643	0.00175	0.03972	0.00643	0.01636	0.00701
Schulze	0.896612	0.911799	0.942173	0.998248	0.00701	0.0035	0.0403	0.00234	0.0222	0
Kemeny Young	0.898949	0.911799	0.945093	0.998248	0.01051	0.00409	0.04089	0.01811	0.02103	0.00993
Best Explanation (Decorr)	0.8984	0.9118	0.9509	0.9994	0.0006	0.0018	0.0088	0.0041	0.0123	0.0023
SimpleAvg (Decorr)	0.9001	0.9118	0.9749	0.9977	0.0029	0.0006	0.0327	0.0129	0.0158	0
Borda (Decorr)	0.9007	0.9112	0.9474	0.9988	0.0018	0.0012	0.0631	0.038	0.0129	0.0023
RRF (Decorr)	0.9019	0.9118	0.9539	0.9982	0.0082	0.0053	0.0374	0.0093	0.0234	0.0076
Schulze (Decorr)	0.9025	0.9118	0.9468	0.9994	0.007	0.0018	0.0607	0.0386	0.0164	0.0006
Kemeny Young (Decorr)	0.903	0.9118	0.941	0.9982	0.0053	0.0018	0.0578	0.0204	0.0175	0.0047

Table 75: BloodMNIST–ResNet-18

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.8972	0.91238	0.94801	0.99942	0.00058	0.00058	0.00876	0.00058	0.0111	0.00175
Simple Averaging	0.90012	0.9118	0.97488	0.99766	0.00292	0.00058	0.03271	0.01285	0.01577	0
Borda	0.9007	0.91121	0.94743	0.99883	0.00175	0.00117	0.06308	0.03797	0.01285	0.00234
RRF	0.90187	0.9118	0.95386	0.99825	0.00818	0.00526	0.03738	0.00935	0.02336	0.00759
Schulze	0.90245	0.9118	0.94685	0.99942	0.00701	0.00175	0.06075	0.03855	0.01636	0.00058
Kemeny Young	0.90304	0.9118	0.941	0.99825	0.00526	0.00175	0.05783	0.02044	0.01752	0.00467
Best Explanation (Decorr)	0.8984	0.9118	0.9509	0.9994	0.0006	0.0018	0.0088	0.0041	0.0123	0.0023
SimpleAvg (Decorr)	0.9001	0.9118	0.9749	0.9977	0.0029	0.0006	0.0327	0.0129	0.0158	0
Borda (Decorr)	0.9007	0.9112	0.9474	0.9988	0.0018	0.0012	0.0631	0.038	0.0129	0.0023
RRF (Decorr)	0.9019	0.9118	0.9539	0.9982	0.0082	0.0053	0.0374	0.0093	0.0234	0.0076
Schulze (Decorr)	0.9025	0.9118	0.9468	0.9994	0.007	0.0018	0.0607	0.0386	0.0164	0.0006
Kemeny Young (Decorr)	0.903	0.9118	0.941	0.9982	0.0053	0.0018	0.0578	0.0204	0.0175	0.0047

Table 76: BloodMNIST–ResNet-18

					AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom						
Best Explanation	0.68341	0.90946	0.68575	0.97722	0.00175	0	0.00175	0.00818	0.00234	0.00117
Simple Averaging	0.79614	0.90304	0.83353	0.96787	0.02044	0.04264	0.06016	0.03972	0.02979	0.04322
Borda (NAIVE)	0.7611	0.90713	0.76343	0.97839	0.02103	0.02453	0.09054	0.0514	0.01636	0.01811
Borda (THEORY)	0.70561	0.91063	0.69977	0.97839	0.00467	0	0.16472	0.10456	0.00175	0.00993
RRF (NAIVE)	0.75935	0.90654	0.76928	0.97605	0.01402	0.02453	0.08586	0.04907	0.02103	0.03037
RRF (THEORY)	0.71028	0.90829	0.70736	0.97956	0.00643	0.00175	0.13668	0.08528	0.01168	0.00584
Schulze (NAIVE)	0.78096	0.90771	0.77804	0.97488	0.01636	0.02512	0.08703	0.04147	0.03096	0.03096
Schulze (THEORY)	0.69568	0.90829	0.69334	0.97839	0.00234	0.00234	0.15421	0.1028	0.00935	0.00818
Kemeny Young (NAIVE)	0.75759	0.90654	0.7611	0.9778	0.0035	0.01343	0.10047	0.06893	0.0111	0.01402
Kemeny Young (THEORY)	0.70619	0.90946	0.6986	0.97956	0.00584	0.00058	0.11449	0.05841	0.00234	0.00643

Table 77: BloodMNIST–ResNet-18

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.68341	0.90946	0.68575	0.97722	0.00175	0	0.00175	0.00818	0.00234	0.00117
Simple Averaging	0.713201	0.901869	0.723715	0.969042	0.02044	0.04264	0.06016	0.03972	0.02979	0.04322
Borda	0.644276	0.905958	0.626168	0.967874	0.02103	0.02453	0.09054	0.0514	0.01636	0.01811
RRF	0.65771	0.90771	0.63785	0.969042	0.01402	0.02453	0.08586	0.04907	0.02103	0.03037
Schulze	0.668224	0.906542	0.64778	0.96729	0.01636	0.02512	0.08703	0.04147	0.03096	0.03096
Kemeny Young	0.676402	0.908879	0.66472	0.966121	0.0035	0.01343	0.10047	0.06893	0.0111	0.01402
Best Explanation (Decorr)	0.6834	0.9095	0.6857	0.9772	0.0029	0	0.0018	0.0082	0.0023	0.0012
SimpleAvg (Decorr)	0.7961	0.903	0.8335	0.9679	0.0204	0.0426	0.0602	0.0397	0.0298	0.0432
Borda (Decorr)	0.7056	0.9106	0.6998	0.9784	0.0047	0	0.1647	0.1046	0.0018	0.0099
RRF (Decorr)	0.7103	0.9083	0.7074	0.9796	0.0064	0.0018	0.1367	0.0853	0.0117	0.0058
Schulze (Decorr)	0.6957	0.9083	0.6933	0.9784	0.0023	0.0023	0.1542	0.1028	0.0093	0.0082
Kemeny Young (Decorr)	0.7062	0.9095	0.6986	0.9796	0.0058	0.0006	0.1145	0.0584	0.0023	0.0064

Table 78: BloodMNIST–ResNet-18

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.68341	0.90946	0.68575	0.97722	0.00175	0	0.00175	0.00818	0.00234	0.00117
Simple Averaging	0.79614	0.90304	0.83353	0.96787	0.02044	0.04264	0.06016	0.03972	0.02979	0.04322
Borda	0.70561	0.91063	0.69977	0.97839	0.00467	0	0.16472	0.10456	0.00175	0.00993
RRF	0.71028	0.90829	0.70736	0.97956	0.00643	0.00175	0.13668	0.08528	0.01168	0.00584
Schulze	0.69568	0.90829	0.69334	0.97839	0.00234	0.00234	0.15421	0.1028	0.00935	0.00818
Kemeny Young	0.70619	0.90946	0.6986	0.97956	0.00584	0.00058	0.11449	0.05841	0.00234	0.00643
Best Explanation (Decorr)	0.6834	0.9095	0.6857	0.9772	0.0029	0	0.0018	0.0082	0.0023	0.0012
SimpleAvg (Decorr)	0.7961	0.903	0.8335	0.9679	0.0204	0.0426	0.0602	0.0397	0.0298	0.0432
Borda (Decorr)	0.7056	0.9106	0.6998	0.9784	0.0047	0	0.1647	0.1046	0.0018	0.0099
RRF (Decorr)	0.7103	0.9083	0.7074	0.9796	0.0064	0.0018	0.1367	0.0853	0.0117	0.0058
Schulze (Decorr)	0.6957	0.9083	0.6933	0.9784	0.0023	0.0023	0.1542	0.1028	0.0093	0.0082
Kemeny Young (Decorr)	0.7062	0.9095	0.6986	0.9796	0.0058	0.0006	0.1145	0.0584	0.0023	0.0064

Table 79: BloodMNIST–ResNet-18

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.88376	0.91297	0.91939	0.99766	0	0.00058	0.00117	0.0035	0.00993	0.00058
Simple Averaging	0.88668	0.91238	0.95853	0.99299	0.00117	0	0.05549	0.03914	0.00584	0.00117
Borda (NAIVE)	0.88435	0.91005	0.92231	0.9965	0.00117	0.00058	0.06717	0.03621	0.0111	0.00701
Borda (THEORY)	0.87909	0.91063	0.90888	0.99708	0.00058	0.0035	0.07944	0.0368	0.00993	0.00175
RRF (NAIVE)	0.8861	0.91005	0.92056	0.9965	0.00234	0.00643	0.06717	0.0257	0.0111	0.00467
RRF (THEORY)	0.88084	0.91063	0.91005	0.99708	0.00175	0.0035	0.07944	0.03855	0.0146	0.00117
Schulze (NAIVE)	0.89077	0.91297	0.92815	0.99708	0.00058	0.00526	0.06776	0.0257	0.0146	0.00175
Schulze (THEORY)	0.88026	0.91121	0.91121	0.9965	0.00467	0.00409	0.08002	0.03972	0.01343	0.00759
Kemeny Young (NAIVE)	0.88551	0.91063	0.92407	0.99708	0	0.00759	0.07477	0.04089	0.00993	0.00467
Kemeny Young (THEORY)	0.88435	0.91005	0.92991	0.99766	0.00526	0	0.07301	0.04848	0.00584	0.00234

Table 80: BloodMNIST–ResNet-18

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.88376	0.91297	0.91939	0.99766	0	0.00058	0.00117	0.0035	0.00993	0.00058
Simple Averaging	0.893107	0.911215	0.960864	0.996495	0.00117	0	0.05549	0.03914	0.00584	0.00117
Borda	0.889019	0.910631	0.925818	0.997079	0.00117	0.00058	0.06717	0.03621	0.0111	0.00701
RRF	0.887266	0.910631	0.922897	0.997079	0.00234	0.00643	0.06717	0.0257	0.0111	0.00467
Schulze	0.887266	0.911799	0.923481	0.997079	0.00058	0.00526	0.06776	0.0257	0.0146	0.00175
Kemeny Young	0.886682	0.910047	0.926986	0.997664	0	0.00759	0.07477	0.04089	0.00993	0.00467
Best Explanation (Decorr)	0.8838	0.9112	0.9194	0.9953	0	0.0006	0.0012	0.0018	0.0099	0.0006
SimpleAvg (Decorr)	0.8867	0.9124	0.9585	0.993	0.0012	0	0.0555	0.0391	0.0058	0.0012
Borda (Decorr)	0.8791	0.9106	0.9089	0.9971	0.0006	0.0035	0.0794	0.0368	0.0099	0.0018
RRF (Decorr)	0.8808	0.9106	0.91	0.9971	0.0018	0.0035	0.0794	0.0386	0.0146	0.0012
Schulze (Decorr)	0.8803	0.9112	0.9112	0.9965	0.0047	0.0041	0.08	0.0397	0.0134	0.0076
Kemeny Young (Decorr)	0.8843	0.91	0.9299	0.9977	0.0053	0	0.073	0.0485	0.0058	0.0023

Table 81: BloodMNIST–ResNet-18

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.88376	0.91297	0.91939	0.99766	0	0.00058	0.00117	0.0035	0.00993	0.00058
Simple Averaging	0.88668	0.91238	0.95853	0.99299	0.00117	0	0.05549	0.03914	0.00584	0.00117
Borda	0.87909	0.91063	0.90888	0.99708	0.00058	0.0035	0.07944	0.0368	0.00993	0.00175
RRF	0.88084	0.91063	0.91005	0.99708	0.00175	0.0035	0.07944	0.03855	0.0146	0.00117
Schulze	0.88026	0.91121	0.91121	0.9965	0.00467	0.00409	0.08002	0.03972	0.01343	0.00759
Kemeny Young	0.88435	0.91005	0.92991	0.99766	0.00526	0	0.07301	0.04848	0.00584	0.00234
Best Explanation (Decorr)	0.8838	0.9112	0.9194	0.9953	0	0.0006	0.0012	0.0018	0.0099	0.0006
SimpleAvg (Decorr)	0.8867	0.9124	0.9585	0.993	0.0012	0	0.0555	0.0391	0.0058	0.0012
Borda (Decorr)	0.8791	0.9106	0.9089	0.9971	0.0006	0.0035	0.0794	0.0368	0.0099	0.0018
RRF (Decorr)	0.8808	0.9106	0.91	0.9971	0.0018	0.0035	0.0794	0.0386	0.0146	0.0012
Schulze (Decorr)	0.8803	0.9112	0.9112	0.9965	0.0047	0.0041	0.08	0.0397	0.0134	0.0076
Kemeny Young (Decorr)	0.8843	0.91	0.9299	0.9977	0.0053	0	0.073	0.0485	0.0058	0.0023

Table 82: BloodMNIST–ResNet-18

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.86273	0.91355	0.87909	0.99474	0	0	0.00818	0.01051	0.00117	0.00058
Simple Averaging	0.88493	0.9118	0.93984	0.99124	0.00643	0.00935	0.08002	0.05199	0.0146	0.00526
Borda (NAIVE)	0.88201	0.90946	0.89953	0.99299	0.01051	0.00935	0.09287	0.0368	0.0146	0.00526
Borda (THEORY)	0.87266	0.91005	0.89895	0.99357	0.0035	0.00117	0.08178	0.04556	0.00175	0.00117
RRF (NAIVE)	0.88143	0.91005	0.89895	0.99357	0.0146	0.00526	0.09346	0.03914	0.01285	0.00175
RRF (THEORY)	0.87617	0.90946	0.90362	0.99299	0	0.00701	0.08645	0.04614	0.00643	0.00409
Schulze (NAIVE)	0.88318	0.91238	0.90654	0.99299	0.01168	0.01519	0.0882	0.03855	0.01402	0.00292
Schulze (THEORY)	0.875	0.91063	0.9229	0.99357	0.0035	0.01986	0.0882	0.07477	0.01343	0.01343
Kemeny Young (NAIVE)	0.87909	0.90888	0.89895	0.99357	0.00935	0.00701	0.09579	0.04439	0.01402	0.00117
Kemeny Young (THEORY)	0.87617	0.90888	0.90187	0.99357	0.00058	0.00584	0.08995	0.05432	0.00292	0.00292

Table 83: BloodMNIST–ResNet-18

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.86273	0.91355	0.87909	0.99474	0	0	0.00818	0.01051	0.00117	0.00058
Simple Averaging	0.892523	0.911215	0.943341	0.992407	0.00643	0.00935	0.08002	0.05199	0.0146	0.00526
Borda	0.88493	0.910047	0.902453	0.995327	0.01051	0.00935	0.09287	0.0368	0.0146	0.00526
RRF	0.883178	0.910047	0.898949	0.994159	0.0146	0.00526	0.09346	0.03914	0.01285	0.00175
Schulze	0.88493	0.909463	0.911215	0.994743	0.01168	0.01519	0.0882	0.03855	0.01402	0.00292
Kemeny Young	0.883762	0.908879	0.909463	0.993575	0.00935	0.00701	0.09579	0.04439	0.01402	0.00117
Best Explanation (Decorr)	0.8627	0.9136	0.8791	0.9947	0.0029	0.0012	0.0082	0.0134	0.0012	0.0006
SimpleAvg (Decorr)	0.8849	0.9118	0.9398	0.9912	0.0064	0.0093	0.08	0.052	0.0146	0.0053
Borda (Decorr)	0.8727	0.91	0.8989	0.9936	0.0035	0.0012	0.0818	0.0456	0.0018	0.0012
RRF (Decorr)	0.8762	0.9095	0.9036	0.993	0	0.007	0.0864	0.0461	0.0064	0.0041
Schulze (Decorr)	0.875	0.9106	0.9229	0.9936	0.0035	0.0199	0.0882	0.0748	0.0134	0.0134
Kemeny Young (Decorr)	0.8762	0.9089	0.9019	0.9936	0.0006	0.0058	0.09	0.0543	0.0029	0.0029

Table 84: BloodMNIST–ResNet-18

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.86273	0.91355	0.87909	0.99474	0	0	0.00818	0.01051	0.00117	0.00058
Simple Averaging	0.88493	0.9118	0.93984	0.99124	0.00643	0.00935	0.08002	0.05199	0.0146	0.00526
Borda	0.87266	0.91005	0.89895	0.99357	0.0035	0.00117	0.08178	0.04556	0.00175	0.00117
RRF	0.87617	0.90946	0.90362	0.99299	0	0.00701	0.08645	0.04614	0.00643	0.00409
Schulze	0.875	0.91063	0.9229	0.99357	0.0035	0.01986	0.0882	0.07477	0.01343	0.01343
Kemeny Young	0.87617	0.90888	0.90187	0.99357	0.00058	0.00584	0.08995	0.05432	0.00292	0.00292
Best Explanation (Decorr)	0.8627	0.9136	0.8791	0.9947	0.0029	0.0012	0.0082	0.0134	0.0012	0.0006
SimpleAvg (Decorr)	0.8849	0.9118	0.9398	0.9912	0.0064	0.0093	0.08	0.052	0.0146	0.0053
Borda (Decorr)	0.8727	0.91	0.8989	0.9936	0.0035	0.0012	0.0818	0.0456	0.0018	0.0012
RRF (Decorr)	0.8762	0.9095	0.9036	0.993	0	0.007	0.0864	0.0461	0.0064	0.0041
Schulze (Decorr)	0.875	0.9106	0.9229	0.9936	0.0035	0.0199	0.0882	0.0748	0.0134	0.0134
Kemeny Young (Decorr)	0.8762	0.9089	0.9019	0.9936	0.0006	0.0058	0.09	0.0543	0.0029	0.0029

Table 85: BloodMNIST–ResNet-18

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.71495	0.90713	0.71729	0.98306	0.00234	0	0.01285	0.02745	0.00058	0
Simple Averaging	0.84171	0.90596	0.875	0.9778	0.01227	0.02921	0.09171	0.04614	0.02745	0.02862
Borda (NAIVE)	0.81308	0.91063	0.82009	0.98481	0.01343	0.0257	0.15421	0.10572	0.0257	0.03505
Borda (THEORY)	0.74883	0.91121	0.74241	0.98773	0.00058	0.00234	0.16238	0.09346	0.00584	0.00117
RRF (NAIVE)	0.80082	0.91121	0.80666	0.98364	0.01402	0.02395	0.11565	0.06425	0.00993	0.01519
RRF (THEORY)	0.75584	0.91063	0.75584	0.98598	0.00058	0.00701	0.13785	0.07535	0.00818	0.00759
Schulze (NAIVE)	0.82886	0.90829	0.83002	0.98364	0.02745	0.02862	0.14136	0.07886	0.01051	0.01869
Schulze (THEORY)	0.75409	0.90713	0.74416	0.9778	0.00643	0.00234	0.17173	0.10047	0.00467	0.00058
Kemeny Young (NAIVE)	0.80724	0.91121	0.8125	0.98423	0.03096	0.04381	0.15771	0.10689	0.03329	0.03446
Kemeny Young (THEORY)	0.75643	0.91063	0.75175	0.9854	0.00467	0.00935	0.09638	0.03563	0.0111	0.00935

Table 86: BloodMNIST–ResNet-18

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.71495	0.90713	0.71729	0.98306	0.00234	0	0.01285	0.02745	0.00058	0
Simple Averaging	0.834696	0.911215	0.860981	0.984229	0.01227	0.02921	0.09171	0.04614	0.02745	0.02862
Borda	0.756425	0.910631	0.751752	0.985397	0.01343	0.0257	0.15421	0.10572	0.0257	0.03505
RRF	0.755841	0.910631	0.755841	0.985981	0.01402	0.02395	0.11565	0.06425	0.00993	0.01519
Schulze	0.764019	0.908879	0.762266	0.983645	0.02745	0.02862	0.14136	0.07886	0.01051	0.01869
Kemeny Young	0.777453	0.912383	0.781542	0.984813	0.03096	0.04381	0.15771	0.10689	0.03329	0.03446
Best Explanation (Decorr)	0.715	0.9071	0.7173	0.9819	0.0023	0	0.0129	0.0275	0.0006	0
SimpleAvg (Decorr)	0.8417	0.906	0.875	0.9778	0.0123	0.0292	0.0917	0.0461	0.0275	0.0286
Borda (Decorr)	0.7488	0.9112	0.7424	0.9877	0.0006	0.0023	0.1624	0.0935	0.0058	0.0012
RRF (Decorr)	0.7558	0.9106	0.7558	0.986	0.0006	0.007	0.1379	0.0754	0.0082	0.0076
Schulze (Decorr)	0.7541	0.9071	0.7442	0.9778	0.0064	0.0023	0.1717	0.1005	0.0047	0.0006
Kemeny Young (Decorr)	0.7564	0.9106	0.7518	0.9854	0.0047	0.0093	0.0964	0.0356	0.0111	0.0093

Table 87: BloodMNIST–ResNet-18

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.71495	0.90713	0.71729	0.98306	0.00234	0	0.01285	0.02745	0.00058	0
Simple Averaging	0.84171	0.90596	0.875	0.9778	0.01227	0.02921	0.09171	0.04614	0.02745	0.02862
Borda	0.74883	0.91121	0.74241	0.98773	0.00058	0.00234	0.16238	0.09346	0.00584	0.00117
RRF	0.75584	0.91063	0.75584	0.98598	0.00058	0.00701	0.13785	0.07535	0.00818	0.00759
Schulze	0.75409	0.90713	0.74416	0.9778	0.00643	0.00234	0.17173	0.10047	0.00467	0.00058
Kemeny Young	0.75643	0.91063	0.75175	0.9854	0.00467	0.00935	0.09638	0.03563	0.0111	0.00935
Best Explanation (Decorr)	0.715	0.9071	0.7173	0.9819	0.0023	0	0.0129	0.0275	0.0006	0
SimpleAvg (Decorr)	0.8417	0.906	0.875	0.9778	0.0123	0.0292	0.0917	0.0461	0.0275	0.0286
Borda (Decorr)	0.7488	0.9112	0.7424	0.9877	0.0006	0.0023	0.1624	0.0935	0.0058	0.0012
RRF (Decorr)	0.7558	0.9106	0.7558	0.986	0.0006	0.007	0.1379	0.0754	0.0082	0.0076
Schulze (Decorr)	0.7541	0.9071	0.7442	0.9778	0.0064	0.0023	0.1717	0.1005	0.0047	0.0006
Kemeny Young (Decorr)	0.7564	0.9106	0.7518	0.9854	0.0047	0.0093	0.0964	0.0356	0.0111	0.0093

Table 88: BloodMNIST–ResNet-18

					AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom						
Best Explanation	0.89077	0.91238	0.9375	0.99883	0.00058	0.00117	0.01227	0.0035	0.00701	0.00058
Simple Averaging	0.89661	0.91005	0.97371	0.99766	0.00818	0.00935	0.04498	0.02161	0.00935	0.00526
Borda (NAIVE)	0.90187	0.91121	0.94743	0.99883	0.00993	0.00058	0.06075	0.02044	0.0111	0.00292
Borda (THEORY)	0.89895	0.9118	0.94509	0.99825	0.00234	0.00643	0.06425	0.03213	0.01519	0.0035
RRF (NAIVE)	0.90245	0.91121	0.94626	0.99883	0.00993	0.00175	0.05958	0.01577	0.01051	0.00058
RRF (THEORY)	0.90012	0.91121	0.93575	0.99766	0.01285	0.00759	0.07652	0.03329	0.0222	0.00526
Schulze (NAIVE)	0.90245	0.9118	0.9521	0.99825	0.00701	0	0.05549	0.01694	0.01285	0.00643
Schulze (THEORY)	0.89661	0.9118	0.94217	0.99825	0.00584	0.00643	0.07126	0.04498	0.0146	0.00234
Kemeny Young (NAIVE)	0.89895	0.91121	0.94801	0.99883	0.00526	0.00526	0.05958	0.02745	0.01227	0.00058
Kemeny Young (THEORY)	0.90129	0.91121	0.93341	0.99766	0.01577	0.00292	0.07769	0.02979	0.02453	0.00292

Table 89: BloodMNIST–ResNet-18

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.89077	0.91238	0.9375	0.99883	0.00058	0.00117	0.01227	0.0035	0.00701	0.00058
Simple Averaging	0.900701	0.912383	0.978388	0.995911	0.00818	0.00935	0.04498	0.02161	0.00935	0.00526
Borda	0.898949	0.911799	0.941589	0.998248	0.00993	0.00058	0.06075	0.02044	0.0111	0.00292
RRF	0.901869	0.911799	0.941005	0.998248	0.00993	0.00175	0.05958	0.01577	0.01051	0.00058
Schulze	0.896612	0.911799	0.942173	0.998248	0.00701	0	0.05549	0.01694	0.01285	0.00643
Kemeny Young	0.898949	0.911799	0.945093	0.998248	0.00526	0.00526	0.05958	0.02745	0.01227	0.00058
Best Explanation (Decorr)	0.8908	0.9159	0.9375	0.9988	0.0018	0	0.0123	0.0029	0.007	0.0006
SimpleAvg (Decorr)	0.8966	0.91	0.9737	0.9977	0.0082	0.0093	0.045	0.0216	0.0093	0.0053
Borda (Decorr)	0.8989	0.9118	0.9451	0.9982	0.0023	0.0064	0.0643	0.0321	0.0152	0.0035
RRF (Decorr)	0.9001	0.9112	0.9357	0.9977	0.0129	0.0076	0.0765	0.0333	0.0222	0.0053
Schulze (Decorr)	0.8966	0.9118	0.9422	0.9982	0.0058	0.0064	0.0713	0.045	0.0146	0.0023
Kemeny Young (Decorr)	0.9013	0.9112	0.9334	0.9977	0.0158	0.0029	0.0777	0.0298	0.0245	0.0029

Table 90: BloodMNIST–ResNet-18

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.89077	0.91238	0.9375	0.99883	0.00058	0.00117	0.01227	0.0035	0.00701	0.00058
Simple Averaging	0.89661	0.91005	0.97371	0.99766	0.00818	0.00935	0.04498	0.02161	0.00935	0.00526
Borda	0.89895	0.9118	0.94509	0.99825	0.00234	0.00643	0.06425	0.03213	0.01519	0.0035
RRF	0.90012	0.91121	0.93575	0.99766	0.01285	0.00759	0.07652	0.03329	0.0222	0.00526
Schulze	0.89661	0.9118	0.94217	0.99825	0.00584	0.00643	0.07126	0.04498	0.0146	0.00234
Kemeny Young	0.90129	0.91121	0.93341	0.99766	0.01577	0.00292	0.07769	0.02979	0.02453	0.00292
Best Explanation (Decorr)	0.8908	0.9159	0.9375	0.9988	0.0018	0	0.0123	0.0029	0.007	0.0006
SimpleAvg (Decorr)	0.8966	0.91	0.9737	0.9977	0.0082	0.0093	0.045	0.0216	0.0093	0.0053
Borda (Decorr)	0.8989	0.9118	0.9451	0.9982	0.0023	0.0064	0.0643	0.0321	0.0152	0.0035
RRF (Decorr)	0.9001	0.9112	0.9357	0.9977	0.0129	0.0076	0.0765	0.0333	0.0222	0.0053
Schulze (Decorr)	0.8966	0.9118	0.9422	0.9982	0.0058	0.0064	0.0713	0.045	0.0146	0.0023
Kemeny Young (Decorr)	0.9013	0.9112	0.9334	0.9977	0.0158	0.0029	0.0777	0.0298	0.0245	0.0029

Table 91: BloodMNIST–ResNet-18

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.61799	0.90421	0.6028	0.97196	0.00234	0.00175	0.01869	0.00584	0.00117	0.00175
Simple Averaging	0.7389	0.90012	0.74533	0.96437	0.01869	0.03388	0.11098	0.04848	0.01928	0.02745
Borda (NAIVE)	0.67114	0.90421	0.65596	0.96671	0.00993	0.02161	0.11157	0.04439	0.01051	0.00234
Borda (THEORY)	0.60572	0.91005	0.59463	0.96671	0.0035	0.00993	0.12792	0.06133	0.01227	0.00467
RRF (NAIVE)	0.66414	0.90421	0.65421	0.97255	0.00759	0.01694	0.09463	0.03037	0.01577	0.00292
RRF (THEORY)	0.61215	0.91005	0.59871	0.96554	0.00643	0.00467	0.10572	0.03271	0.01227	0.00876
Schulze (NAIVE)	0.691	0.90129	0.66998	0.96846	0.02979	0.03388	0.11974	0.05315	0.00175	0.00759
Schulze (THEORY)	0.66822	0.90654	0.64778	0.96729	0.00467	0.01168	0.11799	0.03972	0.00701	0.0035
Kemeny Young (NAIVE)	0.65946	0.90421	0.64953	0.96904	0.00526	0.02804	0.12325	0.05549	0.01051	0.00058
Kemeny Young (THEORY)	0.64428	0.90596	0.62617	0.96787	0.00876	0.01519	0.16005	0.08353	0.00935	0.00117

Table 92: BloodMNIST–ResNet-18

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.61799	0.90421	0.6028	0.97196	0.00234	0.00175	0.01869	0.00584	0.00117	0.00175
Simple Averaging	0.713201	0.901869	0.723715	0.969042	0.01869	0.03388	0.11098	0.04848	0.01928	0.02745
Borda	0.644276	0.905958	0.626168	0.967874	0.00993	0.02161	0.11157	0.04439	0.01051	0.00234
RRF	0.65771	0.90771	0.63785	0.969042	0.00759	0.01694	0.09463	0.03037	0.01577	0.00292
Schulze	0.668224	0.906542	0.64778	0.96729	0.02979	0.03388	0.11974	0.05315	0.00175	0.00759
Kemeny Young	0.676402	0.908879	0.66472	0.966121	0.00526	0.02804	0.12325	0.05549	0.01051	0.00058
Best Explanation (Decorr)	0.618	0.9042	0.6028	0.972	0.0023	0.0018	0.0187	0.021	0.0012	0.0047
SimpleAvg (Decorr)	0.7389	0.9001	0.7453	0.9644	0.0187	0.0339	0.111	0.0485	0.0193	0.0275
Borda (Decorr)	0.6057	0.91	0.5946	0.9667	0.0035	0.0099	0.1279	0.0613	0.0123	0.0047
RRF (Decorr)	0.6121	0.91	0.5987	0.9655	0.0064	0.0047	0.1057	0.0327	0.0123	0.0088
Schulze (Decorr)	0.6682	0.9065	0.6478	0.9673	0.0047	0.0117	0.118	0.0397	0.007	0.0035
Kemeny Young (Decorr)	0.6443	0.906	0.6262	0.9679	0.0088	0.0152	0.16	0.0835	0.0093	0.0012

Table 93: BloodMNIST–ResNet-18

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.61799	0.90421	0.6028	0.97196	0.00234	0.00175	0.01869	0.00584	0.00117	0.00175
Simple Averaging	0.7389	0.90012	0.74533	0.96437	0.01869	0.03388	0.11098	0.04848	0.01928	0.02745
Borda	0.60572	0.91005	0.59463	0.96671	0.0035	0.00993	0.12792	0.06133	0.01227	0.00467
RRF	0.61215	0.91005	0.59871	0.96554	0.00643	0.00467	0.10572	0.03271	0.01227	0.00876
Schulze	0.66822	0.90654	0.64778	0.96729	0.00467	0.01168	0.11799	0.03972	0.00701	0.0035
Kemeny Young	0.64428	0.90596	0.62617	0.96787	0.00876	0.01519	0.16005	0.08353	0.00935	0.00117
Best Explanation (Decorr)	0.618	0.9042	0.6028	0.972	0.0023	0.0018	0.0187	0.021	0.0012	0.0047
SimpleAvg (Decorr)	0.7389	0.9001	0.7453	0.9644	0.0187	0.0339	0.111	0.0485	0.0193	0.0275
Borda (Decorr)	0.6057	0.91	0.5946	0.9667	0.0035	0.0099	0.1279	0.0613	0.0123	0.0047
RRF (Decorr)	0.6121	0.91	0.5987	0.9655	0.0064	0.0047	0.1057	0.0327	0.0123	0.0088
Schulze (Decorr)	0.6682	0.9065	0.6478	0.9673	0.0047	0.0117	0.118	0.0397	0.007	0.0035
Kemeny Young (Decorr)	0.6443	0.906	0.6262	0.9679	0.0088	0.0152	0.16	0.0835	0.0093	0.0012

Table 94: BloodMNIST–ResNet-18

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Borda (n=2)	Ensemble	0.879089	0.908879	0.910631	0.997079
Borda (n=3)	Ensemble	0.889019	0.925818	0.910631	0.997079
Borda (n=4)	Ensemble	0.886682	0.926986	0.910047	0.997664
Borda (n=5)	Ensemble	0.88785	0.933411	0.910631	0.997079
Borda (n=6)	Ensemble	0.884346	0.929907	0.910047	0.997664
Borda (n=7)	Ensemble	0.885514	0.924065	0.910631	0.997079
Borda (n=8)	Ensemble	0.884346	0.922313	0.910047	0.996495
Kemeny Young (n=2)	Ensemble	0.879089	0.908879	0.910631	0.997079
Kemeny Young (n=3)	Ensemble	0.889019	0.925818	0.910631	0.997079
Kemeny Young (n=4)	Ensemble	0.886682	0.926986	0.910047	0.997664
Kemeny Young (n=5)	Ensemble	0.88785	0.933411	0.910631	0.997079
Kemeny Young (n=6)	Ensemble	0.884346	0.929907	0.910047	0.997664
Kemeny Young (n=7)	Ensemble	0.885514	0.924065	0.910631	0.997079
Kemeny Young (n=8)	Ensemble	0.884346	0.922313	0.910047	0.996495
RRF (n=2)	Ensemble	0.880841	0.910047	0.910631	0.997079
RRF (n=3)	Ensemble	0.887266	0.922897	0.910631	0.997079
RRF (n=4)	Ensemble	0.888435	0.928738	0.910047	0.997664
RRF (n=5)	Ensemble	0.88785	0.929907	0.910631	0.997079
RRF (n=6)	Ensemble	0.885514	0.925234	0.910047	0.997664
RRF (n=7)	Ensemble	0.88785	0.926986	0.910631	0.997079
RRF (n=8)	Ensemble	0.886098	0.920561	0.910047	0.996495
Schulze (n=2)	Ensemble	0.880257	0.911215	0.911215	0.996495
Schulze (n=3)	Ensemble	0.887266	0.923481	0.911799	0.997079
Schulze (n=4)	Ensemble	0.887266	0.94743	0.911799	0.998248
Schulze (n=5)	Ensemble	0.894276	0.934579	0.911215	0.997664
Schulze (n=6)	Ensemble	0.88493	0.931075	0.910047	0.997664
Schulze (n=7)	Ensemble	0.890771	0.930491	0.911799	0.997079
Schulze (n=8)	Ensemble	0.890771	0.928154	0.912967	0.997079
Norm Ensemble (n=2)	Ensemble	0.901285	0.962033	0.910631	0.998248
Norm Ensemble (n=3)	Ensemble	0.893107	0.960864	0.911215	0.996495
Norm Ensemble (n=4)	Ensemble	0.891355	0.96729	0.909463	0.995911
Norm Ensemble (n=5)	Ensemble	0.889603	0.964953	0.911215	0.995327
Norm Ensemble (n=6)	Ensemble	0.891939	0.965537	0.910631	0.991822
Norm Ensemble (n=7)	Ensemble	0.885514	0.961449	0.911215	0.995327
Norm Ensemble (n=8)	Ensemble	0.886682	0.958528	0.912383	0.992991
Deconvolution	Single	0.888435	0.954439	0.910047	0.995327
DeepLIFT SHAP	Single	0.888435	0.954439	0.910047	0.995327
Baselines Combined Zng	Single	0.901285	0.934579	0.911215	0.992991
DeepLIFT SHAP	Single	0.901285	0.934579	0.911215	0.992991
Baselines Combined Zng	Single	0.901285	0.934579	0.911215	0.992991
DeepLIFT SHAP	Single	0.901285	0.934579	0.911215	0.992991
Baselines Combined Zng	Single	0.901285	0.934579	0.911215	0.992991
DeepLIFT Baselines	Single	0.88493	0.922313	0.911215	0.995911
Global Mean	Single	0.88493	0.922313	0.911215	0.995911
DeepLIFT Baselines	Single	0.88493	0.922313	0.911215	0.995911
Global Mean	Single	0.88493	0.94743	0.903037	0.986565
FeatureAblation Patch	Single	0.88493	0.94743	0.903037	0.986565
Size 16	Single	0.88493	0.94743	0.903037	0.986565
FeatureAblation Patch	Single	0.88493	0.94743	0.903037	0.986565
Size 16	Single	0.88493	0.94743	0.903037	0.986565
GradientShap Baselines	Single	0.891939	0.936332	0.912967	0.995327
Combined Zng N	Single	0.891939	0.936332	0.912967	0.995327
Samples 20	Single	0.891939	0.936332	0.912967	0.995327
GradientShap Baselines	Single	0.891939	0.936332	0.912967	0.995327
Combined Zng N	Single	0.891939	0.936332	0.912967	0.995327
Samples 20	Single	0.891939	0.936332	0.912967	0.995327
GradientShap Baselines	Single	0.892523	0.930491	0.911215	0.997664
Combined Zng N	Single	0.892523	0.930491	0.911215	0.997664
Samples 40	Single	0.892523	0.930491	0.911215	0.997664
GradientShap Baselines	Single	0.892523	0.930491	0.911215	0.997664
Combined Zng N	Single	0.892523	0.930491	0.911215	0.997664
Samples 40	Single	0.892523	0.930491	0.911215	0.997664
GuidedBackprop	Single	0.891355	0.919393	0.911215	0.994743
GuidedBackprop	Single	0.891355	0.919393	0.911215	0.994743
InputXGradient	Single	0.887266	0.963201	0.910631	0.990654
InputXGradient	Single	0.887266	0.963201	0.910631	0.990654
IntegratedGradients	Single	0.886098	0.949182	0.908879	0.989486
Baselines Zero N Steps	Single	0.886098	0.949182	0.908879	0.989486
200	Single	0.886098	0.949182	0.908879	0.989486
IntegratedGradients	Single	0.886098	0.949182	0.908879	0.989486
Baselines Zero N Steps	Single	0.886098	0.949182	0.908879	0.989486
200	Single	0.886098	0.949182	0.908879	0.989486
IntegratedGradients	Single	0.88785	0.950935	0.908879	0.989486
Baselines Zero N Steps	Single	0.88785	0.950935	0.908879	0.989486
50	Single	0.88785	0.950935	0.908879	0.989486
IntegratedGradients	Single	0.88785	0.950935	0.908879	0.989486
Baselines Zero N Steps	Single	0.88785	0.950935	0.908879	0.989486
50	Single	0.88785	0.950935	0.908879	0.989486
Occlusion Baselines	Single	0.889603	0.918224	0.907126	0.99007
Global Mean Patch Size	Single	0.889603	0.918224	0.907126	0.99007
16	Single	0.889603	0.918224	0.907126	0.99007

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Occlusion Baselines	Single	0.889603	0.918224	0.907126	0.99007
Global Mean Patch Size 16					
Saliency	Single	0.883762	0.955023	0.909463	0.994159
Saliency	Single	0.883762	0.955023	0.909463	0.994159

Table 95: BloodMNIST–ResNet-18

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Borda (n=2)	Ensemble	0.000584	0.003505	0.079439	0.036799	0.00993	0.001752	0.003505	0.001168	0.026285	0.014019	0.01285	0.002336
Borda (n=3)	Ensemble	0.001752	0.007593	0.091121	0.067757	0.018107	0.002921	0.003505	0.001168	0.026285	0.014019	0.01285	0.002336
Borda (n=4)	Ensemble	0.004089	0.003505	0.080023	0.060164	0.008762	0.001168	0.004673	0.003505	0.024533	0.012266	0.01285	0.003505
Borda (n=5)	Ensemble	0.002921	0.005841	0.07535	0.054907	0.007593	0.005257	0.005257	0.004089	0.028037	0.010514	0.014019	0.002336
Borda (n=6)	Ensemble	0.005257	0	0.073014	0.048481	0.005841	0.002336	0.004673	0.005841	0.024533	0.009346	0.014019	0.002336
Borda (n=7)	Ensemble	0	0.007593	0.074766	0.040888	0.00993	0.004673	0.005841	0.004673	0.024533	0.008762	0.013435	0.001752
Borda (n=8)	Ensemble	0.001168	0.000584	0.067173	0.036215	0.011098	0.007009	0.003505	0.004673	0.025701	0.009346	0.01285	0.002336
Kemeny Young (n=2)	Ensemble	0.000584	0.003505	0.079439	0.036799	0.00993	0.001752	0.003505	0.001168	0.026285	0.014019	0.01285	0.002336
Kemeny Young (n=3)	Ensemble	0.001752	0.007593	0.091121	0.067757	0.018107	0.002921	0.003505	0.001168	0.026285	0.014019	0.01285	0.002336
Kemeny Young (n=4)	Ensemble	0.004089	0.003505	0.080023	0.060164	0.008762	0.001168	0.004673	0.003505	0.024533	0.012266	0.01285	0.003505
Kemeny Young (n=5)	Ensemble	0.002921	0.005841	0.07535	0.054907	0.007593	0.005257	0.005257	0.004089	0.028037	0.010514	0.014019	0.002336
Kemeny Young (n=6)	Ensemble	0.005257	0	0.073014	0.048481	0.005841	0.002336	0.004673	0.005841	0.024533	0.009346	0.014019	0.002336
Kemeny Young (n=7)	Ensemble	0	0.007593	0.074766	0.040888	0.00993	0.004673	0.005841	0.004673	0.024533	0.008762	0.013435	0.001752
Kemeny Young (n=8)	Ensemble	0.001168	0.000584	0.067173	0.036215	0.011098	0.007009	0.003505	0.004673	0.025701	0.009346	0.01285	0.002336
RRF (n=2)	Ensemble	0.001752	0.003505	0.079439	0.038551	0.014603	0.001168	0.002921	0.000584	0.025701	0.014603	0.012266	0.002921
RRF (n=3)	Ensemble	0.001168	0.008178	0.089953	0.067173	0.013435	0.001752	0.004089	0.001752	0.026285	0.014019	0.012266	0.001752
RRF (n=4)	Ensemble	0.001168	0.002921	0.083528	0.059579	0.013435	0.004089	0.004673	0.003505	0.024533	0.012266	0.01285	0.003505
RRF (n=5)	Ensemble	0.004089	0.004089	0.078271	0.048481	0.00993	0.005257	0.004673	0.003505	0.027453	0.00993	0.01285	0.002336
RRF (n=6)	Ensemble	0.002921	0.003505	0.070678	0.04264	0.008178	0.003505	0.005841	0.005841	0.025117	0.008178	0.014019	0.002336
RRF (n=7)	Ensemble	0.000584	0.005257	0.078271	0.04264	0.014603	0.005257	0.006425	0.005257	0.024533	0.009346	0.013435	0.001752
RRF (n=8)	Ensemble	0.002336	0.006425	0.067173	0.025701	0.011098	0.004673	0.004089	0.004089	0.024533	0.007593	0.01285	0.002336
Schulze (n=2)	Ensemble	0.004673	0.004089	0.080023	0.03972	0.013435	0.007593	0.004089	0.000584	0.027453	0.015187	0.015771	0.001752
Schulze (n=3)	Ensemble	0.004089	0.010514	0.093458	0.070093	0.014603	0.004673	0.005257	0.001752	0.026869	0.014019	0.015771	0.001752
Schulze (n=4)	Ensemble	0.001168	0.003505	0.081776	0.070678	0.010514	0.010514	0.006425	0.004089	0.027453	0.015187	0.014603	0.002921
Schulze (n=5)	Ensemble	0.007593	0.002921	0.07243	0.036799	0.020444	0.003505	0.007009	0.004673	0.026285	0.011682	0.014019	0.003505
Schulze (n=6)	Ensemble	0.001752	0.001168	0.074766	0.037383	0.008178	0.000584	0.005257	0.005257	0.025701	0.012266	0.013435	0.001752
Schulze (n=7)	Ensemble	0.001752	0.004673	0.07535	0.035047	0.013435	0.002921	0.007593	0.004089	0.026869	0.011098	0.014603	0.004089
Schulze (n=8)	Ensemble	0.000584	0.005257	0.067757	0.025701	0.014603	0.001752	0.007009	0.003505	0.027453	0.011098	0.015187	0.003505
Norm Ensemble (n=2)	Ensemble	0.013435	0.004089	0.047897	0.021028	0.016355	0.005257	0.005257	0.002921	0.026869	0.014603	0.012266	0.004089
Norm Ensemble (n=3)	Ensemble	0.002336	0.004089	0.068341	0.043808	0.011098	0.000584	0.005841	0.001168	0.027453	0.015187	0.015187	0.005841
Norm Ensemble (n=4)	Ensemble	0	0.004673	0.069509	0.054907	0.016355	0.004673	0.004089	0.002921	0.027453	0.011098	0.011682	0.003505
Norm Ensemble (n=5)	Ensemble	0.002921	0.001752	0.070678	0.051986	0.012266	0.003505	0.005841	0.003505	0.028037	0.007593	0.014019	0.003505
Norm Ensemble (n=6)	Ensemble	0.001168	0.007009	0.070093	0.053738	0.00993	0.004089	0.004673	0.000584	0.032126	0.000584	0.011098	0.001168
Norm Ensemble (n=7)	Ensemble	0.009346	0.001168	0.057827	0.044977	0.002921	0.001168	0.006425	0.004089	0.028037	0.017523	0.012266	0.001752
Norm Ensemble (n=8)	Ensemble	0.001168	0	0.055491	0.039136	0.005841	0.001168	0.005841	0.001168	0.028621	0.011098	0.011682	0.001168
Deconvolution	Single	0.006425	0.001168	0.048481	0.012266	0.00993	0.005257	0.006425	0.002921	0.021612	0.017523	0.013435	0.001752
Deconvolution	Single	0.006425	0.001168	0.048481	0.012266	0.00993	0.005257	0.006425	0.002921	0.021612	0.017523	0.013435	0.001752
DeepLIFT SHAP	Single	0.003505	0.002921	0.068341	0.018107	0.014603	0.004673	0.008762	0.002921	0.025701	0.015771	0.016355	0.001168
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.003505	0.002921	0.068341	0.018107	0.014603	0.004673	0.008762	0.002921	0.025701	0.015771	0.016355	0.001168
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.003505	0.002921	0.068341	0.018107	0.014603	0.004673	0.008762	0.002921	0.025701	0.015771	0.016355	0.001168
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.003505	0.002921	0.068341	0.018107	0.014603	0.004673	0.008762	0.002921	0.025701	0.015771	0.016355	0.001168
Baselines Combined Zng													
DeepLIFT Baselines	Single	0.014019	0.000584	0.069509	0.016939	0.019276	0.000584	0.004673	0.001752	0.02979	0.006425	0.013435	0.001168
Global Mean													
DeepLIFT Baselines	Single	0.014019	0.000584	0.069509	0.016939	0.019276	0.000584	0.004673	0.001752	0.02979	0.006425	0.013435	0.001168
Global Mean													
FeatureAblation Patch	Single	0.004089	0.004673	0.037967	0.035631	0.007593	0.000584	0.004089	0.003505	0.02278	0.004673	0.014019	0.002921
Size 16													
FeatureAblation Patch	Single	0.004089	0.004673	0.037967	0.035631	0.007593	0.000584	0.004089	0.003505	0.02278	0.004673	0.014019	0.002921
Size 16													
GradientShap Baselines	Single	0.003505	0.002336	0.054907	0.014019	0.017523	0.004673	0.010514	0.004089	0.030374	0.010514	0.014603	0.003505
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.003505	0.002336	0.054907	0.014019	0.017523	0.004673	0.010514	0.004089	0.030374	0.010514	0.014603	0.003505
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.002336	0.006425	0.054907	0.003505	0.010514	0.001752	0.007009	0.004673	0.028037	0.012266	0.01285	0.002336
Combined Zng N													
Samples 40													
GradientShap Baselines	Single	0.002336	0.006425	0.054907	0.003505	0.010514	0.001752	0.007009	0.004673	0.028037	0.012266	0.01285	0.002336
Combined Zng N													
Samples 40													
GuidedBackprop	Single	0.007593	0.000584	0.077103	0.041472	0.013435	0.002336	0.004673	0.000584	0.029206	0.005257	0.014019	0.000584
GuidedBackprop	Single	0.007593	0.000584	0.077103	0.041472	0.013435	0.002336	0.004673	0.000584	0.029206	0.005257	0.014019	0.000584
InputXGradient	Single	0	0.007593	0.001168	0.022196	0.010514	0.00993	0.009346	0.002921	0.030958	0.007593	0.015771	0.004089
InputXGradient	Single	0	0.007593	0.001168	0.022196	0.010514	0.00993	0.009346	0.002921	0.030958	0.007593	0.015771	0.004089
IntegratedGradients	Single	0.003505	0.004673	0.034463	0.01285	0.010514	0.00993	0.004673	0.000584	0.033294	0.008762	0.013435	0.001168
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.003505	0.004673	0.034463	0.01285	0.010514	0.00993	0.004673	0.000584	0.033294	0.008762	0.013435	0.001168
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.006425	0.005257	0.03271	0.011682	0.011682	0.012266	0.004089	0.001168	0.032126	0.008762	0.014019	0.001752
Baselines Zero N Steps													
50													
IntegratedGradients	Single	0.006425	0.005257	0.03271	0.011682	0.011682	0.012266	0.004089	0.001168	0.032126	0.008762	0.014019	0.001752
Baselines Zero N Steps													
50													

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Occlusion Baselines Global Mean Patch Size 16	Single	0.011682	0.000584	0.083528	0.046729	0.014019	0.002921	0.005257	0.001168	0.029206	0.003505	0.011098	0.001168
Occlusion Baselines Global Mean Patch Size 16	Single	0.011682	0.000584	0.083528	0.046729	0.014019	0.002921	0.005257	0.001168	0.029206	0.003505	0.011098	0.001168
Saliency	Single	0.004673	0.011098	0.00993	0.005841	0.016355	0.007593	0.004673	0.001168	0.024533	0.01285	0.012266	0.002336
Saliency	Single	0.004673	0.011098	0.00993	0.005841	0.016355	0.007593	0.004673	0.001168	0.024533	0.01285	0.012266	0.002336

Table 96: BloodMNIST–ResNet-18

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Borda (n=2)	Ensemble	0.890187	0.904206	0.911215	0.992407
Borda (n=3)	Ensemble	0.88493	0.902453	0.910047	0.995327
Borda (n=4)	Ensemble	0.883762	0.909463	0.908879	0.993575
Borda (n=5)	Ensemble	0.876168	0.901869	0.908879	0.993575
Borda (n=6)	Ensemble	0.872664	0.898949	0.910047	0.993575
Borda (n=7)	Ensemble	0.879089	0.898949	0.908879	0.993575
Borda (n=8)	Ensemble	0.882009	0.899533	0.909463	0.992991
Kemeny Young (n=2)	Ensemble	0.890187	0.904206	0.911215	0.992407
Kemeny Young (n=3)	Ensemble	0.88493	0.902453	0.910047	0.995327
Kemeny Young (n=4)	Ensemble	0.883762	0.909463	0.908879	0.993575
Kemeny Young (n=5)	Ensemble	0.876168	0.901869	0.908879	0.993575
Kemeny Young (n=6)	Ensemble	0.872664	0.898949	0.910047	0.993575
Kemeny Young (n=7)	Ensemble	0.879089	0.898949	0.908879	0.993575
Kemeny Young (n=8)	Ensemble	0.882009	0.899533	0.909463	0.992991
RRF (n=2)	Ensemble	0.889603	0.905374	0.910631	0.992407
RRF (n=3)	Ensemble	0.883178	0.898949	0.910047	0.994159
RRF (n=4)	Ensemble	0.879673	0.911215	0.908879	0.993575
RRF (n=5)	Ensemble	0.876168	0.903621	0.909463	0.992991
RRF (n=6)	Ensemble	0.877336	0.904206	0.909463	0.994159
RRF (n=7)	Ensemble	0.879673	0.901285	0.910631	0.994159
RRF (n=8)	Ensemble	0.881425	0.898949	0.910047	0.993575
Schulze (n=2)	Ensemble	0.886682	0.897196	0.910047	0.993575
Schulze (n=3)	Ensemble	0.88493	0.911215	0.909463	0.994743
Schulze (n=4)	Ensemble	0.875	0.922897	0.910631	0.993575
Schulze (n=5)	Ensemble	0.878505	0.907126	0.910047	0.994743
Schulze (n=6)	Ensemble	0.882009	0.905958	0.910047	0.992407
Schulze (n=7)	Ensemble	0.882009	0.904206	0.911215	0.992407
Schulze (n=8)	Ensemble	0.883178	0.906542	0.912383	0.992991
Norm Ensemble (n=2)	Ensemble	0.894276	0.945678	0.909463	0.992991
Norm Ensemble (n=3)	Ensemble	0.892523	0.943341	0.911215	0.992407
Norm Ensemble (n=4)	Ensemble	0.882009	0.945678	0.911215	0.991822
Norm Ensemble (n=5)	Ensemble	0.882009	0.945678	0.910047	0.991822
Norm Ensemble (n=6)	Ensemble	0.878505	0.940421	0.911215	0.988902
Norm Ensemble (n=7)	Ensemble	0.881425	0.946262	0.912967	0.992407
Norm Ensemble (n=8)	Ensemble	0.88493	0.939836	0.911799	0.991238
Deconvolution	Single	0.873248	0.935164	0.907126	0.994743
Deconvolution	Single	0.873248	0.935164	0.907126	0.994743
DeepLIFT SHAP	Single	0.889603	0.905958	0.910047	0.988902
Baselines Combined Zng	Single	0.889603	0.905958	0.910047	0.988902
DeepLIFT SHAP	Single	0.889603	0.905958	0.910047	0.988902
Baselines Combined Zng	Single	0.889603	0.905958	0.910047	0.988902
DeepLIFT SHAP	Single	0.889603	0.905958	0.910047	0.988902
Baselines Combined Zng	Single	0.885514	0.912383	0.910047	0.992407
DeepLIFT Baselines	Single	0.885514	0.912383	0.910047	0.992407
Global Mean	Single	0.871495	0.921729	0.900701	0.97722
FeatureAblation Patch Size 16	Single	0.871495	0.921729	0.900701	0.97722
GradientShap Baselines Combined Zng N Samples 20	Single	0.889603	0.920561	0.910631	0.990654
GradientShap Baselines Combined Zng N Samples 20	Single	0.889603	0.920561	0.910631	0.990654
GradientShap Baselines Combined Zng N Samples 40	Single	0.884346	0.908294	0.911215	0.992407
GradientShap Baselines Combined Zng N Samples 40	Single	0.884346	0.908294	0.911215	0.992407
GuidedBackprop	Single	0.862734	0.879089	0.913551	0.990654
GuidedBackprop	Single	0.862734	0.879089	0.913551	0.990654
InputXGradient	Single	0.876168	0.943341	0.903037	0.974299
InputXGradient	Single	0.876168	0.943341	0.903037	0.974299
IntegratedGradients	Single	0.874416	0.924065	0.904206	0.982477
Baselines Zero N Steps 200	Single	0.874416	0.924065	0.904206	0.982477
IntegratedGradients	Single	0.872664	0.924065	0.903621	0.981893
Baselines Zero N Steps 50	Single	0.872664	0.924065	0.903621	0.981893
IntegratedGradients	Single	0.872664	0.924065	0.903621	0.981893
Baselines Zero N Steps 50	Single	0.872664	0.924065	0.903621	0.981893
Occlusion Baselines	Single	0.890187	0.90479	0.902453	0.984813
Global Mean Patch Size 16	Single	0.890187	0.90479	0.902453	0.984813

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Occlusion Baselines	Single	0.890187	0.90479	0.902453	0.984813
Global Mean Patch Size 16					
Saliency	Single	0.877336	0.943925	0.910047	0.985397
Saliency	Single	0.877336	0.943925	0.910047	0.985397

Table 97: BloodMNIST–ResNet-18

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Borda (n=2)	Ensemble	0.016355	0.014019	0.10514	0.050818	0.010514	0.005841	0.008762	0.003505	0.014603	0.033294	0.014019	0.000584
Borda (n=3)	Ensemble	0.013435	0.014603	0.107477	0.070678	0.016355	0.007593	0.007009	0.004673	0.015187	0.035631	0.013435	0.002921
Borda (n=4)	Ensemble	0.013435	0.015771	0.101636	0.065421	0.01285	0.004673	0.005841	0.001752	0.017523	0.026869	0.01285	0.000584
Borda (n=5)	Ensemble	0.000584	0.005841	0.089953	0.054322	0.002921	0.002921	0.007593	0.003505	0.019276	0.026869	0.014019	0.001752
Borda (n=6)	Ensemble	0.003505	0.001168	0.081776	0.045561	0.001752	0.001168	0.008178	0.004089	0.02278	0.018692	0.014603	0.002336
Borda (n=7)	Ensemble	0.009346	0.007009	0.095794	0.044393	0.014019	0.001168	0.007009	0.004089	0.02278	0.018692	0.010514	0.002921
Borda (n=8)	Ensemble	0.010514	0.009346	0.092874	0.036799	0.014603	0.005257	0.007009	0.002921	0.021612	0.021028	0.012266	0.002336
Kemeny Young (n=2)	Ensemble	0.016355	0.014019	0.10514	0.050818	0.010514	0.005841	0.008762	0.003505	0.014603	0.033294	0.014019	0.000584
Kemeny Young (n=3)	Ensemble	0.013435	0.014603	0.107477	0.070678	0.016355	0.007593	0.007009	0.004673	0.015187	0.035631	0.013435	0.002921
Kemeny Young (n=4)	Ensemble	0.013435	0.015771	0.101636	0.065421	0.01285	0.004673	0.005841	0.001752	0.017523	0.026869	0.01285	0.000584
Kemeny Young (n=5)	Ensemble	0.000584	0.005841	0.089953	0.054322	0.002921	0.002921	0.007593	0.003505	0.019276	0.026869	0.014019	0.001752
Kemeny Young (n=6)	Ensemble	0.003505	0.001168	0.081776	0.045561	0.001752	0.001168	0.008178	0.004089	0.02278	0.018692	0.014603	0.002336
Kemeny Young (n=7)	Ensemble	0.009346	0.007009	0.095794	0.044393	0.014019	0.001168	0.007009	0.004089	0.02278	0.018692	0.010514	0.002921
Kemeny Young (n=8)	Ensemble	0.010514	0.009346	0.092874	0.036799	0.014603	0.005257	0.007009	0.002921	0.021612	0.021028	0.012266	0.002336
RRF (n=2)	Ensemble	0.014603	0.010514	0.105724	0.051402	0.012266	0.004673	0.007593	0.002921	0.014603	0.03271	0.012266	0.001752
RRF (n=3)	Ensemble	0.015771	0.014019	0.106308	0.064252	0.019276	0.009346	0.007593	0.002921	0.015187	0.034463	0.013435	0.001752
RRF (n=4)	Ensemble	0.00993	0.018107	0.099299	0.070093	0.00993	0.010514	0.005257	0.001168	0.018692	0.025701	0.012266	0.001168
RRF (n=5)	Ensemble	0	0.007009	0.086449	0.046145	0.006425	0.004089	0.008178	0.002921	0.01986	0.025117	0.014603	0.001168
RRF (n=6)	Ensemble	0.004673	0.005257	0.086449	0.048481	0.00993	0.004673	0.006425	0.004673	0.023949	0.015771	0.014019	0.002921
RRF (n=7)	Ensemble	0.009346	0.009346	0.090537	0.041472	0.012266	0.001752	0.008178	0.004089	0.025701	0.015771	0.012266	0.003505
RRF (n=8)	Ensemble	0.014603	0.005257	0.093458	0.039136	0.01285	0.001752	0.007593	0.003505	0.025117	0.017523	0.01285	0.002921
Schulze (n=2)	Ensemble	0.019276	0.010514	0.106893	0.050234	0.010514	0.005257	0.004673	0.002921	0.014603	0.035631	0.011682	0.000584
Schulze (n=3)	Ensemble	0.008762	0.017523	0.109813	0.080607	0.011682	0.004673	0.007593	0.004089	0.013435	0.035631	0.013435	0.004089
Schulze (n=4)	Ensemble	0.003505	0.01986	0.088201	0.074766	0.013435	0.013435	0.008762	0.004089	0.018692	0.030374	0.015187	0.003505
Schulze (n=5)	Ensemble	0.001752	0.003505	0.086449	0.047897	0.014019	0.005257	0.008762	0.005841	0.015187	0.031542	0.015771	0.004673
Schulze (n=6)	Ensemble	0.006425	0.002921	0.092874	0.043224	0.00993	0.001752	0.00993	0.005841	0.016939	0.027453	0.016939	0.004673
Schulze (n=7)	Ensemble	0.011098	0.004089	0.090537	0.038551	0.008762	0.005257	0.010514	0.005257	0.018107	0.026285	0.016355	0.002921
Schulze (n=8)	Ensemble	0.011682	0.015187	0.088201	0.038551	0.014019	0.002921	0.011682	0.004673	0.019276	0.029206	0.016355	0.003505
Norm Ensemble (n=2)	Ensemble	0.004673	0.005257	0.071262	0.042056	0.006425	0.001168	0.006425	0.001168	0.018692	0.031542	0.013435	0.001168
Norm Ensemble (n=3)	Ensemble	0.004089	0.004089	0.08528	0.049065	0.011682	0.002921	0.008178	0.002921	0.022196	0.028037	0.013435	0
Norm Ensemble (n=4)	Ensemble	0.000584	0.00993	0.075935	0.050234	0.011098	0.001168	0.010514	0.003505	0.025117	0.020444	0.016939	0.002921
Norm Ensemble (n=5)	Ensemble	0.002921	0.011682	0.076519	0.049065	0.011098	0.008178	0.009346	0.003505	0.022196	0.018692	0.015771	0.001752
Norm Ensemble (n=6)	Ensemble	0.005257	0.007009	0.075935	0.04965	0.006425	0.005841	0.009346	0.001752	0.02979	0.014603	0.011098	0.001168
Norm Ensemble (n=7)	Ensemble	0.005257	0.018107	0.077687	0.057243	0.012266	0.011098	0.012266	0.005257	0.031542	0.03271	0.014019	0.001168
Norm Ensemble (n=8)	Ensemble	0.006425	0.009346	0.080023	0.051986	0.014603	0.005257	0.009346	0.003505	0.023949	0.02979	0.014019	0.000584
Deconvolution	Single	0.002921	0.003505	0.046729	0.013435	0.007009	0.008178	0.006425	0.005257	0.006425	0.042056	0.01285	0.008762
Deconvolution	Single	0.002921	0.003505	0.046729	0.013435	0.007009	0.008178	0.006425	0.005257	0.006425	0.042056	0.01285	0.008762
DeepLIFT SHAP	Single	0.003505	0.004089	0.09229	0.028621	0.013435	0.002921	0.014603	0.004673	0.016355	0.031542	0.015771	0
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.003505	0.004089	0.09229	0.028621	0.013435	0.002921	0.014603	0.004673	0.016355	0.031542	0.015771	0
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.003505	0.004089	0.09229	0.028621	0.013435	0.002921	0.014603	0.004673	0.016355	0.031542	0.015771	0
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.003505	0.004089	0.09229	0.028621	0.013435	0.002921	0.014603	0.004673	0.016355	0.031542	0.015771	0
Baselines Combined Zng													
DeepLIFT Baselines	Single	0.00993	0	0.087617	0.031542	0.00993	0.005257	0.008762	0.004089	0.024533	0.017523	0.015771	0.002336
Global Mean													
DeepLIFT Baselines	Single	0.00993	0	0.087617	0.031542	0.00993	0.005257	0.008762	0.004089	0.024533	0.017523	0.015771	0.002336
Global Mean													
FeatureAblation Patch	Single	0.001168	0.002921	0.039136	0.038551	0.007009	0.002336	0.008178	0.003505	0.024533	0.011682	0.010514	0.000584
Size 16													
FeatureAblation Patch	Single	0.001168	0.002921	0.039136	0.038551	0.007009	0.002336	0.008178	0.003505	0.024533	0.011682	0.010514	0.000584
Size 16													
GradientShap Baselines	Single	0.010514	0.011682	0.07535	0.028037	0.015187	0.008178	0.008762	0.002336	0.015771	0.028621	0.016939	0
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.010514	0.011682	0.07535	0.028037	0.015187	0.008178	0.008762	0.002336	0.015771	0.028621	0.016939	0
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.008762	0.001168	0.069509	0.010514	0.011098	0.002336	0.011098	0.004673	0.016939	0.032126	0.015771	0
Combined Zng N													
Samples 40													
GradientShap Baselines	Single	0.008762	0.001168	0.069509	0.010514	0.011098	0.002336	0.011098	0.004673	0.016939	0.032126	0.015771	0
Combined Zng N													
Samples 40													
GuidedBackprop	Single	0.014603	0.014019	0.085864	0.044393	0.015187	0.004673	0.007593	0.000584	0.025701	0.015771	0.017523	0.000584
GuidedBackprop	Single	0.014603	0.014019	0.085864	0.044393	0.015187	0.004673	0.007593	0.000584	0.025701	0.015771	0.017523	0.000584
InputXGradient	Single	0.010514	0.008178	0.008178	0.033879	0.001168	0.003505	0.009346	0.002921	0.025117	0.010514	0.016355	0.000584
InputXGradient	Single	0.010514	0.008178	0.008178	0.033879	0.001168	0.003505	0.009346	0.002921	0.025117	0.010514	0.016355	0.000584
IntegratedGradients	Single	0.002921	0.009346	0.051402	0.026869	0.011098	0.008178	0.004673	0.000584	0.025117	0.013435	0.012266	0.004673
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.002921	0.009346	0.051402	0.026869	0.011098	0.008178	0.004673	0.000584	0.025117	0.013435	0.012266	0.004673
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0	0.009346	0.046729	0.025701	0.007593	0.007009	0.004089	0.001168	0.024533	0.013435	0.012266	0.004673
Baselines Zero N Steps													
50													
IntegratedGradients	Single	0	0.009346	0.046729	0.025701	0.007593	0.007009	0.004089	0.001168	0.024533	0.013435	0.012266	0.004673
Baselines Zero N Steps													
50													

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Occlusion Baselines Global Mean Patch Size 16	Single	0.010514	0.001168	0.10514	0.057827	0.012266	0	0.004089	0.000584	0.022196	0.004673	0.011682	0.005257
Occlusion Baselines Global Mean Patch Size 16	Single	0.010514	0.001168	0.10514	0.057827	0.012266	0	0.004089	0.000584	0.022196	0.004673	0.011682	0.005257
Saliency	Single	0.006425	0.002921	0.012266	0.014019	0.008762	0.000584	0.010514	0.001168	0.027453	0.016939	0.018692	0.001168
Saliency	Single	0.006425	0.002921	0.012266	0.014019	0.008762	0.000584	0.010514	0.001168	0.027453	0.016939	0.018692	0.001168

Table 98: BloodMNIST–ResNet-18

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Borda (n=2)	Ensemble	0.748832	0.742407	0.911215	0.987734
Borda (n=3)	Ensemble	0.756425	0.751752	0.910631	0.985397
Borda (n=4)	Ensemble	0.777453	0.781542	0.912383	0.984813
Borda (n=5)	Ensemble	0.760514	0.765187	0.909463	0.985397
Borda (n=6)	Ensemble	0.780958	0.783879	0.911215	0.983061
Borda (n=7)	Ensemble	0.807243	0.8125	0.911215	0.984229
Borda (n=8)	Ensemble	0.813084	0.820093	0.910631	0.984813
Kemeny Young (n=2)	Ensemble	0.748832	0.742407	0.911215	0.987734
Kemeny Young (n=3)	Ensemble	0.756425	0.751752	0.910631	0.985397
Kemeny Young (n=4)	Ensemble	0.777453	0.781542	0.912383	0.984813
Kemeny Young (n=5)	Ensemble	0.760514	0.765187	0.909463	0.985397
Kemeny Young (n=6)	Ensemble	0.780958	0.783879	0.911215	0.983061
Kemeny Young (n=7)	Ensemble	0.807243	0.8125	0.911215	0.984229
Kemeny Young (n=8)	Ensemble	0.813084	0.820093	0.910631	0.984813
RRF (n=2)	Ensemble	0.745911	0.743575	0.910631	0.986565
RRF (n=3)	Ensemble	0.755841	0.755841	0.910631	0.985981
RRF (n=4)	Ensemble	0.770444	0.78271	0.911799	0.983645
RRF (n=5)	Ensemble	0.766355	0.77278	0.908294	0.984813
RRF (n=6)	Ensemble	0.785631	0.786215	0.912383	0.982477
RRF (n=7)	Ensemble	0.782126	0.790304	0.910631	0.982477
RRF (n=8)	Ensemble	0.800818	0.806659	0.911215	0.983645
Schulze (n=2)	Ensemble	0.754089	0.744159	0.907126	0.977804
Schulze (n=3)	Ensemble	0.764019	0.762266	0.908879	0.983645
Schulze (n=4)	Ensemble	0.823014	0.850467	0.910047	0.984229
Schulze (n=5)	Ensemble	0.801986	0.813084	0.910631	0.984813
Schulze (n=6)	Ensemble	0.806659	0.808995	0.911799	0.985397
Schulze (n=7)	Ensemble	0.816005	0.818925	0.910047	0.983061
Schulze (n=8)	Ensemble	0.828855	0.830023	0.908294	0.983645
Norm Ensemble (n=2)	Ensemble	0.813084	0.835864	0.910047	0.983061
Norm Ensemble (n=3)	Ensemble	0.834696	0.860981	0.911215	0.984229
Norm Ensemble (n=4)	Ensemble	0.83236	0.872664	0.909463	0.977804
Norm Ensemble (n=5)	Ensemble	0.821262	0.86215	0.910047	0.976636
Norm Ensemble (n=6)	Ensemble	0.833528	0.865654	0.910631	0.984229
Norm Ensemble (n=7)	Ensemble	0.833528	0.874416	0.905958	0.980724
Norm Ensemble (n=8)	Ensemble	0.841706	0.875	0.905958	0.977804
Deconvolution	Single	0.877336	0.926986	0.881425	0.961449
Deconvolution	Single	0.877336	0.926986	0.881425	0.961449
DeepLIFT SHAP	Single	0.876168	0.873248	0.907126	0.976636
Baselines Combined Zng	Single	0.876168	0.873248	0.907126	0.976636
DeepLIFT SHAP	Single	0.876168	0.873248	0.907126	0.976636
Baselines Combined Zng	Single	0.876168	0.873248	0.907126	0.976636
DeepLIFT SHAP	Single	0.876168	0.873248	0.907126	0.976636
Baselines Combined Zng	Single	0.876168	0.873248	0.907126	0.976636
DeepLIFT Baselines	Single	0.817173	0.821846	0.902453	0.979556
Global Mean	Single	0.817173	0.821846	0.902453	0.979556
DeepLIFT Baselines	Single	0.817173	0.821846	0.902453	0.979556
Global Mean	Single	0.817173	0.821846	0.902453	0.979556
FeatureAblation Patch	Single	0.859813	0.905374	0.883762	0.959112
Size 16	Single	0.859813	0.905374	0.883762	0.959112
FeatureAblation Patch	Single	0.859813	0.905374	0.883762	0.959112
Size 16	Single	0.859813	0.905374	0.883762	0.959112
GradientShap Baselines	Single	0.865654	0.871495	0.906542	0.983061
Combined Zng N	Single	0.865654	0.871495	0.906542	0.983061
Samples 20	Single	0.865654	0.871495	0.906542	0.983061
GradientShap Baselines	Single	0.865654	0.871495	0.906542	0.983061
Combined Zng N	Single	0.865654	0.871495	0.906542	0.983061
Samples 20	Single	0.865654	0.871495	0.906542	0.983061
GradientShap Baselines	Single	0.881425	0.880257	0.906542	0.982477
Combined Zng N	Single	0.881425	0.880257	0.906542	0.982477
Samples 40	Single	0.881425	0.880257	0.906542	0.982477
GradientShap Baselines	Single	0.881425	0.880257	0.906542	0.982477
Combined Zng N	Single	0.881425	0.880257	0.906542	0.982477
Samples 40	Single	0.881425	0.880257	0.906542	0.982477
GuidedBackprop	Single	0.714953	0.71729	0.907126	0.981893
GuidedBackprop	Single	0.714953	0.71729	0.907126	0.981893
InputXGradient	Single	0.879089	0.942757	0.890187	0.96028
InputXGradient	Single	0.879089	0.942757	0.890187	0.96028
IntegratedGradients	Single	0.831776	0.861565	0.892523	0.971379
Baselines Zero N Steps	Single	0.831776	0.861565	0.892523	0.971379
200	Single	0.831776	0.861565	0.892523	0.971379
IntegratedGradients	Single	0.831776	0.861565	0.892523	0.971379
Baselines Zero N Steps	Single	0.831776	0.861565	0.892523	0.971379
200	Single	0.831776	0.861565	0.892523	0.971379
IntegratedGradients	Single	0.83236	0.861565	0.893692	0.973131
Baselines Zero N Steps	Single	0.83236	0.861565	0.893692	0.973131
50	Single	0.83236	0.861565	0.893692	0.973131
IntegratedGradients	Single	0.83236	0.861565	0.893692	0.973131
Baselines Zero N Steps	Single	0.83236	0.861565	0.893692	0.973131
50	Single	0.83236	0.861565	0.893692	0.973131
Occlusion Baselines	Single	0.897196	0.903621	0.892523	0.975467
Global Mean Patch Size	Single	0.897196	0.903621	0.892523	0.975467
16	Single	0.897196	0.903621	0.892523	0.975467

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Occlusion Baselines	Single	0.897196	0.903621	0.892523	0.975467
Global Mean Patch Size 16					
Saliency	Single	0.886098	0.935748	0.900701	0.963201
Saliency	Single	0.886098	0.935748	0.900701	0.963201

Table 99: BloodMNIST–ResNet-18

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Borda (n=2)	Ensemble	0.000584	0.002336	0.162383	0.093458	0.005841	0.001168	0.012266	0.00993	0.026869	0.054907	0.012266	0.004673
Borda (n=3)	Ensemble	0.004673	0.009346	0.096379	0.035631	0.011098	0.009346	0.011098	0.004673	0.025117	0.055491	0.014019	0.001752
Borda (n=4)	Ensemble	0.015187	0.026869	0.136098	0.079439	0.020444	0.023949	0.012266	0.004089	0.021612	0.051402	0.015187	0
Borda (n=5)	Ensemble	0.017523	0.009346	0.109229	0.057243	0.015771	0.014019	0.011098	0.005257	0.020444	0.049065	0.013435	0
Borda (n=6)	Ensemble	0.014603	0.007009	0.113902	0.058411	0.01285	0.007593	0.011682	0.002336	0.026285	0.038551	0.012266	0.000584
Borda (n=7)	Ensemble	0.030958	0.043808	0.15771	0.106893	0.033294	0.034463	0.011098	0.004089	0.018692	0.043224	0.01285	0.000584
Borda (n=8)	Ensemble	0.013435	0.025701	0.154206	0.105724	0.025701	0.035047	0.010514	0.004089	0.02278	0.053738	0.014603	0.001752
Kemeny Young (n=2)	Ensemble	0.000584	0.002336	0.162383	0.093458	0.005841	0.001168	0.012266	0.00993	0.026869	0.054907	0.012266	0.004673
Kemeny Young (n=3)	Ensemble	0.004673	0.009346	0.096379	0.035631	0.011098	0.009346	0.011098	0.004673	0.025117	0.055491	0.014019	0.001752
Kemeny Young (n=4)	Ensemble	0.015187	0.026869	0.136098	0.079439	0.020444	0.023949	0.012266	0.004089	0.021612	0.051402	0.015187	0
Kemeny Young (n=5)	Ensemble	0.017523	0.009346	0.109229	0.057243	0.015771	0.014019	0.011098	0.005257	0.020444	0.049065	0.013435	0
Kemeny Young (n=6)	Ensemble	0.014603	0.007009	0.113902	0.058411	0.01285	0.007593	0.011682	0.002336	0.026285	0.038551	0.012266	0.000584
Kemeny Young (n=7)	Ensemble	0.030958	0.043808	0.15771	0.106893	0.033294	0.034463	0.011098	0.004089	0.018692	0.043224	0.01285	0.000584
Kemeny Young (n=8)	Ensemble	0.013435	0.025701	0.154206	0.105724	0.025701	0.035047	0.010514	0.004089	0.02278	0.053738	0.014603	0.001752
RRF (n=2)	Ensemble	0.002921	0.005841	0.140187	0.077687	0.006425	0	0.01285	0.008762	0.026869	0.053154	0.01285	0.001168
RRF (n=3)	Ensemble	0.000584	0.007009	0.13785	0.07535	0.008178	0.007593	0.012266	0.007009	0.026285	0.054907	0.014019	0.004089
RRF (n=4)	Ensemble	0.004089	0.016355	0.140771	0.087033	0.014019	0.019276	0.012266	0.004673	0.023949	0.047897	0.014603	0
RRF (n=5)	Ensemble	0.016355	0.005841	0.117991	0.056659	0.015187	0.017523	0.011098	0.004673	0.020444	0.046145	0.012266	0.000584
RRF (n=6)	Ensemble	0.009346	0.005841	0.106893	0.044393	0.015771	0.014603	0.014019	0.004089	0.028037	0.030958	0.014019	0.000584
RRF (n=7)	Ensemble	0.001168	0.011098	0.124416	0.071846	0.003505	0.010514	0.00993	0.001168	0.024533	0.032126	0.011098	0.001752
RRF (n=8)	Ensemble	0.014019	0.023949	0.115654	0.064252	0.00993	0.015187	0.00993	0.000584	0.024533	0.043224	0.013435	0.000584
Schulze (n=2)	Ensemble	0.006425	0.002336	0.171729	0.100467	0.004673	0.000584	0.008762	0.002336	0.02278	0.044077	0.011098	0.000584
Schulze (n=3)	Ensemble	0.008178	0.011682	0.086449	0.025701	0.008762	0.008178	0.010514	0.002921	0.023949	0.055491	0.013435	0.001752
Schulze (n=4)	Ensemble	0.021028	0.033294	0.176986	0.148364	0.026869	0.032126	0.016355	0.009346	0.02278	0.054322	0.012266	0.001168
Schulze (n=5)	Ensemble	0.009346	0.001168	0.129089	0.078855	0.001752	0.003505	0.01285	0.002921	0.023949	0.051986	0.014603	0.001752
Schulze (n=6)	Ensemble	0.001168	0.001752	0.122079	0.056659	0.004089	0.007009	0.009346	0.001752	0.027453	0.053738	0.016355	0.004673
Schulze (n=7)	Ensemble	0.011682	0.016355	0.13493	0.076519	0.008178	0.00993	0.011682	0.002336	0.023364	0.050818	0.01285	0
Schulze (n=8)	Ensemble	0.027453	0.028621	0.141355	0.078855	0.010514	0.018692	0.011682	0.003505	0.019276	0.055491	0.011682	0.000584
Norm Ensemble (n=2)	Ensemble	0.004089	0	0.103388	0.056659	0.017523	0.008762	0.010514	0.002921	0.036215	0.061332	0.014603	0.002921
Norm Ensemble (n=3)	Ensemble	0.008762	0.022196	0.065421	0.010514	0.026869	0.01986	0.012266	0.001752	0.033294	0.059579	0.013435	0.005841
Norm Ensemble (n=4)	Ensemble	0.015771	0.036215	0.070678	0.032126	0.021612	0.018692	0.015771	0.001752	0.030374	0.048481	0.013435	0.003505
Norm Ensemble (n=5)	Ensemble	0.002921	0.020444	0.0625	0.023949	0.007009	0.004089	0.016939	0	0.028621	0.03972	0.01285	0.002336
Norm Ensemble (n=6)	Ensemble	0.005257	0.025117	0.087033	0.035047	0.018107	0.015187	0.017523	0.005257	0.035631	0.050818	0.013435	0.007009
Norm Ensemble (n=7)	Ensemble	0.012266	0.042056	0.091121	0.051402	0.018692	0.02979	0.011098	0.002336	0.033294	0.063668	0.008178	0
Norm Ensemble (n=8)	Ensemble	0.012266	0.029206	0.091706	0.046145	0.027453	0.028621	0.010514	0	0.032126	0.064252	0.01285	0
Deconvolution	Single	0.002336	0.006425	0.081776	0.046729	0.015771	0.000584	0.01986	0.017523	0.016355	0.097547	0.014019	0.002921
Deconvolution	Single	0.002336	0.006425	0.081776	0.046729	0.015771	0.000584	0.01986	0.017523	0.016355	0.097547	0.014019	0.002921
DeepLIFT SHAP	Single	0.017523	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
Baselines Combined Zng	Single	0.017523	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT SHAP	Single	0.017523	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
Baselines Combined Zng	Single	0.017523	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT SHAP	Single	0.017523	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
Baselines Combined Zng	Single	0.017523	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT Baselines	Single	0.00993	0.004089	0.11507	0.043808	0.012266	0.015187	0.006425	0.000584	0.016939	0.04965	0.011098	0.000584
Global Mean	Single	0.00993	0.004089	0.11507	0.043808	0.012266	0.015187	0.006425	0.000584	0.016939	0.04965	0.011098	0.000584
FeatureAblation Patch	Single	0.004089	0.008762	0.028621	0.037967	0.00993	0.003505	0.000584	0.001752	0.021028	0.024533	0.008762	0.000584
Size 16	Single	0.004089	0.008762	0.028621	0.037967	0.00993	0.003505	0.000584	0.001752	0.021028	0.024533	0.008762	0.000584
FeatureAblation Patch	Single	0.007593	0.018107	0.108645	0.038551	0.010514	0.018692	0.016939	0.013435	0.022196	0.060164	0.012266	0.004673
Size 16	Single	0.007593	0.018107	0.108645	0.038551	0.010514	0.018692	0.016939	0.013435	0.022196	0.060164	0.012266	0.004673
GradientShap Baselines	Single	0.007593	0.018107	0.108645	0.038551	0.010514	0.018692	0.016939	0.013435	0.022196	0.060164	0.012266	0.004673
Combined Zng N	Single	0.007593	0.018107	0.108645	0.038551	0.010514	0.018692	0.016939	0.013435	0.022196	0.060164	0.012266	0.004673
Samples 20	Single	0.007593	0.018107	0.108645	0.038551	0.010514	0.018692	0.016939	0.013435	0.022196	0.060164	0.012266	0.004673
GradientShap Baselines	Single	0.030958	0.033879	0.122079	0.047313	0.03271	0.033294	0.010514	0.005257	0.018107	0.057243	0.00993	0.002336
Combined Zng N	Single	0.030958	0.033879	0.122079	0.047313	0.03271	0.033294	0.010514	0.005257	0.018107	0.057243	0.00993	0.002336
Samples 40	Single	0.030958	0.033879	0.122079	0.047313	0.03271	0.033294	0.010514	0.005257	0.018107	0.057243	0.00993	0.002336
GradientShap Baselines	Single	0.002921	0.008762	0.130841	0.080607	0.006425	0.003505	0.007009	0.001752	0.030374	0.030958	0.015187	0.001752
Combined Zng N	Single	0.002921	0.008762	0.130841	0.080607	0.006425	0.003505	0.007009	0.001752	0.030374	0.030958	0.015187	0.001752
Samples 40	Single	0.002921	0.008762	0.130841	0.080607	0.006425	0.003505	0.007009	0.001752	0.030374	0.030958	0.015187	0.001752
GuidedBackprop	Single	0.01285	0.005257	0.01285	0.066589	0.000584	0.002921	0.01285	0.007009	0.032126	0.017523	0.010514	0.004673
InputXGradient	Single	0.01285	0.005257	0.01285	0.066589	0.000584	0.002921	0.01285	0.007009	0.032126	0.017523	0.010514	0.004673
IntegratedGradients	Single	0.016939	0.026869	0.060748	0.040304	0.022196	0.022196	0.000584	0.001168	0.022196	0.027453	0.002921	0.002336
Baselines Zero N Steps	Single	0.016939	0.026869	0.060748	0.040304	0.022196	0.022196	0.000584	0.001168	0.022196	0.027453	0.002921	0.002336
200	Single	0.016939	0.026869	0.060748	0.040304	0.022196	0.022196	0.000584	0.001168	0.022196	0.027453	0.002921	0.002336
IntegratedGradients	Single	0.019276	0.033294	0.061332	0.042056	0.021612	0.025117	0.002336	0.001168	0.023949	0.02979	0.002921	0.001752
Baselines Zero N Steps	Single	0.019276	0.033294	0.061332	0.042056	0.021612	0.025117	0.002336	0.001168	0.023949	0.02979	0.002921	0.001752
50	Single	0.019276	0.033294	0.061332	0.042056	0.021612	0.025117	0.002336	0.001168	0.023949	0.02979	0.002921	0.001752
IntegratedGradients	Single	0.019276	0.033294	0.061332	0.042056	0.021612	0.025117	0.002336	0.001168	0.023949	0.02979	0.002921	0.001752
Baselines Zero N Steps	Single	0.019276	0.033294	0.061332	0.042056	0.021612	0.025117	0.002336	0.001168	0.023949	0.02979	0.002921	0.001752
50	Single	0.019276	0.0										

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Occlusion Baselines Global Mean Patch Size 16	Single	0.005841	0.01285	0.125584	0.078855	0.011098	0.005841	0.008762	0.007009	0.014603	0.005841	0.009346	0.001752
Occlusion Baselines Global Mean Patch Size 16	Single	0.005841	0.01285	0.125584	0.078855	0.011098	0.005841	0.008762	0.007009	0.014603	0.005841	0.009346	0.001752
Saliency	Single	0.004673	0	0.021028	0.027453	0.005841	0	0.016939	0.002921	0.033294	0.036215	0.01285	0.005257
Saliency	Single	0.004673	0	0.021028	0.027453	0.005841	0	0.016939	0.002921	0.033294	0.036215	0.01285	0.005257

Table 100: BloodMNIST-ResNet-18

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Borda (n=2)	Ensemble	0.901285	0.933411	0.911215	0.997664
Borda (n=3)	Ensemble	0.898949	0.941589	0.911799	0.998248
Borda (n=4)	Ensemble	0.898949	0.945093	0.911799	0.998248
Borda (n=5)	Ensemble	0.901285	0.953271	0.911799	0.998248
Borda (n=6)	Ensemble	0.902453	0.951519	0.911215	0.998832
Borda (n=7)	Ensemble	0.898949	0.948014	0.911215	0.998832
Borda (n=8)	Ensemble	0.901869	0.94743	0.911215	0.998832
Kemeny Young (n=2)	Ensemble	0.901285	0.933411	0.911215	0.997664
Kemeny Young (n=3)	Ensemble	0.898949	0.941589	0.911799	0.998248
Kemeny Young (n=4)	Ensemble	0.898949	0.945093	0.911799	0.998248
Kemeny Young (n=5)	Ensemble	0.901285	0.953271	0.911799	0.998248
Kemeny Young (n=6)	Ensemble	0.902453	0.951519	0.911215	0.998832
Kemeny Young (n=7)	Ensemble	0.898949	0.948014	0.911215	0.998832
Kemeny Young (n=8)	Ensemble	0.901869	0.94743	0.911215	0.998832
RRF (n=2)	Ensemble	0.900117	0.935748	0.911215	0.997664
RRF (n=3)	Ensemble	0.901869	0.941005	0.911799	0.998248
RRF (n=4)	Ensemble	0.902453	0.946262	0.911799	0.998248
RRF (n=5)	Ensemble	0.903037	0.952103	0.911799	0.998248
RRF (n=6)	Ensemble	0.908294	0.951519	0.911215	0.998832
RRF (n=7)	Ensemble	0.902453	0.948598	0.911215	0.998832
RRF (n=8)	Ensemble	0.902453	0.946262	0.911215	0.998832
Schulze (n=2)	Ensemble	0.900117	0.934579	0.912383	0.997664
Schulze (n=3)	Ensemble	0.896612	0.942173	0.911799	0.998248
Schulze (n=4)	Ensemble	0.898949	0.961449	0.911799	0.998248
Schulze (n=5)	Ensemble	0.901285	0.952687	0.911799	0.998248
Schulze (n=6)	Ensemble	0.904206	0.953271	0.911799	0.998248
Schulze (n=7)	Ensemble	0.901869	0.953271	0.911799	0.998248
Schulze (n=8)	Ensemble	0.902453	0.952103	0.911799	0.998248
Norm Ensemble (n=2)	Ensemble	0.901869	0.973715	0.910631	0.998248
Norm Ensemble (n=3)	Ensemble	0.900701	0.978388	0.912383	0.995911
Norm Ensemble (n=4)	Ensemble	0.900701	0.97722	0.911215	0.997664
Norm Ensemble (n=5)	Ensemble	0.900117	0.981308	0.913551	0.996495
Norm Ensemble (n=6)	Ensemble	0.901285	0.979556	0.912383	0.996495
Norm Ensemble (n=7)	Ensemble	0.896028	0.971963	0.910631	0.997079
Norm Ensemble (n=8)	Ensemble	0.896612	0.973715	0.910647	0.997664
Deconvolution	Single	0.898949	0.971963	0.910631	0.997079
DeepLIFT SHAP	Single	0.898949	0.971963	0.910631	0.997079
Baselines Combined Zng	Single	0.908879	0.962617	0.911799	0.997079
DeepLIFT SHAP	Single	0.908879	0.962617	0.911799	0.997079
Baselines Combined Zng	Single	0.908879	0.962617	0.911799	0.997079
DeepLIFT SHAP	Single	0.908879	0.962617	0.911799	0.997079
Baselines Combined Zng	Single	0.908879	0.962617	0.911799	0.997079
DeepLIFT Baselines	Single	0.898949	0.95035	0.911215	0.997664
Global Mean	Single	0.898949	0.95035	0.911215	0.997664
Global Mean	Single	0.901285	0.968458	0.905958	0.990654
FeatureAblation Patch Size 16	Single	0.901285	0.968458	0.905958	0.990654
GradientShap Baselines Combined Zng N Samples 20	Single	0.89778	0.956192	0.911799	0.998248
GradientShap Baselines Combined Zng N Samples 20	Single	0.89778	0.956192	0.911799	0.998248
GradientShap Baselines Combined Zng N Samples 40	Single	0.905374	0.956192	0.912383	0.997664
GradientShap Baselines Combined Zng N Samples 40	Single	0.905374	0.956192	0.912383	0.997664
GuidedBackprop	Single	0.89778	0.9375	0.911799	0.998248
GuidedBackprop	Single	0.89778	0.9375	0.911799	0.998248
InputXGradient	Single	0.896028	0.974883	0.910631	0.995911
InputXGradient	Single	0.896028	0.974883	0.910631	0.995911
IntegratedGradients	Single	0.902453	0.971963	0.908879	0.995327
Baselines Zero N Steps 200	Single	0.902453	0.971963	0.908879	0.995327
IntegratedGradients	Single	0.901285	0.970794	0.908879	0.995327
Baselines Zero N Steps 50	Single	0.901285	0.970794	0.908879	0.995327
IntegratedGradients	Single	0.901285	0.970794	0.908879	0.995327
Baselines Zero N Steps 50	Single	0.901285	0.970794	0.908879	0.995327
Occlusion Baselines Global Mean Patch Size 16	Single	0.901285	0.945093	0.908879	0.994159

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Occlusion Baselines	Single	0.901285	0.945093	0.908879	0.994159
Global Mean Patch Size 16					
Saliency	Single	0.890771	0.964369	0.911215	0.998832
Saliency	Single	0.890771	0.964369	0.911215	0.998832

Table 101: BloodMNIST-ResNet-18

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Pepper Amount 0.05	ConsRob Replace Top Pepper Amount 0.05	AccRob Replace Top Salt Speckle Std 0.15	ConsRob Replace Top Salt Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Borda (n=2)	Ensemble	0.015771	0.002921	0.077687	0.02979	0.024533	0.002921	0.002336	0.000584	0.030374	0.006425	0.01285	0.001168
Borda (n=3)	Ensemble	0.005257	0.003505	0.070678	0.044977	0.015187	0	0.003505	0.001168	0.031542	0.006425	0.013435	0.002921
Borda (n=4)	Ensemble	0.002336	0.006425	0.064252	0.032126	0.015187	0.003505	0.004673	0.001168	0.030958	0.005257	0.012266	0.002921
Borda (n=5)	Ensemble	0.005257	0.002921	0.061332	0.039136	0.014019	0.005257	0.004089	0.001752	0.032126	0.002921	0.012266	0.002921
Borda (n=6)	Ensemble	0.007009	0.001752	0.063084	0.035631	0.015187	0.002921	0.004089	0.002921	0.032126	0.002921	0.012266	0.004089
Borda (n=7)	Ensemble	0.005257	0.005257	0.059579	0.027453	0.012266	0.000584	0.003505	0.002336	0.031542	0.004673	0.011682	0.003505
Borda (n=8)	Ensemble	0.00993	0.000584	0.060748	0.020444	0.011098	0.002921	0.003505	0.001168	0.031542	0.004673	0.011682	0.003505
Kemeny Young (n=2)	Ensemble	0.015771	0.002921	0.077687	0.02979	0.024533	0.002921	0.002336	0.000584	0.030374	0.006425	0.01285	0.001168
Kemeny Young (n=3)	Ensemble	0.005257	0.003505	0.070678	0.044977	0.015187	0	0.003505	0.001168	0.031542	0.006425	0.013435	0.002921
Kemeny Young (n=4)	Ensemble	0.002336	0.006425	0.064252	0.032126	0.015187	0.003505	0.004673	0.001168	0.030958	0.005257	0.012266	0.002921
Kemeny Young (n=5)	Ensemble	0.005257	0.002921	0.061332	0.039136	0.014019	0.005257	0.004089	0.001752	0.032126	0.002921	0.012266	0.002921
Kemeny Young (n=6)	Ensemble	0.007009	0.001752	0.063084	0.035631	0.015187	0.002921	0.004089	0.002921	0.032126	0.002921	0.012266	0.004089
Kemeny Young (n=7)	Ensemble	0.005257	0.005257	0.059579	0.027453	0.012266	0.000584	0.003505	0.002336	0.031542	0.004673	0.011682	0.003505
Kemeny Young (n=8)	Ensemble	0.00993	0.000584	0.060748	0.020444	0.011098	0.002921	0.003505	0.001168	0.031542	0.004673	0.011682	0.003505
RRF (n=2)	Ensemble	0.01285	0.007593	0.076519	0.033294	0.022196	0.005257	0.001752	0	0.02979	0.007009	0.013435	0.001752
RRF (n=3)	Ensemble	0.008178	0.001168	0.070093	0.042056	0.019276	0	0.003505	0.001168	0.031542	0.006425	0.013435	0.002921
RRF (n=4)	Ensemble	0.006425	0.006425	0.065421	0.036799	0.018107	0.001752	0.004089	0.001752	0.030958	0.005257	0.012266	0.002921
RRF (n=5)	Ensemble	0.008178	0.000584	0.063084	0.035631	0.013435	0.005257	0.004089	0.001752	0.03271	0.002336	0.012266	0.002921
RRF (n=6)	Ensemble	0.015187	0.000584	0.070093	0.02979	0.021028	0.005841	0.004089	0.002921	0.03271	0.002336	0.012266	0.004089
RRF (n=7)	Ensemble	0.008762	0.004673	0.0625	0.024533	0.015771	0.001752	0.003505	0.002336	0.030374	0.004673	0.011682	0.003505
RRF (n=8)	Ensemble	0.00993	0.001752	0.059579	0.015771	0.010514	0.000584	0.003505	0.001168	0.030374	0.004673	0.011682	0.003505
Schulze (n=2)	Ensemble	0.016939	0.005841	0.07535	0.030958	0.022778	0.004673	0.003505	0.001168	0.030958	0.007009	0.013435	0.001752
Schulze (n=3)	Ensemble	0.005841	0.006425	0.071262	0.044977	0.014603	0.002336	0.003505	0.001168	0.030958	0.006425	0.013435	0.004089
Schulze (n=4)	Ensemble	0.005257	0.006425	0.060164	0.046729	0.014019	0.006425	0.005257	0.002921	0.030374	0.006425	0.013435	0.004089
Schulze (n=5)	Ensemble	0.011098	0.002336	0.056075	0.025701	0.014019	0	0.004673	0.002336	0.031542	0.005257	0.01285	0.001168
Schulze (n=6)	Ensemble	0.004673	0	0.063084	0.021612	0.014603	0.004089	0.005841	0.002336	0.031542	0.004673	0.012266	0.002921
Schulze (n=7)	Ensemble	0.004673	0.001168	0.060748	0.025701	0.011098	0.004089	0.004673	0.001168	0.031542	0.004673	0.011098	0.002921
Schulze (n=8)	Ensemble	0.007009	0	0.055491	0.016939	0.01285	0.006425	0.005257	0.002921	0.031542	0.004673	0.011682	0.002336
Norm Ensemble (n=2)	Ensemble	0.002921	0.002336	0.034463	0.011098	0.015187	0.002921	0.002336	0.000584	0.027453	0.009346	0.011098	0.001752
Norm Ensemble (n=3)	Ensemble	0.004089	0.001752	0.055491	0.038551	0.014603	0.001168	0.005257	0.001752	0.02979	0.006425	0.013435	0
Norm Ensemble (n=4)	Ensemble	0.000584	0.001168	0.056075	0.038551	0.018107	0.002336	0.004673	0.002336	0.02979	0.007009	0.011682	0.002336
Norm Ensemble (n=5)	Ensemble	0.002336	0.00993	0.057827	0.038551	0.013435	0.009346	0.005841	0.001168	0.032126	0.005841	0.01285	0.001168
Norm Ensemble (n=6)	Ensemble	0.003505	0.012266	0.054322	0.032126	0.013435	0.008762	0.005257	0.000584	0.035631	0.002921	0.01285	0.001168
Norm Ensemble (n=7)	Ensemble	0.003505	0.001752	0.049065	0.023364	0.00993	0.001752	0.004089	0.002336	0.032126	0.005841	0.010514	0.001168
Norm Ensemble (n=8)	Ensemble	0.008178	0.009346	0.044977	0.021612	0.009346	0.005257	0.004673	0.003505	0.030374	0.006425	0.011098	0.002921
Deconvolution	Single	0.005257	0.001168	0.044393	0.012266	0.010514	0.002921	0.002921	0.001168	0.028621	0.007593	0.012266	0.001752
Deconvolution	Single	0.005257	0.001168	0.044393	0.012266	0.010514	0.002921	0.002921	0.001168	0.028621	0.007593	0.012266	0.001752
DeepLIFT SHAP	Single	0.002336	0.007009	0.053154	0.01285	0.020444	0.012266	0.005257	0.001752	0.029206	0.008762	0.014603	0.001752
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.002336	0.007009	0.053154	0.01285	0.020444	0.012266	0.005257	0.001752	0.029206	0.008762	0.014603	0.001752
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.002336	0.007009	0.053154	0.01285	0.020444	0.012266	0.005257	0.001752	0.029206	0.008762	0.014603	0.001752
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.002336	0.007009	0.053154	0.01285	0.020444	0.012266	0.005257	0.001752	0.029206	0.008762	0.014603	0.001752
Baselines Combined Zng													
DeepLIFT Baselines	Single	0.007593	0.003505	0.061332	0.009346	0.024533	0.007009	0.003505	0.003505	0.032126	0.001752	0.012266	0.000584
Global Mean													
DeepLIFT Baselines	Single	0.007593	0.003505	0.061332	0.009346	0.024533	0.007009	0.003505	0.003505	0.032126	0.001752	0.012266	0.000584
Global Mean													
FeatureAblation Patch	Single	0.00993	0.006425	0.036799	0.031542	0.019276	0.008178	0.001752	0	0.028037	0.002921	0.00993	0
Size 16													
FeatureAblation Patch	Single	0.00993	0.006425	0.036799	0.031542	0.019276	0.008178	0.001752	0	0.028037	0.002921	0.00993	0
Size 16													
GradientShap Baselines	Single	0.000584	0.002921	0.040888	0.008178	0.01285	0.009346	0.004673	0.003505	0.031542	0.005841	0.011682	0.003505
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.000584	0.002921	0.040888	0.008178	0.01285	0.009346	0.004673	0.003505	0.031542	0.005841	0.011682	0.003505
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.007593	0.005841	0.050818	0.003505	0.018692	0.004673	0.005841	0.001168	0.031542	0.005841	0.015771	0.002921
Combined Zng N													
Samples 40													
GradientShap Baselines	Single	0.007593	0.005841	0.050818	0.003505	0.018692	0.004673	0.005841	0.001168	0.031542	0.005841	0.015771	0.002921
Combined Zng N													
Samples 40													
GuidedBackprop	Single	0.004089	0.001168	0.057827	0.022196	0.015771	0.001752	0.002921	0.000584	0.033879	0.001752	0.013435	0.001752
GuidedBackprop	Single	0.004089	0.001168	0.057827	0.022196	0.015771	0.001752	0.002921	0.000584	0.033879	0.001752	0.013435	0.001752
InputXGradient	Single	0.004089	0.007009	0.013435	0.016355	0.012266	0.000584	0.007593	0.004089	0.03271	0.004673	0.01285	0.001168
InputXGradient	Single	0.004089	0.007009	0.013435	0.016355	0.012266	0.000584	0.007593	0.004089	0.03271	0.004673	0.01285	0.001168
IntegratedGradients	Single	0.012266	0.011098	0.043808	0.00993	0.018107	0.004089	0.004673	0.001752	0.027453	0.007009	0.010514	0.000584
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.012266	0.011098	0.043808	0.00993	0.018107	0.004089	0.004673	0.001752	0.027453	0.007009	0.010514	0.000584
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.011682	0.010514	0.04264	0.008762	0.018107	0.005257	0.004673	0.001752	0.028037	0.006425	0.010514	0.000584
Baselines Zero N Steps													
50													
IntegratedGradients	Single	0.011682	0.010514	0.04264	0.008762	0.018107	0.005257	0.004673	0.001752	0.028037	0.006425	0.010514	0.000584
Baselines Zero N Steps													
50													

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Occlusion Baselines Global Mean Patch Size 16	Single	0.011682	0.002336	0.070678	0.03972	0.011682	0.001168	0.002336	0.001168	0.030374	0.003505	0.012266	0.001752
Occlusion Baselines Global Mean Patch Size 16	Single	0.011682	0.002336	0.070678	0.03972	0.011682	0.001168	0.002336	0.001168	0.030374	0.003505	0.012266	0.001752
Saliency	Single	0.001752	0.007593	0.012266	0.003505	0.007009	0.001168	0.004089	0.005257	0.02979	0.007009	0.011682	0.003505
Saliency	Single	0.001752	0.007593	0.012266	0.003505	0.007009	0.001168	0.004089	0.005257	0.02979	0.007009	0.011682	0.003505

Table 102: BloodMNIST-ResNet-18

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Borda (n=2)	Ensemble	0.605724	0.594626	0.910047	0.966706
Borda (n=3)	Ensemble	0.644276	0.626168	0.905958	0.967874
Borda (n=4)	Ensemble	0.676402	0.66472	0.908879	0.966121
Borda (n=5)	Ensemble	0.655374	0.636098	0.903037	0.966121
Borda (n=6)	Ensemble	0.669393	0.649533	0.909463	0.967874
Borda (n=7)	Ensemble	0.659463	0.649533	0.904206	0.969042
Borda (n=8)	Ensemble	0.671145	0.655958	0.904206	0.966706
Kemeny Young (n=2)	Ensemble	0.605724	0.594626	0.910047	0.966706
Kemeny Young (n=3)	Ensemble	0.644276	0.626168	0.905958	0.967874
Kemeny Young (n=4)	Ensemble	0.676402	0.66472	0.908879	0.966121
Kemeny Young (n=5)	Ensemble	0.655374	0.636098	0.903037	0.966121
Kemeny Young (n=6)	Ensemble	0.669393	0.649533	0.909463	0.967874
Kemeny Young (n=7)	Ensemble	0.659463	0.649533	0.904206	0.969042
Kemeny Young (n=8)	Ensemble	0.671145	0.655958	0.904206	0.966706
RRF (n=2)	Ensemble	0.61215	0.598715	0.910047	0.965537
RRF (n=3)	Ensemble	0.65771	0.63785	0.90771	0.969042
RRF (n=4)	Ensemble	0.665304	0.658294	0.909463	0.965537
RRF (n=5)	Ensemble	0.657126	0.65479	0.90479	0.965537
RRF (n=6)	Ensemble	0.66472	0.661215	0.909463	0.96729
RRF (n=7)	Ensemble	0.667056	0.658879	0.905374	0.96729
RRF (n=8)	Ensemble	0.664136	0.654206	0.904206	0.972547
Schulze (n=2)	Ensemble	0.609813	0.595794	0.908294	0.967874
Schulze (n=3)	Ensemble	0.668224	0.64778	0.906542	0.96729
Schulze (n=4)	Ensemble	0.723715	0.74007	0.904206	0.964369
Schulze (n=5)	Ensemble	0.707944	0.702103	0.901285	0.962617
Schulze (n=6)	Ensemble	0.699766	0.691005	0.904206	0.968458
Schulze (n=7)	Ensemble	0.673481	0.659463	0.902453	0.965537
Schulze (n=8)	Ensemble	0.691005	0.669977	0.901285	0.968458
Norm Ensemble (n=2)	Ensemble	0.66472	0.65771	0.907126	0.976051
Norm Ensemble (n=3)	Ensemble	0.713201	0.723715	0.901869	0.969042
Norm Ensemble (n=4)	Ensemble	0.723715	0.742991	0.899533	0.963201
Norm Ensemble (n=5)	Ensemble	0.716706	0.73014	0.905374	0.963785
Norm Ensemble (n=6)	Ensemble	0.721379	0.734813	0.902453	0.964953
Norm Ensemble (n=7)	Ensemble	0.737734	0.759346	0.901869	0.964953
Norm Ensemble (n=8)	Ensemble	0.738902	0.745327	0.900117	0.964369
Deconvolution	Single	0.742991	0.753505	0.858061	0.928154
DeepLIFT SHAP	Single	0.742991	0.753505	0.858061	0.928154
Baselines Combined Zng	Single	0.775701	0.761098	0.903037	0.96028
DeepLIFT SHAP	Single	0.775701	0.761098	0.903037	0.96028
Baselines Combined Zng	Single	0.775701	0.761098	0.903037	0.96028
DeepLIFT SHAP	Single	0.775701	0.761098	0.903037	0.96028
Baselines Combined Zng	Single	0.775701	0.761098	0.903037	0.96028
DeepLIFT Baselines	Single	0.658294	0.65479	0.890187	0.96028
Global Mean	Single	0.658294	0.65479	0.890187	0.96028
DeepLIFT Baselines	Single	0.658294	0.65479	0.890187	0.96028
Global Mean	Single	0.658294	0.65479	0.890187	0.96028
FeatureAblation Patch	Single	0.849299	0.889603	0.876752	0.948598
Size 16	Single	0.849299	0.889603	0.876752	0.948598
FeatureAblation Patch	Single	0.849299	0.889603	0.876752	0.948598
Size 16	Single	0.849299	0.889603	0.876752	0.948598
GradientShap Baselines	Single	0.755257	0.745911	0.899533	0.956192
Combined Zng N	Single	0.755257	0.745911	0.899533	0.956192
Samples 20	Single	0.755257	0.745911	0.899533	0.956192
GradientShap Baselines	Single	0.766939	0.751752	0.902453	0.963785
Combined Zng N	Single	0.766939	0.751752	0.902453	0.963785
Samples 40	Single	0.766939	0.751752	0.902453	0.963785
GradientShap Baselines	Single	0.766939	0.751752	0.902453	0.963785
Combined Zng N	Single	0.766939	0.751752	0.902453	0.963785
Samples 40	Single	0.766939	0.751752	0.902453	0.963785
GuidedBackprop	Single	0.617991	0.602804	0.904206	0.971963
GuidedBackprop	Single	0.617991	0.602804	0.904206	0.971963
InputXGradient	Single	0.880257	0.934579	0.866822	0.928738
InputXGradient	Single	0.880257	0.934579	0.866822	0.928738
IntegratedGradients	Single	0.733645	0.754089	0.89486	0.963201
Baselines Zero N Steps	Single	0.733645	0.754089	0.89486	0.963201
200	Single	0.733645	0.754089	0.89486	0.963201
IntegratedGradients	Single	0.733645	0.754089	0.89486	0.963201
Baselines Zero N Steps	Single	0.733645	0.754089	0.89486	0.963201
200	Single	0.733645	0.754089	0.89486	0.963201
IntegratedGradients	Single	0.734813	0.757009	0.893107	0.962617
Baselines Zero N Steps	Single	0.734813	0.757009	0.893107	0.962617
50	Single	0.734813	0.757009	0.893107	0.962617
IntegratedGradients	Single	0.734813	0.757009	0.893107	0.962617
Baselines Zero N Steps	Single	0.734813	0.757009	0.893107	0.962617
50	Single	0.734813	0.757009	0.893107	0.962617
Occlusion Baselines	Single	0.826519	0.815421	0.88785	0.969626
Global Mean Patch Size	Single	0.826519	0.815421	0.88785	0.969626
16	Single	0.826519	0.815421	0.88785	0.969626

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Occlusion Baselines	Single	0.826519	0.815421	0.88785	0.969626
Global Mean Patch Size 16					
Saliency	Single	0.870327	0.917056	0.886682	0.94743
Saliency	Single	0.870327	0.917056	0.886682	0.94743

Table 103: BloodMNIST–ResNet-18

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Pepper Amount 0.05	ConsRob Replace Top Pepper Amount 0.05	AccRob Replace Top Salt Speckle Std 0.15	ConsRob Replace Top Salt Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Borda (n=2)	Ensemble	0.003505	0.00993	0.127921	0.061332	0.012266	0.004673	0.032126	0.010514	0.038551	0.071846	0.015771	0.000584
Borda (n=3)	Ensemble	0.008762	0.015187	0.160047	0.083528	0.009346	0.001168	0.021028	0.012266	0.033294	0.074766	0.014603	0
Borda (n=4)	Ensemble	0.010514	0.019276	0.17465	0.104556	0.006425	0.007009	0.023949	0.004673	0.036799	0.075935	0.015771	0.000584
Borda (n=5)	Ensemble	0.01285	0.009346	0.136098	0.060164	0.023364	0.02278	0.01285	0.002921	0.03271	0.067757	0.00993	0.001752
Borda (n=6)	Ensemble	0.001168	0.007593	0.114486	0.041472	0.016355	0.012266	0.018107	0.001168	0.035631	0.058411	0.014019	0.002921
Borda (n=7)	Ensemble	0.005257	0.028037	0.123248	0.055491	0.010514	0.000584	0.012266	0.002921	0.029206	0.068925	0.006425	0.001168
Borda (n=8)	Ensemble	0.00993	0.021612	0.111565	0.044393	0.010514	0.002336	0.014019	0	0.04264	0.086449	0.004673	0.001752
Kemeny Young (n=2)	Ensemble	0.003505	0.00993	0.127921	0.061332	0.012266	0.004673	0.032126	0.010514	0.038551	0.071846	0.015771	0.000584
Kemeny Young (n=3)	Ensemble	0.008762	0.015187	0.160047	0.083528	0.009346	0.001168	0.021028	0.012266	0.033294	0.074766	0.014603	0
Kemeny Young (n=4)	Ensemble	0.010514	0.019276	0.17465	0.104556	0.006425	0.007009	0.023949	0.004673	0.036799	0.075935	0.015771	0.000584
Kemeny Young (n=5)	Ensemble	0.01285	0.009346	0.136098	0.060164	0.023364	0.02278	0.01285	0.002921	0.03271	0.067757	0.00993	0.001752
Kemeny Young (n=6)	Ensemble	0.001168	0.007593	0.114486	0.041472	0.016355	0.012266	0.018107	0.001168	0.035631	0.058411	0.014019	0.002921
Kemeny Young (n=7)	Ensemble	0.005257	0.028037	0.123248	0.055491	0.010514	0.000584	0.012266	0.002921	0.029206	0.068925	0.006425	0.001168
Kemeny Young (n=8)	Ensemble	0.00993	0.021612	0.111565	0.044393	0.010514	0.002336	0.014019	0	0.04264	0.086449	0.004673	0.001752
RRF (n=2)	Ensemble	0.006425	0.004673	0.105724	0.03271	0.012266	0.008762	0.026869	0.005841	0.038551	0.071846	0.016939	0.000584
RRF (n=3)	Ensemble	0.014019	0.011098	0.174065	0.095794	0.014603	0.01285	0.020444	0.012266	0.037383	0.080023	0.012266	0.000584
RRF (n=4)	Ensemble	0	0.00993	0.160631	0.094626	0.004089	0.010514	0.023364	0.005257	0.033879	0.074766	0.018692	0.001752
RRF (n=5)	Ensemble	0.017523	0.001752	0.118575	0.058995	0.009346	0.008762	0.016355	0.002921	0.033879	0.065421	0.010514	0.004673
RRF (n=6)	Ensemble	0.012266	0.009346	0.096379	0.041472	0.015187	0.001752	0.018107	0.001752	0.033879	0.057243	0.013435	0.004089
RRF (n=7)	Ensemble	0.008178	0.023949	0.120911	0.056659	0.003505	0.004673	0.01285	0.000584	0.036799	0.063688	0.008762	0.001168
RRF (n=8)	Ensemble	0.007593	0.016939	0.094626	0.030374	0.015771	0.002921	0.012266	0.008762	0.03972	0.091121	0.005841	0.004673
Schulze (n=2)	Ensemble	0.007593	0.010514	0.140771	0.068341	0.007593	0	0.026869	0.008178	0.043808	0.083528	0.011098	0
Schulze (n=3)	Ensemble	0.004673	0.011682	0.117991	0.03972	0.007009	0.003505	0.016355	0.007009	0.039136	0.08528	0.01285	0
Schulze (n=4)	Ensemble	0.016355	0.040304	0.201519	0.160631	0.008762	0.016939	0.018107	0.004089	0.038551	0.073598	0.011682	0.001168
Schulze (n=5)	Ensemble	0.007593	0.014603	0.165304	0.102804	0.004089	0.002336	0.008762	0.002921	0.031542	0.074766	0.005841	0.002336
Schulze (n=6)	Ensemble	0.006425	0.012266	0.14486	0.079439	0.004673	0.003505	0.017523	0.006425	0.036215	0.068925	0.00993	0.002921
Schulze (n=7)	Ensemble	0.009346	0.021612	0.131425	0.060748	0.008762	0.000584	0.011682	0.002336	0.037967	0.076519	0.006425	0
Schulze (n=8)	Ensemble	0.02979	0.033879	0.119743	0.053154	0.001752	0.007593	0.009346	0.003505	0.042056	0.093458	0.005257	0.000584
Norm Ensemble (n=2)	Ensemble	0.020444	0.015187	0.093458	0.02979	0.004673	0.005257	0.016939	0.005841	0.055491	0.102804	0.00993	0.004673
Norm Ensemble (n=3)	Ensemble	0.01986	0.041472	0.063084	0	0.011682	0.024533	0.013435	0.007593	0.04965	0.097547	0.011682	0.004089
Norm Ensemble (n=4)	Ensemble	0.016939	0.03972	0.093458	0.034463	0.014019	0.027453	0.016939	0.007593	0.044393	0.088201	0.010514	0.000584
Norm Ensemble (n=5)	Ensemble	0.00993	0.026285	0.09229	0.028621	0.002921	0.004673	0.016939	0.002921	0.057243	0.077687	0.014603	0.007593
Norm Ensemble (n=6)	Ensemble	0.012266	0.028621	0.091121	0.030374	0.004089	0.010514	0.013435	0.002336	0.054907	0.078855	0.007593	0.007593
Norm Ensemble (n=7)	Ensemble	0.028621	0.054907	0.111565	0.065421	0.015771	0.044977	0.00993	0.006425	0.051402	0.096379	0.008178	0.000584
Norm Ensemble (n=8)	Ensemble	0.018692	0.033879	0.110981	0.048481	0.019276	0.027453	0.01285	0.006425	0.051986	0.101051	0.008178	0.002336
Deconvolution	Single	0.021028	0.01986	0.10514	0.037967	0.001168	0.018107	0.023364	0.019276	0.058995	0.159463	0.007009	0.005841
Deconvolution	Single	0.021028	0.01986	0.10514	0.037967	0.001168	0.018107	0.023364	0.019276	0.058995	0.159463	0.007009	0.005841
DeepLIFT SHAP	Single	0.037383	0.046729	0.068925	0.005841	0.035631	0.042056	0.01986	0.008762	0.036215	0.071262	0.013435	0.001168
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.037383	0.046729	0.068925	0.005841	0.035631	0.042056	0.01986	0.008762	0.036215	0.071262	0.013435	0.001168
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.037383	0.046729	0.068925	0.005841	0.035631	0.042056	0.01986	0.008762	0.036215	0.071262	0.013435	0.001168
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.037383	0.046729	0.068925	0.005841	0.035631	0.042056	0.01986	0.008762	0.036215	0.071262	0.013435	0.001168
Baselines Combined Zng													
DeepLIFT Baselines	Single	0.011098	0.003505	0.085864	0.010514	0.009346	0.001752	0.015187	0.013435	0.019276	0.081776	0.005841	0.005257
Global Mean													
DeepLIFT Baselines	Single	0.011098	0.003505	0.085864	0.010514	0.009346	0.001752	0.015187	0.013435	0.019276	0.081776	0.005841	0.005257
Global Mean													
FeatureAblation Patch	Single	0.002921	0.007593	0.011682	0.026285	0.014019	0.013435	0.006425	0.005841	0.031542	0.040888	0.002336	0.005841
Size 16													
FeatureAblation Patch	Single	0.002921	0.007593	0.011682	0.026285	0.014019	0.013435	0.006425	0.005841	0.031542	0.040888	0.002336	0.005841
Size 16													
GradientShap Baselines	Single	0.023949	0.039136	0.099299	0.029206	0.018692	0.034463	0.01986	0.002336	0.037383	0.073598	0.015771	0.004089
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.023949	0.039136	0.099299	0.029206	0.018692	0.034463	0.01986	0.002336	0.037383	0.073598	0.015771	0.004089
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.049065	0.061916	0.106308	0.037383	0.035631	0.046729	0.017523	0.008178	0.040304	0.071846	0.015187	0.000584
Combined Zng N													
Samples 40													
GradientShap Baselines	Single	0.049065	0.061916	0.106308	0.037383	0.035631	0.046729	0.017523	0.008178	0.040304	0.071846	0.015187	0.000584
Combined Zng N													
Samples 40													
GuidedBackprop	Single	0.002336	0.001752	0.154206	0.09229	0.017523	0.013435	0.013435	0.005841	0.04965	0.047313	0.008178	0.005841
GuidedBackprop	Single	0.002336	0.001752	0.154206	0.09229	0.017523	0.013435	0.013435	0.005841	0.04965	0.047313	0.008178	0.005841
InputXGradient	Single	0.007009	0.005841	0.036799	0.080607	0.004089	0.014603	0.00993	0	0.038551	0.021612	0.002336	0.010514
InputXGradient	Single	0.007009	0.005841	0.036799	0.080607	0.004089	0.014603	0.00993	0	0.038551	0.021612	0.002336	0.010514
IntegratedGradients	Single	0.012266	0.033294	0.040888	0.017523	0.008178	0.017523	0.009346	0.007009	0.040304	0.047313	0.011682	0
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.012266	0.033294	0.040888	0.017523	0.008178	0.017523	0.009346	0.007009	0.040304	0.047313	0.011682	0
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.016939	0.039136	0.043808	0.023364	0.007009	0.016355	0.008762	0.006425	0.03972	0.046729	0.008178	0.002336
Baselines Zero N Steps													
50													
IntegratedGradients	Single	0.016939	0.039136	0.043808	0.023364	0.007009	0.016355	0.008762	0.006425	0.03972	0.046729	0.008178	0.002336
Baselines Zero N Steps													
50													

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Occlusion Baselines Global Mean Patch Size 16	Single	0.002921	0.005257	0.122664	0.061916	0.001168	0	0.008762	0.005841	0.013435	0.02278	0.00993	0.002921
Occlusion Baselines Global Mean Patch Size 16	Single	0.002921	0.005257	0.122664	0.061916	0.001168	0	0.008762	0.005841	0.013435	0.02278	0.00993	0.002921
Saliency	Single	0.003505	0.005257	0.018692	0.026285	0.026869	0.026285	0.019276	0.009346	0.044977	0.063084	0.004089	0.002336
Saliency	Single	0.003505	0.005257	0.018692	0.026285	0.026869	0.026285	0.019276	0.009346	0.044977	0.063084	0.004089	0.002336

Table 104: BloodMNIST-ResNet-18

Dataset	Model	Method	Finite Fraction	Target Sensitive	Selected Batch Size	Attack Batch Size	Attack Seconds Per Sample	Attack Peak Cuda Bytes
BloodMNIST	ResNet-18	Saliency	1		1			
BloodMNIST	ResNet-18	InputXGradient	1		1			
BloodMNIST	ResNet-18	IntegratedGradients	1	true	1	1	0.033474	1.2722e+09
BloodMNIST	ResNet-18	GuidedBackprop	1		1			
BloodMNIST	ResNet-18	Deconvolution	1		1			
BloodMNIST	ResNet-18	FeatureAblation	1	true	1			
BloodMNIST	ResNet-18	Occlusion	1	true	1			
BloodMNIST	ResNet-18	DeepLift	1		1			
BloodMNIST	ResNet-18	GradientShap	1	true	1			
BloodMNIST	ResNet-18	DeepLiftShap	1	true	1	1	0.016832	4.4585e+08
BloodMNIST	ResNet-18	LRP	1	true	1			

Table 105: BloodMNIST-ResNet-50

Dataset	Model	Method	Finite Fraction	Target Sensitive	Selected Batch Size	Attack Batch Size	Attack Seconds Per Sample	Attack Peak Cuda Bytes
BloodMNIST	ResNet-50	Saliency	1		1			
BloodMNIST	ResNet-50	InputXGradient	1		1			
BloodMNIST	ResNet-50	IntegratedGradients	1	true	1	1	0.07787	4.5233e+09
BloodMNIST	ResNet-50	GuidedBackprop	1	true	1			
BloodMNIST	ResNet-50	Deconvolution	1		1			
BloodMNIST	ResNet-50	FeatureAblation	1	true	1			
BloodMNIST	ResNet-50	Occlusion	1	true	1			
BloodMNIST	ResNet-50	DeepLift	1		1			
BloodMNIST	ResNet-50	GradientShap	1	true	1			
BloodMNIST	ResNet-50	DeepLiftShap	1	true	1	1	0.02698	1.2474e+09
BloodMNIST	ResNet-50	LRP						